




LTE Band 48C / 20MHz+15MHz


64QAM

Middle Channel / 1RB0 and 1RB74

Middle Channel / 1RB99 and 1RB0




Date: 18.DEC.2021 04:57:35



Date: 18.DEC.2021 05:09:04

Middle Channel / Full RB

N/A



Date: 18.DEC.2021 04:55:46

Blank





LTE Band 48C / 20MHz+15MHz

64QAM

Highest Channel / 1RB0 and 1RB74

Highest Channel / 1RB99 and 1RB0




Date: 18.DEC.2021 05:34:08

Date: 18.DEC.2021 05:32:18

Highest Channel / Full RB

N/A



Date: 18.DEC.2021 05:43:15

Blank




LTE Band 48C / 20MHz+20MHz


64QAM

Lowest Channel / 1RB0 and 1RB99

Lowest Channel / 1RB99 and 1RB0




Date: 18.DEC.2021 08:56:38



Date: 18.DEC.2021 09:30:54

Lowest Channel / Full RB

N/A



Date: 18.DEC.2021 09:33:11

Blank




LTE Band 48C / 20MHz+20MHz


64QAM

MiddleChannel / 1RB0 and 1RB99

Middle Channel / 1RB99 and 1RB0




Date: 18.DEC.2021 10:06:16



Date: 18.DEC.2021 10:15:29

Middle Channel / Full RB

N/A



Date: 18.DEC.2021 10:04:25

Blank





LTE Band 48C / 20MHz+20MHz

64QAM

Highest Channel / 1RB0 and 1RB99

Highest Channel / 1RB99 and 1RB0




Date: 18.DEC.2021 11:12:23

Date: 18.DEC.2021 11:10:34

Highest Channel / Full RB

N/A



Date: 18.DEC.2021 11:21:32

Blank



Appendix B. Test Results of Radiated Test

Radiated Spurious Emission

Test Engineer :	KuangJia/WenBo Xiao	Temperature :	22~25°C
		Relative Humidity :	48~52%

LTE Band 48 / 20MHz / QPSK									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Middle	7332.00	-57.48	-40	-17.48	-65.72	-60.78	8.30	11.60	H
	10998.00	-54.02	-40	-14.02	-67.81	-55.54	10.48	12.00	H
	14664.00	-54.33	-40	-14.33	-69.44	-56.03	11.80	13.50	H
	7332.00	-56.51	-40	-16.51	-65.5	-59.81	8.30	11.60	V
	10998.00	-53.26	-40	-13.26	-67.81	-54.78	10.48	12.00	V
	14664.00	-54.25	-40	-14.25	-69.34	-55.95	11.80	13.50	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.

LTE Band 48C_CA / 10MHz + 20MHz / QPSK									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Middle	7250.00	-57.07	-40	-17.07	-65.09	-60.37	8.30	11.60	H
	10875.00	-54.46	-40	-14.46	-67.79	-55.98	10.48	12.00	H
	14500.00	-54.81	-40	-14.81	-69.28	-56.51	11.80	13.50	H
	7250.00	-55.99	-40	-15.99	-65.55	-59.29	8.30	11.60	V
	10875.00	-52.77	-40	-12.77	-67.75	-54.29	10.48	12.00	V
	14500.00	-55.52	-40	-15.52	-69.60	-57.22	11.80	13.50	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.