


B41_N77(20M)_DFT-s-OFDM_BPSK_Outer_Full_High_CH




B41_N77(20M)_DFT-s-OFDM_QPSK_Outer_Full_High_CH




B41_N77(60M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_Low_CH




B41_N77(60M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_Low_CH




B41_N77(60M)_DFT-s-OFDM_BPSK_Outer_Full_Low_CH




B41_N77(60M)_DFT-s-OFDM_QPSK_Outer_Full_Low_CH




B41_N77(60M)_DFT-s-OFDM_BPSK_Edge_1RB_Right_High_CH



B41_N77(60M)_DFT-s-OFDM_QPSK_Edge_1RB_Right_High_CH




B41_N77(60M)_DFT-s-OFDM_BPSK_Outer_Full_High_CH




B41_N77(60M)_DFT-s-OFDM_QPSK_Outer_Full_High_CH




B41_N77(100M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_Low_CH




B41_N77(100M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_Low_CH CHP_PASS




B41_N77(100M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_Low_CH



B41_N77(100M)_DFT-s-OFDM_BPSK_Outer_Full_Low_CH




B41_N77(100M)_DFT-s-OFDM_QPSK_Outer_Full_Low_CH




B41_N77(100M)_DFT-s-OFDM_BPSK_Edge_1RB_Right_High_CH




B41_N77(100M)_DFT-s-OFDM_QPSK_Edge_1RB_Right_High_CH



B41_N77(100M)_DFT-s-OFDM_BPSK_Outer_Full_High_CH



B41_N77(100M)_DFT-s-OFDM_QPSK_Outer_Full_High_CH



FR1 N78

LTE Band: 41, LTE BW: 10M, LTE ARFCN: Mid

Transmitter Conducted Output Power And EIRP, ($G_T - L_C$)= -0.3dB

NR Band	SCS (kHz)	Bandwidth (MHz)	Arfcn	Freq (MHz)	Modulation	RB	Conducted Power(dBm)	EIRP (dBm)	EIRP (W)
78	30	20	647334	3710.01	DFT-s-OFDM PI/2 BPSK	25@12	25.4	25.1	0.3236
78	30	20	647334	3710.01	DFT-s-OFDM PI/2 BPSK	1@1	25.35	25.05	0.3199
78	30	20	647334	3710.01	DFT-s-OFDM PI/2 BPSK	1@49	25.29	24.99	0.3155
78	30	20	647334	3710.01	DFT-s-OFDM QPSK	25@12	25.29	24.99	0.3155
78	30	20	647334	3710.01	DFT-s-OFDM QPSK	1@1	25.33	25.03	0.3184
78	30	20	647334	3710.01	DFT-s-OFDM QPSK	1@49	25.35	25.05	0.3199
78	30	20	647334	3710.01	DFT-s-OFDM 16 QAM	25@12	24.31	24.01	0.2518
78	30	20	647334	3710.01	DFT-s-OFDM 16 QAM	1@1	24.28	23.98	0.2500
78	30	20	647334	3710.01	DFT-s-OFDM 16 QAM	1@49	24.28	23.98	0.2500
78	30	20	647334	3710.01	DFT-s-OFDM 64 QAM	25@12	22.83	22.53	0.1791
78	30	20	647334	3710.01	DFT-s-OFDM 64 QAM	1@1	22.76	22.46	0.1762
78	30	20	647334	3710.01	DFT-s-OFDM 64 QAM	1@49	22.77	22.47	0.1766
78	30	20	647334	3710.01	DFT-s-OFDM 256 QAM	25@12	20.87	20.57	0.1140
78	30	20	647334	3710.01	DFT-s-OFDM 256 QAM	1@1	20.86	20.56	0.1138
78	30	20	647334	3710.01	DFT-s-OFDM 256 QAM	1@49	20.89	20.59	0.1146
78	30	20	647334	3710.01	CP-OFDM QPSK	25@12	23.8	23.5	0.2239
78	30	20	647334	3710.01	CP-OFDM QPSK	1@1	23.84	23.54	0.2259
78	30	20	647334	3710.01	CP-OFDM QPSK	1@49	23.84	23.54	0.2259
78	30	20	650000	3750	DFT-s-OFDM PI/2 BPSK	25@12	25.15	24.85	0.3055
78	30	20	650000	3750	DFT-s-OFDM PI/2 BPSK	1@1	25.12	24.82	0.3034
78	30	20	650000	3750	DFT-s-OFDM PI/2 BPSK	1@49	25.07	24.77	0.2999
78	30	20	650000	3750	DFT-s-OFDM QPSK	25@12	25.19	24.89	0.3083
78	30	20	650000	3750	DFT-s-OFDM QPSK	1@1	25.17	24.87	0.3069
78	30	20	650000	3750	DFT-s-OFDM QPSK	1@49	25.09	24.79	0.3013
78	30	20	650000	3750	DFT-s-OFDM 16 QAM	25@12	24.15	23.85	0.2427
78	30	20	650000	3750	DFT-s-OFDM 16 QAM	1@1	24.13	23.83	0.2415
78	30	20	650000	3750	DFT-s-OFDM 16 QAM	1@49	24.06	23.76	0.2377
78	30	20	650000	3750	DFT-s-OFDM 64 QAM	25@12	22.71	22.41	0.1742
78	30	20	650000	3750	DFT-s-OFDM 64 QAM	1@1	22.37	22.07	0.1611

78	30	20	650000	3750	DFT-s-OFDM 64 QAM	1@49	22.33	22.03	0.1596
78	30	20	650000	3750	DFT-s-OFDM 256 QAM	25@12	20.67	20.37	0.1089
78	30	20	650000	3750	DFT-s-OFDM 256 QAM	1@1	20.68	20.38	0.1091
78	30	20	650000	3750	DFT-s-OFDM 256 QAM	1@49	20.68	20.38	0.1091
78	30	20	650000	3750	CP-OFDM QPSK	25@12	23.67	23.37	0.2173
78	30	20	650000	3750	CP-OFDM QPSK	1@1	23.65	23.35	0.2163
78	30	20	650000	3750	CP-OFDM QPSK	1@49	23.65	23.35	0.2163
78	30	20	652666	3789.99	DFT-s-OFDM PI/2 BPSK	25@12	25.12	24.82	0.3034
78	30	20	652666	3789.99	DFT-s-OFDM PI/2 BPSK	1@1	25.03	24.73	0.2972
78	30	20	652666	3789.99	DFT-s-OFDM PI/2 BPSK	1@49	25.11	24.81	0.3027
78	30	20	652666	3789.99	DFT-s-OFDM QPSK	25@12	25.06	24.76	0.2992
78	30	20	652666	3789.99	DFT-s-OFDM QPSK	1@1	25.02	24.72	0.2965
78	30	20	652666	3789.99	DFT-s-OFDM QPSK	1@49	25.15	24.85	0.3055
78	30	20	652666	3789.99	DFT-s-OFDM 16 QAM	25@12	24.09	23.79	0.2393
78	30	20	652666	3789.99	DFT-s-OFDM 16 QAM	1@1	23.98	23.68	0.2333
78	30	20	652666	3789.99	DFT-s-OFDM 16 QAM	1@49	24.12	23.82	0.2410
78	30	20	652666	3789.99	DFT-s-OFDM 64 QAM	25@12	22.61	22.31	0.1702
78	30	20	652666	3789.99	DFT-s-OFDM 64 QAM	1@1	22.17	21.87	0.1538
78	30	20	652666	3789.99	DFT-s-OFDM 64 QAM	1@49	22.31	22.01	0.1589
78	30	20	652666	3789.99	DFT-s-OFDM 256 QAM	25@12	20.65	20.35	0.1084
78	30	20	652666	3789.99	DFT-s-OFDM 256 QAM	1@1	20.62	20.32	0.1076
78	30	20	652666	3789.99	DFT-s-OFDM 256 QAM	1@49	20.69	20.39	0.1094
78	30	20	652666	3789.99	CP-OFDM QPSK	25@12	23.55	23.25	0.2113
78	30	20	652666	3789.99	CP-OFDM QPSK	1@1	23.43	23.13	0.2056
78	30	20	652666	3789.99	CP-OFDM QPSK	1@49	23.65	23.35	0.2163
78	30	30	647668	3715.02	DFT-s-OFDM PI/2 BPSK	36@18	25.32	25.02	0.3177
78	30	30	647668	3715.02	DFT-s-OFDM PI/2 BPSK	1@1	25.37	25.07	0.3214
78	30	30	647668	3715.02	DFT-s-OFDM PI/2 BPSK	1@76	25.23	24.93	0.3112
78	30	30	647668	3715.02	DFT-s-OFDM QPSK	36@18	25.35	25.05	0.3199
78	30	30	647668	3715.02	DFT-s-OFDM QPSK	1@1	25.43	25.13	0.3258
78	30	30	647668	3715.02	DFT-s-OFDM QPSK	1@76	25.26	24.96	0.3133
78	30	30	647668	3715.02	DFT-s-OFDM 16 QAM	36@18	24.37	24.07	0.2553
78	30	30	647668	3715.02	DFT-s-OFDM 16 QAM	1@1	24.43	24.13	0.2588
78	30	30	647668	3715.02	DFT-s-OFDM 16 QAM	1@76	24.28	23.98	0.2500
78	30	30	647668	3715.02	DFT-s-OFDM 64 QAM	36@18	22.85	22.55	0.1799
78	30	30	647668	3715.02	DFT-s-OFDM 64 QAM	1@1	22.55	22.25	0.1679

78	30	30	647668	3715.02	DFT-s-OFDM 64 QAM	1@76	22.43	22.13	0.1633
78	30	30	647668	3715.02	DFT-s-OFDM 256 QAM	36@18	20.77	20.47	0.1114
78	30	30	647668	3715.02	DFT-s-OFDM 256 QAM	1@1	21.08	20.78	0.1197
78	30	30	647668	3715.02	DFT-s-OFDM 256 QAM	1@76	20.88	20.58	0.1143
78	30	30	647668	3715.02	CP-OFDM QPSK	39@19	23.79	23.49	0.2234
78	30	30	647668	3715.02	CP-OFDM QPSK	1@1	23.96	23.66	0.2323
78	30	30	647668	3715.02	CP-OFDM QPSK	1@76	23.68	23.38	0.2178
78	30	30	650000	3750	DFT-s-OFDM PI/2 BPSK	36@18	25.15	24.85	0.3055
78	30	30	650000	3750	DFT-s-OFDM PI/2 BPSK	1@1	25.19	24.89	0.3083
78	30	30	650000	3750	DFT-s-OFDM PI/2 BPSK	1@76	25.13	24.83	0.3041
78	30	30	650000	3750	DFT-s-OFDM QPSK	36@18	25.12	24.82	0.3034
78	30	30	650000	3750	DFT-s-OFDM QPSK	1@1	25.22	24.92	0.3105
78	30	30	650000	3750	DFT-s-OFDM QPSK	1@76	25.1	24.8	0.3020
78	30	30	650000	3750	DFT-s-OFDM 16 QAM	36@18	24.18	23.88	0.2443
78	30	30	650000	3750	DFT-s-OFDM 16 QAM	1@1	24.19	23.89	0.2449
78	30	30	650000	3750	DFT-s-OFDM 16 QAM	1@76	24.07	23.77	0.2382
78	30	30	650000	3750	DFT-s-OFDM 64 QAM	36@18	22.68	22.38	0.1730
78	30	30	650000	3750	DFT-s-OFDM 64 QAM	1@1	22.67	22.37	0.1726
78	30	30	650000	3750	DFT-s-OFDM 64 QAM	1@76	22.57	22.27	0.1687
78	30	30	650000	3750	DFT-s-OFDM 256 QAM	36@18	20.62	20.32	0.1076
78	30	30	650000	3750	DFT-s-OFDM 256 QAM	1@1	20.86	20.56	0.1138
78	30	30	650000	3750	DFT-s-OFDM 256 QAM	1@76	20.73	20.43	0.1104
78	30	30	650000	3750	CP-OFDM QPSK	39@19	23.7	23.4	0.2188
78	30	30	650000	3750	CP-OFDM QPSK	1@1	23.75	23.45	0.2213
78	30	30	650000	3750	CP-OFDM QPSK	1@76	23.58	23.28	0.2128
78	30	30	652332	3784.98	DFT-s-OFDM PI/2 BPSK	36@18	24.81	24.51	0.2825
78	30	30	652332	3784.98	DFT-s-OFDM PI/2 BPSK	1@1	24.72	24.42	0.2767
78	30	30	652332	3784.98	DFT-s-OFDM PI/2 BPSK	1@76	24.78	24.48	0.2805
78	30	30	652332	3784.98	DFT-s-OFDM QPSK	36@18	24.78	24.48	0.2805
78	30	30	652332	3784.98	DFT-s-OFDM QPSK	1@1	24.7	24.4	0.2754
78	30	30	652332	3784.98	DFT-s-OFDM QPSK	1@76	24.77	24.47	0.2799
78	30	30	652332	3784.98	DFT-s-OFDM 16 QAM	36@18	23.82	23.52	0.2249
78	30	30	652332	3784.98	DFT-s-OFDM 16 QAM	1@1	23.66	23.36	0.2168
78	30	30	652332	3784.98	DFT-s-OFDM 16 QAM	1@76	23.76	23.46	0.2218
78	30	30	652332	3784.98	DFT-s-OFDM 64 QAM	36@18	22.32	22.02	0.1592
78	30	30	652332	3784.98	DFT-s-OFDM 64 QAM	1@1	22.13	21.83	0.1524

78	30	30	652332	3784.98	DFT-s-OFDM 64 QAM	1@76	22.24	21.94	0.1563
78	30	30	652332	3784.98	DFT-s-OFDM 256 QAM	36@18	20.26	19.96	0.0991
78	30	30	652332	3784.98	DFT-s-OFDM 256 QAM	1@1	20.3	20	0.1000
78	30	30	652332	3784.98	DFT-s-OFDM 256 QAM	1@76	20.43	20.13	0.1030
78	30	30	652332	3784.98	CP-OFDM QPSK	39@19	23.28	22.98	0.1986
78	30	30	652332	3784.98	CP-OFDM QPSK	1@1	23.16	22.86	0.1932
78	30	30	652332	3784.98	CP-OFDM QPSK	1@76	23.28	22.98	0.1986
78	30	40	648000	3720	DFT-s-OFDM PI/2 BPSK	50@25	25.39	25.09	0.3228
78	30	40	648000	3720	DFT-s-OFDM PI/2 BPSK	1@1	25.4	25.1	0.3236
78	30	40	648000	3720	DFT-s-OFDM PI/2 BPSK	1@104	25.3	25	0.3162
78	30	40	648000	3720	DFT-s-OFDM QPSK	50@25	25.37	25.07	0.3214
78	30	40	648000	3720	DFT-s-OFDM QPSK	1@1	25.46	25.16	0.3281
78	30	40	648000	3720	DFT-s-OFDM QPSK	1@104	25.31	25.01	0.3170
78	30	40	648000	3720	DFT-s-OFDM 16 QAM	50@25	24.32	24.02	0.2523
78	30	40	648000	3720	DFT-s-OFDM 16 QAM	1@1	24.38	24.08	0.2559
78	30	40	648000	3720	DFT-s-OFDM 16 QAM	1@104	24.3	24	0.2512
78	30	40	648000	3720	DFT-s-OFDM 64 QAM	50@25	22.84	22.54	0.1795
78	30	40	648000	3720	DFT-s-OFDM 64 QAM	1@1	22.89	22.59	0.1816
78	30	40	648000	3720	DFT-s-OFDM 64 QAM	1@104	22.77	22.47	0.1766
78	30	40	648000	3720	DFT-s-OFDM 256 QAM	50@25	20.8	20.5	0.1122
78	30	40	648000	3720	DFT-s-OFDM 256 QAM	1@1	21.02	20.72	0.1180
78	30	40	648000	3720	DFT-s-OFDM 256 QAM	1@104	20.93	20.63	0.1156
78	30	40	648000	3720	CP-OFDM QPSK	53@26	23.82	23.52	0.2249
78	30	40	648000	3720	CP-OFDM QPSK	1@1	23.91	23.61	0.2296
78	30	40	648000	3720	CP-OFDM QPSK	1@104	23.82	23.52	0.2249
78	30	40	650000	3750	DFT-s-OFDM PI/2 BPSK	50@25	25.27	24.97	0.3141
78	30	40	650000	3750	DFT-s-OFDM PI/2 BPSK	1@1	25.38	25.08	0.3221
78	30	40	650000	3750	DFT-s-OFDM PI/2 BPSK	1@104	25.21	24.91	0.3097
78	30	40	650000	3750	DFT-s-OFDM QPSK	50@25	25.21	24.91	0.3097
78	30	40	650000	3750	DFT-s-OFDM QPSK	1@1	25.36	25.06	0.3206
78	30	40	650000	3750	DFT-s-OFDM QPSK	1@104	25.2	24.9	0.3090
78	30	40	650000	3750	DFT-s-OFDM 16 QAM	50@25	24.21	23.91	0.2460
78	30	40	650000	3750	DFT-s-OFDM 16 QAM	1@1	24.31	24.01	0.2518
78	30	40	650000	3750	DFT-s-OFDM 16 QAM	1@104	24.17	23.87	0.2438
78	30	40	650000	3750	DFT-s-OFDM 64 QAM	50@25	22.74	22.44	0.1754
78	30	40	650000	3750	DFT-s-OFDM 64 QAM	1@1	22.8	22.5	0.1778

78	30	40	650000	3750	DFT-s-OFDM 64 QAM	1@104	22.65	22.35	0.1718
78	30	40	650000	3750	DFT-s-OFDM 256 QAM	50@25	20.75	20.45	0.1109
78	30	40	650000	3750	DFT-s-OFDM 256 QAM	1@1	20.95	20.65	0.1161
78	30	40	650000	3750	DFT-s-OFDM 256 QAM	1@104	20.8	20.5	0.1122
78	30	40	650000	3750	CP-OFDM QPSK	53@26	23.67	23.37	0.2173
78	30	40	650000	3750	CP-OFDM QPSK	1@1	23.84	23.54	0.2259
78	30	40	650000	3750	CP-OFDM QPSK	1@104	23.74	23.44	0.2208
78	30	40	652000	3780	DFT-s-OFDM PI/2 BPSK	50@25	24.88	24.58	0.2871
78	30	40	652000	3780	DFT-s-OFDM PI/2 BPSK	1@1	24.82	24.52	0.2831
78	30	40	652000	3780	DFT-s-OFDM PI/2 BPSK	1@104	24.87	24.57	0.2864
78	30	40	652000	3780	DFT-s-OFDM QPSK	50@25	24.89	24.59	0.2877
78	30	40	652000	3780	DFT-s-OFDM QPSK	1@1	24.82	24.52	0.2831
78	30	40	652000	3780	DFT-s-OFDM QPSK	1@104	24.89	24.59	0.2877
78	30	40	652000	3780	DFT-s-OFDM 16 QAM	50@25	23.85	23.55	0.2265
78	30	40	652000	3780	DFT-s-OFDM 16 QAM	1@1	23.82	23.52	0.2249
78	30	40	652000	3780	DFT-s-OFDM 16 QAM	1@104	23.84	23.54	0.2259
78	30	40	652000	3780	DFT-s-OFDM 64 QAM	50@25	22.32	22.02	0.1592
78	30	40	652000	3780	DFT-s-OFDM 64 QAM	1@1	22.01	21.71	0.1483
78	30	40	652000	3780	DFT-s-OFDM 64 QAM	1@104	22.06	21.76	0.1500
78	30	40	652000	3780	DFT-s-OFDM 256 QAM	50@25	20.33	20.03	0.1007
78	30	40	652000	3780	DFT-s-OFDM 256 QAM	1@1	20.41	20.11	0.1026
78	30	40	652000	3780	DFT-s-OFDM 256 QAM	1@104	20.46	20.16	0.1038
78	30	40	652000	3780	CP-OFDM QPSK	53@26	23.32	23.02	0.2004
78	30	40	652000	3780	CP-OFDM QPSK	1@1	23.33	23.03	0.2009
78	30	40	652000	3780	CP-OFDM QPSK	1@104	23.36	23.06	0.2023
78	30	50	648334	3725.01	DFT-s-OFDM PI/2 BPSK	64@32	25.18	24.88	0.3076
78	30	50	648334	3725.01	DFT-s-OFDM PI/2 BPSK	1@1	25.3	25	0.3162
78	30	50	648334	3725.01	DFT-s-OFDM PI/2 BPSK	1@131	25.05	24.75	0.2985
78	30	50	648334	3725.01	DFT-s-OFDM QPSK	64@32	25.31	25.01	0.3170
78	30	50	648334	3725.01	DFT-s-OFDM QPSK	1@1	25.29	24.99	0.3155
78	30	50	648334	3725.01	DFT-s-OFDM QPSK	1@131	24.99	24.69	0.2944
78	30	50	648334	3725.01	DFT-s-OFDM 16 QAM	64@32	24.27	23.97	0.2495
78	30	50	648334	3725.01	DFT-s-OFDM 16 QAM	1@1	24.22	23.92	0.2466
78	30	50	648334	3725.01	DFT-s-OFDM 16 QAM	1@131	24.01	23.71	0.2350
78	30	50	648334	3725.01	DFT-s-OFDM 64 QAM	64@32	22.76	22.46	0.1762
78	30	50	648334	3725.01	DFT-s-OFDM 64 QAM	1@1	22.73	22.43	0.1750

78	30	50	648334	3725.01	DFT-s-OFDM 64 QAM	1@131	22.52	22.22	0.1667
78	30	50	648334	3725.01	DFT-s-OFDM 256 QAM	64@32	20.75	20.45	0.1109
78	30	50	648334	3725.01	DFT-s-OFDM 256 QAM	1@1	20.84	20.54	0.1132
78	30	50	648334	3725.01	DFT-s-OFDM 256 QAM	1@131	20.67	20.37	0.1089
78	30	50	648334	3725.01	CP-OFDM QPSK	67@33	23.73	23.43	0.2203
78	30	50	648334	3725.01	CP-OFDM QPSK	1@1	23.79	23.49	0.2234
78	30	50	648334	3725.01	CP-OFDM QPSK	1@131	23.53	23.23	0.2104
78	30	50	650000	3750	DFT-s-OFDM PI/2 BPSK	64@32	25.1	24.8	0.3020
78	30	50	650000	3750	DFT-s-OFDM PI/2 BPSK	1@1	25.18	24.88	0.3076
78	30	50	650000	3750	DFT-s-OFDM PI/2 BPSK	1@131	24.91	24.61	0.2891
78	30	50	650000	3750	DFT-s-OFDM QPSK	64@32	25.11	24.81	0.3027
78	30	50	650000	3750	DFT-s-OFDM QPSK	1@1	25.16	24.86	0.3062
78	30	50	650000	3750	DFT-s-OFDM QPSK	1@131	24.91	24.61	0.2891
78	30	50	650000	3750	DFT-s-OFDM 16 QAM	64@32	24.05	23.75	0.2371
78	30	50	650000	3750	DFT-s-OFDM 16 QAM	1@1	24.12	23.82	0.2410
78	30	50	650000	3750	DFT-s-OFDM 16 QAM	1@131	23.86	23.56	0.2270
78	30	50	650000	3750	DFT-s-OFDM 64 QAM	64@32	22.57	22.27	0.1687
78	30	50	650000	3750	DFT-s-OFDM 64 QAM	1@1	22.63	22.33	0.1710
78	30	50	650000	3750	DFT-s-OFDM 64 QAM	1@131	22.27	21.97	0.1574
78	30	50	650000	3750	DFT-s-OFDM 256 QAM	64@32	20.54	20.24	0.1057
78	30	50	650000	3750	DFT-s-OFDM 256 QAM	1@1	20.81	20.51	0.1125
78	30	50	650000	3750	DFT-s-OFDM 256 QAM	1@131	20.5	20.2	0.1047
78	30	50	650000	3750	CP-OFDM QPSK	67@33	23.61	23.31	0.2143
78	30	50	650000	3750	CP-OFDM QPSK	1@1	23.74	23.44	0.2208
78	30	50	650000	3750	CP-OFDM QPSK	1@131	23.38	23.08	0.2032
78	30	50	651666	3774.99	DFT-s-OFDM PI/2 BPSK	64@32	25	24.7	0.2951
78	30	50	651666	3774.99	DFT-s-OFDM PI/2 BPSK	1@1	25.07	24.77	0.2999
78	30	50	651666	3774.99	DFT-s-OFDM PI/2 BPSK	1@131	24.92	24.62	0.2897
78	30	50	651666	3774.99	DFT-s-OFDM QPSK	64@32	25.06	24.76	0.2992
78	30	50	651666	3774.99	DFT-s-OFDM QPSK	1@1	25.06	24.76	0.2992
78	30	50	651666	3774.99	DFT-s-OFDM QPSK	1@131	24.89	24.59	0.2877
78	30	50	651666	3774.99	DFT-s-OFDM 16 QAM	64@32	23.99	23.69	0.2339
78	30	50	651666	3774.99	DFT-s-OFDM 16 QAM	1@1	23.99	23.69	0.2339
78	30	50	651666	3774.99	DFT-s-OFDM 16 QAM	1@131	23.87	23.57	0.2275
78	30	50	651666	3774.99	DFT-s-OFDM 64 QAM	64@32	22.47	22.17	0.1648
78	30	50	651666	3774.99	DFT-s-OFDM 64 QAM	1@1	22.49	22.19	0.1656

78	30	50	651666	3774.99	DFT-s-OFDM 64 QAM	1@131	22.37	22.07	0.1611
78	30	50	651666	3774.99	DFT-s-OFDM 256 QAM	64@32	20.42	20.12	0.1028
78	30	50	651666	3774.99	DFT-s-OFDM 256 QAM	1@1	20.65	20.35	0.1084
78	30	50	651666	3774.99	DFT-s-OFDM 256 QAM	1@131	20.51	20.21	0.1050
78	30	50	651666	3774.99	CP-OFDM QPSK	67@33	23.51	23.21	0.2094
78	30	50	651666	3774.99	CP-OFDM QPSK	1@1	23.67	23.37	0.2173
78	30	50	651666	3774.99	CP-OFDM QPSK	1@131	23.45	23.15	0.2065
78	30	60	648668	3730.02	DFT-s-OFDM PI/2 BPSK	81@40	25.15	24.85	0.3055
78	30	60	648668	3730.02	DFT-s-OFDM PI/2 BPSK	1@1	25.14	24.84	0.3048
78	30	60	648668	3730.02	DFT-s-OFDM PI/2 BPSK	1@160	25.04	24.74	0.2979
78	30	60	648668	3730.02	DFT-s-OFDM QPSK	81@40	25.13	24.83	0.3041
78	30	60	648668	3730.02	DFT-s-OFDM QPSK	1@1	25.17	24.87	0.3069
78	30	60	648668	3730.02	DFT-s-OFDM QPSK	1@160	24.99	24.69	0.2944
78	30	60	648668	3730.02	DFT-s-OFDM 16 QAM	81@40	24.16	23.86	0.2432
78	30	60	648668	3730.02	DFT-s-OFDM 16 QAM	1@1	24.11	23.81	0.2404
78	30	60	648668	3730.02	DFT-s-OFDM 16 QAM	1@160	23.94	23.64	0.2312
78	30	60	648668	3730.02	DFT-s-OFDM 64 QAM	81@40	22.65	22.35	0.1718
78	30	60	648668	3730.02	DFT-s-OFDM 64 QAM	1@1	22.64	22.34	0.1714
78	30	60	648668	3730.02	DFT-s-OFDM 64 QAM	1@160	22.44	22.14	0.1637
78	30	60	648668	3730.02	DFT-s-OFDM 256 QAM	81@40	20.62	20.32	0.1076
78	30	60	648668	3730.02	DFT-s-OFDM 256 QAM	1@1	20.84	20.54	0.1132
78	30	60	648668	3730.02	DFT-s-OFDM 256 QAM	1@160	20.54	20.24	0.1057
78	30	60	648668	3730.02	CP-OFDM QPSK	81@40	23.62	23.32	0.2148
78	30	60	648668	3730.02	CP-OFDM QPSK	1@1	23.7	23.4	0.2188
78	30	60	648668	3730.02	CP-OFDM QPSK	1@160	23.63	23.33	0.2153
78	30	60	650000	3750	DFT-s-OFDM PI/2 BPSK	81@40	25.16	24.86	0.3062
78	30	60	650000	3750	DFT-s-OFDM PI/2 BPSK	1@1	25.17	24.87	0.3069
78	30	60	650000	3750	DFT-s-OFDM PI/2 BPSK	1@160	24.88	24.58	0.2871
78	30	60	650000	3750	DFT-s-OFDM QPSK	81@40	25.16	24.86	0.3062
78	30	60	650000	3750	DFT-s-OFDM QPSK	1@1	25.11	24.81	0.3027
78	30	60	650000	3750	DFT-s-OFDM QPSK	1@160	24.89	24.59	0.2877
78	30	60	650000	3750	DFT-s-OFDM 16 QAM	81@40	24.14	23.84	0.2421
78	30	60	650000	3750	DFT-s-OFDM 16 QAM	1@1	24.1	23.8	0.2399
78	30	60	650000	3750	DFT-s-OFDM 16 QAM	1@160	23.85	23.55	0.2265
78	30	60	650000	3750	DFT-s-OFDM 64 QAM	81@40	22.64	22.34	0.1714
78	30	60	650000	3750	DFT-s-OFDM 64 QAM	1@1	22.59	22.29	0.1694

78	30	60	650000	3750	DFT-s-OFDM 64 QAM	1@160	22.39	22.09	0.1618
78	30	60	650000	3750	DFT-s-OFDM 256 QAM	81@40	20.55	20.25	0.1059
78	30	60	650000	3750	DFT-s-OFDM 256 QAM	1@1	20.71	20.41	0.1099
78	30	60	650000	3750	DFT-s-OFDM 256 QAM	1@160	20.52	20.22	0.1052
78	30	60	650000	3750	CP-OFDM QPSK	81@40	23.59	23.29	0.2133
78	30	60	650000	3750	CP-OFDM QPSK	1@1	23.59	23.29	0.2133
78	30	60	650000	3750	CP-OFDM QPSK	1@160	23.51	23.21	0.2094
78	30	60	651332	3769.98	DFT-s-OFDM PI/2 BPSK	81@40	25.1	24.8	0.3020
78	30	60	651332	3769.98	DFT-s-OFDM PI/2 BPSK	1@1	25.06	24.76	0.2992
78	30	60	651332	3769.98	DFT-s-OFDM PI/2 BPSK	1@160	24.98	24.68	0.2938
78	30	60	651332	3769.98	DFT-s-OFDM QPSK	81@40	25.06	24.76	0.2992
78	30	60	651332	3769.98	DFT-s-OFDM QPSK	1@1	25.03	24.73	0.2972
78	30	60	651332	3769.98	DFT-s-OFDM QPSK	1@160	25.01	24.71	0.2958
78	30	60	651332	3769.98	DFT-s-OFDM 16 QAM	81@40	24.05	23.75	0.2371
78	30	60	651332	3769.98	DFT-s-OFDM 16 QAM	1@1	23.99	23.69	0.2339
78	30	60	651332	3769.98	DFT-s-OFDM 16 QAM	1@160	24.02	23.72	0.2355
78	30	60	651332	3769.98	DFT-s-OFDM 64 QAM	81@40	22.53	22.23	0.1671
78	30	60	651332	3769.98	DFT-s-OFDM 64 QAM	1@1	22.18	21.88	0.1542
78	30	60	651332	3769.98	DFT-s-OFDM 64 QAM	1@160	22.19	21.89	0.1545
78	30	60	651332	3769.98	DFT-s-OFDM 256 QAM	81@40	20.5	20.2	0.1047
78	30	60	651332	3769.98	DFT-s-OFDM 256 QAM	1@1	20.69	20.39	0.1094
78	30	60	651332	3769.98	DFT-s-OFDM 256 QAM	1@160	20.59	20.29	0.1069
78	30	60	651332	3769.98	CP-OFDM QPSK	81@40	23.53	23.23	0.2104
78	30	60	651332	3769.98	CP-OFDM QPSK	1@1	23.55	23.25	0.2113
78	30	60	651332	3769.98	CP-OFDM QPSK	1@160	23.61	23.31	0.2143
78	30	70	649000	3735	DFT-s-OFDM PI/2 BPSK	90@45	25.08	24.78	0.3006
78	30	70	649000	3735	DFT-s-OFDM PI/2 BPSK	1@1	25.17	24.87	0.3069
78	30	70	649000	3735	DFT-s-OFDM PI/2 BPSK	1@187	24.86	24.56	0.2858
78	30	70	649000	3735	DFT-s-OFDM QPSK	90@45	25.09	24.79	0.3013
78	30	70	649000	3735	DFT-s-OFDM QPSK	1@1	25.17	24.87	0.3069
78	30	70	649000	3735	DFT-s-OFDM QPSK	1@187	24.91	24.61	0.2891
78	30	70	649000	3735	DFT-s-OFDM 16 QAM	90@45	24.11	23.81	0.2404
78	30	70	649000	3735	DFT-s-OFDM 16 QAM	1@1	24.1	23.8	0.2399
78	30	70	649000	3735	DFT-s-OFDM 16 QAM	1@187	23.91	23.61	0.2296
78	30	70	649000	3735	DFT-s-OFDM 64 QAM	90@45	22.63	22.33	0.1710
78	30	70	649000	3735	DFT-s-OFDM 64 QAM	1@1	22.38	22.08	0.1614

78	30	70	649000	3735	DFT-s-OFDM 64 QAM	1@187	22.05	21.75	0.1496
78	30	70	649000	3735	DFT-s-OFDM 256 QAM	90@45	20.52	20.22	0.1052
78	30	70	649000	3735	DFT-s-OFDM 256 QAM	1@1	20.7	20.4	0.1096
78	30	70	649000	3735	DFT-s-OFDM 256 QAM	1@187	20.41	20.11	0.1026
78	30	70	649000	3735	CP-OFDM QPSK	95@47	23.55	23.25	0.2113
78	30	70	649000	3735	CP-OFDM QPSK	1@1	23.71	23.41	0.2193
78	30	70	649000	3735	CP-OFDM QPSK	1@187	23.45	23.15	0.2065
78	30	70	650000	3750	DFT-s-OFDM PI/2 BPSK	90@45	25.01	24.71	0.2958
78	30	70	650000	3750	DFT-s-OFDM PI/2 BPSK	1@1	25.09	24.79	0.3013
78	30	70	650000	3750	DFT-s-OFDM PI/2 BPSK	1@187	24.75	24.45	0.2786
78	30	70	650000	3750	DFT-s-OFDM QPSK	90@45	24.98	24.68	0.2938
78	30	70	650000	3750	DFT-s-OFDM QPSK	1@1	25.03	24.73	0.2972
78	30	70	650000	3750	DFT-s-OFDM QPSK	1@187	24.71	24.41	0.2761
78	30	70	650000	3750	DFT-s-OFDM 16 QAM	90@45	24	23.7	0.2344
78	30	70	650000	3750	DFT-s-OFDM 16 QAM	1@1	24.1	23.8	0.2399
78	30	70	650000	3750	DFT-s-OFDM 16 QAM	1@187	23.73	23.43	0.2203
78	30	70	650000	3750	DFT-s-OFDM 64 QAM	90@45	22.48	22.18	0.1652
78	30	70	650000	3750	DFT-s-OFDM 64 QAM	1@1	22.21	21.91	0.1552
78	30	70	650000	3750	DFT-s-OFDM 64 QAM	1@187	21.91	21.61	0.1449
78	30	70	650000	3750	DFT-s-OFDM 256 QAM	90@45	20.49	20.19	0.1045
78	30	70	650000	3750	DFT-s-OFDM 256 QAM	1@1	20.64	20.34	0.1081
78	30	70	650000	3750	DFT-s-OFDM 256 QAM	1@187	20.3	20	0.1000
78	30	70	650000	3750	CP-OFDM QPSK	95@47	23.5	23.2	0.2089
78	30	70	650000	3750	CP-OFDM QPSK	1@1	23.56	23.26	0.2118
78	30	70	650000	3750	CP-OFDM QPSK	1@187	23.33	23.03	0.2009
78	30	70	651000	3765	DFT-s-OFDM PI/2 BPSK	90@45	24.92	24.62	0.2897
78	30	70	651000	3765	DFT-s-OFDM PI/2 BPSK	1@1	25.01	24.71	0.2958
78	30	70	651000	3765	DFT-s-OFDM PI/2 BPSK	1@187	24.82	24.52	0.2831
78	30	70	651000	3765	DFT-s-OFDM QPSK	90@45	24.91	24.61	0.2891
78	30	70	651000	3765	DFT-s-OFDM QPSK	1@1	25.04	24.74	0.2979
78	30	70	651000	3765	DFT-s-OFDM QPSK	1@187	24.81	24.51	0.2825
78	30	70	651000	3765	DFT-s-OFDM 16 QAM	90@45	23.93	23.63	0.2307
78	30	70	651000	3765	DFT-s-OFDM 16 QAM	1@1	24.04	23.74	0.2366
78	30	70	651000	3765	DFT-s-OFDM 16 QAM	1@187	23.89	23.59	0.2286
78	30	70	651000	3765	DFT-s-OFDM 64 QAM	90@45	22.44	22.14	0.1637
78	30	70	651000	3765	DFT-s-OFDM 64 QAM	1@1	22.21	21.91	0.1552

78	30	70	651000	3765	DFT-s-OFDM 64 QAM	1@187	22.01	21.71	0.1483
78	30	70	651000	3765	DFT-s-OFDM 256 QAM	90@45	20.42	20.12	0.1028
78	30	70	651000	3765	DFT-s-OFDM 256 QAM	1@1	20.62	20.32	0.1076
78	30	70	651000	3765	DFT-s-OFDM 256 QAM	1@187	20.44	20.14	0.1033
78	30	70	651000	3765	CP-OFDM QPSK	95@47	23.42	23.12	0.2051
78	30	70	651000	3765	CP-OFDM QPSK	1@1	23.57	23.27	0.2123
78	30	70	651000	3765	CP-OFDM QPSK	1@187	23.42	23.12	0.2051
78	30	80	649334	3740.01	DFT-s-OFDM PI/2 BPSK	108@54	25.06	24.76	0.2992
78	30	80	649334	3740.01	DFT-s-OFDM PI/2 BPSK	1@1	25.08	24.78	0.3006
78	30	80	649334	3740.01	DFT-s-OFDM PI/2 BPSK	1@215	24.83	24.53	0.2838
78	30	80	649334	3740.01	DFT-s-OFDM QPSK	108@54	25.15	24.85	0.3055
78	30	80	649334	3740.01	DFT-s-OFDM QPSK	1@1	25.06	24.76	0.2992
78	30	80	649334	3740.01	DFT-s-OFDM QPSK	1@215	24.79	24.49	0.2812
78	30	80	649334	3740.01	DFT-s-OFDM 16 QAM	108@54	24.08	23.78	0.2388
78	30	80	649334	3740.01	DFT-s-OFDM 16 QAM	1@1	24.05	23.75	0.2371
78	30	80	649334	3740.01	DFT-s-OFDM 16 QAM	1@215	23.78	23.48	0.2228
78	30	80	649334	3740.01	DFT-s-OFDM 64 QAM	108@54	22.6	22.3	0.1698
78	30	80	649334	3740.01	DFT-s-OFDM 64 QAM	1@1	22.56	22.26	0.1683
78	30	80	649334	3740.01	DFT-s-OFDM 64 QAM	1@215	22.26	21.96	0.1570
78	30	80	649334	3740.01	DFT-s-OFDM 256 QAM	108@54	20.57	20.27	0.1064
78	30	80	649334	3740.01	DFT-s-OFDM 256 QAM	1@1	20.63	20.33	0.1079
78	30	80	649334	3740.01	DFT-s-OFDM 256 QAM	1@215	20.33	20.03	0.1007
78	30	80	649334	3740.01	CP-OFDM QPSK	109@54	23.54	23.24	0.2109
78	30	80	649334	3740.01	CP-OFDM QPSK	1@1	23.65	23.35	0.2163
78	30	80	649334	3740.01	CP-OFDM QPSK	1@215	23.26	22.96	0.1977
78	30	80	650000	3750	DFT-s-OFDM PI/2 BPSK	108@54	25	24.7	0.2951
78	30	80	650000	3750	DFT-s-OFDM PI/2 BPSK	1@1	25.03	24.73	0.2972
78	30	80	650000	3750	DFT-s-OFDM PI/2 BPSK	1@215	24.79	24.49	0.2812
78	30	80	650000	3750	DFT-s-OFDM QPSK	108@54	25.04	24.74	0.2979
78	30	80	650000	3750	DFT-s-OFDM QPSK	1@1	25.02	24.72	0.2965
78	30	80	650000	3750	DFT-s-OFDM QPSK	1@215	24.82	24.52	0.2831
78	30	80	650000	3750	DFT-s-OFDM 16 QAM	108@54	24.03	23.73	0.2360
78	30	80	650000	3750	DFT-s-OFDM 16 QAM	1@1	24.01	23.71	0.2350
78	30	80	650000	3750	DFT-s-OFDM 16 QAM	1@215	23.72	23.42	0.2198
78	30	80	650000	3750	DFT-s-OFDM 64 QAM	108@54	22.52	22.22	0.1667
78	30	80	650000	3750	DFT-s-OFDM 64 QAM	1@1	22.56	22.26	0.1683

78	30	80	650000	3750	DFT-s-OFDM 64 QAM	1@215	22.24	21.94	0.1563
78	30	80	650000	3750	DFT-s-OFDM 256 QAM	108@54	20.5	20.2	0.1047
78	30	80	650000	3750	DFT-s-OFDM 256 QAM	1@1	20.63	20.33	0.1079
78	30	80	650000	3750	DFT-s-OFDM 256 QAM	1@215	20.35	20.05	0.1012
78	30	80	650000	3750	CP-OFDM QPSK	109@54	23.49	23.19	0.2084
78	30	80	650000	3750	CP-OFDM QPSK	1@1	23.55	23.25	0.2113
78	30	80	650000	3750	CP-OFDM QPSK	1@215	23.34	23.04	0.2014
78	30	80	650666	3759.99	DFT-s-OFDM PI/2 BPSK	108@54	24.85	24.55	0.2851
78	30	80	650666	3759.99	DFT-s-OFDM PI/2 BPSK	1@1	25.04	24.74	0.2979
78	30	80	650666	3759.99	DFT-s-OFDM PI/2 BPSK	1@215	24.78	24.48	0.2805
78	30	80	650666	3759.99	DFT-s-OFDM QPSK	108@54	24.9	24.6	0.2884
78	30	80	650666	3759.99	DFT-s-OFDM QPSK	1@1	24.97	24.67	0.2931
78	30	80	650666	3759.99	DFT-s-OFDM QPSK	1@215	24.78	24.48	0.2805
78	30	80	650666	3759.99	DFT-s-OFDM 16 QAM	108@54	23.82	23.52	0.2249
78	30	80	650666	3759.99	DFT-s-OFDM 16 QAM	1@1	23.94	23.64	0.2312
78	30	80	650666	3759.99	DFT-s-OFDM 16 QAM	1@215	23.75	23.45	0.2213
78	30	80	650666	3759.99	DFT-s-OFDM 64 QAM	108@54	22.37	22.07	0.1611
78	30	80	650666	3759.99	DFT-s-OFDM 64 QAM	1@1	22.5	22.2	0.1660
78	30	80	650666	3759.99	DFT-s-OFDM 64 QAM	1@215	22.3	22	0.1585
78	30	80	650666	3759.99	DFT-s-OFDM 256 QAM	108@54	20.36	20.06	0.1014
78	30	80	650666	3759.99	DFT-s-OFDM 256 QAM	1@1	20.64	20.34	0.1081
78	30	80	650666	3759.99	DFT-s-OFDM 256 QAM	1@215	20.36	20.06	0.1014
78	30	80	650666	3759.99	CP-OFDM QPSK	109@54	23.33	23.03	0.2009
78	30	80	650666	3759.99	CP-OFDM QPSK	1@1	23.48	23.18	0.2080
78	30	80	650666	3759.99	CP-OFDM QPSK	1@215	23.25	22.95	0.1972
78	30	90	649668	3745.02	DFT-s-OFDM PI/2 BPSK	120@60	25.07	24.77	0.2999
78	30	90	649668	3745.02	DFT-s-OFDM PI/2 BPSK	1@1	25.06	24.76	0.2992
78	30	90	649668	3745.02	DFT-s-OFDM PI/2 BPSK	1@243	24.89	24.59	0.2877
78	30	90	649668	3745.02	DFT-s-OFDM QPSK	120@60	25.13	24.83	0.3041
78	30	90	649668	3745.02	DFT-s-OFDM QPSK	1@1	25.07	24.77	0.2999
78	30	90	649668	3745.02	DFT-s-OFDM QPSK	1@243	24.87	24.57	0.2864
78	30	90	649668	3745.02	DFT-s-OFDM 16 QAM	120@60	24.09	23.79	0.2393
78	30	90	649668	3745.02	DFT-s-OFDM 16 QAM	1@1	24	23.7	0.2344
78	30	90	649668	3745.02	DFT-s-OFDM 16 QAM	1@243	23.85	23.55	0.2265
78	30	90	649668	3745.02	DFT-s-OFDM 64 QAM	120@60	22.62	22.32	0.1706
78	30	90	649668	3745.02	DFT-s-OFDM 64 QAM	1@1	22.59	22.29	0.1694

78	30	90	649668	3745.02	DFT-s-OFDM 64 QAM	1@243	22.37	22.07	0.1611
78	30	90	649668	3745.02	DFT-s-OFDM 256 QAM	120@60	20.56	20.26	0.1062
78	30	90	649668	3745.02	DFT-s-OFDM 256 QAM	1@1	20.63	20.33	0.1079
78	30	90	649668	3745.02	DFT-s-OFDM 256 QAM	1@243	20.44	20.14	0.1033
78	30	90	649668	3745.02	CP-OFDM QPSK	123@61	23.55	23.25	0.2113
78	30	90	649668	3745.02	CP-OFDM QPSK	1@1	23.51	23.21	0.2094
78	30	90	649668	3745.02	CP-OFDM QPSK	1@243	23.43	23.13	0.2056
78	30	90	650000	3750	DFT-s-OFDM PI/2 BPSK	120@60	25.01	24.71	0.2958
78	30	90	650000	3750	DFT-s-OFDM PI/2 BPSK	1@1	25	24.7	0.2951
78	30	90	650000	3750	DFT-s-OFDM PI/2 BPSK	1@243	24.89	24.59	0.2877
78	30	90	650000	3750	DFT-s-OFDM QPSK	120@60	25.06	24.76	0.2992
78	30	90	650000	3750	DFT-s-OFDM QPSK	1@1	25.01	24.71	0.2958
78	30	90	650000	3750	DFT-s-OFDM QPSK	1@243	24.84	24.54	0.2844
78	30	90	650000	3750	DFT-s-OFDM 16 QAM	120@60	24.04	23.74	0.2366
78	30	90	650000	3750	DFT-s-OFDM 16 QAM	1@1	23.96	23.66	0.2323
78	30	90	650000	3750	DFT-s-OFDM 16 QAM	1@243	23.8	23.5	0.2239
78	30	90	650000	3750	DFT-s-OFDM 64 QAM	120@60	22.55	22.25	0.1679
78	30	90	650000	3750	DFT-s-OFDM 64 QAM	1@1	22.49	22.19	0.1656
78	30	90	650000	3750	DFT-s-OFDM 64 QAM	1@243	22.39	22.09	0.1618
78	30	90	650000	3750	DFT-s-OFDM 256 QAM	120@60	20.5	20.2	0.1047
78	30	90	650000	3750	DFT-s-OFDM 256 QAM	1@1	20.57	20.27	0.1064
78	30	90	650000	3750	DFT-s-OFDM 256 QAM	1@243	20.44	20.14	0.1033
78	30	90	650000	3750	CP-OFDM QPSK	123@61	23.46	23.16	0.2070
78	30	90	650000	3750	CP-OFDM QPSK	1@1	23.45	23.15	0.2065
78	30	90	650000	3750	CP-OFDM QPSK	1@243	23.31	23.01	0.2000
78	30	90	650332	3754.98	DFT-s-OFDM PI/2 BPSK	120@60	24.85	24.55	0.2851
78	30	90	650332	3754.98	DFT-s-OFDM PI/2 BPSK	1@1	25.02	24.72	0.2965
78	30	90	650332	3754.98	DFT-s-OFDM PI/2 BPSK	1@243	24.76	24.46	0.2793
78	30	90	650332	3754.98	DFT-s-OFDM QPSK	120@60	24.9	24.6	0.2884
78	30	90	650332	3754.98	DFT-s-OFDM QPSK	1@1	25	24.7	0.2951
78	30	90	650332	3754.98	DFT-s-OFDM QPSK	1@243	24.81	24.51	0.2825
78	30	90	650332	3754.98	DFT-s-OFDM 16 QAM	120@60	23.94	23.64	0.2312
78	30	90	650332	3754.98	DFT-s-OFDM 16 QAM	1@1	23.89	23.59	0.2286
78	30	90	650332	3754.98	DFT-s-OFDM 16 QAM	1@243	23.79	23.49	0.2234
78	30	90	650332	3754.98	DFT-s-OFDM 64 QAM	120@60	22.34	22.04	0.1600
78	30	90	650332	3754.98	DFT-s-OFDM 64 QAM	1@1	22.53	22.23	0.1671

78	30	90	650332	3754.98	DFT-s-OFDM 64 QAM	1@243	22.35	22.05	0.1603
78	30	90	650332	3754.98	DFT-s-OFDM 256 QAM	120@60	20.36	20.06	0.1014
78	30	90	650332	3754.98	DFT-s-OFDM 256 QAM	1@1	20.55	20.25	0.1059
78	30	90	650332	3754.98	DFT-s-OFDM 256 QAM	1@243	20.39	20.09	0.1021
78	30	90	650332	3754.98	CP-OFDM QPSK	123@61	23.33	23.03	0.2009
78	30	90	650332	3754.98	CP-OFDM QPSK	1@1	23.56	23.26	0.2118
78	30	90	650332	3754.98	CP-OFDM QPSK	1@243	23.25	22.95	0.1972
78	30	100	650000	3750	DFT-s-OFDM PI/2 BPSK	135@67	25.05	24.75	0.2985
78	30	100	650000	3750	DFT-s-OFDM PI/2 BPSK	1@1	24.96	24.66	0.2924
78	30	100	650000	3750	DFT-s-OFDM PI/2 BPSK	1@271	24.93	24.63	0.2904
78	30	100	650000	3750	DFT-s-OFDM QPSK	135@67	25.04	24.74	0.2979
78	30	100	650000	3750	DFT-s-OFDM QPSK	1@1	25.47	25.17	0.3289
78	30	100	650000	3750	DFT-s-OFDM QPSK	1@271	24.93	24.63	0.2904
78	30	100	650000	3750	DFT-s-OFDM 16 QAM	135@67	24.04	23.74	0.2366
78	30	100	650000	3750	DFT-s-OFDM 16 QAM	1@1	23.93	23.63	0.2307
78	30	100	650000	3750	DFT-s-OFDM 16 QAM	1@271	23.85	23.55	0.2265
78	30	100	650000	3750	DFT-s-OFDM 64 QAM	135@67	22.5	22.2	0.1660
78	30	100	650000	3750	DFT-s-OFDM 64 QAM	1@1	22.48	22.18	0.1652
78	30	100	650000	3750	DFT-s-OFDM 64 QAM	1@271	22.47	22.17	0.1648
78	30	100	650000	3750	DFT-s-OFDM 256 QAM	135@67	20.51	20.21	0.1050
78	30	100	650000	3750	DFT-s-OFDM 256 QAM	1@1	20.55	20.25	0.1059
78	30	100	650000	3750	DFT-s-OFDM 256 QAM	1@271	20.51	20.21	0.1050
78	30	100	650000	3750	CP-OFDM QPSK	137@68	23.46	23.16	0.2070
78	30	100	650000	3750	CP-OFDM QPSK	1@1	23.58	23.28	0.2128
78	30	100	650000	3750	CP-OFDM QPSK	1@271	23.37	23.07	0.2028


Frequency Stability

NR Band	SCS (kHz)	Bandwidth (MHz)	Arfcn	Freq (MHz)	Modulation	RB	Deviation (ppm)	Verdict	Environment
78	30	20	650000	3750.0	CP-OFDM QPSK	51@0	-0.00232	PASS	NV
78	30	20	650000	3750.0	CP-OFDM QPSK	51@0	-0.00267	PASS	LV
78	30	20	650000	3750.0	CP-OFDM QPSK	51@0	-0.00237	PASS	HV
78	30	20	650000	3750.0	CP-OFDM QPSK	51@0	-0.00394	PASS	-30°C
78	30	20	650000	3750.0	CP-OFDM QPSK	51@0	-0.00313	PASS	-20°C
78	30	20	650000	3750.0	CP-OFDM QPSK	51@0	-0.0047	PASS	-10°C
78	30	20	650000	3750.0	CP-OFDM QPSK	51@0	-0.00479	PASS	0°C
78	30	20	650000	3750.0	CP-OFDM QPSK	51@0	-0.00207	PASS	10°C
78	30	20	650000	3750.0	CP-OFDM QPSK	51@0	-0.00291	PASS	20°C
78	30	20	650000	3750.0	CP-OFDM QPSK	51@0	-0.00213	PASS	30°C
78	30	20	650000	3750.0	CP-OFDM QPSK	51@0	-0.0058	PASS	40°C
78	30	20	650000	3750.0	CP-OFDM QPSK	51@0	-0.00395	PASS	50°C


Peak to Average Ratio

NR Band	SCS (kHz)	Bandwidth (MHz)	Arcfn	Freq (MHz)	Modulation	RB	Result (dB)	Limit (dB)	Verdict
78	30	20	647334	3710.01	DFT-s-OFDM PI/2 BPSK	50@0	7.06	13	PASS
78	30	20	647334	3710.01	DFT-s-OFDM PI/2 BPSK	1@0	7.49	13	PASS
78	30	20	647334	3710.01	DFT-s-OFDM QPSK	50@0	7.8	13	PASS
78	30	20	647334	3710.01	DFT-s-OFDM QPSK	1@0	7.91	13	PASS
78	30	20	650000	3750.0	DFT-s-OFDM PI/2 BPSK	50@0	7.3	13	PASS
78	30	20	650000	3750.0	DFT-s-OFDM PI/2 BPSK	1@0	7.51	13	PASS
78	30	20	650000	3750.0	DFT-s-OFDM QPSK	50@0	8.19	13	PASS
78	30	20	650000	3750.0	DFT-s-OFDM QPSK	1@0	7.56	13	PASS
78	30	20	652666	3789.99	DFT-s-OFDM PI/2 BPSK	50@0	7.21	13	PASS
78	30	20	652666	3789.99	DFT-s-OFDM PI/2 BPSK	1@0	7.55	13	PASS
78	30	20	652666	3789.99	DFT-s-OFDM QPSK	50@0	8.01	13	PASS
78	30	20	652666	3789.99	DFT-s-OFDM QPSK	1@0	8.42	13	PASS


B41_N78(20M)_DFT-s-OFDM_PI_2-BPSK_Outer_Full_Low_CH




B41_N78(20M)_DFT-s-OFDM_PI_2-BPSK_Edge_1RB_Left_Low_CH




B41_N78(20M)_DFT-s-OFDM_QPSK_Outer_Full_Low_CH



B41_N78(20M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_Low_CH




B41_N78(20M)_DFT-s-OFDM_PI_2-BPSK_Outer_Full_Mid_CH




B41_N78(20M)_DFT-s-OFDM_PI_2-BPSK_Edge_1RB_Left_Mid_CH




B41_N78(20M)_DFT-s-OFDM_QPSK_Outer_Full_Mid_CH




B41_N78(20M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_Mid_CH




B41_N78(20M)_DFT-s-OFDM_PI_2-BPSK_Outer_Full_High_CH




B41_N78(20M)_DFT-s-OFDM_PI_2-BPSK_Edge_1RB_Left_High_CH



B41_N78(20M)_DFT-s-OFDM_QPSK_Outer_Full_High_CH



B41_N78(20M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_High_CH



Occupied Bandwidth

NR Band	SCS (kHz)	Bandwidth (MHz)	Arfcn	Freq (MHz)	Modulation	RB	OBW (MHz)	26dB OBW (MHz)
78	30	20	650000	3750.0	DFT-s-OFDM PI/2 BPSK	50@0	17.784	19.04
78	30	20	650000	3750.0	DFT-s-OFDM QPSK	50@0	17.784	19.14
78	30	20	650000	3750.0	CP-OFDM QPSK	51@0	18.196	19.62
78	30	20	650000	3750.0	CP-OFDM 16 QAM	51@0	18.214	19.78
78	30	20	650000	3750.0	CP-OFDM 64 QAM	51@0	18.186	19.57
78	30	20	650000	3750.0	CP-OFDM 256 QAM	51@0	18.167	19.55
78	30	30	650000	3750.0	DFT-s-OFDM PI/2 BPSK	75@0	26.794	28.36
78	30	30	650000	3750.0	DFT-s-OFDM QPSK	75@0	26.765	28.36
78	30	30	650000	3750.0	CP-OFDM QPSK	78@0	27.846	29.32
78	30	30	650000	3750.0	CP-OFDM 16 QAM	78@0	27.832	29.38
78	30	30	650000	3750.0	CP-OFDM 64 QAM	78@0	27.793	29.34
78	30	30	650000	3750.0	CP-OFDM 256 QAM	78@0	27.81	29.5
78	30	40	650000	3750.0	DFT-s-OFDM PI/2 BPSK	100@0	35.758	37.44
78	30	40	650000	3750.0	DFT-s-OFDM QPSK	100@0	35.773	37.42
78	30	40	650000	3750.0	CP-OFDM QPSK	106@0	37.85	39.73
78	30	40	650000	3750.0	CP-OFDM 16 QAM	106@0	37.76	39.43
78	30	40	650000	3750.0	CP-OFDM 64 QAM	106@0	37.794	39.71
78	30	40	650000	3750.0	CP-OFDM 256 QAM	106@0	37.786	39.71
78	30	50	650000	3750.0	DFT-s-OFDM PI/2 BPSK	128@0	45.691	47.82
78	30	50	650000	3750.0	DFT-s-OFDM QPSK	128@0	45.721	47.66
78	30	50	650000	3750.0	CP-OFDM QPSK	133@0	47.444	49.36
78	30	50	650000	3750.0	CP-OFDM 16 QAM	133@0	47.451	49.52
78	30	50	650000	3750.0	CP-OFDM 64 QAM	133@0	47.358	49.24
78	30	50	650000	3750.0	CP-OFDM 256 QAM	133@0	47.489	49.27
78	30	60	650000	3750.0	DFT-s-OFDM PI/2 BPSK	162@0	57.861	60.0


78	30	60	650000	3750.0	DFT-s-OFDM QPSK	162@0	57.903	60.0
78	30	60	650000	3750.0	CP-OFDM QPSK	162@0	57.767	60.0
78	30	60	650000	3750.0	CP-OFDM 16 QAM	162@0	57.823	59.79
78	30	60	650000	3750.0	CP-OFDM 64 QAM	162@0	57.752	59.75
78	30	60	650000	3750.0	CP-OFDM 256 QAM	162@0	57.787	59.86
78	30	70	650000	3750.0	DFT-s-OFDM PI/2 BPSK	180@0	64.385	66.4
78	30	70	650000	3750.0	DFT-s-OFDM QPSK	180@0	64.284	66.52
78	30	70	650000	3750.0	CP-OFDM QPSK	189@0	67.452	69.69
78	30	70	650000	3750.0	CP-OFDM 16 QAM	189@0	67.441	69.81
78	30	70	650000	3750.0	CP-OFDM 64 QAM	189@0	67.409	70.05
78	30	70	650000	3750.0	CP-OFDM 256 QAM	189@0	67.433	70.09
78	30	80	650000	3750.0	DFT-s-OFDM PI/2 BPSK	216@0	77.033	79.73
78	30	80	650000	3750.0	DFT-s-OFDM QPSK	216@0	77.204	79.81
78	30	80	650000	3750.0	CP-OFDM QPSK	217@0	77.355	80.1
78	30	80	650000	3750.0	CP-OFDM 16 QAM	217@0	77.445	80.33
78	30	80	650000	3750.0	CP-OFDM 64 QAM	217@0	77.421	80.13
78	30	80	650000	3750.0	CP-OFDM 256 QAM	217@0	77.43	80.12
78	30	90	650000	3750.0	DFT-s-OFDM PI/2 BPSK	240@0	85.923	88.6
78	30	90	650000	3750.0	DFT-s-OFDM QPSK	240@0	85.796	88.72
78	30	90	650000	3750.0	CP-OFDM QPSK	245@0	87.545	90.39
78	30	90	650000	3750.0	CP-OFDM 16 QAM	245@0	87.293	90.46
78	30	90	650000	3750.0	CP-OFDM 64 QAM	245@0	87.419	90.54
78	30	90	650000	3750.0	CP-OFDM 256 QAM	245@0	87.485	90.39
78	30	100	650000	3750.0	DFT-s-OFDM PI/2 BPSK	270@0	96.457	99.55
78	30	100	650000	3750.0	DFT-s-OFDM QPSK	270@0	96.436	99.6
78	30	100	650000	3750.0	CP-OFDM QPSK	273@0	97.402	100.5
78	30	100	650000	3750.0	CP-OFDM 16 QAM	273@0	97.338	100.6

78	30	100	650000	3750.0	CP-OFDM 64 QAM	273@0	97.487	100.7
78	30	100	650000	3750.0	CP-OFDM 256 QAM	273@0	97.327	100.7

B41_N78(20M)_DFT-s-OFDM_PI_2-
BPSK_Outer_Full_Mid_CH




B41_N78(20M)_DFT-s-
OFDM_QPSK_Outer_Full_Mid_CH




B41_N78(20M)_CP-
OFDM_QPSK_Outer_Full_Mid_CH




B41_N78(20M)_CP-OFDM_16
QAM_Outer_Full_Mid_CH




B41_N78(20M)_CP-OFDM_64
QAM_Outer_Full_Mid_CH



B41_N78(20M)_CP-OFDM_256
QAM_Outer_Full_Mid_CH




B41_N78(30M)_DFT-s-OFDM_PI_2-
BPSK_Outer_Full_Mid_CH




B41_N78(30M)_DFT-s-
OFDM_QPSK_Outer_Full_Mid_CH




B41_N78(30M)_CP-
OFDM_QPSK_Outer_Full_Mid_CH




B41_N78(30M)_CP-OFDM_16
QAM_Outer_Full_Mid_CH




B41_N78(30M)_CP-OFDM_64
QAM_Outer_Full_Mid_CH




B41_N78(30M)_CP-OFDM_256
QAM_Outer_Full_Mid_CH




B41_N78(40M)_DFT-s-OFDM_PI_2-
BPSK_Outer_Full_Mid_CH




B41_N78(40M)_DFT-s-
OFDM_QPSK_Outer_Full_Mid_CH




B41_N78(40M)_CP-
OFDM_QPSK_Outer_Full_Mid_CH




B41_N78(40M)_CP-OFDM_16
QAM_Outer_Full_Mid_CH




B41_N78(40M)_CP-OFDM_64
QAM_Outer_Full_Mid_CH




B41_N78(40M)_CP-OFDM_256
QAM_Outer_Full_Mid_CH




B41_N78(50M)_DFT-s-OFDM_PI_2-
BPSK_Outer_Full_Mid_CH




B41_N78(50M)_DFT-s-
OFDM_QPSK_Outer_Full_Mid_CH




B41_N78(50M)_CP-
OFDM_QPSK_Outer_Full_Mid_CH




B41_N78(50M)_CP-OFDM_16
QAM_Outer_Full_Mid_CH




B41_N78(50M)_CP-OFDM_64
QAM_Outer_Full_Mid_CH




B41_N78(50M)_CP-OFDM_256
QAM_Outer_Full_Mid_CH




B41_N78(60M)_DFT-s-OFDM_PI_2-
BPSK_Outer_Full_Mid_CH




B41_N78(60M)_DFT-s-
OFDM_QPSK_Outer_Full_Mid_CH




B41_N78(60M)_CP-
OFDM_QPSK_Outer_Full_Mid_CH




B41_N78(60M)_CP-OFDM_16
QAM_Outer_Full_Mid_CH




B41_N78(60M)_CP-OFDM_64
QAM_Outer_Full_Mid_CH




B41_N78(60M)_CP-OFDM_256
QAM_Outer_Full_Mid_CH



B41_N78(70M)_DFT-s-OFDM_PI_2-
BPSK_Outer_Full_Mid_CH



B41_N78(70M)_DFT-s-
OFDM_QPSK_Outer_Full_Mid_CH




B41_N78(70M)_CP-
OFDM_QPSK_Outer_Full_Mid_CH




B41_N78(70M)_CP-OFDM_16
QAM_Outer_Full_Mid_CH



B41_N78(70M)_CP-OFDM_64
QAM_Outer_Full_Mid_CH




B41_N78(70M)_CP-OFDM_256
QAM_Outer_Full_Mid_CH




B41_N78(80M)_DFT-s-OFDM_PI_2-
BPSK_Outer_Full_Mid_CH




B41_N78(80M)_DFT-s-
OFDM_QPSK_Outer_Full_Mid_CH




B41_N78(80M)_CP-
OFDM_QPSK_Outer_Full_Mid_CH




B41_N78(80M)_CP-OFDM_16
QAM_Outer_Full_Mid_CH




B41_N78(80M)_CP-OFDM_64
QAM_Outer_Full_Mid_CH




B41_N78(80M)_CP-OFDM_256
QAM_Outer_Full_Mid_CH



B41_N78(90M)_DFT-s-OFDM_PI_2-
BPSK_Outer_Full_Mid_CH




B41_N78(90M)_DFT-s-
OFDM_QPSK_Outer_Full_Mid_CH




B41_N78(90M)_CP-
OFDM_QPSK_Outer_Full_Mid_CH




B41_N78(90M)_CP-OFDM_16
QAM_Outer_Full_Mid_CH



B41_N78(90M)_CP-OFDM_64
QAM_Outer_Full_Mid_CH




B41_N78(90M)_CP-OFDM_256
QAM_Outer_Full_Mid_CH




B41_N78(100M)_DFT-s-OFDM_PI_2-
BPSK_Outer_Full_Mid_CH




B41_N78(100M)_DFT-s-
OFDM_QPSK_Outer_Full_Mid_CH




B41_N78(100M)_CP-
OFDM_QPSK_Outer_Full_Mid_CH




B41_N78(100M)_CP-OFDM_16
QAM_Outer_Full_Mid_CH



B41_N78(100M)_CP-OFDM_64
QAM_Outer_Full_Mid_CH



B41_N78(100M)_CP-OFDM_256
QAM_Outer_Full_Mid_CH



Conducted Spurious Emissions

NR Band	SCS (kHz)	Bandwidth (MHz)	Arfcn	Freq (MHz)	Modulation	RB	Result	Verdict
78	30	20	647334	3710.01	DFT-s-OFDM BPSK	1@0	see graph	---
78	30	20	647334	3710.01	DFT-s-OFDM BPSK	1@0	see graph	PASS
78	30	20	647334	3710.01	DFT-s-OFDM BPSK	1@0	see graph	PASS
78	30	20	647334	3710.01	DFT-s-OFDM QPSK	1@0	see graph	---
78	30	20	647334	3710.01	DFT-s-OFDM QPSK	1@0	see graph	PASS
78	30	20	647334	3710.01	DFT-s-OFDM QPSK	1@0	see graph	PASS
78	30	20	650000	3750.0	DFT-s-OFDM BPSK	1@0	see graph	---
78	30	20	650000	3750.0	DFT-s-OFDM BPSK	1@0	see graph	PASS
78	30	20	650000	3750.0	DFT-s-OFDM BPSK	1@0	see graph	PASS
78	30	20	650000	3750.0	DFT-s-OFDM QPSK	1@0	see graph	---
78	30	20	650000	3750.0	DFT-s-OFDM QPSK	1@0	see graph	PASS
78	30	20	650000	3750.0	DFT-s-OFDM QPSK	1@0	see graph	PASS
78	30	20	652666	3789.99	DFT-s-OFDM BPSK	1@0	see graph	---
78	30	20	652666	3789.99	DFT-s-OFDM BPSK	1@0	see graph	PASS
78	30	20	652666	3789.99	DFT-s-OFDM BPSK	1@0	see graph	PASS
78	30	20	652666	3789.99	DFT-s-OFDM QPSK	1@0	see graph	---
78	30	20	652666	3789.99	DFT-s-OFDM QPSK	1@0	see graph	PASS
78	30	20	652666	3789.99	DFT-s-OFDM QPSK	1@0	see graph	PASS
78	30	60	648668	3730.02	DFT-s-OFDM BPSK	1@0	see graph	---
78	30	60	648668	3730.02	DFT-s-OFDM BPSK	1@0	see graph	PASS
78	30	60	648668	3730.02	DFT-s-OFDM BPSK	1@0	see graph	PASS
78	30	60	648668	3730.02	DFT-s-OFDM QPSK	1@0	see graph	---
78	30	60	648668	3730.02	DFT-s-OFDM QPSK	1@0	see graph	PASS

78	30	60	648668	3730.02	DFT-s-OFDM QPSK	1@0	see graph	PASS
78	30	60	650000	3750.0	DFT-s-OFDM BPSK	1@0	see graph	---
78	30	60	650000	3750.0	DFT-s-OFDM BPSK	1@0	see graph	PASS
78	30	60	650000	3750.0	DFT-s-OFDM BPSK	1@0	see graph	PASS
78	30	60	650000	3750.0	DFT-s-OFDM QPSK	1@0	see graph	---
78	30	60	650000	3750.0	DFT-s-OFDM QPSK	1@0	see graph	PASS
78	30	60	650000	3750.0	DFT-s-OFDM QPSK	1@0	see graph	PASS
78	30	60	651332	3769.98	DFT-s-OFDM BPSK	1@0	see graph	---
78	30	60	651332	3769.98	DFT-s-OFDM BPSK	1@0	see graph	PASS
78	30	60	651332	3769.98	DFT-s-OFDM BPSK	1@0	see graph	PASS
78	30	60	651332	3769.98	DFT-s-OFDM QPSK	1@0	see graph	---
78	30	60	651332	3769.98	DFT-s-OFDM QPSK	1@0	see graph	PASS
78	30	60	651332	3769.98	DFT-s-OFDM QPSK	1@0	see graph	PASS
78	30	100	650000	3750.0	DFT-s-OFDM BPSK	1@0	see graph	---
78	30	100	650000	3750.0	DFT-s-OFDM BPSK	1@0	see graph	PASS
78	30	100	650000	3750.0	DFT-s-OFDM BPSK	1@0	see graph	PASS
78	30	100	650000	3750.0	DFT-s-OFDM QPSK	1@0	see graph	---
78	30	100	650000	3750.0	DFT-s-OFDM QPSK	1@0	see graph	PASS
78	30	100	650000	3750.0	DFT-s-OFDM QPSK	1@0	see graph	PASS

B41_N78(20M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_Low_CH



B41_N78(20M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_Low_CH




B41_N78(20M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_Low_CH



B41_N78(20M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_Low_CH



B41_N78(20M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_Mid_CH



B41_N78(20M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_Mid_CH




B41_N78(20M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_Mid_CH



B41_N78(20M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_Mid_CH




B41_N78(20M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_High_CH




B41_N78(20M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_High_CH



B41_N78(20M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_High_CH




B41_N78(20M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_High_CH



B41_N78(60M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_Low_CH



B41_N78(60M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_Low_CH




B41_N78(60M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_Low_CH



B41_N78(60M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_Low_CH



B41_N78(60M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_Mid_CH



B41_N78(60M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_Mid_CH



B41_N78(60M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_Mid_CH




B41_N78(60M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_Mid_CH




B41_N78(60M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_High_CH



B41_N78(60M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_High_CH



B41_N78(60M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_High_CH



B41_N78(60M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_High_CH

