



WIFI	U-NII 5 - 5925-6425MHz Band Edge @ 3m																																																																																														
ANT	802.11ax HE20 Partial 52/37 CH01 5955MHz																																																																																														
1+2	Vertical	Fundamental																																																																																													
<p>Peak</p>	<p>No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 032805-KS Condition : WIFI HE PEAK 3m 3117.00218653 VERTICAL Project : RSM-1000.000MHz VBR-3000.000MHz SRT-Auto Mode : (FR)192317 Plane : Y Full-directivity JME1 : #17 Powersetting : 2 Adaptor:USB 1</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5900.00</td> <td>56.27</td> <td>-32.03</td> <td>88.30</td> <td>41.64</td> <td>35.88</td> <td>12.29</td> <td>33.54</td> <td>140</td> <td>23</td> <td>Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Freq	Level	Line	Level	Factor	Loss	Factor	cm	deg	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg	1	5900.00	56.27	-32.03	88.30	41.64	35.88	12.29	33.54	140	23	Peak	VERTICAL	<p>No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 032805-KS Condition : WIFI HE PEAK 3m 3117.00218653 VERTICAL Project : RSM-1000.000MHz VBR-3000.000MHz SRT-Auto Mode : (FR)192317 Plane : Y Full-directivity JME1 : #17 Powersetting : 2 Adaptor:USB 1</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5950.00</td> <td>95.53</td> <td>7.23</td> <td>88.30</td> <td>80.99</td> <td>35.86</td> <td>12.34</td> <td>33.66</td> <td>140</td> <td>23</td> <td>Peak</td> <td>VERTICAL</td> </tr> <tr> <td>2</td> <td>5950.00</td> <td>81.86</td> <td>19.50</td> <td>68.30</td> <td>73.31</td> <td>35.86</td> <td>12.34</td> <td>33.66</td> <td>140</td> <td>23</td> <td>Average</td> <td>VERTICAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Freq	Level	Line	Level	Factor	Loss	Factor	cm	deg	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg	1	5950.00	95.53	7.23	88.30	80.99	35.86	12.34	33.66	140	23	Peak	VERTICAL	2	5950.00	81.86	19.50	68.30	73.31	35.86	12.34	33.66	140	23	Average	VERTICAL
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																							
Freq	Level	Line	Level	Factor	Loss	Factor	cm	deg																																																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																																							
1	5900.00	56.27	-32.03	88.30	41.64	35.88	12.29	33.54	140	23	Peak	VERTICAL																																																																																			
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																							
Freq	Level	Line	Level	Factor	Loss	Factor	cm	deg																																																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																																							
1	5950.00	95.53	7.23	88.30	80.99	35.86	12.34	33.66	140	23	Peak	VERTICAL																																																																																			
2	5950.00	81.86	19.50	68.30	73.31	35.86	12.34	33.66	140	23	Average	VERTICAL																																																																																			
<p>Avg.</p>	<p>No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 032805-KS Condition : WIFI HE (AVG) 3m 3117.00218653 VERTICAL Project : RSM-1000.000MHz VBR-3000.000MHz SRT-Auto Mode : (FR)192317 Plane : Y Full-directivity JME1 : #17 Powersetting : 2 Adaptor:USB 1</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5865.16</td> <td>45.79</td> <td>-22.51</td> <td>68.30</td> <td>31.06</td> <td>35.90</td> <td>12.26</td> <td>33.43</td> <td>140</td> <td>23</td> <td>Average</td> <td>VERTICAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Freq	Level	Line	Level	Factor	Loss	Factor	cm	deg	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg	1	5865.16	45.79	-22.51	68.30	31.06	35.90	12.26	33.43	140	23	Average	VERTICAL	<p>Left blank</p>																																																					
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																							
Freq	Level	Line	Level	Factor	Loss	Factor	cm	deg																																																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																																							
1	5865.16	45.79	-22.51	68.30	31.06	35.90	12.26	33.43	140	23	Average	VERTICAL																																																																																			



**U-NII 5 - 5925-6425MHzMHz
WIFI 802.11ax HE20 Partial 106 (Band Edge @ 3m)**

WIFI	U-NII 5 - 5925-6425MHz Band Edge @ 3m	
ANT	802.11ax HE20 Partial 106/53 CH01 5955MHz	
1+2	Horizontal	Fundamental
Peak	<p>Peak</p>	<p>Peak</p>
Avg.	<p>Avg.</p>	<p>Left blank</p>



WIFI	U-NII 5 - 5925-6425MHz Band Edge @ 3m																																																																																														
ANT	802.11ax HE20 Partial 106/53 CH01 5955MHz																																																																																														
1+2	Vertical	Fundamental																																																																																													
<p>Peak</p>	<p>No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 032805-KS Condition : WIFI HE PEAK 3m 3117.00018653 VERTICAL Project : RSM-1000.0000kHz VBR-3000.000kHz SRT-Auto Mode : FR192317 Plane : Y Antenna : Full-directivity JMEI : #12 Powersetting : S.S Adaptor: USB 1</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5899.72</td> <td>56.40</td> <td>-31.90</td> <td>88.30</td> <td>41.77</td> <td>35.88</td> <td>12.29</td> <td>33.54</td> <td>166</td> <td>23</td> <td>Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Freq	Level	Line	Level	Factor	Loss	Factor	cm	deg	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg	1	5899.72	56.40	-31.90	88.30	41.77	35.88	12.29	33.54	166	23	Peak	VERTICAL	<p>No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 032805-KS Condition : WIFI HE PEAK 3m 3117.00018653 VERTICAL Project : RSM-1000.0000kHz VBR-3000.000kHz SRT-Auto Mode : FR192317 Plane : Y Antenna : Full-directivity JMEI : #12 Powersetting : S.S Adaptor: USB 1</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5950.00</td> <td>95.90</td> <td>-26.30</td> <td>88.30</td> <td>81.43</td> <td>35.86</td> <td>12.34</td> <td>33.66</td> <td>166</td> <td>23</td> <td>Peak</td> <td>VERTICAL</td> </tr> <tr> <td>2</td> <td>5950.00</td> <td>88.00</td> <td>-26.30</td> <td>68.30</td> <td>74.00</td> <td>35.86</td> <td>12.34</td> <td>33.66</td> <td>166</td> <td>23</td> <td>Average</td> <td>VERTICAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Freq	Level	Line	Level	Factor	Loss	Factor	cm	deg	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg	1	5950.00	95.90	-26.30	88.30	81.43	35.86	12.34	33.66	166	23	Peak	VERTICAL	2	5950.00	88.00	-26.30	68.30	74.00	35.86	12.34	33.66	166	23	Average	VERTICAL
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																							
Freq	Level	Line	Level	Factor	Loss	Factor	cm	deg																																																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																																							
1	5899.72	56.40	-31.90	88.30	41.77	35.88	12.29	33.54	166	23	Peak	VERTICAL																																																																																			
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																							
Freq	Level	Line	Level	Factor	Loss	Factor	cm	deg																																																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																																							
1	5950.00	95.90	-26.30	88.30	81.43	35.86	12.34	33.66	166	23	Peak	VERTICAL																																																																																			
2	5950.00	88.00	-26.30	68.30	74.00	35.86	12.34	33.66	166	23	Average	VERTICAL																																																																																			
<p>Avg.</p>	<p>No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 032805-KS Condition : WIFI HE (AVG) 3m 3117.00018653 VERTICAL Project : RSM-1000.0000kHz VBR-3000.000kHz SRT-Auto Mode : FR192317 Plane : Y Antenna : Full-directivity JMEI : #12 Powersetting : S.S Adaptor: USB 1</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5865.00</td> <td>45.71</td> <td>-22.59</td> <td>68.30</td> <td>30.98</td> <td>35.90</td> <td>12.26</td> <td>33.43</td> <td>166</td> <td>23</td> <td>Average</td> <td>VERTICAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Freq	Level	Line	Level	Factor	Loss	Factor	cm	deg	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg	1	5865.00	45.71	-22.59	68.30	30.98	35.90	12.26	33.43	166	23	Average	VERTICAL	<p>Left blank</p>																																																					
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																							
Freq	Level	Line	Level	Factor	Loss	Factor	cm	deg																																																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																																							
1	5865.00	45.71	-22.59	68.30	30.98	35.90	12.26	33.43	166	23	Average	VERTICAL																																																																																			



U-NII 5 - 5925-6425MHzMHz
WIFI 802.11ax HE40 Full (Band Edge @ 3m)

WIFI	U-NII 5 - 5925-6425MHz Band Edge @ 3m																																			
ANT	802.11ax HE40 Full CH03 5965MHz																																			
1+2	Horizontal	Fundamental																																		
Peak	<p>Horizontal Peak Data:</p> <table border="1"> <thead> <tr> <th>Site</th> <td>: 032005-KS</td> </tr> <tr> <th>Condition</th> <td>: WIFI 6E PEAK 3m 3117 00218652 HORIZONTAL</td> </tr> <tr> <th>Project</th> <td>: RRM 1000 0000Hz VBR 3000 0000Hz SWT:Auto</td> </tr> <tr> <th>Mode</th> <td>: (FR) 192317</td> </tr> <tr> <th>Plane</th> <td>: H</td> </tr> <tr> <th>MEI</th> <td>: Full-directivity</td> </tr> <tr> <th>Powersetting</th> <td>: #17</td> </tr> </thead> <tbody> <tr> <td></td> <td>1 5864.62 57.37 -30.93 88.30 42.64 35.90 12.26 33.43 128 10 Peak HORIZONTAL</td> </tr> </tbody> </table>	Site	: 032005-KS	Condition	: WIFI 6E PEAK 3m 3117 00218652 HORIZONTAL	Project	: RRM 1000 0000Hz VBR 3000 0000Hz SWT:Auto	Mode	: (FR) 192317	Plane	: H	MEI	: Full-directivity	Powersetting	: #17		1 5864.62 57.37 -30.93 88.30 42.64 35.90 12.26 33.43 128 10 Peak HORIZONTAL	<p>Fundamental Peak Data:</p> <table border="1"> <thead> <tr> <th>Site</th> <td>: 032005-KS</td> </tr> <tr> <th>Condition</th> <td>: WIFI 6E PEAK 3m 3117 00218652 HORIZONTAL</td> </tr> <tr> <th>Project</th> <td>: RRM 1000 0000Hz VBR 3000 0000Hz SWT:Auto</td> </tr> <tr> <th>Mode</th> <td>: (FR) 192317</td> </tr> <tr> <th>Plane</th> <td>: H</td> </tr> <tr> <th>MEI</th> <td>: Full-directivity</td> </tr> <tr> <th>Powersetting</th> <td>: #17</td> </tr> </thead> <tbody> <tr> <td></td> <td>1 * 5959.00 101.74 13.44 88.30 87.20 35.85 12.35 33.66 128 10 Peak HORIZONTAL</td> </tr> <tr> <td></td> <td>2 * 5959.00 93.39 25.09 68.30 78.85 35.85 12.35 33.66 128 10 Average HORIZONTAL</td> </tr> </tbody> </table>	Site	: 032005-KS	Condition	: WIFI 6E PEAK 3m 3117 00218652 HORIZONTAL	Project	: RRM 1000 0000Hz VBR 3000 0000Hz SWT:Auto	Mode	: (FR) 192317	Plane	: H	MEI	: Full-directivity	Powersetting	: #17		1 * 5959.00 101.74 13.44 88.30 87.20 35.85 12.35 33.66 128 10 Peak HORIZONTAL		2 * 5959.00 93.39 25.09 68.30 78.85 35.85 12.35 33.66 128 10 Average HORIZONTAL
Site	: 032005-KS																																			
Condition	: WIFI 6E PEAK 3m 3117 00218652 HORIZONTAL																																			
Project	: RRM 1000 0000Hz VBR 3000 0000Hz SWT:Auto																																			
Mode	: (FR) 192317																																			
Plane	: H																																			
MEI	: Full-directivity																																			
Powersetting	: #17																																			
	1 5864.62 57.37 -30.93 88.30 42.64 35.90 12.26 33.43 128 10 Peak HORIZONTAL																																			
Site	: 032005-KS																																			
Condition	: WIFI 6E PEAK 3m 3117 00218652 HORIZONTAL																																			
Project	: RRM 1000 0000Hz VBR 3000 0000Hz SWT:Auto																																			
Mode	: (FR) 192317																																			
Plane	: H																																			
MEI	: Full-directivity																																			
Powersetting	: #17																																			
	1 * 5959.00 101.74 13.44 88.30 87.20 35.85 12.35 33.66 128 10 Peak HORIZONTAL																																			
	2 * 5959.00 93.39 25.09 68.30 78.85 35.85 12.35 33.66 128 10 Average HORIZONTAL																																			
Avg.	<p>Horizontal Avg. Data:</p> <table border="1"> <thead> <tr> <th>Site</th> <td>: 032005-KS</td> </tr> <tr> <th>Condition</th> <td>: WIFI 6E (AVG) 3m 3117 00218652 HORIZONTAL</td> </tr> <tr> <th>Project</th> <td>: RRM 1000 0000Hz VBR 0 0100Hz SWT:Auto</td> </tr> <tr> <th>Mode</th> <td>: (FR) 192317</td> </tr> <tr> <th>Plane</th> <td>: H</td> </tr> <tr> <th>MEI</th> <td>: Full-directivity</td> </tr> <tr> <th>Powersetting</th> <td>: #17</td> </tr> </thead> <tbody> <tr> <td></td> <td>1 5867.06 46.13 -22.17 68.30 31.40 35.90 12.26 33.43 128 10 Average HORIZONTAL</td> </tr> </tbody> </table>	Site	: 032005-KS	Condition	: WIFI 6E (AVG) 3m 3117 00218652 HORIZONTAL	Project	: RRM 1000 0000Hz VBR 0 0100Hz SWT:Auto	Mode	: (FR) 192317	Plane	: H	MEI	: Full-directivity	Powersetting	: #17		1 5867.06 46.13 -22.17 68.30 31.40 35.90 12.26 33.43 128 10 Average HORIZONTAL	Left blank																		
Site	: 032005-KS																																			
Condition	: WIFI 6E (AVG) 3m 3117 00218652 HORIZONTAL																																			
Project	: RRM 1000 0000Hz VBR 0 0100Hz SWT:Auto																																			
Mode	: (FR) 192317																																			
Plane	: H																																			
MEI	: Full-directivity																																			
Powersetting	: #17																																			
	1 5867.06 46.13 -22.17 68.30 31.40 35.90 12.26 33.43 128 10 Average HORIZONTAL																																			






WIFI	U-NII 5 - 5925-6425MHz Band Edge @ 3m																																																																																											
ANT	802.11ax HE40 Full H03 5965MHz																																																																																											
1+2	Vertical	Fundamental																																																																																										
Peak	<p>No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 032905-KS Condition : WIFI @E PEAK @m 3117.00218652 VERTICAL Project : RSM-1000.000MHz VBR-3000.000MHz SRT-Auto Mode : (FR)192317 Plane : Y Polarization : Full-directivity PowerSetting : #1 Adaptor:2+USB 1</p> <table border="1"> <thead> <tr> <th>Over Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5852.44</td> <td>56.83</td> <td>-31.47</td> <td>88.30</td> <td>42.14</td> <td>35.87</td> <td>12.25</td> <td>33.43</td> <td>142</td> <td>19 Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Over Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Freq	Level	Limit	Line	Level	Factor	Loss	Factor	cm	deg	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5852.44	56.83	-31.47	88.30	42.14	35.87	12.25	33.43	142	19 Peak	VERTICAL	<p>No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 032905-KS Condition : WIFI @E PEAK @m 3117.00218652 VERTICAL Project : RSM-1000.000MHz VBR-3000.000MHz SRT-Auto Mode : (FR)192317 Plane : Y Polarization : Full-directivity PowerSetting : #1 Adaptor:2+USB 1</p> <table border="1"> <thead> <tr> <th>Over Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5959.00</td> <td>98.92</td> <td>10.62</td> <td>88.30</td> <td>84.38</td> <td>35.85</td> <td>12.35</td> <td>33.66</td> <td>142</td> <td>19 Peak</td> <td>VERTICAL</td> </tr> <tr> <td>2</td> <td>5959.00</td> <td>90.74</td> <td>21.94</td> <td>68.30</td> <td>70.10</td> <td>35.80</td> <td>12.30</td> <td>33.66</td> <td>142</td> <td>19 Average</td> <td>VERTICAL</td> </tr> </tbody> </table>	Over Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Freq	Level	Limit	Line	Level	Factor	Loss	Factor	cm	deg	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5959.00	98.92	10.62	88.30	84.38	35.85	12.35	33.66	142	19 Peak	VERTICAL	2	5959.00	90.74	21.94	68.30	70.10	35.80	12.30	33.66	142	19 Average	VERTICAL
Over Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																						
Freq	Level	Limit	Line	Level	Factor	Loss	Factor	cm	deg																																																																																			
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	5852.44	56.83	-31.47	88.30	42.14	35.87	12.25	33.43	142	19 Peak	VERTICAL																																																																																	
Over Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																						
Freq	Level	Limit	Line	Level	Factor	Loss	Factor	cm	deg																																																																																			
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	5959.00	98.92	10.62	88.30	84.38	35.85	12.35	33.66	142	19 Peak	VERTICAL																																																																																	
2	5959.00	90.74	21.94	68.30	70.10	35.80	12.30	33.66	142	19 Average	VERTICAL																																																																																	
Avg.	<p>No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 032905-KS Condition : WIFI @E (AVG) @m 3117.00218652 VERTICAL Project : RSM-1000.000MHz VBR-3000.000MHz SRT-Auto Mode : (FR)192317 Plane : Y Polarization : Full-directivity PowerSetting : #1 Adaptor:2+USB 1</p> <table border="1"> <thead> <tr> <th>Over Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5858.46</td> <td>46.03</td> <td>-22.27</td> <td>68.30</td> <td>31.30</td> <td>35.90</td> <td>12.26</td> <td>33.43</td> <td>142</td> <td>19 Average</td> <td>VERTICAL</td> </tr> </tbody> </table>	Over Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Freq	Level	Limit	Line	Level	Factor	Loss	Factor	cm	deg	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5858.46	46.03	-22.27	68.30	31.30	35.90	12.26	33.43	142	19 Average	VERTICAL	Left blank																																																			
Over Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																						
Freq	Level	Limit	Line	Level	Factor	Loss	Factor	cm	deg																																																																																			
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	5858.46	46.03	-22.27	68.30	31.30	35.90	12.26	33.43	142	19 Average	VERTICAL																																																																																	



**U-NII 5 - 5925-6425MHzMHz
WIFI 802.11ax HE40 Partial 242 (Band Edge @ 3m)**

WIFI	U-NII 5 - 5925-6425MHz Band Edge @ 3m																																																																				
ANT	802.11ax HE40 Partial 242/61 H03 5965MHz																																																																				
1+2	Horizontal	Fundamental																																																																			
Peak	<p>Site : 032005-KS Condition : WIFI 8E PEAK 3m 3117 00218652 HORIZONTAL Project : RRM 1000 0000Hz VBR 3000 0000Hz SWT:Auto Mode : FR1192317 Plane : 20 Polarization : Full-directivity MEI : 8.5 Powersetting : 8.5</p> <table border="1"> <thead> <tr> <th>Over Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5881.00</td> <td>57.15</td> <td>-31.15</td> <td>88.30</td> <td>42.47</td> <td>35.89</td> <td>12.28</td> <td>33.49</td> <td>100</td> <td>350</td> <td>Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Over Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	dB	dBuV/m	dB	cm	deg			1	5881.00	57.15	-31.15	88.30	42.47	35.89	12.28	33.49	100	350	Peak	HORIZONTAL	<p>Site : 032005-KS Condition : WIFI 8E PEAK 3m 3117 00218652 HORIZONTAL Project : RRM 1000 0000Hz VBR 3000 0000Hz SWT:Auto Mode : FR1192317 Plane : 20 Polarization : Full-directivity MEI : 8.5 Powersetting : 8.5</p> <table border="1"> <thead> <tr> <th>Over Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5959.00</td> <td>99.05</td> <td>10.75</td> <td>88.30</td> <td>84.51</td> <td>35.85</td> <td>12.35</td> <td>33.66</td> <td>100</td> <td>350</td> <td>Peak</td> <td>HORIZONTAL</td> </tr> <tr> <td>2</td> <td>5959.00</td> <td>91.42</td> <td>23.12</td> <td>68.30</td> <td>76.88</td> <td>35.85</td> <td>12.35</td> <td>33.66</td> <td>100</td> <td>350</td> <td>Average</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Over Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	dB	dBuV/m	dB	cm	deg			1	5959.00	99.05	10.75	88.30	84.51	35.85	12.35	33.66	100	350	Peak	HORIZONTAL	2	5959.00	91.42	23.12	68.30	76.88	35.85	12.35	33.66	100	350	Average	HORIZONTAL
Over Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																															
dB	dBuV/m	dB	cm	deg																																																																	
1	5881.00	57.15	-31.15	88.30	42.47	35.89	12.28	33.49	100	350	Peak	HORIZONTAL																																																									
Over Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																															
dB	dBuV/m	dB	cm	deg																																																																	
1	5959.00	99.05	10.75	88.30	84.51	35.85	12.35	33.66	100	350	Peak	HORIZONTAL																																																									
2	5959.00	91.42	23.12	68.30	76.88	35.85	12.35	33.66	100	350	Average	HORIZONTAL																																																									
Avg.	<p>Site : 032005-KS Condition : WIFI 8E(AVG) 3m 3117 00218652 HORIZONTAL Project : RRM 1000 0000Hz VBR 0.0100Hz SWT:Auto Mode : FR1192317 Plane : 20 Polarization : Full-directivity MEI : 8.5 Powersetting : 8.5</p> <table border="1"> <thead> <tr> <th>Over Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5865.16</td> <td>45.80</td> <td>-22.50</td> <td>68.30</td> <td>31.07</td> <td>35.90</td> <td>12.26</td> <td>33.43</td> <td>100</td> <td>350</td> <td>Average</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Over Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	dB	dBuV/m	dB	cm	deg			1	5865.16	45.80	-22.50	68.30	31.07	35.90	12.26	33.43	100	350	Average	HORIZONTAL	Left blank																																								
Over Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																															
dB	dBuV/m	dB	cm	deg																																																																	
1	5865.16	45.80	-22.50	68.30	31.07	35.90	12.26	33.43	100	350	Average	HORIZONTAL																																																									



WIFI	U-NII 5 - 5925-6425MHz Band Edge @ 3m																																																																																	
ANT	802.11ax HE40 Partial 242/61 H03 5965MHz																																																																																	
1+2	Vertical	Fundamental																																																																																
<p>Peak</p>	 <p>No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 032805-KS Condition : WIFI HE PEAK @ 3117.00018653 VERTICAL Project : RSM-1000.0000kHz VBR-3000.000kHz SRT-Auto FR192317 Mode : 20 Plane : Y Full-directivity MEI : 8.5 Powersetting : Adaptor2+USB 1</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5874.76</td> <td>57.09</td> <td>-31.21</td> <td>88.30</td> <td>42.41</td> <td>35.89</td> <td>12.28</td> <td>33.49</td> <td>203</td> <td>24 Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg			1	5874.76	57.09	-31.21	88.30	42.41	35.89	12.28	33.49	203	24 Peak	VERTICAL	 <p>No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 032805-KS Condition : WIFI HE PEAK @ 3117.00018653 VERTICAL Project : RSM-1000.0000kHz VBR-3000.000kHz SRT-Auto FR192317 Mode : 20 Plane : Y Full-directivity MEI : 8.5 Powersetting : Adaptor2+USB 1</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5959.00</td> <td>95.52</td> <td>-7.22</td> <td>88.30</td> <td>80.88</td> <td>35.85</td> <td>12.35</td> <td>33.66</td> <td>203</td> <td>24 Peak</td> <td>VERTICAL</td> </tr> <tr> <td>2</td> <td>5959.00</td> <td>88.30</td> <td>-20.00</td> <td>68.30</td> <td>73.81</td> <td>35.90</td> <td>12.26</td> <td>33.66</td> <td>203</td> <td>24 Average</td> <td>VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg			1	5959.00	95.52	-7.22	88.30	80.88	35.85	12.35	33.66	203	24 Peak	VERTICAL	2	5959.00	88.30	-20.00	68.30	73.81	35.90	12.26	33.66	203	24 Average	VERTICAL
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																								
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																										
1	5874.76	57.09	-31.21	88.30	42.41	35.89	12.28	33.49	203	24 Peak	VERTICAL																																																																							
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																								
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																										
1	5959.00	95.52	-7.22	88.30	80.88	35.85	12.35	33.66	203	24 Peak	VERTICAL																																																																							
2	5959.00	88.30	-20.00	68.30	73.81	35.90	12.26	33.66	203	24 Average	VERTICAL																																																																							
<p>Avg.</p>	 <p>No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 032805-KS Condition : WIFI HE (AVG) @ 3117.00018653 VERTICAL Project : RSM-1000.0000kHz VBR-3000.000kHz SRT-Auto FR192317 Mode : 20 Plane : Y Full-directivity MEI : 8.5 Powersetting : Adaptor2+USB 1</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5865.16</td> <td>45.78</td> <td>-22.52</td> <td>68.30</td> <td>31.05</td> <td>35.90</td> <td>12.26</td> <td>33.43</td> <td>203</td> <td>24 Average</td> <td>VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg			1	5865.16	45.78	-22.52	68.30	31.05	35.90	12.26	33.43	203	24 Average	VERTICAL	<p>Left blank</p>																																														
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																								
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																										
1	5865.16	45.78	-22.52	68.30	31.05	35.90	12.26	33.43	203	24 Average	VERTICAL																																																																							



U-NII 5 - 5925-6425MHzMHz
WIFI 802.11ax HE80 Full (Band Edge @ 3m)

WIFI	U-NII 5 - 5925-6425MHz Band Edge @ 3m																																																																														
ANT	802.11ax HE80 Full CH07 5985MHz																																																																														
1+2	Horizontal	Fundamental																																																																													
Peak	<p>Site: 032005-KS Condition: WIFI 6E PEAK 3m 3117 00218652 HORIZONTAL Project: R98 1000 0000Hz V98 3000 0000Hz SWT:Auto Mode: 23 Plane: 7 Full-directivity IM1: #1 Powersetting: 14</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5985.00</td> <td>57.53</td> <td>-30.77</td> <td>88.30</td> <td>42.90</td> <td>35.88</td> <td>12.29</td> <td>33.54</td> <td>133</td> <td>9 Peak HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg			1	5985.00	57.53	-30.77	88.30	42.90	35.88	12.29	33.54	133	9 Peak HORIZONTAL	<p>Site: 032005-KS Condition: WIFI 6E PEAK 3m 3117 00218652 HORIZONTAL Project: R98 1000 0000Hz V98 3000 0000Hz SWT:Auto Mode: 23 Plane: 7 Full-directivity IM1: #1 Powersetting: 14</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5986.00</td> <td>100.28</td> <td>11.99</td> <td>88.30</td> <td>85.78</td> <td>35.84</td> <td>12.37</td> <td>33.71</td> <td>133</td> <td>9 Peak HORIZONTAL</td> </tr> <tr> <td>2</td> <td>5986.00</td> <td>91.68</td> <td>23.38</td> <td>68.30</td> <td>77.18</td> <td>35.84</td> <td>12.37</td> <td>33.71</td> <td>133</td> <td>9 Average HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg			1	5986.00	100.28	11.99	88.30	85.78	35.84	12.37	33.71	133	9 Peak HORIZONTAL	2	5986.00	91.68	23.38	68.30	77.18	35.84	12.37	33.71	133	9 Average HORIZONTAL
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																					
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg																																																																							
1	5985.00	57.53	-30.77	88.30	42.90	35.88	12.29	33.54	133	9 Peak HORIZONTAL																																																																					
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																					
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg																																																																							
1	5986.00	100.28	11.99	88.30	85.78	35.84	12.37	33.71	133	9 Peak HORIZONTAL																																																																					
2	5986.00	91.68	23.38	68.30	77.18	35.84	12.37	33.71	133	9 Average HORIZONTAL																																																																					
Avg.	<p>Site: 032005-KS Condition: WIFI 6E(AVG) 3m 3117 00218652 HORIZONTAL Project: R98 192317 Mode: 23 Plane: 7 Full-directivity IM1: #1 Powersetting: 14</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5924.96</td> <td>47.38</td> <td>-20.92</td> <td>68.30</td> <td>32.79</td> <td>35.87</td> <td>12.32</td> <td>33.60</td> <td>133</td> <td>9 Average HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg			1	5924.96	47.38	-20.92	68.30	32.79	35.87	12.32	33.60	133	9 Average HORIZONTAL	Left blank																																												
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																					
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg																																																																							
1	5924.96	47.38	-20.92	68.30	32.79	35.87	12.32	33.60	133	9 Average HORIZONTAL																																																																					



WIFI	U-NII 5 - 5925-6425MHz Band Edge @ 3m																																																																												
ANT	802.11ax HE80 Full CH07 5985MHz																																																																												
1+2	Vertical	Fundamental																																																																											
<p>Peak</p>	<p>No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 032905-KS Condition : WIFI @ PEAK @ 3117.00218652 VERTICAL Project : RRM-1000.000MHz VBR-3000.000MHz SRT-Auto Mode : (FR) 192317 Plane : Y Polarization : Full-directivity PowerSetting : 14 Adaptor: 2+USB 1</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5860.98</td> <td>56.66</td> <td>-31.64</td> <td>88.30</td> <td>41.93</td> <td>35.90</td> <td>12.26</td> <td>33.43</td> <td>122</td> <td>13</td> <td>Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	cm	deg		1	5860.98	56.66	-31.64	88.30	41.93	35.90	12.26	33.43	122	13	Peak	VERTICAL	<p>No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 032905-KS Condition : WIFI @ PEAK @ 3117.00218652 VERTICAL Project : RRM-1000.000MHz VBR-3000.000MHz SRT-Auto Mode : (FR) 192317 Plane : Y Polarization : Full-directivity PowerSetting : 14 Adaptor: 2+USB 1</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5985.00</td> <td>97.53</td> <td>9.23</td> <td>88.30</td> <td>83.03</td> <td>35.83</td> <td>12.38</td> <td>33.71</td> <td>122</td> <td>13</td> <td>Peak</td> <td>VERTICAL</td> </tr> <tr> <td>2</td> <td>5995.00</td> <td>89.50</td> <td>21.20</td> <td>68.30</td> <td>70.00</td> <td>35.80</td> <td>12.38</td> <td>33.71</td> <td>122</td> <td>12</td> <td>Average</td> <td>VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	cm	deg		1	5985.00	97.53	9.23	88.30	83.03	35.83	12.38	33.71	122	13	Peak	VERTICAL	2	5995.00	89.50	21.20	68.30	70.00	35.80	12.38	33.71	122	12	Average	VERTICAL
Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																					
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	cm	deg																																																																						
1	5860.98	56.66	-31.64	88.30	41.93	35.90	12.26	33.43	122	13	Peak	VERTICAL																																																																	
Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																					
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	cm	deg																																																																						
1	5985.00	97.53	9.23	88.30	83.03	35.83	12.38	33.71	122	13	Peak	VERTICAL																																																																	
2	5995.00	89.50	21.20	68.30	70.00	35.80	12.38	33.71	122	12	Average	VERTICAL																																																																	
<p>Avg.</p>	<p>No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 032905-KS Condition : WIFI @ (AVG) @ 3117.00218652 VERTICAL Project : RRM-1000.000MHz VBR-3000.000MHz SRT-Auto Mode : (FR) 192317 Plane : Y Polarization : Full-directivity PowerSetting : 14 Adaptor: 2+USB 1</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5917.82</td> <td>46.25</td> <td>-22.05</td> <td>68.30</td> <td>31.60</td> <td>35.88</td> <td>12.31</td> <td>33.54</td> <td>122</td> <td>13</td> <td>Average</td> <td>VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	cm	deg		1	5917.82	46.25	-22.05	68.30	31.60	35.88	12.31	33.54	122	13	Average	VERTICAL	<p>Left blank</p>																																												
Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																					
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	cm	deg																																																																						
1	5917.82	46.25	-22.05	68.30	31.60	35.88	12.31	33.54	122	13	Average	VERTICAL																																																																	



U-NII 5 - 5925-6425MHzMHz
WIFI 802.11ax HE80 Partial 484 (Band Edge @ 3m)

WIFI	U-NII 5 - 5925-6425MHz Band Edge @ 3m																																																																
ANT	802.11ax HE80 Partial 484/65 CH07 5985MHz																																																																
1+2	Horizontal	Fundamental																																																															
Peak	<p>Site: 032805-KS Condition: WIFI 8E PEAK 3m 3117 00218652 HORIZONTAL Project: RRM 1000.000KHz VBR 3000.000KHz SWT:Auto Mode: FR1 192317 Role: 24 Plane: 2 Full-directivity IM1: #1 Powersetting: #1</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5996.04</td> <td>56.91</td> <td>-31.29</td> <td>88.30</td> <td>42.28</td> <td>35.88</td> <td>12.29</td> <td>33.54</td> <td>100 351 Peak HORIZONT</td> </tr> </tbody> </table>	Freq	Level	Over Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg		1 5996.04	56.91	-31.29	88.30	42.28	35.88	12.29	33.54	100 351 Peak HORIZONT	<p>Site: 032805-KS Condition: WIFI 8E PEAK 3m 3117 00218652 HORIZONTAL Project: RRM 1000.000KHz VBR 3000.000KHz SWT:Auto Mode: FR1 192317 Role: 24 Plane: 2 Full-directivity IM1: #1 Powersetting: #1</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 * 5999.00</td> <td>76.54</td> <td>8.24</td> <td>88.30</td> <td>82.00</td> <td>35.85</td> <td>12.35</td> <td>33.66</td> <td>100 351 Peak HORIZONT</td> </tr> <tr> <td>2 * 5999.00</td> <td>88.42</td> <td>20.12</td> <td>88.30</td> <td>73.88</td> <td>35.85</td> <td>12.35</td> <td>33.66</td> <td>100 351 Average HORIZONT</td> </tr> </tbody> </table>	Freq	Level	Over Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg		1 * 5999.00	76.54	8.24	88.30	82.00	35.85	12.35	33.66	100 351 Peak HORIZONT	2 * 5999.00	88.42	20.12	88.30	73.88	35.85	12.35	33.66	100 351 Average HORIZONT
Freq	Level	Over Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																									
MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg																																																										
1 5996.04	56.91	-31.29	88.30	42.28	35.88	12.29	33.54	100 351 Peak HORIZONT																																																									
Freq	Level	Over Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																									
MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg																																																										
1 * 5999.00	76.54	8.24	88.30	82.00	35.85	12.35	33.66	100 351 Peak HORIZONT																																																									
2 * 5999.00	88.42	20.12	88.30	73.88	35.85	12.35	33.66	100 351 Average HORIZONT																																																									
Avg.	<p>Site: 032805-KS Condition: WIFI 8E(AVG) 3m 3117 00218652 HORIZONTAL Project: RRM 1000.000KHz VBR 0.010KHz SWT:Auto Mode: FR1 192317 Role: 24 Plane: 2 Full-directivity IM1: #1 Powersetting: #1</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5865.80</td> <td>45.79</td> <td>-22.51</td> <td>68.30</td> <td>31.06</td> <td>35.90</td> <td>12.26</td> <td>33.43</td> <td>100 351 Average HORIZONT</td> </tr> </tbody> </table>	Freq	Level	Over Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg		1 5865.80	45.79	-22.51	68.30	31.06	35.90	12.26	33.43	100 351 Average HORIZONT	Left blank																																				
Freq	Level	Over Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																									
MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg																																																										
1 5865.80	45.79	-22.51	68.30	31.06	35.90	12.26	33.43	100 351 Average HORIZONT																																																									



WIFI	U-NII 5 - 5925-6425MHz Band Edge @ 3m																																																																														
ANT	802.11ax HE80 Partial 484/65 CH07 5985MHz																																																																														
1+2	Vertical	Fundamental																																																																													
<p>Peak</p>	<p>No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 032805-KS Condition : WIFI 4E PEAK 3m 3117.00218652 VERTICAL Project : R98-1000.0000kHz VBR-3000.000kHz SRT-Auto Mode : FR192317 Plane : Y Antenna : Full-directivity PowerSetting : B Adaptor:2+USB 1</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5883.24</td> <td>56.28</td> <td>-32.02</td> <td>88.30</td> <td>41.60</td> <td>35.89</td> <td>12.28</td> <td>33.49</td> <td>184</td> <td>23</td> <td>Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Freq	Level	Line	Level	Factor	Loss	Factor	dB	cm	deg	1	5883.24	56.28	-32.02	88.30	41.60	35.89	12.28	33.49	184	23	Peak	VERTICAL	<p>No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 032805-KS Condition : WIFI 4E PEAK 3m 3117.00218652 VERTICAL Project : R98-1000.0000kHz VBR-3000.000kHz SRT-Auto Mode : FR192317 Plane : Y Antenna : Full-directivity PowerSetting : B Adaptor:2+USB 1</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5977.00</td> <td>94.21</td> <td>5.91</td> <td>88.30</td> <td>79.71</td> <td>35.84</td> <td>12.37</td> <td>33.71</td> <td>184</td> <td>23</td> <td>Peak</td> <td>VERTICAL</td> </tr> <tr> <td>2</td> <td>5977.00</td> <td>80.20</td> <td>17.33</td> <td>68.30</td> <td>71.13</td> <td>35.84</td> <td>12.37</td> <td>33.71</td> <td>184</td> <td>23</td> <td>Average</td> <td>VERTICAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Freq	Level	Line	Level	Factor	Loss	Factor	dB	cm	deg	1	5977.00	94.21	5.91	88.30	79.71	35.84	12.37	33.71	184	23	Peak	VERTICAL	2	5977.00	80.20	17.33	68.30	71.13	35.84	12.37	33.71	184	23	Average	VERTICAL
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																							
Freq	Level	Line	Level	Factor	Loss	Factor	dB	cm	deg																																																																						
1	5883.24	56.28	-32.02	88.30	41.60	35.89	12.28	33.49	184	23	Peak	VERTICAL																																																																			
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																							
Freq	Level	Line	Level	Factor	Loss	Factor	dB	cm	deg																																																																						
1	5977.00	94.21	5.91	88.30	79.71	35.84	12.37	33.71	184	23	Peak	VERTICAL																																																																			
2	5977.00	80.20	17.33	68.30	71.13	35.84	12.37	33.71	184	23	Average	VERTICAL																																																																			
<p>Avg.</p>	<p>No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 032805-KS Condition : WIFI 4E (AVG) 3m 3117.00218652 VERTICAL Project : R98-1000.0000kHz VBR-3000.000kHz SRT-Auto Mode : FR192317 Plane : Y Antenna : Full-directivity PowerSetting : B Adaptor:2+USB 1</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5865.32</td> <td>45.76</td> <td>-22.54</td> <td>68.30</td> <td>31.03</td> <td>35.90</td> <td>12.26</td> <td>33.43</td> <td>184</td> <td>23</td> <td>Average</td> <td>VERTICAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Freq	Level	Line	Level	Factor	Loss	Factor	dB	cm	deg	1	5865.32	45.76	-22.54	68.30	31.03	35.90	12.26	33.43	184	23	Average	VERTICAL	<p>Left blank</p>																																													
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																							
Freq	Level	Line	Level	Factor	Loss	Factor	dB	cm	deg																																																																						
1	5865.32	45.76	-22.54	68.30	31.03	35.90	12.26	33.43	184	23	Average	VERTICAL																																																																			



U-NII 5 - 5925-6425MHzMHz
WIFI 802.11ax HE160 Full (Band Edge @ 3m)

WIFI	U-NII 5 - 5925-6425MHz Band Edge @ 3m																																																																
ANT	802.11ax HE160 Full CH15 6025MHz																																																																
1+2	Horizontal	Fundamental																																																															
Peak	<p>Site: 032005-KS Condition: WIFI 6E PEAK 3m 3117 00218652 HORIZONTAL Project: R98 1000 0000Hz V98 3000 0000Hz SWT:Auto Mode: 27 Plane: Full-directivity IM1: #1 Powersetting: #13</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5974.28</td> <td>58.54</td> <td>-29.76</td> <td>88.30</td> <td>43.86</td> <td>35.89</td> <td>12.28</td> <td>33.49</td> <td>107 4 Peak HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Over Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV	dB	cm	deg			1 5974.28	58.54	-29.76	88.30	43.86	35.89	12.28	33.49	107 4 Peak HORIZONTAL	<p>Site: 032005-KS Condition: WIFI 6E PEAK 3m 3117 00218652 HORIZONTAL Project: R98 1000 0000Hz V98 3000 0000Hz SWT:Auto Mode: 27 Plane: Full-directivity IM1: #1 Powersetting: #13</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1 * 6013.00</td> <td>96.52</td> <td>8.22</td> <td>88.30</td> <td>82.06</td> <td>35.83</td> <td>12.40</td> <td>33.77</td> <td>107 4 Peak HORIZONTAL</td> </tr> <tr> <td>2 * 6013.00</td> <td>87.94</td> <td>19.64</td> <td>68.30</td> <td>73.48</td> <td>35.83</td> <td>12.40</td> <td>33.77</td> <td>107 4 Average HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Over Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV	dB	cm	deg			1 * 6013.00	96.52	8.22	88.30	82.06	35.83	12.40	33.77	107 4 Peak HORIZONTAL	2 * 6013.00	87.94	19.64	68.30	73.48	35.83	12.40	33.77	107 4 Average HORIZONTAL
Freq	Level	Over Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																									
MHz	dBuV/m	dB	dBuV	dB	cm	deg																																																											
1 5974.28	58.54	-29.76	88.30	43.86	35.89	12.28	33.49	107 4 Peak HORIZONTAL																																																									
Freq	Level	Over Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																									
MHz	dBuV/m	dB	dBuV	dB	cm	deg																																																											
1 * 6013.00	96.52	8.22	88.30	82.06	35.83	12.40	33.77	107 4 Peak HORIZONTAL																																																									
2 * 6013.00	87.94	19.64	68.30	73.48	35.83	12.40	33.77	107 4 Average HORIZONTAL																																																									
Avg.	<p>Site: 032005-KS Condition: WIFI 6E(AVG) 3m 3117 00218652 HORIZONTAL Project: R98 1000 0000Hz V98 0 0100Hz SWT:Auto Mode: 27 Plane: Full-directivity IM1: #1 Powersetting: #13</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5924.82</td> <td>47.69</td> <td>-20.61</td> <td>68.30</td> <td>33.10</td> <td>35.87</td> <td>12.32</td> <td>33.60</td> <td>107 4 Average HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Over Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV	dB	cm	deg			1 5924.82	47.69	-20.61	68.30	33.10	35.87	12.32	33.60	107 4 Average HORIZONTAL	Left blank																																				
Freq	Level	Over Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																									
MHz	dBuV/m	dB	dBuV	dB	cm	deg																																																											
1 5924.82	47.69	-20.61	68.30	33.10	35.87	12.32	33.60	107 4 Average HORIZONTAL																																																									



WIFI	U-NII 5 - 5925-6425MHz Band Edge @ 3m																																																																												
ANT	802.11ax HE160 Full CH15 6025MHz																																																																												
1+2	Vertical	Fundamental																																																																											
<p>Peak</p>	<p>No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 032805-KS Condition : WIFI @E PEAK @m 3117 00218652 VERTICAL Project : RSM-1000 0000kHz VBR-3000 000kHz SRT-Auto FR192317 Mode : 27 Plane : Y Full-directivity IMEI : #17 Powersetting : #13 Adaptor:2+USB 1</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>Loss Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5867.42</td> <td>56.84</td> <td>-31.46</td> <td>88.30</td> <td>42.11</td> <td>35.90</td> <td>12.26</td> <td>33.43</td> <td>131</td> <td>13</td> <td>Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	cm	deg		1	5867.42	56.84	-31.46	88.30	42.11	35.90	12.26	33.43	131	13	Peak	VERTICAL	<p>No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 032805-KS Condition : WIFI @E PEAK @m 3117 00218652 VERTICAL Project : RSM-1000 0000kHz VBR-3000 000kHz SRT-Auto FR192317 Mode : 27 Plane : Y Full-directivity IMEI : #17 Powersetting : #13 Adaptor:2+USB 1</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>Loss Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6022.00</td> <td>94.78</td> <td>0.48</td> <td>88.30</td> <td>80.32</td> <td>35.83</td> <td>12.40</td> <td>33.77</td> <td>131</td> <td>13</td> <td>Peak</td> <td>VERTICAL</td> </tr> <tr> <td>2</td> <td>6022.00</td> <td>86.14</td> <td>17.84</td> <td>68.30</td> <td>71.68</td> <td>35.83</td> <td>12.40</td> <td>33.77</td> <td>131</td> <td>12</td> <td>Average</td> <td>VERTICAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	cm	deg		1	6022.00	94.78	0.48	88.30	80.32	35.83	12.40	33.77	131	13	Peak	VERTICAL	2	6022.00	86.14	17.84	68.30	71.68	35.83	12.40	33.77	131	12	Average	VERTICAL
Over	Limit	ReadAntenna	Cable Preamp	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas																																																																					
MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	cm	deg																																																																						
1	5867.42	56.84	-31.46	88.30	42.11	35.90	12.26	33.43	131	13	Peak	VERTICAL																																																																	
Over	Limit	ReadAntenna	Cable Preamp	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas																																																																					
MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	cm	deg																																																																						
1	6022.00	94.78	0.48	88.30	80.32	35.83	12.40	33.77	131	13	Peak	VERTICAL																																																																	
2	6022.00	86.14	17.84	68.30	71.68	35.83	12.40	33.77	131	12	Average	VERTICAL																																																																	
<p>Avg.</p>	<p>No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 032805-KS Condition : WIFI @E (AVG) @m 3117 00218652 VERTICAL Project : RSM-1000 0000kHz VBR-3000 000kHz SRT-Auto FR192317 Mode : 27 Plane : Y Full-directivity IMEI : #17 Powersetting : #13 Adaptor:2+USB 1</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>Loss Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5868.54</td> <td>46.50</td> <td>-21.80</td> <td>68.30</td> <td>31.77</td> <td>35.90</td> <td>12.26</td> <td>33.43</td> <td>131</td> <td>13</td> <td>Average</td> <td>VERTICAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	cm	deg		1	5868.54	46.50	-21.80	68.30	31.77	35.90	12.26	33.43	131	13	Average	VERTICAL	<p>Left blank</p>																																												
Over	Limit	ReadAntenna	Cable Preamp	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas																																																																					
MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	cm	deg																																																																						
1	5868.54	46.50	-21.80	68.30	31.77	35.90	12.26	33.43	131	13	Average	VERTICAL																																																																	



U-NII 5 - 5925-6425MHzMHz
WIFI 802.11ax HE160 Partial 996 (Band Edge @ 3m)

WIFI	U-NII 5 - 5925-6425MHz Band Edge @ 3m																																																																												
ANT	802.11ax HE160 Partial 996/67 CH15 6025MHz																																																																												
1+2	Horizontal	Fundamental																																																																											
Peak	<p>Site: 032005-KS Condition: WIFI 6E PEAK 3m 3117 00218652 HORIZONTAL Project: RRM 1000.000kHz VBR 3000.000kHz SWT Auto Mode: FR1 192317 Role: 20 Plane: 20 Full-directivity IPE1: 8.5 Powersetting: 8.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5915.88</td> <td>61.74</td> <td>-26.56</td> <td>88.30</td> <td>47.09</td> <td>35.88</td> <td>12.31</td> <td>33.54</td> <td>157</td> <td>0</td> <td>Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Over Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	cm	deg	cm	deg	1	5915.88	61.74	-26.56	88.30	47.09	35.88	12.31	33.54	157	0	Peak	HORIZONTAL	<p>Site: 032005-KS Condition: WIFI 6E PEAK 3m 3117 00218652 HORIZONTAL Project: RRM 1000.000kHz VBR 3000.000kHz SWT Auto Mode: FR1 192317 Role: 20 Plane: 20 Full-directivity IPE1: 8.5 Powersetting: 8.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6013.00</td> <td>94.49</td> <td>6.19</td> <td>88.30</td> <td>80.03</td> <td>35.83</td> <td>12.40</td> <td>33.77</td> <td>157</td> <td>0</td> <td>Peak</td> <td>HORIZONTAL</td> </tr> <tr> <td>2</td> <td>6013.00</td> <td>86.24</td> <td>17.94</td> <td>68.30</td> <td>71.78</td> <td>35.83</td> <td>12.40</td> <td>33.77</td> <td>157</td> <td>0</td> <td>Average</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Over Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	cm	deg	cm	deg	1	6013.00	94.49	6.19	88.30	80.03	35.83	12.40	33.77	157	0	Peak	HORIZONTAL	2	6013.00	86.24	17.94	68.30	71.78	35.83	12.40	33.77	157	0	Average	HORIZONTAL
Freq	Level	Over Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																					
MHz	dBuV/m	dB	dBuV/m	dB	cm	deg	cm	deg																																																																					
1	5915.88	61.74	-26.56	88.30	47.09	35.88	12.31	33.54	157	0	Peak	HORIZONTAL																																																																	
Freq	Level	Over Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																					
MHz	dBuV/m	dB	dBuV/m	dB	cm	deg	cm	deg																																																																					
1	6013.00	94.49	6.19	88.30	80.03	35.83	12.40	33.77	157	0	Peak	HORIZONTAL																																																																	
2	6013.00	86.24	17.94	68.30	71.78	35.83	12.40	33.77	157	0	Average	HORIZONTAL																																																																	
Avg.	<p>Site: 032005-KS Condition: WIFI 6E (AVG) 3m 3117 00218652 HORIZONTAL Project: RRM 1000.000kHz VBR 0.010kHz SWT Auto Mode: FR1 192317 Role: 20 Plane: 20 Full-directivity IPE1: 8.5 Powersetting: 8.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5924.20</td> <td>46.48</td> <td>-21.82</td> <td>68.30</td> <td>31.89</td> <td>35.87</td> <td>12.32</td> <td>33.60</td> <td>157</td> <td>0</td> <td>Average</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Over Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	cm	deg	cm	deg	1	5924.20	46.48	-21.82	68.30	31.89	35.87	12.32	33.60	157	0	Average	HORIZONTAL	Left blank																																												
Freq	Level	Over Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																					
MHz	dBuV/m	dB	dBuV/m	dB	cm	deg	cm	deg																																																																					
1	5924.20	46.48	-21.82	68.30	31.89	35.87	12.32	33.60	157	0	Average	HORIZONTAL																																																																	



WIFI	U-NII 5 - 5925-6425MHz Band Edge @ 3m																																																																																	
ANT	802.11ax HE160 Partial 996/67 CH15 6025MHz																																																																																	
1+2	Vertical	Fundamental																																																																																
Peak	<p>Site : 032905-KS Condition : WIFI 6E PEAK 3m 3117.00218652 VERTICAL Project : RSM-1000.000MHz VBR-3000.000MHz SRT-Auto Mode : FRS192317 Plane : Y IWEI : Full-directivity Powersetting : 8.5 Adaptor:2USB 1</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5905.64</td> <td>59.81</td> <td>-28.49</td> <td>88.30</td> <td>45.16</td> <td>35.88</td> <td>12.31</td> <td>33.54</td> <td>171</td> <td>19 Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg			1	5905.64	59.81	-28.49	88.30	45.16	35.88	12.31	33.54	171	19 Peak	VERTICAL	<p>Site : 032905-KS Condition : WIFI 6E PEAK 3m 3117.00218652 VERTICAL Project : RSM-1000.000MHz VBR-3000.000MHz SRT-Auto Mode : FRS192317 Plane : Y IWEI : Full-directivity Powersetting : 8.5 Adaptor:2USB 1</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6022.00</td> <td>92.40</td> <td>-4.19</td> <td>88.30</td> <td>78.03</td> <td>35.83</td> <td>12.40</td> <td>33.77</td> <td>171</td> <td>19 Peak</td> <td>VERTICAL</td> </tr> <tr> <td>2</td> <td>6022.00</td> <td>86.30</td> <td>16.00</td> <td>68.30</td> <td>69.84</td> <td>35.83</td> <td>12.40</td> <td>33.77</td> <td>171</td> <td>19 Average</td> <td>VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg			1	6022.00	92.40	-4.19	88.30	78.03	35.83	12.40	33.77	171	19 Peak	VERTICAL	2	6022.00	86.30	16.00	68.30	69.84	35.83	12.40	33.77	171	19 Average	VERTICAL
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																								
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																										
1	5905.64	59.81	-28.49	88.30	45.16	35.88	12.31	33.54	171	19 Peak	VERTICAL																																																																							
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																								
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																										
1	6022.00	92.40	-4.19	88.30	78.03	35.83	12.40	33.77	171	19 Peak	VERTICAL																																																																							
2	6022.00	86.30	16.00	68.30	69.84	35.83	12.40	33.77	171	19 Average	VERTICAL																																																																							
Avg.	<p>Site : 032905-KS Condition : WIFI 6E (AVG) 3m 3117.00218652 VERTICAL Project : RSM-1000.000MHz VBR-3000.000MHz SRT-Auto Mode : FRS192317 Plane : Y IWEI : Full-directivity Powersetting : 8.5 Adaptor:2USB 1</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5897.64</td> <td>45.85</td> <td>-22.45</td> <td>68.30</td> <td>31.22</td> <td>35.88</td> <td>12.29</td> <td>33.54</td> <td>171</td> <td>19 Average</td> <td>VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg			1	5897.64	45.85	-22.45	68.30	31.22	35.88	12.29	33.54	171	19 Average	VERTICAL	Left blank																																														
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																								
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																										
1	5897.64	45.85	-22.45	68.30	31.22	35.88	12.29	33.54	171	19 Average	VERTICAL																																																																							



U-NII 5 - 5925-6425MHzMHz
WIFI 802.11a (Harmonic @ 3m)

WIFI	U-NII 5 - 5925-6425MHzMHz Harmonic @ 3m	
ANT	802.11a CH01 5955MHz	
1+2	Horizontal	Vertical
Peak Avg.	<p>Site : 03D05-KS Condition : WIFI 6E PEAK 3m 3117 00218632 HORIZONTAL Project : RSM 1000 5000Hz VBR 3000 0000Hz SRT Auto Mode : FR192317 Plane : Y Full-directivity IPE1 : 0 Powersetting : 0 Adapter2+USB 1 Over Limit ReadAttenua Cable Preamp A/Pos T/Pos Remark Pol/Phas Freq Level Limit Line Level Factor Loss Factor dB cm deg 1 11910.38 44.96 -29.04 74.00 48.25 38.95 17.90 60.14 300 0 Peak HORIZONTAL</p>	<p>Site : 03D05-KS Condition : WIFI 6E PEAK 3m 3117 00218633 VERTICAL Project : RSM 1000 5000Hz VBR 3000 0000Hz SRT Auto Mode : FR192317 Plane : Y Full-directivity IPE1 : 0 Powersetting : 0 Adapter2+USB 1 Over Limit ReadAttenua Cable Preamp A/Pos T/Pos Remark Pol/Phas Freq Level Limit Line Level Factor Loss Factor dB cm deg 1 11910.38 45.83 -28.17 74.00 49.12 38.95 17.90 60.14 100 300 Peak VERTICAL</p>
	<p>Site : 03D05-KS Condition : WIFI 6E PEAK 3m 3117 00218632 HORIZONTAL Project : RSM 1000 5000Hz VBR 3000 0000Hz SRT Auto Mode : FR192317 Plane : Y Full-directivity IPE1 : 0 Powersetting : 0 Adapter2+USB 1 Over Limit ReadAttenua Cable Preamp A/Pos T/Pos Remark Pol/Phas Freq Level Limit Line Level Factor Loss Factor dB cm deg 1 11910.38 44.96 -29.04 74.00 48.25 38.95 17.90 60.14 300 0 Peak HORIZONTAL</p>	<p>Site : 03D05-KS Condition : WIFI 6E PEAK 3m 3117 00218633 VERTICAL Project : RSM 1000 5000Hz VBR 3000 0000Hz SRT Auto Mode : FR192317 Plane : Y Full-directivity IPE1 : 0 Powersetting : 0 Adapter2+USB 1 Over Limit ReadAttenua Cable Preamp A/Pos T/Pos Remark Pol/Phas Freq Level Limit Line Level Factor Loss Factor dB cm deg 1 11910.38 45.83 -28.17 74.00 49.12 38.95 17.90 60.14 100 300 Peak VERTICAL</p>



WIFI	U-NII 5 - 5925-6425MHzMHz Harmonic @ 3m																																																													
ANT	802.11a CH45 6175 MHz																																																													
1+2	Horizontal	Vertical																																																												
Peak Avg.	<p>No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 032905-KS Condition : WiFi @ PEAK @ 3117.00218652 HORIZONTAL Project : FR192317 Mode : 2 Plane : Y Polarization : Full-directivity JMEI : #17 PowerSetting : Adaptor:2+USB 1</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>12350.94</td> <td>44.80</td> <td>-29.20</td> <td>74.00</td> <td>47.55</td> <td>39.26</td> <td>18.08</td> <td>60.09</td> <td>300</td> <td>0 Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	cm	deg		1	12350.94	44.80	-29.20	74.00	47.55	39.26	18.08	60.09	300	0 Peak	HORIZONTAL	<p>No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 032905-KS Condition : WiFi @ PEAK @ 3117.00218652 VERTICAL Project : FR192317 Mode : 2 Plane : Y Polarization : Full-directivity JMEI : #17 PowerSetting : Adaptor:2+USB 1</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>12350.94</td> <td>45.60</td> <td>-28.40</td> <td>74.00</td> <td>48.35</td> <td>39.26</td> <td>18.08</td> <td>60.09</td> <td>100</td> <td>360 Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	cm	deg		1	12350.94	45.60	-28.40	74.00	48.35	39.26	18.08	60.09	100	360 Peak	VERTICAL
	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																					
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	cm	deg																																																							
1	12350.94	44.80	-29.20	74.00	47.55	39.26	18.08	60.09	300	0 Peak	HORIZONTAL																																																			
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																						
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	cm	deg																																																							
1	12350.94	45.60	-28.40	74.00	48.35	39.26	18.08	60.09	100	360 Peak	VERTICAL																																																			



WIFI	U-NII 5 - 5925-6425MHzMHz Harmonic @ 3m																																																													
ANT	802.11a CH93 6415 MHz																																																													
1+2	Horizontal	Vertical																																																												
Peak Avg.	<p>No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 032905-KS Condition : WiFi PEAK @ 3117.00218652 HORIZONTAL Project : RSM-1000.000KHz VBR-3000.000KHz SRT-Auto FRS192317 Mode : 3 Plane : Y Full-directivity IMEI : #17 Powersetting : 9 Adaptor:2+USB 1</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBμV/m</th> <th>dB</th> <th>dBμV/m</th> <th>dBμV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>12831.54</td> <td>46.66</td> <td>-41.64</td> <td>88.30</td> <td>48.73</td> <td>39.61</td> <td>18.42</td> <td>60.10</td> <td>300</td> <td>0 Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBμV/m	dB	dBμV/m	dBμV	dB/m	dB	cm	deg	1	12831.54	46.66	-41.64	88.30	48.73	39.61	18.42	60.10	300	0 Peak	HORIZONTAL	<p>No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 032905-KS Condition : WiFi PEAK @ 3117.00218652 VERTICAL Project : RSM-1000.000KHz VBR-3000.000KHz SRT-Auto FRS192317 Mode : 3 Plane : Y Full-directivity IMEI : #17 Powersetting : 9 Adaptor:2+USB 1</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBμV/m</th> <th>dB</th> <th>dBμV/m</th> <th>dBμV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>12831.54</td> <td>46.72</td> <td>-41.58</td> <td>88.30</td> <td>48.79</td> <td>39.61</td> <td>18.42</td> <td>60.10</td> <td>100</td> <td>360 Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBμV/m	dB	dBμV/m	dBμV	dB/m	dB	cm	deg	1	12831.54	46.72	-41.58	88.30	48.79	39.61	18.42	60.10	100	360 Peak	VERTICAL
	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																					
MHz	dBμV/m	dB	dBμV/m	dBμV	dB/m	dB	cm	deg																																																						
1	12831.54	46.66	-41.64	88.30	48.73	39.61	18.42	60.10	300	0 Peak	HORIZONTAL																																																			
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																						
MHz	dBμV/m	dB	dBμV/m	dBμV	dB/m	dB	cm	deg																																																						
1	12831.54	46.72	-41.58	88.30	48.79	39.61	18.42	60.10	100	360 Peak	VERTICAL																																																			





**U-NII 5 - 5925-6425MHzMHz
WIFI 802.11ax HE20 Full (Harmonic @ 3m)**

WIFI	U-NII 5 - 5925-6425MHzMHz Harmonic @ 3m																																									
ANT	802.11ax HE20 Full CH01 5955MHz																																									
1+2	Horizontal	Vertical																																								
Peak Avg.	<p>Site : 032005-KS Condition : WIFI 802.11ax HE20 Full 3117 00218652 HORIZONTAL Project : 808-1000-0000MHz V08-3000-0000MHz CRT-Auto Mode : FR192317 Plane : 12 Polarization : Full-directivity ME1 : 81 Powersetting : 10 Adaptor/USB : 1</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> <th>Pol/Phas</th> </tr> </thead> <tbody> <tr> <td>1 11910.38</td> <td>45.58</td> <td>-28.21</td> <td>74.00</td> <td>49.08</td> <td>38.95</td> <td>17.90</td> <td>60.14</td> <td>0 Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	Level	Factor	Loss	Factor	Remark	Pol/Phas	1 11910.38	45.58	-28.21	74.00	49.08	38.95	17.90	60.14	0 Peak	HORIZONTAL	<p>Site : 032005-KS Condition : WIFI 802.11ax HE20 Full 3117 00218652 VERTICAL Project : 808-1000-0000MHz V08-3000-0000MHz CRT-Auto Mode : FR192317 Plane : 12 Polarization : Full-directivity ME1 : 81 Powersetting : 10 Adaptor/USB : 1</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> <th>Pol/Phas</th> </tr> </thead> <tbody> <tr> <td>1 11910.38</td> <td>45.58</td> <td>-28.42</td> <td>74.00</td> <td>48.87</td> <td>38.95</td> <td>17.90</td> <td>60.14</td> <td>100 360 Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	Level	Factor	Loss	Factor	Remark	Pol/Phas	1 11910.38	45.58	-28.42	74.00	48.87	38.95	17.90	60.14	100 360 Peak	VERTICAL
Freq	Level	Limit	Line	Level	Factor	Loss	Factor	Remark	Pol/Phas																																	
1 11910.38	45.58	-28.21	74.00	49.08	38.95	17.90	60.14	0 Peak	HORIZONTAL																																	
Freq	Level	Limit	Line	Level	Factor	Loss	Factor	Remark	Pol/Phas																																	
1 11910.38	45.58	-28.42	74.00	48.87	38.95	17.90	60.14	100 360 Peak	VERTICAL																																	



WIFI	U-NII 5 - 5925-6425MHzMHz Harmonic @ 3m																																																													
ANT	802.11ax HE20 Full CH45 6175MHz																																																													
1+2	Horizontal	Vertical																																																												
Peak Avg.	<p>Site : 032905-KS Condition : WiFi @ PEAK @ 3117.00218652 HORIZONTAL Project : RRM-1000.000KHz VBR-3000.000KHz SRT-Auto Model : FRS192317 Plane : Y IMEI : Full-directivity PowerSetting : 10 Adaptor:2+USB 1</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Poss</th> <th>T/Poss</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>12350.94</td> <td>46.45</td> <td>-27.55</td> <td>74.00</td> <td>49.20</td> <td>39.26</td> <td>18.08</td> <td>60.09</td> <td>300</td> <td>0 Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Poss	T/Poss	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg	1	12350.94	46.45	-27.55	74.00	49.20	39.26	18.08	60.09	300	0 Peak	HORIZONTAL	<p>Site : 032905-KS Condition : WiFi @ PEAK @ 3117.00218652 VERTICAL Project : RRM-1000.000KHz VBR-3000.000KHz SRT-Auto Model : FRS192317 Plane : Y IMEI : Full-directivity PowerSetting : 10 Adaptor:2+USB 1</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Poss</th> <th>T/Poss</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>12350.94</td> <td>45.65</td> <td>-28.35</td> <td>74.00</td> <td>48.40</td> <td>39.26</td> <td>18.08</td> <td>60.09</td> <td>100</td> <td>360 Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Poss	T/Poss	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg	1	12350.94	45.65	-28.35	74.00	48.40	39.26	18.08	60.09	100	360 Peak	VERTICAL
	Over	Limit	ReadAntenna	Cable	Preamp	A/Poss	T/Poss	Remark	Pol/Phas																																																					
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg																																																						
1	12350.94	46.45	-27.55	74.00	49.20	39.26	18.08	60.09	300	0 Peak	HORIZONTAL																																																			
Over	Limit	ReadAntenna	Cable	Preamp	A/Poss	T/Poss	Remark	Pol/Phas																																																						
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg																																																						
1	12350.94	45.65	-28.35	74.00	48.40	39.26	18.08	60.09	100	360 Peak	VERTICAL																																																			



WIFI	U-NII 5 - 5925-6425MHzMHz Harmonic @ 3m																																																																																											
ANT	802.11ax HE20 Full CH93 6415MHz																																																																																											
1+2	Horizontal	Vertical																																																																																										
Peak Avg.	 <table border="1" data-bbox="430 772 813 896"> <thead> <tr> <th>Site</th> <th>Condition</th> <th>Project</th> <th>Mode</th> <th>Plane</th> <th>IMEI</th> <th>PowerSetting</th> </tr> </thead> <tbody> <tr> <td>032905-KS</td> <td>RFI GE PEAK @ 3117.00218652 HORIZONTAL</td> <td>FRS192317</td> <td>IS</td> <td>Y</td> <td>817</td> <td>IS</td> </tr> </tbody> </table> <table border="1" data-bbox="430 840 813 896"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>12831.54</td> <td>45.35</td> <td>-42.95</td> <td>88.30</td> <td>47.42</td> <td>39.61</td> <td>18.42</td> <td>60.10</td> <td>300</td> <td>0</td> <td>Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Site	Condition	Project	Mode	Plane	IMEI	PowerSetting	032905-KS	RFI GE PEAK @ 3117.00218652 HORIZONTAL	FRS192317	IS	Y	817	IS	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg	1	12831.54	45.35	-42.95	88.30	47.42	39.61	18.42	60.10	300	0	Peak	HORIZONTAL	 <table border="1" data-bbox="904 772 1287 896"> <thead> <tr> <th>Site</th> <th>Condition</th> <th>Project</th> <th>Mode</th> <th>Plane</th> <th>IMEI</th> <th>PowerSetting</th> </tr> </thead> <tbody> <tr> <td>032905-KS</td> <td>RFI GE PEAK @ 3117.00218653 VERTICAL</td> <td>FRS192317</td> <td>IS</td> <td>Y</td> <td>817</td> <td>IS</td> </tr> </tbody> </table> <table border="1" data-bbox="904 840 1287 896"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>12831.54</td> <td>46.47</td> <td>-41.83</td> <td>88.30</td> <td>48.54</td> <td>39.61</td> <td>18.42</td> <td>60.10</td> <td>100</td> <td>360</td> <td>Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Site	Condition	Project	Mode	Plane	IMEI	PowerSetting	032905-KS	RFI GE PEAK @ 3117.00218653 VERTICAL	FRS192317	IS	Y	817	IS	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg	1	12831.54	46.47	-41.83	88.30	48.54	39.61	18.42	60.10	100	360	Peak	VERTICAL
Site	Condition	Project	Mode	Plane	IMEI	PowerSetting																																																																																						
032905-KS	RFI GE PEAK @ 3117.00218652 HORIZONTAL	FRS192317	IS	Y	817	IS																																																																																						
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																				
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg																																																																																				
1	12831.54	45.35	-42.95	88.30	47.42	39.61	18.42	60.10	300	0	Peak	HORIZONTAL																																																																																
Site	Condition	Project	Mode	Plane	IMEI	PowerSetting																																																																																						
032905-KS	RFI GE PEAK @ 3117.00218653 VERTICAL	FRS192317	IS	Y	817	IS																																																																																						
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																				
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg																																																																																				
1	12831.54	46.47	-41.83	88.30	48.54	39.61	18.42	60.10	100	360	Peak	VERTICAL																																																																																



**U-NII 5 - 5925-6425MHzMHz
WIFI 802.11ax HE40 Full (Harmonic @ 3m)**

WIFI	U-NII 5 - 5925-6425MHzMHz Harmonic @ 3m																																							
ANT	802.11ax HE40 Full CH03 5965MHz																																							
1+2	Horizontal	Vertical																																						
Peak Avg.	<p>Site : 032005-KS Condition : WIFI 802.11ax HE40 Full CH03 HORIZONTAL Project : 802.11ax HE40 Full CH03 HORIZONTAL Mode : FR192317 Plane : H Polarization : Full-directivity MEI : 12 Powersetting : 12</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> </thead> <tbody> <tr> <td>11930.41</td> <td>45.69</td> <td>-28.31</td> <td>74.00</td> <td>48.95</td> <td>38.96</td> <td>17.91</td> <td>60.13</td> <td>0 Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Over Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	11930.41	45.69	-28.31	74.00	48.95	38.96	17.91	60.13	0 Peak	HORIZONTAL	<p>Site : 032005-KS Condition : WIFI 802.11ax HE40 Full CH03 VERTICAL Project : 802.11ax HE40 Full CH03 VERTICAL Mode : FR192317 Plane : V Polarization : Full-directivity MEI : 12 Powersetting : 12</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> </thead> <tbody> <tr> <td>11930.41</td> <td>46.82</td> <td>-27.18</td> <td>74.00</td> <td>50.08</td> <td>38.96</td> <td>17.91</td> <td>60.13</td> <td>100 300 Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Over Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	11930.41	46.82	-27.18	74.00	50.08	38.96	17.91	60.13	100 300 Peak	VERTICAL
	Freq	Level	Over Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																															
11930.41	45.69	-28.31	74.00	48.95	38.96	17.91	60.13	0 Peak	HORIZONTAL																															
Freq	Level	Over Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																
11930.41	46.82	-27.18	74.00	50.08	38.96	17.91	60.13	100 300 Peak	VERTICAL																															



WIFI	U-NII 5 - 5925-6425MHzMHz Harmonic @ 3m																																																													
ANT	802.11ax HE40 Full CH43 6165MHz																																																													
1+2	Horizontal	Vertical																																																												
Peak Avg.	<table border="1" style="width: 100%; border-collapse: collapse; font-size: 8px;"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 12330.91</td> <td>46.91 -27.09</td> <td>74.00</td> <td>49.67</td> <td>39.25</td> <td>18.08</td> <td>60.09</td> <td>300</td> <td>0 Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1 12330.91	46.91 -27.09	74.00	49.67	39.25	18.08	60.09	300	0 Peak	HORIZONTAL	<table border="1" style="width: 100%; border-collapse: collapse; font-size: 8px;"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 12330.91</td> <td>45.43 -28.57</td> <td>74.00</td> <td>48.19</td> <td>39.25</td> <td>18.08</td> <td>60.09</td> <td>100</td> <td>360 Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1 12330.91	45.43 -28.57	74.00	48.19	39.25	18.08	60.09	100	360 Peak	VERTICAL
Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas																																																					
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																						
1 12330.91	46.91 -27.09	74.00	49.67	39.25	18.08	60.09	300	0 Peak	HORIZONTAL																																																					
Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas																																																					
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																						
1 12330.91	45.43 -28.57	74.00	48.19	39.25	18.08	60.09	100	360 Peak	VERTICAL																																																					



WIFI	U-NII 5 - 5925-6425MHzMHz Harmonic @ 3m																																																													
ANT	802.11ax HE40 Full CH91 6405MHz																																																													
1+2	Horizontal	Vertical																																																												
Peak Avg.	<p>Site : 032905-KS Condition : WiFi @ PEAK @ 3117.00218652 HORIZONTAL Project : RRM-1000.000KHz VBR-3000.000KHz SRT-Auto Mode : 22 Plane : Y IMEI : Full-directivity PowerSetting : 12 Adaptor:2+USB 1</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB</th> <th>dB</th> <th>cn</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>12811.51</td> <td>46.46</td> <td>-41.84</td> <td>88.30</td> <td>48.56</td> <td>39.60</td> <td>18.40</td> <td>60.10</td> <td>300</td> <td>0 Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cn	deg	1	12811.51	46.46	-41.84	88.30	48.56	39.60	18.40	60.10	300	0 Peak	HORIZONTAL	<p>Site : 032905-KS Condition : WiFi @ PEAK @ 3117.00218652 VERTICAL Project : RRM-1000.000KHz VBR-3000.000KHz SRT-Auto Mode : 22 Plane : Y IMEI : Full-directivity PowerSetting : 12 Adaptor:2+USB 1</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB</th> <th>dB</th> <th>cn</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>12811.51</td> <td>45.77</td> <td>-42.53</td> <td>88.30</td> <td>47.87</td> <td>39.60</td> <td>18.40</td> <td>60.10</td> <td>100</td> <td>360 Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cn	deg	1	12811.51	45.77	-42.53	88.30	47.87	39.60	18.40	60.10	100	360 Peak	VERTICAL
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																						
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cn	deg																																																						
1	12811.51	46.46	-41.84	88.30	48.56	39.60	18.40	60.10	300	0 Peak	HORIZONTAL																																																			
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																						
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cn	deg																																																						
1	12811.51	45.77	-42.53	88.30	47.87	39.60	18.40	60.10	100	360 Peak	VERTICAL																																																			





**U-NII 5 - 5925-6425MHzMHz
WIFI 802.11ax HE80 Full (Harmonic @ 3m)**

WIFI	U-NII 5 - 5925-6425MHzMHz Harmonic @ 3m																																																											
ANT	802.11ax HE80 Full CH07 5985MHz																																																											
1+2	Horizontal	Vertical																																																										
Peak Avg.	<p>Site : 032005-KS Condition : RIFI 6E PEAK 3m 3117 00218652 HORIZONTAL Project : R981000.000MHz V98.0000.000MHz CRT-Auto Mode : (FR)192317 Plane : 23 Antenna : Full-directivity MEI : 41 Powersetting : 14</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11970.46</td> <td>45.33</td> <td>-28.67</td> <td>74.00</td> <td>48.51</td> <td>38.98</td> <td>17.94</td> <td>60.10</td> <td>300</td> <td>0</td> <td>Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg	1	11970.46	45.33	-28.67	74.00	48.51	38.98	17.94	60.10	300	0	Peak	HORIZONTAL	<p>Site : 032005-KS Condition : RIFI 6E PEAK 3m 3117 00218652 VERTICAL Project : R981000.000MHz V98.0000.000MHz CRT-Auto Mode : (FR)192317 Plane : 23 Antenna : Full-directivity MEI : 41 Powersetting : 14</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11970.46</td> <td>45.61</td> <td>-28.39</td> <td>74.00</td> <td>48.79</td> <td>38.98</td> <td>17.94</td> <td>60.10</td> <td>100</td> <td>360</td> <td>Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg	1	11970.46	45.61	-28.39	74.00	48.79	38.98	17.94	60.10	100	360	Peak	VERTICAL
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																					
MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg																																																					
1	11970.46	45.33	-28.67	74.00	48.51	38.98	17.94	60.10	300	0	Peak	HORIZONTAL																																																
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																					
MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg																																																					
1	11970.46	45.61	-28.39	74.00	48.79	38.98	17.94	60.10	100	360	Peak	VERTICAL																																																



WIFI	U-NII 5 - 5925-6425MHzMHz Harmonic @ 3m																																																													
ANT	802.11ax HE80 Full CH39 6145MHz																																																													
1+2	Horizontal	Vertical																																																												
Peak Avg.	<p>Site : 032905-KS Condition : WIFI 6E PEAK 3m 3117.00218652 HORIZONTAL Project : RSM-1000.000KHz VBR-3000.000KHz SRT-Auto Mode : 25 Plane : Y IMEI : Full-directivity PowerSetting : 18 Adaptor:2+USB 1</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>12290.86</td> <td>46.88</td> <td>-27.12</td> <td>74.00</td> <td>49.70</td> <td>39.21</td> <td>18.06</td> <td>60.09</td> <td>300</td> <td>0 Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg	1	12290.86	46.88	-27.12	74.00	49.70	39.21	18.06	60.09	300	0 Peak	HORIZONTAL	<p>Site : 032905-KS Condition : WIFI 6E PEAK 3m 3117.00218653 VERTICAL Project : RSM-1000.000KHz VBR-3000.000KHz SRT-Auto Mode : 25 Plane : Y IMEI : Full-directivity PowerSetting : 18 Adaptor:2+USB 1</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>12290.86</td> <td>46.04</td> <td>-27.99</td> <td>74.00</td> <td>48.86</td> <td>39.21</td> <td>18.06</td> <td>60.09</td> <td>100</td> <td>360 Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg	1	12290.86	46.04	-27.99	74.00	48.86	39.21	18.06	60.09	100	360 Peak	VERTICAL
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																						
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																						
1	12290.86	46.88	-27.12	74.00	49.70	39.21	18.06	60.09	300	0 Peak	HORIZONTAL																																																			
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																						
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																						
1	12290.86	46.04	-27.99	74.00	48.86	39.21	18.06	60.09	100	360 Peak	VERTICAL																																																			





WIFI	U-NII 5 - 5925-6425MHzMHz Harmonic @ 3m	
ANT	802.11ax HE80 Full CH87 6385MHz	
1+2	Horizontal	Vertical
Peak Avg.	 <p style="font-size: small;">No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p style="font-size: x-small;">Data: 5 Site : 032905-KS Condition : WiFi @ PEAK @ 3117.00218652 HORIZONTAL Project : RSM-1000.000KHz VBR-3000.000KHz SRT-Auto Freq 12771.46 45.72 -42.58 88.30 47.90 39.56 18.36 60.10 300 0 Peak HORIZONTAL</p>	 <p style="font-size: small;">No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p style="font-size: x-small;">Data: 6 Site : 032905-KS Condition : WiFi @ PEAK @ 3117.00218652 VERTICAL Project : RSM-1000.000KHz VBR-3000.000KHz SRT-Auto Freq 12771.46 46.77 -41.53 88.30 48.95 39.56 18.36 60.10 100 360 Peak VERTICAL</p>



**U-NII 5 - 5925-6425MHzMHz
WIFI 802.11ax HE160 Full (Harmonic @ 3m)**

WIFI	U-NII 5 - 5925-6425MHzMHz Harmonic @ 3m																																							
ANT	802.11ax HE160 Full CH15 6025MHz																																							
1+2	Horizontal	Vertical																																						
Peak Avg.	<p>Site : 032005-KS Condition : WIFI 802.11ax HE160 Full HORIZONTAL Project : FR192317 Mode : 27 Plane : Y Full-directivity ME1 : 81 Powersetting : 13</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> </thead> <tbody> <tr> <td>12050.56</td> <td>46.28</td> <td>-27.72</td> <td>74.00</td> <td>49.34</td> <td>39.04</td> <td>17.98</td> <td>60.08</td> <td>300</td> <td>0 Peak HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Over Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	12050.56	46.28	-27.72	74.00	49.34	39.04	17.98	60.08	300	0 Peak HORIZONTAL	<p>Site : 032005-KS Condition : WIFI 802.11ax HE160 Full VERTICAL Project : FR192317 Mode : 27 Plane : Z Full-directivity ME1 : 81 Powersetting : 13</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> </thead> <tbody> <tr> <td>12050.56</td> <td>45.07</td> <td>-28.93</td> <td>74.00</td> <td>48.13</td> <td>39.04</td> <td>17.98</td> <td>60.08</td> <td>100</td> <td>360 Peak VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Over Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	12050.56	45.07	-28.93	74.00	48.13	39.04	17.98	60.08	100	360 Peak VERTICAL
	Freq	Level	Over Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																															
12050.56	46.28	-27.72	74.00	49.34	39.04	17.98	60.08	300	0 Peak HORIZONTAL																															
Freq	Level	Over Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																
12050.56	45.07	-28.93	74.00	48.13	39.04	17.98	60.08	100	360 Peak VERTICAL																															



WIFI	U-NII 5 - 5925-6425MHzMHz Harmonic @ 3m																																																													
ANT	802.11ax HE160 Full CH47 6185MHz																																																													
1+2	Horizontal	Vertical																																																												
<p>Peak</p> <p>Avg.</p>	 <p>Site : 032905-KS Condition : WiFi @ PEAK @ 3117.00218652 HORIZONTAL Project : RRM-1000.000KHz VBR-3000.000KHz SRT-Auto Mode : 29 Plane : Y IMEI : Full-directivity PowerSetting : #17 Adaptor:2+5dB 1</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>12370.96</td> <td>45.14</td> <td>-28.86</td> <td>74.00</td> <td>47.86</td> <td>39.28</td> <td>18.09</td> <td>60.09</td> <td>300</td> <td>0 Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg	1	12370.96	45.14	-28.86	74.00	47.86	39.28	18.09	60.09	300	0 Peak	HORIZONTAL	 <p>Site : 032905-KS Condition : WiFi @ PEAK @ 3117.00218652 VERTICAL Project : RRM-1000.000KHz VBR-3000.000KHz SRT-Auto Mode : 29 Plane : Y IMEI : Full-directivity PowerSetting : #17 Adaptor:2+5dB 1</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>12370.96</td> <td>44.86</td> <td>-29.14</td> <td>74.00</td> <td>47.58</td> <td>39.28</td> <td>18.09</td> <td>60.09</td> <td>100</td> <td>360 Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg	1	12370.96	44.86	-29.14	74.00	47.58	39.28	18.09	60.09	100	360 Peak	VERTICAL
	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																					
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																						
1	12370.96	45.14	-28.86	74.00	47.86	39.28	18.09	60.09	300	0 Peak	HORIZONTAL																																																			
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																						
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																						
1	12370.96	44.86	-29.14	74.00	47.58	39.28	18.09	60.09	100	360 Peak	VERTICAL																																																			



WIFI	U-NII 5 - 5925-6425MHzMHz Harmonic @ 3m																																																													
ANT	802.11ax HE160 Full CH79 6345MHz																																																													
1+2	Horizontal	Vertical																																																												
Peak Avg.	<p>Site : 032905-KS Condition : WIFI 6E PEAK 3m 3117.00218652 HORIZONTAL Project : R98-1000.000KHz VBR-3000.000KHz SRT:Auto Mode : 30 Plane : Y IMEI : Full-directivity PowerSetting : 417 Adaptor:2+5DB 1</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>12691.36</td> <td>46.26</td> <td>-27.74</td> <td>74.00</td> <td>48.54</td> <td>39.51</td> <td>18.30</td> <td>60.09</td> <td>300</td> <td>0 Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg	1	12691.36	46.26	-27.74	74.00	48.54	39.51	18.30	60.09	300	0 Peak	HORIZONTAL	<p>Site : 032905-KS Condition : WIFI 6E PEAK 3m 3117.00218653 VERTICAL Project : R98-1000.000KHz VBR-3000.000KHz SRT:Auto Mode : 30 Plane : Y IMEI : Full-directivity PowerSetting : 417 Adaptor:2+5DB 1</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>12691.36</td> <td>46.59</td> <td>-27.41</td> <td>74.00</td> <td>48.87</td> <td>39.51</td> <td>18.30</td> <td>60.09</td> <td>100</td> <td>360 Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg	1	12691.36	46.59	-27.41	74.00	48.87	39.51	18.30	60.09	100	360 Peak	VERTICAL
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																						
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg																																																						
1	12691.36	46.26	-27.74	74.00	48.54	39.51	18.30	60.09	300	0 Peak	HORIZONTAL																																																			
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																						
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg																																																						
1	12691.36	46.59	-27.41	74.00	48.87	39.51	18.30	60.09	100	360 Peak	VERTICAL																																																			



U-NII 6 - 6425-6525MHzMHz

WIFI 802.11a (Harmonic @ 3m)

WIFI	U-NII 6 - 6425-6525MHz Harmonic @ 3m	
ANT	802.11a CH97 6435MHz	
1+2	Horizontal	Vertical
Peak Avg.	<p>Site : 030905-KS Condition : WIFI 6E PEAK 3m 3117 00218652 HORIZONTAL Project : RRM 1000 0000Hz VBR 3000 0000Hz SRT Auto Project : FR192317 Mode : Y Plane : d Full-directivity IEI : 0.5 PowerSetting : 0.5 Adaptor:2+USB 1 Level Limit : 117 ReadReference : 58.5 Cable Preamp : 0 A/Pos : 300 T/Pos : 0 Remark : 0 Peak Pol/Phas : HORIZONTAL</p>	<p>Site : 030905-KS Condition : WIFI 6E PEAK 3m 3117 00218653 VERTICAL Project : RRM 1000 0000Hz VBR 3000 0000Hz SRT Auto Project : FR192317 Mode : Y Plane : Y Full-directivity IEI : 0.5 PowerSetting : 0.5 Adaptor:2+USB 1 Level Limit : 117 ReadReference : 58.5 Cable Preamp : 0 A/Pos : 100 T/Pos : 300 Remark : Peak Pol/Phas : VERTICAL</p>
	<p>Site : 030905-KS Condition : WIFI 6E PEAK 3m 3117 00218652 HORIZONTAL Project : RRM 1000 0000Hz VBR 3000 0000Hz SRT Auto Project : FR192317 Mode : Y Plane : d Full-directivity IEI : 0.5 PowerSetting : 0.5 Adaptor:2+USB 1 Level Limit : 117 ReadReference : 58.5 Cable Preamp : 0 A/Pos : 300 T/Pos : 0 Remark : 0 Peak Pol/Phas : HORIZONTAL</p>	<p>Site : 030905-KS Condition : WIFI 6E PEAK 3m 3117 00218653 VERTICAL Project : RRM 1000 0000Hz VBR 3000 0000Hz SRT Auto Project : FR192317 Mode : Y Plane : Y Full-directivity IEI : 0.5 PowerSetting : 0.5 Adaptor:2+USB 1 Level Limit : 117 ReadReference : 58.5 Cable Preamp : 0 A/Pos : 100 T/Pos : 300 Remark : Peak Pol/Phas : VERTICAL</p>



WIFI	U-NII 6 - 6425-6525MHz Harmonic @ 3m																																																													
ANT	802.11a CH105 6475MHz																																																													
1+2	Horizontal	Vertical																																																												
Peak Avg.	<p>Site : 032905-KS Condition : WiFi @ PEAK @ 3117.00218652 HORIZONTAL Project : RSM-1000.000KHz VBR-3000.000KHz SRT-Auto Mode : FRS192317 Plane : Y IMEI : Full-directivity PowerSetting : 0.5 Adaptor:2+USB 1</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Poss</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>12951.69</td> <td>46.01</td> <td>-42.29</td> <td>88.30</td> <td>47.89</td> <td>39.70</td> <td>18.52</td> <td>60.10</td> <td>300</td> <td>0 Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Poss	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg	1	12951.69	46.01	-42.29	88.30	47.89	39.70	18.52	60.10	300	0 Peak	HORIZONTAL	<p>Site : 032905-KS Condition : WiFi @ PEAK @ 3117.00218652 VERTICAL Project : RSM-1000.000KHz VBR-3000.000KHz SRT-Auto Mode : FRS192317 Plane : Y IMEI : Full-directivity PowerSetting : 0.5 Adaptor:2+USB 1</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Poss</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>12951.69</td> <td>45.94</td> <td>-42.36</td> <td>88.30</td> <td>47.82</td> <td>39.70</td> <td>18.52</td> <td>60.10</td> <td>100</td> <td>360 Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Poss	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg	1	12951.69	45.94	-42.36	88.30	47.82	39.70	18.52	60.10	100	360 Peak	VERTICAL
	Over	Limit	ReadAntenna	Cable	Preamp	A/Poss	T/Pos	Remark	Pol/Phas																																																					
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																						
1	12951.69	46.01	-42.29	88.30	47.89	39.70	18.52	60.10	300	0 Peak	HORIZONTAL																																																			
Over	Limit	ReadAntenna	Cable	Preamp	A/Poss	T/Pos	Remark	Pol/Phas																																																						
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																						
1	12951.69	45.94	-42.36	88.30	47.82	39.70	18.52	60.10	100	360 Peak	VERTICAL																																																			
	<p>Site : 032905-KS Condition : WiFi @ PEAK @ 3117.00218652 HORIZONTAL Project : RSM-1000.000KHz VBR-3000.000KHz SRT-Auto Mode : FRS192317 Plane : Y IMEI : Full-directivity PowerSetting : 0.5 Adaptor:2+USB 1</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Poss</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>12951.69</td> <td>46.01</td> <td>-42.29</td> <td>88.30</td> <td>47.89</td> <td>39.70</td> <td>18.52</td> <td>60.10</td> <td>300</td> <td>0 Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Poss	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg	1	12951.69	46.01	-42.29	88.30	47.89	39.70	18.52	60.10	300	0 Peak	HORIZONTAL	<p>Site : 032905-KS Condition : WiFi @ PEAK @ 3117.00218652 VERTICAL Project : RSM-1000.000KHz VBR-3000.000KHz SRT-Auto Mode : FRS192317 Plane : Y IMEI : Full-directivity PowerSetting : 0.5 Adaptor:2+USB 1</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Poss</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>12951.69</td> <td>45.94</td> <td>-42.36</td> <td>88.30</td> <td>47.82</td> <td>39.70</td> <td>18.52</td> <td>60.10</td> <td>100</td> <td>360 Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Poss	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg	1	12951.69	45.94	-42.36	88.30	47.82	39.70	18.52	60.10	100	360 Peak	VERTICAL
Over	Limit	ReadAntenna	Cable	Preamp	A/Poss	T/Pos	Remark	Pol/Phas																																																						
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																						
1	12951.69	46.01	-42.29	88.30	47.89	39.70	18.52	60.10	300	0 Peak	HORIZONTAL																																																			
Over	Limit	ReadAntenna	Cable	Preamp	A/Poss	T/Pos	Remark	Pol/Phas																																																						
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																						
1	12951.69	45.94	-42.36	88.30	47.82	39.70	18.52	60.10	100	360 Peak	VERTICAL																																																			





WIFI	U-NII 6 - 6425-6525MHz Harmonic @ 3m																																																													
ANT	802.11a CH113 6515MHz																																																													
1+2	Horizontal	Vertical																																																												
Peak Avg.	<p>No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 032905-KS Condition : WIFI 6E PEAK @ 3117.00218652 HORIZONTAL Project : RSM-1000.000KHz VBR-3000.000KHz SRT-Auto FRS192317 Mode : 0 Plane : Y Full-directivity : Full-directivity Ant : #12 JMEI : V.S Powersetting : Adaptor2+USB 1</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>13031.79</td> <td>45.35</td> <td>-42.95</td> <td>88.30</td> <td>47.10</td> <td>39.76</td> <td>18.59</td> <td>60.10</td> <td>300</td> <td>0 Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	cm	deg		1	13031.79	45.35	-42.95	88.30	47.10	39.76	18.59	60.10	300	0 Peak	HORIZONTAL	<p>No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 032905-KS Condition : WIFI 6E PEAK @ 3117.00218652 VERTICAL Project : RSM-1000.000KHz VBR-3000.000KHz SRT-Auto FRS192317 Mode : 0 Plane : Y Full-directivity : Full-directivity Ant : #12 JMEI : V.S Powersetting : Adaptor2+USB 1</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>13031.79</td> <td>45.89</td> <td>-42.41</td> <td>88.30</td> <td>47.64</td> <td>39.76</td> <td>18.59</td> <td>60.10</td> <td>100</td> <td>360 Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	cm	deg		1	13031.79	45.89	-42.41	88.30	47.64	39.76	18.59	60.10	100	360 Peak	VERTICAL
	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																					
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	cm	deg																																																							
1	13031.79	45.35	-42.95	88.30	47.10	39.76	18.59	60.10	300	0 Peak	HORIZONTAL																																																			
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																						
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	cm	deg																																																							
1	13031.79	45.89	-42.41	88.30	47.64	39.76	18.59	60.10	100	360 Peak	VERTICAL																																																			





**U-NII 6 - 6425-6525MHz
WIFI 802.11ax HE20 Full (Harmonic @ 3m)**

WIFI	U-NII 6 - 6425-6525MHz Harmonic @ 3m	
ANT	802.11ax HE20 Full CH97 6435MHz	
1+2	Horizontal	Vertical
Peak Avg.		



WIFI	U-NII 6 - 6425-6525MHz Harmonic @ 3m																																																															
ANT	802.11ax HE20 Full CH105 6475MHz																																																															
1+2	Horizontal	Vertical																																																														
<p>Peak</p> <p>Avg.</p>	 <p>Site : 032905-KS Condition : WiFi @ PEAK @ 3117.00218652 HORIZONTAL Project : R98-1000.000KHz VBR-3000.000KHz SRT-Auto Mode : 37 Plane : Y IMEI : Full-directivity PowerSetting : 417 Adaptor:2+USB 1</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>12951.69</td> <td>46.01</td> <td>-42.29</td> <td>88.30</td> <td>47.89</td> <td>39.70</td> <td>18.52</td> <td>60.10</td> <td>300</td> <td>0</td> <td>Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg	1	12951.69	46.01	-42.29	88.30	47.89	39.70	18.52	60.10	300	0	Peak	HORIZONTAL	 <p>Site : 032905-KS Condition : WiFi @ PEAK @ 3117.00218652 VERTICAL Project : R98-1000.000KHz VBR-3000.000KHz SRT-Auto Mode : 37 Plane : Y IMEI : Full-directivity PowerSetting : 417 Adaptor:2+USB 1</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>12951.69</td> <td>46.32</td> <td>-41.99</td> <td>88.30</td> <td>48.20</td> <td>39.70</td> <td>18.52</td> <td>60.10</td> <td>100</td> <td>360</td> <td>Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg	1	12951.69	46.32	-41.99	88.30	48.20	39.70	18.52	60.10	100	360	Peak	VERTICAL
	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																								
1	12951.69	46.01	-42.29	88.30	47.89	39.70	18.52	60.10	300	0	Peak	HORIZONTAL																																																				
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																								
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																								
1	12951.69	46.32	-41.99	88.30	48.20	39.70	18.52	60.10	100	360	Peak	VERTICAL																																																				



WIFI	U-NII 6 - 6425-6525MHz Harmonic @ 3m																																																													
ANT	802.11ax HE20 Full CH113 6515MHz																																																													
1+2	Horizontal	Vertical																																																												
<p>Peak</p> <p>Avg.</p>	 <p>Site : 032905-KS Condition : WiFi @ PEAK @ 3117.00218652 HORIZONTAL Project : R98-1000.000KHz VBR-3000.000KHz SRT-Auto Mode : 33 Plane : Y IMEI : Full-directivity PowerSetting : 417 Adaptor:2+USB 1</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>13031.79</td> <td>46.22</td> <td>-42.08</td> <td>88.30</td> <td>47.97</td> <td>39.76</td> <td>18.59</td> <td>60.10</td> <td>300</td> <td>0 Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	cm	deg		1	13031.79	46.22	-42.08	88.30	47.97	39.76	18.59	60.10	300	0 Peak	HORIZONTAL	 <p>Site : 032905-KS Condition : WiFi @ PEAK @ 3117.00218652 VERTICAL Project : R98-1000.000KHz VBR-3000.000KHz SRT-Auto Mode : 33 Plane : Y IMEI : Full-directivity PowerSetting : 417 Adaptor:2+USB 1</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>13031.79</td> <td>46.49</td> <td>-41.81</td> <td>89.30</td> <td>48.24</td> <td>39.76</td> <td>18.59</td> <td>60.10</td> <td>100</td> <td>360 Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	cm	deg		1	13031.79	46.49	-41.81	89.30	48.24	39.76	18.59	60.10	100	360 Peak	VERTICAL
	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																					
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	cm	deg																																																							
1	13031.79	46.22	-42.08	88.30	47.97	39.76	18.59	60.10	300	0 Peak	HORIZONTAL																																																			
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																						
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	cm	deg																																																							
1	13031.79	46.49	-41.81	89.30	48.24	39.76	18.59	60.10	100	360 Peak	VERTICAL																																																			



**U-NII 6 - 6425-6525MHz
WIFI 802.11ax HE40 Full (Harmonic @ 3m)**

WIFI	U-NII 6 - 6425-6525MHz Harmonic @ 3m																									
ANT	802.11ax HE40 Full CH99 6445 MHz																									
1+2	Horizontal	Vertical																								
Peak Avg.	<p>Site : 032005-KS Condition : WIFI 6E PEAK 3m 3117 00218652 HORIZONTAL Project : R08-1000-0000MHz V08-0000-0000MHz CRT-Auto Mode : FR1192317 Date : 24 Plane : F Antenna : Full-directivity MEI : #1 Powersetting : #12.5 Adaptor+USB : Over Limit ReadAntenna Cable Preamp A/Pos T/Pos Freq Level Limit Line Level Factor Loss Factor MHz dBuV/m dB dBuV/m dBuV/m dB dB ce dB</p> <table border="1"> <thead> <tr> <th>1</th> <th>12891.01</th> <th>46.49</th> <th>-41.81</th> <th>88.30</th> <th>48.46</th> <th>39.66</th> <th>18.47</th> <th>60.10</th> <th>300</th> <th>0 Peak</th> <th>HORIZONTAL</th> </tr> </thead> </table>	1	12891.01	46.49	-41.81	88.30	48.46	39.66	18.47	60.10	300	0 Peak	HORIZONTAL	<p>Site : 032005-KS Condition : WIFI 6E PEAK 3m 3117 00218652 VERTICAL Project : R08-1000-0000MHz V08-0000-0000MHz CRT-Auto Mode : FR1192317 Date : 24 Plane : F Antenna : Full-directivity MEI : #1 Powersetting : #12.5 Adaptor+USB : Over Limit ReadAntenna Cable Preamp A/Pos T/Pos Freq Level Limit Line Level Factor Loss Factor MHz dBuV/m dB dBuV/m dBuV/m dB dB ce dB</p> <table border="1"> <thead> <tr> <th>1</th> <th>12891.01</th> <th>46.29</th> <th>-41.91</th> <th>88.30</th> <th>48.36</th> <th>39.66</th> <th>18.47</th> <th>60.10</th> <th>100</th> <th>300 Peak</th> <th>VERTICAL</th> </tr> </thead> </table>	1	12891.01	46.29	-41.91	88.30	48.36	39.66	18.47	60.10	100	300 Peak	VERTICAL
	1	12891.01	46.49	-41.81	88.30	48.46	39.66	18.47	60.10	300	0 Peak	HORIZONTAL														
1	12891.01	46.29	-41.91	88.30	48.36	39.66	18.47	60.10	100	300 Peak	VERTICAL															



WIFI	U-NII 6 - 6425-6525MHz Harmonic @ 3m																																																																			
ANT	802.11ax HE40 Full CH107 6485 MHz																																																																			
1+2	Horizontal	Vertical																																																																		
<p>Peak</p> <p>Avg.</p>	<p>No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 032905-KS Condition : WIFI (E PEAK) @ 3117.00218652 HORIZONTAL Project : RSM-1000.000KHz VBR-3000.000KHz SRT-Auto EFS192317 Mode : 35 Plane : Y Full-directivity IMEI : 8123 Powersetting : Adaptor2+USB 1</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1 12971.71</td> <td>46.34</td> <td>-41.96</td> <td>88.30</td> <td>48.20</td> <td>39.71</td> <td>18.53</td> <td>60.10</td> <td>300</td> <td>0 Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg			1 12971.71	46.34	-41.96	88.30	48.20	39.71	18.53	60.10	300	0 Peak	HORIZONTAL	<p>No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 032905-KS Condition : WIFI (E PEAK) @ 3117.00218652 VERTICAL Project : RSM-1000.000KHz VBR-3000.000KHz SRT-Auto EFS192317 Mode : 35 Plane : Y Full-directivity IMEI : 8123 Powersetting : Adaptor2+USB 1</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1 12971.71</td> <td>45.91</td> <td>-42.39</td> <td>88.30</td> <td>47.77</td> <td>39.71</td> <td>18.53</td> <td>60.10</td> <td>100</td> <td>360 Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg			1 12971.71	45.91	-42.39	88.30	47.77	39.71	18.53	60.10	100	360 Peak	VERTICAL
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																									
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg																																																												
1 12971.71	46.34	-41.96	88.30	48.20	39.71	18.53	60.10	300	0 Peak	HORIZONTAL																																																										
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																										
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg																																																												
1 12971.71	45.91	-42.39	88.30	47.77	39.71	18.53	60.10	100	360 Peak	VERTICAL																																																										



**U-NII 6 - 6425-6525MHz
WIFI 802.11ax HE80 Full (Harmonic @ 3m)**

WIFI	U-NII 6 - 6425-6525MHz Harmonic @ 3m																																									
ANT	802.11ax HE80 Full CH103 6465MHz																																									
1+2	Horizontal	Vertical																																								
Peak Avg.	<p>Site : 032005-KS Condition : WIFI 6E PEAK 3m 3117 00218652 HORIZONTAL Project : R081000 0000MHz V08-0000 0000MHz CRT-Auto Mode : FR1192317 Plane : 3m Polarization : Full-directivity MEI : 41 Powersetting : 14</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> <th>Pol/Phas</th> </tr> </thead> <tbody> <tr> <td>12931.66</td> <td>46.31</td> <td>-41.99</td> <td>88.30</td> <td>48.22</td> <td>39.69</td> <td>18.50</td> <td>60.10</td> <td>300</td> <td>0 Peak HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	Level	Factor	Loss	Factor	Remark	Pol/Phas	12931.66	46.31	-41.99	88.30	48.22	39.69	18.50	60.10	300	0 Peak HORIZONTAL	<p>Site : 032005-KS Condition : WIFI 6E PEAK 3m 3117 00218652 VERTICAL Project : R081000 0000MHz V08-0000 0000MHz CRT-Auto Mode : FR1192317 Plane : 3m Polarization : Full-directivity MEI : 41 Powersetting : 14</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> <th>Pol/Phas</th> </tr> </thead> <tbody> <tr> <td>12931.66</td> <td>46.23</td> <td>-42.07</td> <td>88.30</td> <td>48.14</td> <td>39.69</td> <td>18.50</td> <td>60.10</td> <td>100</td> <td>300 Peak VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	Level	Factor	Loss	Factor	Remark	Pol/Phas	12931.66	46.23	-42.07	88.30	48.14	39.69	18.50	60.10	100	300 Peak VERTICAL
	Freq	Level	Limit	Line	Level	Factor	Loss	Factor	Remark	Pol/Phas																																
12931.66	46.31	-41.99	88.30	48.22	39.69	18.50	60.10	300	0 Peak HORIZONTAL																																	
Freq	Level	Limit	Line	Level	Factor	Loss	Factor	Remark	Pol/Phas																																	
12931.66	46.23	-42.07	88.30	48.14	39.69	18.50	60.10	100	300 Peak VERTICAL																																	



U-NII 6 - Straddle Channel
WIFI 802.11ax HE40 Full (Harmonic @ 3m)

WIFI	U-NII 6 Straddle Channel Harmonic @ 3m																																																							
ANT	802.11ax HE40 Full CH115 6525MHz																																																							
1+2	Horizontal	Vertical																																																						
Peak Avg.	<p>Site : 03D05-KS Condition : WIFI 6E PEAK 3m 3117 00218632 HORIZONTAL Project : RSM 1000 5000Hz VBR 3000 0000Hz SRT Auto Mode : FR192317 Plane : Y Full-directivity : Y IPE1 : #17 Powersetting : 12 Adapter2+USB 1 Over Limit ReadAttenua Cable Pramp A/Pos T/Pos Limit Line Level Factor Loss Factor cm deg</p> <table border="1"> <thead> <tr> <th>Wiz</th> <th>Level</th> <th>Limit</th> <th>ReadAttenua</th> <th>Cable Pramp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Poi/Phas</th> </tr> <tr> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>13051.81</td> <td>46.02</td> <td>-42.28</td> <td>88.30</td> <td>47.74</td> <td>39.77</td> <td>18.61 60.10</td> <td>300 0 Peak HORIZONTAL</td> </tr> </tbody> </table>	Wiz	Level	Limit	ReadAttenua	Cable Pramp	A/Pos	T/Pos	Remark	Poi/Phas	dBuV/m	dB	dBuV/m	dB	dB	cm	deg			1	13051.81	46.02	-42.28	88.30	47.74	39.77	18.61 60.10	300 0 Peak HORIZONTAL	<p>Site : 03D05-KS Condition : WIFI 6E PEAK 3m 3117 00218633 VERTICAL Project : RSM 1000 5000Hz VBR 3000 0000Hz SRT Auto Mode : FR192317 Plane : Y Full-directivity : Y IPE1 : #17 Powersetting : 12 Adapter2+USB 1 Over Limit ReadAttenua Cable Pramp A/Pos T/Pos Limit Line Level Factor Loss Factor cm deg</p> <table border="1"> <thead> <tr> <th>Wiz</th> <th>Level</th> <th>Limit</th> <th>ReadAttenua</th> <th>Cable Pramp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Poi/Phas</th> </tr> <tr> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>13051.81</td> <td>45.87</td> <td>-42.43</td> <td>88.30</td> <td>47.59</td> <td>39.77</td> <td>18.61 60.10</td> <td>100 300 Peak VERTICAL</td> </tr> </tbody> </table>	Wiz	Level	Limit	ReadAttenua	Cable Pramp	A/Pos	T/Pos	Remark	Poi/Phas	dBuV/m	dB	dBuV/m	dB	dB	cm	deg			1	13051.81	45.87	-42.43	88.30	47.59	39.77	18.61 60.10	100 300 Peak VERTICAL
	Wiz	Level	Limit	ReadAttenua	Cable Pramp	A/Pos	T/Pos	Remark	Poi/Phas																																															
dBuV/m	dB	dBuV/m	dB	dB	cm	deg																																																		
1	13051.81	46.02	-42.28	88.30	47.74	39.77	18.61 60.10	300 0 Peak HORIZONTAL																																																
Wiz	Level	Limit	ReadAttenua	Cable Pramp	A/Pos	T/Pos	Remark	Poi/Phas																																																
dBuV/m	dB	dBuV/m	dB	dB	cm	deg																																																		
1	13051.81	45.87	-42.43	88.30	47.59	39.77	18.61 60.10	100 300 Peak VERTICAL																																																



U-NII 6 – Straddle Channel
WIFI 802.11ax HE80 Full (Harmonic @ 3m)

WIFI	U-NII 6 Straddle Channel Harmonic @ 3m																																																									
ANT	802.11ax HE80 Full CH119 6545MHz																																																									
1+2	Horizontal	Vertical																																																								
Peak Avg.	<p>Site : 032005-KS Condition : WIFI 6E PEAK 3m 3117 00218652 HORIZONTAL Project : R081000.000MHz V08.0000.000MHz CRT-Auto Mode : FR1192317 Plane : 3F Full-directivity : F ME1 : 417 Powersetting : 14</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB</th> <th>deg</th> <th>deg</th> <th>deg</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 13091.86</td> <td>45.55</td> <td>-42.75</td> <td>88.30</td> <td>47.20</td> <td>39.80</td> <td>18.65</td> <td>60.10</td> <td>300</td> <td>0 Peak HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Over Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV	dB	deg	deg	deg	deg	1 13091.86	45.55	-42.75	88.30	47.20	39.80	18.65	60.10	300	0 Peak HORIZONTAL	<p>Site : 032005-KS Condition : WIFI 6E PEAK 3m 3117 00218652 VERTICAL Project : R081000.000MHz V08.0000.000MHz CRT-Auto Mode : FR1192317 Plane : 3F Full-directivity : F ME1 : 417 Powersetting : 14</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB</th> <th>deg</th> <th>deg</th> <th>deg</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 13091.86</td> <td>46.60</td> <td>-41.70</td> <td>88.30</td> <td>48.25</td> <td>39.80</td> <td>18.65</td> <td>60.10</td> <td>100</td> <td>300 Peak VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Over Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV	dB	deg	deg	deg	deg	1 13091.86	46.60	-41.70	88.30	48.25	39.80	18.65	60.10	100	300 Peak VERTICAL
	Freq	Level	Over Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																	
MHz	dBuV/m	dB	dBuV	dB	deg	deg	deg	deg																																																		
1 13091.86	45.55	-42.75	88.30	47.20	39.80	18.65	60.10	300	0 Peak HORIZONTAL																																																	
Freq	Level	Over Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																		
MHz	dBuV/m	dB	dBuV	dB	deg	deg	deg	deg																																																		
1 13091.86	46.60	-41.70	88.30	48.25	39.80	18.65	60.10	100	300 Peak VERTICAL																																																	



U-NII 6 – Straddle Channel
WIFI 802.11ax HE160 Full (Harmonic @ 3m)

WIFI	U-NII 6 Straddle Channel Harmonic @ 3m																																																					
ANT	802.11ax HE160 Full CH111 6505MHz																																																					
1+2	Horizontal	Vertical																																																				
Peak Avg.	<p>Site : 032005-KS Condition : WIFI 6E PEAK 3m 3117 00218652 HORIZONTAL Project : R08-1000-0000MHz V08-0000-0000MHz CRT-Auto Mode : FR1192317 Plane : 3F Full-directivity : Y ME1 : Full-directivity Powersetting : #1</p> <table border="1"> <thead> <tr> <th>Over Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>deg</th> <th>deg</th> <th>deg</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>13011.76</td> <td>46.28</td> <td>-42.02</td> <td>88.30</td> <td>48.05</td> <td>39.75</td> <td>18.58</td> <td>60.10</td> <td>300</td> <td>0 Peak</td> <td>HOR120MT</td> </tr> </tbody> </table>	Over Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	dB	dBuV/m	dB	deg	deg	deg	deg	1	13011.76	46.28	-42.02	88.30	48.05	39.75	18.58	60.10	300	0 Peak	HOR120MT	<p>Site : 032005-KS Condition : WIFI 6E PEAK 3m 3117 00218652 VERTICAL Project : R08-1000-0000MHz V08-0000-0000MHz CRT-Auto Mode : FR1192317 Plane : 3F Full-directivity : Y ME1 : Full-directivity Powersetting : #1</p> <table border="1"> <thead> <tr> <th>Over Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>deg</th> <th>deg</th> <th>deg</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>13011.76</td> <td>45.97</td> <td>-42.33</td> <td>88.30</td> <td>47.74</td> <td>39.75</td> <td>18.58</td> <td>60.10</td> <td>100</td> <td>360 Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Over Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	dB	dBuV/m	dB	deg	deg	deg	deg	1	13011.76	45.97	-42.33	88.30	47.74	39.75	18.58	60.10	100	360 Peak	VERTICAL
	Over Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																															
dB	dBuV/m	dB	deg	deg	deg	deg																																																
1	13011.76	46.28	-42.02	88.30	48.05	39.75	18.58	60.10	300	0 Peak	HOR120MT																																											
Over Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																
dB	dBuV/m	dB	deg	deg	deg	deg																																																
1	13011.76	45.97	-42.33	88.30	47.74	39.75	18.58	60.10	100	360 Peak	VERTICAL																																											



U-NII 7 - 6525~6875MHz
WIFI 802.11a (Harmonic @ 3m)

WIFI	U-NII 7 6525~6875MHz Harmonic @ 3m																																																													
ANT	802.11a CH117 6535MHz																																																													
1+2	Horizontal	Vertical																																																												
Peak Avg.	<p>Site : 03D05-KS Condition : WIFI 6E PEAK 3m 3117 00218632 HORIZONTAL Project : RSM 1000 5000Hz VBR 3000 000Hz SRT Auto Mode : 7 Plane : Y Full-directivity IPE1 Powersetting : 0.5 Adapter2+USB 1 Level Limit ReadAntenna Cable Preamp A/Pos T/Pos Limit Line Level Factor Loss Factor cm deg</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>Loss Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Poi/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 13071.83</td> <td>45.84</td> <td>-42.46</td> <td>88.30</td> <td>47.52</td> <td>39.79</td> <td>18.63</td> <td>60.10</td> <td>300</td> <td>0 Peak HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Limit	ReadAntenna	Cable Preamp	Loss Factor	A/Pos	T/Pos	Remark	Poi/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1 13071.83	45.84	-42.46	88.30	47.52	39.79	18.63	60.10	300	0 Peak HORIZONTAL	<p>Site : 03D05-KS Condition : WIFI 6E PEAK 3m 3117 00218633 VERTICAL Project : RSM 1000 5000Hz VBR 3000 000Hz SRT Auto Mode : 7 Plane : Y Full-directivity IPE1 Powersetting : 0.5 Adapter2+USB 1 Level Limit ReadAntenna Cable Preamp A/Pos T/Pos Limit Line Level Factor Loss Factor cm deg</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>Loss Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Poi/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 13071.83</td> <td>45.76</td> <td>-42.54</td> <td>88.30</td> <td>47.44</td> <td>39.79</td> <td>18.63</td> <td>60.10</td> <td>100</td> <td>300 Peak VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Limit	ReadAntenna	Cable Preamp	Loss Factor	A/Pos	T/Pos	Remark	Poi/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1 13071.83	45.76	-42.54	88.30	47.44	39.79	18.63	60.10	100	300 Peak VERTICAL
	Freq	Level	Limit	ReadAntenna	Cable Preamp	Loss Factor	A/Pos	T/Pos	Remark	Poi/Phas																																																				
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																						
1 13071.83	45.84	-42.46	88.30	47.52	39.79	18.63	60.10	300	0 Peak HORIZONTAL																																																					
Freq	Level	Limit	ReadAntenna	Cable Preamp	Loss Factor	A/Pos	T/Pos	Remark	Poi/Phas																																																					
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																						
1 13071.83	45.76	-42.54	88.30	47.44	39.79	18.63	60.10	100	300 Peak VERTICAL																																																					



WIFI	U-NII 7 6525~6875MHz Harmonic @ 3m																																																															
ANT	802.11a CH149 6695MHz																																																															
1+2	Horizontal	Vertical																																																														
Peak Avg.	<p>Site : 032905-KS Condition : WiFi @ PEAK @ 3117.00218652 HORIZONTAL Project : RSM-1000.000KHz VBR-3000.000KHz SRT-Auto Model : FRS192317 Plane : Y IMEI : Full-directivity PowerSetting : #17 Adapter:2+USB 1</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>dB</th> <th>on</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>13388.23</td> <td>46.41</td> <td>-27.59</td> <td>74.00</td> <td>47.55</td> <td>40.02</td> <td>18.95</td> <td>60.11</td> <td>300</td> <td>0 Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	Level	Line	Level	Factor	Loss	Factor	dB	on	deg	1	13388.23	46.41	-27.59	74.00	47.55	40.02	18.95	60.11	300	0 Peak	HORIZONTAL	<p>Site : 032905-KS Condition : WiFi @ PEAK @ 3117.00218652 VERTICAL Project : RSM-1000.000KHz VBR-3000.000KHz SRT-Auto Model : FRS192317 Plane : Y IMEI : Full-directivity PowerSetting : #17 Adapter:2+USB 1</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>dB</th> <th>on</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>13388.23</td> <td>45.93</td> <td>-28.07</td> <td>74.00</td> <td>47.07</td> <td>40.02</td> <td>18.95</td> <td>60.11</td> <td>100</td> <td>360 Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	Level	Line	Level	Factor	Loss	Factor	dB	on	deg	1	13388.23	45.93	-28.07	74.00	47.07	40.02	18.95	60.11	100	360 Peak	VERTICAL
	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																							
MHz	Level	Line	Level	Factor	Loss	Factor	dB	on	deg																																																							
1	13388.23	46.41	-27.59	74.00	47.55	40.02	18.95	60.11	300	0 Peak	HORIZONTAL																																																					
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																								
MHz	Level	Line	Level	Factor	Loss	Factor	dB	on	deg																																																							
1	13388.23	45.93	-28.07	74.00	47.07	40.02	18.95	60.11	100	360 Peak	VERTICAL																																																					



**U-NII 7 6525~6875MHz
WIFI 802.11ax HE20 Full (Harmonic @ 3m)**

WIFI	U-NII 7 6525~6875MHz Harmonic @ 3m																									
ANT	802.11ax HE20 Full CH117 6535MHz																									
1+2	Horizontal	Vertical																								
Peak Avg.	<p>Site : 032005-KS Condition : WIFI 8E PEAK 3m 3117 00218652 HORIZONTAL Project : R08-1000-0000MHz V08-0000-0000MHz CRT-Auto Mode : (FR)192317 Date : 20 Plane : Y Full-directivity : Full-directivity ME1 : #1 Powersetting : #1 Adaptor+USB : Over Limit ReadAntenna Cable Preamp A/Pos T/Pos Freq Level Limit Line Level Factor Loss Factor MHz dBuV/m dB dBuV/m dBuV/m dB dB ce dB</p> <table border="1"> <thead> <tr> <th>1</th> <th>13071.83</th> <th>46.08</th> <th>-42.22</th> <th>88.30</th> <th>47.76</th> <th>39.79</th> <th>18.63</th> <th>60.10</th> <th>300</th> <th>0 Peak</th> <th>HORI20MT</th> </tr> </thead> </table>	1	13071.83	46.08	-42.22	88.30	47.76	39.79	18.63	60.10	300	0 Peak	HORI20MT	<p>Site : 032005-KS Condition : WIFI 8E PEAK 3m 3117 00218652 VERTICAL Project : R08-1000-0000MHz V08-0000-0000MHz CRT-Auto Mode : (FR)192317 Date : 20 Plane : Z Full-directivity : Full-directivity ME1 : #1 Powersetting : #1 Adaptor+USB : Over Limit ReadAntenna Cable Preamp A/Pos T/Pos Freq Level Limit Line Level Factor Loss Factor MHz dBuV/m dB dBuV/m dBuV/m dB dB ce dB</p> <table border="1"> <thead> <tr> <th>1</th> <th>13071.83</th> <th>45.88</th> <th>-42.42</th> <th>88.30</th> <th>47.56</th> <th>39.79</th> <th>18.63</th> <th>60.10</th> <th>100</th> <th>360 Peak</th> <th>VERTICAL</th> </tr> </thead> </table>	1	13071.83	45.88	-42.42	88.30	47.56	39.79	18.63	60.10	100	360 Peak	VERTICAL
	1	13071.83	46.08	-42.22	88.30	47.76	39.79	18.63	60.10	300	0 Peak	HORI20MT														
1	13071.83	45.88	-42.42	88.30	47.56	39.79	18.63	60.10	100	360 Peak	VERTICAL															





**U-NII 7 6525~6875MHz
WIFI 802.11ax HE40 Full (Harmonic @ 3m)**

WIFI	U-NII 7 6525~6875MHz Harmonic @ 3m	
ANT	802.11ax HE40 Full CH123 6565MHz	
1+2	Horizontal	Vertical
Peak Avg.		



WIFI	U-NII 7 6525~6875MHz Harmonic @ 3m																																																													
ANT	802.11ax HE40 Full CH147 6685MHz																																																													
1+2	Horizontal	Vertical																																																												
Peak Avg.	<div style="display: flex; justify-content: space-between;"> <div style="width: 48%;"> <p>Site : 032905-KS Condition : WiFi @ PEAK @ 3117.00218652 HORIZONTAL Project : RSM-1000.000KHz VBR-3000.000KHz SRT-Auto Mode : 43 Plane : Y Polarization : Full-directivity PowerSetting : 12 Adaptor:2+USB 1</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>13368.21</td> <td>45.46</td> <td>-28.54</td> <td>74.00</td> <td>46.62</td> <td>40.01</td> <td>18.94</td> <td>60.11</td> <td>300</td> <td>0 Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table> </div> <div style="width: 48%;"> <p>Site : 032905-KS Condition : WiFi @ PEAK @ 3117.00218652 VERTICAL Project : RSM-1000.000KHz VBR-3000.000KHz SRT-Auto Mode : 43 Plane : Y Polarization : Full-directivity PowerSetting : 12 Adaptor:2+USB 1</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>13368.21</td> <td>45.39</td> <td>-28.61</td> <td>74.00</td> <td>46.55</td> <td>40.01</td> <td>18.94</td> <td>60.11</td> <td>100</td> <td>360 Peak</td> <td>VERTICAL</td> </tr> </tbody> </table> </div> </div>		Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg	1	13368.21	45.46	-28.54	74.00	46.62	40.01	18.94	60.11	300	0 Peak	HORIZONTAL	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg	1	13368.21	45.39	-28.61	74.00	46.55	40.01	18.94	60.11	100	360 Peak	VERTICAL
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																						
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																						
1	13368.21	45.46	-28.54	74.00	46.62	40.01	18.94	60.11	300	0 Peak	HORIZONTAL																																																			
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																						
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																						
1	13368.21	45.39	-28.61	74.00	46.55	40.01	18.94	60.11	100	360 Peak	VERTICAL																																																			





WIFI	U-NII 7 6525~6875MHz Harmonic @ 3m																																																													
ANT	802.11ax HE40 Full CH179 6845MHz																																																													
1+2	Horizontal	Vertical																																																												
Peak Avg.	 <table border="1" data-bbox="430 840 821 896"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBm/10m</th> <th>dB</th> <th>dBm/10m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 13688.61</td> <td>46.99</td> <td>-41.31</td> <td>88.30</td> <td>47.89</td> <td>39.95</td> <td>19.24</td> <td>60.09</td> <td>300</td> <td>0 Peak HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/10m	dB	dBm/10m	dB	dB	dB	dB	cm	deg	1 13688.61	46.99	-41.31	88.30	47.89	39.95	19.24	60.09	300	0 Peak HORIZONTAL	 <table border="1" data-bbox="904 840 1295 896"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBm/10m</th> <th>dB</th> <th>dBm/10m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 13688.61</td> <td>46.84</td> <td>-41.46</td> <td>88.30</td> <td>47.74</td> <td>39.95</td> <td>19.24</td> <td>60.09</td> <td>100</td> <td>360 Peak VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/10m	dB	dBm/10m	dB	dB	dB	dB	cm	deg	1 13688.61	46.84	-41.46	88.30	47.74	39.95	19.24	60.09	100	360 Peak VERTICAL
Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas																																																					
MHz	dBm/10m	dB	dBm/10m	dB	dB	dB	dB	cm	deg																																																					
1 13688.61	46.99	-41.31	88.30	47.89	39.95	19.24	60.09	300	0 Peak HORIZONTAL																																																					
Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas																																																					
MHz	dBm/10m	dB	dBm/10m	dB	dB	dB	dB	cm	deg																																																					
1 13688.61	46.84	-41.46	88.30	47.74	39.95	19.24	60.09	100	360 Peak VERTICAL																																																					



**U-NII 7 6525~6875MHz
WIFI 802.11ax HE80 Full (Harmonic @ 3m)**

WIFI	U-NII 7 6525~6875MHz Harmonic @ 3m																																																																			
ANT	802.11ax HE80 Full CH135 6625MHz																																																																			
1+2	Horizontal	Vertical																																																																		
Peak Avg.	<p>Site : 032005-KS Condition : WIFI 802.11ax HE80 Full 3117 00218652 HORIZONTAL Project : 808.1000.0000MHz V08.0000.0000MHz CRT-Auto Mode : (FR) 192317 Plane : 45 Polarization : Full-directivity MEI : 41 Powersetting : 14</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 13248.05</td> <td>46.04</td> <td>-42.26</td> <td>88.30</td> <td>47.43</td> <td>39.91</td> <td>18.80</td> <td>60.10</td> <td>300</td> <td>0 Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cm	deg	deg		1 13248.05	46.04	-42.26	88.30	47.43	39.91	18.80	60.10	300	0 Peak	HORIZONTAL	<p>Site : 032005-KS Condition : WIFI 802.11ax HE80 Full 3117 00218652 VERTICAL Project : 808.1000.0000MHz V08.0000.0000MHz CRT-Auto Mode : (FR) 192317 Plane : 45 Polarization : Full-directivity MEI : 41 Powersetting : 14</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 13248.05</td> <td>46.63</td> <td>-41.67</td> <td>88.30</td> <td>48.02</td> <td>39.91</td> <td>18.80</td> <td>60.10</td> <td>100</td> <td>360 Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cm	deg	deg		1 13248.05	46.63	-41.67	88.30	48.02	39.91	18.80	60.10	100	360 Peak	VERTICAL
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																									
MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cm	deg	deg																																																											
1 13248.05	46.04	-42.26	88.30	47.43	39.91	18.80	60.10	300	0 Peak	HORIZONTAL																																																										
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																										
MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cm	deg	deg																																																											
1 13248.05	46.63	-41.67	88.30	48.02	39.91	18.80	60.10	100	360 Peak	VERTICAL																																																										



WIFI	U-NII 7 6525~6875MHz Harmonic @ 3m																																																													
ANT	802.11ax HE80 Full CH151 6705MHz																																																													
1+2	Horizontal	Vertical																																																												
<p>Peak</p> <p>Avg.</p>	 <p>No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 032905-KS Condition : WiFi @ PEAK @ 3117.00218652 HORIZONTAL Project : RSM-1000.000KHz VBR-3000.000KHz SRT-Auto Freq : 192317 Mode : 46 Plane : Y JME1 : Full-directivity PowerSetting : 18 Adaptor:2+USB 1</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>13500.37</td> <td>47.21</td> <td>-41.09</td> <td>88.30</td> <td>48.16</td> <td>40.10</td> <td>19.06</td> <td>60.11</td> <td>300</td> <td>0 Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg	1	13500.37	47.21	-41.09	88.30	48.16	40.10	19.06	60.11	300	0 Peak	HORIZONTAL	 <p>No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 032905-KS Condition : WiFi @ PEAK @ 3117.00218652 VERTICAL Project : RSM-1000.000KHz VBR-3000.000KHz SRT-Auto Freq : 192317 Mode : 46 Plane : Y JME1 : Full-directivity PowerSetting : 18 Adaptor:2+USB 1</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>13500.37</td> <td>47.56</td> <td>-40.74</td> <td>88.30</td> <td>48.51</td> <td>40.10</td> <td>19.06</td> <td>60.11</td> <td>100</td> <td>360 Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg	1	13500.37	47.56	-40.74	88.30	48.51	40.10	19.06	60.11	100	360 Peak	VERTICAL
	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																					
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg																																																						
1	13500.37	47.21	-41.09	88.30	48.16	40.10	19.06	60.11	300	0 Peak	HORIZONTAL																																																			
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																						
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg																																																						
1	13500.37	47.56	-40.74	88.30	48.51	40.10	19.06	60.11	100	360 Peak	VERTICAL																																																			



**U-NII 7 6525~6875MHz
WIFI 802.11ax HE160 Full (Harmonic @ 3m)**

WIFI	U-NII 7 6525~6875MHz Harmonic @ 3m																																					
ANT	802.11ax HE160 Full CH143 6665MHz																																					
1+2	Horizontal	Vertical																																				
Peak	<p>Site : 032005-KS Condition : WIFI 802.11ax HE160 Full CH143 HORIZONTAL Project : 802.11ax HE160 Full CH143 HORIZONTAL Mode : 47 Plane : Y Full-directivity ME1 : 81 Powersetting : 13</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> </thead> <tbody> <tr> <td>1 13328.16</td> <td>47.11</td> <td>-26.89</td> <td>74.00</td> <td>48.36</td> <td>39.97</td> <td>18.89</td> <td>60.11</td> <td>0 Peak HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Over Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	1 13328.16	47.11	-26.89	74.00	48.36	39.97	18.89	60.11	0 Peak HORIZONTAL	<p>Site : 032005-KS Condition : WIFI 802.11ax HE160 Full CH143 VERTICAL Project : 802.11ax HE160 Full CH143 VERTICAL Mode : 47 Plane : Z Full-directivity ME1 : 81 Powersetting : 13</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> </thead> <tbody> <tr> <td>1 13328.16</td> <td>45.80</td> <td>-28.20</td> <td>74.00</td> <td>47.05</td> <td>39.97</td> <td>18.89</td> <td>60.11</td> <td>100 360 Peak VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Over Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	1 13328.16	45.80	-28.20	74.00	47.05	39.97	18.89	60.11	100 360 Peak VERTICAL
	Freq	Level	Over Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																													
1 13328.16	47.11	-26.89	74.00	48.36	39.97	18.89	60.11	0 Peak HORIZONTAL																														
Freq	Level	Over Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																														
1 13328.16	45.80	-28.20	74.00	47.05	39.97	18.89	60.11	100 360 Peak VERTICAL																														
Avg.																																						



U-NII 7 - Straddle Channel
WIFI 802.11a (Harmonic @ 3m)

WIFI	U-NII 7 Straddle Channel Harmonic @ 3m	
ANT	802.11a CH185 6875MHz	
1+2	Horizontal	Vertical
Peak Avg.	<p>Site : 03D05-KS Condition : WIFI 6E PEAK 3m 3117 00218652 HORIZONTAL Power : RSM 1000.000KHz VBR 3000.000KHz SRT Auto Project : FR192317 Mode : Y Plane : Full-directivity IPE1 : 0 PowerSetting : 0 Adaptor2+USB 1 Over Limit ReadAttenua Cable Pramp A/Pos T/Pos Remark Pol/Phas Freq Level Limit Line Level Factor Loss Factor dB cm deg 1 13748.68 46.93 -41.37 88.30 47.80 39.90 19.31 60.08 300 0 Peak HORIZONTAL</p>	<p>Site : 03D05-KS Condition : WIFI 6E PEAK 3m 3117 00218653 VERTICAL Power : RSM 1000.000KHz VBR 3000.000KHz SRT Auto Project : FR192317 Mode : Y Plane : Full-directivity IPE1 : 0 PowerSetting : 0 Adaptor2+USB 1 Over Limit ReadAttenua Cable Pramp A/Pos T/Pos Remark Pol/Phas Freq Level Limit Line Level Factor Loss Factor dB cm deg 1 13748.68 46.63 -41.67 88.30 47.50 39.90 19.31 60.08 100 300 Peak VERTICAL</p>



U-NII 7 – Straddle Channel
WIFI 802.11ax HE20 Full (Harmonic @ 3m)

WIFI	U-NII 7 Straddle Channel Harmonic @ 3m																																																																	
ANT	802.11ax HE20 Full CH185 6875MHz																																																																	
1+2	Horizontal	Vertical																																																																
Peak Avg.	<p>Site : 032805-FS Condition : WIFI HE PEAK 3m 3117 00218852 HORIZONTAL Project : SEM 1000.000000 WPM 3000.000000 SWT Auto Mode : 4F Plane : Full-directivity IMN1 : #17 PowerSetting : 10 Adapter:NI88 1</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>13746.68</td> <td>47.35</td> <td>-40.97</td> <td>88.30</td> <td>48.20</td> <td>39.90</td> <td>33.31</td> <td>60.88</td> <td>300</td> <td>0 Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1	13746.68	47.35	-40.97	88.30	48.20	39.90	33.31	60.88	300	0 Peak	HORIZONTAL	<p>Site : 032805-FS Condition : WIFI HE PEAK 3m 3117 00218852 VERTICAL Project : SEM 1000.000000 WPM 3000.000000 SWT Auto Mode : 4F Plane : Full-directivity IMN1 : #17 PowerSetting : 10 Adapter:NI88 1</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>13746.68</td> <td>46.27</td> <td>-42.83</td> <td>88.30</td> <td>47.14</td> <td>39.90</td> <td>19.31</td> <td>60.88</td> <td>300</td> <td>368 Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1	13746.68	46.27	-42.83	88.30	47.14	39.90	19.31	60.88	300	368 Peak	VERTICAL
	Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas																																																								
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																										
1	13746.68	47.35	-40.97	88.30	48.20	39.90	33.31	60.88	300	0 Peak	HORIZONTAL																																																							
Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas																																																									
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																										
1	13746.68	46.27	-42.83	88.30	47.14	39.90	19.31	60.88	300	368 Peak	VERTICAL																																																							



U-NII 7 - Straddle Channel
WIFI 802.11ax HE80 Full (Harmonic @ 3m)

WIFI	U-NII 7 Straddle Channel Harmonic @ 3m																																																									
ANT	802.11ax HE80 Full CH183 6865MHz																																																									
1+2	Horizontal	Vertical																																																								
Peak Avg.	<p>Site : 032005-KS Condition : WIFI 6E PEAK 3m 3117 00218652 HORIZONTAL Project : 808.1000.0000MHz V98.0000.0000MHz CRT-Auto Mode : (FR) 192317 Band : 48 Plane : Y Full-directivity : Full-directivity ME1 : #1 Powersetting : #1</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1 13748.08</td> <td>47.33</td> <td>-40.97</td> <td>88.30</td> <td>48.20</td> <td>39.90</td> <td>19.31</td> <td>60.08</td> <td>300 0 Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Over Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	cm	deg			1 13748.08	47.33	-40.97	88.30	48.20	39.90	19.31	60.08	300 0 Peak	HORIZONTAL	<p>Site : 032005-KS Condition : WIFI 6E PEAK 3m 3117 00218652 VERTICAL Project : 808.1000.0000MHz V98.0000.0000MHz CRT-Auto Mode : (FR) 192317 Band : 48 Plane : Z Full-directivity : Full-directivity ME1 : #1 Powersetting : #1</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1 13748.08</td> <td>46.27</td> <td>-42.03</td> <td>88.30</td> <td>47.14</td> <td>39.90</td> <td>19.31</td> <td>60.08</td> <td>100 360 Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Over Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	cm	deg			1 13748.08	46.27	-42.03	88.30	47.14	39.90	19.31	60.08	100 360 Peak	VERTICAL
	Freq	Level	Over Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																	
MHz	dBuV/m	dB	dBuV/m	dB	cm	deg																																																				
1 13748.08	47.33	-40.97	88.30	48.20	39.90	19.31	60.08	300 0 Peak	HORIZONTAL																																																	
Freq	Level	Over Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																		
MHz	dBuV/m	dB	dBuV/m	dB	cm	deg																																																				
1 13748.08	46.27	-42.03	88.30	47.14	39.90	19.31	60.08	100 360 Peak	VERTICAL																																																	



**U-NII 7 – Straddle Channel
WIFI 802.11ax HE160 Full (Harmonic @ 3m)**




WIFI	U-NII 7 Straddle Channel Harmonic @ 3m																																																	
ANT	802.11ax HE160 Full CH175 6825MHz																																																	
1+2	Horizontal	Vertical																																																
Peak Avg.	<p>Site : 032005-KS Condition : WIFI 802.11ax HE160 Full CH175 6825MHz HORIZONTAL Project : 802.11ax HE160 Full CH175 6825MHz HORIZONTAL Mode : OFDM Plane : Y Polarization : Full-directivity MEI : #1 Powersetting : #1</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> </thead> <tbody> <tr> <td>13648.55</td> <td>46.18</td> <td>-42.12</td> <td>88.30</td> <td>47.08</td> <td>39.98</td> <td>19.21</td> <td>60.09</td> <td>300</td> <td>0</td> <td>Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	Level	Factor	Loss	Factor	A/Pos	T/Pos	Remark	Pol/Phas	13648.55	46.18	-42.12	88.30	47.08	39.98	19.21	60.09	300	0	Peak	HORIZONTAL	<p>Site : 032005-KS Condition : WIFI 802.11ax HE160 Full CH175 6825MHz VERTICAL Project : 802.11ax HE160 Full CH175 6825MHz VERTICAL Mode : OFDM Plane : Y Polarization : Full-directivity MEI : #1 Powersetting : #1</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> </thead> <tbody> <tr> <td>13648.55</td> <td>46.11</td> <td>-42.19</td> <td>88.30</td> <td>47.01</td> <td>39.98</td> <td>19.21</td> <td>60.09</td> <td>100</td> <td>360</td> <td>Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	Level	Factor	Loss	Factor	A/Pos	T/Pos	Remark	Pol/Phas	13648.55	46.11	-42.19	88.30	47.01	39.98	19.21	60.09	100	360	Peak	VERTICAL
	Freq	Level	Limit	Line	Level	Factor	Loss	Factor	A/Pos	T/Pos	Remark	Pol/Phas																																						
13648.55	46.18	-42.12	88.30	47.08	39.98	19.21	60.09	300	0	Peak	HORIZONTAL																																							
Freq	Level	Limit	Line	Level	Factor	Loss	Factor	A/Pos	T/Pos	Remark	Pol/Phas																																							
13648.55	46.11	-42.19	88.30	47.01	39.98	19.21	60.09	100	360	Peak	VERTICAL																																							



U-NII 8 - 6875-7125MHzMHz
WIFI 802.11a (Band Edge @ 3m)

WIFI	U-NII 8 - 6875-7125MHz Band Edge @ 3m																																																																					
ANT	802.11a CH229 7095MHz																																																																					
1+2	Horizontal	Fundamental																																																																				
Peak	<p>Site : 032805-KS Condition : WIFI 6E PEAK 3m 3117 00218652 HORIZONTAL Project : RRM 1000 0000Hz VBR 3000 0000Hz SRT Auto Mode : (FR) 192317 Plane : T Full-directivity : Full-directivity IPE1 : #17 Powersetting : 0 Adaptor2+USB 1 : 0</p> <table border="1"> <thead> <tr> <th>Over Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>Wiz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dBm</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7210.44</td> <td>56.73</td> <td>-31.57</td> <td>88.30</td> <td>42.30</td> <td>36.72</td> <td>13.62</td> <td>35.91</td> <td>208</td> <td>0 Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Over Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Wiz	dBuV/m	dB	dBuV/m	dBuV	dBm	dB	cm	deg	1	7210.44	56.73	-31.57	88.30	42.30	36.72	13.62	35.91	208	0 Peak	HORIZONTAL	<p>Site : 032805-KS Condition : WIFI 6E PEAK 3m 3117 00218652 HORIZONTAL Project : RRM 1000 0000Hz VBR 3000 0000Hz SRT Auto Mode : (FR) 192317 Plane : T Full-directivity : Full-directivity IPE1 : #17 Powersetting : 0 Adaptor2+USB 1 : 0</p> <table border="1"> <thead> <tr> <th>Over Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>Wiz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dBm</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7093.00</td> <td>100.74</td> <td>12.44</td> <td>88.30</td> <td>86.38</td> <td>36.77</td> <td>13.50</td> <td>35.91</td> <td>208</td> <td>0 Peak</td> <td>HORIZONTAL</td> </tr> <tr> <td>2</td> <td>7093.00</td> <td>92.89</td> <td>24.99</td> <td>68.30</td> <td>78.33</td> <td>36.77</td> <td>13.50</td> <td>35.91</td> <td>208</td> <td>0 Average</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Over Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Wiz	dBuV/m	dB	dBuV/m	dBuV	dBm	dB	cm	deg	1	7093.00	100.74	12.44	88.30	86.38	36.77	13.50	35.91	208	0 Peak	HORIZONTAL	2	7093.00	92.89	24.99	68.30	78.33	36.77	13.50	35.91	208	0 Average	HORIZONTAL
Over Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																
Wiz	dBuV/m	dB	dBuV/m	dBuV	dBm	dB	cm	deg																																																														
1	7210.44	56.73	-31.57	88.30	42.30	36.72	13.62	35.91	208	0 Peak	HORIZONTAL																																																											
Over Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																
Wiz	dBuV/m	dB	dBuV/m	dBuV	dBm	dB	cm	deg																																																														
1	7093.00	100.74	12.44	88.30	86.38	36.77	13.50	35.91	208	0 Peak	HORIZONTAL																																																											
2	7093.00	92.89	24.99	68.30	78.33	36.77	13.50	35.91	208	0 Average	HORIZONTAL																																																											
Avg.	<p>Site : 032805-KS Condition : WIFI 6E (AVG) 3m 3117 00218652 HORIZONTAL Project : RRM 1000 0000Hz VBR 0 01000Hz SRT Auto Mode : (FR) 192317 Plane : T Full-directivity : Full-directivity IPE1 : #17 Powersetting : 0 Adaptor2+USB 1 : 0</p> <table border="1"> <thead> <tr> <th>Over Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>Wiz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dBm</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7244.36</td> <td>46.01</td> <td>-22.29</td> <td>68.30</td> <td>31.57</td> <td>36.70</td> <td>13.65</td> <td>35.91</td> <td>208</td> <td>0 Average</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Over Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Wiz	dBuV/m	dB	dBuV/m	dBuV	dBm	dB	cm	deg	1	7244.36	46.01	-22.29	68.30	31.57	36.70	13.65	35.91	208	0 Average	HORIZONTAL	Left blank																																								
Over Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																
Wiz	dBuV/m	dB	dBuV/m	dBuV	dBm	dB	cm	deg																																																														
1	7244.36	46.01	-22.29	68.30	31.57	36.70	13.65	35.91	208	0 Average	HORIZONTAL																																																											



WIFI	U-NII 8 - 6875-7125MHz Band Edge @ 3m																																																																										
ANT	802.11a CH229 7095MHz																																																																										
1+2	Vertical	Fundamental																																																																									
<p>Peak</p>	 <p>No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900958 Fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 032905-KS Condition : WIFI @E PEAK 3m 3117.00018652 VERTICAL Project : R98-1000.000000 VBR-3000.000000 SRT-Auto Mode : (FR) 192317 Plane : Y Antenna : Full-directivity JME1 : #17 Powersetting : #1 Adaptor:2+USB 1</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7239.72</td> <td>56.24</td> <td>-32.06</td> <td>88.30</td> <td>41.80</td> <td>36.70</td> <td>13.65</td> <td>35.91</td> <td>100</td> <td>23</td> <td>Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg	1	7239.72	56.24	-32.06	88.30	41.80	36.70	13.65	35.91	100	23	Peak	VERTICAL	 <p>No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900958 Fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 032905-KS Condition : WIFI @E PEAK 3m 3117.00018652 VERTICAL Project : R98-1000.000000 VBR-3000.000000 SRT-Auto Mode : (FR) 192317 Plane : Y Antenna : Full-directivity JME1 : #17 Powersetting : #1 Adaptor:2+USB 1</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7092.00</td> <td>102.27</td> <td>13.97</td> <td>88.30</td> <td>87.91</td> <td>36.77</td> <td>13.50</td> <td>35.91</td> <td>100</td> <td>23</td> <td>Peak</td> <td>VERTICAL</td> </tr> <tr> <td>2</td> <td>7095.00</td> <td>76.28</td> <td>26.03</td> <td>68.30</td> <td>79.97</td> <td>26.77</td> <td>13.50</td> <td>35.91</td> <td>100</td> <td>23</td> <td>Average</td> <td>VERTICAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg	1	7092.00	102.27	13.97	88.30	87.91	36.77	13.50	35.91	100	23	Peak	VERTICAL	2	7095.00	76.28	26.03	68.30	79.97	26.77	13.50	35.91	100	23	Average	VERTICAL
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																				
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																			
1	7239.72	56.24	-32.06	88.30	41.80	36.70	13.65	35.91	100	23	Peak	VERTICAL																																																															
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																				
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																			
1	7092.00	102.27	13.97	88.30	87.91	36.77	13.50	35.91	100	23	Peak	VERTICAL																																																															
2	7095.00	76.28	26.03	68.30	79.97	26.77	13.50	35.91	100	23	Average	VERTICAL																																																															
<p>Avg.</p>	 <p>No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900958 Fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 032905-KS Condition : WIFI @E (AVG) 3m 3117.00018652 VERTICAL Project : R98-1000.000000 VBR-3000.000000 SRT-Auto Mode : (FR) 192317 Plane : Y Antenna : Full-directivity JME1 : #17 Powersetting : #1 Adaptor:2+USB 1</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7213.80</td> <td>46.00</td> <td>-22.25</td> <td>68.30</td> <td>31.61</td> <td>36.71</td> <td>13.64</td> <td>35.91</td> <td>100</td> <td>23</td> <td>Average</td> <td>VERTICAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg	1	7213.80	46.00	-22.25	68.30	31.61	36.71	13.64	35.91	100	23	Average	VERTICAL	<p>Left blank</p>																																											
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																				
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																			
1	7213.80	46.00	-22.25	68.30	31.61	36.71	13.64	35.91	100	23	Average	VERTICAL																																																															



U-NII 8 - 6875-7125MHz
WIFI 802.11ax HE20 Full (Band Edge @ 3m)

WIFI	U-NII 8 - 6875-7125MHz Band Edge @ 3m																																																																			
ANT	802.11ax HE20 Full CH229 7095MHz																																																																			
1+2	Horizontal	Fundamental																																																																		
Peak	<p>Site: 032005-KS Condition: WIFI 8E PEAK 3m 3117 00218652 HORIZONTAL Project: RRM 1000.0000kHz VBR 3000.0000kHz SWT:Auto Mode: FR1192317 Plane: S3 Full-directivity Powersetting: #1 Adapter:USB 1</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1 7197.16</td> <td>57.08</td> <td>-31.22</td> <td>88.30</td> <td>42.65</td> <td>36.72</td> <td>13.62</td> <td>35.91</td> <td>260 348 Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Over Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	cm	deg			1 7197.16	57.08	-31.22	88.30	42.65	36.72	13.62	35.91	260 348 Peak	HORIZONTAL	<p>Site: 032005-KS Condition: WIFI 8E PEAK 3m 3117 00218652 HORIZONTAL Project: RRM 1000.0000kHz VBR 3000.0000kHz SWT:Auto Mode: FR1192317 Plane: S3 Full-directivity Powersetting: #1 Adapter:USB 1</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1 * 7093.00</td> <td>101.20</td> <td>12.90</td> <td>88.30</td> <td>86.84</td> <td>36.77</td> <td>13.50</td> <td>35.91</td> <td>260 348 Peak</td> <td>HORIZONTAL</td> </tr> <tr> <td>2 * 7093.00</td> <td>92.03</td> <td>24.73</td> <td>68.30</td> <td>78.67</td> <td>36.77</td> <td>13.50</td> <td>35.91</td> <td>260 348 Average</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Over Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	cm	deg			1 * 7093.00	101.20	12.90	88.30	86.84	36.77	13.50	35.91	260 348 Peak	HORIZONTAL	2 * 7093.00	92.03	24.73	68.30	78.67	36.77	13.50	35.91	260 348 Average	HORIZONTAL
Freq	Level	Over Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																												
MHz	dBuV/m	dB	dBuV/m	dB	cm	deg																																																														
1 7197.16	57.08	-31.22	88.30	42.65	36.72	13.62	35.91	260 348 Peak	HORIZONTAL																																																											
Freq	Level	Over Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																												
MHz	dBuV/m	dB	dBuV/m	dB	cm	deg																																																														
1 * 7093.00	101.20	12.90	88.30	86.84	36.77	13.50	35.91	260 348 Peak	HORIZONTAL																																																											
2 * 7093.00	92.03	24.73	68.30	78.67	36.77	13.50	35.91	260 348 Average	HORIZONTAL																																																											
Avg.	<p>Site: 032005-KS Condition: WIFI 8E(AVG) 3m 3117 00218652 HORIZONTAL Project: RRM 1000.0000kHz VBR 0.0100kHz SWT:Auto Mode: FR1192317 Plane: T Full-directivity Powersetting: #1 Adapter:USB 1</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1 7211.56</td> <td>46.01</td> <td>-22.29</td> <td>68.30</td> <td>31.58</td> <td>36.72</td> <td>13.62</td> <td>35.91</td> <td>260 348 Average</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Over Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	cm	deg			1 7211.56	46.01	-22.29	68.30	31.58	36.72	13.62	35.91	260 348 Average	HORIZONTAL	Left blank																																						
Freq	Level	Over Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																												
MHz	dBuV/m	dB	dBuV/m	dB	cm	deg																																																														
1 7211.56	46.01	-22.29	68.30	31.58	36.72	13.62	35.91	260 348 Average	HORIZONTAL																																																											






WIFI	U-NII 8 - 6875-7125MHz Band Edge @ 3m																																																																						
ANT	802.11ax HE20 Full CH229 7095MHz																																																																						
1+2	Vertical	Fundamental																																																																					
<p>Peak</p>	<p>No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 032905-KS Condition : WIFI 6E PEAK 3m 3117.00218652 VERTICAL Project : R98-1000.000MHz VBR-3000.000kHz SRT-Auto Mode : FR192317 Plane : Y Polarization : Full-directivity PowerSetting : 10 Adaptor:2+USB 1</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>7207.56</td> <td>56.88</td> <td>-31.42</td> <td>88.30</td> <td>42.45</td> <td>36.72</td> <td>13.62</td> <td>35.91</td> <td>100</td> <td>23 Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg		7207.56	56.88	-31.42	88.30	42.45	36.72	13.62	35.91	100	23 Peak	VERTICAL	<p>No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 032905-KS Condition : WIFI 6E PEAK 3m 3117.00218652 VERTICAL Project : R98-1000.000MHz VBR-3000.000kHz SRT-Auto Mode : FR192317 Plane : Y Polarization : Full-directivity PowerSetting : 10 Adaptor:2+USB 1</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>7092.00</td> <td>102.98</td> <td>15.68</td> <td>88.30</td> <td>89.62</td> <td>36.72</td> <td>13.50</td> <td>35.91</td> <td>100</td> <td>23 Peak</td> <td>VERTICAL</td> </tr> <tr> <td>7095.00</td> <td>76.35</td> <td>28.00</td> <td>68.30</td> <td>81.99</td> <td>36.77</td> <td>13.50</td> <td>35.91</td> <td>100</td> <td>23 Average</td> <td>VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg		7092.00	102.98	15.68	88.30	89.62	36.72	13.50	35.91	100	23 Peak	VERTICAL	7095.00	76.35	28.00	68.30	81.99	36.77	13.50	35.91	100	23 Average	VERTICAL
Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																															
MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg																																																																
7207.56	56.88	-31.42	88.30	42.45	36.72	13.62	35.91	100	23 Peak	VERTICAL																																																													
Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																															
MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg																																																																
7092.00	102.98	15.68	88.30	89.62	36.72	13.50	35.91	100	23 Peak	VERTICAL																																																													
7095.00	76.35	28.00	68.30	81.99	36.77	13.50	35.91	100	23 Average	VERTICAL																																																													
<p>Avg.</p>	<p>No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 032905-KS Condition : WIFI 6E (AVG) 3m 3117.00218652 VERTICAL Project : R98-1000.000MHz VBR-3000.000kHz SRT-Auto Mode : FR192317 Plane : Y Polarization : Full-directivity PowerSetting : 10 Adaptor:2+USB 1</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>7243.24</td> <td>45.99</td> <td>-22.31</td> <td>68.30</td> <td>31.55</td> <td>36.70</td> <td>13.65</td> <td>35.91</td> <td>100</td> <td>23 Average</td> <td>VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg		7243.24	45.99	-22.31	68.30	31.55	36.70	13.65	35.91	100	23 Average	VERTICAL	<p>Left blank</p>																																								
Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																															
MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg																																																																
7243.24	45.99	-22.31	68.30	31.55	36.70	13.65	35.91	100	23 Average	VERTICAL																																																													



U-NII 8 - 6875-7125MHzMHz
WIFI 802.11ax HE20 Partial 26 (Band Edge @ 3m)

WIFI	U-NII 8 - 6875-7125MHz Band Edge @ 3m																																																																														
ANT	802.11ax HE20 Partial 26/8 CH229 7095MHz																																																																														
1+2	Horizontal	Fundamental																																																																													
Peak	<p>Site: 032005-KS Condition: WIFI 6E PEAK 3m 3117 00218652 HORIZONTAL Project: FR192317 Mode: S4 Plane: T Full-directivity IM1: RT Powersetting: -1.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1 7125.00</td> <td>53.30</td> <td>-35.00</td> <td>88.30</td> <td>38.92</td> <td>36.75</td> <td>13.54</td> <td>35.91</td> <td>298</td> <td>360</td> <td>Peak HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg			1 7125.00	53.30	-35.00	88.30	38.92	36.75	13.54	35.91	298	360	Peak HORIZONTAL	<p>Site: 032005-KS Condition: WIFI 6E PEAK 3m 3117 00218652 HORIZONTAL Project: FR192317 Mode: S4 Plane: T Full-directivity IM1: RT Powersetting: -1.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1 * 7102.00</td> <td>92.94</td> <td>2.64</td> <td>88.30</td> <td>83.57</td> <td>36.76</td> <td>13.52</td> <td>35.91</td> <td>298</td> <td>360</td> <td>Peak HORIZONTAL</td> </tr> <tr> <td>2 * 7102.00</td> <td>90.42</td> <td>22.12</td> <td>68.30</td> <td>76.05</td> <td>36.76</td> <td>13.52</td> <td>35.91</td> <td>298</td> <td>360</td> <td>Average HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg			1 * 7102.00	92.94	2.64	88.30	83.57	36.76	13.52	35.91	298	360	Peak HORIZONTAL	2 * 7102.00	90.42	22.12	68.30	76.05	36.76	13.52	35.91	298	360	Average HORIZONTAL
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																					
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg																																																																							
1 7125.00	53.30	-35.00	88.30	38.92	36.75	13.54	35.91	298	360	Peak HORIZONTAL																																																																					
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																					
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg																																																																							
1 * 7102.00	92.94	2.64	88.30	83.57	36.76	13.52	35.91	298	360	Peak HORIZONTAL																																																																					
2 * 7102.00	90.42	22.12	68.30	76.05	36.76	13.52	35.91	298	360	Average HORIZONTAL																																																																					
Avg.	<p>Site: 032005-KS Condition: WIFI 6E(AVG) 3m 3117 00218652 HORIZONTAL Project: FR192317 Mode: S4 Plane: T Full-directivity IM1: RT Powersetting: -1.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1 7125.00</td> <td>45.70</td> <td>-22.60</td> <td>68.30</td> <td>31.32</td> <td>36.75</td> <td>13.54</td> <td>35.91</td> <td>298</td> <td>360</td> <td>Average HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg			1 7125.00	45.70	-22.60	68.30	31.32	36.75	13.54	35.91	298	360	Average HORIZONTAL	Left blank																																												
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																					
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg																																																																							
1 7125.00	45.70	-22.60	68.30	31.32	36.75	13.54	35.91	298	360	Average HORIZONTAL																																																																					






WIFI	U-NII 8 - 6875-7125MHz Band Edge @ 3m																																																																										
ANT	802.11ax HE20 Partial 26/8 CH229 7095MHz																																																																										
1+2	Vertical	Fundamental																																																																									
<p>Peak</p>	 <p>No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 032805-KS Condition : WIFI HE PEAK @ 3117.00218652 VERTICAL Project : RBW:1000.000kHz VBW:3000.000kHz SFT:Auto FR192317 Mode : S4 Plane : Y Full-directivity Ant : #1 Powersetting : -1.5 Adaptor:2USB 1</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Poi/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7125.00</td> <td>55.63</td> <td>-32.67</td> <td>88.30</td> <td>41.25</td> <td>36.75</td> <td>13.54</td> <td>35.91</td> <td>100</td> <td>357</td> <td>Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Poi/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg	1	7125.00	55.63	-32.67	88.30	41.25	36.75	13.54	35.91	100	357	Peak	VERTICAL	 <p>No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 032805-KS Condition : WIFI HE PEAK @ 3117.00218652 VERTICAL Project : RBW:1000.000kHz VBW:3000.000kHz SFT:Auto FR192317 Mode : S4 Plane : Y Full-directivity Ant : #1 Powersetting : -1.5 Adaptor:2USB 1</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Poi/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7102.00</td> <td>96.56</td> <td>8.26</td> <td>88.30</td> <td>82.19</td> <td>36.76</td> <td>13.52</td> <td>35.91</td> <td>100</td> <td>357</td> <td>Peak</td> <td>VERTICAL</td> </tr> <tr> <td>2</td> <td>7102.00</td> <td>90.35</td> <td>22.00</td> <td>68.30</td> <td>75.98</td> <td>36.76</td> <td>13.52</td> <td>35.91</td> <td>100</td> <td>357</td> <td>Average</td> <td>VERTICAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Poi/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg	1	7102.00	96.56	8.26	88.30	82.19	36.76	13.52	35.91	100	357	Peak	VERTICAL	2	7102.00	90.35	22.00	68.30	75.98	36.76	13.52	35.91	100	357	Average	VERTICAL
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Poi/Phas																																																																				
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																			
1	7125.00	55.63	-32.67	88.30	41.25	36.75	13.54	35.91	100	357	Peak	VERTICAL																																																															
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Poi/Phas																																																																				
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																			
1	7102.00	96.56	8.26	88.30	82.19	36.76	13.52	35.91	100	357	Peak	VERTICAL																																																															
2	7102.00	90.35	22.00	68.30	75.98	36.76	13.52	35.91	100	357	Average	VERTICAL																																																															
<p>Avg.</p>	 <p>No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 032805-KS Condition : WIFI HE (AVG) @ 3117.00218652 VERTICAL Project : RBW:1000.000kHz VBW:3000.000kHz SFT:Auto FR192317 Mode : S4 Plane : Y Full-directivity Ant : #1 Powersetting : -1.5 Adaptor:2USB 1</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Poi/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7125.00</td> <td>45.70</td> <td>-22.60</td> <td>68.30</td> <td>31.32</td> <td>36.75</td> <td>13.54</td> <td>35.91</td> <td>100</td> <td>357</td> <td>Average</td> <td>VERTICAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Poi/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg	1	7125.00	45.70	-22.60	68.30	31.32	36.75	13.54	35.91	100	357	Average	VERTICAL	<p>Left blank</p>																																											
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Poi/Phas																																																																				
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																			
1	7125.00	45.70	-22.60	68.30	31.32	36.75	13.54	35.91	100	357	Average	VERTICAL																																																															



U-NII 8 - 6875-7125MHz
WIFI 802.11ax HE20 Partial 52 (Band Edge @ 3m)

WIFI	U-NII 8 - 6875-7125MHz Band Edge @ 3m																																																																
ANT	802.11ax HE20 Partial 52/40 CH229 7095MHz																																																																
1+2	Horizontal	Fundamental																																																															
Peak	<p>Site: 032005-KS Condition: WIFI 6E PEAK 3m 3117 00218652 HORIZONTAL Project: RRM 1000 0000Hz VBR 3000 0000Hz SWT:Auto Mode: OFDM 192317 Plane: 0 Full-directivity IPE1: 0 Powersetting: 1.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1 7185.80</td> <td>56.81</td> <td>-31.49</td> <td>88.30</td> <td>42.40</td> <td>36.72</td> <td>13.60</td> <td>35.91</td> <td>243 360 Peak HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Over Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	cm	deg			1 7185.80	56.81	-31.49	88.30	42.40	36.72	13.60	35.91	243 360 Peak HORIZONTAL	<p>Site: 032005-KS Condition: WIFI 6E PEAK 3m 3117 00218652 HORIZONTAL Project: RRM 1000 0000Hz VBR 3000 0000Hz SWT:Auto Mode: OFDM 192317 Plane: 0 Full-directivity IPE1: 0 Powersetting: 1.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1 * 7102.00</td> <td>91.90</td> <td>9.60</td> <td>88.30</td> <td>83.53</td> <td>36.76</td> <td>13.52</td> <td>35.91</td> <td>243 360 Peak HORIZONTAL</td> </tr> <tr> <td>2 * 7102.00</td> <td>90.15</td> <td>21.85</td> <td>68.30</td> <td>75.78</td> <td>36.76</td> <td>13.52</td> <td>35.91</td> <td>243 360 Average HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Over Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	cm	deg			1 * 7102.00	91.90	9.60	88.30	83.53	36.76	13.52	35.91	243 360 Peak HORIZONTAL	2 * 7102.00	90.15	21.85	68.30	75.78	36.76	13.52	35.91	243 360 Average HORIZONTAL
Freq	Level	Over Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																									
MHz	dBuV/m	dB	dBuV/m	dB	cm	deg																																																											
1 7185.80	56.81	-31.49	88.30	42.40	36.72	13.60	35.91	243 360 Peak HORIZONTAL																																																									
Freq	Level	Over Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																									
MHz	dBuV/m	dB	dBuV/m	dB	cm	deg																																																											
1 * 7102.00	91.90	9.60	88.30	83.53	36.76	13.52	35.91	243 360 Peak HORIZONTAL																																																									
2 * 7102.00	90.15	21.85	68.30	75.78	36.76	13.52	35.91	243 360 Average HORIZONTAL																																																									
Avg.	<p>Site: 032005-KS Condition: WIFI 6E (AVG) 3m 3117 00218652 HORIZONTAL Project: RRM 1000 0000Hz VBR 0.0100Hz SWT:Auto Mode: OFDM 192317 Plane: 0 Full-directivity IPE1: 0 Powersetting: 1.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1 7244.52</td> <td>45.92</td> <td>-22.38</td> <td>68.30</td> <td>31.48</td> <td>36.70</td> <td>12.65</td> <td>35.91</td> <td>243 360 Average HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Over Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	cm	deg			1 7244.52	45.92	-22.38	68.30	31.48	36.70	12.65	35.91	243 360 Average HORIZONTAL	Left blank																																				
Freq	Level	Over Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																									
MHz	dBuV/m	dB	dBuV/m	dB	cm	deg																																																											
1 7244.52	45.92	-22.38	68.30	31.48	36.70	12.65	35.91	243 360 Average HORIZONTAL																																																									



WIFI	U-NII 8 - 6875-7125MHz Band Edge @ 3m																																																																																								
ANT	802.11ax HE20 Partial 52/40 CH229 7095MHz																																																																																								
1+2	Vertical	Fundamental																																																																																							
<p>Peak</p>	 <p>No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 032905-KS Condition : WIFI HE PEAK @ 3117.00218652 VERTICAL Project : RSM-1000.000MHz VBR-3000.000MHz SRT-Auto FR192317 Mode : 55 Plane : Y Full-directivity Antenna : #12 PowerSetting : 1.5 Adaptor:2USB 1</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>cm</th> <th>deg</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7187.40</td> <td>56.07</td> <td>-32.23</td> <td>88.30</td> <td>41.66</td> <td>36.72</td> <td>13.60</td> <td>35.91</td> <td>115</td> <td>0</td> <td>Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Freq	Level	Line	Level Factor	Loss Factor	cm	deg		MHz	dBuV/m	dB	dBuV/m	dBuV	dB	cm	deg	1	7187.40	56.07	-32.23	88.30	41.66	36.72	13.60	35.91	115	0	Peak	VERTICAL	 <p>No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 032905-KS Condition : WIFI HE PEAK @ 3117.00218652 VERTICAL Project : RSM-1000.000MHz VBR-3000.000MHz SRT-Auto FR192317 Mode : 55 Plane : Y Full-directivity Antenna : #12 PowerSetting : 1.5 Adaptor:2USB 1</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>cm</th> <th>deg</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7102.00</td> <td>96.51</td> <td>8.21</td> <td>88.30</td> <td>82.16</td> <td>36.76</td> <td>13.52</td> <td>35.91</td> <td>115</td> <td>0</td> <td>Peak</td> <td>VERTICAL</td> </tr> <tr> <td>2</td> <td>7102.00</td> <td>90.97</td> <td>21.77</td> <td>68.30</td> <td>70.10</td> <td>36.76</td> <td>13.52</td> <td>35.91</td> <td>115</td> <td>0</td> <td>Average</td> <td>VERTICAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Freq	Level	Line	Level Factor	Loss Factor	cm	deg		MHz	dBuV/m	dB	dBuV/m	dBuV	dB	cm	deg	1	7102.00	96.51	8.21	88.30	82.16	36.76	13.52	35.91	115	0	Peak	VERTICAL	2	7102.00	90.97	21.77	68.30	70.10	36.76	13.52	35.91	115	0	Average	VERTICAL
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																		
Freq	Level	Line	Level Factor	Loss Factor	cm	deg																																																																																			
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	cm	deg																																																																																		
1	7187.40	56.07	-32.23	88.30	41.66	36.72	13.60	35.91	115	0	Peak	VERTICAL																																																																													
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																		
Freq	Level	Line	Level Factor	Loss Factor	cm	deg																																																																																			
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	cm	deg																																																																																		
1	7102.00	96.51	8.21	88.30	82.16	36.76	13.52	35.91	115	0	Peak	VERTICAL																																																																													
2	7102.00	90.97	21.77	68.30	70.10	36.76	13.52	35.91	115	0	Average	VERTICAL																																																																													
<p>Avg.</p>	 <p>No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 032905-KS Condition : WIFI HE (AVG) @ 3117.00218652 VERTICAL Project : RSM-1000.000MHz VBR-3000.000MHz SRT-Auto FR192317 Mode : 55 Plane : Y Full-directivity Antenna : #12 PowerSetting : 1.5 Adaptor:2USB 1</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>cm</th> <th>deg</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7241.48</td> <td>45.94</td> <td>-22.36</td> <td>68.30</td> <td>31.50</td> <td>36.70</td> <td>13.65</td> <td>35.91</td> <td>115</td> <td>0</td> <td>Average</td> <td>VERTICAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Freq	Level	Line	Level Factor	Loss Factor	cm	deg		MHz	dBuV/m	dB	dBuV/m	dBuV	dB	cm	deg	1	7241.48	45.94	-22.36	68.30	31.50	36.70	13.65	35.91	115	0	Average	VERTICAL	<p>Left blank</p>																																																		
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																		
Freq	Level	Line	Level Factor	Loss Factor	cm	deg																																																																																			
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	cm	deg																																																																																		
1	7241.48	45.94	-22.36	68.30	31.50	36.70	13.65	35.91	115	0	Average	VERTICAL																																																																													



U-NII 8 - 6875-7125MHz
WIFI 802.11ax HE20 Partial 106 (Band Edge @ 3m)

WIFI	U-NII 8 - 6875-7125MHz Band Edge @ 3m																																																																														
ANT	802.11ax HE20 Partial 106/54 CH229 7095MHz																																																																														
1+2	Horizontal	Fundamental																																																																													
Peak	<p>Site: 032005-KS Condition: WIFI 8E PEAK 3m 3117 00218652 HORIZONTAL Project: RRM 1000.0000kHz VBR 3000.0000kHz SWT:Auto Mode: FR1 192317 Plane: 50 I-MEI: Full-directivity Powersetting: 4.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1 7199.88</td> <td>56.62</td> <td>-31.68</td> <td>88.30</td> <td>42.19</td> <td>36.72</td> <td>13.62</td> <td>35.91</td> <td>301</td> <td>343 Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg			1 7199.88	56.62	-31.68	88.30	42.19	36.72	13.62	35.91	301	343 Peak	HORIZONTAL	<p>Site: 032005-KS Condition: WIFI 8E PEAK 3m 3117 00218652 HORIZONTAL Project: RRM 1000.0000kHz VBR 3000.0000kHz SWT:Auto Mode: FR1 192317 Plane: 50 I-MEI: Full-directivity Powersetting: 4.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1 * 7102.00</td> <td>99.77</td> <td>11.47</td> <td>88.30</td> <td>85.40</td> <td>36.76</td> <td>13.52</td> <td>35.91</td> <td>301</td> <td>343 Peak</td> <td>HORIZONTAL</td> </tr> <tr> <td>2 * 7102.00</td> <td>91.39</td> <td>23.09</td> <td>68.30</td> <td>77.02</td> <td>36.76</td> <td>13.52</td> <td>35.91</td> <td>301</td> <td>343 Average</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg			1 * 7102.00	99.77	11.47	88.30	85.40	36.76	13.52	35.91	301	343 Peak	HORIZONTAL	2 * 7102.00	91.39	23.09	68.30	77.02	36.76	13.52	35.91	301	343 Average	HORIZONTAL
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																					
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg																																																																							
1 7199.88	56.62	-31.68	88.30	42.19	36.72	13.62	35.91	301	343 Peak	HORIZONTAL																																																																					
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																					
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg																																																																							
1 * 7102.00	99.77	11.47	88.30	85.40	36.76	13.52	35.91	301	343 Peak	HORIZONTAL																																																																					
2 * 7102.00	91.39	23.09	68.30	77.02	36.76	13.52	35.91	301	343 Average	HORIZONTAL																																																																					
Avg.	<p>Site: 032005-KS Condition: WIFI 8E(AVG) 3m 3117 00218652 HORIZONTAL Project: RRM 1000.0000kHz VBR 0.0100kHz SWT:Auto Mode: FR1 192317 Plane: T I-MEI: Full-directivity Powersetting: 4.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1 7244.68</td> <td>45.92</td> <td>-22.38</td> <td>68.30</td> <td>31.48</td> <td>36.70</td> <td>12.65</td> <td>35.91</td> <td>301</td> <td>343 Average</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg			1 7244.68	45.92	-22.38	68.30	31.48	36.70	12.65	35.91	301	343 Average	HORIZONTAL	Left blank																																												
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																					
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg																																																																							
1 7244.68	45.92	-22.38	68.30	31.48	36.70	12.65	35.91	301	343 Average	HORIZONTAL																																																																					



WIFI	U-NII 8 - 6875-7125MHz Band Edge @ 3m																																																																										
ANT	802.11ax HE20 Partial 106/54 CH229 7095MHz																																																																										
1+2	Vertical	Fundamental																																																																									
<p>Peak</p>	<p>No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 032805-KS Condition : WiFi @ PEAK @ 3117.00218652 VERTICAL Project : RSM-1000.000MHz VBR-3000.000kHz SRT-Auto Mode : FR192317 Plane : Y Antenna : Full-directivity JMEI : #12 PowerSetting : #1.5 Adaptor:2USB 1</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7158.92</td> <td>56.61</td> <td>-31.69</td> <td>88.30</td> <td>42.21</td> <td>36.74</td> <td>13.57</td> <td>35.91</td> <td>100</td> <td>26</td> <td>Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg	1	7158.92	56.61	-31.69	88.30	42.21	36.74	13.57	35.91	100	26	Peak	VERTICAL	<p>No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 032805-KS Condition : WiFi @ PEAK @ 3117.00218652 VERTICAL Project : RSM-1000.000MHz VBR-3000.000kHz SRT-Auto Mode : FR192317 Plane : Y Antenna : Full-directivity JMEI : #12 PowerSetting : #1.5 Adaptor:2USB 1</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7102.00</td> <td>99.75</td> <td>11.45</td> <td>88.30</td> <td>85.38</td> <td>36.74</td> <td>13.52</td> <td>35.91</td> <td>100</td> <td>26</td> <td>Peak</td> <td>VERTICAL</td> </tr> <tr> <td>2</td> <td>7102.00</td> <td>91.76</td> <td>23.46</td> <td>68.30</td> <td>77.39</td> <td>36.76</td> <td>13.52</td> <td>35.91</td> <td>100</td> <td>26</td> <td>Average</td> <td>VERTICAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg	1	7102.00	99.75	11.45	88.30	85.38	36.74	13.52	35.91	100	26	Peak	VERTICAL	2	7102.00	91.76	23.46	68.30	77.39	36.76	13.52	35.91	100	26	Average	VERTICAL
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																				
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																			
1	7158.92	56.61	-31.69	88.30	42.21	36.74	13.57	35.91	100	26	Peak	VERTICAL																																																															
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																				
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																			
1	7102.00	99.75	11.45	88.30	85.38	36.74	13.52	35.91	100	26	Peak	VERTICAL																																																															
2	7102.00	91.76	23.46	68.30	77.39	36.76	13.52	35.91	100	26	Average	VERTICAL																																																															
<p>Avg.</p>	<p>No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 032805-KS Condition : WiFi @ (AVG) @ 3117.00218652 VERTICAL Project : RSM-1000.000MHz VBR-3000.000kHz SRT-Auto Mode : FR192317 Plane : Y Antenna : Full-directivity JMEI : #12 PowerSetting : #1.5 Adaptor:2USB 1</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7244.20</td> <td>45.90</td> <td>-22.40</td> <td>68.30</td> <td>31.46</td> <td>36.70</td> <td>13.65</td> <td>35.91</td> <td>100</td> <td>26</td> <td>Average</td> <td>VERTICAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg	1	7244.20	45.90	-22.40	68.30	31.46	36.70	13.65	35.91	100	26	Average	VERTICAL	<p>Left blank</p>																																											
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																				
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																			
1	7244.20	45.90	-22.40	68.30	31.46	36.70	13.65	35.91	100	26	Average	VERTICAL																																																															



U-NII 8 - 6875-7125MHzMHz
WIFI 802.11ax HE40 Full (Band Edge @ 3m)

WIFI	U-NII 8 - 6875-7125MHz Band Edge @ 3m																																																																														
ANT	802.11ax HE40 Full CH227 7085MHz																																																																														
1+2	Horizontal	Fundamental																																																																													
Peak	<p>Site: 032005-KS Condition: WIFI 6E PEAK 3m 3117 00218652 HORIZONTAL Project: RRM 1000.000MHz VBR 3000.000MHz SWT:Auto Mode: FR1 192317 Plane: 02 Full-directivity MEI: 11.5 Powersetting: 11.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1 7125.00</td> <td>55.64</td> <td>-32.66</td> <td>88.30</td> <td>41.26</td> <td>36.75</td> <td>13.54</td> <td>35.91</td> <td>303</td> <td>349 Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Limit	Over	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg			1 7125.00	55.64	-32.66	88.30	41.26	36.75	13.54	35.91	303	349 Peak	HORIZONTAL	<p>Site: 032005-KS Condition: WIFI 6E PEAK 3m 3117 00218652 HORIZONTAL Project: RRM 1000.000MHz VBR 3000.000MHz SWT:Auto Mode: FR1 192317 Plane: 02 Full-directivity MEI: 11.5 Powersetting: 11.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1 * 7093.00</td> <td>99.78</td> <td>11.48</td> <td>88.30</td> <td>85.42</td> <td>36.77</td> <td>13.50</td> <td>35.91</td> <td>303</td> <td>349 Peak</td> <td>HORIZONTAL</td> </tr> <tr> <td>2 * 7092.00</td> <td>92.72</td> <td>24.42</td> <td>68.30</td> <td>78.36</td> <td>36.77</td> <td>13.50</td> <td>35.91</td> <td>303</td> <td>349 Average</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Limit	Over	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg			1 * 7093.00	99.78	11.48	88.30	85.42	36.77	13.50	35.91	303	349 Peak	HORIZONTAL	2 * 7092.00	92.72	24.42	68.30	78.36	36.77	13.50	35.91	303	349 Average	HORIZONTAL
Freq	Level	Limit	Over	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																					
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg																																																																							
1 7125.00	55.64	-32.66	88.30	41.26	36.75	13.54	35.91	303	349 Peak	HORIZONTAL																																																																					
Freq	Level	Limit	Over	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																					
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg																																																																							
1 * 7093.00	99.78	11.48	88.30	85.42	36.77	13.50	35.91	303	349 Peak	HORIZONTAL																																																																					
2 * 7092.00	92.72	24.42	68.30	78.36	36.77	13.50	35.91	303	349 Average	HORIZONTAL																																																																					
Avg.	<p>Site: 032005-KS Condition: WIFI 6E(AVG) 3m 3117 00218652 HORIZONTAL Project: RRM 1000.000MHz VBR 0.010MHz SWT:Auto Mode: FR1 192317 Plane: 02 Full-directivity MEI: 11.5 Powersetting: 11.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1 7125.00</td> <td>46.10</td> <td>-22.20</td> <td>68.30</td> <td>31.72</td> <td>36.75</td> <td>13.54</td> <td>35.91</td> <td>303</td> <td>349 Average</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Limit	Over	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg			1 7125.00	46.10	-22.20	68.30	31.72	36.75	13.54	35.91	303	349 Average	HORIZONTAL	Left blank																																												
Freq	Level	Limit	Over	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																					
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg																																																																							
1 7125.00	46.10	-22.20	68.30	31.72	36.75	13.54	35.91	303	349 Average	HORIZONTAL																																																																					



WIFI	U-NII 8 - 6875-7125MHz Band Edge @ 3m																																																																																										
ANT	802.11ax HE40 Full H227 7085MHz																																																																																										
1+2	Vertical	Fundamental																																																																																									
<p>Peak</p>	<p>No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 032805-KS Condition : WIFI 6E PEAK 3m 3117.00218652 VERTICAL Project : RSM-1000.0000MHz VBR-3000.0000MHz SRT-Auto Mode : (FR)192317 Plane : Y Antenna : Full-directivity JME1 : 81 Powersetting : 11.5 Adaptor:2USB 1</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>cm</th> <th>deg</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7125.00</td> <td>57.18</td> <td>-31.12</td> <td>88.30</td> <td>42.80</td> <td>36.75</td> <td>13.54</td> <td>35.91</td> <td>100</td> <td>22</td> <td>Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Freq	Level	Line	Level Factor	Loss Factor	cm	deg		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg	1	7125.00	57.18	-31.12	88.30	42.80	36.75	13.54	35.91	100	22	Peak	VERTICAL	<p>No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 032805-KS Condition : WIFI 6E PEAK 3m 3117.00218652 VERTICAL Project : RSM-1000.0000MHz VBR-3000.0000MHz SRT-Auto Mode : (FR)192317 Plane : Y Antenna : Full-directivity JME1 : 81 Powersetting : 11.5 Adaptor:2USB 1</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>cm</th> <th>deg</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7089.00</td> <td>101.71</td> <td>11.41</td> <td>88.30</td> <td>87.35</td> <td>36.77</td> <td>13.50</td> <td>35.91</td> <td>100</td> <td>22</td> <td>Peak</td> <td>VERTICAL</td> </tr> <tr> <td>2</td> <td>7095.00</td> <td>72.35</td> <td>24.05</td> <td>68.30</td> <td>77.99</td> <td>26.77</td> <td>13.50</td> <td>35.91</td> <td>100</td> <td>22</td> <td>Average</td> <td>VERTICAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Freq	Level	Line	Level Factor	Loss Factor	cm	deg		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg	1	7089.00	101.71	11.41	88.30	87.35	36.77	13.50	35.91	100	22	Peak	VERTICAL	2	7095.00	72.35	24.05	68.30	77.99	26.77	13.50	35.91	100	22	Average	VERTICAL
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																				
Freq	Level	Line	Level Factor	Loss Factor	cm	deg																																																																																					
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																																			
1	7125.00	57.18	-31.12	88.30	42.80	36.75	13.54	35.91	100	22	Peak	VERTICAL																																																																															
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																				
Freq	Level	Line	Level Factor	Loss Factor	cm	deg																																																																																					
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																																			
1	7089.00	101.71	11.41	88.30	87.35	36.77	13.50	35.91	100	22	Peak	VERTICAL																																																																															
2	7095.00	72.35	24.05	68.30	77.99	26.77	13.50	35.91	100	22	Average	VERTICAL																																																																															
<p>Avg.</p>	<p>No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 032805-KS Condition : WIFI 6E (AVG) 3m 3117.00218652 VERTICAL Project : RSM-1000.0000MHz VBR-3000.0000MHz SRT-Auto Mode : (FR)192317 Plane : Y Antenna : Full-directivity JME1 : 81 Powersetting : 11.5 Adaptor:2USB 1</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>cm</th> <th>deg</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7125.00</td> <td>46.08</td> <td>-22.22</td> <td>68.30</td> <td>31.70</td> <td>36.75</td> <td>13.54</td> <td>35.91</td> <td>100</td> <td>22</td> <td>Average</td> <td>VERTICAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Freq	Level	Line	Level Factor	Loss Factor	cm	deg		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg	1	7125.00	46.08	-22.22	68.30	31.70	36.75	13.54	35.91	100	22	Average	VERTICAL	<p>Left blank</p>																																																			
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																				
Freq	Level	Line	Level Factor	Loss Factor	cm	deg																																																																																					
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																																			
1	7125.00	46.08	-22.22	68.30	31.70	36.75	13.54	35.91	100	22	Average	VERTICAL																																																																															



U-NII 8 - 6875-7125MHzMHz
WIFI 802.11ax HE40 Partial 242 (Band Edge @ 3m)

WIFI	U-NII 8 - 6875-7125MHz Band Edge @ 3m																																																																																	
ANT	802.11ax HE40 Partial 242/62 H227 7085MHz																																																																																	
1+2	Horizontal	Fundamental																																																																																
Peak	<p>Site: 032005-KS Condition: WIFI 8E PEAK 3m 3117 00218652 HORIZONTAL Project: RRM 1000 0000Hz VBR 3000 0000Hz SWT:Auto Mode: (FR) 192317 Plane: 03 Full-directivity IPE1: #17 Powersetting: #1</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7226.28</td> <td>56.99</td> <td>-31.31</td> <td>88.30</td> <td>42.55</td> <td>36.71</td> <td>13.64</td> <td>35.91</td> <td>300</td> <td>343 Peak</td> <td>HORI20MT</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg			1	7226.28	56.99	-31.31	88.30	42.55	36.71	13.64	35.91	300	343 Peak	HORI20MT	<p>Site: 032005-KS Condition: WIFI 8E PEAK 3m 3117 00218652 HORIZONTAL Project: RRM 1000 0000Hz VBR 3000 0000Hz SWT:Auto Mode: (FR) 192317 Plane: 03 Full-directivity IPE1: #17 Powersetting: #1</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1 *</td> <td>7102.00</td> <td>98.50</td> <td>9.70</td> <td>88.30</td> <td>83.63</td> <td>36.76</td> <td>13.52</td> <td>35.91</td> <td>300</td> <td>343 Peak</td> <td>HORI20MT</td> </tr> <tr> <td>2 *</td> <td>7102.00</td> <td>89.69</td> <td>21.39</td> <td>68.30</td> <td>75.32</td> <td>36.76</td> <td>13.52</td> <td>35.91</td> <td>300</td> <td>343 Average</td> <td>HORI20MT</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg			1 *	7102.00	98.50	9.70	88.30	83.63	36.76	13.52	35.91	300	343 Peak	HORI20MT	2 *	7102.00	89.69	21.39	68.30	75.32	36.76	13.52	35.91	300	343 Average	HORI20MT
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																								
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg																																																																										
1	7226.28	56.99	-31.31	88.30	42.55	36.71	13.64	35.91	300	343 Peak	HORI20MT																																																																							
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																								
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg																																																																										
1 *	7102.00	98.50	9.70	88.30	83.63	36.76	13.52	35.91	300	343 Peak	HORI20MT																																																																							
2 *	7102.00	89.69	21.39	68.30	75.32	36.76	13.52	35.91	300	343 Average	HORI20MT																																																																							
Avg.	<p>Site: 032005-KS Condition: WIFI 8E(AVG) 3m 3117 00218652 HORIZONTAL Project: RRM 1000 0000Hz VBR 0.0100Hz SWT:Auto Mode: (FR) 192317 Plane: T Full-directivity IPE1: #17 Powersetting: #1</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7221.72</td> <td>45.92</td> <td>-22.38</td> <td>68.30</td> <td>31.49</td> <td>36.72</td> <td>13.62</td> <td>35.91</td> <td>300</td> <td>343 Average</td> <td>HORI20MT</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg			1	7221.72	45.92	-22.38	68.30	31.49	36.72	13.62	35.91	300	343 Average	HORI20MT	Left blank																																														
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																								
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg																																																																										
1	7221.72	45.92	-22.38	68.30	31.49	36.72	13.62	35.91	300	343 Average	HORI20MT																																																																							



WIFI	U-NII 8 - 6875-7125MHz Band Edge @ 3m																																																																										
ANT	802.11ax HE40 Partial 242/62 H227 7085MHz																																																																										
1+2	Vertical	Fundamental																																																																									
<p>Peak</p>	<p>No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 032805-KS Condition : WIFI HE PEAK 3m 3117.00218652 VERTICAL Project : RSM-1000.000MHz VBR-3000.000MHz SRT-Auto FR192317 Mode : Y Plane : 63 Full-directivity IMEI : 817 PowerSetting : 0 Adaptor:2+USB 1</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7203.72</td> <td>57.26</td> <td>-31.04</td> <td>88.30</td> <td>42.83</td> <td>36.72</td> <td>13.62</td> <td>35.91</td> <td>100</td> <td>24</td> <td>Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg	1	7203.72	57.26	-31.04	88.30	42.83	36.72	13.62	35.91	100	24	Peak	VERTICAL	<p>No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 032805-KS Condition : WIFI HE PEAK 3m 3117.00218652 VERTICAL Project : RSM-1000.000MHz VBR-3000.000MHz SRT-Auto FR192317 Mode : Y Plane : 63 Full-directivity IMEI : 817 PowerSetting : 0 Adaptor:2+USB 1</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7102.00</td> <td>97.90</td> <td>-9.60</td> <td>88.30</td> <td>83.53</td> <td>36.76</td> <td>13.52</td> <td>35.91</td> <td>100</td> <td>24</td> <td>Peak</td> <td>VERTICAL</td> </tr> <tr> <td>2</td> <td>7102.00</td> <td>89.81</td> <td>-21.54</td> <td>68.30</td> <td>75.47</td> <td>26.76</td> <td>13.52</td> <td>35.91</td> <td>100</td> <td>24</td> <td>Average</td> <td>VERTICAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg	1	7102.00	97.90	-9.60	88.30	83.53	36.76	13.52	35.91	100	24	Peak	VERTICAL	2	7102.00	89.81	-21.54	68.30	75.47	26.76	13.52	35.91	100	24	Average	VERTICAL
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																				
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																			
1	7203.72	57.26	-31.04	88.30	42.83	36.72	13.62	35.91	100	24	Peak	VERTICAL																																																															
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																				
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																			
1	7102.00	97.90	-9.60	88.30	83.53	36.76	13.52	35.91	100	24	Peak	VERTICAL																																																															
2	7102.00	89.81	-21.54	68.30	75.47	26.76	13.52	35.91	100	24	Average	VERTICAL																																																															
<p>Avg.</p>	<p>No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 032805-KS Condition : WIFI HE (AVG) 3m 3117.00218652 VERTICAL Project : RSM-1000.000MHz VBR-3000.000MHz SRT-Auto FR192317 Mode : Y Plane : 63 Full-directivity IMEI : 817 PowerSetting : 0 Adaptor:2+USB 1</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7213.32</td> <td>45.91</td> <td>-22.39</td> <td>68.30</td> <td>31.48</td> <td>36.72</td> <td>13.62</td> <td>35.91</td> <td>100</td> <td>24</td> <td>Average</td> <td>VERTICAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg	1	7213.32	45.91	-22.39	68.30	31.48	36.72	13.62	35.91	100	24	Average	VERTICAL	<p>Left blank</p>																																											
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																				
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																			
1	7213.32	45.91	-22.39	68.30	31.48	36.72	13.62	35.91	100	24	Average	VERTICAL																																																															



U-NII 8 - 6875-7125MHzMHz
WIFI 802.11ax HE80 Full (Band Edge @ 3m)

WIFI	U-NII 8 - 6875-7125MHz Band Edge @ 3m																																																																														
ANT	802.11ax HE80 Full CH215 7025MHz																																																																														
1+2	Horizontal	Fundamental																																																																													
Peak	<p>Site: 032005-KS Condition: WIFI 6E PEAK 3m 3117 00218652 HORIZONTAL Project: RRF 1000.000KHz VBR 3000.000KHz SWT:Auto Mode: FR1 192317 Plane: 05 Antenna: Full-directivity IMN1: #1 Powersetting: #1</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1 7125.00</td> <td>53.98</td> <td>-34.32</td> <td>88.30</td> <td>39.40</td> <td>36.75</td> <td>13.54</td> <td>35.91</td> <td>109</td> <td>47 Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg			1 7125.00	53.98	-34.32	88.30	39.40	36.75	13.54	35.91	109	47 Peak	HORIZONTAL	<p>Site: 032005-KS Condition: WIFI 6E PEAK 3m 3117 00218652 HORIZONTAL Project: RRF 1000.000KHz VBR 3000.000KHz SWT:Auto Mode: FR1 192317 Plane: 05 Antenna: Full-directivity IMN1: #1 Powersetting: #1</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1 * 7003.00</td> <td>99.08</td> <td>10.78</td> <td>88.30</td> <td>84.77</td> <td>36.80</td> <td>13.42</td> <td>35.91</td> <td>109</td> <td>47 Peak</td> <td>HORIZONTAL</td> </tr> <tr> <td>2 * 7003.00</td> <td>91.70</td> <td>23.40</td> <td>68.30</td> <td>77.39</td> <td>36.80</td> <td>13.42</td> <td>35.91</td> <td>109</td> <td>47 Average</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg			1 * 7003.00	99.08	10.78	88.30	84.77	36.80	13.42	35.91	109	47 Peak	HORIZONTAL	2 * 7003.00	91.70	23.40	68.30	77.39	36.80	13.42	35.91	109	47 Average	HORIZONTAL
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																					
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg																																																																							
1 7125.00	53.98	-34.32	88.30	39.40	36.75	13.54	35.91	109	47 Peak	HORIZONTAL																																																																					
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																					
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg																																																																							
1 * 7003.00	99.08	10.78	88.30	84.77	36.80	13.42	35.91	109	47 Peak	HORIZONTAL																																																																					
2 * 7003.00	91.70	23.40	68.30	77.39	36.80	13.42	35.91	109	47 Average	HORIZONTAL																																																																					
Avg.	<p>Site: 032005-KS Condition: WIFI 6E (AVG) 3m 3117 00218652 HORIZONTAL Project: RRF 1000.000KHz VBR 0.010KHz SWT:Auto Mode: FR1 192317 Plane: 05 Antenna: Full-directivity IMN1: #1 Powersetting: #1</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1 7125.00</td> <td>46.40</td> <td>-21.90</td> <td>68.30</td> <td>32.02</td> <td>36.75</td> <td>13.54</td> <td>35.91</td> <td>109</td> <td>47 Average</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg			1 7125.00	46.40	-21.90	68.30	32.02	36.75	13.54	35.91	109	47 Average	HORIZONTAL	Left blank																																												
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																					
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg																																																																							
1 7125.00	46.40	-21.90	68.30	32.02	36.75	13.54	35.91	109	47 Average	HORIZONTAL																																																																					



WIFI	U-NII 8 - 6875-7125MHz Band Edge @ 3m																																																																							
ANT	802.11ax HE80 Full CH215 7025MHz																																																																							
1+2	Vertical	Fundamental																																																																						
<p>Peak</p>	<p>No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 032905-KS Condition : WIFI HE PEAK 3m 3117.00218652 VERTICAL Project : RSM-1000.000MHz VBR-3000.000MHz SRT-Auto Mode : FR192317 Plane : Y PowerSetting : Full-directivity JMEI : 14 Adaptor2:USB 1</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Poi/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>7127.24</td> <td>56.73</td> <td>-31.57</td> <td>88.30</td> <td>42.35</td> <td>36.75</td> <td>13.54</td> <td>35.91</td> <td>101</td> <td>15 Peak VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Poi/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		7127.24	56.73	-31.57	88.30	42.35	36.75	13.54	35.91	101	15 Peak VERTICAL	<p>No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 032905-KS Condition : WIFI HE PEAK 3m 3117.00218652 VERTICAL Project : RSM-1000.000MHz VBR-3000.000MHz SRT-Auto Mode : FR192317 Plane : Y PowerSetting : Full-directivity JMEI : 14 Adaptor2:USB 1</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Poi/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>7021.00</td> <td>102.28</td> <td>13.98</td> <td>88.30</td> <td>87.96</td> <td>36.75</td> <td>13.44</td> <td>35.91</td> <td>101</td> <td>15 Peak VERTICAL</td> </tr> <tr> <td>7021.00</td> <td>73.12</td> <td>24.82</td> <td>68.30</td> <td>78.80</td> <td>36.75</td> <td>13.44</td> <td>35.91</td> <td>101</td> <td>15 Average VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Poi/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		7021.00	102.28	13.98	88.30	87.96	36.75	13.44	35.91	101	15 Peak VERTICAL	7021.00	73.12	24.82	68.30	78.80	36.75	13.44	35.91	101	15 Average VERTICAL
Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Poi/Phas																																																															
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																
7127.24	56.73	-31.57	88.30	42.35	36.75	13.54	35.91	101	15 Peak VERTICAL																																																															
Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Poi/Phas																																																															
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																
7021.00	102.28	13.98	88.30	87.96	36.75	13.44	35.91	101	15 Peak VERTICAL																																																															
7021.00	73.12	24.82	68.30	78.80	36.75	13.44	35.91	101	15 Average VERTICAL																																																															
<p>Avg.</p>	<p>No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 032905-KS Condition : WIFI HE (AVG) 3m 3117.00218652 VERTICAL Project : RSM-1000.000MHz VBR-3000.000MHz SRT-Auto Mode : FR192317 Plane : Y PowerSetting : Full-directivity JMEI : 14 Adaptor2:USB 1</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Poi/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>7128.04</td> <td>46.52</td> <td>-21.78</td> <td>68.30</td> <td>32.14</td> <td>36.75</td> <td>13.54</td> <td>35.91</td> <td>101</td> <td>15 Average VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Poi/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		7128.04	46.52	-21.78	68.30	32.14	36.75	13.54	35.91	101	15 Average VERTICAL	<p>Left blank</p>																																								
Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Poi/Phas																																																															
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																
7128.04	46.52	-21.78	68.30	32.14	36.75	13.54	35.91	101	15 Average VERTICAL																																																															



U-NII 8 - 6875-7125MHz
WIFI 802.11ax HE80 Partial 484 (Band Edge @ 3m)




WIFI	U-NII 8 - 6875-7125MHz Band Edge @ 3m																																																																														
ANT	802.11ax HE80 Partial 484/66 CH215 7025MHz																																																																														
1+2	Horizontal	Fundamental																																																																													
Peak	<p>Site: 032005-KS Condition: WIFI 8E PEAK 3m 3117 00218652 HORIZONTAL Project: FR192317 Mode: 00 Plane: 0 Full-directivity IPE1: 0 Powersetting: 0</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1 7144.36</td> <td>55.84</td> <td>-32.46</td> <td>88.30</td> <td>41.46</td> <td>36.74</td> <td>13.55</td> <td>35.91</td> <td>303</td> <td>346 Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg			1 7144.36	55.84	-32.46	88.30	41.46	36.74	13.55	35.91	303	346 Peak	HORIZONTAL	<p>Site: 032005-KS Condition: WIFI 8E PEAK 3m 3117 00218652 HORIZONTAL Project: FR192317 Mode: 00 Plane: 0 Full-directivity IPE1: 0 Powersetting: 0</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1 * 7048.00</td> <td>95.44</td> <td>7.16</td> <td>88.30</td> <td>81.12</td> <td>36.78</td> <td>13.47</td> <td>35.91</td> <td>303</td> <td>346 Peak</td> <td>HORIZONTAL</td> </tr> <tr> <td>2 * 7048.00</td> <td>86.37</td> <td>18.07</td> <td>88.30</td> <td>72.03</td> <td>36.78</td> <td>13.47</td> <td>35.91</td> <td>303</td> <td>346 Average</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg			1 * 7048.00	95.44	7.16	88.30	81.12	36.78	13.47	35.91	303	346 Peak	HORIZONTAL	2 * 7048.00	86.37	18.07	88.30	72.03	36.78	13.47	35.91	303	346 Average	HORIZONTAL
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																					
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg																																																																							
1 7144.36	55.84	-32.46	88.30	41.46	36.74	13.55	35.91	303	346 Peak	HORIZONTAL																																																																					
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																					
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg																																																																							
1 * 7048.00	95.44	7.16	88.30	81.12	36.78	13.47	35.91	303	346 Peak	HORIZONTAL																																																																					
2 * 7048.00	86.37	18.07	88.30	72.03	36.78	13.47	35.91	303	346 Average	HORIZONTAL																																																																					
Avg.	<p>Site: 032005-KS Condition: WIFI 8E(AVG) 3m 3117 00218652 HORIZONTAL Project: FR192317 Mode: 00 Plane: 0 Full-directivity IPE1: 0 Powersetting: 0</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1 7111.88</td> <td>45.74</td> <td>-22.56</td> <td>68.30</td> <td>31.36</td> <td>36.75</td> <td>12.54</td> <td>35.91</td> <td>303</td> <td>346 Average</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg			1 7111.88	45.74	-22.56	68.30	31.36	36.75	12.54	35.91	303	346 Average	HORIZONTAL	Left blank																																												
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																					
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg																																																																							
1 7111.88	45.74	-22.56	68.30	31.36	36.75	12.54	35.91	303	346 Average	HORIZONTAL																																																																					





WIFI	U-NII 8 - 6875-7125MHz Band Edge @ 3m																																																																												
ANT	802.11ax HE80 Partial 484/66 CH215 7025MHz																																																																												
1+2	Vertical	Fundamental																																																																											
Peak	<p>No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 032905-KS Condition : WiFi HE PEAK @ 3117.00018652 VERTICAL Project : RSM-1000.0000kHz VBR-3000.000kHz SRT-Auto Mode : (FR)192317 Plane : Y Antenna : Full-directivity JMEI : #17 Powersetting : # Adaptor:2+USB 1</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7131.24</td> <td>55.47</td> <td>-32.83</td> <td>88.30</td> <td>41.09</td> <td>36.74</td> <td>13.55</td> <td>35.91</td> <td>193</td> <td>300</td> <td>Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg	1	7131.24	55.47	-32.83	88.30	41.09	36.74	13.55	35.91	193	300	Peak	VERTICAL	<p>No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 032905-KS Condition : WiFi HE PEAK @ 3117.00018652 VERTICAL Project : RSM-1000.0000kHz VBR-3000.000kHz SRT-Auto Mode : (FR)192317 Plane : Y Antenna : Full-directivity JMEI : #17 Powersetting : # Adaptor:2+USB 1</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7048.00</td> <td>94.91</td> <td>6.64</td> <td>88.30</td> <td>80.60</td> <td>36.78</td> <td>13.47</td> <td>35.91</td> <td>193</td> <td>300</td> <td>Peak</td> <td>VERTICAL</td> </tr> <tr> <td>2</td> <td>7048.00</td> <td>86.76</td> <td>18.60</td> <td>68.30</td> <td>72.61</td> <td>36.78</td> <td>13.47</td> <td>35.91</td> <td>193</td> <td>300</td> <td>Average</td> <td>VERTICAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg	1	7048.00	94.91	6.64	88.30	80.60	36.78	13.47	35.91	193	300	Peak	VERTICAL	2	7048.00	86.76	18.60	68.30	72.61	36.78	13.47	35.91	193	300	Average	VERTICAL
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																					
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																					
1	7131.24	55.47	-32.83	88.30	41.09	36.74	13.55	35.91	193	300	Peak	VERTICAL																																																																	
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																					
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																					
1	7048.00	94.91	6.64	88.30	80.60	36.78	13.47	35.91	193	300	Peak	VERTICAL																																																																	
2	7048.00	86.76	18.60	68.30	72.61	36.78	13.47	35.91	193	300	Average	VERTICAL																																																																	
Avg.	<p>No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 032905-KS Condition : WiFi HE (AVG) @ 3117.00018652 VERTICAL Project : RSM-1000.0000kHz VBR-3000.000kHz SRT-Auto Mode : (FR)192317 Plane : Y Antenna : Full-directivity JMEI : #17 Powersetting : # Adaptor:2+USB 1</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7110.92</td> <td>45.68</td> <td>-22.62</td> <td>68.30</td> <td>31.31</td> <td>36.76</td> <td>13.52</td> <td>35.91</td> <td>193</td> <td>300</td> <td>Average</td> <td>VERTICAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg	1	7110.92	45.68	-22.62	68.30	31.31	36.76	13.52	35.91	193	300	Average	VERTICAL	Left blank																																												
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																					
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																					
1	7110.92	45.68	-22.62	68.30	31.31	36.76	13.52	35.91	193	300	Average	VERTICAL																																																																	



U-NII 8 - 6875-7125MHz
WIFI 802.11ax HE160 Full (Band Edge @ 3m)

WIFI	U-NII 8 - 6875-7125MHz Band Edge @ 3m	
ANT	802.11ax HE160 Full CH207 6985MHz	
1+2	Horizontal	Fundamental
Peak	 <p>Site: No. 1088, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Data: 7 Level (dBuV/m)</p> <p>Site: No. 1088, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Data: 9 Level (dBuV/m)</p>	 <p>Site: No. 1088, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Data: 9 Level (dBuV/m)</p>
Avg.	 <p>Site: No. 1088, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Data: 8 Level (dBuV/m)</p>	Left blank



WIFI	U-NII 8 - 6875-7125MHz Band Edge @ 3m																																																																													
ANT	802.11ax HE160 Full CH207 6985MHz																																																																													
1+2	Vertical	Fundamental																																																																												
<p>Peak</p>	 <p>No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 03CB05-85 Condition : WIFI 6E PEAK 3m 3117 00218652 VERTICAL Project : RFW 1000.000MHz YEW 3000.000MHz SPT Auto File : FR192317 Plane : 07 Polar : Full-directivity IMEI : 81 Powersetting : 13 Adaptor:2H2B 1</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBm</th> <th>dB</th> <th>dBm</th> <th>dBm</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7126.44</td> <td>56.15</td> <td>-32.15</td> <td>88.30</td> <td>41.77</td> <td>36.75</td> <td>13.54</td> <td>35.91</td> <td>133</td> <td>6 Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm	dB	dBm	dBm	dB	cm	deg			1	7126.44	56.15	-32.15	88.30	41.77	36.75	13.54	35.91	133	6 Peak	VERTICAL	 <p>No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 03CB05-85 Condition : WIFI 6E PEAK 3m 3117 00218652 VERTICAL Project : RFW 1000.000MHz YEW 3000.000MHz SPT Auto File : FR192317 Plane : 07 Polar : Full-directivity IMEI : 81 Powersetting : 13 Adaptor:2H2B 1</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBm</th> <th>dB</th> <th>dBm</th> <th>dBm</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1 *</td> <td>6958.00</td> <td>88.78</td> <td>18.40</td> <td>88.30</td> <td>84.55</td> <td>36.58</td> <td>13.37</td> <td>35.88</td> <td>133</td> <td>6 Peak</td> <td>VERTICAL</td> </tr> <tr> <td>2 *</td> <td>6958.00</td> <td>88.77</td> <td>20.47</td> <td>68.30</td> <td>74.62</td> <td>36.58</td> <td>13.37</td> <td>35.88</td> <td>133</td> <td>6 Average</td> <td>VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm	dB	dBm	dBm	dB	cm	deg			1 *	6958.00	88.78	18.40	88.30	84.55	36.58	13.37	35.88	133	6 Peak	VERTICAL	2 *	6958.00	88.77	20.47	68.30	74.62	36.58	13.37	35.88	133	6 Average	VERTICAL
Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																					
MHz	dBm	dB	dBm	dBm	dB	cm	deg																																																																							
1	7126.44	56.15	-32.15	88.30	41.77	36.75	13.54	35.91	133	6 Peak	VERTICAL																																																																			
Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																					
MHz	dBm	dB	dBm	dBm	dB	cm	deg																																																																							
1 *	6958.00	88.78	18.40	88.30	84.55	36.58	13.37	35.88	133	6 Peak	VERTICAL																																																																			
2 *	6958.00	88.77	20.47	68.30	74.62	36.58	13.37	35.88	133	6 Average	VERTICAL																																																																			
<p>Avg.</p>	 <p>No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 03CB05-85 Condition : WIFI 6E (AVG) 3m 3117 00218652 VERTICAL Project : RFW 1000.000MHz YEW 3000.000MHz SPT Auto File : FR192317 Plane : 07 Polar : Full-directivity IMEI : 81 Powersetting : 13 Adaptor:2H2B 1</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBm</th> <th>dB</th> <th>dBm</th> <th>dBm</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7126.76</td> <td>47.16</td> <td>-21.14</td> <td>68.30</td> <td>32.78</td> <td>36.75</td> <td>13.54</td> <td>35.91</td> <td>133</td> <td>6 Average</td> <td>VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm	dB	dBm	dBm	dB	cm	deg			1	7126.76	47.16	-21.14	68.30	32.78	36.75	13.54	35.91	133	6 Average	VERTICAL	<p>Left blank</p>																																												
Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																					
MHz	dBm	dB	dBm	dBm	dB	cm	deg																																																																							
1	7126.76	47.16	-21.14	68.30	32.78	36.75	13.54	35.91	133	6 Average	VERTICAL																																																																			



U-NII 8 - 6875-7125MHz
WIFI 802.11ax HE160 Partial 996 (Band Edge @ 3m)

WIFI	U-NII 8 - 6875-7125MHz Band Edge @ 3m																																																																																	
ANT	802.11ax HE160 Partial 996/S67 CH207 6985MHz																																																																																	
1+2	Horizontal	Fundamental																																																																																
Peak	<p>Site: 032005-KS Condition: WIFI 6E PEAK 3m 3117 00218652 HORIZONTAL Project: RRM 1000.000KHz VBR 3000.000KHz SWT:Auto Mode: FR192317 Plane: 00 Full-directivity MEI: 0 Powersetting: 6.5 Adapter: HSB 1</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7133.80</td> <td>57.34</td> <td>-30.96</td> <td>88.30</td> <td>42.96</td> <td>36.74</td> <td>13.55</td> <td>35.91</td> <td>309</td> <td>347 Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg			1	7133.80	57.34	-30.96	88.30	42.96	36.74	13.55	35.91	309	347 Peak	HORIZONTAL	<p>Site: 032005-KS Condition: WIFI 6E PEAK 3m 3117 00218652 HORIZONTAL Project: RRM 1000.000KHz VBR 3000.000KHz SWT:Auto Mode: FR192317 Plane: 00 Full-directivity MEI: 0 Powersetting: 6.5 Adapter: HSB 1</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7057.00</td> <td>92.81</td> <td>4.51</td> <td>88.30</td> <td>78.47</td> <td>36.78</td> <td>13.47</td> <td>35.91</td> <td>309</td> <td>347 Peak</td> <td>HORIZONTAL</td> </tr> <tr> <td>2</td> <td>7057.00</td> <td>83.47</td> <td>15.17</td> <td>68.30</td> <td>69.13</td> <td>36.78</td> <td>13.47</td> <td>35.91</td> <td>309</td> <td>347 Average</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg			1	7057.00	92.81	4.51	88.30	78.47	36.78	13.47	35.91	309	347 Peak	HORIZONTAL	2	7057.00	83.47	15.17	68.30	69.13	36.78	13.47	35.91	309	347 Average	HORIZONTAL
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																								
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg																																																																										
1	7133.80	57.34	-30.96	88.30	42.96	36.74	13.55	35.91	309	347 Peak	HORIZONTAL																																																																							
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																								
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg																																																																										
1	7057.00	92.81	4.51	88.30	78.47	36.78	13.47	35.91	309	347 Peak	HORIZONTAL																																																																							
2	7057.00	83.47	15.17	68.30	69.13	36.78	13.47	35.91	309	347 Average	HORIZONTAL																																																																							
Avg.	<p>Site: 032005-KS Condition: WIFI 6E(AVG) 3m 3117 00218652 HORIZONTAL Project: RRM 1000.000KHz VBR 0.010KHz SWT:Auto Mode: FR192317 Plane: T Full-directivity MEI: 0 Powersetting: 6.5 Adapter: HSB 1</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7214.44</td> <td>45.84</td> <td>-22.46</td> <td>68.30</td> <td>31.40</td> <td>36.71</td> <td>12.64</td> <td>35.91</td> <td>309</td> <td>347 Average</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg			1	7214.44	45.84	-22.46	68.30	31.40	36.71	12.64	35.91	309	347 Average	HORIZONTAL	Left blank																																														
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																								
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg																																																																										
1	7214.44	45.84	-22.46	68.30	31.40	36.71	12.64	35.91	309	347 Average	HORIZONTAL																																																																							



WIFI	U-NII 8 - 6875-7125MHz Band Edge @ 3m																																																																							
ANT	802.11ax HE160 Partial 996/S67 CH207 6985MHz																																																																							
1+2	Vertical	Fundamental																																																																						
<p>Peak</p>	<p>Site : 032905-KS Condition : WIFI 6E PEAK 3m 3117 00218652 VERTICAL Project : RSM 1000 000kHz VBR 3000 000kHz SRT:Auto Mode : OFDM Plane : Y IWEI : Full-directivity Powersetting : #12 Adaptor:2USB 1</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>7192.84</td> <td>57.04</td> <td>-31.26</td> <td>88.30</td> <td>42.66</td> <td>36.74</td> <td>13.55</td> <td>35.91</td> <td>109</td> <td>13 Peak VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		7192.84	57.04	-31.26	88.30	42.66	36.74	13.55	35.91	109	13 Peak VERTICAL	<p>Site : 032905-KS Condition : WIFI 6E PEAK 3m 3117 00218652 HORIZONTAL Project : RSM 1000 000kHz VBR 3000 000kHz SRT:Auto Mode : OFDM Plane : Y IWEI : Full-directivity Powersetting : #12 Adaptor:2USB 1</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>7057.00</td> <td>92.81</td> <td>4.51</td> <td>88.30</td> <td>78.47</td> <td>36.78</td> <td>13.47</td> <td>35.91</td> <td>309</td> <td>347 Peak HORIZONTAL</td> </tr> <tr> <td>7057.00</td> <td>83.47</td> <td>15.17</td> <td>68.30</td> <td>69.13</td> <td>36.78</td> <td>13.47</td> <td>35.91</td> <td>309</td> <td>347 Average HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		7057.00	92.81	4.51	88.30	78.47	36.78	13.47	35.91	309	347 Peak HORIZONTAL	7057.00	83.47	15.17	68.30	69.13	36.78	13.47	35.91	309	347 Average HORIZONTAL
Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																															
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																
7192.84	57.04	-31.26	88.30	42.66	36.74	13.55	35.91	109	13 Peak VERTICAL																																																															
Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																															
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																
7057.00	92.81	4.51	88.30	78.47	36.78	13.47	35.91	309	347 Peak HORIZONTAL																																																															
7057.00	83.47	15.17	68.30	69.13	36.78	13.47	35.91	309	347 Average HORIZONTAL																																																															
<p>Avg.</p>	<p>Site : 032905-KS Condition : WIFI 6E (AVG) 3m 3117 00218652 VERTICAL Project : RSM 1000 000kHz VBR 0 010000 SRT:Auto Mode : OFDM Plane : Y IWEI : Full-directivity Powersetting : #12 Adaptor:2USB 1</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>7219.24</td> <td>45.91</td> <td>-22.39</td> <td>68.30</td> <td>31.47</td> <td>36.71</td> <td>13.64</td> <td>35.91</td> <td>109</td> <td>13 Average VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		7219.24	45.91	-22.39	68.30	31.47	36.71	13.64	35.91	109	13 Average VERTICAL	<p>Left blank</p>																																								
Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																															
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																
7219.24	45.91	-22.39	68.30	31.47	36.71	13.64	35.91	109	13 Average VERTICAL																																																															



U-NII 8 - 6875-7125MHzMHz
WIFI 802.11a (Harmonic @ 3m)

WIFI	U-NII 8 - 6875-7125MHz Harmonic @ 3m	
ANT	802.11a CH189 6895MHz	
1+2	Horizontal	Vertical
Peak Avg.	<p>Site : 03D05-KS Condition : WIFI 6E PEAK 3m 3117 00218652 HORIZONTAL Project : RSM 1000 5000Hz VBR 3000 000Hz SRT Auto Mode : FR192317 Plane : Y Full-directivity : Y IPE1 : 0 Powersetting : 0 Adapter2+USB 1 Over Limit ReadAttenua Cable Preamp A/Pos T/Pos Freq Level Limit Line Level Factor Loss Factor cm deg 1 13788.73 45.85 -42.45 88.30 46.71 39.87 19.35 60.08 300 0 Peak HORIZONTAL</p>	<p>Site : 03D05-KS Condition : WIFI 6E PEAK 3m 3117 00218653 VERTICAL Project : RSM 1000 5000Hz VBR 3000 000Hz SRT Auto Mode : FR192317 Plane : Y Full-directivity : Y IPE1 : 0 Powersetting : 0 Adapter2+USB 1 Over Limit ReadAttenua Cable Preamp A/Pos T/Pos Freq Level Limit Line Level Factor Loss Factor cm deg 1 13788.73 46.30 -42.00 88.30 47.16 39.87 19.35 60.08 100 360 Peak VERTICAL</p>
	<p>Site : 03D05-KS Condition : WIFI 6E PEAK 3m 3117 00218652 HORIZONTAL Project : RSM 1000 5000Hz VBR 3000 000Hz SRT Auto Mode : FR192317 Plane : Y Full-directivity : Y IPE1 : 0 Powersetting : 0 Adapter2+USB 1 Over Limit ReadAttenua Cable Preamp A/Pos T/Pos Freq Level Limit Line Level Factor Loss Factor cm deg 1 13788.73 45.85 -42.45 88.30 46.71 39.87 19.35 60.08 300 0 Peak HORIZONTAL</p>	<p>Site : 03D05-KS Condition : WIFI 6E PEAK 3m 3117 00218653 VERTICAL Project : RSM 1000 5000Hz VBR 3000 000Hz SRT Auto Mode : FR192317 Plane : Y Full-directivity : Y IPE1 : 0 Powersetting : 0 Adapter2+USB 1 Over Limit ReadAttenua Cable Preamp A/Pos T/Pos Freq Level Limit Line Level Factor Loss Factor cm deg 1 13788.73 46.30 -42.00 88.30 47.16 39.87 19.35 60.08 100 360 Peak VERTICAL</p>



WIFI	U-NII 8 - 6875-7125MHz Harmonic @ 3m																																																													
ANT	802.11a CH209 6995 MHz																																																													
1+2	Horizontal	Vertical																																																												
Peak Avg.	<p>No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 032905-KS Condition : WiFi @ PEAK @ 3117.00218652 HORIZONTAL Project : RRM-1000.000KHz VBR-3000.000KHz SRT-Auto Mode : FRS192317 Plane : Y Polarization : Full-directivity JMEI : #17 PowerSetting : 0 Adaptor:2+5dB 1</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>13988.98</td> <td>46.46</td> <td>-41.84</td> <td>88.30</td> <td>47.25</td> <td>39.71</td> <td>19.55</td> <td>60.05</td> <td>300</td> <td>0 Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	cm	deg		1	13988.98	46.46	-41.84	88.30	47.25	39.71	19.55	60.05	300	0 Peak	HORIZONTAL	<p>No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 032905-KS Condition : WiFi @ PEAK @ 3117.00218652 VERTICAL Project : RRM-1000.000KHz VBR-3000.000KHz SRT-Auto Mode : FRS192317 Plane : Y Polarization : Full-directivity JMEI : #17 PowerSetting : 0 Adaptor:2+5dB 1</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>13988.98</td> <td>46.61</td> <td>-41.69</td> <td>88.30</td> <td>47.40</td> <td>39.71</td> <td>19.55</td> <td>60.05</td> <td>100</td> <td>360 Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	cm	deg		1	13988.98	46.61	-41.69	88.30	47.40	39.71	19.55	60.05	100	360 Peak	VERTICAL
	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																					
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	cm	deg																																																							
1	13988.98	46.46	-41.84	88.30	47.25	39.71	19.55	60.05	300	0 Peak	HORIZONTAL																																																			
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																						
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	cm	deg																																																							
1	13988.98	46.61	-41.69	88.30	47.40	39.71	19.55	60.05	100	360 Peak	VERTICAL																																																			
	<p>No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 032905-KS Condition : WiFi @ PEAK @ 3117.00218652 HORIZONTAL Project : RRM-1000.000KHz VBR-3000.000KHz SRT-Auto Mode : FRS192317 Plane : Y Polarization : Full-directivity JMEI : #17 PowerSetting : 0 Adaptor:2+5dB 1</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>13988.98</td> <td>46.46</td> <td>-41.84</td> <td>88.30</td> <td>47.25</td> <td>39.71</td> <td>19.55</td> <td>60.05</td> <td>300</td> <td>0 Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	cm	deg		1	13988.98	46.46	-41.84	88.30	47.25	39.71	19.55	60.05	300	0 Peak	HORIZONTAL	<p>No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 032905-KS Condition : WiFi @ PEAK @ 3117.00218652 VERTICAL Project : RRM-1000.000KHz VBR-3000.000KHz SRT-Auto Mode : FRS192317 Plane : Y Polarization : Full-directivity JMEI : #17 PowerSetting : 0 Adaptor:2+5dB 1</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>13988.98</td> <td>46.61</td> <td>-41.69</td> <td>88.30</td> <td>47.40</td> <td>39.71</td> <td>19.55</td> <td>60.05</td> <td>100</td> <td>360 Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	cm	deg		1	13988.98	46.61	-41.69	88.30	47.40	39.71	19.55	60.05	100	360 Peak	VERTICAL
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																						
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	cm	deg																																																							
1	13988.98	46.46	-41.84	88.30	47.25	39.71	19.55	60.05	300	0 Peak	HORIZONTAL																																																			
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																						
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	cm	deg																																																							
1	13988.98	46.61	-41.69	88.30	47.40	39.71	19.55	60.05	100	360 Peak	VERTICAL																																																			



WIFI	U-NII 8 - 6875-7125MHz Harmonic @ 3m																																																													
ANT	802.11a CH229 7095 MHz																																																													
1+2	Horizontal	Vertical																																																												
Peak Avg.	<p>No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 032905-KS Condition : WIFI PEAK @ 3117 00218652 HORIZONTAL Project : RRM-1000 000KHz VBR-3000 000KHz SRT:Auto Mode : FRS192317 Plane : Y Polarization : Full-directivity JMEI : #17 PowerSetting : 9 Adaptor:4DB 1</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>14005.00</td> <td>45.80</td> <td>-42.50</td> <td>88.30</td> <td>46.58</td> <td>39.70</td> <td>19.57</td> <td>60.05</td> <td>300</td> <td>0 Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	cm	deg		1	14005.00	45.80	-42.50	88.30	46.58	39.70	19.57	60.05	300	0 Peak	HORIZONTAL	<p>No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 032905-KS Condition : WIFI PEAK @ 3117 00218653 VERTICAL Project : RRM-1000 000KHz VBR-3000 000KHz SRT:Auto Mode : FRS192317 Plane : Y Polarization : Full-directivity JMEI : #17 PowerSetting : 9 Adaptor:4DB 1</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>14005.00</td> <td>45.97</td> <td>-42.33</td> <td>88.30</td> <td>46.75</td> <td>39.70</td> <td>19.57</td> <td>60.05</td> <td>100</td> <td>360 Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	cm	deg		1	14005.00	45.97	-42.33	88.30	46.75	39.70	19.57	60.05	100	360 Peak	VERTICAL
	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																					
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	cm	deg																																																							
1	14005.00	45.80	-42.50	88.30	46.58	39.70	19.57	60.05	300	0 Peak	HORIZONTAL																																																			
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																						
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	cm	deg																																																							
1	14005.00	45.97	-42.33	88.30	46.75	39.70	19.57	60.05	100	360 Peak	VERTICAL																																																			



**U-NII 8 - 6875-7125MHz
WIFI 802.11ax HE20 Full (Harmonic @ 3m)**

WIFI	U-NII 8 - 6875-7125MHz Harmonic @ 3m																																																					
ANT	802.11ax HE20 Full CH189 6895MHz																																																					
1+2	Horizontal	Vertical																																																				
Peak Avg.	<p>Site : 032005-KS Condition : WIFI 8E PEAK 3m 3117 00218652 HORIZONTAL Project : R08-1000-0000MHz V08-3000-0000MHz CRT-Auto Mode : (FR)192317 Plane : H Polarization : Full-directivity ME1 : #1 Powersetting : 10</p> <table border="1"> <thead> <tr> <th>Over Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>deg</th> <th>deg</th> <th>deg</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>13788.73</td> <td>46.40</td> <td>-41.90</td> <td>88.30</td> <td>47.26</td> <td>39.87</td> <td>19.35</td> <td>60.08</td> <td>300</td> <td>0 Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Over Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	dB	dBuV/m	dB	deg	deg	deg	deg	1	13788.73	46.40	-41.90	88.30	47.26	39.87	19.35	60.08	300	0 Peak	HORIZONTAL	<p>Site : 032005-KS Condition : WIFI 8E PEAK 3m 3117 00218652 VERTICAL Project : R08-1000-0000MHz V08-3000-0000MHz CRT-Auto Mode : (FR)192317 Plane : V Polarization : Full-directivity ME1 : #1 Powersetting : 10</p> <table border="1"> <thead> <tr> <th>Over Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>deg</th> <th>deg</th> <th>deg</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>13788.73</td> <td>46.79</td> <td>-41.51</td> <td>88.30</td> <td>47.65</td> <td>39.87</td> <td>19.35</td> <td>60.08</td> <td>100</td> <td>360 Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Over Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	dB	dBuV/m	dB	deg	deg	deg	deg	1	13788.73	46.79	-41.51	88.30	47.65	39.87	19.35	60.08	100	360 Peak	VERTICAL
	Over Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																															
dB	dBuV/m	dB	deg	deg	deg	deg																																																
1	13788.73	46.40	-41.90	88.30	47.26	39.87	19.35	60.08	300	0 Peak	HORIZONTAL																																											
Over Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																
dB	dBuV/m	dB	deg	deg	deg	deg																																																
1	13788.73	46.79	-41.51	88.30	47.65	39.87	19.35	60.08	100	360 Peak	VERTICAL																																											



WIFI	U-NII 8 - 6875-7125MHz Harmonic @ 3m																																																													
ANT	802.11ax HE20 Full CH209 6995 MHz																																																													
1+2	Horizontal	Vertical																																																												
<p style="text-align: center;">Peak Avg.</p>	<p style="text-align: right; font-size: small;">No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p style="text-align: right; font-size: x-small;">Site : 032905-KS Condition : WIFI @ PEAK @ 3117.00218652 HORIZONTAL Project : R98-1000.000KHz VBR-3000.000KHz SRT:Auto Model : FR192317 Plane : Y Polarization : Full-directivity JMEI : 817 PowerSetting : 10 Adaptor:2+USB 1</p> <table border="1" style="width: 100%; font-size: x-small;"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>13988.98</td> <td>45.81</td> <td>-42.49</td> <td>88.30</td> <td>46.60</td> <td>39.71</td> <td>19.55</td> <td>60.05</td> <td>300</td> <td>0 Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	cm	deg		1	13988.98	45.81	-42.49	88.30	46.60	39.71	19.55	60.05	300	0 Peak	HORIZONTAL	<p style="text-align: right; font-size: small;">No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p style="text-align: right; font-size: x-small;">Site : 032905-KS Condition : WIFI @ PEAK @ 3117.00218653 VERTICAL Project : R98-1000.000KHz VBR-3000.000KHz SRT:Auto Model : FR192317 Plane : Y Polarization : Full-directivity JMEI : 817 PowerSetting : 10 Adaptor:2+USB 1</p> <table border="1" style="width: 100%; font-size: x-small;"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>13988.98</td> <td>45.21</td> <td>-42.09</td> <td>88.30</td> <td>47.00</td> <td>39.71</td> <td>19.55</td> <td>60.05</td> <td>100</td> <td>360 Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	cm	deg		1	13988.98	45.21	-42.09	88.30	47.00	39.71	19.55	60.05	100	360 Peak	VERTICAL
	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																					
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	cm	deg																																																							
1	13988.98	45.81	-42.49	88.30	46.60	39.71	19.55	60.05	300	0 Peak	HORIZONTAL																																																			
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																						
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	cm	deg																																																							
1	13988.98	45.21	-42.09	88.30	47.00	39.71	19.55	60.05	100	360 Peak	VERTICAL																																																			



WIFI	U-NII 8 - 6875-7125MHz Harmonic @ 3m																																																															
ANT	802.11ax HE20 Full CH229 7095 MHz																																																															
1+2	Horizontal	Vertical																																																														
Peak Avg.	<p>No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 032905-KS Condition : WIFI PEAK @ 3117.00218652 HORIZONTAL Project : FR192317 Mode : S3 Plane : Y IMEI : Full-directivity PowerSetting : 10 Adaptor:2+USB 1</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Poi/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>14192.00</td> <td>45.41</td> <td>-42.89</td> <td>88.30</td> <td>45.97</td> <td>39.83</td> <td>19.65</td> <td>60.04</td> <td>300</td> <td>300</td> <td>Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Poi/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	cm	deg		1	14192.00	45.41	-42.89	88.30	45.97	39.83	19.65	60.04	300	300	Peak	HORIZONTAL	<p>No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 032905-KS Condition : WIFI PEAK @ 3117.00218652 VERTICAL Project : FR192317 Mode : S3 Plane : Y IMEI : Full-directivity PowerSetting : 10 Adaptor:2+USB 1</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Poi/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>14192.00</td> <td>47.37</td> <td>-40.93</td> <td>88.30</td> <td>47.93</td> <td>39.83</td> <td>19.65</td> <td>60.04</td> <td>100</td> <td>0</td> <td>Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Poi/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	cm	deg		1	14192.00	47.37	-40.93	88.30	47.93	39.83	19.65	60.04	100	0	Peak	VERTICAL
	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Poi/Phas																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	cm	deg																																																									
1	14192.00	45.41	-42.89	88.30	45.97	39.83	19.65	60.04	300	300	Peak	HORIZONTAL																																																				
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Poi/Phas																																																								
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	cm	deg																																																									
1	14192.00	47.37	-40.93	88.30	47.93	39.83	19.65	60.04	100	0	Peak	VERTICAL																																																				



**U-NII 8 - 6875-7125MHz
WIFI 802.11ax HE40 Full (Harmonic @ 3m)**

WIFI	U-NII 8 - 6875-7125MHz Harmonic @ 3m																																																									
ANT	802.11ax HE40 Full CH203 6965MHz																																																									
1+2	Horizontal	Vertical																																																								
Peak Avg.	<p>Site : 032005-KS Condition : WIFI 8E PEAK 3m 3117 00218652 HORIZONTAL Project : R08-1000-0000KHz V08-3000-0000KHz CRT-Auto Mode : (FR)192317 Plane : 01 Polarization : Full-directivity ME1 : 01 Powersetting : 12</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>deg</th> <th>deg</th> <th>deg</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 13928.91</td> <td>47.42</td> <td>-40.88</td> <td>88.30</td> <td>48.23</td> <td>39.75</td> <td>19.50</td> <td>60.06</td> <td>300 0 Peak</td> <td>HOR120MT</td> </tr> </tbody> </table>	Freq	Level	Over Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	deg	deg	deg	deg	1 13928.91	47.42	-40.88	88.30	48.23	39.75	19.50	60.06	300 0 Peak	HOR120MT	<p>Site : 032005-KS Condition : WIFI 8E PEAK 3m 3117 00218652 VERTICAL Project : R08-1000-0000KHz V08-3000-0000KHz CRT-Auto Mode : (FR)192317 Plane : 01 Polarization : Full-directivity ME1 : 01 Powersetting : 12</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>deg</th> <th>deg</th> <th>deg</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 13928.91</td> <td>47.23</td> <td>-40.97</td> <td>88.30</td> <td>48.14</td> <td>39.75</td> <td>19.50</td> <td>60.06</td> <td>100 360 Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Over Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	deg	deg	deg	deg	1 13928.91	47.23	-40.97	88.30	48.14	39.75	19.50	60.06	100 360 Peak	VERTICAL
	Freq	Level	Over Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																	
MHz	dBuV/m	dB	dBuV/m	dB	deg	deg	deg	deg																																																		
1 13928.91	47.42	-40.88	88.30	48.23	39.75	19.50	60.06	300 0 Peak	HOR120MT																																																	
Freq	Level	Over Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																		
MHz	dBuV/m	dB	dBuV/m	dB	deg	deg	deg	deg																																																		
1 13928.91	47.23	-40.97	88.30	48.14	39.75	19.50	60.06	100 360 Peak	VERTICAL																																																	



WIFI	U-NII 8 - 6875-7125MHz Harmonic @ 3m																																																															
ANT	802.11ax HE40 Full CH227 7085MHz																																																															
1+2	Horizontal	Vertical																																																														
Peak Avg.	<p>No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 032905-KS Condition : WIFI 6E PEAK @ 3117.00218652 HORIZONTAL Project : FR192317 Mode : 67 Plane : Y IMEI : 113 PowerSetting : Adaptor2+USB 1</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Poi/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>14168.00</td> <td>46.48</td> <td>-41.82</td> <td>88.30</td> <td>47.06</td> <td>39.82</td> <td>19.64</td> <td>60.04</td> <td>300</td> <td>300</td> <td>Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Poi/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	cm	deg		1	14168.00	46.48	-41.82	88.30	47.06	39.82	19.64	60.04	300	300	Peak	HORIZONTAL	<p>No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 032905-KS Condition : WIFI 6E PEAK @ 3117.00218652 VERTICAL Project : FR192317 Mode : 67 Plane : Y IMEI : 113 PowerSetting : Adaptor2+USB 1</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Poi/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>14168.00</td> <td>47.02</td> <td>-41.29</td> <td>88.30</td> <td>47.60</td> <td>39.82</td> <td>19.64</td> <td>60.04</td> <td>100</td> <td>100</td> <td>Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Poi/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	cm	deg		1	14168.00	47.02	-41.29	88.30	47.60	39.82	19.64	60.04	100	100	Peak	VERTICAL
	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Poi/Phas																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	cm	deg																																																									
1	14168.00	46.48	-41.82	88.30	47.06	39.82	19.64	60.04	300	300	Peak	HORIZONTAL																																																				
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Poi/Phas																																																								
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	cm	deg																																																									
1	14168.00	47.02	-41.29	88.30	47.60	39.82	19.64	60.04	100	100	Peak	VERTICAL																																																				



**U-NII 8 - 6875-7125MHz
WIFI 802.11ax HE80 Full (Harmonic @ 3m)**

WIFI	U-NII 8 - 6875-7125MHz Harmonic @ 3m	
ANT	802.11ax HE80 Full CH199 6945MHz	
1+2	Horizontal	Vertical
Peak Avg.	<p>Site : 032005-KS Condition : WIFI 8E PEAK 3m 3117 00218652 HORIZONTAL Project : 808-1000-0000MHz V98-3000-0000MHz CRT-Auto Mode : (FR) 192317 Date : 04 Plane : Y Full-directivity : Full-directivity ME1 : #1 Powersetting : #1 Adaptor+USB : Over Limit ReadAntenna Cable Preamp A/Pos T/Pos Freq Level Limit Line Level Factor Loss Factor Remark Pol/Phas 1 13888.86 46.05 -42.25 88.30 46.87 39.79 19.45 60.06 300 0 Peak HORIZONTAL</p>	<p>Site : 032005-KS Condition : WIFI 8E PEAK 3m 3117 00218652 VERTICAL Project : 808-1000-0000MHz V98-3000-0000MHz CRT-Auto Mode : (FR) 192317 Date : 04 Plane : Y Full-directivity : Full-directivity ME1 : #1 Powersetting : #1 Adaptor+USB : Over Limit ReadAntenna Cable Preamp A/Pos T/Pos Freq Level Limit Line Level Factor Loss Factor Remark Pol/Phas 1 13888.86 46.57 -41.73 88.30 47.39 39.79 19.45 60.06 100 360 Peak VERTICAL</p>
	<p>Site : 032005-KS Condition : WIFI 8E PEAK 3m 3117 00218652 HORIZONTAL Project : 808-1000-0000MHz V98-3000-0000MHz CRT-Auto Mode : (FR) 192317 Date : 04 Plane : Y Full-directivity : Full-directivity ME1 : #1 Powersetting : #1 Adaptor+USB : Over Limit ReadAntenna Cable Preamp A/Pos T/Pos Freq Level Limit Line Level Factor Loss Factor Remark Pol/Phas 1 13888.86 46.05 -42.25 88.30 46.87 39.79 19.45 60.06 300 0 Peak HORIZONTAL</p>	<p>Site : 032005-KS Condition : WIFI 8E PEAK 3m 3117 00218652 VERTICAL Project : 808-1000-0000MHz V98-3000-0000MHz CRT-Auto Mode : (FR) 192317 Date : 04 Plane : Y Full-directivity : Full-directivity ME1 : #1 Powersetting : #1 Adaptor+USB : Over Limit ReadAntenna Cable Preamp A/Pos T/Pos Freq Level Limit Line Level Factor Loss Factor Remark Pol/Phas 1 13888.86 46.57 -41.73 88.30 47.39 39.79 19.45 60.06 100 360 Peak VERTICAL</p>



WIFI	U-NII 8 - 6875-7125MHz Harmonic @ 3m																																																															
ANT	802.11ax HE80 Full CH215 7025MHz																																																															
1+2	Horizontal	Vertical																																																														
<p>Peak</p> <p>Avg.</p>	<p>No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 032905-KS Condition : WiFi @ PEAK @ 3117.00218652 HORIZONTAL Project : RSM-1000.000KHz VBR-3000.000KHz SRT-Auto FREQ192317 Mode : Y Plane : 05 Full-directivity IMEI : 817 PowerSetting : 14 Adaptor:2+USB 1</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Poi/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>14048.00</td> <td>46.10</td> <td>-42.20</td> <td>88.30</td> <td>46.82</td> <td>39.74</td> <td>19.59</td> <td>60.05</td> <td>300</td> <td>300</td> <td>Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Poi/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	cm	deg		1	14048.00	46.10	-42.20	88.30	46.82	39.74	19.59	60.05	300	300	Peak	HORIZONTAL	<p>No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 032905-KS Condition : WiFi @ PEAK @ 3117.00218652 VERTICAL Project : RSM-1000.000KHz VBR-3000.000KHz SRT-Auto FREQ192317 Mode : Y Plane : 05 Full-directivity IMEI : 817 PowerSetting : 14 Adaptor:2+USB 1</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Poi/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>14048.00</td> <td>45.80</td> <td>-42.50</td> <td>88.30</td> <td>46.52</td> <td>39.74</td> <td>19.59</td> <td>60.05</td> <td>100</td> <td>0</td> <td>Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Poi/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	cm	deg		1	14048.00	45.80	-42.50	88.30	46.52	39.74	19.59	60.05	100	0	Peak	VERTICAL
	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Poi/Phas																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	cm	deg																																																									
1	14048.00	46.10	-42.20	88.30	46.82	39.74	19.59	60.05	300	300	Peak	HORIZONTAL																																																				
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Poi/Phas																																																								
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	cm	deg																																																									
1	14048.00	45.80	-42.50	88.30	46.52	39.74	19.59	60.05	100	0	Peak	VERTICAL																																																				



U-NII 8 - 6875-7125MHz
WIFI 802.11ax HE160 Full (Harmonic @ 3m)

WIFI	U-NII 8 - 6875-7125MHz Harmonic @ 3m																																																					
ANT	802.11ax HE160 Full CH207 6985MHz																																																					
1+2	Horizontal	Vertical																																																				
Peak Avg.	<p>Site : 032005-KS Condition : WIFI 8E PEAK 3m 3117 00218652 HORIZONTAL Project : 808-1000-0000MHz V98-3000-0000MHz CRT-Auto Mode : (FR)192317 Plane : 0 Full-directivity : Full-directivity ME1 : 81 Powersetting : 13</p> <table border="1"> <thead> <tr> <th>Over Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>dBm</th> <th>dBm</th> <th>dBm</th> <th>deg</th> <th>deg</th> <th>deg</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>13968.96</td> <td>46.55</td> <td>-41.75</td> <td>88.30</td> <td>47.33</td> <td>39.73</td> <td>19.54</td> <td>60.05</td> <td>300</td> <td>0 Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Over Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	dBm	dBm	dBm	deg	deg	deg	deg	1	13968.96	46.55	-41.75	88.30	47.33	39.73	19.54	60.05	300	0 Peak	HORIZONTAL	<p>Site : 032005-KS Condition : WIFI 8E PEAK 3m 3117 00218652 VERTICAL Project : 808-1000-0000MHz V98-3000-0000MHz CRT-Auto Mode : (FR)192317 Plane : 0 Full-directivity : Full-directivity ME1 : 81 Powersetting : 13</p> <table border="1"> <thead> <tr> <th>Over Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>dBm</th> <th>dBm</th> <th>dBm</th> <th>deg</th> <th>deg</th> <th>deg</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>13968.96</td> <td>45.95</td> <td>-42.35</td> <td>88.30</td> <td>46.73</td> <td>39.73</td> <td>19.54</td> <td>60.05</td> <td>100</td> <td>360 Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Over Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	dBm	dBm	dBm	deg	deg	deg	deg	1	13968.96	45.95	-42.35	88.30	46.73	39.73	19.54	60.05	100	360 Peak	VERTICAL
	Over Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																															
dBm	dBm	dBm	deg	deg	deg	deg																																																
1	13968.96	46.55	-41.75	88.30	47.33	39.73	19.54	60.05	300	0 Peak	HORIZONTAL																																											
Over Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																
dBm	dBm	dBm	deg	deg	deg	deg																																																
1	13968.96	45.95	-42.35	88.30	46.73	39.73	19.54	60.05	100	360 Peak	VERTICAL																																											



U-NII 8 - Straddle Channel
WIFI 802.11ax HE40 Full (Harmonic @ 3m)

WIFI	U-NII 8 - 6875-7125MHz Harmonic @ 3m																																																							
ANT	802.11ax HE40 Full CH187 6885MHz																																																							
1+2	Horizontal	Vertical																																																						
Peak Avg.	<p>Site : 03D05-KS Condition : WIFI 6E PEAK 3m 3117 00218652 HORIZONTAL Project : RSM 1000 0000Hz VBR 3000 0000Hz SRT Auto Mode : FR192317 Plane : Y Full-directivity : Y IPE1 : H1 PowerSetting : 11 Adapter2+USB 1 : 11</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>ReadAttenu</th> <th>Cable Pramp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 13768.71</td> <td>46.59</td> <td>-41.71</td> <td>88.30</td> <td>47.45</td> <td>39.89</td> <td>19.33</td> <td>60.08</td> <td>300 0 Peak HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Limit	ReadAttenu	Cable Pramp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	cm	deg		1 13768.71	46.59	-41.71	88.30	47.45	39.89	19.33	60.08	300 0 Peak HORIZONTAL	<p>Site : 03D05-KS Condition : WIFI 6E PEAK 3m 3117 00218653 VERTICAL Project : RSM 1000 0000Hz VBR 3000 0000Hz SRT Auto Mode : FR192317 Plane : Y Full-directivity : Y IPE1 : H1 PowerSetting : 11 Adapter2+USB 1 : 11</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>ReadAttenu</th> <th>Cable Pramp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 13768.71</td> <td>46.83</td> <td>-41.47</td> <td>88.30</td> <td>47.69</td> <td>39.89</td> <td>19.33</td> <td>60.08</td> <td>100 300 Peak VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Limit	ReadAttenu	Cable Pramp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	cm	deg		1 13768.71	46.83	-41.47	88.30	47.69	39.89	19.33	60.08	100 300 Peak VERTICAL
	Freq	Level	Limit	ReadAttenu	Cable Pramp	A/Pos	T/Pos	Remark	Pol/Phas																																															
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	cm	deg																																																	
1 13768.71	46.59	-41.71	88.30	47.45	39.89	19.33	60.08	300 0 Peak HORIZONTAL																																																
Freq	Level	Limit	ReadAttenu	Cable Pramp	A/Pos	T/Pos	Remark	Pol/Phas																																																
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	cm	deg																																																	
1 13768.71	46.83	-41.47	88.30	47.69	39.89	19.33	60.08	100 300 Peak VERTICAL																																																
	<p>Site : 03D05-KS Condition : WIFI 6E PEAK 3m 3117 00218652 HORIZONTAL Project : RSM 1000 0000Hz VBR 3000 0000Hz SRT Auto Mode : FR192317 Plane : Y Full-directivity : Y IPE1 : H1 PowerSetting : 11 Adapter2+USB 1 : 11</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>ReadAttenu</th> <th>Cable Pramp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 13768.71</td> <td>46.59</td> <td>-41.71</td> <td>88.30</td> <td>47.45</td> <td>39.89</td> <td>19.33</td> <td>60.08</td> <td>300 0 Peak HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Limit	ReadAttenu	Cable Pramp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	cm	deg		1 13768.71	46.59	-41.71	88.30	47.45	39.89	19.33	60.08	300 0 Peak HORIZONTAL	<p>Site : 03D05-KS Condition : WIFI 6E PEAK 3m 3117 00218653 VERTICAL Project : RSM 1000 0000Hz VBR 3000 0000Hz SRT Auto Mode : FR192317 Plane : Y Full-directivity : Y IPE1 : H1 PowerSetting : 11 Adapter2+USB 1 : 11</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>ReadAttenu</th> <th>Cable Pramp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 13768.71</td> <td>46.83</td> <td>-41.47</td> <td>88.30</td> <td>47.69</td> <td>39.89</td> <td>19.33</td> <td>60.08</td> <td>100 300 Peak VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Limit	ReadAttenu	Cable Pramp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	cm	deg		1 13768.71	46.83	-41.47	88.30	47.69	39.89	19.33	60.08	100 300 Peak VERTICAL
Freq	Level	Limit	ReadAttenu	Cable Pramp	A/Pos	T/Pos	Remark	Pol/Phas																																																
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	cm	deg																																																	
1 13768.71	46.59	-41.71	88.30	47.45	39.89	19.33	60.08	300 0 Peak HORIZONTAL																																																
Freq	Level	Limit	ReadAttenu	Cable Pramp	A/Pos	T/Pos	Remark	Pol/Phas																																																
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	cm	deg																																																	
1 13768.71	46.83	-41.47	88.30	47.69	39.89	19.33	60.08	100 300 Peak VERTICAL																																																



Emission below 1GHz
5GHz WIFI 802.11ax HE160 Full (LF)

WIFI	5GHz WIFI																																																																																																																																																																																	
ANT	802.11ax HE160 Full LF																																																																																																																																																																																	
1+2	Horizontal	Vertical																																																																																																																																																																																
QP / Peak	<p>No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site: a Condition: WIFI 6E PEAK In CH641110 CH2100 HORIZONTAL Project: RSW 100.000000Hz YEW 300.000000Hz SPT: Auto File: FR192317 Plane: T Full-directivity: T IMEI: 13 Power setting: 13 Adaptor: H2B 1</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBm/100MHz</th> <th>dB</th> <th>dBm/100MHz</th> <th>dB/m</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>45.52</td> <td>27.25</td> <td>-12.75</td> <td>40.00</td> <td>42.22</td> <td>16.92</td> <td>1.03</td> <td>32.92</td> <td>---</td> <td>Peak HORIZONTAL</td> </tr> <tr> <td>2</td> <td>96.93</td> <td>22.32</td> <td>-22.18</td> <td>43.50</td> <td>36.14</td> <td>17.47</td> <td>1.49</td> <td>32.78</td> <td>---</td> <td>Peak HORIZONTAL</td> </tr> <tr> <td>3</td> <td>184.23</td> <td>21.04</td> <td>-22.06</td> <td>43.50</td> <td>35.31</td> <td>16.68</td> <td>0.90</td> <td>32.81</td> <td>---</td> <td>Peak HORIZONTAL</td> </tr> <tr> <td>4</td> <td>427.70</td> <td>23.13</td> <td>-22.87</td> <td>46.00</td> <td>29.51</td> <td>23.20</td> <td>3.16</td> <td>32.74</td> <td>---</td> <td>Peak HORIZONTAL</td> </tr> <tr> <td>5</td> <td>696.69</td> <td>20.18</td> <td>-19.89</td> <td>46.00</td> <td>29.19</td> <td>25.79</td> <td>4.09</td> <td>32.77</td> <td>---</td> <td>Peak HORIZONTAL</td> </tr> <tr> <td>6</td> <td>871.96</td> <td>28.56</td> <td>-17.44</td> <td>46.00</td> <td>29.32</td> <td>27.29</td> <td>4.51</td> <td>32.56</td> <td>---</td> <td>Peak HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/100MHz	dB	dBm/100MHz	dB/m	dB/m	dB	cm	deg			1	45.52	27.25	-12.75	40.00	42.22	16.92	1.03	32.92	---	Peak HORIZONTAL	2	96.93	22.32	-22.18	43.50	36.14	17.47	1.49	32.78	---	Peak HORIZONTAL	3	184.23	21.04	-22.06	43.50	35.31	16.68	0.90	32.81	---	Peak HORIZONTAL	4	427.70	23.13	-22.87	46.00	29.51	23.20	3.16	32.74	---	Peak HORIZONTAL	5	696.69	20.18	-19.89	46.00	29.19	25.79	4.09	32.77	---	Peak HORIZONTAL	6	871.96	28.56	-17.44	46.00	29.32	27.29	4.51	32.56	---	Peak HORIZONTAL	<p>No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site: a Condition: WIFI 6E PEAK In CH641110 CH2100 VERTICAL Project: RSW 100.000000Hz YEW 300.000000Hz SPT: Auto File: FR192317 Plane: T Full-directivity: T IMEI: 13 Power setting: 13 Adaptor: H2B 1</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBm/100MHz</th> <th>dB</th> <th>dBm/100MHz</th> <th>dB/m</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>45.52</td> <td>27.82</td> <td>-12.10</td> <td>40.00</td> <td>42.79</td> <td>16.92</td> <td>1.03</td> <td>32.92</td> <td>---</td> <td>Peak VERTICAL</td> </tr> <tr> <td>2</td> <td>96.93</td> <td>21.30</td> <td>-22.20</td> <td>43.50</td> <td>35.12</td> <td>17.47</td> <td>1.49</td> <td>32.78</td> <td>---</td> <td>Peak VERTICAL</td> </tr> <tr> <td>3</td> <td>184.23</td> <td>20.26</td> <td>-22.14</td> <td>43.50</td> <td>34.63</td> <td>16.68</td> <td>0.90</td> <td>32.81</td> <td>---</td> <td>Peak VERTICAL</td> </tr> <tr> <td>4</td> <td>345.25</td> <td>22.05</td> <td>-23.95</td> <td>46.00</td> <td>30.84</td> <td>21.29</td> <td>2.83</td> <td>32.98</td> <td>---</td> <td>Peak VERTICAL</td> </tr> <tr> <td>5</td> <td>572.23</td> <td>20.00</td> <td>-19.90</td> <td>46.00</td> <td>29.23</td> <td>25.72</td> <td>3.09</td> <td>32.56</td> <td>---</td> <td>Peak VERTICAL</td> </tr> <tr> <td>6</td> <td>795.33</td> <td>27.90</td> <td>-18.10</td> <td>46.00</td> <td>29.25</td> <td>26.86</td> <td>4.31</td> <td>32.52</td> <td>---</td> <td>Peak VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/100MHz	dB	dBm/100MHz	dB/m	dB/m	dB	cm	deg			1	45.52	27.82	-12.10	40.00	42.79	16.92	1.03	32.92	---	Peak VERTICAL	2	96.93	21.30	-22.20	43.50	35.12	17.47	1.49	32.78	---	Peak VERTICAL	3	184.23	20.26	-22.14	43.50	34.63	16.68	0.90	32.81	---	Peak VERTICAL	4	345.25	22.05	-23.95	46.00	30.84	21.29	2.83	32.98	---	Peak VERTICAL	5	572.23	20.00	-19.90	46.00	29.23	25.72	3.09	32.56	---	Peak VERTICAL	6	795.33	27.90	-18.10	46.00	29.25	26.86	4.31	32.52	---	Peak VERTICAL
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																																																																							
MHz	dBm/100MHz	dB	dBm/100MHz	dB/m	dB/m	dB	cm	deg																																																																																																																																																																										
1	45.52	27.25	-12.75	40.00	42.22	16.92	1.03	32.92	---	Peak HORIZONTAL																																																																																																																																																																								
2	96.93	22.32	-22.18	43.50	36.14	17.47	1.49	32.78	---	Peak HORIZONTAL																																																																																																																																																																								
3	184.23	21.04	-22.06	43.50	35.31	16.68	0.90	32.81	---	Peak HORIZONTAL																																																																																																																																																																								
4	427.70	23.13	-22.87	46.00	29.51	23.20	3.16	32.74	---	Peak HORIZONTAL																																																																																																																																																																								
5	696.69	20.18	-19.89	46.00	29.19	25.79	4.09	32.77	---	Peak HORIZONTAL																																																																																																																																																																								
6	871.96	28.56	-17.44	46.00	29.32	27.29	4.51	32.56	---	Peak HORIZONTAL																																																																																																																																																																								
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																																																																								
MHz	dBm/100MHz	dB	dBm/100MHz	dB/m	dB/m	dB	cm	deg																																																																																																																																																																										
1	45.52	27.82	-12.10	40.00	42.79	16.92	1.03	32.92	---	Peak VERTICAL																																																																																																																																																																								
2	96.93	21.30	-22.20	43.50	35.12	17.47	1.49	32.78	---	Peak VERTICAL																																																																																																																																																																								
3	184.23	20.26	-22.14	43.50	34.63	16.68	0.90	32.81	---	Peak VERTICAL																																																																																																																																																																								
4	345.25	22.05	-23.95	46.00	30.84	21.29	2.83	32.98	---	Peak VERTICAL																																																																																																																																																																								
5	572.23	20.00	-19.90	46.00	29.23	25.72	3.09	32.56	---	Peak VERTICAL																																																																																																																																																																								
6	795.33	27.90	-18.10	46.00	29.25	26.86	4.31	32.52	---	Peak VERTICAL																																																																																																																																																																								



For Co-location:

LTE B48 Link + WLAN 6GHz 802.11ax HE160 CH15 + BLE (2Mbps) CH39

2.4GHz 2400~2483.5MHz

BLE (Band Edge @ 3m)

BLE	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																																			
ANT	BLE CH39 2480MHz																																																																			
1	Horizontal	Fundamental																																																																		
Peak	<p>Site Condition: FCC PART 15C In 3117 00218852 HORIZONTAL Project: SR1 1000.000000 198 3000.000000 2PT Auto Mode: 07 Plane: T Full-directivity: T ME1: 417 Powersetting: 13</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBm</th> <th>dB</th> <th>dBm</th> <th>dBm</th> <th>dBm</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.50</td> <td>53.79</td> <td>-10.21</td> <td>74.00</td> <td>49.33</td> <td>30.86</td> <td>7.86</td> <td>34.26</td> <td>125</td> <td>164 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm	dB	dBm	dBm	dBm	dB	cm	deg			1	2483.50	53.79	-10.21	74.00	49.33	30.86	7.86	34.26	125	164 Peak	<p>Site Condition: FCC PART 15C In 3117 00218852 HORIZONTAL Project: SR1 1000.000000 198 3000.000000 2PT Auto Mode: 07 Plane: T Full-directivity: T ME1: 417 Powersetting: 13</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBm</th> <th>dB</th> <th>dBm</th> <th>dBm</th> <th>dBm</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1 *</td> <td>2480.00</td> <td>99.93</td> <td>35.93</td> <td>74.00</td> <td>95.47</td> <td>30.86</td> <td>7.86</td> <td>34.26</td> <td>125</td> <td>164 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm	dB	dBm	dBm	dBm	dB	cm	deg			1 *	2480.00	99.93	35.93	74.00	95.47	30.86	7.86	34.26	125	164 Peak
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																										
MHz	dBm	dB	dBm	dBm	dBm	dB	cm	deg																																																												
1	2483.50	53.79	-10.21	74.00	49.33	30.86	7.86	34.26	125	164 Peak																																																										
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																										
MHz	dBm	dB	dBm	dBm	dBm	dB	cm	deg																																																												
1 *	2480.00	99.93	35.93	74.00	95.47	30.86	7.86	34.26	125	164 Peak																																																										
Avg.	<p>Site Condition: FCC PART 15C (AVG) In 3117 00218852 HORIZONTAL Project: SR1 1000.000000 198 3000.000000 2PT Auto Mode: 07 Plane: T Full-directivity: T ME1: 417 Powersetting: 13</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBm</th> <th>dB</th> <th>dBm</th> <th>dBm</th> <th>dBm</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.50</td> <td>48.22</td> <td>-5.78</td> <td>54.00</td> <td>43.76</td> <td>30.86</td> <td>7.86</td> <td>34.26</td> <td>125</td> <td>164 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm	dB	dBm	dBm	dBm	dB	cm	deg			1	2483.50	48.22	-5.78	54.00	43.76	30.86	7.86	34.26	125	164 Average	<p>Site Condition: FCC PART 15C (AVG) In 3117 00218852 HORIZONTAL Project: SR1 1000.000000 198 3000.000000 2PT Auto Mode: 07 Plane: T Full-directivity: T ME1: 417 Powersetting: 13</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBm</th> <th>dB</th> <th>dBm</th> <th>dBm</th> <th>dBm</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1 *</td> <td>2480.00</td> <td>98.67</td> <td>44.67</td> <td>54.00</td> <td>94.21</td> <td>30.86</td> <td>7.86</td> <td>34.26</td> <td>125</td> <td>164 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm	dB	dBm	dBm	dBm	dB	cm	deg			1 *	2480.00	98.67	44.67	54.00	94.21	30.86	7.86	34.26	125	164 Average
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																										
MHz	dBm	dB	dBm	dBm	dBm	dB	cm	deg																																																												
1	2483.50	48.22	-5.78	54.00	43.76	30.86	7.86	34.26	125	164 Average																																																										
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																										
MHz	dBm	dB	dBm	dBm	dBm	dB	cm	deg																																																												
1 *	2480.00	98.67	44.67	54.00	94.21	30.86	7.86	34.26	125	164 Average																																																										



BLE	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																																											
ANT	BLE CH39 2480MHZ																																																																											
1	Vertical	Fundamental																																																																										
Peak	<p>Site: a Condition: FCC PART 15C 3m 2117 00218952 VERTICAL REW 1000.000MHz YEW 3000.000MHz SWT Auto Project: (FR) 192317 Mode: 07 Plane: T IMEI: Full-directivity Powersetting: 41</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBm/Vm</th> <th>dB</th> <th>dBm/Vm</th> <th>dBm/Vm</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2497.00</td> <td>53.78</td> <td>-20.22</td> <td>74.00</td> <td>49.19</td> <td>30.93</td> <td>7.89</td> <td>34.23</td> <td>299</td> <td>81</td> <td>Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Freq	Level	Line	Level Factor	Loss Factor				MHz	dBm/Vm	dB	dBm/Vm	dBm/Vm	dB	cm	deg	1	2497.00	53.78	-20.22	74.00	49.19	30.93	7.89	34.23	299	81	Peak	VERTICAL	<p>Site: a Condition: FCC PART 15C 3m 2117 00218952 VERTICAL REW 1000.000MHz YEW 3000.000MHz SWT Auto Project: (FR) 192317 Mode: 07 Plane: T IMEI: Full-directivity Powersetting: 41</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBm/Vm</th> <th>dB</th> <th>dBm/Vm</th> <th>dBm/Vm</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2480.00</td> <td>99.11</td> <td>25.11</td> <td>74.00</td> <td>94.65</td> <td>30.86</td> <td>7.86</td> <td>34.26</td> <td>299</td> <td>81</td> <td>Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Freq	Level	Line	Level Factor	Loss Factor				MHz	dBm/Vm	dB	dBm/Vm	dBm/Vm	dB	cm	deg	1	2480.00	99.11	25.11	74.00	94.65	30.86	7.86	34.26	299	81	Peak	VERTICAL
	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																				
Freq	Level	Line	Level Factor	Loss Factor																																																																								
MHz	dBm/Vm	dB	dBm/Vm	dBm/Vm	dB	cm	deg																																																																					
1	2497.00	53.78	-20.22	74.00	49.19	30.93	7.89	34.23	299	81	Peak	VERTICAL																																																																
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																					
Freq	Level	Line	Level Factor	Loss Factor																																																																								
MHz	dBm/Vm	dB	dBm/Vm	dBm/Vm	dB	cm	deg																																																																					
1	2480.00	99.11	25.11	74.00	94.65	30.86	7.86	34.26	299	81	Peak	VERTICAL																																																																
Avg.	<p>Site: a Condition: FCC PART 15C (AVG) 3m 2117 00218952 VERTICAL REW 1000.000MHz YEW 3.1000MHz SWT Auto Project: (FR) 192317 Mode: 07 Plane: T IMEI: Full-directivity Powersetting: 41</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBm/Vm</th> <th>dB</th> <th>dBm/Vm</th> <th>dBm/Vm</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.50</td> <td>47.87</td> <td>-6.13</td> <td>54.00</td> <td>43.41</td> <td>30.86</td> <td>7.86</td> <td>34.26</td> <td>299</td> <td>81</td> <td>Average</td> <td>VERTICAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Freq	Level	Line	Level Factor	Loss Factor				MHz	dBm/Vm	dB	dBm/Vm	dBm/Vm	dB	cm	deg	1	2483.50	47.87	-6.13	54.00	43.41	30.86	7.86	34.26	299	81	Average	VERTICAL	<p>Site: a Condition: FCC PART 15C (AVG) 3m 2117 00218952 VERTICAL REW 1000.000MHz YEW 3.1000MHz SWT Auto Project: (FR) 192317 Mode: 07 Plane: T IMEI: Full-directivity Powersetting: 41</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBm/Vm</th> <th>dB</th> <th>dBm/Vm</th> <th>dBm/Vm</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2480.00</td> <td>97.97</td> <td>43.97</td> <td>54.00</td> <td>93.51</td> <td>30.86</td> <td>7.86</td> <td>34.26</td> <td>299</td> <td>81</td> <td>Average</td> <td>VERTICAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Freq	Level	Line	Level Factor	Loss Factor				MHz	dBm/Vm	dB	dBm/Vm	dBm/Vm	dB	cm	deg	1	2480.00	97.97	43.97	54.00	93.51	30.86	7.86	34.26	299	81	Average	VERTICAL
	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																				
Freq	Level	Line	Level Factor	Loss Factor																																																																								
MHz	dBm/Vm	dB	dBm/Vm	dBm/Vm	dB	cm	deg																																																																					
1	2483.50	47.87	-6.13	54.00	43.41	30.86	7.86	34.26	299	81	Average	VERTICAL																																																																
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																					
Freq	Level	Line	Level Factor	Loss Factor																																																																								
MHz	dBm/Vm	dB	dBm/Vm	dBm/Vm	dB	cm	deg																																																																					
1	2480.00	97.97	43.97	54.00	93.51	30.86	7.86	34.26	299	81	Average	VERTICAL																																																																



U-NII 5 - 5925-6425MHzMHz

WIFI 802.11ax HE160 Full RU (Band Edge @ 3m)

WIFI	U-NII 5 - 5925-6425MHz Band Edge @ 3m																																																																																																																						
ANT	802.11ax HE160 Full CH15 6025MHz																																																																																																																						
1+2	Horizontal	Fundamental																																																																																																																					
Peak	<p>Site: No. 1098, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China Project: FR192317 Plane: T IRE1: Full-directivity Power setting: 17</p> <table border="1"> <thead> <tr> <th>Site</th> <th>Condition</th> <th>Plane</th> <th>IRE1</th> <th>Power setting</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>WIFI 4E PEAK 3m 3117 00218652 HORIZONTAL</td> <td>T</td> <td>Full-directivity</td> <td>17</td> </tr> </tbody> </table> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>5984.68</td> <td>95.77</td> <td>-30.36</td> <td>88.30</td> <td>43.29</td> <td>35.88</td> <td>12.33</td> <td>33.54</td> <td>134</td> <td>185</td> <td>Peak HORIZONTAL</td> </tr> </tbody> </table>	Site	Condition	Plane	IRE1	Power setting	1	WIFI 4E PEAK 3m 3117 00218652 HORIZONTAL	T	Full-directivity	17	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		5984.68	95.77	-30.36	88.30	43.29	35.88	12.33	33.54	134	185	Peak HORIZONTAL	<p>Site: No. 1098, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China Project: FR192317 Plane: T IRE1: Full-directivity Power setting: 17</p> <table border="1"> <thead> <tr> <th>Site</th> <th>Condition</th> <th>Plane</th> <th>IRE1</th> <th>Power setting</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>WIFI 4E PEAK 3m 3117 00218652 HORIZONTAL</td> <td>T</td> <td>Full-directivity</td> <td>17</td> </tr> <tr> <td>2</td> <td>WIFI 4E AVG 3m 3117 00218652 HORIZONTAL</td> <td>T</td> <td>Full-directivity</td> <td>17</td> </tr> </tbody> </table> <table border="1"> <thead> <tr> <th>Site</th> <th>Condition</th> <th>Plane</th> <th>IRE1</th> <th>Power setting</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>WIFI 4E PEAK 3m 3117 00218652 HORIZONTAL</td> <td>T</td> <td>Full-directivity</td> <td>17</td> </tr> <tr> <td>2</td> <td>WIFI 4E AVG 3m 3117 00218652 HORIZONTAL</td> <td>T</td> <td>Full-directivity</td> <td>17</td> </tr> </tbody> </table> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>6040.00</td> <td>95.77</td> <td>7.47</td> <td>88.30</td> <td>81.35</td> <td>35.82</td> <td>12.42</td> <td>33.82</td> <td>134</td> <td>185</td> <td>Peak HORIZONTAL</td> </tr> <tr> <td>6040.00</td> <td>87.99</td> <td>19.69</td> <td>68.30</td> <td>73.57</td> <td>35.82</td> <td>12.42</td> <td>33.82</td> <td>134</td> <td>185</td> <td>Average HORIZONTAL</td> </tr> </tbody> </table>	Site	Condition	Plane	IRE1	Power setting	1	WIFI 4E PEAK 3m 3117 00218652 HORIZONTAL	T	Full-directivity	17	2	WIFI 4E AVG 3m 3117 00218652 HORIZONTAL	T	Full-directivity	17	Site	Condition	Plane	IRE1	Power setting	1	WIFI 4E PEAK 3m 3117 00218652 HORIZONTAL	T	Full-directivity	17	2	WIFI 4E AVG 3m 3117 00218652 HORIZONTAL	T	Full-directivity	17	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		6040.00	95.77	7.47	88.30	81.35	35.82	12.42	33.82	134	185	Peak HORIZONTAL	6040.00	87.99	19.69	68.30	73.57	35.82	12.42	33.82	134	185	Average HORIZONTAL
Site	Condition	Plane	IRE1	Power setting																																																																																																																			
1	WIFI 4E PEAK 3m 3117 00218652 HORIZONTAL	T	Full-directivity	17																																																																																																																			
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																													
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																														
5984.68	95.77	-30.36	88.30	43.29	35.88	12.33	33.54	134	185	Peak HORIZONTAL																																																																																																													
Site	Condition	Plane	IRE1	Power setting																																																																																																																			
1	WIFI 4E PEAK 3m 3117 00218652 HORIZONTAL	T	Full-directivity	17																																																																																																																			
2	WIFI 4E AVG 3m 3117 00218652 HORIZONTAL	T	Full-directivity	17																																																																																																																			
Site	Condition	Plane	IRE1	Power setting																																																																																																																			
1	WIFI 4E PEAK 3m 3117 00218652 HORIZONTAL	T	Full-directivity	17																																																																																																																			
2	WIFI 4E AVG 3m 3117 00218652 HORIZONTAL	T	Full-directivity	17																																																																																																																			
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																													
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																														
6040.00	95.77	7.47	88.30	81.35	35.82	12.42	33.82	134	185	Peak HORIZONTAL																																																																																																													
6040.00	87.99	19.69	68.30	73.57	35.82	12.42	33.82	134	185	Average HORIZONTAL																																																																																																													
Avg.	<p>Site: No. 1098, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China Project: FR192317 Plane: T IRE1: Full-directivity Power setting: 17</p> <table border="1"> <thead> <tr> <th>Site</th> <th>Condition</th> <th>Plane</th> <th>IRE1</th> <th>Power setting</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>WIFI 4E (AVG) 3m 3117 00218652 HORIZONTAL</td> <td>T</td> <td>Full-directivity</td> <td>17</td> </tr> </tbody> </table> <table border="1"> <thead> <tr> <th>Site</th> <th>Condition</th> <th>Plane</th> <th>IRE1</th> <th>Power setting</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>WIFI 4E (AVG) 3m 3117 00218652 HORIZONTAL</td> <td>T</td> <td>Full-directivity</td> <td>17</td> </tr> </tbody> </table> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>5986.18</td> <td>49.17</td> <td>-20.13</td> <td>68.30</td> <td>33.54</td> <td>35.88</td> <td>12.29</td> <td>33.54</td> <td>134</td> <td>185</td> <td>Average HORIZONTAL</td> </tr> </tbody> </table>	Site	Condition	Plane	IRE1	Power setting	1	WIFI 4E (AVG) 3m 3117 00218652 HORIZONTAL	T	Full-directivity	17	Site	Condition	Plane	IRE1	Power setting	1	WIFI 4E (AVG) 3m 3117 00218652 HORIZONTAL	T	Full-directivity	17	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		5986.18	49.17	-20.13	68.30	33.54	35.88	12.29	33.54	134	185	Average HORIZONTAL	Left blank																																																																
Site	Condition	Plane	IRE1	Power setting																																																																																																																			
1	WIFI 4E (AVG) 3m 3117 00218652 HORIZONTAL	T	Full-directivity	17																																																																																																																			
Site	Condition	Plane	IRE1	Power setting																																																																																																																			
1	WIFI 4E (AVG) 3m 3117 00218652 HORIZONTAL	T	Full-directivity	17																																																																																																																			
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																													
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																														
5986.18	49.17	-20.13	68.30	33.54	35.88	12.29	33.54	134	185	Average HORIZONTAL																																																																																																													



WIFI	U-NII 5 - 5925-6425MHz Band Edge @ 3m																																																																																								
ANT	802.11ax HE160 Full CH15 6025MHz																																																																																								
1+2	Vertical	Fundamental																																																																																							
<p>Peak</p>	<p>Site: No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site: SPORTON LAB.</p> <p>Data: 4</p> <p>Level (dBm/100m)</p> <p>130 117.0 104.0 91.0 78.0 65.0 52.0 39.0 26.0 13.0</p> <p>5785 5810 5830 5850 5870 5890 5910 5930 5950 5970 5990 6010 6030 6050 6070 6090 6125</p> <p>Frequency (MHz)</p> <p>Site: No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site: SPORTON LAB.</p> <p>Condition: WiFi 6E PEAK 3m 3117 00218052 VERTICAL REW 1000, 000Hz YEW 3000, 000Hz SPT Auto Project: (FR) 192317 Mode: 07 Plane: T Full-directivity IMEI: 41 Powersetting: 13 WiFi</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBm/100m</th> <th>dB</th> <th>dBm/100m</th> <th>dBm/100m</th> <th>dB</th> <th>dB</th> <th>cm deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5956.48</td> <td>56.38</td> <td>-11.92</td> <td>88.30</td> <td>41.65</td> <td>35.90</td> <td>12.28</td> <td>33.43</td> <td>163</td> <td>202</td> <td>Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Freq	Level	Limit	Line	Level Factor	Loss Factor			MHz	dBm/100m	dB	dBm/100m	dBm/100m	dB	dB	cm deg	1	5956.48	56.38	-11.92	88.30	41.65	35.90	12.28	33.43	163	202	Peak	VERTICAL	<p>Site: No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site: SPORTON LAB.</p> <p>Data: 6</p> <p>Level (dBm/100m)</p> <p>130 117.0 104.0 91.0 78.0 65.0 52.0 39.0 26.0 13.0</p> <p>0 1000 2000 3000 4000 5000 6000 7000 8000 9000 10000</p> <p>Frequency (MHz)</p> <p>Site: No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site: SPORTON LAB.</p> <p>Condition: WiFi 6E PEAK 3m 3117 00218052 VERTICAL REW 1000, 000Hz YEW 3000, 000Hz SPT Auto Project: (FR) 192317 Mode: 07 Plane: T Full-directivity IMEI: 41 Powersetting: 13 WiFi</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBm/100m</th> <th>dB</th> <th>dBm/100m</th> <th>dBm/100m</th> <th>dB</th> <th>dB</th> <th>cm deg</th> </tr> </thead> <tbody> <tr> <td>1 *</td> <td>6067.00</td> <td>94.87</td> <td>6.57</td> <td>88.30</td> <td>80.50</td> <td>35.88</td> <td>12.45</td> <td>33.88</td> <td>163</td> <td>202</td> <td>Peak</td> <td>VERTICAL</td> </tr> <tr> <td>2 *</td> <td>6067.00</td> <td>85.85</td> <td>17.55</td> <td>68.30</td> <td>71.48</td> <td>35.88</td> <td>12.45</td> <td>33.88</td> <td>163</td> <td>202</td> <td>Average</td> <td>VERTICAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Freq	Level	Limit	Line	Level Factor	Loss Factor			MHz	dBm/100m	dB	dBm/100m	dBm/100m	dB	dB	cm deg	1 *	6067.00	94.87	6.57	88.30	80.50	35.88	12.45	33.88	163	202	Peak	VERTICAL	2 *	6067.00	85.85	17.55	68.30	71.48	35.88	12.45	33.88	163	202	Average	VERTICAL
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																		
Freq	Level	Limit	Line	Level Factor	Loss Factor																																																																																				
MHz	dBm/100m	dB	dBm/100m	dBm/100m	dB	dB	cm deg																																																																																		
1	5956.48	56.38	-11.92	88.30	41.65	35.90	12.28	33.43	163	202	Peak	VERTICAL																																																																													
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																		
Freq	Level	Limit	Line	Level Factor	Loss Factor																																																																																				
MHz	dBm/100m	dB	dBm/100m	dBm/100m	dB	dB	cm deg																																																																																		
1 *	6067.00	94.87	6.57	88.30	80.50	35.88	12.45	33.88	163	202	Peak	VERTICAL																																																																													
2 *	6067.00	85.85	17.55	68.30	71.48	35.88	12.45	33.88	163	202	Average	VERTICAL																																																																													
<p>Avg.</p>	<p>Site: No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site: SPORTON LAB.</p> <p>Data: 5</p> <p>Level (dBm/100m)</p> <p>130 117.0 104.0 91.0 78.0 65.0 52.0 39.0 26.0 13.0</p> <p>5785 5810 5830 5850 5870 5890 5910 5930 5950 5970 5990 6010 6030 6050 6070 6090 6125</p> <p>Frequency (MHz)</p> <p>Site: No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site: SPORTON LAB.</p> <p>Condition: WiFi 6E (AVG) 3m 3117 00218052 VERTICAL REW 1000, 000Hz YEW 0, 000Hz SPT Auto Project: (FR) 192317 Mode: 07 Plane: T Full-directivity IMEI: 41 Powersetting: 13 WiFi</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBm/100m</th> <th>dB</th> <th>dBm/100m</th> <th>dBm/100m</th> <th>dB</th> <th>dB</th> <th>cm deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5789.42</td> <td>46.59</td> <td>-21.71</td> <td>68.30</td> <td>31.69</td> <td>35.78</td> <td>12.21</td> <td>33.09</td> <td>163</td> <td>202</td> <td>Average</td> <td>VERTICAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Freq	Level	Limit	Line	Level Factor	Loss Factor			MHz	dBm/100m	dB	dBm/100m	dBm/100m	dB	dB	cm deg	1	5789.42	46.59	-21.71	68.30	31.69	35.78	12.21	33.09	163	202	Average	VERTICAL	<p>Left blank</p>																																																		
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																		
Freq	Level	Limit	Line	Level Factor	Loss Factor																																																																																				
MHz	dBm/100m	dB	dBm/100m	dBm/100m	dB	dB	cm deg																																																																																		
1	5789.42	46.59	-21.71	68.30	31.69	35.78	12.21	33.09	163	202	Average	VERTICAL																																																																													







2.4GHz 2400~2483.5MHz

BLE (Harmonic @ 3m)

BLE	2.4GHz 2400~2483.5MHz Harmonic @ 3m																																																																																																							
ANT	BLE CH39 2480MHz																																																																																																							
1	Horizontal	Vertical																																																																																																						
Peak	<p>Site: a Condition: FCC PART 15C 3m 3117 00210652 HORIZONTAL EVM 1000.0000Hz FEM 3000.0000Hz SW: Auto Project: FR192317 Date: 07 File: T Pul1-directivity IRE1 Powersetting: 017</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4962.00</td> <td>41.03</td> <td>-32.97</td> <td>74.00</td> <td>69.29</td> <td>34.82</td> <td>11.39</td> <td>65.47</td> <td>300</td> <td>0 Peak</td> <td>HORIZONTAL</td> </tr> <tr> <td>2</td> <td>7440.00</td> <td>43.07</td> <td>-30.93</td> <td>74.00</td> <td>58.91</td> <td>36.62</td> <td>13.85</td> <td>66.31</td> <td>300</td> <td>0 Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Freq	Level	Limit	Level	Factor	Loss	Factor	cm	deg	MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cm	deg	1	4962.00	41.03	-32.97	74.00	69.29	34.82	11.39	65.47	300	0 Peak	HORIZONTAL	2	7440.00	43.07	-30.93	74.00	58.91	36.62	13.85	66.31	300	0 Peak	HORIZONTAL	<p>Site: a Condition: FCC PART 15C 3m 3117 00210652 VERTICAL EVM 1000.0000Hz FEM 3000.0000Hz SW: Auto Project: FR192317 Date: 07 File: T Pul1-directivity IRE1 Powersetting: 017</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4962.00</td> <td>40.95</td> <td>-33.95</td> <td>74.00</td> <td>59.31</td> <td>34.82</td> <td>11.39</td> <td>65.47</td> <td>300</td> <td>0 Peak</td> <td>VERTICAL</td> </tr> <tr> <td>2</td> <td>7440.00</td> <td>43.06</td> <td>-30.94</td> <td>74.00</td> <td>58.90</td> <td>36.62</td> <td>13.85</td> <td>66.31</td> <td>300</td> <td>0 Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Freq	Level	Limit	Level	Factor	Loss	Factor	cm	deg	MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cm	deg	1	4962.00	40.95	-33.95	74.00	59.31	34.82	11.39	65.47	300	0 Peak	VERTICAL	2	7440.00	43.06	-30.94	74.00	58.90	36.62	13.85	66.31	300	0 Peak	VERTICAL
	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																															
Freq	Level	Limit	Level	Factor	Loss	Factor	cm	deg																																																																																																
MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cm	deg																																																																																																
1	4962.00	41.03	-32.97	74.00	69.29	34.82	11.39	65.47	300	0 Peak	HORIZONTAL																																																																																													
2	7440.00	43.07	-30.93	74.00	58.91	36.62	13.85	66.31	300	0 Peak	HORIZONTAL																																																																																													
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																
Freq	Level	Limit	Level	Factor	Loss	Factor	cm	deg																																																																																																
MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cm	deg																																																																																																
1	4962.00	40.95	-33.95	74.00	59.31	34.82	11.39	65.47	300	0 Peak	VERTICAL																																																																																													
2	7440.00	43.06	-30.94	74.00	58.90	36.62	13.85	66.31	300	0 Peak	VERTICAL																																																																																													



U-NII 5 - 5925-6425MHzMHz
WIFI 802.11ax HE160 Full RU (Harmonic @ 3m)

WIFI	U-NII 5 - 5925-6425MHzMHz Harmonic @ 3m																																																															
ANT	802.11ax HE160 Full CH15 6025MHz																																																															
1+2	Horizontal	Vertical																																																														
Peak Avg.	 <p>Site: a Condition: U-NII 5E PEAK On 3117 00210652 HORIZONTAL RFW 1000,000KHz FWH 3000,000KHz SPT:Auto Project: FR192317 Role: 07 Plane: T Full-directivity IRE1: 017 Powersetting: 13 WIFI</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Loss</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>12050.56</td> <td>44.89</td> <td>-29.11</td> <td>74.00</td> <td>53.08</td> <td>39.84</td> <td>17.98</td> <td>66.01</td> <td>300</td> <td>0 Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Freq	Level	Loss	Level	Factor	Loss	Factor	dB	cm	deg	1	12050.56	44.89	-29.11	74.00	53.08	39.84	17.98	66.01	300	0 Peak	HORIZONTAL	 <p>Site: a Condition: U-NII 5E PEAK On 3117 00210650 VERTICAL RFW 1000,000KHz FWH 3000,000KHz SPT:Auto Project: FR192317 Role: 07 Plane: T Full-directivity IRE1: 017 Powersetting: 13 WIFI</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Loss</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>12050.56</td> <td>44.35</td> <td>-29.65</td> <td>74.00</td> <td>53.34</td> <td>39.84</td> <td>17.69</td> <td>66.01</td> <td>100</td> <td>368 Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Freq	Level	Loss	Level	Factor	Loss	Factor	dB	cm	deg	1	12050.56	44.35	-29.65	74.00	53.34	39.84	17.69	66.01	100	368 Peak	VERTICAL
	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																							
Freq	Level	Loss	Level	Factor	Loss	Factor	dB	cm	deg																																																							
1	12050.56	44.89	-29.11	74.00	53.08	39.84	17.98	66.01	300	0 Peak	HORIZONTAL																																																					
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																								
Freq	Level	Loss	Level	Factor	Loss	Factor	dB	cm	deg																																																							
1	12050.56	44.35	-29.65	74.00	53.34	39.84	17.69	66.01	100	368 Peak	VERTICAL																																																					
																																																																



LTE B48 Link + WLAN 6GHz 802.11ax HE160 CH15 + WLAN 2.4GHz 802.11ax HE20 CH11

2.4GHz 2400~2483.5MHz

WIFI 802.11 ax HE20 Full RU (Band Edge @ 3m)

WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																																	
ANT	802.11ax HE20 Full CH11 2462MHz																																																																	
1+2	Horizontal	Fundamental																																																																
Peak	<p>Site: No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China Project: FCC PART 15C 3m 3117 00218652 HORIZONTAL Band: 802.11ax HE20 Full RU Plane: Y IMEI: #17 PowerSetting: 2.4 2.40 17.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2484.34</td> <td>61.14</td> <td>-12.86</td> <td>74.00</td> <td>56.68</td> <td>30.86</td> <td>7.86</td> <td>34.26</td> <td>141</td> <td>212 Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB/m	dB	dB	cm	deg		1	2484.34	61.14	-12.86	74.00	56.68	30.86	7.86	34.26	141	212 Peak	HORIZONTAL	<p>Site: No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China Project: FCC PART 15C 3m 3117 00218652 HORIZONTAL Band: 802.11ax HE20 Full RU Plane: Y IMEI: #17 PowerSetting: 2.4 2.40 17.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 *</td> <td>2460.00</td> <td>188.87</td> <td>34.87</td> <td>74.00</td> <td>183.73</td> <td>30.79</td> <td>7.83</td> <td>34.28</td> <td>141</td> <td>212 Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB/m	dB	dB	cm	deg		1 *	2460.00	188.87	34.87	74.00	183.73	30.79	7.83	34.28	141	212 Peak	HORIZONTAL
Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																									
MHz	dBuV/m	dB	dBuV/m	dB/m	dB	dB	cm	deg																																																										
1	2484.34	61.14	-12.86	74.00	56.68	30.86	7.86	34.26	141	212 Peak	HORIZONTAL																																																							
Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																									
MHz	dBuV/m	dB	dBuV/m	dB/m	dB	dB	cm	deg																																																										
1 *	2460.00	188.87	34.87	74.00	183.73	30.79	7.83	34.28	141	212 Peak	HORIZONTAL																																																							
Avg.	<p>Site: No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China Project: FCC PART 15C (AVG) 3m 3117 00218652 HORIZONTAL Band: 802.11ax HE20 Full RU Plane: Y IMEI: #17 PowerSetting: 2.4 2.40 17.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.50</td> <td>47.56</td> <td>-6.44</td> <td>54.00</td> <td>43.10</td> <td>30.86</td> <td>7.86</td> <td>34.26</td> <td>141</td> <td>212 Average</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB/m	dB	dB	cm	deg		1	2483.50	47.56	-6.44	54.00	43.10	30.86	7.86	34.26	141	212 Average	HORIZONTAL	<p>Site: No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China Project: FCC PART 15C (AVG) 3m 3117 00218652 HORIZONTAL Band: 802.11ax HE20 Full RU Plane: Y IMEI: #17 PowerSetting: 2.4 2.40 17.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 *</td> <td>2458.00</td> <td>97.66</td> <td>43.66</td> <td>54.00</td> <td>93.32</td> <td>30.79</td> <td>7.83</td> <td>34.28</td> <td>141</td> <td>212 Average</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB/m	dB	dB	cm	deg		1 *	2458.00	97.66	43.66	54.00	93.32	30.79	7.83	34.28	141	212 Average	HORIZONTAL
Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas																																																									
MHz	dBuV/m	dB	dBuV/m	dB/m	dB	dB	cm	deg																																																										
1	2483.50	47.56	-6.44	54.00	43.10	30.86	7.86	34.26	141	212 Average	HORIZONTAL																																																							
Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas																																																									
MHz	dBuV/m	dB	dBuV/m	dB/m	dB	dB	cm	deg																																																										
1 *	2458.00	97.66	43.66	54.00	93.32	30.79	7.83	34.28	141	212 Average	HORIZONTAL																																																							



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																											
ANT	802.11ax HE20 Full CH11 2462MHz																																																											
1+2	Vertical	Fundamental																																																										
Peak	<p>Site: 2 Condition: FCC PART 15C 3m 2117 00218952 VERTICAL REW 1000.000MHz YEW 3000.000MHz SWT Auto Project: FR192317 Mode: 09 Plane: T F1: Full-directivity F2: 2.46:17.5 IMEI: 214 PowerSetting: 2.4</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>ca</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.50</td> <td>59.81</td> <td>-14.19</td> <td>74.00</td> <td>55.35</td> <td>30.86</td> <td>7.86</td> <td>34.26</td> <td>262</td> <td>298</td> <td>Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Freq	Level	Line	Level Factor	Loss Factor	ca	deg		1	2483.50	59.81	-14.19	74.00	55.35	30.86	7.86	34.26	262	298	Peak	VERTICAL	<p>Site: 2 Condition: FCC PART 15C 3m 2117 00218952 VERTICAL REW 1000.000MHz YEW 3000.000MHz SWT Auto Project: FR192317 Mode: 09 Plane: T F1: Full-directivity F2: 2.46:17.5 IMEI: 214 PowerSetting: 2.4</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>ca</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2460.00</td> <td>108.13</td> <td>34.13</td> <td>74.00</td> <td>103.79</td> <td>30.79</td> <td>7.83</td> <td>34.28</td> <td>262</td> <td>298</td> <td>Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Freq	Level	Line	Level Factor	Loss Factor	ca	deg		1	2460.00	108.13	34.13	74.00	103.79	30.79	7.83	34.28	262	298	Peak	VERTICAL
	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																				
Freq	Level	Line	Level Factor	Loss Factor	ca	deg																																																						
1	2483.50	59.81	-14.19	74.00	55.35	30.86	7.86	34.26	262	298	Peak	VERTICAL																																																
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																					
Freq	Level	Line	Level Factor	Loss Factor	ca	deg																																																						
1	2460.00	108.13	34.13	74.00	103.79	30.79	7.83	34.28	262	298	Peak	VERTICAL																																																
Avg.	<p>Site: 2 Condition: FCC PART 15C (AVG) 3m 2117 00218952 VERTICAL REW 1000.000MHz YEW 0.01000MHz SWT Auto Project: FR192317 Mode: 09 Plane: T F1: Full-directivity F2: 2.46:17.5 IMEI: 214 PowerSetting: 2.4</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>ca</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.50</td> <td>46.95</td> <td>-7.95</td> <td>54.00</td> <td>42.49</td> <td>30.86</td> <td>7.86</td> <td>34.26</td> <td>262</td> <td>298</td> <td>Average</td> <td>VERTICAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Freq	Level	Line	Level Factor	Loss Factor	ca	deg		1	2483.50	46.95	-7.95	54.00	42.49	30.86	7.86	34.26	262	298	Average	VERTICAL	<p>Site: 2 Condition: FCC PART 15C (AVG) 3m 2117 00218952 VERTICAL REW 1000.000MHz YEW 0.01000MHz SWT Auto Project: FR192317 Mode: 09 Plane: T F1: Full-directivity F2: 2.46:17.5 IMEI: 214 PowerSetting: 2.4</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>ca</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2460.00</td> <td>98.19</td> <td>44.19</td> <td>54.00</td> <td>93.85</td> <td>30.79</td> <td>7.83</td> <td>34.28</td> <td>262</td> <td>298</td> <td>Average</td> <td>VERTICAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Freq	Level	Line	Level Factor	Loss Factor	ca	deg		1	2460.00	98.19	44.19	54.00	93.85	30.79	7.83	34.28	262	298	Average	VERTICAL
	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																				
Freq	Level	Line	Level Factor	Loss Factor	ca	deg																																																						
1	2483.50	46.95	-7.95	54.00	42.49	30.86	7.86	34.26	262	298	Average	VERTICAL																																																
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																					
Freq	Level	Line	Level Factor	Loss Factor	ca	deg																																																						
1	2460.00	98.19	44.19	54.00	93.85	30.79	7.83	34.28	262	298	Average	VERTICAL																																																



U-NII 5 - 5925-6425MHzMHz

WIFI 802.11ax HE160 Full RU (Band Edge @ 3m)

WIFI	U-NII 5 - 5925-6425MHz Band Edge @ 3m																																																																																								
ANT	802.11ax HE160 Full CH15 6025MHz																																																																																								
1+2	Horizontal	Fundamental																																																																																							
Peak	<p>Site : a Condition : WIFI 4E PEAK On 3117 00218652 HORIZONTAL Economic & Technical Development Zone Jiangsu China Project : FR192317 RFW 1000.000KHz VFW 3000.000KHz SWT Auto Mode : GS Plane : T Freq : F Polar : Pol1-directivity IRE1 : #17 PowerSetting : GE 13 2.46:17.5</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5916.92</td> <td>58.71</td> <td>-29.59</td> <td>88.30</td> <td>44.06</td> <td>35.88</td> <td>12.33</td> <td>33.54</td> <td>181</td> <td>360</td> <td>Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Freq	Level	Line	Level	Factor	Loss	Factor		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm deg	1	5916.92	58.71	-29.59	88.30	44.06	35.88	12.33	33.54	181	360	Peak	HORIZONTAL	<p>Site : a Condition : WIFI 4E PEAK On 3117 00218652 HORIZONTAL Economic & Technical Development Zone Jiangsu China Project : FR192317 RFW 1000.000KHz VFW 3000.000KHz SWT Auto Mode : GS Plane : T Freq : F Polar : Pol1-directivity IRE1 : #17 PowerSetting : GE 13 2.46:17.5</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm deg</th> </tr> </thead> <tbody> <tr> <td>1 *</td> <td>5995.00</td> <td>93.76</td> <td>5.46</td> <td>88.30</td> <td>79.26</td> <td>35.83</td> <td>12.38</td> <td>33.71</td> <td>101</td> <td>360</td> <td>Peak</td> <td>HORIZONTAL</td> </tr> <tr> <td>2 *</td> <td>5995.00</td> <td>86.82</td> <td>17.72</td> <td>68.38</td> <td>71.52</td> <td>35.83</td> <td>12.38</td> <td>33.71</td> <td>101</td> <td>360</td> <td>Average</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Freq	Level	Line	Level	Factor	Loss	Factor		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm deg	1 *	5995.00	93.76	5.46	88.30	79.26	35.83	12.38	33.71	101	360	Peak	HORIZONTAL	2 *	5995.00	86.82	17.72	68.38	71.52	35.83	12.38	33.71	101	360	Average	HORIZONTAL
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																		
Freq	Level	Line	Level	Factor	Loss	Factor																																																																																			
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm deg																																																																																		
1	5916.92	58.71	-29.59	88.30	44.06	35.88	12.33	33.54	181	360	Peak	HORIZONTAL																																																																													
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																		
Freq	Level	Line	Level	Factor	Loss	Factor																																																																																			
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm deg																																																																																		
1 *	5995.00	93.76	5.46	88.30	79.26	35.83	12.38	33.71	101	360	Peak	HORIZONTAL																																																																													
2 *	5995.00	86.82	17.72	68.38	71.52	35.83	12.38	33.71	101	360	Average	HORIZONTAL																																																																													
Avg.	<p>Site : a Condition : WIFI 4E (AVG) On 3117 00218652 HORIZONTAL Economic & Technical Development Zone Jiangsu China Project : FR192317 RFW 1000.000KHz VFW 0.0100KHz SWT Auto Mode : GS Plane : T Freq : F Polar : Pol1-directivity IRE1 : #17 PowerSetting : GE 13 2.46:17.5</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5895.84</td> <td>47.96</td> <td>-28.34</td> <td>66.30</td> <td>33.33</td> <td>35.88</td> <td>12.29</td> <td>33.54</td> <td>181</td> <td>360</td> <td>Average</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Freq	Level	Line	Level	Factor	Loss	Factor		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm deg	1	5895.84	47.96	-28.34	66.30	33.33	35.88	12.29	33.54	181	360	Average	HORIZONTAL	Left blank																																																		
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																		
Freq	Level	Line	Level	Factor	Loss	Factor																																																																																			
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm deg																																																																																		
1	5895.84	47.96	-28.34	66.30	33.33	35.88	12.29	33.54	181	360	Average	HORIZONTAL																																																																													



WIFI	U-NII 5 - 5925-6425MHz Band Edge @ 3m																																																																																										
ANT	802.11ax HE160 Full CH15 6025MHz																																																																																										
1+2	Vertical	Fundamental																																																																																									
<p>Peak</p>	<p>Site: No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Date: 13</p> <p>Level (dBm/100m)</p> <p>117 105.3 93.6 81.9 70.2 58.5 46.8 35.1 23.4 11.7</p> <p>5785 5810 5830 5850 5870 5890 5910 5930 5950 5970 5990 6010 6030 6050 6070 6090 6125</p> <p>Frequency (MHz)</p> <p>Site: No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Condition: WiFi 6E PEAK 3m 3117 00218652 VERTICAL Rev: 1000.0000Hz YEM 3000.0000Hz SPT Auto Project: FR192317 Mode: OFDM Plane: T Full-directivity IMEI: 41 Powersetting: RE 13 2.46-17.5</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBm/100m</th> <th>dB</th> <th>dBm/100m</th> <th>dBm/100m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5831.58</td> <td>56.29</td> <td>-32.81</td> <td>88.30</td> <td>41.53</td> <td>35.84</td> <td>12.24</td> <td>33.32</td> <td>136</td> <td>15</td> <td>Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Freq	Level	Limit	Line	Level	Factor	Loss	Factor	MHz	dBm/100m	dB	dBm/100m	dBm/100m	dB	dB	cm	deg	1	5831.58	56.29	-32.81	88.30	41.53	35.84	12.24	33.32	136	15	Peak	VERTICAL	<p>Site: No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Date: 14</p> <p>Level (dBm/100m)</p> <p>117 105.3 93.6 81.9 70.2 58.5 46.8 35.1 23.4 11.7</p> <p>0 1000 2000 3000 4000 5000 6000 7000 8000 9000 10000</p> <p>Frequency (MHz)</p> <p>Site: No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Condition: WiFi 6E PEAK 3m 3117 00218652 VERTICAL Rev: 1000.0000Hz YEM 3000.0000Hz SPT Auto Project: FR192317 Mode: OFDM Plane: T Full-directivity IMEI: 41 Powersetting: RE 13 2.46-17.5</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBm/100m</th> <th>dB</th> <th>dBm/100m</th> <th>dBm/100m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 *</td> <td>6067.00</td> <td>83.91</td> <td>5.61</td> <td>88.30</td> <td>79.54</td> <td>35.88</td> <td>12.45</td> <td>33.88</td> <td>136</td> <td>15</td> <td>Peak</td> <td>VERTICAL</td> </tr> <tr> <td>2 *</td> <td>6067.00</td> <td>86.33</td> <td>18.03</td> <td>68.30</td> <td>71.96</td> <td>35.88</td> <td>12.45</td> <td>33.88</td> <td>136</td> <td>15</td> <td>Average</td> <td>VERTICAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Freq	Level	Limit	Line	Level	Factor	Loss	Factor	MHz	dBm/100m	dB	dBm/100m	dBm/100m	dB	dB	cm	deg	1 *	6067.00	83.91	5.61	88.30	79.54	35.88	12.45	33.88	136	15	Peak	VERTICAL	2 *	6067.00	86.33	18.03	68.30	71.96	35.88	12.45	33.88	136	15	Average	VERTICAL
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																				
Freq	Level	Limit	Line	Level	Factor	Loss	Factor																																																																																				
MHz	dBm/100m	dB	dBm/100m	dBm/100m	dB	dB	cm	deg																																																																																			
1	5831.58	56.29	-32.81	88.30	41.53	35.84	12.24	33.32	136	15	Peak	VERTICAL																																																																															
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																				
Freq	Level	Limit	Line	Level	Factor	Loss	Factor																																																																																				
MHz	dBm/100m	dB	dBm/100m	dBm/100m	dB	dB	cm	deg																																																																																			
1 *	6067.00	83.91	5.61	88.30	79.54	35.88	12.45	33.88	136	15	Peak	VERTICAL																																																																															
2 *	6067.00	86.33	18.03	68.30	71.96	35.88	12.45	33.88	136	15	Average	VERTICAL																																																																															
<p>Avg.</p>	<p>Site: No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Date: 13</p> <p>Level (dBm/100m)</p> <p>117 105.3 93.6 81.9 70.2 58.5 46.8 35.1 23.4 11.7</p> <p>5785 5810 5830 5850 5870 5890 5910 5930 5950 5970 5990 6010 6030 6050 6070 6090 6125</p> <p>Frequency (MHz)</p> <p>Site: No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Condition: WiFi 6E (AVG) 3m 3117 00218652 VERTICAL Rev: 1000.0000Hz YEM 0.0000Hz SPT Auto Project: FR192317 Mode: OFDM Plane: T Full-directivity IMEI: 41 Powersetting: RE 13 2.46-17.5</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBm/100m</th> <th>dB</th> <th>dBm/100m</th> <th>dBm/100m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5911.14</td> <td>46.77</td> <td>-21.53</td> <td>68.30</td> <td>32.12</td> <td>35.88</td> <td>12.31</td> <td>33.54</td> <td>136</td> <td>15</td> <td>Average</td> <td>VERTICAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Freq	Level	Limit	Line	Level	Factor	Loss	Factor	MHz	dBm/100m	dB	dBm/100m	dBm/100m	dB	dB	cm	deg	1	5911.14	46.77	-21.53	68.30	32.12	35.88	12.31	33.54	136	15	Average	VERTICAL	<p>Left blank</p>																																																			
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																				
Freq	Level	Limit	Line	Level	Factor	Loss	Factor																																																																																				
MHz	dBm/100m	dB	dBm/100m	dBm/100m	dB	dB	cm	deg																																																																																			
1	5911.14	46.77	-21.53	68.30	32.12	35.88	12.31	33.54	136	15	Average	VERTICAL																																																																															



2.4GHz 2400~2483.5MHz

WIFI 802.11 ax HE20 Full RU (Harmonic @ 3m)

WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m																																																																																									
ANT	802.11 ax HE20 Full CH11 2462MHz																																																																																									
1+2	Horizontal	Vertical																																																																																								
Peak Avg.	<p>Site : a Condition : FCC PART 15C Ch 11(1) 00210652 HORIZONTAL EVM 1000.000000Hz FEM 3000.000000 SPT:Auto Project : FR192317 Date : 05 File : T Polar-directivity : Full-directivity IRE1 : 0E 13 2.46:17.5 PowerSetting : 0E 13 2.46:17.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>Headsetenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4926.00</td> <td>38.62</td> <td>-35.38</td> <td>74.00</td> <td>57.95</td> <td>34.77</td> <td>11.35</td> <td>65.45</td> <td>300</td> <td>0 Peak HORIZONTAL</td> </tr> <tr> <td>2</td> <td>7386.00</td> <td>41.36</td> <td>-32.64</td> <td>74.00</td> <td>57.88</td> <td>36.64</td> <td>11.80</td> <td>66.16</td> <td>300</td> <td>0 Peak HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	Headsetenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg			1	4926.00	38.62	-35.38	74.00	57.95	34.77	11.35	65.45	300	0 Peak HORIZONTAL	2	7386.00	41.36	-32.64	74.00	57.88	36.64	11.80	66.16	300	0 Peak HORIZONTAL	<p>Site : a Condition : FCC PART 15C Ch 11(1) 00210650 VERTICAL EVM 1000.000000Hz FEM 3000.000000 SPT:Auto Project : FR192317 Date : 05 File : T Polar-directivity : Full-directivity IRE1 : 0E 13 2.46:17.5 PowerSetting : 0E 13 2.46:17.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>Headsetenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4926.00</td> <td>38.77</td> <td>-35.27</td> <td>74.00</td> <td>58.96</td> <td>34.77</td> <td>11.35</td> <td>65.45</td> <td>300</td> <td>360 Peak VERTICAL</td> </tr> <tr> <td>2</td> <td>7386.00</td> <td>40.62</td> <td>-33.38</td> <td>74.00</td> <td>56.14</td> <td>36.64</td> <td>11.80</td> <td>66.16</td> <td>300</td> <td>360 Peak VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	Headsetenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg			1	4926.00	38.77	-35.27	74.00	58.96	34.77	11.35	65.45	300	360 Peak VERTICAL	2	7386.00	40.62	-33.38	74.00	56.14	36.64	11.80	66.16	300	360 Peak VERTICAL
	Freq	Level	Over	Limit	Headsetenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																															
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																																		
1	4926.00	38.62	-35.38	74.00	57.95	34.77	11.35	65.45	300	0 Peak HORIZONTAL																																																																																
2	7386.00	41.36	-32.64	74.00	57.88	36.64	11.80	66.16	300	0 Peak HORIZONTAL																																																																																
Freq	Level	Over	Limit	Headsetenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																																		
1	4926.00	38.77	-35.27	74.00	58.96	34.77	11.35	65.45	300	360 Peak VERTICAL																																																																																
2	7386.00	40.62	-33.38	74.00	56.14	36.64	11.80	66.16	300	360 Peak VERTICAL																																																																																



U-NII 5 - 5925-6425MHzMHz

WIFI 802.11ax HE160 Full RU (Harmonic @ 3m)

WIFI	U-NII 5 - 5925-6425MHzMHz Harmonic @ 3m																																																																			
ANT	802.11ax HE160 Full CH15 6025MHz																																																																			
1+2	Horizontal	Vertical																																																																		
Peak Avg.	<p>Site : a Condition : FCC PART 15C 3m 3117 00210652 HORIZONTAL RFW 1000,0000Hz FWH 3000,0000Hz SPT:Auto Project : FR192317 Date : 05 File : T Polar : Pull-directivity IRE1 PowerSetting : 0E 13 2.46:17.5 RE1</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>Headsetenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>12051.00</td> <td>46.59</td> <td>-27.41</td> <td>74.00</td> <td>55.58</td> <td>59.04</td> <td>17.98</td> <td>66.01</td> <td>100</td> <td>300 Peak HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	Headsetenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg			1	12051.00	46.59	-27.41	74.00	55.58	59.04	17.98	66.01	100	300 Peak HORIZONTAL	<p>Site : a Condition : FCC PART 15C 3m 3117 00210650 VERTICAL RFW 1000,0000Hz FWH 3000,0000Hz SPT:Auto Project : FR192317 Date : 05 File : T Polar : Pull-directivity IRE1 PowerSetting : 0E 13 2.46:17.5 RE1</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>Headsetenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>12051.00</td> <td>45.38</td> <td>-28.62</td> <td>74.00</td> <td>54.37</td> <td>59.04</td> <td>17.98</td> <td>66.01</td> <td>100</td> <td>0 Peak VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	Headsetenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg			1	12051.00	45.38	-28.62	74.00	54.37	59.04	17.98	66.01	100	0 Peak VERTICAL
	Freq	Level	Over	Limit	Headsetenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																									
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																												
1	12051.00	46.59	-27.41	74.00	55.58	59.04	17.98	66.01	100	300 Peak HORIZONTAL																																																										
Freq	Level	Over	Limit	Headsetenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																										
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																												
1	12051.00	45.38	-28.62	74.00	54.37	59.04	17.98	66.01	100	0 Peak VERTICAL																																																										