# Antenna Reports

# Tesla VzW

Test lab: Motorola internal lab (GTS)

Issue date: 2022/6/28

#### Peak Gain

#### ANT0

Antenna model name: Insert molding metal with LDS

Antenna type: IFA

BAND	Peak Gain(dBi)
GSM 850	-7.4
GSM 900	-9
GSM 1800	-5
GSM 1900	-4.2

BAND	Peak Gain(dBi)
WCDMA B1	-4.2
WCDMA B2	-4.2
WCDMA B5	-7.4
WCDMA B8	-9

LTE BAND	Peak Gain(dBi)
LTE B1	-4.2
LTE B2	-4.2
LTE B3	-5
LTE B4	-5
LTE B5	-7.4
LTE B7	-7
LTE B12	-6.8
LTE B13	-7.5
LTE B20	-7.5
LTE B66	-5

NR FR1 BAND	Peak Gain(dBi)
N2	-4.2
N5	-7.4
N66	-5

Antenna gain was measured in the anechoic chamber, 3D scan was exercised, and the highest numbers are reported in this document

(Right view – Rear view – Left view – Front view)

#### WCDMA B1/LTE B1





# GSM1800/LTE B3



LTE B4/LTE B66/NR N66



GSM850/WCDMA B5/LTE B5/ NR N5



LTE B7







# GSM900/WCDMA B8



LTE B12



LTE B13



Antenna model name: Insert molding metal with LDS

Antenna type: IFA

LTE BAND	Peak Gain(dBi)
LTE B2	-7
LTE B4	-7
LTE B5	-7.2
LTE B12	-7.5
LTE B13	-7.5
LTE B66	-7

NR FR1 BAND	Peak Gain(dBi)
N2	-7
N5	-7.2
N66	-7

Antenna gain was measured in the anechoic chamber, 3D scan was exercised, and the highest numbers are reported in this document

(Right view – Rear view – Left view – Front view)

LTE B2/NR N2



# LTE B4/LTE B66/ NR N66



### LTE B5/NR N5



LTE B12



LTE B13



Antenna model name: Insert molding metal

Antenna type: Loop

BT/WLAN Peak Gain (dBi)			
2400~2483.5MHz	-5	5470~5725MHz	-7.5
5150~5250MHz	-6.5	5725~5850MHz	-8.5
5250~5350MHz	-6.5	5925~7125MHz	-8.5

Antenna gain was measured in the anechoic chamber, 3D scan was exercised, and the highest numbers are reported in this document

(Right view – Rear view – Left view – Front view)

# WIFI 2.4G (2450 MHz)



# WIFI 5G (5200 MHz)





WIFI 5G (5500 MHz)



WIFI 5G (5800 MHz)



WIFI 5G (6500 MHz)



Antenna model name: Insert molding metal with LDS

Antenna type: ILA

LTE BAND	Peak Gain(dBi)
LTE B48	-6

NR FR1 BAND	Peak Gain(dBi)
N48	-6
N77	-6.3
N78	-6.8

Antenna gain was measured in the anechoic chamber, 3D scan was exercised, and the highest numbers are reported in this document

(Right view – Rear view – Left view – Front view)

LTE B48/ NR N48



Antenna model name: LDS

Antenna type: PIFA

LTE BAND	Peak Gain(dBi)
LTE B48	-5.8
NR FR1 BAND	Peak Gain(dBi)
N48	-5.8
N77	-5.7
N78	-5.2

Antenna gain was measured in the anechoic chamber, 3D scan was exercised, and the highest numbers are reported in this document

(Right view – Rear view – Left view – Front view)

LTE B48/ NR N48



Antenna model name: Insert molding metal with LDS

Antenna type: ILA

LTE BAND	Peak Gain(dBi)
LTE B48	-10
NR FR1 BAND	Peak Gain(dBi)
N48	-10
N48 N77	-10 -10

Antenna gain was measured in the anechoic chamber, 3D scan was exercised, and the highest numbers are reported in this document

(Right view – Rear view – Left view – Front view)

LTE B48/NR N48



Antenna model name: LDS

Antenna type: PIFA

LTE BAND	Peak Gain(dBi)
LTE B48	-7.4

NR FR1 BAND	Peak Gain(dBi)
N48	-7.4
N77	-7.2
N78	-7.2

Antenna gain was measured in the anechoic chamber, 3D scan was exercised, and the highest numbers are reported in this document LTE B48/NR N48



NR N78



Antenna model name: Insert molding metal

Antenna type: ILA

WLAN Peak Gain (dBi)			
2400~2483.5MHz	-7	5470~5725MHz	-6
5150~5250MHz	-6	5725~5850MHz	-7.3
5250~5350MHz	-6	5925~7125MHz	-8.5

Antenna gain was measured in the anechoic chamber, 3D scan was exercised, and the highest numbers are reported in this document

# WIFI 2.4G (2450 MHz)



# WIFI 5G ( 5200 MHz)



# WIFI 5G ( 5300 MHz)



WIFI 5G ( 5500 MHz)



WIFI 5G ( 5800 MHz)



WIFI 6E ( 6200 MHz)

