




N77(10M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_Low_CH



N77(10M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_Low_CH




N77(10M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_Low_CH




N77(10M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_Low_CH




N77(10M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_Mid_CH




N77(10M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_Mid_CH




N77(10M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_Mid_CH




N77(10M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_Mid_CH




N77(10M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_High_CH




N77(10M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_High_CH




N77(10M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_High_CH




N77(10M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_High_CH




N77(50M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_Low_CH




N77(50M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_Low_CH




N77(50M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_Low_CH




N77(50M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_Low_CH




N77(50M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_Mid_CH




N77(50M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_Mid_CH




N77(50M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_Mid_CH




N77(50M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_Mid_CH




N77(50M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_High_CH




N77(50M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_High_CH




N77(50M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_High_CH




N77(50M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_High_CH




N77(100M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_Low_CH



N77(100M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_Low_CH




N77(100M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_Low_CH




N77(100M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_Low_CH




N77(100M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_Mid_CH




N77(100M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_Mid_CH




N77(100M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_Mid_CH




N77(100M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_Mid_CH




N77(100M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_High_CH




N77(100M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_High_CH



N77(100M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_High_CH




N77(100M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_High_CH




Conducted Band Edge

NR Band	SCS (kHz)	Bandwidth (MHz)	Arfcn	Freq (MHz)	Modulation	RB	Result	Verdict
77	30	10	647000	3705.0	DFT-s-OFDM BPSK	1@0	see graph	PASS
77	30	10	647000	3705.0	DFT-s-OFDM QPSK	1@0	see graph	PASS
77	30	10	647000	3705.0	DFT-s-OFDM BPSK	24@0	see graph	PASS
77	30	10	647000	3705.0	DFT-s-OFDM QPSK	24@0	see graph	PASS
77	30	10	665000	3975.0	DFT-s-OFDM BPSK	1@23	see graph	PASS
77	30	10	665000	3975.0	DFT-s-OFDM QPSK	1@23	see graph	PASS
77	30	10	665000	3975.0	DFT-s-OFDM BPSK	24@0	see graph	PASS
77	30	10	665000	3975.0	DFT-s-OFDM QPSK	24@0	see graph	PASS
77	30	50	648334	3725.01	DFT-s-OFDM BPSK	1@0	see graph	PASS
77	30	50	648334	3725.01	DFT-s-OFDM QPSK	1@0	see graph	PASS
77	30	50	648334	3725.01	DFT-s-OFDM BPSK	128@0	see graph	PASS
77	30	50	648334	3725.01	DFT-s-OFDM QPSK	128@0	see graph	PASS
77	30	50	663666	3954.99	DFT-s-OFDM BPSK	1@132	see graph	PASS
77	30	50	663666	3954.99	DFT-s-OFDM QPSK	1@132	see graph	PASS
77	30	50	663666	3954.99	DFT-s-OFDM BPSK	128@0	see graph	PASS
77	30	50	663666	3954.99	DFT-s-OFDM QPSK	128@0	see graph	PASS
77	30	100	650000	3750.0	DFT-s-OFDM BPSK	1@0	see graph	PASS
77	30	100	650000	3750.0	DFT-s-OFDM QPSK	1@0	see graph	PASS
77	30	100	650000	3750.0	DFT-s-OFDM BPSK	270@0	see graph	PASS
77	30	100	650000	3750.0	DFT-s-OFDM QPSK	270@0	see graph	PASS
77	30	100	662000	3930.0	DFT-s-OFDM BPSK	1@272	see graph	PASS
77	30	100	662000	3930.0	DFT-s-OFDM QPSK	1@272	see graph	PASS
77	30	100	662000	3930.0	DFT-s-OFDM BPSK	270@0	see graph	PASS
77	30	100	662000	3930.0	DFT-s-OFDM QPSK	270@0	see graph	PASS

N77(10M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_Low_CH




N77(10M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_Low_CH




N77(10M)_DFT-s-OFDM_BPSK_Outer_Full_Low_CH




N77(10M)_DFT-s-OFDM_QPSK_Outer_Full_Low_CH




N77(10M)_DFT-s-OFDM_BPSK_Edge_1RB_Right_High_CH




N77(10M)_DFT-s-OFDM_QPSK_Edge_1RB_Right_High_CH




N77(10M)_DFT-s-OFDM_BPSK_Outer_Full_High_CH




N77(10M)_DFT-s-OFDM_QPSK_Outer_Full_High_CH




N77(50M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_Low_CH




N77(50M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_Low_CH



N77(50M)_DFT-s-OFDM_BPSK_Outer_Full_Low_CH



N77(50M)_DFT-s-OFDM_QPSK_Outer_Full_Low_CH




N77(50M)_DFT-s-OFDM_BPSK_Edge_1RB_Right_High_CH



N77(50M)_DFT-s-OFDM_QPSK_Edge_1RB_Right_High_CH




N77(50M)_DFT-s-OFDM_BPSK_Outer_Full_High_CH




N77(50M)_DFT-s-OFDM_QPSK_Outer_Full_High_CH




N77(100M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_Low_CH




N77(100M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_Low_CH




N77(100M)_DFT-s-OFDM_BPSK_Outer_Full_Low_CH



N77(100M)_DFT-s-OFDM_QPSK_Outer_Full_Low_CH




N77(100M)_DFT-s-OFDM_BPSK_Edge_1RB_Right_High_CH




N77(100M)_DFT-s-OFDM_QPSK_Edge_1RB_Right_High_CH



N77(100M)_DFT-s-OFDM_BPSK_Outer_Full_High_CH



N77(100M)_DFT-s-OFDM_QPSK_Outer_Full_High_CH





Appendix B. Test Results of Radiated Test

Radiated Spurious Emission

Test Engineer :	Shiwei Wen	Temperature :	22~25°C
		Relative Humidity :	48~52%

Note: Pre-scanned harmonic for the different antenna, we choose the worst antenna mode to test.

n77 SA / NR 100MHz / QPSK(ANT3)									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	7450.01	-59.37	-13	-46.37	-67.70	-62.70	8.25	11.58	H
	11175.03	-55.69	-13	-42.69	-69.57	-57.24	10.45	12.00	H
	14900.04	-54.61	-13	-41.61	-70.62	-56.32	11.74	13.45	H
	7450.01	-59.52	-13	-46.52	-67.83	-62.85	8.25	11.58	V
	11175.03	-52.45	-13	-39.45	-69.25	-54.00	10.45	12.00	V
	14900.04	-54.58	-13	-41.58	-71.08	-56.29	11.74	13.45	V
Middle	7680	-58.67	-13	-45.67	-66.39	-61.97	8.30	11.60	H
	11520	-56.02	-13	-43.02	-70.12	-57.54	10.48	12.00	H
	15360	-53.64	-13	-40.64	-71.21	-55.34	11.80	13.50	H
	7680	-56.85	-13	-43.85	-66.28	-60.15	8.30	11.60	V
	11520	-53.27	-13	-40.27	-70.05	-54.79	10.48	12.00	V
	15360	-54.29	-13	-41.29	-70.88	-55.99	11.80	13.50	V
Highest	7909.98	-58.01	-13	-45.01	-66.00	-61.31	8.32	11.62	H
	11864.97	-53.92	-13	-40.92	-69.48	-55.60	10.52	12.20	H
	15819.96	-50.22	-13	-37.22	-69.85	-51.92	11.85	13.55	H
	7909.98	-55.46	-13	-42.46	-66.61	-58.76	8.32	11.62	V
	11864.97	-50.60	-13	-37.60	-69.35	-52.28	10.52	12.20	V
	15819.96	-51.51	-13	-38.51	-69.15	-53.21	11.85	13.55	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



EN-DC_2A_n77A / LTE 20MHz + NR 100MHz / QPSK(1+3)									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
NR n77 Lowest	7450	-58.64	-13	-45.64	-66.97	-61.97	8.25	11.58	H
	11175	-54.97	-13	-41.97	-68.85	-56.52	10.45	12.00	H
	14900	-53.87	-13	-40.87	-69.88	-55.58	11.74	13.45	H
	7450	-58.35	-13	-45.35	-66.66	-61.68	8.25	11.58	V
	11175	-51.98	-13	-38.98	-68.78	-53.53	10.45	12.00	V
	14900	-53.23	-13	-40.23	-69.73	-54.94	11.74	13.45	V
LTE Band2 Lowest	3760	-60.83	-13	-47.83	-62.96	-65.43	5.85	12.60	H
	5640	-60.43	-13	-47.43	-64.63	-64.08	7.30	13.10	H
	7520	-58.18	-13	-45.18	-66.28	-59.18	8.35	11.50	H
	3760	-58.10	-13	-45.10	-63.39	-62.70	5.85	12.60	V
	5640	-60.68	-13	-47.68	-65.03	-64.33	7.30	13.10	V
	7520	-57.85	-13	-44.85	-65.93	-58.85	8.35	11.50	V
NR n77 Middle	7680	-58.34	-13	-45.34	-66.06	-61.64	8.30	11.60	H
	11520	-54.77	-13	-41.77	-68.87	-56.29	10.48	12.00	H
	15360	-51.31	-13	-38.31	-68.88	-53.01	11.80	13.50	H
	7680	-56.46	-13	-43.46	-65.89	-59.76	8.30	11.60	V
	11520	-51.97	-13	-38.97	-68.75	-53.49	10.48	12.00	V
	15360	-52.21	-13	-39.21	-68.8	-53.91	11.80	13.50	V
LTE Band2 Middle	3760	-58.10	-13	-45.10	-62.96	-62.70	5.85	12.60	H
	5640	-60.83	-13	-47.83	-64.63	-64.48	7.30	13.10	H
	7520	-60.43	-13	-47.43	-66.20	-61.43	8.35	11.50	H
	3760	-57.93	-13	-44.93	-63.39	-62.53	5.85	12.60	V
	5640	-58.10	-13	-45.10	-65.03	-61.75	7.30	13.10	V
	7520	-60.68	-13	-47.68	-66.01	-61.68	8.35	11.50	V
NR n77 Highest	7909	-57.54	-13	-44.54	-65.53	-60.84	8.32	11.62	H
	11864	-52.43	-13	-39.43	-67.99	-54.11	10.52	12.20	H
	15819	-49.35	-13	-36.35	-68.98	-51.05	11.85	13.55	H
	7909	-54.85	-13	-41.85	-66	-58.15	8.32	11.62	V
	11864	-50.02	-13	-37.02	-68.77	-51.70	10.52	12.20	V
	15819	-51.29	-13	-38.29	-68.93	-52.99	11.85	13.55	V
LTE Band2 Highest	3760	-60.83	-13	-47.83	-62.96	-65.43	5.85	12.60	H
	5640	-60.43	-13	-47.43	-64.63	-64.08	7.30	13.10	H
	7520	-57.93	-13	-44.93	-66.03	-58.93	8.35	11.50	H
	3760	-58.10	-13	-45.10	-63.39	-62.70	5.85	12.60	V
	5640	-60.68	-13	-47.68	-65.03	-64.33	7.30	13.10	V
	7520	-58.26	-13	-45.26	-66.34	-59.26	8.35	11.50	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



EN-DC_48A_n77A / LTE 20MHz + NR 100MHz / QPSK(3+3)									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
NR n77 Lowest	7450	-58.66	-13	-45.66	-66.99	-61.99	8.25	11.58	H
	11175	-54.80	-13	-41.80	-68.68	-56.35	10.45	12.00	H
	14900	-53.89	-13	-40.89	-69.90	-55.60	11.74	13.45	H
	7450	-58.32	-13	-45.32	-66.63	-61.65	8.25	11.58	V
	11175	-52.31	-13	-39.31	-69.11	-53.86	10.45	12.00	V
	14900	-53.35	-13	-40.35	-69.85	-55.06	11.74	13.45	V
LTE Band48 Lowest	7250.00	-58.60	-40	-18.60	-66.62	-61.90	8.30	11.60	H
	10875.00	-55.12	-40	-15.12	-68.45	-56.64	10.48	12.00	H
	14500.00	-55.06	-40	-15.06	-69.53	-56.76	11.80	13.50	H
	7250.00	-57.29	-40	-17.29	-66.85	-60.59	8.30	11.60	V
	10875.00	-53.26	-40	-13.26	-68.24	-54.78	10.48	12.00	V
	14500.00	-55.27	-40	-15.27	-69.35	-56.97	11.80	13.50	V
NR n77 Middle	7680	-58.69	-13	-45.69	-66.41	-61.99	8.30	11.60	H
	11520	-55.37	-13	-42.37	-69.47	-56.89	10.48	12.00	H
	15360	-51.64	-13	-38.64	-69.21	-53.34	11.80	13.50	H
	7680	-56.50	-13	-43.50	-65.93	-59.80	8.30	11.60	V
	11520	-52.59	-13	-39.59	-69.37	-54.11	10.48	12.00	V
	15360	-52.64	-13	-39.64	-69.23	-54.34	11.80	13.50	V
LTE Band48 Middle	7250.00	-58.82	-40	-18.82	-66.84	-62.12	8.30	11.60	H
	10875.00	-55.03	-40	-15.03	-68.36	-56.55	10.48	12.00	H
	14500.00	-55.25	-40	-15.25	-69.72	-56.95	11.80	13.50	H
	7250.00	-57.53	-40	-17.53	-67.09	-60.83	8.30	11.60	V
	10875.00	-53.27	-40	-13.27	-68.25	-54.79	10.48	12.00	V
	14500.00	-55.63	-40	-15.63	-69.71	-57.33	11.80	13.50	V
NR n77 Highest	7909	-57.84	-13	-44.84	-66.55	-61.14	8.32	11.62	H
	11864	-53.68	-13	-40.68	-67.96	-55.36	10.52	12.20	H
	15819	-49.40	-13	-36.40	-69.01	-51.10	11.85	13.55	H
	7909	-54.57	-13	-41.57	-66.38	-57.87	8.32	11.62	V
	11864	-50.35	-13	-37.35	-68.09	-52.03	10.52	12.20	V
	15819	-51.53	-13	-38.53	-69.36	-53.23	11.85	13.55	V
LTE Band48 Highest	7250.00	-58.53	-40	-18.53	-65.83	-61.83	8.30	11.60	H
	10875.00	-54.63	-40	-14.63	-69.24	-56.15	10.48	12.00	H
	14500.00	-54.54	-40	-14.54	-69.03	-56.24	11.80	13.50	H
	7250.00	-56.82	-40	-16.82	-65.72	-60.12	8.30	11.60	V
	10875.00	-53.11	-40	-13.11	-69.1	-54.63	10.48	12.00	V
	14500.00	-55.28	-40	-15.28	-69.17	-56.98	11.80	13.50	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



n77 UL MIMO / NR 100+100MHz / QPSK(ANT3+5)									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	7400	-57.69	-13	-44.69	-66.14	-61.02	8.25	11.58	H
	11097	-55.05	-13	-42.05	-68.89	-56.60	10.45	12.00	H
	14796	-54.15	-13	-41.15	-69.77	-55.86	11.74	13.45	H
	7400	-58.04	-13	-45.04	-66.46	-61.37	8.25	11.58	V
	11097	-53.27	-13	-40.27	-69.04	-54.82	10.45	12.00	V
	14796	-53.78	-13	-40.78	-69.68	-55.49	11.74	13.45	V
Middle	7630	-57.79	-13	-44.79	-65.61	-61.09	8.30	11.60	H
	11448	-54.85	-13	-41.85	-68.86	-56.37	10.48	12.00	H
	15264	-50.93	-13	-37.93	-68.16	-52.63	11.80	13.50	H
	7630	-57.23	-13	-44.23	-65.73	-60.53	8.30	11.60	V
	11448	-51.20	-13	-38.20	-69.27	-52.72	10.48	12.00	V
	15264	-51.69	-13	-38.69	-68.43	-53.39	11.80	13.50	V
Highest	7860	-58.47	-13	-45.47	-66.29	-61.77	8.32	11.62	H
	11790	-46.93	-13	-33.93	-62.20	-48.61	10.52	12.20	H
	15720	-50.22	-13	-37.22	-69.34	-51.92	11.85	13.55	H
	7860	-55.19	-13	-42.19	-66.49	-58.49	8.32	11.62	V
	11790	-46.88	-13	-33.88	-65.24	-48.56	10.52	12.20	V
	15720	-52.40	-13	-39.40	-69.65	-54.10	11.85	13.55	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



n78 SA / NR 100MHz / QPSK(ANT3)									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	7450	-58.79	-13	-45.79	-67.12	-60.26	11.95	13.42	H
	11175	-55.44	-13	-42.44	-69.32	-55.46	13.54	13.56	H
	14900	-54.58	-13	-41.58	-70.59	-54.12	15.46	15.00	H
	7450	-59.05	-13	-46.05	-67.36	-60.52	11.95	13.42	V
	11175	-52.51	-13	-39.51	-69.31	-52.53	13.54	13.56	V
	14900	-54.25	-13	-41.25	-70.75	-53.79	15.46	15.00	V
Middle	7500	-58.82	-13	-45.82	-67.02	-60.34	11.98	13.50	H
	11250	-54.43	-13	-41.43	-68.34	-54.43	13.60	13.60	H
	15000	-54.29	-13	-41.29	-70.68	-53.89	15.50	15.10	H
	7500	-59.01	-13	-46.01	-67.2	-60.53	11.98	13.50	V
	11250	-51.95	-13	-38.95	-68.56	-51.95	13.60	13.60	V
	15000	-53.77	-13	-40.77	-70.88	-53.37	15.50	15.10	V
Highest	7549.99	-59.12	-13	-46.12	-67.17	-60.63	12.00	13.51	H
	11324.97	-55.83	-13	-42.83	-69.77	-55.83	13.62	13.62	H
	15099.96	-53.77	-13	-40.77	-70.45	-53.38	15.53	15.14	H
	7549.99	-58.77	-13	-45.77	-66.81	-60.28	12.00	13.51	V
	11324.97	-51.87	-13	-38.87	-69.3	-51.87	13.62	13.62	V
	15099.96	-52.54	-13	-39.54	-69.53	-52.15	15.53	15.14	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



EN-DC_2A_n78A / LTE 20MHz + NR 100MHz / QPSK(1+3)									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
NR n78 Lowest	7450	-58.58	-13	-45.58	-66.91	-60.05	11.95	13.42	H
	11175	-54.94	-13	-41.94	-68.82	-54.96	13.54	13.56	H
	14900	-53.46	-13	-40.46	-69.47	-53.00	15.46	15.00	H
	7450	-58.45	-13	-45.45	-66.76	-59.92	11.95	13.42	V
	11175	-52.05	-13	-39.05	-68.85	-52.07	13.54	13.56	V
	14900	-53.42	-13	-40.42	-69.92	-52.96	15.46	15.00	V
LTE Band2 Lowest	3760	-60.83	-13	-47.83	-62.96	-65.43	5.85	12.60	H
	5640	-60.43	-13	-47.43	-64.63	-64.08	7.30	13.10	H
	7520	-58.32	-13	-45.32	-66.42	-59.32	8.35	11.50	H
	3760	-58.10	-13	-45.10	-63.39	-62.70	5.85	12.60	V
	5640	-60.68	-13	-47.68	-65.03	-64.33	7.30	13.10	V
	7520	-57.79	-13	-44.79	-65.87	-58.79	8.35	11.50	V
NR n78 Middle	7500	-58.07	-13	-45.07	-66.27	-59.59	11.98	13.50	H
	11250	-54.94	-13	-41.94	-68.85	-54.94	13.60	13.60	H
	15000	-53.62	-13	-40.62	-70.01	-53.22	15.50	15.10	H
	7500	-58.67	-13	-45.67	-66.86	-60.19	11.98	13.50	V
	11250	-51.76	-13	-38.76	-68.37	-51.76	13.60	13.60	V
	15000	-53.22	-13	-40.22	-70.33	-52.82	15.50	15.10	V
LTE Band2 Middle	3760	-60.83	-13	-47.83	-62.96	-65.43	5.85	12.60	H
	5640	-60.43	-13	-47.43	-64.63	-64.08	7.30	13.10	H
	7520	-58.11	-13	-45.11	-66.21	-59.11	8.35	11.50	H
	3760	-58.10	-13	-45.10	-63.39	-62.70	5.85	12.60	V
	5640	-60.68	-13	-47.68	-65.03	-64.33	7.30	13.10	V
	7520	-58.16	-13	-45.16	-66.24	-59.16	8.35	11.50	V
NR n78 Highest	7549	-58.19	-13	-45.19	-66.24	-59.70	12.00	13.51	H
	11324	-54.76	-13	-41.76	-68.70	-54.76	13.62	13.62	H
	15099	-52.85	-13	-39.85	-69.53	-52.46	15.53	15.14	H
	7549	-58.62	-13	-45.62	-66.66	-60.13	12.00	13.51	V
	11324	-51.68	-13	-38.68	-69.11	-51.68	13.62	13.62	V
	15099	-52.79	-13	-39.79	-69.78	-52.40	15.53	15.14	V
LTE Band2 Highest	3760	-60.83	-13	-47.83	-62.96	-65.43	5.85	12.60	H
	5640	-60.43	-13	-47.43	-64.63	-64.08	7.30	13.10	H
	7520	-58.07	-13	-45.07	-66.17	-59.07	8.35	11.50	H
	3760	-58.10	-13	-45.10	-63.39	-62.70	5.85	12.60	V
	5640	-60.68	-13	-47.68	-65.03	-64.33	7.30	13.10	V
	7520	-58.23	-13	-45.23	-66.31	-59.23	8.35	11.50	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.