



Spot Check Evaluation

APPLICANT : Motorola Mobility LLC
EQUIPMENT : Mobile Cellular Phone
BRAND NAME : Motorola
MODEL NAME : XT2235-3
FCC ID : IHDT56AF3
STANDARD : 47 CFR Part 2, 22(H), 24(E), 27(M)
47 CFR Part 2, and 90(S)
47 CFR Part 15 Subpart C §15.247
47 CFR Part 15 Subpart E §15.407

We, Sporton International Inc. (Kunshan), would like to declare that the tested sample has been evaluated in accordance with the test procedures and has been in compliance with the applicable technical standards.

The test results in this report apply exclusively to the tested model / sample. Without written approval of Sporton International Inc. (Kunshan), the test report shall not be reproduced except in full.

Jason Jia

Approved by: Jason Jia



Sporton International Inc. (Kunshan)

**No. 1098, Pengxi North Road, Kunshan Economic Development Zone Jiangsu Province 215300
People's Republic of China**



TABLE OF CONTENTS

REVISION HISTORY..... 3

1 GENERAL DESCRIPTION..... 4

1.1 Applicant 4

1.2 Manufacturer..... 4

1.3 Product Feature of Equipment Under Test..... 4

1.4 Testing Location 4

1.5 Test Software..... 5

1.6 Specification of Accessory..... 5

2 RE-USE OF MEASURED DATA..... 6

2.1 Introduction Section 6

2.2 Model Difference Information 6

2.3 Reference detail Section: 6

2.4 Spot Check Verification Data Section..... 7

3 LIST OF MEASURING EQUIPMENT..... 9

4 UNCERTAINTY OF EVALUATION..... 10

APPENDIX A. SETUP PHOTOGRAPHS



REVISION HISTORY

REPORT NO.	VERSION	DESCRIPTION	ISSUED DATE
232908-07A	Rev. 01	Initial issue of report	Oct. 12, 2022



1 General Description

1.1 Applicant

Motorola Mobility LLC
222 W, Merchandise Mart Plaza, Chicago IL 60654 USA

1.2 Manufacturer

Motorola Mobility LLC
222 W, Merchandise Mart Plaza, Chicago IL 60654 USA

1.3 Product Feature of Equipment Under Test

Product Feature	
Equipment	Mobile Cellular Phone
Brand Name	Motorola
Model Name	XT2235-3
FCC ID	IHDT56AF3
IMEI Code	Conducted: 353766430012491/353766430012509 Radiation: 353766430012574/353766430012582
HW Version	DVT2
SW Version	S2SN32.29
EUT Stage	Identical Prototype

Remark: The above EUT's information was declared by manufacturer. Please refer to the specifications or user's manual for more detailed description.

1.4 Testing Location

Sporton International Inc. (Kunshan) is accredited to ISO/IEC 17025:2017 by American Association for Laboratory Accreditation with Certificate Number 5145.02.

Test Firm	Sporton International Inc. (Kunshan)		
Test Site Location	No. 1098, Pengxi North Road, Kunshan Economic Development Zone Jiangsu Province 215300 People's Republic of China TEL : +86-512-57900158 FAX : +86-512-57900958		
Test Site No.	Sporton Site No.	FCC Designation No.	FCC Test Firm Registration No.
	03CH04-KS TH01-KS	CN1257	314309



1.5 Test Software

Item	Site	Manufacture	Name	Version
1.	03CH04-KS	AUDIX	E3	6.2009-8-24a

1.6 Specification of Accessory

Specification of Accessory				
AC Adapter 1(US)	Brand Name	Motorola(Salcomp)	Model Name	MC-331
AC Adapter 1(EU)	Brand Name	Motorola(Salcomp)	Model Name	MC-332
AC Adapter 1(UK)	Brand Name	Motorola(Salcomp)	Model Name	MC-333
AC Adapter 1(IN)	Brand Name	Motorola(Salcomp)	Model Name	MC-334
AC Adapter 1(AU)	Brand Name	Motorola(Salcomp)	Model Name	MC-335
AC Adapter 1(AR)	Brand Name	Motorola(Salcomp)	Model Name	MC-336
AC Adapter 1(BR)	Brand Name	Motorola(Salcomp)	Model Name	MC-337
AC Adapter 1(CHILE)	Brand Name	Motorola(Salcomp)	Model Name	MC-339
AC Adapter 2(US)	Brand Name	Motorola(Chenyang)	Model Name	MC-331
AC Adapter 2(EU)	Brand Name	Motorola(Chenyang)	Model Name	MC-332
AC Adapter 2(AU)	Brand Name	Motorola(Chenyang)	Model Name	MC-335
AC Adapter 2(AR)	Brand Name	Motorola(Chenyang)	Model Name	MC-336
AC Adapter 2(BR)	Brand Name	Motorola(Chenyang)	Model Name	MC-337
AC Adapter 3(US)	Brand Name	Motorola(Acbel)	Model Name	MC-331
AC Adapter 3(EU)	Brand Name	Motorola(Acbel)	Model Name	MC-332
AC Adapter 3(UK)	Brand Name	Motorola(Acbel)	Model Name	MC-333
Battery 1	Brand Name	Motorola(ATL)	Model Name	NC50
Battery 2	Brand Name	Motorola(SCUD)	Model Name	NC50
Earphone 1	Brand Name	Motorola(NLD)	Model Name	NLD-EM313A-05SF
Earphone 2	Brand Name	Motorola(JUWEI)	Model Name	JWEP1205-L20H
USB Cable 1	Brand Name	Motorola(Saibao)	Model Name	SLQ-A201A
USB Cable 2	Brand Name	Motorola(Jieye)	Model Name	JY-C03-409



2 Re-use of Measured Data

2.1 Introduction Section

This application re-uses data collected on a similar device. The subject device of this application (Model: XT2235-3, FCC ID: IHDT56AF3) is electrically identical to the reference device (Model: XT2235-1, FCC ID: IHDT56AF1) for the portions of the circuitry corresponding to the data being re-used. Based on their similarity, the FCC Part 15C (equipment class: DTS, DSS) and FCC Part 15E (equipment class: NII) and FCC Part 22, 24, 27, 90(S) (equipment class: PCE) reuse the original model's result and do spot-check, following the FCC KDB 484596 D01 v01.

The applicant takes full responsibility that the test data as referenced in this report represent compliance for this FCC ID: IHDT56AF3 .

2.2 Model Difference Information

The **main** difference between FCC ID: IHDT56AF1 and FCC ID: IHDT56AF3 is as below:

- Remove WCDMA Band IV and LTE Band 4/13/66.
- Add NFC function and WCDMA Band XIX and LTE Band 18/19/20/41.

Other differences and all the details of similarity and difference can be found in the confidential documents (XT2235-3_Operational Description of Product Equality Declaration).

2.3 Reference detail Section:

Rule Part	Equipment Class	Frequency Band (MHz)	Reference FCC ID(Parent)	Type Grant/ Permissive Change	Reference Title	FCC ID Filling (Variant)	Report Title/Section
15C	DSS (BR/EDR)	2400~2483.5	IHDT56AF1	Original Grant	FR232908A	IHDT56AF3	All sections applicable
	DTS (BLE)	2400~2483.5	IHDT56AF1	Original Grant	FR232908B	IHDT56AF3	All sections applicable
	DTS (WLAN)	2400~2483.5	IHDT56AF1	Original Grant	FR232908C	IHDT56AF3	All sections applicable
15E	U-NII-1	5180~5240	IHDT56AF1	Original Grant	FR232908D	IHDT56AF3	All sections applicable
	U-NII-2A	5260~5320	IHDT56AF1	Original Grant	FR232908D	IHDT56AF3	All sections applicable
	U-NII-2C	5500~5720	IHDT56AF1	Original Grant	FR232908D	IHDT56AF3	All sections applicable
	U-NII-3	5745~5825	IHDT56AF1	Original Grant	FR232908E	IHDT56AF3	All sections applicable
	DFS	5260~5320 5500~5720	IHDT56AF1	Original Grant	FZ232908	IHDT56AF3	All sections applicable
22,24, 27,90S	PCE (GSM)	GSM 850/1900	IHDT56AF1	Original Grant	FG232908A	IHDT56AF3	All sections applicable
	PCE (WCDMA)	Band II, V	IHDT56AF1	Original Grant	FG232908A	IHDT56AF3	All sections applicable
	PCE (LTE)	B2/5/7/26	IHDT56AF1	Original Grant	FG232908B	IHDT56AF3	All sections applicable
	PCE (LTE)	B26 (90S)	IHDT56AF1	Original Grant	FG232908C	IHDT56AF3	All sections applicable



2.4 Spot Check Verification Data Section

Conducted power test and radiated spurious emission test against the variant model based on the worst-case condition from the original model was performed in this filing to demonstrate the test data from original model remains representative for the variant model

Summary for power and RSE spot check for each rule entry and technology is listed as below:

Test Item	Mode	IHDT56AF1 Parent Worst Result	IHDT56AF3 Variant Check Result	Difference (dB)
Conducted Power (dBm)	BT BR/EDR	12.96	12.21	0.75
	BLE 1Mbps	7.18	7.05	0.13
	11b, 2.4GHz	21.30	21.05	0.25
	11g, 2.4GHz	24.02	23.95	0.07
	11n HT20, 2.4GHz	24.01	23.87	0.14
	11n HT40, 2.4GHz	24.03	23.64	0.39
	11a, 5.2GHz	18.29	18.22	0.07
	11a, 5.3GHz	18.54	18.31	0.23
	11a, 5.5GHz	18.23	18.13	0.1
	11a, 5.8GHz	18.10	18.06	0.04
	11n HT20, 5.2GHz	18.25	17.92	0.33
	11n HT20, 5.3GHz	18.39	18.20	0.19
	11n HT20, 5.5GHz	18.10	17.95	0.15
	11n HT20, 5.8GHz	17.95	17.83	0.12
	11n HT40, 5.2GHz	17.90	17.74	0.16
	11n HT40, 5.3GHz	18.18	18.01	0.17
	11n HT40, 5.5GHz	17.79	17.69	0.1
	11n HT40, 5.8GHz	17.67	17.58	0.09
	11ac VHT20, 5.2GHz	18.28	18.18	0.1
	11ac VHT20, 5.3GHz	18.52	18.33	0.19
	11ac VHT20, 5.5GHz	18.11	17.99	0.12
	11ac VHT20, 5.8GHz	17.99	17.85	0.14
	11ac VHT40, 5.2GHz	18.07	17.95	0.12
	11ac VHT40, 5.3GHz	18.27	18.23	0.04
	11ac VHT40, 5.5GHz	17.92	17.79	0.13
	11ac VHT40, 5.8GHz	17.77	17.66	0.11
	11ac VHT80, 5.2GHz	11.11	11.08	0.03
	11ac VHT80, 5.3GHz	11.95	11.82	0.13
	11ac VHT80, 5.5GHz	17.76	17.39	0.37
	11ac VHT80, 5.8GHz	17.81	17.50	0.31
	GSM850	33.00	32.88	0.12
	GSM1900	29.66	29.45	0.21
	WCDMA B2	22.92	22.81	0.11
	WCDMA B5	23.35	23.22	0.13
LTE B2	23.04	23.03	0.01	
LTE B5	23.09	23.03	0.06	
LTE B7	22.90	22.88	0.02	
LTE B26	23.38	23.36	0.02	
LTE B26_90S	23.39	23.37	0.02	



Test Item	Mode	IHDT56AF1 Parent Worst Result	IHDT56AF3 Variant Check Result	Difference (dB)
Radiated Spurious Emission (dBm)	Part 22H-GSM 850	-15.73	-12.82	2.91
	Part 24E-WCDMA 1900	-38.63	-39.34	0.71
	Part 27M-LTE_B7_BW_20M	-17.83	-20.11	2.28

Conclusion:

Conducted Power and Radiated spurious emission test against the variant model based on the worst-case condition from the original model was performed in this filing to demonstrate the test data from original model remains representative for the variant model.

Based on the spot check test result, the test data from the original model is representative for the variant model. The power level and RSE spot check are shown within expected level compliant to limit line.

We are using power and ERP/EIRP measurements from the original parent model reports to list on the grant.

The same DFS detection is used in the variant. Hence, there is no spot check data for DFS.

We confirm that the test data reuse policy of FCC KDB 484596 D01 Referencing Test Data v01 has been followed and the test data as referenced from the parent model report represents compliance with new FCC ID.



3 List of Measuring Equipment

Instrument	Manufacturer	Model No.	Serial No.	Characteristics	Calibration Date	Test Date	Due Date	Remark
Spectrum Analyzer	R&S	FSV40	101040	10Hz~40GHz	Oct. 14, 2021	Oct. 11, 2022	Oct. 13, 2022	Conducted (TH01-KS)
Power divider	STI	STI08-0055	-	0.5~40GHz	Aug. 25, 2022	Oct. 11, 2022	Aug. 24, 2023	Conducted (TH01-KS)
Power Meter	Anritsu	ML2495A	1005002	50MHz Bandwidth	Jan. 05, 2022	Oct. 11, 2022	Jan. 04, 2023	Conducted (TH01-KS)
Pulse Power Sensor	Anritsu	MA2411B	0917070	300MHz~40GHz	Jan. 05, 2022	Oct. 11, 2022	Jan. 04, 2023	Conducted (TH01-KS)
EXA Spectrum Analyzer	Keysight	N9010B	MY57541079	10Hz-44G,MAX 30dB	Oct. 14, 2021	Oct. 11, 2022	Oct. 13, 2022	Radiation (03CH04-KS)
Loop Antenna	R&S	HFH2-Z2	100321	9kHz~30MHz	Oct. 30, 2021	Oct. 11, 2022	Oct. 29, 2022	Radiation (03CH04-KS)
Bilog Antenna	TeseQ	CBL6111D	49922	30MHz-1GHz	May 24, 2022	Oct. 11, 2022	May 23, 2023	Radiation (03CH04-KS)
Horn Antenna	Schwarzbeck	BBHA9120D	1284	1GHz~18GHz	Oct. 18, 2021	Oct. 11, 2022	Oct. 17, 2022	Radiation (03CH04-KS)
SHF-EHF Horn	Com-power	AH-840	101070	18GHz~40GHz	Jan. 05, 2022	Oct. 11, 2022	Jan. 04, 2023	Radiation (03CH04-KS)
Amplifier	SONOMA	310N	187289	9KHz-1GHz	Jan. 05, 2022	Oct. 11, 2022	Jan. 04, 2023	Radiation (03CH04-KS)
Amplifier	MITEQ	EM18G40GG A	060728	18~40GHz	Jan. 05, 2022	Oct. 11, 2022	Jan. 04, 2023	Radiation (03CH04-KS)
high gain Amplifier	EM	EM01G18GA	060839	1Ghz-18Ghz	Oct. 14, 2021	Oct. 11, 2022	Oct. 13, 2022	Radiation (03CH04-KS)
Amplifier	Keysight	83017A	MY57280106	500MHz~26.5GHz	Oct. 12, 2021	Oct. 11, 2022	Oct. 11, 2022	Radiation (03CH04-KS)
AC Power Source	Chroma	61601	F104090004	N/A	NCR	Oct. 11, 2022	NCR	Radiation (03CH04-KS)
Turn Table	ChamPro	EM 1000-T	060762-T	0~360 degree	NCR	Oct. 11, 2022	NCR	Radiation (03CH04-KS)
Antenna Mast	ChamPro	EM 1000-A	060762-A	1 m~4 m	NCR	Oct. 11, 2022	NCR	Radiation (03CH04-KS)

NCR: No Calibration Required.



4 Uncertainty of Evaluation

The measurement uncertainties shown below were calculated in accordance with the requirements of ANSI 63.26-2015. All the measurement uncertainty value were shown with a coverage K=2 to indicate 95% level of confidence. The measurement data show herein meets or exceeds the CISPR measurement uncertainty values specified in CISPR 16-4-2 and can be compared directly to specified limit to determine compliance.

Uncertainty of Conducted Measurement

Test Item	Uncertainty
Conducted Power	±0.56 dB
Conducted Emissions	±0.92 dB
Occupied Channel Bandwidth	±0.03 %

Uncertainty of Radiated Emission Measurement (30 MHz ~ 1000 MHz)

Measuring Uncertainty for a Level of Confidence of 95% (U = 2Uc(y))	3.3dB
---	-------

Uncertainty of Radiated Emission Measurement (1 GHz ~ 18 GHz)

Measuring Uncertainty for a Level of Confidence of 95% (U = 2Uc(y))	2.8dB
---	-------

Uncertainty of Radiated Emission Measurement (18 GHz ~ 40 GHz)

Measuring Uncertainty for a Level of Confidence of 95% (U = 2Uc(y))	2.8dB
---	-------

-THE END