















		28																																																																		
Mode	Band Edge																																																																			
	U-NII-2A_5.25-5.35_802.11ax HE20_CH64_Partial RU106/54_5320MHz																																																																			
ANT	CDD 4+5																																																																			
Pol.	Vertical	Fundamental																																																																		
Peak	 <table border="1" data-bbox="263 1120 798 1254"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5303.56</td> <td>68.06</td> <td>74.00</td> <td>-5.94</td> <td>55.33</td> <td>34.74</td> <td>9.93</td> <td>31.94</td> <td>0.00</td> <td>300</td> <td>51</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor			cm	deg	1	5303.56	68.06	74.00	-5.94	55.33	34.74	9.93	31.94	0.00	300	51	PEAK	 <table border="1" data-bbox="861 1120 1444 1254"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5320.00</td> <td>106.20</td> <td>-----</td> <td>-----</td> <td>93.64</td> <td>34.57</td> <td>9.90</td> <td>31.91</td> <td>0.00</td> <td>300</td> <td>51</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor			cm	deg	1	5320.00	106.20	-----	-----	93.64	34.57	9.90	31.91	0.00	300	51	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor			cm	deg																																																											
1	5303.56	68.06	74.00	-5.94	55.33	34.74	9.93	31.94	0.00	300	51	PEAK																																																								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor			cm	deg																																																											
1	5320.00	106.20	-----	-----	93.64	34.57	9.90	31.91	0.00	300	51	PEAK																																																								
Avg	 <table border="1" data-bbox="263 1792 798 1926"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5355.14</td> <td>50.05</td> <td>54.00</td> <td>-3.95</td> <td>37.41</td> <td>34.66</td> <td>9.91</td> <td>31.93</td> <td>0.00</td> <td>300</td> <td>51</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor			cm	deg	1	5355.14	50.05	54.00	-3.95	37.41	34.66	9.91	31.93	0.00	300	51	AVERAGE	 <table border="1" data-bbox="861 1792 1444 1926"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5320.00</td> <td>99.21</td> <td>-----</td> <td>-----</td> <td>86.65</td> <td>34.57</td> <td>9.90</td> <td>31.91</td> <td>0.00</td> <td>300</td> <td>51</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor			cm	deg	1	5320.00	99.21	-----	-----	86.65	34.57	9.90	31.91	0.00	300	51	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor			cm	deg																																																											
1	5355.14	50.05	54.00	-3.95	37.41	34.66	9.91	31.93	0.00	300	51	AVERAGE																																																								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor			cm	deg																																																											
1	5320.00	99.21	-----	-----	86.65	34.57	9.90	31.91	0.00	300	51	AVERAGE																																																								



		29																																																																																																					
Mode	Band Edge																																																																																																						
	U-NII-2C_5.47-5.725_802.11ax HE20_CH100_Partial RU106/53_5500MHz																																																																																																						
ANT	CDD 4+5																																																																																																						
Pol.	Horizontal	Fundamental																																																																																																					
Peak	 <table border="1" data-bbox="263 1097 774 1243"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5437.45</td> <td>56.78</td> <td>74.00</td> <td>-17.22</td> <td>43.97</td> <td>34.80</td> <td>9.99</td> <td>31.98</td> <td>0.00</td> <td>101</td> <td>120</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5468.95</td> <td>62.19</td> <td>68.30</td> <td>-6.11</td> <td>49.35</td> <td>34.80</td> <td>10.04</td> <td>32.00</td> <td>0.00</td> <td>101</td> <td>120</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5437.45	56.78	74.00	-17.22	43.97	34.80	9.99	31.98	0.00	101	120	PEAK	2	5468.95	62.19	68.30	-6.11	49.35	34.80	10.04	32.00	0.00	101	120	PEAK	 <table border="1" data-bbox="901 1097 1412 1243"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5500.00</td> <td>108.00</td> <td>-----</td> <td>-----</td> <td>95.20</td> <td>34.80</td> <td>10.09</td> <td>32.01</td> <td>0.00</td> <td>101</td> <td>120</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5500.00	108.00	-----	-----	95.20	34.80	10.09	32.01	0.00	101	120	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																													
1	5437.45	56.78	74.00	-17.22	43.97	34.80	9.99	31.98	0.00	101	120	PEAK																																																																																											
2	5468.95	62.19	68.30	-6.11	49.35	34.80	10.04	32.00	0.00	101	120	PEAK																																																																																											
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																													
1	5500.00	108.00	-----	-----	95.20	34.80	10.09	32.01	0.00	101	120	PEAK																																																																																											
Avg	 <table border="1" data-bbox="263 1769 774 1915"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5459.95</td> <td>43.60</td> <td>54.00</td> <td>-10.40</td> <td>30.76</td> <td>34.80</td> <td>10.03</td> <td>31.99</td> <td>0.00</td> <td>101</td> <td>120</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5459.95	43.60	54.00	-10.40	30.76	34.80	10.03	31.99	0.00	101	120	AVERAGE	 <table border="1" data-bbox="901 1769 1412 1915"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5500.00</td> <td>101.16</td> <td>-----</td> <td>-----</td> <td>88.28</td> <td>34.80</td> <td>10.09</td> <td>32.01</td> <td>0.00</td> <td>101</td> <td>120</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5500.00	101.16	-----	-----	88.28	34.80	10.09	32.01	0.00	101	120	AVERAGE													
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																													
1	5459.95	43.60	54.00	-10.40	30.76	34.80	10.03	31.99	0.00	101	120	AVERAGE																																																																																											
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																													
1	5500.00	101.16	-----	-----	88.28	34.80	10.09	32.01	0.00	101	120	AVERAGE																																																																																											






		29																																																																																																					
Mode	Band Edge																																																																																																						
	U-NII-2C_5.47-5.725_802.11ax HE20_CH100_Partial RU106/53_5500MHz																																																																																																						
ANT	CDD 4+5																																																																																																						
Pol.	Vertical	Fundamental																																																																																																					
Peak	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5437.75</td> <td>53.40</td> <td>74.00</td> <td>-20.60</td> <td>40.59</td> <td>34.80</td> <td>9.99</td> <td>31.98</td> <td>0.00</td> <td>300</td> <td>49</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5469.40</td> <td>54.17</td> <td>68.30</td> <td>-14.13</td> <td>41.33</td> <td>34.80</td> <td>10.04</td> <td>32.00</td> <td>0.00</td> <td>300</td> <td>49</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5437.75	53.40	74.00	-20.60	40.59	34.80	9.99	31.98	0.00	300	49	PEAK	2	5469.40	54.17	68.30	-14.13	41.33	34.80	10.04	32.00	0.00	300	49	PEAK	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5500.00</td> <td>105.26</td> <td>-----</td> <td>-----</td> <td>92.38</td> <td>34.80</td> <td>10.09</td> <td>32.01</td> <td>0.00</td> <td>300</td> <td>49</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5500.00	105.26	-----	-----	92.38	34.80	10.09	32.01	0.00	300	49	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																													
1	5437.75	53.40	74.00	-20.60	40.59	34.80	9.99	31.98	0.00	300	49	PEAK																																																																																											
2	5469.40	54.17	68.30	-14.13	41.33	34.80	10.04	32.00	0.00	300	49	PEAK																																																																																											
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																													
1	5500.00	105.26	-----	-----	92.38	34.80	10.09	32.01	0.00	300	49	PEAK																																																																																											
Avg	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5459.50</td> <td>43.10</td> <td>54.00</td> <td>-10.90</td> <td>30.26</td> <td>34.80</td> <td>10.03</td> <td>31.99</td> <td>0.00</td> <td>300</td> <td>49</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5459.50	43.10	54.00	-10.90	30.26	34.80	10.03	31.99	0.00	300	49	AVERAGE	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5500.00</td> <td>97.39</td> <td>-----</td> <td>-----</td> <td>84.51</td> <td>34.80</td> <td>10.09</td> <td>32.01</td> <td>0.00</td> <td>300</td> <td>49</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5500.00	97.39	-----	-----	84.51	34.80	10.09	32.01	0.00	300	49	AVERAGE													
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																													
1	5459.50	43.10	54.00	-10.90	30.26	34.80	10.03	31.99	0.00	300	49	AVERAGE																																																																																											
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																													
1	5500.00	97.39	-----	-----	84.51	34.80	10.09	32.01	0.00	300	49	AVERAGE																																																																																											



Mode	30																																																																							
	Band Edge																																																																							
	U-NII-2C_5.47-5.725_802.11ax HE20_CH140_Partial RU106/54_5700MHz																																																																							
ANT	CDD 4+5																																																																							
Pol.	Horizontal	Fundamental																																																																						
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5732.57</td> <td>65.00</td> <td>68.30</td> <td>-3.30</td> <td>52.13</td> <td>34.54</td> <td>10.35</td> <td>32.02</td> <td>0.00</td> <td>103</td> <td>116 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 5732.57	65.00	68.30	-3.30	52.13	34.54	10.35	32.02	0.00	103	116 PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5700.00</td> <td>110.50</td> <td>-----</td> <td>-----</td> <td>97.69</td> <td>34.52</td> <td>10.33</td> <td>32.04</td> <td>0.00</td> <td>103</td> <td>116 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 5700.00	110.50	-----	-----	97.69	34.52	10.33	32.04	0.00	103	116 PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																	
1 5732.57	65.00	68.30	-3.30	52.13	34.54	10.35	32.02	0.00	103	116 PEAK																																																														
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																	
1 5700.00	110.50	-----	-----	97.69	34.52	10.33	32.04	0.00	103	116 PEAK																																																														
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5700.00</td> <td>101.50</td> <td>-----</td> <td>-----</td> <td>88.71</td> <td>34.51</td> <td>10.33</td> <td>32.05</td> <td>0.00</td> <td>103</td> <td>116 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 5700.00	101.50	-----	-----	88.71	34.51	10.33	32.05	0.00	103	116 AVERAGE																																			
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																	
1 5700.00	101.50	-----	-----	88.71	34.51	10.33	32.05	0.00	103	116 AVERAGE																																																														



Mode	30																																																																																																	
	Band Edge																																																																																																	
	U-NII-2C_5.47-5.725_802.11ax HE20_CH140_Partial RU106/54_5700MHz																																																																																																	
ANT	CDD 4+5																																																																																																	
Pol.	Vertical	Fundamental																																																																																																
Peak	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5748.62</td> <td>61.32</td> <td>68.30</td> <td>-6.98</td> <td>48.41</td> <td>34.56</td> <td>10.36</td> <td>32.01</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td>0.00</td> <td></td> <td>270</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>52 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 5748.62	61.32	68.30	-6.98	48.41	34.56	10.36	32.01						0.00		270								52 PEAK	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5700.00</td> <td>108.26</td> <td>-----</td> <td>-----</td> <td>95.47</td> <td>34.51</td> <td>10.33</td> <td>32.05</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td>0.00</td> <td></td> <td>270</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>52 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 5700.00	108.26	-----	-----	95.47	34.51	10.33	32.05						0.00		270								52 PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																											
1 5748.62	61.32	68.30	-6.98	48.41	34.56	10.36	32.01																																																																																											
					0.00		270																																																																																											
							52 PEAK																																																																																											
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																											
1 5700.00	108.26	-----	-----	95.47	34.51	10.33	32.05																																																																																											
					0.00		270																																																																																											
							52 PEAK																																																																																											
Avg	Blank	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5700.00</td> <td>99.72</td> <td>-----</td> <td>-----</td> <td>86.93</td> <td>34.51</td> <td>10.33</td> <td>32.05</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td>0.00</td> <td></td> <td>270</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>52 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 5700.00	99.72	-----	-----	86.93	34.51	10.33	32.05						0.00		270								52 AVERAGE																																																
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																											
1 5700.00	99.72	-----	-----	86.93	34.51	10.33	32.05																																																																																											
					0.00		270																																																																																											
							52 AVERAGE																																																																																											



31																																										
Mode	Band Edge - L																																									
	U-NII-1_5.15-5.25_802.11ax HE40_CH38_Full_5190MHz																																									
ANT	CDD 4+5																																									
Pol.	Horizontal																																									
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5145.70</td> <td>61.11</td> <td>74.00</td> <td>-12.89</td> <td>49.03</td> <td>34.10</td> <td>9.78</td> <td>31.80</td> <td>0.00</td> <td>100</td> <td>115</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5145.70	61.11	74.00	-12.89	49.03	34.10	9.78	31.80	0.00	100	115	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																	
1	5145.70	61.11	74.00	-12.89	49.03	34.10	9.78	31.80	0.00	100	115	PEAK																														
<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5190.00</td> <td>100.58</td> <td>-----</td> <td>-----</td> <td>88.49</td> <td>34.10</td> <td>9.81</td> <td>31.82</td> <td>0.00</td> <td>100</td> <td>115</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5190.00	100.58	-----	-----	88.49	34.10	9.81	31.82	0.00	100	115	PEAK	
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																	
1	5190.00	100.58	-----	-----	88.49	34.10	9.81	31.82	0.00	100	115	PEAK																														
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5147.30</td> <td>48.03</td> <td>54.00</td> <td>-5.97</td> <td>35.95</td> <td>34.10</td> <td>9.78</td> <td>31.80</td> <td>0.00</td> <td>100</td> <td>115</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5147.30	48.03	54.00	-5.97	35.95	34.10	9.78	31.80	0.00	100	115	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																	
1	5147.30	48.03	54.00	-5.97	35.95	34.10	9.78	31.80	0.00	100	115	AVERAGE																														
<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5190.00</td> <td>92.01</td> <td>-----</td> <td>-----</td> <td>79.92</td> <td>34.10</td> <td>9.81</td> <td>31.82</td> <td>0.00</td> <td>100</td> <td>115</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5190.00	92.01	-----	-----	79.92	34.10	9.81	31.82	0.00	100	115	AVERAGE	
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																	
1	5190.00	92.01	-----	-----	79.92	34.10	9.81	31.82	0.00	100	115	AVERAGE																														



	31																																								
Mode	Band Edge - R																																								
	U-NII-1_5.15-5.25_802.11ax HE40_CH38_Full_5190MHz																																								
ANT	CDD 4+5																																								
Pol.	Horizontal	Fundamental																																							
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5350.38</td> <td>53.71</td> <td>74.00</td> <td>-20.29</td> <td>41.07</td> <td>34.65</td> <td>9.91</td> <td>31.92</td> <td>0.00</td> <td>100</td> <td>115 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5350.38	53.71	74.00	-20.29	41.07	34.65	9.91	31.92	0.00	100	115 PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																
1 5350.38	53.71	74.00	-20.29	41.07	34.65	9.91	31.92	0.00	100	115 PEAK																															
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5459.73</td> <td>41.98</td> <td>54.00</td> <td>-12.02</td> <td>29.14</td> <td>34.80</td> <td>10.03</td> <td>31.99</td> <td>0.00</td> <td>100</td> <td>115 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5459.73	41.98	54.00	-12.02	29.14	34.80	10.03	31.99	0.00	100	115 AVERAGE	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																
1 5459.73	41.98	54.00	-12.02	29.14	34.80	10.03	31.99	0.00	100	115 AVERAGE																															



		31																																																																																		
Mode	Band Edge - L																																																																																			
	U-NII-1_5.15-5.25_802.11ax HE40_CH38_Full_5190MHz																																																																																			
ANT	CDD 4+5																																																																																			
Pol.	Vertical	Fundamental																																																																																		
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5146.50</td> <td>60.51</td> <td>74.00</td> <td>-13.49</td> <td>48.43</td> <td>34.10</td> <td>9.78</td> <td>31.00</td> <td>0.00</td> <td>300</td> <td>48</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5146.50	60.51	74.00	-13.49	48.43	34.10	9.78	31.00	0.00	300	48	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5190.00</td> <td>101.54</td> <td>-----</td> <td>-----</td> <td>89.45</td> <td>34.10</td> <td>9.81</td> <td>31.82</td> <td>0.00</td> <td>300</td> <td>48</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5190.00	101.54	-----	-----	89.45	34.10	9.81	31.82	0.00	300	48	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5146.50	60.51	74.00	-13.49	48.43	34.10	9.78	31.00	0.00	300	48	PEAK																																																																								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5190.00	101.54	-----	-----	89.45	34.10	9.81	31.82	0.00	300	48	PEAK																																																																								
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5147.30</td> <td>48.21</td> <td>54.00</td> <td>-5.79</td> <td>36.13</td> <td>34.10</td> <td>9.78</td> <td>31.00</td> <td>0.00</td> <td>300</td> <td>48</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5147.30	48.21	54.00	-5.79	36.13	34.10	9.78	31.00	0.00	300	48	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5190.00</td> <td>93.89</td> <td>-----</td> <td>-----</td> <td>81.80</td> <td>34.10</td> <td>9.81</td> <td>31.82</td> <td>0.00</td> <td>300</td> <td>48</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5190.00	93.89	-----	-----	81.80	34.10	9.81	31.82	0.00	300	48	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5147.30	48.21	54.00	-5.79	36.13	34.10	9.78	31.00	0.00	300	48	AVERAGE																																																																								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5190.00	93.89	-----	-----	81.80	34.10	9.81	31.82	0.00	300	48	AVERAGE																																																																								



	31																																										
Mode	Band Edge - R																																										
	U-NII-1_5.15-5.25_802.11ax HE40_CH38_Full_5190MHz																																										
ANT	CDD 4+5																																										
Pol.	Vertical	Fundamental																																									
Peak	<table border="1" data-bbox="268 1126 775 1249"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5374.95</td> <td>53.29</td> <td>74.00</td> <td>-20.71</td> <td>40.59</td> <td>34.72</td> <td>9.92</td> <td>31.94</td> <td>0.00</td> <td>300</td> <td>48</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5374.95	53.29	74.00	-20.71	40.59	34.72	9.92	31.94	0.00	300	48	PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																		
1	5374.95	53.29	74.00	-20.71	40.59	34.72	9.92	31.94	0.00	300	48	PEAK																															
Avg	<table border="1" data-bbox="268 1803 775 1926"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5450.01</td> <td>41.85</td> <td>54.00</td> <td>-12.15</td> <td>29.02</td> <td>34.80</td> <td>10.01</td> <td>31.98</td> <td>0.00</td> <td>300</td> <td>48</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5450.01	41.85	54.00	-12.15	29.02	34.80	10.01	31.98	0.00	300	48	AVERAGE	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																		
1	5450.01	41.85	54.00	-12.15	29.02	34.80	10.01	31.98	0.00	300	48	AVERAGE																															



Mode	31																																																																							
	Harmonic																																																																							
	U-NII-1_5.15-5.25_802.11ax HE40_CH38_Full_5190MHz																																																																							
ANT	CDD 4+5																																																																							
Pol.	Horizontal	Vertical																																																																						
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 10380.00</td> <td>43.80</td> <td>68.30</td> <td>-24.50</td> <td>53.85</td> <td>37.65</td> <td>14.14</td> <td>61.84</td> <td>0.00</td> <td>300</td> <td>0 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 10380.00	43.80	68.30	-24.50	53.85	37.65	14.14	61.84	0.00	300	0 PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 10380.00</td> <td>44.54</td> <td>68.30</td> <td>-23.76</td> <td>54.59</td> <td>37.65</td> <td>14.14</td> <td>61.84</td> <td>0.00</td> <td>100</td> <td>0 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 10380.00	44.54	68.30	-23.76	54.59	37.65	14.14	61.84	0.00	100	0 PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																	
1 10380.00	43.80	68.30	-24.50	53.85	37.65	14.14	61.84	0.00	300	0 PEAK																																																														
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																	
1 10380.00	44.54	68.30	-23.76	54.59	37.65	14.14	61.84	0.00	100	0 PEAK																																																														







	32																																																																																			
Mode	Band Edge - L																																																																																			
	U-NII-1_5.15-5.25_802.11ax HE40_CH46_Full_5230MHz																																																																																			
ANT	CDD 4+5																																																																																			
Pol.	Horizontal	Fundamental																																																																																		
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5148.12</td> <td>54.56</td> <td>74.00</td> <td>-19.44</td> <td>42.47</td> <td>34.10</td> <td>9.79</td> <td>31.80</td> <td>0.00</td> <td>100</td> <td>117</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5148.12	54.56	74.00	-19.44	42.47	34.10	9.79	31.80	0.00	100	117	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5230.00</td> <td>101.00</td> <td>-----</td> <td>-----</td> <td>88.78</td> <td>34.22</td> <td>9.85</td> <td>31.85</td> <td>0.00</td> <td>100</td> <td>117</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5230.00	101.00	-----	-----	88.78	34.22	9.85	31.85	0.00	100	117	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5148.12	54.56	74.00	-19.44	42.47	34.10	9.79	31.80	0.00	100	117	PEAK																																																																								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5230.00	101.00	-----	-----	88.78	34.22	9.85	31.85	0.00	100	117	PEAK																																																																								
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5147.66</td> <td>42.87</td> <td>54.00</td> <td>-11.13</td> <td>30.79</td> <td>34.10</td> <td>9.78</td> <td>31.80</td> <td>0.00</td> <td>100</td> <td>117</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5147.66	42.87	54.00	-11.13	30.79	34.10	9.78	31.80	0.00	100	117	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5230.00</td> <td>93.47</td> <td>-----</td> <td>-----</td> <td>81.25</td> <td>34.22</td> <td>9.85</td> <td>31.85</td> <td>0.00</td> <td>100</td> <td>117</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5230.00	93.47	-----	-----	81.25	34.22	9.85	31.85	0.00	100	117	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5147.66	42.87	54.00	-11.13	30.79	34.10	9.78	31.80	0.00	100	117	AVERAGE																																																																								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5230.00	93.47	-----	-----	81.25	34.22	9.85	31.85	0.00	100	117	AVERAGE																																																																								



	32																																							
Mode	Band Edge - R																																							
	U-NII-1_5.15-5.25_802.11ax HE40_CH46_Full_5230MHz																																							
ANT	CDD 4+5																																							
Pol.	Horizontal	Fundamental																																						
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5395.37</td> <td>53.34</td> <td>74.00</td> <td>-20.66</td> <td>40.57</td> <td>34.78</td> <td>9.94</td> <td>31.95</td> <td>0.00</td> <td>100</td> <td>117 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 5395.37	53.34	74.00	-20.66	40.57	34.78	9.94	31.95	0.00	100	117 PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																
1 5395.37	53.34	74.00	-20.66	40.57	34.78	9.94	31.95	0.00	100	117 PEAK																														
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5350.06</td> <td>41.94</td> <td>54.00</td> <td>-12.06</td> <td>29.31</td> <td>34.64</td> <td>9.91</td> <td>31.92</td> <td>0.00</td> <td>100</td> <td>117 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 5350.06	41.94	54.00	-12.06	29.31	34.64	9.91	31.92	0.00	100	117 AVERAGE	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																
1 5350.06	41.94	54.00	-12.06	29.31	34.64	9.91	31.92	0.00	100	117 AVERAGE																														



		32																																																																		
Mode	Band Edge - L																																																																			
	U-NII-1_5.15-5.25_802.11ax HE40_CH46_Full_5230MHz																																																																			
ANT	CDD 4+5																																																																			
Pol.	Vertical	Fundamental																																																																		
Peak	 <table border="1" data-bbox="263 1120 798 1243"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5111.55</td> <td>55.07</td> <td>74.00</td> <td>-18.93</td> <td>43.00</td> <td>34.10</td> <td>9.75</td> <td>31.78</td> <td>0.00</td> <td>300</td> <td>45</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line Margin	Level Factor	Loss Factor	Factor			cm	deg	1	5111.55	55.07	74.00	-18.93	43.00	34.10	9.75	31.78	0.00	300	45	PEAK	 <table border="1" data-bbox="901 1120 1436 1243"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5230.00</td> <td>97.99</td> <td>-----</td> <td>-----</td> <td>85.77</td> <td>34.22</td> <td>9.85</td> <td>31.85</td> <td>0.00</td> <td>300</td> <td>45</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line Margin	Level Factor	Loss Factor	Factor			cm	deg	1	5230.00	97.99	-----	-----	85.77	34.22	9.85	31.85	0.00	300	45	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor			cm	deg																																																											
1	5111.55	55.07	74.00	-18.93	43.00	34.10	9.75	31.78	0.00	300	45	PEAK																																																								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																													
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor			cm	deg																																																											
1	5230.00	97.99	-----	-----	85.77	34.22	9.85	31.85	0.00	300	45	PEAK																																																								
Avg	 <table border="1" data-bbox="263 1792 798 1915"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5148.12</td> <td>42.65</td> <td>54.00</td> <td>-11.35</td> <td>30.56</td> <td>34.10</td> <td>9.79</td> <td>31.00</td> <td>0.00</td> <td>300</td> <td>45</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line Margin	Level Factor	Loss Factor	Factor			cm	deg	1	5148.12	42.65	54.00	-11.35	30.56	34.10	9.79	31.00	0.00	300	45	AVERAGE	 <table border="1" data-bbox="901 1792 1436 1915"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5230.00</td> <td>90.22</td> <td>-----</td> <td>-----</td> <td>78.00</td> <td>34.22</td> <td>9.85</td> <td>31.85</td> <td>0.00</td> <td>300</td> <td>45</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line Margin	Level Factor	Loss Factor	Factor			cm	deg	1	5230.00	90.22	-----	-----	78.00	34.22	9.85	31.85	0.00	300	45	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																													
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor			cm	deg																																																											
1	5148.12	42.65	54.00	-11.35	30.56	34.10	9.79	31.00	0.00	300	45	AVERAGE																																																								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																													
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor			cm	deg																																																											
1	5230.00	90.22	-----	-----	78.00	34.22	9.85	31.85	0.00	300	45	AVERAGE																																																								



Mode	32																																							
	Band Edge - R																																							
	U-NII-1_5.15-5.25_802.11ax HE40_CH46_Full_5230MHz																																							
ANT	CDD 4+5																																							
Pol.	Vertical	Fundamental																																						
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5449.19</td> <td>53.40</td> <td>74.00</td> <td>-20.60</td> <td>40.57</td> <td>34.00</td> <td>10.01</td> <td>31.98</td> <td>0.00</td> <td>300 45 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5449.19	53.40	74.00	-20.60	40.57	34.00	10.01	31.98	0.00	300 45 PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																															
1 5449.19	53.40	74.00	-20.60	40.57	34.00	10.01	31.98	0.00	300 45 PEAK																															
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5455.63</td> <td>41.81</td> <td>54.00</td> <td>-12.19</td> <td>28.98</td> <td>34.00</td> <td>10.02</td> <td>31.99</td> <td>0.00</td> <td>300 45 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5455.63	41.81	54.00	-12.19	28.98	34.00	10.02	31.99	0.00	300 45 AVERAGE	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																															
1 5455.63	41.81	54.00	-12.19	28.98	34.00	10.02	31.99	0.00	300 45 AVERAGE																															



Mode	32																																																																											
	Harmonic																																																																											
	U-NII-1_5.15-5.25_802.11ax HE40_CH46_Full_5230MHz																																																																											
ANT	CDD 4+5																																																																											
Pol.	Horizontal	Vertical																																																																										
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 10460.00</td> <td>44.55</td> <td>68.30</td> <td>-23.75</td> <td>54.37</td> <td>37.68</td> <td>14.20</td> <td>61.70</td> <td>0.00</td> <td>300</td> <td>0 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 10460.00	44.55	68.30	-23.75	54.37	37.68	14.20	61.70	0.00	300	0 PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 10460.00</td> <td>44.92</td> <td>68.30</td> <td>-23.38</td> <td>54.74</td> <td>37.68</td> <td>14.20</td> <td>61.70</td> <td>0.00</td> <td>100</td> <td>0 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 10460.00	44.92	68.30	-23.38	54.74	37.68	14.20	61.70	0.00	100	0 PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																			
1 10460.00	44.55	68.30	-23.75	54.37	37.68	14.20	61.70	0.00	300	0 PEAK																																																																		
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																			
1 10460.00	44.92	68.30	-23.38	54.74	37.68	14.20	61.70	0.00	100	0 PEAK																																																																		



33																																																																															
Band Edge - L																																																																															
U-NII-2A_5.25-5.35_802.11ax HE40_CH54_Full_5270MHz																																																																															
ANT CDD 4+5																																																																															
Mode																																																																															
ANT																																																																															
Pol.																																																																															
Peak	<div style="display: flex; justify-content: space-around;"> <div style="width: 48%;"> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5055.35</td> <td>54.23</td> <td>74.00</td> <td>-19.77</td> <td>42.18</td> <td>34.10</td> <td>9.70</td> <td>31.75</td> <td>0.00</td> <td>116</td> <td>116 PEAK</td> </tr> </tbody> </table> </div> <div style="width: 48%;"> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5270.00</td> <td>102.23</td> <td>-----</td> <td>-----</td> <td>89.85</td> <td>34.39</td> <td>9.87</td> <td>31.88</td> <td>0.00</td> <td>116</td> <td>116 PEAK</td> </tr> </tbody> </table> </div> </div>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5055.35	54.23	74.00	-19.77	42.18	34.10	9.70	31.75	0.00	116	116 PEAK	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5270.00	102.23	-----	-----	89.85	34.39	9.87	31.88	0.00	116	116 PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																						
1 5055.35	54.23	74.00	-19.77	42.18	34.10	9.70	31.75	0.00	116	116 PEAK																																																																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																						
1 5270.00	102.23	-----	-----	89.85	34.39	9.87	31.88	0.00	116	116 PEAK																																																																					
Avg	<div style="display: flex; justify-content: space-around;"> <div style="width: 48%;"> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5057.78</td> <td>42.32</td> <td>54.00</td> <td>-11.68</td> <td>30.26</td> <td>34.10</td> <td>9.71</td> <td>31.75</td> <td>0.00</td> <td>116</td> <td>116 AVERAGE</td> </tr> </tbody> </table> </div> <div style="width: 48%;"> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5270.00</td> <td>93.51</td> <td>-----</td> <td>-----</td> <td>81.13</td> <td>34.39</td> <td>9.87</td> <td>31.88</td> <td>0.00</td> <td>116</td> <td>116 AVERAGE</td> </tr> </tbody> </table> </div> </div>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5057.78	42.32	54.00	-11.68	30.26	34.10	9.71	31.75	0.00	116	116 AVERAGE	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5270.00	93.51	-----	-----	81.13	34.39	9.87	31.88	0.00	116	116 AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																						
1 5057.78	42.32	54.00	-11.68	30.26	34.10	9.71	31.75	0.00	116	116 AVERAGE																																																																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																						
1 5270.00	93.51	-----	-----	81.13	34.39	9.87	31.88	0.00	116	116 AVERAGE																																																																					



	33																																									
Mode	Band Edge - R																																									
	U-NII-2A_5.25-5.35_802.11ax HE40_CH54_Full_5270MHz																																									
ANT	CDD 4+5																																									
Pol.	Horizontal	Fundamental																																								
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5422.95</td> <td>53.47</td> <td>74.00</td> <td>-20.53</td> <td>40.67</td> <td>34.00</td> <td>9.97</td> <td>31.97</td> <td>0.00</td> <td>116</td> <td>116</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5422.95	53.47	74.00	-20.53	40.67	34.00	9.97	31.97	0.00	116	116	PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																		
1	5422.95	53.47	74.00	-20.53	40.67	34.00	9.97	31.97	0.00	116	116	PEAK																														
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5358.35</td> <td>42.38</td> <td>54.00</td> <td>-11.62</td> <td>29.72</td> <td>34.67</td> <td>9.92</td> <td>31.93</td> <td>0.00</td> <td>116</td> <td>116</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5358.35	42.38	54.00	-11.62	29.72	34.67	9.92	31.93	0.00	116	116	AVERAGE	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																		
1	5358.35	42.38	54.00	-11.62	29.72	34.67	9.92	31.93	0.00	116	116	AVERAGE																														



		33																																																																																		
Mode	Band Edge - L																																																																																			
	U-NII-2A_5.25-5.35_802.11ax HE40_CH54_Full_5270MHz																																																																																			
ANT	CDD 4+5																																																																																			
Pol.	Vertical	Fundamental																																																																																		
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5000.81</td> <td>54.12</td> <td>74.00</td> <td>-19.88</td> <td>42.09</td> <td>34.10</td> <td>9.66</td> <td>31.73</td> <td>0.00</td> <td>300</td> <td>47</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5000.81	54.12	74.00	-19.88	42.09	34.10	9.66	31.73	0.00	300	47	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5270.00</td> <td>100.39</td> <td>-----</td> <td>-----</td> <td>88.01</td> <td>34.39</td> <td>9.87</td> <td>31.88</td> <td>0.00</td> <td>300</td> <td>47</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5270.00	100.39	-----	-----	88.01	34.39	9.87	31.88	0.00	300	47	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5000.81	54.12	74.00	-19.88	42.09	34.10	9.66	31.73	0.00	300	47	PEAK																																																																								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5270.00	100.39	-----	-----	88.01	34.39	9.87	31.88	0.00	300	47	PEAK																																																																								
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5048.60</td> <td>42.25</td> <td>54.00</td> <td>-11.75</td> <td>30.19</td> <td>34.10</td> <td>9.70</td> <td>31.74</td> <td>0.00</td> <td>300</td> <td>47</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5048.60	42.25	54.00	-11.75	30.19	34.10	9.70	31.74	0.00	300	47	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5270.00</td> <td>90.65</td> <td>-----</td> <td>-----</td> <td>78.27</td> <td>34.39</td> <td>9.87</td> <td>31.88</td> <td>0.00</td> <td>300</td> <td>47</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5270.00	90.65	-----	-----	78.27	34.39	9.87	31.88	0.00	300	47	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5048.60	42.25	54.00	-11.75	30.19	34.10	9.70	31.74	0.00	300	47	AVERAGE																																																																								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5270.00	90.65	-----	-----	78.27	34.39	9.87	31.88	0.00	300	47	AVERAGE																																																																								



	33																																							
Mode	Band Edge - R																																							
	U-NII-2A_5.25-5.35_802.11ax HE40_CH54_Full_5270MHz																																							
ANT	CDD 4+5																																							
Pol.	Vertical	Fundamental																																						
Peak	<table border="1" data-bbox="268 1126 775 1249"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5357.21</td> <td>41.83</td> <td>54.00</td> <td>-12.17</td> <td>29.17</td> <td>34.67</td> <td>9.92</td> <td>31.93</td> <td>0.00</td> <td>300 47 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5357.21	41.83	54.00	-12.17	29.17	34.67	9.92	31.93	0.00	300 47 AVERAGE	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																															
1 5357.21	41.83	54.00	-12.17	29.17	34.67	9.92	31.93	0.00	300 47 AVERAGE																															
Avg	<table border="1" data-bbox="268 1803 775 1926"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5357.21</td> <td>41.83</td> <td>54.00</td> <td>-12.17</td> <td>29.17</td> <td>34.67</td> <td>9.92</td> <td>31.93</td> <td>0.00</td> <td>300 47 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5357.21	41.83	54.00	-12.17	29.17	34.67	9.92	31.93	0.00	300 47 AVERAGE	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																															
1 5357.21	41.83	54.00	-12.17	29.17	34.67	9.92	31.93	0.00	300 47 AVERAGE																															





Mode	33																																																																															
	Harmonic																																																																															
	U-NII-2A_5.25-5.35_802.11ax HE40_CH54_Full_5270MHz																																																																															
ANT	CDD 4+5																																																																															
Pol.	Horizontal	Vertical																																																																														
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 10540.00</td> <td>44.76</td> <td>68.30</td> <td>-23.54</td> <td>54.42</td> <td>37.72</td> <td>14.25</td> <td>61.63</td> <td>0.00</td> <td>300</td> <td>0 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 10540.00	44.76	68.30	-23.54	54.42	37.72	14.25	61.63	0.00	300	0 PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 10540.00</td> <td>45.73</td> <td>68.30</td> <td>-22.57</td> <td>55.39</td> <td>37.72</td> <td>14.25</td> <td>61.63</td> <td>0.00</td> <td>100</td> <td>0 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 10540.00	45.73	68.30	-22.57	55.39	37.72	14.25	61.63	0.00	100	0 PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1 10540.00	44.76	68.30	-23.54	54.42	37.72	14.25	61.63	0.00	300	0 PEAK																																																																						
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1 10540.00	45.73	68.30	-22.57	55.39	37.72	14.25	61.63	0.00	100	0 PEAK																																																																						



	34																																																																																	
Mode	Band Edge - L																																																																																	
	U-NII-2A_5.25-5.35_802.11ax HE40_CH62_Full_5310MHz																																																																																	
ANT	CDD 4+5																																																																																	
Pol.	Horizontal	Fundamental																																																																																
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5012.40</td> <td>55.04</td> <td>74.00</td> <td>-18.96</td> <td>43.00</td> <td>34.10</td> <td>9.67</td> <td>31.73</td> <td>0.00</td> <td>100</td> <td>115</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5012.40	55.04	74.00	-18.96	43.00	34.10	9.67	31.73	0.00	100	115	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5310.00</td> <td>101.62</td> <td>-----</td> <td>-----</td> <td>89.11</td> <td>34.52</td> <td>9.89</td> <td>31.90</td> <td>0.00</td> <td>100</td> <td>115</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5310.00	101.62	-----	-----	89.11	34.52	9.89	31.90	0.00	100	115	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																										
1	5012.40	55.04	74.00	-18.96	43.00	34.10	9.67	31.73	0.00	100	115	PEAK																																																																						
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																										
1	5310.00	101.62	-----	-----	89.11	34.52	9.89	31.90	0.00	100	115	PEAK																																																																						
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5058.28</td> <td>42.48</td> <td>54.00</td> <td>-11.52</td> <td>30.42</td> <td>34.10</td> <td>9.71</td> <td>31.75</td> <td>0.00</td> <td>100</td> <td>115</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5058.28	42.48	54.00	-11.52	30.42	34.10	9.71	31.75	0.00	100	115	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5310.00</td> <td>93.65</td> <td>-----</td> <td>-----</td> <td>81.12</td> <td>34.54</td> <td>9.89</td> <td>31.90</td> <td>0.00</td> <td>100</td> <td>115</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5310.00	93.65	-----	-----	81.12	34.54	9.89	31.90	0.00	100	115	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																										
1	5058.28	42.48	54.00	-11.52	30.42	34.10	9.71	31.75	0.00	100	115	AVERAGE																																																																						
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																										
1	5310.00	93.65	-----	-----	81.12	34.54	9.89	31.90	0.00	100	115	AVERAGE																																																																						



	34																																								
Mode	Band Edge - R																																								
	U-NII-2A_5.25-5.35_802.11ax HE40_CH62_Full_5310MHz																																								
ANT	CDD 4+5																																								
Pol.	Horizontal	Fundamental																																							
Peak	 <table border="1" data-bbox="263 1120 790 1243"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5355.75</td> <td>55.77</td> <td>74.00</td> <td>-18.23</td> <td>43.13</td> <td>34.66</td> <td>9.91</td> <td>31.93</td> <td>0.00</td> <td>100</td> <td>115 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5355.75	55.77	74.00	-18.23	43.13	34.66	9.91	31.93	0.00	100	115 PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																
1 5355.75	55.77	74.00	-18.23	43.13	34.66	9.91	31.93	0.00	100	115 PEAK																															
Avg	 <table border="1" data-bbox="263 1798 790 1921"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5350.05</td> <td>45.23</td> <td>54.00</td> <td>-8.77</td> <td>32.60</td> <td>34.64</td> <td>9.91</td> <td>31.92</td> <td>0.00</td> <td>100</td> <td>115 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5350.05	45.23	54.00	-8.77	32.60	34.64	9.91	31.92	0.00	100	115 AVERAGE	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																
1 5350.05	45.23	54.00	-8.77	32.60	34.64	9.91	31.92	0.00	100	115 AVERAGE																															



	34																																																																																	
Mode	Band Edge - L																																																																																	
	U-NII-2A_5.25-5.35_802.11ax HE40_CH62_Full_5310MHz																																																																																	
ANT	CDD 4+5																																																																																	
Pol.	Vertical	Fundamental																																																																																
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5086.49</td> <td>54.62</td> <td>74.00</td> <td>-19.38</td> <td>42.55</td> <td>34.10</td> <td>9.73</td> <td>31.76</td> <td>0.00</td> <td>300</td> <td>49</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5086.49	54.62	74.00	-19.38	42.55	34.10	9.73	31.76	0.00	300	49	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5310.00</td> <td>102.45</td> <td>-----</td> <td>-----</td> <td>89.94</td> <td>34.52</td> <td>9.89</td> <td>31.90</td> <td>0.00</td> <td>300</td> <td>49</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5310.00	102.45	-----	-----	89.94	34.52	9.89	31.90	0.00	300	49	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																										
1	5086.49	54.62	74.00	-19.38	42.55	34.10	9.73	31.76	0.00	300	49	PEAK																																																																						
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																										
1	5310.00	102.45	-----	-----	89.94	34.52	9.89	31.90	0.00	300	49	PEAK																																																																						
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5057.66</td> <td>42.41</td> <td>54.00</td> <td>-11.59</td> <td>30.35</td> <td>34.10</td> <td>9.71</td> <td>31.75</td> <td>0.00</td> <td>300</td> <td>49</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5057.66	42.41	54.00	-11.59	30.35	34.10	9.71	31.75	0.00	300	49	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5310.00</td> <td>93.00</td> <td>-----</td> <td>-----</td> <td>80.47</td> <td>34.54</td> <td>9.89</td> <td>31.90</td> <td>0.00</td> <td>300</td> <td>49</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5310.00	93.00	-----	-----	80.47	34.54	9.89	31.90	0.00	300	49	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																										
1	5057.66	42.41	54.00	-11.59	30.35	34.10	9.71	31.75	0.00	300	49	AVERAGE																																																																						
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																										
1	5310.00	93.00	-----	-----	80.47	34.54	9.89	31.90	0.00	300	49	AVERAGE																																																																						



	34																																							
Mode	Band Edge - R																																							
	U-NII-2A_5.25-5.35_802.11ax HE40_CH62_Full_5310MHz																																							
ANT	CDD 4+5																																							
Pol.	Vertical	Fundamental																																						
Peak	<table border="1" data-bbox="268 1126 775 1249"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5350.20</td> <td>54.23</td> <td>74.00</td> <td>-19.77</td> <td>41.60</td> <td>34.64</td> <td>9.91</td> <td>31.92</td> <td>0.00</td> <td>300 49 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5350.20	54.23	74.00	-19.77	41.60	34.64	9.91	31.92	0.00	300 49 PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																															
1 5350.20	54.23	74.00	-19.77	41.60	34.64	9.91	31.92	0.00	300 49 PEAK																															
Avg	<table border="1" data-bbox="268 1803 775 1926"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5350.05</td> <td>44.23</td> <td>54.00</td> <td>-9.77</td> <td>31.60</td> <td>34.64</td> <td>9.91</td> <td>31.92</td> <td>0.00</td> <td>300 49 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5350.05	44.23	54.00	-9.77	31.60	34.64	9.91	31.92	0.00	300 49 AVERAGE	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																															
1 5350.05	44.23	54.00	-9.77	31.60	34.64	9.91	31.92	0.00	300 49 AVERAGE																															



Mode	34																																																																							
	Harmonic																																																																							
	U-NII-2A_5.25-5.35_802.11ax HE40_CH62_Full_5310MHz																																																																							
ANT	CDD 4+5																																																																							
Pol.	Horizontal	Vertical																																																																						
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 10620.00</td> <td>44.13</td> <td>74.00</td> <td>-29.87</td> <td>53.69</td> <td>37.77</td> <td>14.31</td> <td>61.64</td> <td>0.00</td> <td>300</td> <td>0 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 10620.00	44.13	74.00	-29.87	53.69	37.77	14.31	61.64	0.00	300	0 PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 10620.00</td> <td>45.61</td> <td>74.00</td> <td>-28.39</td> <td>55.17</td> <td>37.77</td> <td>14.31</td> <td>61.64</td> <td>0.00</td> <td>100</td> <td>0 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 10620.00	45.61	74.00	-28.39	55.17	37.77	14.31	61.64	0.00	100	0 PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																	
1 10620.00	44.13	74.00	-29.87	53.69	37.77	14.31	61.64	0.00	300	0 PEAK																																																														
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																	
1 10620.00	45.61	74.00	-28.39	55.17	37.77	14.31	61.64	0.00	100	0 PEAK																																																														







		35																																																																																																					
Mode	Band Edge - L																																																																																																						
	U-NII-2C_5.47-5.725_802.11ax HE40_CH102_Full_5510MHz																																																																																																						
ANT	CDD 4+5																																																																																																						
Pol.	Horizontal	Fundamental																																																																																																					
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5459.44</td> <td>56.25</td> <td>74.00</td> <td>-17.75</td> <td>43.41</td> <td>34.80</td> <td>10.03</td> <td>31.99</td> <td>0.00</td> <td>100</td> <td>110</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5467.12</td> <td>56.18</td> <td>68.30</td> <td>-12.12</td> <td>43.33</td> <td>34.80</td> <td>10.04</td> <td>31.99</td> <td>0.00</td> <td>100</td> <td>110</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5459.44	56.25	74.00	-17.75	43.41	34.80	10.03	31.99	0.00	100	110	PEAK	2	5467.12	56.18	68.30	-12.12	43.33	34.80	10.04	31.99	0.00	100	110	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5510.00</td> <td>103.43</td> <td>-----</td> <td>-----</td> <td>90.55</td> <td>34.79</td> <td>10.11</td> <td>32.02</td> <td>0.00</td> <td>100</td> <td>110</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5510.00	103.43	-----	-----	90.55	34.79	10.11	32.02	0.00	100	110	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																													
1	5459.44	56.25	74.00	-17.75	43.41	34.80	10.03	31.99	0.00	100	110	PEAK																																																																																											
2	5467.12	56.18	68.30	-12.12	43.33	34.80	10.04	31.99	0.00	100	110	PEAK																																																																																											
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																													
1	5510.00	103.43	-----	-----	90.55	34.79	10.11	32.02	0.00	100	110	PEAK																																																																																											
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5457.20</td> <td>44.82</td> <td>54.00</td> <td>-9.18</td> <td>31.99</td> <td>34.80</td> <td>10.02</td> <td>31.99</td> <td>0.00</td> <td>100</td> <td>110</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5457.20	44.82	54.00	-9.18	31.99	34.80	10.02	31.99	0.00	100	110	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5510.00</td> <td>95.90</td> <td>-----</td> <td>-----</td> <td>83.02</td> <td>34.79</td> <td>10.11</td> <td>32.02</td> <td>0.00</td> <td>100</td> <td>110</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5510.00	95.90	-----	-----	83.02	34.79	10.11	32.02	0.00	100	110	AVERAGE													
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																													
1	5457.20	44.82	54.00	-9.18	31.99	34.80	10.02	31.99	0.00	100	110	AVERAGE																																																																																											
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																													
1	5510.00	95.90	-----	-----	83.02	34.79	10.11	32.02	0.00	100	110	AVERAGE																																																																																											



Mode	35																																								
	Band Edge - R																																								
	U-NII-2C_5.47-5.725_802.11ax HE40_CH102_Full_5510MHz																																								
ANT	CDD 4+5																																								
Pol.	Horizontal	Fundamental																																							
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5765.00</td> <td>53.80</td> <td>68.30</td> <td>-14.50</td> <td>40.85</td> <td>34.57</td> <td>10.38</td> <td>32.00</td> <td>0.00</td> <td>100</td> <td>110 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5765.00	53.80	68.30	-14.50	40.85	34.57	10.38	32.00	0.00	100	110 PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																	
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																
1 5765.00	53.80	68.30	-14.50	40.85	34.57	10.38	32.00	0.00	100	110 PEAK																															



		35																																																																																																			
Mode	Band Edge - L																																																																																																				
	U-NII-2C_5.47-5.725_802.11ax HE40_CH102_Full_5510MHz																																																																																																				
ANT	CDD 4+5																																																																																																				
Pol.	Vertical	Fundamental																																																																																																			
Peak	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5455.44</td> <td>55.14</td> <td>74.00</td> <td>-18.86</td> <td>42.31</td> <td>34.00</td> <td>10.02</td> <td>31.99</td> <td>0.00</td> <td>300</td> <td>53</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5466.00</td> <td>56.55</td> <td>68.30</td> <td>-11.75</td> <td>43.70</td> <td>34.00</td> <td>10.04</td> <td>31.99</td> <td>0.00</td> <td>300</td> <td>53</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor		cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5455.44	55.14	74.00	-18.86	42.31	34.00	10.02	31.99	0.00	300	53	PEAK	2	5466.00	56.55	68.30	-11.75	43.70	34.00	10.04	31.99	0.00	300	53	PEAK	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5510.00</td> <td>102.48</td> <td>-----</td> <td>-----</td> <td>89.60</td> <td>34.79</td> <td>10.11</td> <td>32.02</td> <td>0.00</td> <td>300</td> <td>53</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor		cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5510.00	102.48	-----	-----	89.60	34.79	10.11	32.02	0.00	300	53	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor		cm	deg																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																												
1	5455.44	55.14	74.00	-18.86	42.31	34.00	10.02	31.99	0.00	300	53	PEAK																																																																																									
2	5466.00	56.55	68.30	-11.75	43.70	34.00	10.04	31.99	0.00	300	53	PEAK																																																																																									
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor		cm	deg																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																												
1	5510.00	102.48	-----	-----	89.60	34.79	10.11	32.02	0.00	300	53	PEAK																																																																																									
Avg	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5457.36</td> <td>44.43</td> <td>54.00</td> <td>-9.57</td> <td>31.60</td> <td>34.00</td> <td>10.02</td> <td>31.99</td> <td>0.00</td> <td>300</td> <td>53</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor		cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5457.36	44.43	54.00	-9.57	31.60	34.00	10.02	31.99	0.00	300	53	AVERAGE	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5510.00</td> <td>94.43</td> <td>-----</td> <td>-----</td> <td>81.55</td> <td>34.79</td> <td>10.11</td> <td>32.02</td> <td>0.00</td> <td>300</td> <td>53</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor		cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5510.00	94.43	-----	-----	81.55	34.79	10.11	32.02	0.00	300	53	AVERAGE													
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor		cm	deg																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																												
1	5457.36	44.43	54.00	-9.57	31.60	34.00	10.02	31.99	0.00	300	53	AVERAGE																																																																																									
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor		cm	deg																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																												
1	5510.00	94.43	-----	-----	81.55	34.79	10.11	32.02	0.00	300	53	AVERAGE																																																																																									



Mode	35																																										
	Band Edge - R																																										
	U-NII-2C_5.47-5.725_802.11ax HE40_CH102_Full_5510MHz																																										
ANT	CDD 4+5																																										
Pol.	Vertical	Fundamental																																									
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5758.12</td> <td>54.69</td> <td>68.30</td> <td>-13.61</td> <td>41.76</td> <td>34.56</td> <td>10.37</td> <td>32.00</td> <td>0.00</td> <td>300</td> <td>53</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5758.12	54.69	68.30	-13.61	41.76	34.56	10.37	32.00	0.00	300	53	PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																			
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor	cm	deg																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																		
1	5758.12	54.69	68.30	-13.61	41.76	34.56	10.37	32.00	0.00	300	53	PEAK																															



Mode	35																																																																															
	Harmonic																																																																															
	U-NII-2C_5.47-5.725_802.11ax HE40_CH102_Full_5510MHz																																																																															
ANT	CDD 4+5																																																																															
Pol.	Horizontal	Vertical																																																																														
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11020.00</td> <td>45.07</td> <td>74.00</td> <td>-28.93</td> <td>54.19</td> <td>38.01</td> <td>14.58</td> <td>61.71</td> <td>0.00</td> <td>300</td> <td>0 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11020.00	45.07	74.00	-28.93	54.19	38.01	14.58	61.71	0.00	300	0 PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11020.00</td> <td>43.82</td> <td>74.00</td> <td>-30.18</td> <td>52.94</td> <td>38.01</td> <td>14.58</td> <td>61.71</td> <td>0.00</td> <td>100</td> <td>0 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11020.00	43.82	74.00	-30.18	52.94	38.01	14.58	61.71	0.00	100	0 PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1 11020.00	45.07	74.00	-28.93	54.19	38.01	14.58	61.71	0.00	300	0 PEAK																																																																						
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1 11020.00	43.82	74.00	-30.18	52.94	38.01	14.58	61.71	0.00	100	0 PEAK																																																																						







Mode	36																																																																																																	
	Band Edge - L																																																																																																	
	U-NII-2C_5.47-5.725_802.11ax HE40_CH110_Full_5550MHz																																																																																																	
ANT	CDD 4+5																																																																																																	
Pol.	Horizontal	Fundamental																																																																																																
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5421.60</td> <td>53.67</td> <td>74.00</td> <td>-20.33</td> <td>40.87</td> <td>34.80</td> <td>9.97</td> <td>31.97</td> <td>0.00</td> <td>100</td> <td>113</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5467.00</td> <td>52.46</td> <td>68.30</td> <td>-15.84</td> <td>39.61</td> <td>34.00</td> <td>10.04</td> <td>31.99</td> <td>0.00</td> <td>100</td> <td>113</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5421.60	53.67	74.00	-20.33	40.87	34.80	9.97	31.97	0.00	100	113	PEAK	2	5467.00	52.46	68.30	-15.84	39.61	34.00	10.04	31.99	0.00	100	113	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5550.00</td> <td>104.32</td> <td>-----</td> <td>-----</td> <td>91.48</td> <td>34.72</td> <td>10.16</td> <td>32.04</td> <td>0.00</td> <td>100</td> <td>113</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5550.00	104.32	-----	-----	91.48	34.72	10.16	32.04	0.00	100	113	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5421.60	53.67	74.00	-20.33	40.87	34.80	9.97	31.97	0.00	100	113	PEAK																																																																																						
2	5467.00	52.46	68.30	-15.84	39.61	34.00	10.04	31.99	0.00	100	113	PEAK																																																																																						
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																								
1	5550.00	104.32	-----	-----	91.48	34.72	10.16	32.04	0.00	100	113	PEAK																																																																																						
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5457.40</td> <td>42.77</td> <td>54.00</td> <td>-11.23</td> <td>29.94</td> <td>34.80</td> <td>10.02</td> <td>31.99</td> <td>0.00</td> <td>100</td> <td>113</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5457.40	42.77	54.00	-11.23	29.94	34.80	10.02	31.99	0.00	100	113	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5550.00</td> <td>96.07</td> <td>-----</td> <td>-----</td> <td>83.23</td> <td>34.72</td> <td>10.16</td> <td>32.04</td> <td>0.00</td> <td>100</td> <td>113</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5550.00	96.07	-----	-----	83.23	34.72	10.16	32.04	0.00	100	113	AVERAGE												
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																								
1	5457.40	42.77	54.00	-11.23	29.94	34.80	10.02	31.99	0.00	100	113	AVERAGE																																																																																						
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																								
1	5550.00	96.07	-----	-----	83.23	34.72	10.16	32.04	0.00	100	113	AVERAGE																																																																																						



Mode	36																																								
	Band Edge - R																																								
	U-NII-2C_5.47-5.725_802.11ax HE40_CH110_Full_5550MHz																																								
ANT	CDD 4+5																																								
Pol.	Horizontal	Fundamental																																							
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5726.52</td> <td>54.20</td> <td>68.30</td> <td>-14.10</td> <td>41.35</td> <td>34.53</td> <td>10.35</td> <td>32.03</td> <td>0.00</td> <td>100</td> <td>113 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5726.52	54.20	68.30	-14.10	41.35	34.53	10.35	32.03	0.00	100	113 PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																	
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																
1 5726.52	54.20	68.30	-14.10	41.35	34.53	10.35	32.03	0.00	100	113 PEAK																															



Mode	36																																																																																																
	Band Edge - L																																																																																																
	U-NII-2C_5.47-5.725_802.11ax HE40_CH110_Full_5550MHz																																																																																																
ANT	CDD 4+5																																																																																																
Pol.	Vertical	Fundamental																																																																																															
Peak	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5401.20</td> <td>53.49</td> <td>74.00</td> <td>-20.51</td> <td>40.72</td> <td>34.79</td> <td>9.94</td> <td>31.96</td> <td>0.00</td> <td>300</td> <td>50</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5460.60</td> <td>52.61</td> <td>68.30</td> <td>-15.69</td> <td>39.77</td> <td>34.00</td> <td>10.03</td> <td>31.99</td> <td>0.00</td> <td>300</td> <td>50</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5401.20	53.49	74.00	-20.51	40.72	34.79	9.94	31.96	0.00	300	50	PEAK	2	5460.60	52.61	68.30	-15.69	39.77	34.00	10.03	31.99	0.00	300	50	PEAK	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5550.00</td> <td>100.97</td> <td>-----</td> <td>-----</td> <td>88.13</td> <td>34.72</td> <td>10.16</td> <td>32.04</td> <td>0.00</td> <td>300</td> <td>50</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5550.00	100.97	-----	-----	88.13	34.72	10.16	32.04	0.00	300	50	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5401.20	53.49	74.00	-20.51	40.72	34.79	9.94	31.96	0.00	300	50	PEAK																																																																																					
2	5460.60	52.61	68.30	-15.69	39.77	34.00	10.03	31.99	0.00	300	50	PEAK																																																																																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5550.00	100.97	-----	-----	88.13	34.72	10.16	32.04	0.00	300	50	PEAK																																																																																					
Avg	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5457.40</td> <td>42.29</td> <td>54.00</td> <td>-11.71</td> <td>29.46</td> <td>34.80</td> <td>10.02</td> <td>31.99</td> <td>0.00</td> <td>300</td> <td>50</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5457.40	42.29	54.00	-11.71	29.46	34.80	10.02	31.99	0.00	300	50	AVERAGE	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5550.00</td> <td>92.53</td> <td>-----</td> <td>-----</td> <td>79.69</td> <td>34.72</td> <td>10.16</td> <td>32.04</td> <td>0.00</td> <td>300</td> <td>50</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5550.00	92.53	-----	-----	79.69	34.72	10.16	32.04	0.00	300	50	AVERAGE													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5457.40	42.29	54.00	-11.71	29.46	34.80	10.02	31.99	0.00	300	50	AVERAGE																																																																																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5550.00	92.53	-----	-----	79.69	34.72	10.16	32.04	0.00	300	50	AVERAGE																																																																																					



Mode	36																																								
	Band Edge - R																																								
	U-NII-2C_5.47-5.725_802.11ax HE40_CH110_Full_5550MHz																																								
ANT	CDD 4+5																																								
Pol.	Vertical	Fundamental																																							
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5743.29</td> <td>53.24</td> <td>68.30</td> <td>-15.06</td> <td>40.34</td> <td>34.55</td> <td>10.36</td> <td>32.01</td> <td>0.00</td> <td>300</td> <td>50 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5743.29	53.24	68.30	-15.06	40.34	34.55	10.36	32.01	0.00	300	50 PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																
1 5743.29	53.24	68.30	-15.06	40.34	34.55	10.36	32.01	0.00	300	50 PEAK																															



Mode	36																																																																							
	Harmonic																																																																							
	U-NII-2C_5.47-5.725_802.11ax HE40_CH110_Full_5550MHz																																																																							
ANT	CDD 4+5																																																																							
Pol.	Horizontal	Vertical																																																																						
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 11100.00</td> <td>44.68</td> <td>74.00</td> <td>-29.32</td> <td>53.66</td> <td>38.06</td> <td>14.63</td> <td>61.67</td> <td>0.00</td> <td>300</td> <td>0 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 11100.00	44.68	74.00	-29.32	53.66	38.06	14.63	61.67	0.00	300	0 PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 11100.00</td> <td>44.71</td> <td>74.00</td> <td>-29.29</td> <td>53.69</td> <td>38.06</td> <td>14.63</td> <td>61.67</td> <td>0.00</td> <td>100</td> <td>0 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 11100.00	44.71	74.00	-29.29	53.69	38.06	14.63	61.67	0.00	100	0 PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																	
1 11100.00	44.68	74.00	-29.32	53.66	38.06	14.63	61.67	0.00	300	0 PEAK																																																														
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																	
1 11100.00	44.71	74.00	-29.29	53.69	38.06	14.63	61.67	0.00	100	0 PEAK																																																														







37																																																										
Mode	Band Edge - L																																																									
	U-NII-2C_5.47-5.725_802.11ax HE40_CH134_Full_5670MHz																																																									
ANT	CDD 4+5																																																									
Pol.	Horizontal																																																									
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5447.28</td> <td>52.86</td> <td>74.00</td> <td>-21.14</td> <td>40.03</td> <td>34.80</td> <td>10.01</td> <td>31.98</td> <td>0.00</td> <td>112</td> <td>114</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5466.00</td> <td>51.97</td> <td>68.30</td> <td>-16.33</td> <td>39.12</td> <td>34.00</td> <td>10.04</td> <td>31.99</td> <td>0.00</td> <td>112</td> <td>114</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5447.28	52.86	74.00	-21.14	40.03	34.80	10.01	31.98	0.00	112	114	PEAK	2	5466.00	51.97	68.30	-16.33	39.12	34.00	10.04	31.99	0.00	112	114	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																
1	5447.28	52.86	74.00	-21.14	40.03	34.80	10.01	31.98	0.00	112	114	PEAK																																														
2	5466.00	51.97	68.30	-16.33	39.12	34.00	10.04	31.99	0.00	112	114	PEAK																																														
Fundamental	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5670.00</td> <td>105.06</td> <td>-----</td> <td>-----</td> <td>92.31</td> <td>34.53</td> <td>10.30</td> <td>32.08</td> <td>0.00</td> <td>112</td> <td>114</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5670.00	105.06	-----	-----	92.31	34.53	10.30	32.08	0.00	112	114	PEAK													
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																
1	5670.00	105.06	-----	-----	92.31	34.53	10.30	32.08	0.00	112	114	PEAK																																														
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5458.16</td> <td>41.86</td> <td>54.00</td> <td>-12.14</td> <td>29.03</td> <td>34.80</td> <td>10.02</td> <td>31.99</td> <td>0.00</td> <td>112</td> <td>114</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5458.16	41.86	54.00	-12.14	29.03	34.80	10.02	31.99	0.00	112	114	AVERAGE													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																
1	5458.16	41.86	54.00	-12.14	29.03	34.80	10.02	31.99	0.00	112	114	AVERAGE																																														
Fundamental	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5670.00</td> <td>96.50</td> <td>-----</td> <td>-----</td> <td>83.75</td> <td>34.53</td> <td>10.30</td> <td>32.08</td> <td>0.00</td> <td>112</td> <td>114</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5670.00	96.50	-----	-----	83.75	34.53	10.30	32.08	0.00	112	114	AVERAGE													
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																
1	5670.00	96.50	-----	-----	83.75	34.53	10.30	32.08	0.00	112	114	AVERAGE																																														



Mode	37																																								
	Band Edge - R																																								
	U-NII-2C_5.47-5.725_802.11ax HE40_CH134_Full_5670MHz																																								
ANT	CDD 4+5																																								
Pol.	Horizontal	Fundamental																																							
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5746.10</td> <td>55.74</td> <td>68.30</td> <td>-12.56</td> <td>42.84</td> <td>34.55</td> <td>10.36</td> <td>32.01</td> <td>0.00</td> <td>112</td> <td>114 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5746.10	55.74	68.30	-12.56	42.84	34.55	10.36	32.01	0.00	112	114 PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																	
Freq	Level	Level	Factor	Loss	Factor	Factor	cm	deg																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																
1 5746.10	55.74	68.30	-12.56	42.84	34.55	10.36	32.01	0.00	112	114 PEAK																															



		37																																																																																			
Mode	Band Edge - L																																																																																				
	U-NII-2C_5.47-5.725_802.11ax HE40_CH134_Full_5670MHz																																																																																				
ANT	CDD 4+5																																																																																				
Pol.	Vertical	Fundamental																																																																																			
Peak	 <table border="1" data-bbox="263 1097 774 1243"> <thead> <tr> <th></th> <th>Limit Freq</th> <th>Level</th> <th>Line Margin</th> <th>Read Level</th> <th>Ant Factor</th> <th>Cable Loss</th> <th>Preamp Factor</th> <th>Aux Factor</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5447.92</td> <td>52.84</td> <td>74.00</td> <td>-21.16</td> <td>40.01</td> <td>34.00</td> <td>10.01</td> <td>31.98</td> <td>0.00</td> <td>300</td> <td>51 PEAK</td> </tr> <tr> <td>2</td> <td>5467.76</td> <td>52.64</td> <td>68.30</td> <td>-15.66</td> <td>39.80</td> <td>34.00</td> <td>10.04</td> <td>32.00</td> <td>0.00</td> <td>300</td> <td>51 PEAK</td> </tr> </tbody> </table>		Limit Freq	Level	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark		MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5447.92	52.84	74.00	-21.16	40.01	34.00	10.01	31.98	0.00	300	51 PEAK	2	5467.76	52.64	68.30	-15.66	39.80	34.00	10.04	32.00	0.00	300	51 PEAK	 <table border="1" data-bbox="901 1097 1412 1243"> <thead> <tr> <th></th> <th>Limit Freq</th> <th>Level</th> <th>Line Margin</th> <th>Read Level</th> <th>Ant Factor</th> <th>Cable Loss</th> <th>Preamp Factor</th> <th>Aux Factor</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5670.00</td> <td>101.70</td> <td>-----</td> <td>88.95</td> <td>34.53</td> <td>10.30</td> <td>32.08</td> <td>0.00</td> <td>300</td> <td>51 PEAK</td> </tr> </tbody> </table>		Limit Freq	Level	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark		MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5670.00	101.70	-----	88.95	34.53	10.30	32.08	0.00	300	51 PEAK
		Limit Freq	Level	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																									
	MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																											
1	5447.92	52.84	74.00	-21.16	40.01	34.00	10.01	31.98	0.00	300	51 PEAK																																																																										
2	5467.76	52.64	68.30	-15.66	39.80	34.00	10.04	32.00	0.00	300	51 PEAK																																																																										
	Limit Freq	Level	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																										
	MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																											
1	5670.00	101.70	-----	88.95	34.53	10.30	32.08	0.00	300	51 PEAK																																																																											
Avg	 <table border="1" data-bbox="263 1769 774 1915"> <thead> <tr> <th></th> <th>Limit Freq</th> <th>Level</th> <th>Line Margin</th> <th>Read Level</th> <th>Ant Factor</th> <th>Cable Loss</th> <th>Preamp Factor</th> <th>Aux Factor</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5455.60</td> <td>41.75</td> <td>54.00</td> <td>-12.25</td> <td>28.92</td> <td>34.00</td> <td>10.02</td> <td>31.99</td> <td>0.00</td> <td>300</td> <td>51 AVERAGE</td> </tr> </tbody> </table>		Limit Freq	Level	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark		MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5455.60	41.75	54.00	-12.25	28.92	34.00	10.02	31.99	0.00	300	51 AVERAGE	 <table border="1" data-bbox="901 1769 1412 1915"> <thead> <tr> <th></th> <th>Limit Freq</th> <th>Level</th> <th>Line Margin</th> <th>Read Level</th> <th>Ant Factor</th> <th>Cable Loss</th> <th>Preamp Factor</th> <th>Aux Factor</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5670.00</td> <td>92.96</td> <td>-----</td> <td>80.21</td> <td>34.53</td> <td>10.30</td> <td>32.08</td> <td>0.00</td> <td>300</td> <td>51 AVERAGE</td> </tr> </tbody> </table>		Limit Freq	Level	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark		MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5670.00	92.96	-----	80.21	34.53	10.30	32.08	0.00	300	51 AVERAGE												
		Limit Freq	Level	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																									
	MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																											
1	5455.60	41.75	54.00	-12.25	28.92	34.00	10.02	31.99	0.00	300	51 AVERAGE																																																																										
	Limit Freq	Level	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																										
	MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																											
1	5670.00	92.96	-----	80.21	34.53	10.30	32.08	0.00	300	51 AVERAGE																																																																											



Mode	37																																								
	Band Edge - R																																								
	U-NII-2C_5.47-5.725_802.11ax HE40_CH134_Full_5670MHz																																								
ANT	CDD 4+5																																								
Pol.	Vertical	Fundamental																																							
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5747.71</td> <td>53.82</td> <td>68.30</td> <td>-14.48</td> <td>40.92</td> <td>34.55</td> <td>10.36</td> <td>32.01</td> <td>0.00</td> <td>300</td> <td>51 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5747.71	53.82	68.30	-14.48	40.92	34.55	10.36	32.01	0.00	300	51 PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																	
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																
1 5747.71	53.82	68.30	-14.48	40.92	34.55	10.36	32.01	0.00	300	51 PEAK																															



Mode	37																																																																															
	Harmonic																																																																															
	U-NII-2C_5.47-5.725_802.11ax HE40_CH134_Full_5670MHz																																																																															
ANT	CDD 4+5																																																																															
Pol.	Horizontal	Vertical																																																																														
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11340.00</td> <td>44.30</td> <td>74.00</td> <td>-29.70</td> <td>52.88</td> <td>38.20</td> <td>14.80</td> <td>61.58</td> <td>0.00</td> <td>300</td> <td>0 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11340.00	44.30	74.00	-29.70	52.88	38.20	14.80	61.58	0.00	300	0 PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11340.00</td> <td>45.02</td> <td>74.00</td> <td>-28.98</td> <td>53.60</td> <td>38.20</td> <td>14.80</td> <td>61.58</td> <td>0.00</td> <td>100</td> <td>0 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11340.00	45.02	74.00	-28.98	53.60	38.20	14.80	61.58	0.00	100	0 PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1 11340.00	44.30	74.00	-29.70	52.88	38.20	14.80	61.58	0.00	300	0 PEAK																																																																						
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1 11340.00	45.02	74.00	-28.98	53.60	38.20	14.80	61.58	0.00	100	0 PEAK																																																																						



Mode	38																																																																																			
	Band Edge - L																																																																																			
	U-NII-1_5.15-5.25_802.11ax HE80_CH42_Full_5210MHz																																																																																			
ANT	CDD 4+5																																																																																			
Pol.	Horizontal	Fundamental																																																																																		
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5148.47</td> <td>60.73</td> <td>74.00</td> <td>-13.27</td> <td>48.64</td> <td>34.10</td> <td>9.79</td> <td>31.80</td> <td>0.00</td> <td>103</td> <td>125</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5148.47	60.73	74.00	-13.27	48.64	34.10	9.79	31.80	0.00	103	125	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5210.00</td> <td>90.47</td> <td>-----</td> <td>-----</td> <td>86.32</td> <td>34.15</td> <td>9.84</td> <td>31.84</td> <td>0.00</td> <td>103</td> <td>125</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5210.00	90.47	-----	-----	86.32	34.15	9.84	31.84	0.00	103	125	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5148.47	60.73	74.00	-13.27	48.64	34.10	9.79	31.80	0.00	103	125	PEAK																																																																								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5210.00	90.47	-----	-----	86.32	34.15	9.84	31.84	0.00	103	125	PEAK																																																																								
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5148.68</td> <td>48.88</td> <td>54.00</td> <td>-5.12</td> <td>36.79</td> <td>34.10</td> <td>9.79</td> <td>31.80</td> <td>0.00</td> <td>103</td> <td>125</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5148.68	48.88	54.00	-5.12	36.79	34.10	9.79	31.80	0.00	103	125	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5210.00</td> <td>90.38</td> <td>-----</td> <td>-----</td> <td>78.23</td> <td>34.15</td> <td>9.84</td> <td>31.84</td> <td>0.00</td> <td>103</td> <td>125</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5210.00	90.38	-----	-----	78.23	34.15	9.84	31.84	0.00	103	125	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5148.68	48.88	54.00	-5.12	36.79	34.10	9.79	31.80	0.00	103	125	AVERAGE																																																																								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5210.00	90.38	-----	-----	78.23	34.15	9.84	31.84	0.00	103	125	AVERAGE																																																																								



Mode	38																																														
	Band Edge - R																																														
	U-NII-1_5.15-5.25_802.11ax HE80_CH42_Full_5210MHz																																														
ANT	CDD 4+5																																														
Pol.	Horizontal	Fundamental																																													
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5401.00</td> <td>53.83</td> <td>74.00</td> <td>-20.17</td> <td>41.05</td> <td>34.79</td> <td>9.94</td> <td>31.95</td> <td>0.00</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>103 125 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 5401.00	53.83	74.00	-20.17	41.05	34.79	9.94	31.95	0.00									103 125 PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																							
1 5401.00	53.83	74.00	-20.17	41.05	34.79	9.94	31.95	0.00																																							
								103 125 PEAK																																							
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5350.00</td> <td>42.14</td> <td>54.00</td> <td>-11.86</td> <td>29.51</td> <td>34.64</td> <td>9.91</td> <td>31.92</td> <td>0.00</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>103 125 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 5350.00	42.14	54.00	-11.86	29.51	34.64	9.91	31.92	0.00									103 125 AVERAGE	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																							
1 5350.00	42.14	54.00	-11.86	29.51	34.64	9.91	31.92	0.00																																							
								103 125 AVERAGE																																							



Mode	38																																																															
	Band Edge - L																																																															
	U-NII-1_5.15-5.25_802.11ax HE80_CH42_Full_5210MHz																																																															
ANT	CDD 4+5																																																															
Pol.	Vertical	Fundamental																																																														
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5138.81</td> <td>59.33</td> <td>74.00</td> <td>-14.67</td> <td>47.25</td> <td>34.10</td> <td>9.78</td> <td>31.80</td> <td>0.00</td> <td>337</td> <td>46</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	cm	deg	1	5138.81	59.33	74.00	-14.67	47.25	34.10	9.78	31.80	0.00	337	46	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5210.00</td> <td>97.14</td> <td>-----</td> <td>-----</td> <td>84.99</td> <td>34.15</td> <td>9.84</td> <td>31.84</td> <td>0.00</td> <td>337</td> <td>46</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	cm	deg	1	5210.00	97.14	-----	-----	84.99	34.15	9.84	31.84	0.00	337	46	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	cm	deg																																																								
1	5138.81	59.33	74.00	-14.67	47.25	34.10	9.78	31.80	0.00	337	46	PEAK																																																				
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	cm	deg																																																								
1	5210.00	97.14	-----	-----	84.99	34.15	9.84	31.84	0.00	337	46	PEAK																																																				
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5148.47</td> <td>48.30</td> <td>54.00</td> <td>-5.70</td> <td>36.21</td> <td>34.10</td> <td>9.79</td> <td>31.80</td> <td>0.00</td> <td>337</td> <td>46</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	cm	deg	1	5148.47	48.30	54.00	-5.70	36.21	34.10	9.79	31.80	0.00	337	46	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5210.00</td> <td>88.59</td> <td>-----</td> <td>-----</td> <td>76.44</td> <td>34.15</td> <td>9.84</td> <td>31.84</td> <td>0.00</td> <td>337</td> <td>46</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	cm	deg	1	5210.00	88.59	-----	-----	76.44	34.15	9.84	31.84	0.00	337	46	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	cm	deg																																																								
1	5148.47	48.30	54.00	-5.70	36.21	34.10	9.79	31.80	0.00	337	46	AVERAGE																																																				
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	cm	deg																																																								
1	5210.00	88.59	-----	-----	76.44	34.15	9.84	31.84	0.00	337	46	AVERAGE																																																				



	38																																										
Mode	Band Edge - R																																										
	U-NII-1_5.15-5.25_802.11ax HE80_CH42_Full_5210MHz																																										
ANT	CDD 4+5																																										
Pol.	Vertical	Fundamental																																									
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5362.25</td> <td>53.30</td> <td>74.00</td> <td>-20.70</td> <td>40.63</td> <td>34.68</td> <td>9.92</td> <td>31.93</td> <td>0.00</td> <td>337</td> <td>46</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5362.25	53.30	74.00	-20.70	40.63	34.68	9.92	31.93	0.00	337	46	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																		
1	5362.25	53.30	74.00	-20.70	40.63	34.68	9.92	31.93	0.00	337	46	PEAK																															
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5457.75</td> <td>41.84</td> <td>54.00</td> <td>-12.16</td> <td>29.01</td> <td>34.80</td> <td>10.02</td> <td>31.99</td> <td>0.00</td> <td>337</td> <td>46</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5457.75	41.84	54.00	-12.16	29.01	34.80	10.02	31.99	0.00	337	46	AVERAGE	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																		
1	5457.75	41.84	54.00	-12.16	29.01	34.80	10.02	31.99	0.00	337	46	AVERAGE																															



Mode	38																																																																											
	Harmonic																																																																											
	U-NII-1_5.15-5.25_802.11ax HE80_CH42_Full_5210MHz																																																																											
ANT	CDD 4+5																																																																											
Pol.	Horizontal	Vertical																																																																										
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 10420.00</td> <td>45.98</td> <td>68.30</td> <td>-22.32</td> <td>55.91</td> <td>37.67</td> <td>14.17</td> <td>61.77</td> <td>0.00</td> <td>300</td> <td>0 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 10420.00	45.98	68.30	-22.32	55.91	37.67	14.17	61.77	0.00	300	0 PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 10420.00</td> <td>44.71</td> <td>68.30</td> <td>-23.59</td> <td>54.64</td> <td>37.67</td> <td>14.17</td> <td>61.77</td> <td>0.00</td> <td>100</td> <td>0 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 10420.00	44.71	68.30	-23.59	54.64	37.67	14.17	61.77	0.00	100	0 PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																			
1 10420.00	45.98	68.30	-22.32	55.91	37.67	14.17	61.77	0.00	300	0 PEAK																																																																		
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																			
1 10420.00	44.71	68.30	-23.59	54.64	37.67	14.17	61.77	0.00	100	0 PEAK																																																																		







39																																									
Mode	Band Edge - L																																								
	U-NII-2A_5.25-5.35_802.11ax HE80_CH58_Full_5290MHz																																								
ANT	CDD 4+5																																								
Pol.	Horizontal																																								
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5064.09</td> <td>54.21</td> <td>74.00</td> <td>-19.79</td> <td>42.15</td> <td>34.10</td> <td>9.71</td> <td>31.75</td> <td>0.00</td> <td>103</td> <td>118</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5064.09	54.21	74.00	-19.79	42.15	34.10	9.71	31.75	0.00	103	118	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																	
1	5064.09	54.21	74.00	-19.79	42.15	34.10	9.71	31.75	0.00	103	118	PEAK																													
<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5290.00</td> <td>101.01</td> <td>-----</td> <td>-----</td> <td>88.56</td> <td>34.46</td> <td>9.88</td> <td>31.89</td> <td>0.00</td> <td>103</td> <td>118</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5290.00	101.01	-----	-----	88.56	34.46	9.88	31.89	0.00	103	118	PEAK	
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																	
1	5290.00	101.01	-----	-----	88.56	34.46	9.88	31.89	0.00	103	118	PEAK																													
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5147.90</td> <td>42.67</td> <td>54.00</td> <td>-11.33</td> <td>30.59</td> <td>34.10</td> <td>9.78</td> <td>31.00</td> <td>0.00</td> <td>103</td> <td>118</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5147.90	42.67	54.00	-11.33	30.59	34.10	9.78	31.00	0.00	103	118	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																	
1	5147.90	42.67	54.00	-11.33	30.59	34.10	9.78	31.00	0.00	103	118	AVERAGE																													
<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5290.00</td> <td>91.50</td> <td>-----</td> <td>-----</td> <td>79.05</td> <td>34.46</td> <td>9.88</td> <td>31.89</td> <td>0.00</td> <td>103</td> <td>118</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5290.00	91.50	-----	-----	79.05	34.46	9.88	31.89	0.00	103	118	AVERAGE	
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																	
1	5290.00	91.50	-----	-----	79.05	34.46	9.88	31.89	0.00	103	118	AVERAGE																													



Mode	39																																														
	Band Edge - R																																														
	U-NII-2A_5.25-5.35_802.11ax HE80_CH58_Full_5290MHz																																														
ANT	CDD 4+5																																														
Pol.	Horizontal	Fundamental																																													
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5378.06</td> <td>59.08</td> <td>74.00</td> <td>-14.92</td> <td>46.36</td> <td>34.73</td> <td>9.93</td> <td>31.94</td> <td>0.00</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>103 118 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 5378.06	59.08	74.00	-14.92	46.36	34.73	9.93	31.94	0.00									103 118 PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																							
1 5378.06	59.08	74.00	-14.92	46.36	34.73	9.93	31.94	0.00																																							
								103 118 PEAK																																							
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5358.68</td> <td>47.58</td> <td>54.00</td> <td>-6.42</td> <td>34.92</td> <td>34.67</td> <td>9.92</td> <td>31.93</td> <td>0.00</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>103 118 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 5358.68	47.58	54.00	-6.42	34.92	34.67	9.92	31.93	0.00									103 118 AVERAGE	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																							
1 5358.68	47.58	54.00	-6.42	34.92	34.67	9.92	31.93	0.00																																							
								103 118 AVERAGE																																							



		39																																																																																		
Mode	Band Edge - L																																																																																			
	U-NII-2A_5.25-5.35_802.11ax HE80_CH58_Full_5290MHz																																																																																			
ANT	CDD 4+5																																																																																			
Pol.	Vertical	Fundamental																																																																																		
Peak	 <p>Level (dBuV/m) vs Frequency (MHz) plot for Vertical polarization. The plot shows a blue signal line with a red limit line labeled '5G BAND 1-3'. The signal level is relatively flat around 50 dBuV/m until approximately 5200 MHz, where it rises sharply to about 90 dBuV/m. The limit line is at 73.1 dBuV/m.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5029.29</td> <td>54.23</td> <td>74.00</td> <td>-19.77</td> <td>42.18</td> <td>34.10</td> <td>9.68</td> <td>31.73</td> <td>0.00</td> <td>300</td> <td>46</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5029.29	54.23	74.00	-19.77	42.18	34.10	9.68	31.73	0.00	300	46	PEAK	 <p>Level (dBuV/m) vs Frequency (MHz) plot for Fundamental polarization. The plot shows a blue signal line with a red limit line labeled '5G BAND 1-3'. The signal level is flat around 50 dBuV/m until approximately 5200 MHz, where it rises sharply to about 90 dBuV/m. The limit line is at 73.1 dBuV/m.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5290.00</td> <td>96.48</td> <td>-----</td> <td>-----</td> <td>84.03</td> <td>34.46</td> <td>9.88</td> <td>31.89</td> <td>0.00</td> <td>300</td> <td>46</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5290.00	96.48	-----	-----	84.03	34.46	9.88	31.89	0.00	300	46	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5029.29	54.23	74.00	-19.77	42.18	34.10	9.68	31.73	0.00	300	46	PEAK																																																																								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5290.00	96.48	-----	-----	84.03	34.46	9.88	31.89	0.00	300	46	PEAK																																																																								
Avg	 <p>Level (dBuV/m) vs Frequency (MHz) plot for Vertical polarization, Average. The plot shows a blue signal line with a red limit line labeled '5G BAND 1-3 (AVG)'. The signal level is flat around 50 dBuV/m until approximately 5200 MHz, where it rises sharply to about 90 dBuV/m. The limit line is at 58.5 dBuV/m.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5147.61</td> <td>42.64</td> <td>54.00</td> <td>-11.36</td> <td>30.56</td> <td>34.10</td> <td>9.78</td> <td>31.00</td> <td>0.00</td> <td>300</td> <td>46</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5147.61	42.64	54.00	-11.36	30.56	34.10	9.78	31.00	0.00	300	46	AVERAGE	 <p>Level (dBuV/m) vs Frequency (MHz) plot for Fundamental polarization, Average. The plot shows a blue signal line with a red limit line labeled '5G BAND 1-3 (AVG)'. The signal level is flat around 50 dBuV/m until approximately 5200 MHz, where it rises sharply to about 90 dBuV/m. The limit line is at 58.5 dBuV/m.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5290.00</td> <td>88.74</td> <td>-----</td> <td>-----</td> <td>76.29</td> <td>34.46</td> <td>9.88</td> <td>31.89</td> <td>0.00</td> <td>300</td> <td>46</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5290.00	88.74	-----	-----	76.29	34.46	9.88	31.89	0.00	300	46	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5147.61	42.64	54.00	-11.36	30.56	34.10	9.78	31.00	0.00	300	46	AVERAGE																																																																								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5290.00	88.74	-----	-----	76.29	34.46	9.88	31.89	0.00	300	46	AVERAGE																																																																								



Mode	39																																							
	Band Edge - R																																							
	U-NII-2A_5.25-5.35_802.11ax HE80_CH58_Full_5290MHz																																							
ANT	CDD 4+5																																							
Pol.	Vertical	Fundamental																																						
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5358.00</td> <td>54.85</td> <td>74.00</td> <td>-19.15</td> <td>42.19</td> <td>34.67</td> <td>9.92</td> <td>31.93</td> <td>0.00</td> <td>300 46 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5358.00	54.85	74.00	-19.15	42.19	34.67	9.92	31.93	0.00	300 46 PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																															
1 5358.00	54.85	74.00	-19.15	42.19	34.67	9.92	31.93	0.00	300 46 PEAK																															
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5357.83</td> <td>44.92</td> <td>54.00</td> <td>-9.08</td> <td>32.26</td> <td>34.67</td> <td>9.92</td> <td>31.93</td> <td>0.00</td> <td>300 46 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5357.83	44.92	54.00	-9.08	32.26	34.67	9.92	31.93	0.00	300 46 AVERAGE	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																															
1 5357.83	44.92	54.00	-9.08	32.26	34.67	9.92	31.93	0.00	300 46 AVERAGE																															



Mode	39																																																																															
	Harmonic																																																																															
	U-NII-2A_5.25-5.35_802.11ax HE80_CH58_Full_5290MHz																																																																															
ANT	CDD 4+5																																																																															
Pol.	Horizontal	Vertical																																																																														
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 10580.00</td> <td>44.56</td> <td>68.30</td> <td>-23.74</td> <td>54.16</td> <td>37.75</td> <td>14.28</td> <td>61.63</td> <td>0.00</td> <td>300</td> <td>0 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 10580.00	44.56	68.30	-23.74	54.16	37.75	14.28	61.63	0.00	300	0 PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 10580.00</td> <td>44.88</td> <td>68.30</td> <td>-23.42</td> <td>54.48</td> <td>37.75</td> <td>14.28</td> <td>61.63</td> <td>0.00</td> <td>100</td> <td>0 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 10580.00	44.88	68.30	-23.42	54.48	37.75	14.28	61.63	0.00	100	0 PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1 10580.00	44.56	68.30	-23.74	54.16	37.75	14.28	61.63	0.00	300	0 PEAK																																																																						
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1 10580.00	44.88	68.30	-23.42	54.48	37.75	14.28	61.63	0.00	100	0 PEAK																																																																						







		40																																																																																																			
Mode	Band Edge - L																																																																																																				
	U-NII-2C_5.47-5.725_802.11ax HE80_CH106_Full_5530MHz																																																																																																				
ANT	CDD 4+5																																																																																																				
Pol.	Horizontal	Fundamental																																																																																																			
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5459.08</td> <td>59.17</td> <td>74.00</td> <td>-14.83</td> <td>46.33</td> <td>34.00</td> <td>10.03</td> <td>31.99</td> <td>0.00</td> <td>100</td> <td>115</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5465.56</td> <td>59.35</td> <td>68.30</td> <td>-8.95</td> <td>46.50</td> <td>34.00</td> <td>10.04</td> <td>31.99</td> <td>0.00</td> <td>100</td> <td>115</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.08	59.17	74.00	-14.83	46.33	34.00	10.03	31.99	0.00	100	115	PEAK	2	5465.56	59.35	68.30	-8.95	46.50	34.00	10.04	31.99	0.00	100	115	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5530.00</td> <td>103.62</td> <td>-----</td> <td>-----</td> <td>90.77</td> <td>34.75</td> <td>10.13</td> <td>32.03</td> <td>0.00</td> <td>100</td> <td>115</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5530.00	103.62	-----	-----	90.77	34.75	10.13	32.03	0.00	100	115	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																												
1	5459.08	59.17	74.00	-14.83	46.33	34.00	10.03	31.99	0.00	100	115	PEAK																																																																																									
2	5465.56	59.35	68.30	-8.95	46.50	34.00	10.04	31.99	0.00	100	115	PEAK																																																																																									
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																												
1	5530.00	103.62	-----	-----	90.77	34.75	10.13	32.03	0.00	100	115	PEAK																																																																																									
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5454.94</td> <td>47.46</td> <td>54.00</td> <td>-6.54</td> <td>34.63</td> <td>34.00</td> <td>10.02</td> <td>31.99</td> <td>0.00</td> <td>100</td> <td>115</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5454.94	47.46	54.00	-6.54	34.63	34.00	10.02	31.99	0.00	100	115	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5530.00</td> <td>94.07</td> <td>-----</td> <td>-----</td> <td>81.22</td> <td>34.75</td> <td>10.13</td> <td>32.03</td> <td>0.00</td> <td>100</td> <td>115</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5530.00	94.07	-----	-----	81.22	34.75	10.13	32.03	0.00	100	115	AVERAGE													
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																												
1	5454.94	47.46	54.00	-6.54	34.63	34.00	10.02	31.99	0.00	100	115	AVERAGE																																																																																									
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																												
1	5530.00	94.07	-----	-----	81.22	34.75	10.13	32.03	0.00	100	115	AVERAGE																																																																																									



Mode	40																																								
	Band Edge - R																																								
	U-NII-2C_5.47-5.725_802.11ax HE80_CH106_Full_5530MHz																																								
ANT	CDD 4+5																																								
Pol.	Horizontal	Fundamental																																							
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5727.64</td> <td>53.86</td> <td>68.30</td> <td>-14.44</td> <td>41.01</td> <td>34.53</td> <td>10.35</td> <td>32.03</td> <td>0.00</td> <td>100</td> <td>115 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5727.64	53.86	68.30	-14.44	41.01	34.53	10.35	32.03	0.00	100	115 PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																	
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor	cm	deg																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																
1 5727.64	53.86	68.30	-14.44	41.01	34.53	10.35	32.03	0.00	100	115 PEAK																															



		40																																																																																																		
Mode	Band Edge - L																																																																																																			
	U-NII-2C_5.47-5.725_802.11ax HE80_CH106_Full_5530MHz																																																																																																			
ANT	CDD 4+5																																																																																																			
Pol.	Vertical	Fundamental																																																																																																		
Peak	 <table border="1" data-bbox="263 1097 774 1243"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5452.78</td> <td>57.21</td> <td>74.00</td> <td>-16.79</td> <td>44.38</td> <td>34.00</td> <td>10.02</td> <td>31.99</td> <td>0.00</td> <td>300</td> <td>51 PEAK</td> </tr> <tr> <td>2</td> <td>5469.52</td> <td>57.44</td> <td>68.30</td> <td>-10.86</td> <td>44.60</td> <td>34.00</td> <td>10.04</td> <td>32.00</td> <td>0.00</td> <td>300</td> <td>51 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5452.78	57.21	74.00	-16.79	44.38	34.00	10.02	31.99	0.00	300	51 PEAK	2	5469.52	57.44	68.30	-10.86	44.60	34.00	10.04	32.00	0.00	300	51 PEAK	 <table border="1" data-bbox="901 1097 1412 1243"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5530.00</td> <td>99.61</td> <td>-----</td> <td>-----</td> <td>86.76</td> <td>34.75</td> <td>10.13</td> <td>32.03</td> <td>0.00</td> <td>300</td> <td>51 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5530.00	99.61	-----	-----	86.76	34.75	10.13	32.03	0.00	300	51 PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																										
1	5452.78	57.21	74.00	-16.79	44.38	34.00	10.02	31.99	0.00	300	51 PEAK																																																																																									
2	5469.52	57.44	68.30	-10.86	44.60	34.00	10.04	32.00	0.00	300	51 PEAK																																																																																									
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																										
1	5530.00	99.61	-----	-----	86.76	34.75	10.13	32.03	0.00	300	51 PEAK																																																																																									
Avg	 <table border="1" data-bbox="263 1769 774 1915"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5458.90</td> <td>45.64</td> <td>54.00</td> <td>-8.36</td> <td>32.81</td> <td>34.00</td> <td>10.02</td> <td>31.99</td> <td>0.00</td> <td>300</td> <td>51 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5458.90	45.64	54.00	-8.36	32.81	34.00	10.02	31.99	0.00	300	51 AVERAGE	 <table border="1" data-bbox="901 1769 1412 1915"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5530.00</td> <td>90.51</td> <td>-----</td> <td>-----</td> <td>77.66</td> <td>34.75</td> <td>10.13</td> <td>32.03</td> <td>0.00</td> <td>300</td> <td>51 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5530.00	90.51	-----	-----	77.66	34.75	10.13	32.03	0.00	300	51 AVERAGE												
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																										
1	5458.90	45.64	54.00	-8.36	32.81	34.00	10.02	31.99	0.00	300	51 AVERAGE																																																																																									
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																										
1	5530.00	90.51	-----	-----	77.66	34.75	10.13	32.03	0.00	300	51 AVERAGE																																																																																									



Mode	40																																									
	Band Edge - R																																									
	U-NII-2C_5.47-5.725_802.11ax HE80_CH106_Full_5530MHz																																									
ANT	CDD 4+5																																									
Pol.	Vertical	Fundamental																																								
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5726.46</td> <td>53.74</td> <td>68.30</td> <td>-14.56</td> <td>40.89</td> <td>34.53</td> <td>10.35</td> <td>32.03</td> <td>0.00</td> <td>300</td> <td>51 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5726.46	53.74	68.30	-14.56	40.89	34.53	10.35	32.03	0.00	300	51 PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																		
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																	
1	5726.46	53.74	68.30	-14.56	40.89	34.53	10.35	32.03	0.00	300	51 PEAK																															



Mode	40																																																																							
	Harmonic																																																																							
	U-NII-2C_5.47-5.725_802.11ax HE80_CH106_Full_5530MHz																																																																							
ANT	CDD 4+5																																																																							
Pol.	Horizontal	Vertical																																																																						
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 11060.00</td> <td>45.13</td> <td>74.00</td> <td>-28.87</td> <td>54.17</td> <td>38.04</td> <td>14.61</td> <td>61.69</td> <td>0.00</td> <td>300</td> <td>0 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 11060.00	45.13	74.00	-28.87	54.17	38.04	14.61	61.69	0.00	300	0 PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 11060.00</td> <td>45.00</td> <td>74.00</td> <td>-29.00</td> <td>54.04</td> <td>38.04</td> <td>14.61</td> <td>61.69</td> <td>0.00</td> <td>100</td> <td>0 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 11060.00	45.00	74.00	-29.00	54.04	38.04	14.61	61.69	0.00	100	0 PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																	
1 11060.00	45.13	74.00	-28.87	54.17	38.04	14.61	61.69	0.00	300	0 PEAK																																																														
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																	
1 11060.00	45.00	74.00	-29.00	54.04	38.04	14.61	61.69	0.00	100	0 PEAK																																																														



	41																																																																									
Mode	Band Edge - L																																																																									
	U-NII-2C_5.47-5.725_802.11ax HE80_CH122_Full_5610MHz																																																																									
ANT	CDD 4+5																																																																									
Pol.	Horizontal	Fundamental																																																																								
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5378.44</td> <td>54.41</td> <td>74.00</td> <td>-19.59</td> <td>41.69</td> <td>34.73</td> <td>9.93</td> </tr> <tr> <td>2</td> <td>5466.46</td> <td>53.08</td> <td>68.30</td> <td>-15.22</td> <td>40.23</td> <td>34.00</td> <td>10.04</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5378.44	54.41	74.00	-19.59	41.69	34.73	9.93	2	5466.46	53.08	68.30	-15.22	40.23	34.00	10.04	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5610.00</td> <td>102.62</td> <td>-----</td> <td>-----</td> <td>89.87</td> <td>34.58</td> <td>10.26</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5610.00	102.62	-----	-----	89.87	34.58	10.26
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																			
1	5378.44	54.41	74.00	-19.59	41.69	34.73	9.93																																																																			
2	5466.46	53.08	68.30	-15.22	40.23	34.00	10.04																																																																			
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																			
1	5610.00	102.62	-----	-----	89.87	34.58	10.26																																																																			
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5458.72</td> <td>42.93</td> <td>54.00</td> <td>-11.07</td> <td>30.10</td> <td>34.80</td> <td>10.02</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5458.72	42.93	54.00	-11.07	30.10	34.80	10.02	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5610.00</td> <td>92.57</td> <td>-----</td> <td>-----</td> <td>79.80</td> <td>34.60</td> <td>10.25</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5610.00	92.57	-----	-----	79.80	34.60	10.25								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																			
1	5458.72	42.93	54.00	-11.07	30.10	34.80	10.02																																																																			
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																			
1	5610.00	92.57	-----	-----	79.80	34.60	10.25																																																																			



Mode	41																																								
	Band Edge - R																																								
	U-NII-2C_5.47-5.725_802.11ax HE80_CH122_Full_5610MHz																																								
ANT	CDD 4+5																																								
Pol.	Horizontal	Fundamental																																							
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5757.72</td> <td>54.90</td> <td>68.30</td> <td>-13.40</td> <td>41.97</td> <td>34.56</td> <td>10.37</td> <td>32.00</td> <td>0.00</td> <td>100</td> <td>124 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5757.72	54.90	68.30	-13.40	41.97	34.56	10.37	32.00	0.00	100	124 PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																		
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor			Remark																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																
1 5757.72	54.90	68.30	-13.40	41.97	34.56	10.37	32.00	0.00	100	124 PEAK																															



		41																																																																																																				
Mode	Band Edge - L																																																																																																					
	U-NII-2C_5.47-5.725_802.11ax HE80_CH122_Full_5610MHz																																																																																																					
ANT	CDD 4+5																																																																																																					
Pol.	Vertical	Fundamental																																																																																																				
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5422.36</td> <td>53.11</td> <td>74.00</td> <td>-20.89</td> <td>40.31</td> <td>34.00</td> <td>9.97</td> <td>31.97</td> <td>0.00</td> <td>300</td> <td>51</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5461.78</td> <td>53.99</td> <td>68.30</td> <td>-14.31</td> <td>41.15</td> <td>34.00</td> <td>10.03</td> <td>31.99</td> <td>0.00</td> <td>300</td> <td>51</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5422.36	53.11	74.00	-20.89	40.31	34.00	9.97	31.97	0.00	300	51	PEAK	2	5461.78	53.99	68.30	-14.31	41.15	34.00	10.03	31.99	0.00	300	51	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5610.00</td> <td>98.09</td> <td>-----</td> <td>-----</td> <td>86.12</td> <td>34.59</td> <td>10.26</td> <td>32.08</td> <td>0.00</td> <td>300</td> <td>51</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5610.00	98.09	-----	-----	86.12	34.59	10.26	32.08	0.00	300	51	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5422.36	53.11	74.00	-20.89	40.31	34.00	9.97	31.97	0.00	300	51	PEAK																																																																																										
2	5461.78	53.99	68.30	-14.31	41.15	34.00	10.03	31.99	0.00	300	51	PEAK																																																																																										
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																												
1	5610.00	98.09	-----	-----	86.12	34.59	10.26	32.08	0.00	300	51	PEAK																																																																																										
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5459.00</td> <td>42.45</td> <td>54.00</td> <td>-11.55</td> <td>29.61</td> <td>34.00</td> <td>10.03</td> <td>31.99</td> <td>0.00</td> <td>300</td> <td>51</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.00	42.45	54.00	-11.55	29.61	34.00	10.03	31.99	0.00	300	51	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5610.00</td> <td>89.49</td> <td>-----</td> <td>-----</td> <td>76.72</td> <td>34.60</td> <td>10.25</td> <td>32.08</td> <td>0.00</td> <td>300</td> <td>51</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5610.00	89.49	-----	-----	76.72	34.60	10.25	32.08	0.00	300	51	AVERAGE													
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5459.00	42.45	54.00	-11.55	29.61	34.00	10.03	31.99	0.00	300	51	AVERAGE																																																																																										
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																												
1	5610.00	89.49	-----	-----	76.72	34.60	10.25	32.08	0.00	300	51	AVERAGE																																																																																										



Mode	41																																								
	Band Edge - R																																								
	U-NII-2C_5.47-5.725_802.11ax HE80_CH122_Full_5610MHz																																								
ANT	CDD 4+5																																								
Pol.	Vertical	Fundamental																																							
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5743.38</td> <td>54.93</td> <td>68.30</td> <td>-13.37</td> <td>42.03</td> <td>34.55</td> <td>10.36</td> <td>32.01</td> <td>0.00</td> <td>300</td> <td>51 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5743.38	54.93	68.30	-13.37	42.03	34.55	10.36	32.01	0.00	300	51 PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																		
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor			Remark																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																
1 5743.38	54.93	68.30	-13.37	42.03	34.55	10.36	32.01	0.00	300	51 PEAK																															



Mode	41																																																																							
	Harmonic																																																																							
	U-NII-2C_5.47-5.725_802.11ax HE80_CH122_Full_5610MHz																																																																							
ANT	CDD 4+5																																																																							
Pol.	Horizontal	Vertical																																																																						
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 11220.00</td> <td>45.55</td> <td>74.00</td> <td>-28.45</td> <td>54.33</td> <td>38.13</td> <td>14.72</td> <td>61.63</td> <td>0.00</td> <td>300</td> <td>0 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 11220.00	45.55	74.00	-28.45	54.33	38.13	14.72	61.63	0.00	300	0 PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 11220.00</td> <td>43.68</td> <td>74.00</td> <td>-30.32</td> <td>52.46</td> <td>38.13</td> <td>14.72</td> <td>61.63</td> <td>0.00</td> <td>100</td> <td>0 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 11220.00	43.68	74.00	-30.32	52.46	38.13	14.72	61.63	0.00	100	0 PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																	
1 11220.00	45.55	74.00	-28.45	54.33	38.13	14.72	61.63	0.00	300	0 PEAK																																																														
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																	
1 11220.00	43.68	74.00	-30.32	52.46	38.13	14.72	61.63	0.00	100	0 PEAK																																																														



42																																									
Mode	Band Edge - L																																								
	U-NII-2A_5.15-5.35_802.11ax HE160_CH50_Full_5250MHz																																								
ANT	CDD 4+5																																								
Pol.	Horizontal																																								
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5105.25</td> <td>59.10</td> <td>74.00</td> <td>-14.90</td> <td>47.03</td> <td>34.10</td> <td>9.75</td> <td>31.78</td> <td>0.00</td> <td>100</td> <td>110</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	5105.25	59.10	74.00	-14.90	47.03	34.10	9.75	31.78	0.00	100	110	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																	
1	5105.25	59.10	74.00	-14.90	47.03	34.10	9.75	31.78	0.00	100	110	PEAK																													
<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5250.00</td> <td>94.56</td> <td>-----</td> <td>-----</td> <td>82.27</td> <td>34.29</td> <td>9.86</td> <td>31.86</td> <td>0.00</td> <td>100</td> <td>110</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	5250.00	94.56	-----	-----	82.27	34.29	9.86	31.86	0.00	100	110	PEAK	
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																	
1	5250.00	94.56	-----	-----	82.27	34.29	9.86	31.86	0.00	100	110	PEAK																													
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5116.75</td> <td>47.87</td> <td>54.00</td> <td>-6.13</td> <td>35.79</td> <td>34.10</td> <td>9.76</td> <td>31.78</td> <td>0.00</td> <td>100</td> <td>110</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	5116.75	47.87	54.00	-6.13	35.79	34.10	9.76	31.78	0.00	100	110	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																	
1	5116.75	47.87	54.00	-6.13	35.79	34.10	9.76	31.78	0.00	100	110	AVERAGE																													
<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5250.00</td> <td>84.84</td> <td>-----</td> <td>-----</td> <td>72.51</td> <td>34.34</td> <td>9.86</td> <td>31.87</td> <td>0.00</td> <td>100</td> <td>110</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	5250.00	84.84	-----	-----	72.51	34.34	9.86	31.87	0.00	100	110	AVERAGE	
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																	
1	5250.00	84.84	-----	-----	72.51	34.34	9.86	31.87	0.00	100	110	AVERAGE																													





	42																																							
Mode	Band Edge - R																																							
ANT	CDD 4+5																																							
Pol.	Horizontal	Fundamental																																						
Peak	<table border="1" data-bbox="268 1126 778 1249"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5393.85</td> <td>61.49</td> <td>74.00</td> <td>-12.51</td> <td>48.73</td> <td>34.77</td> <td>9.94</td> <td>31.95</td> <td>0.00</td> <td>100 110 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5393.85	61.49	74.00	-12.51	48.73	34.77	9.94	31.95	0.00	100 110 PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																															
1 5393.85	61.49	74.00	-12.51	48.73	34.77	9.94	31.95	0.00	100 110 PEAK																															
Avg	<table border="1" data-bbox="268 1803 778 1926"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5387.76</td> <td>50.88</td> <td>54.00</td> <td>-3.12</td> <td>38.14</td> <td>34.76</td> <td>9.93</td> <td>31.95</td> <td>0.00</td> <td>100 110 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5387.76	50.88	54.00	-3.12	38.14	34.76	9.93	31.95	0.00	100 110 AVERAGE	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																															
1 5387.76	50.88	54.00	-3.12	38.14	34.76	9.93	31.95	0.00	100 110 AVERAGE																															



		42																																																																																
Mode	Band Edge - L																																																																																	
	U-NII-2A_5.15-5.35_802.11ax HE160_CH50_Full_5250MHz																																																																																	
ANT	CDD 4+5																																																																																	
Pol.	Vertical	Fundamental																																																																																
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5107.50</td> <td>59.23</td> <td>74.00</td> <td>-14.77</td> <td>47.16</td> <td>34.10</td> <td>9.75</td> <td>31.78</td> <td>0.00</td> <td>300</td> <td>46</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5107.50	59.23	74.00	-14.77	47.16	34.10	9.75	31.78	0.00	300	46	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5250.00</td> <td>90.00</td> <td>-----</td> <td>-----</td> <td>78.61</td> <td>34.20</td> <td>9.84</td> <td>31.85</td> <td>0.00</td> <td>300</td> <td>46</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5250.00	90.00	-----	-----	78.61	34.20	9.84	31.85	0.00	300	46	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																										
1	5107.50	59.23	74.00	-14.77	47.16	34.10	9.75	31.78	0.00	300	46	PEAK																																																																						
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																										
1	5250.00	90.00	-----	-----	78.61	34.20	9.84	31.85	0.00	300	46	PEAK																																																																						
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5127.00</td> <td>47.58</td> <td>54.00</td> <td>-6.42</td> <td>35.50</td> <td>34.10</td> <td>9.77</td> <td>31.79</td> <td>0.00</td> <td>300</td> <td>46</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5127.00	47.58	54.00	-6.42	35.50	34.10	9.77	31.79	0.00	300	46	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5250.00</td> <td>81.65</td> <td>-----</td> <td>-----</td> <td>69.39</td> <td>34.27</td> <td>9.85</td> <td>31.86</td> <td>0.00</td> <td>300</td> <td>46</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5250.00	81.65	-----	-----	69.39	34.27	9.85	31.86	0.00	300	46	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																										
1	5127.00	47.58	54.00	-6.42	35.50	34.10	9.77	31.79	0.00	300	46	AVERAGE																																																																						
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																										
1	5250.00	81.65	-----	-----	69.39	34.27	9.85	31.86	0.00	300	46	AVERAGE																																																																						



	42																																										
Mode	Band Edge - R																																										
	U-NII-2A_5.15-5.35_802.11ax HE160_CH50_Full_5250MHz																																										
ANT	CDD 4+5																																										
Pol.	Vertical	Fundamental																																									
Peak	 <table border="1" data-bbox="263 1120 790 1243"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5400.36</td> <td>56.92</td> <td>74.00</td> <td>-17.08</td> <td>44.14</td> <td>34.79</td> <td>9.94</td> <td>31.95</td> <td>0.00</td> <td>300</td> <td>46</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5400.36	56.92	74.00	-17.08	44.14	34.79	9.94	31.95	0.00	300	46	PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																		
1	5400.36	56.92	74.00	-17.08	44.14	34.79	9.94	31.95	0.00	300	46	PEAK																															
Avg	 <table border="1" data-bbox="263 1798 790 1921"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5367.60</td> <td>46.96</td> <td>54.00</td> <td>-7.04</td> <td>34.27</td> <td>34.70</td> <td>9.92</td> <td>31.93</td> <td>0.00</td> <td>300</td> <td>46</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5367.60	46.96	54.00	-7.04	34.27	34.70	9.92	31.93	0.00	300	46	AVERAGE	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																		
1	5367.60	46.96	54.00	-7.04	34.27	34.70	9.92	31.93	0.00	300	46	AVERAGE																															



Mode	42																																																																															
	Harmonic																																																																															
	U-NII-2A_5.15-5.35_802.11ax HE160_CH50_Full_5250MHz																																																																															
ANT	CDD 4+5																																																																															
Pol.	Horizontal	Vertical																																																																														
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 10500.00</td> <td>43.92</td> <td>68.30</td> <td>-24.38</td> <td>53.62</td> <td>37.70</td> <td>14.22</td> <td>61.62</td> <td>0.00</td> <td>300</td> <td>0 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 10500.00	43.92	68.30	-24.38	53.62	37.70	14.22	61.62	0.00	300	0 PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 10500.00</td> <td>44.63</td> <td>68.30</td> <td>-23.67</td> <td>54.33</td> <td>37.70</td> <td>14.22</td> <td>61.62</td> <td>0.00</td> <td>100</td> <td>0 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 10500.00	44.63	68.30	-23.67	54.33	37.70	14.22	61.62	0.00	100	0 PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1 10500.00	43.92	68.30	-24.38	53.62	37.70	14.22	61.62	0.00	300	0 PEAK																																																																						
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1 10500.00	44.63	68.30	-23.67	54.33	37.70	14.22	61.62	0.00	100	0 PEAK																																																																						







		43																																																																																																					
Mode	Band Edge - L																																																																																																						
	U-NII-2C_5.47-5.725_802.11ax HE160_CH114_Full_5570MHz																																																																																																						
ANT	CDD 4+5																																																																																																						
Pol.	Horizontal	Fundamental																																																																																																					
Peak	<p>Level (dBuV/m) vs Frequency (MHz) plot for Horizontal polarization. The plot shows a blue signal line fluctuating around a red limit line labeled '5G BAND 1-3'. The y-axis ranges from 0 to 117 dBuV/m, and the x-axis ranges from 5350 to 5570 MHz. A vertical blue line is at 5438 MHz.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5427.88</td> <td>60.89</td> <td>74.00</td> <td>-13.11</td> <td>48.08</td> <td>34.80</td> <td>9.98</td> <td>31.97</td> <td>0.00</td> <td>100</td> <td>115</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5460.22</td> <td>57.42</td> <td>68.30</td> <td>-10.88</td> <td>44.58</td> <td>34.80</td> <td>10.03</td> <td>31.99</td> <td>0.00</td> <td>100</td> <td>115</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5427.88	60.89	74.00	-13.11	48.08	34.80	9.98	31.97	0.00	100	115	PEAK	2	5460.22	57.42	68.30	-10.88	44.58	34.80	10.03	31.99	0.00	100	115	PEAK	<p>Level (dBuV/m) vs Frequency (MHz) plot for Fundamental polarization. The plot shows a blue signal line with a sharp peak at 5570 MHz. A red limit line labeled '5G BAND 1-3' is shown. The y-axis ranges from 0 to 117 dBuV/m, and the x-axis ranges from 1000 to 7000 MHz.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5570.00</td> <td>98.52</td> <td>-----</td> <td>-----</td> <td>85.71</td> <td>34.67</td> <td>10.20</td> <td>32.06</td> <td>0.00</td> <td>100</td> <td>115</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5570.00	98.52	-----	-----	85.71	34.67	10.20	32.06	0.00	100	115	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																													
1	5427.88	60.89	74.00	-13.11	48.08	34.80	9.98	31.97	0.00	100	115	PEAK																																																																																											
2	5460.22	57.42	68.30	-10.88	44.58	34.80	10.03	31.99	0.00	100	115	PEAK																																																																																											
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																													
1	5570.00	98.52	-----	-----	85.71	34.67	10.20	32.06	0.00	100	115	PEAK																																																																																											
Avg	<p>Level (dBuV/m) vs Frequency (MHz) plot for Horizontal polarization, Average view. The plot shows a blue signal line with a peak at 5438 MHz. A red limit line labeled '5G BAND 1-3 (AVG)' is shown. The y-axis ranges from 0 to 117 dBuV/m, and the x-axis ranges from 5350 to 5570 MHz.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5438.66</td> <td>49.76</td> <td>54.00</td> <td>-4.24</td> <td>36.95</td> <td>34.80</td> <td>9.99</td> <td>31.98</td> <td>0.00</td> <td>100</td> <td>115</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5438.66	49.76	54.00	-4.24	36.95	34.80	9.99	31.98	0.00	100	115	AVERAGE	<p>Level (dBuV/m) vs Frequency (MHz) plot for Fundamental polarization, Average view. The plot shows a blue signal line with a peak at 5570 MHz. A red limit line labeled '5G BAND 1-3 (AVG)' is shown. The y-axis ranges from 0 to 117 dBuV/m, and the x-axis ranges from 1000 to 7000 MHz.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5570.00</td> <td>89.24</td> <td>-----</td> <td>-----</td> <td>76.43</td> <td>34.67</td> <td>10.20</td> <td>32.06</td> <td>0.00</td> <td>100</td> <td>115</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5570.00	89.24	-----	-----	76.43	34.67	10.20	32.06	0.00	100	115	AVERAGE													
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																													
1	5438.66	49.76	54.00	-4.24	36.95	34.80	9.99	31.98	0.00	100	115	AVERAGE																																																																																											
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																													
1	5570.00	89.24	-----	-----	76.43	34.67	10.20	32.06	0.00	100	115	AVERAGE																																																																																											



Mode	43																																								
	Band Edge - R																																								
	U-NII-2C_5.47-5.725_802.11ax HE160_CH114_Full_5570MHz																																								
ANT	CDD 4+5																																								
Pol.	Horizontal	Fundamental																																							
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5734.97</td> <td>59.29</td> <td>68.30</td> <td>-9.01</td> <td>46.42</td> <td>34.54</td> <td>10.35</td> <td>32.02</td> <td>0.00</td> <td>100</td> <td>115 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5734.97	59.29	68.30	-9.01	46.42	34.54	10.35	32.02	0.00	100	115 PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																
1 5734.97	59.29	68.30	-9.01	46.42	34.54	10.35	32.02	0.00	100	115 PEAK																															



Mode	43																																																																																																
	Band Edge - L																																																																																																
	U-NII-2C_5.47-5.725_802.11ax HE160_CH114_Full_5570MHz																																																																																																
ANT	CDD 4+5																																																																																																
Pol.	Vertical	Fundamental																																																																																															
Peak	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5434.04</td> <td>60.55</td> <td>74.00</td> <td>-13.45</td> <td>47.73</td> <td>34.00</td> <td>9.99</td> <td>31.97</td> <td>0.00</td> <td>300</td> <td>51</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5466.82</td> <td>56.18</td> <td>68.30</td> <td>-12.12</td> <td>43.33</td> <td>34.00</td> <td>10.04</td> <td>31.99</td> <td>0.00</td> <td>300</td> <td>51</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5434.04	60.55	74.00	-13.45	47.73	34.00	9.99	31.97	0.00	300	51	PEAK	2	5466.82	56.18	68.30	-12.12	43.33	34.00	10.04	31.99	0.00	300	51	PEAK	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5570.00</td> <td>93.48</td> <td>-----</td> <td>-----</td> <td>80.66</td> <td>34.70</td> <td>10.17</td> <td>32.05</td> <td>0.00</td> <td>300</td> <td>51</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5570.00	93.48	-----	-----	80.66	34.70	10.17	32.05	0.00	300	51	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5434.04	60.55	74.00	-13.45	47.73	34.00	9.99	31.97	0.00	300	51	PEAK																																																																																					
2	5466.82	56.18	68.30	-12.12	43.33	34.00	10.04	31.99	0.00	300	51	PEAK																																																																																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5570.00	93.48	-----	-----	80.66	34.70	10.17	32.05	0.00	300	51	PEAK																																																																																					
Avg	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5427.88</td> <td>47.48</td> <td>54.00</td> <td>-6.52</td> <td>34.67</td> <td>34.00</td> <td>9.98</td> <td>31.97</td> <td>0.00</td> <td>300</td> <td>51</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5427.88	47.48	54.00	-6.52	34.67	34.00	9.98	31.97	0.00	300	51	AVERAGE	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5570.00</td> <td>84.72</td> <td>-----</td> <td>-----</td> <td>71.91</td> <td>34.67</td> <td>10.20</td> <td>32.06</td> <td>0.00</td> <td>300</td> <td>51</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5570.00	84.72	-----	-----	71.91	34.67	10.20	32.06	0.00	300	51	AVERAGE													
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5427.88	47.48	54.00	-6.52	34.67	34.00	9.98	31.97	0.00	300	51	AVERAGE																																																																																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5570.00	84.72	-----	-----	71.91	34.67	10.20	32.06	0.00	300	51	AVERAGE																																																																																					



Mode	43																																								
	Band Edge - R																																								
	U-NII-2C_5.47-5.725_802.11ax HE160_CH114_Full_5570MHz																																								
ANT	CDD 4+5																																								
Pol.	Vertical	Fundamental																																							
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5746.48</td> <td>56.57</td> <td>68.30</td> <td>-11.73</td> <td>43.67</td> <td>34.55</td> <td>10.36</td> <td>32.01</td> <td>0.00</td> <td>300</td> <td>51 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5746.48	56.57	68.30	-11.73	43.67	34.55	10.36	32.01	0.00	300	51 PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																
1 5746.48	56.57	68.30	-11.73	43.67	34.55	10.36	32.01	0.00	300	51 PEAK																															



Mode	43																																																																											
	Harmonic																																																																											
	U-NII-2C_5.47-5.725_802.11ax HE160_CH114_Full_5570MHz																																																																											
ANT	CDD 4+5																																																																											
Pol.	Horizontal	Vertical																																																																										
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11140.00</td> <td>43.91</td> <td>74.00</td> <td>-30.09</td> <td>52.83</td> <td>38.08</td> <td>14.66</td> <td>61.66</td> <td>0.00</td> <td>300</td> <td>0 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11140.00	43.91	74.00	-30.09	52.83	38.08	14.66	61.66	0.00	300	0 PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11140.00</td> <td>43.81</td> <td>74.00</td> <td>-30.19</td> <td>52.73</td> <td>38.08</td> <td>14.66</td> <td>61.66</td> <td>0.00</td> <td>100</td> <td>0 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11140.00	43.81	74.00	-30.19	52.73	38.08	14.66	61.66	0.00	100	0 PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																			
1 11140.00	43.91	74.00	-30.09	52.83	38.08	14.66	61.66	0.00	300	0 PEAK																																																																		
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																			
1 11140.00	43.81	74.00	-30.19	52.73	38.08	14.66	61.66	0.00	100	0 PEAK																																																																		



Mode	44																																																																																																																								
	Band Edge																																																																																																																								
	U-NII-3_5.725-5.85_802.11a_CH149_5745MHz																																																																																																																								
ANT	CDD 4+5																																																																																																																								
Pol.	Horizontal	Fundamental																																																																																																																							
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5633.79</td> <td>53.61</td> <td>68.30</td> <td>-14.69</td> <td>40.87</td> <td>34.57</td> <td>10.27</td> <td>32.10</td> <td>0.00</td> <td>100</td> <td>122</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5650.90</td> <td>52.11</td> <td>68.97</td> <td>-16.86</td> <td>39.36</td> <td>34.55</td> <td>10.29</td> <td>32.09</td> <td>0.00</td> <td>100</td> <td>122</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5717.74</td> <td>64.52</td> <td>110.27</td> <td>-45.75</td> <td>51.69</td> <td>34.53</td> <td>10.34</td> <td>32.04</td> <td>0.00</td> <td>100</td> <td>122</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5728.21</td> <td>60.90</td> <td>111.37</td> <td>-50.47</td> <td>48.06</td> <td>34.53</td> <td>10.34</td> <td>32.03</td> <td>0.00</td> <td>100</td> <td>122</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5633.79	53.61	68.30	-14.69	40.87	34.57	10.27	32.10	0.00	100	122	PEAK	2	5650.90	52.11	68.97	-16.86	39.36	34.55	10.29	32.09	0.00	100	122	PEAK	3	5717.74	64.52	110.27	-45.75	51.69	34.53	10.34	32.04	0.00	100	122	PEAK	4	5728.21	60.90	111.37	-50.47	48.06	34.53	10.34	32.03	0.00	100	122	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>109.44</td> <td>-----</td> <td>-----</td> <td>96.54</td> <td>34.55</td> <td>10.36</td> <td>32.01</td> <td>0.00</td> <td>100</td> <td>122</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5745.00	109.44	-----	-----	96.54	34.55	10.36	32.01	0.00	100	122	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																																	
1	5633.79	53.61	68.30	-14.69	40.87	34.57	10.27	32.10	0.00	100	122	PEAK																																																																																																													
2	5650.90	52.11	68.97	-16.86	39.36	34.55	10.29	32.09	0.00	100	122	PEAK																																																																																																													
3	5717.74	64.52	110.27	-45.75	51.69	34.53	10.34	32.04	0.00	100	122	PEAK																																																																																																													
4	5728.21	60.90	111.37	-50.47	48.06	34.53	10.34	32.03	0.00	100	122	PEAK																																																																																																													
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																																	
1	5745.00	109.44	-----	-----	96.54	34.55	10.36	32.01	0.00	100	122	PEAK																																																																																																													
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>100.63</td> <td>-----</td> <td>-----</td> <td>87.73</td> <td>34.55</td> <td>10.36</td> <td>32.01</td> <td>0.00</td> <td>100</td> <td>122</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5745.00	100.63	-----	-----	87.73	34.55	10.36	32.01	0.00	100	122	AVERAGE																																																																															
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																																	
1	5745.00	100.63	-----	-----	87.73	34.55	10.36	32.01	0.00	100	122	AVERAGE																																																																																																													



Mode	44																																																																																																																										
	Band Edge																																																																																																																										
	U-NII-3_5.725-5.85_802.11a_CH149_5745MHz																																																																																																																										
ANT	CDD 4+5																																																																																																																										
Pol.	Vertical	Fundamental																																																																																																																									
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5620.74</td> <td>53.08</td> <td>68.30</td> <td>-15.22</td> <td>40.33</td> <td>34.58</td> <td>10.26</td> <td>32.09</td> <td>0.00</td> <td>338</td> <td>70</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5650.61</td> <td>54.14</td> <td>68.75</td> <td>-14.61</td> <td>41.40</td> <td>34.55</td> <td>10.28</td> <td>32.09</td> <td>0.00</td> <td>338</td> <td>70</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5714.99</td> <td>66.39</td> <td>109.50</td> <td>-43.11</td> <td>53.57</td> <td>34.52</td> <td>10.34</td> <td>32.04</td> <td>0.00</td> <td>338</td> <td>70</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5720.06</td> <td>67.45</td> <td>111.04</td> <td>-43.59</td> <td>54.61</td> <td>34.53</td> <td>10.34</td> <td>32.03</td> <td>0.00</td> <td>338</td> <td>70</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5620.74	53.08	68.30	-15.22	40.33	34.58	10.26	32.09	0.00	338	70	PEAK	2	5650.61	54.14	68.75	-14.61	41.40	34.55	10.28	32.09	0.00	338	70	PEAK	3	5714.99	66.39	109.50	-43.11	53.57	34.52	10.34	32.04	0.00	338	70	PEAK	4	5720.06	67.45	111.04	-43.59	54.61	34.53	10.34	32.03	0.00	338	70	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>108.02</td> <td>-----</td> <td>-----</td> <td>95.12</td> <td>34.55</td> <td>10.36</td> <td>32.01</td> <td>0.00</td> <td>338</td> <td>70</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5745.00	108.02	-----	-----	95.12	34.55	10.36	32.01	0.00	338	70	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	5620.74	53.08	68.30	-15.22	40.33	34.58	10.26	32.09	0.00	338	70	PEAK																																																																																																															
2	5650.61	54.14	68.75	-14.61	41.40	34.55	10.28	32.09	0.00	338	70	PEAK																																																																																																															
3	5714.99	66.39	109.50	-43.11	53.57	34.52	10.34	32.04	0.00	338	70	PEAK																																																																																																															
4	5720.06	67.45	111.04	-43.59	54.61	34.53	10.34	32.03	0.00	338	70	PEAK																																																																																																															
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	5745.00	108.02	-----	-----	95.12	34.55	10.36	32.01	0.00	338	70	PEAK																																																																																																															
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>100.66</td> <td>-----</td> <td>-----</td> <td>87.76</td> <td>34.55</td> <td>10.36</td> <td>32.01</td> <td>0.00</td> <td>338</td> <td>70</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5745.00	100.66	-----	-----	87.76	34.55	10.36	32.01	0.00	338	70	AVERAGE																																																																																
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	5745.00	100.66	-----	-----	87.76	34.55	10.36	32.01	0.00	338	70	AVERAGE																																																																																																															



Mode	44																																																																												
	Harmonic																																																																												
	U-NII-3_5.725-5.85_802.11a_CH149_5745MHz																																																																												
ANT	CDD 4+5																																																																												
Pol.	Horizontal	Vertical																																																																											
Peak Avg																																																																													
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 11490.00</td> <td>44.08</td> <td>74.00</td> <td>-29.92</td> <td>52.40</td> <td>38.29</td> <td>14.91</td> <td>61.52</td> <td>0.00</td> <td>300</td> <td>0 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 11490.00	44.08	74.00	-29.92	52.40	38.29	14.91	61.52	0.00	300	0 PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 11490.00</td> <td>45.02</td> <td>74.00</td> <td>-28.98</td> <td>53.34</td> <td>38.29</td> <td>14.91</td> <td>61.52</td> <td>0.00</td> <td>100</td> <td>0 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 11490.00	45.02	74.00	-28.98	53.34	38.29	14.91	61.52	0.00	100
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																					
1 11490.00	44.08	74.00	-29.92	52.40	38.29	14.91	61.52	0.00	300	0 PEAK																																																																			
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																					
1 11490.00	45.02	74.00	-28.98	53.34	38.29	14.91	61.52	0.00	100	0 PEAK																																																																			



Mode	45																																																																																			
	Harmonic																																																																																			
	U-NII-3_5.725-5.85_802.11a_CH157_5785MHz																																																																																			
ANT	CDD 4+5																																																																																			
Pol.	Horizontal	Vertical																																																																																		
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11570.00</td> <td>44.25</td> <td>74.00</td> <td>-29.75</td> <td>52.41</td> <td>38.36</td> <td>14.97</td> <td>61.49</td> <td>0.00</td> <td>300</td> <td>0</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 11570.00	44.25	74.00	-29.75	52.41	38.36	14.97	61.49	0.00	300	0	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11570.00</td> <td>44.37</td> <td>74.00</td> <td>-29.63</td> <td>52.53</td> <td>38.36</td> <td>14.97</td> <td>61.49</td> <td>0.00</td> <td>100</td> <td>0</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 11570.00	44.37	74.00	-29.63	52.53	38.36	14.97	61.49	0.00	100	0	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																										
1 11570.00	44.25	74.00	-29.75	52.41	38.36	14.97	61.49	0.00	300	0	PEAK																																																																									
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																										
1 11570.00	44.37	74.00	-29.63	52.53	38.36	14.97	61.49	0.00	100	0	PEAK																																																																									



Mode	46																																																																																																										
	Band Edge																																																																																																										
	U-NII-3_5.725-5.85_802.11a_CH165_5825MHZ																																																																																																										
ANT	CDD 4+5																																																																																																										
Pol.	Horizontal	Fundamental																																																																																																									
Peak	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5854.75</td> <td>57.23</td> <td>111.47</td> <td>-54.24</td> <td>43.88</td> <td>34.84</td> <td>10.45</td> <td>31.94</td> <td>0.00</td> <td>103</td> <td>254</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5871.38</td> <td>54.91</td> <td>106.31</td> <td>-51.40</td> <td>41.49</td> <td>34.90</td> <td>10.47</td> <td>31.95</td> <td>0.00</td> <td>103</td> <td>254</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5923.13</td> <td>54.24</td> <td>69.60</td> <td>-15.44</td> <td>40.61</td> <td>35.11</td> <td>10.51</td> <td>31.99</td> <td>0.00</td> <td>103</td> <td>254</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5948.13</td> <td>54.43</td> <td>68.30</td> <td>-13.87</td> <td>40.70</td> <td>35.20</td> <td>10.54</td> <td>32.01</td> <td>0.00</td> <td>103</td> <td>254</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	1	5854.75	57.23	111.47	-54.24	43.88	34.84	10.45	31.94	0.00	103	254	PEAK	2	5871.38	54.91	106.31	-51.40	41.49	34.90	10.47	31.95	0.00	103	254	PEAK	3	5923.13	54.24	69.60	-15.44	40.61	35.11	10.51	31.99	0.00	103	254	PEAK	4	5948.13	54.43	68.30	-13.87	40.70	35.20	10.54	32.01	0.00	103	254	PEAK	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>107.65</td> <td>-----</td> <td>-----</td> <td>94.45</td> <td>34.72</td> <td>10.43</td> <td>31.95</td> <td>0.00</td> <td>103</td> <td>254</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	1	5825.00	107.65	-----	-----	94.45	34.72	10.43	31.95	0.00	103	254	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																		
1	5854.75	57.23	111.47	-54.24	43.88	34.84	10.45	31.94	0.00	103	254	PEAK																																																																																															
2	5871.38	54.91	106.31	-51.40	41.49	34.90	10.47	31.95	0.00	103	254	PEAK																																																																																															
3	5923.13	54.24	69.60	-15.44	40.61	35.11	10.51	31.99	0.00	103	254	PEAK																																																																																															
4	5948.13	54.43	68.30	-13.87	40.70	35.20	10.54	32.01	0.00	103	254	PEAK																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																		
1	5825.00	107.65	-----	-----	94.45	34.72	10.43	31.95	0.00	103	254	PEAK																																																																																															
Avg	Blank	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>99.01</td> <td>-----</td> <td>-----</td> <td>85.81</td> <td>34.72</td> <td>10.43</td> <td>31.95</td> <td>0.00</td> <td>103</td> <td>254</td> <td>AVERAGE</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	1	5825.00	99.01	-----	-----	85.81	34.72	10.43	31.95	0.00	103	254	AVERAGE																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																		
1	5825.00	99.01	-----	-----	85.81	34.72	10.43	31.95	0.00	103	254	AVERAGE																																																																																															



Mode	46																																																																																												
	Band Edge																																																																																												
	U-NII-3_5.725-5.85_802.11a_CH165_5825MHZ																																																																																												
ANT	CDD 4+5																																																																																												
Pol.	Vertical	Fundamental																																																																																											
Peak	<table border="1"> <thead> <tr> <th>Peak</th> <th>Freq (MHz)</th> <th>Level (dBuV/m)</th> <th>Limit (dBuV/m)</th> <th>Line Margin (dB)</th> <th>Read Level (dBuV)</th> <th>Ant Factor (dB/m)</th> <th>Cable Loss (dB)</th> <th>Preamp Loss (dB)</th> <th>Aux Loss (dB)</th> <th>APos (cm)</th> <th>TPos (deg)</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5854.75</td> <td>52.74</td> <td>111.47</td> <td>-58.73</td> <td>39.39</td> <td>34.84</td> <td>10.45</td> <td>31.94</td> <td>0.00</td> <td>351</td> <td>66</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5872.00</td> <td>53.43</td> <td>106.14</td> <td>-52.71</td> <td>40.00</td> <td>34.91</td> <td>10.47</td> <td>31.95</td> <td>0.00</td> <td>351</td> <td>66</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5924.88</td> <td>53.53</td> <td>68.39</td> <td>-14.86</td> <td>39.89</td> <td>35.11</td> <td>10.52</td> <td>31.99</td> <td>0.00</td> <td>351</td> <td>66</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5931.75</td> <td>54.86</td> <td>68.30</td> <td>-13.44</td> <td>41.20</td> <td>35.14</td> <td>10.52</td> <td>32.00</td> <td>0.00</td> <td>351</td> <td>66</td> <td>PEAK</td> </tr> </tbody> </table>	Peak	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Line Margin (dB)	Read Level (dBuV)	Ant Factor (dB/m)	Cable Loss (dB)	Preamp Loss (dB)	Aux Loss (dB)	APos (cm)	TPos (deg)	Remark	1	5854.75	52.74	111.47	-58.73	39.39	34.84	10.45	31.94	0.00	351	66	PEAK	2	5872.00	53.43	106.14	-52.71	40.00	34.91	10.47	31.95	0.00	351	66	PEAK	3	5924.88	53.53	68.39	-14.86	39.89	35.11	10.52	31.99	0.00	351	66	PEAK	4	5931.75	54.86	68.30	-13.44	41.20	35.14	10.52	32.00	0.00	351	66	PEAK	<table border="1"> <thead> <tr> <th>Peak</th> <th>Freq (MHz)</th> <th>Level (dBuV/m)</th> <th>Limit (dBuV/m)</th> <th>Line Margin (dB)</th> <th>Read Level (dBuV)</th> <th>Ant Factor (dB/m)</th> <th>Cable Loss (dB)</th> <th>Preamp Loss (dB)</th> <th>Aux Loss (dB)</th> <th>APos (cm)</th> <th>TPos (deg)</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>104.75</td> <td>91.55</td> <td>13.20</td> <td>91.55</td> <td>34.72</td> <td>10.43</td> <td>31.95</td> <td>0.00</td> <td>351</td> <td>66</td> <td>PEAK</td> </tr> </tbody> </table>	Peak	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Line Margin (dB)	Read Level (dBuV)	Ant Factor (dB/m)	Cable Loss (dB)	Preamp Loss (dB)	Aux Loss (dB)	APos (cm)	TPos (deg)	Remark	1	5825.00	104.75	91.55	13.20	91.55	34.72	10.43	31.95	0.00	351	66	PEAK
Peak	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Line Margin (dB)	Read Level (dBuV)	Ant Factor (dB/m)	Cable Loss (dB)	Preamp Loss (dB)	Aux Loss (dB)	APos (cm)	TPos (deg)	Remark																																																																																	
1	5854.75	52.74	111.47	-58.73	39.39	34.84	10.45	31.94	0.00	351	66	PEAK																																																																																	
2	5872.00	53.43	106.14	-52.71	40.00	34.91	10.47	31.95	0.00	351	66	PEAK																																																																																	
3	5924.88	53.53	68.39	-14.86	39.89	35.11	10.52	31.99	0.00	351	66	PEAK																																																																																	
4	5931.75	54.86	68.30	-13.44	41.20	35.14	10.52	32.00	0.00	351	66	PEAK																																																																																	
Peak	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Line Margin (dB)	Read Level (dBuV)	Ant Factor (dB/m)	Cable Loss (dB)	Preamp Loss (dB)	Aux Loss (dB)	APos (cm)	TPos (deg)	Remark																																																																																	
1	5825.00	104.75	91.55	13.20	91.55	34.72	10.43	31.95	0.00	351	66	PEAK																																																																																	
Avg	Blank	<table border="1"> <thead> <tr> <th>Peak</th> <th>Freq (MHz)</th> <th>Level (dBuV/m)</th> <th>Limit (dBuV/m)</th> <th>Line Margin (dB)</th> <th>Read Level (dBuV)</th> <th>Ant Factor (dB/m)</th> <th>Cable Loss (dB)</th> <th>Preamp Loss (dB)</th> <th>Aux Loss (dB)</th> <th>APos (cm)</th> <th>TPos (deg)</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>97.18</td> <td>83.98</td> <td>13.20</td> <td>83.98</td> <td>34.72</td> <td>10.43</td> <td>31.95</td> <td>0.00</td> <td>351</td> <td>66</td> <td>AVERAGE</td> </tr> </tbody> </table>	Peak	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Line Margin (dB)	Read Level (dBuV)	Ant Factor (dB/m)	Cable Loss (dB)	Preamp Loss (dB)	Aux Loss (dB)	APos (cm)	TPos (deg)	Remark	1	5825.00	97.18	83.98	13.20	83.98	34.72	10.43	31.95	0.00	351	66	AVERAGE																																																																	
Peak	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Line Margin (dB)	Read Level (dBuV)	Ant Factor (dB/m)	Cable Loss (dB)	Preamp Loss (dB)	Aux Loss (dB)	APos (cm)	TPos (deg)	Remark																																																																																	
1	5825.00	97.18	83.98	13.20	83.98	34.72	10.43	31.95	0.00	351	66	AVERAGE																																																																																	



Mode	46																																																																															
	Harmonic																																																																															
	U-NII-3_5.725-5.85_802.11a_CH165_5825MHz																																																																															
ANT	CDD 4+5																																																																															
Pol.	Horizontal	Vertical																																																																														
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11650.00</td> <td>44.12</td> <td>74.00</td> <td>-29.88</td> <td>52.12</td> <td>38.45</td> <td>15.02</td> <td>61.47</td> <td>0.00</td> <td>300</td> <td>0 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11650.00	44.12	74.00	-29.88	52.12	38.45	15.02	61.47	0.00	300	0 PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11650.00</td> <td>44.46</td> <td>74.00</td> <td>-29.54</td> <td>52.46</td> <td>38.45</td> <td>15.02</td> <td>61.47</td> <td>0.00</td> <td>100</td> <td>0 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11650.00	44.46	74.00	-29.54	52.46	38.45	15.02	61.47	0.00	100	0 PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1 11650.00	44.12	74.00	-29.88	52.12	38.45	15.02	61.47	0.00	300	0 PEAK																																																																						
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1 11650.00	44.46	74.00	-29.54	52.46	38.45	15.02	61.47	0.00	100	0 PEAK																																																																						



	47																																																																																												
Mode	Band Edge																																																																																												
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_Full_5745MHz																																																																																												
ANT	CDD 4+5																																																																																												
Pol.	Horizontal	Fundamental																																																																																											
Peak	<table border="1" data-bbox="255 1097 766 1243"> <thead> <tr> <th>Peak</th> <th>Freq (MHz)</th> <th>Level (dBuV/m)</th> <th>Limit (dBuV/m)</th> <th>Line Margin (dB)</th> <th>Read Level (dBuV)</th> <th>Ant Factor (dB/m)</th> <th>Cable Loss (dB)</th> <th>Preamp Loss (dB)</th> <th>Aux Factor (dB)</th> <th>APos (dB)</th> <th>TPos (cm)</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5624.51</td> <td>53.72</td> <td>68.30</td> <td>-14.58</td> <td>40.97</td> <td>34.58</td> <td>10.26</td> <td>32.09</td> <td>0.00</td> <td>100</td> <td>111</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5651.04</td> <td>53.65</td> <td>69.07</td> <td>-15.42</td> <td>40.90</td> <td>34.55</td> <td>10.29</td> <td>32.09</td> <td>0.00</td> <td>100</td> <td>111</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5718.76</td> <td>71.26</td> <td>110.55</td> <td>-39.29</td> <td>58.43</td> <td>34.53</td> <td>10.34</td> <td>32.04</td> <td>0.00</td> <td>100</td> <td>111</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5728.06</td> <td>69.35</td> <td>111.04</td> <td>-41.69</td> <td>56.51</td> <td>34.53</td> <td>10.34</td> <td>32.03</td> <td>0.00</td> <td>100</td> <td>111</td> <td>PEAK</td> </tr> </tbody> </table>	Peak	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Line Margin (dB)	Read Level (dBuV)	Ant Factor (dB/m)	Cable Loss (dB)	Preamp Loss (dB)	Aux Factor (dB)	APos (dB)	TPos (cm)	Remark	1	5624.51	53.72	68.30	-14.58	40.97	34.58	10.26	32.09	0.00	100	111	PEAK	2	5651.04	53.65	69.07	-15.42	40.90	34.55	10.29	32.09	0.00	100	111	PEAK	3	5718.76	71.26	110.55	-39.29	58.43	34.53	10.34	32.04	0.00	100	111	PEAK	4	5728.06	69.35	111.04	-41.69	56.51	34.53	10.34	32.03	0.00	100	111	PEAK	<table border="1" data-bbox="893 1142 1404 1243"> <thead> <tr> <th>Peak</th> <th>Freq (MHz)</th> <th>Level (dBuV/m)</th> <th>Limit (dBuV/m)</th> <th>Line Margin (dB)</th> <th>Read Level (dBuV)</th> <th>Ant Factor (dB/m)</th> <th>Cable Loss (dB)</th> <th>Preamp Loss (dB)</th> <th>Aux Factor (dB)</th> <th>APos (dB)</th> <th>TPos (cm)</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>105.91</td> <td>93.01</td> <td>12.90</td> <td>93.01</td> <td>34.55</td> <td>10.36</td> <td>32.01</td> <td>0.00</td> <td>100</td> <td>111</td> <td>PEAK</td> </tr> </tbody> </table>	Peak	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Line Margin (dB)	Read Level (dBuV)	Ant Factor (dB/m)	Cable Loss (dB)	Preamp Loss (dB)	Aux Factor (dB)	APos (dB)	TPos (cm)	Remark	1	5745.00	105.91	93.01	12.90	93.01	34.55	10.36	32.01	0.00	100	111	PEAK
Peak	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Line Margin (dB)	Read Level (dBuV)	Ant Factor (dB/m)	Cable Loss (dB)	Preamp Loss (dB)	Aux Factor (dB)	APos (dB)	TPos (cm)	Remark																																																																																	
1	5624.51	53.72	68.30	-14.58	40.97	34.58	10.26	32.09	0.00	100	111	PEAK																																																																																	
2	5651.04	53.65	69.07	-15.42	40.90	34.55	10.29	32.09	0.00	100	111	PEAK																																																																																	
3	5718.76	71.26	110.55	-39.29	58.43	34.53	10.34	32.04	0.00	100	111	PEAK																																																																																	
4	5728.06	69.35	111.04	-41.69	56.51	34.53	10.34	32.03	0.00	100	111	PEAK																																																																																	
Peak	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Line Margin (dB)	Read Level (dBuV)	Ant Factor (dB/m)	Cable Loss (dB)	Preamp Loss (dB)	Aux Factor (dB)	APos (dB)	TPos (cm)	Remark																																																																																	
1	5745.00	105.91	93.01	12.90	93.01	34.55	10.36	32.01	0.00	100	111	PEAK																																																																																	
Avg	Blank	<table border="1" data-bbox="893 1814 1404 1915"> <thead> <tr> <th>Peak</th> <th>Freq (MHz)</th> <th>Level (dBuV/m)</th> <th>Limit (dBuV/m)</th> <th>Line Margin (dB)</th> <th>Read Level (dBuV)</th> <th>Ant Factor (dB/m)</th> <th>Cable Loss (dB)</th> <th>Preamp Loss (dB)</th> <th>Aux Factor (dB)</th> <th>APos (dB)</th> <th>TPos (cm)</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>98.39</td> <td>85.49</td> <td>12.90</td> <td>85.49</td> <td>34.55</td> <td>10.36</td> <td>32.01</td> <td>0.00</td> <td>100</td> <td>111</td> <td>AVERAGE</td> </tr> </tbody> </table>	Peak	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Line Margin (dB)	Read Level (dBuV)	Ant Factor (dB/m)	Cable Loss (dB)	Preamp Loss (dB)	Aux Factor (dB)	APos (dB)	TPos (cm)	Remark	1	5745.00	98.39	85.49	12.90	85.49	34.55	10.36	32.01	0.00	100	111	AVERAGE																																																																	
Peak	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Line Margin (dB)	Read Level (dBuV)	Ant Factor (dB/m)	Cable Loss (dB)	Preamp Loss (dB)	Aux Factor (dB)	APos (dB)	TPos (cm)	Remark																																																																																	
1	5745.00	98.39	85.49	12.90	85.49	34.55	10.36	32.01	0.00	100	111	AVERAGE																																																																																	



Mode	47																																																																																												
	Band Edge																																																																																												
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_Full_5745MHz																																																																																												
ANT	CDD 4+5																																																																																												
Pol.	Vertical	Fundamental																																																																																											
Peak	<table border="1"> <thead> <tr> <th>Peak</th> <th>Freq (MHz)</th> <th>Level (dBuV/m)</th> <th>Limit (dBuV/m)</th> <th>Line Margin (dB)</th> <th>Read Level (dBuV)</th> <th>Ant Factor (dB/m)</th> <th>Cable Loss (dB)</th> <th>Preamp Loss (dB)</th> <th>Aux Factor (dB)</th> <th>APos (cm)</th> <th>TPos (deg)</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5646.40</td> <td>55.61</td> <td>68.30</td> <td>-12.69</td> <td>42.88</td> <td>34.55</td> <td>10.28</td> <td>32.10</td> <td>0.00</td> <td>333</td> <td>69</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5650.75</td> <td>53.23</td> <td>68.06</td> <td>-15.63</td> <td>40.48</td> <td>34.55</td> <td>10.29</td> <td>32.09</td> <td>0.00</td> <td>333</td> <td>69</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5707.08</td> <td>65.02</td> <td>107.51</td> <td>-42.49</td> <td>52.21</td> <td>34.52</td> <td>10.33</td> <td>32.04</td> <td>0.00</td> <td>333</td> <td>69</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5720.79</td> <td>70.04</td> <td>112.69</td> <td>-42.65</td> <td>57.20</td> <td>34.53</td> <td>10.34</td> <td>32.03</td> <td>0.00</td> <td>333</td> <td>69</td> <td>PEAK</td> </tr> </tbody> </table>	Peak	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Line Margin (dB)	Read Level (dBuV)	Ant Factor (dB/m)	Cable Loss (dB)	Preamp Loss (dB)	Aux Factor (dB)	APos (cm)	TPos (deg)	Remark	1	5646.40	55.61	68.30	-12.69	42.88	34.55	10.28	32.10	0.00	333	69	PEAK	2	5650.75	53.23	68.06	-15.63	40.48	34.55	10.29	32.09	0.00	333	69	PEAK	3	5707.08	65.02	107.51	-42.49	52.21	34.52	10.33	32.04	0.00	333	69	PEAK	4	5720.79	70.04	112.69	-42.65	57.20	34.53	10.34	32.03	0.00	333	69	PEAK	<table border="1"> <thead> <tr> <th>Peak</th> <th>Freq (MHz)</th> <th>Level (dBuV/m)</th> <th>Limit (dBuV/m)</th> <th>Line Margin (dB)</th> <th>Read Level (dBuV)</th> <th>Ant Factor (dB/m)</th> <th>Cable Loss (dB)</th> <th>Preamp Loss (dB)</th> <th>Aux Factor (dB)</th> <th>APos (cm)</th> <th>TPos (deg)</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>106.28</td> <td>106.28</td> <td>0.00</td> <td>93.38</td> <td>34.55</td> <td>10.36</td> <td>32.01</td> <td>0.00</td> <td>333</td> <td>69</td> <td>PEAK</td> </tr> </tbody> </table>	Peak	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Line Margin (dB)	Read Level (dBuV)	Ant Factor (dB/m)	Cable Loss (dB)	Preamp Loss (dB)	Aux Factor (dB)	APos (cm)	TPos (deg)	Remark	1	5745.00	106.28	106.28	0.00	93.38	34.55	10.36	32.01	0.00	333	69	PEAK
Peak	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Line Margin (dB)	Read Level (dBuV)	Ant Factor (dB/m)	Cable Loss (dB)	Preamp Loss (dB)	Aux Factor (dB)	APos (cm)	TPos (deg)	Remark																																																																																	
1	5646.40	55.61	68.30	-12.69	42.88	34.55	10.28	32.10	0.00	333	69	PEAK																																																																																	
2	5650.75	53.23	68.06	-15.63	40.48	34.55	10.29	32.09	0.00	333	69	PEAK																																																																																	
3	5707.08	65.02	107.51	-42.49	52.21	34.52	10.33	32.04	0.00	333	69	PEAK																																																																																	
4	5720.79	70.04	112.69	-42.65	57.20	34.53	10.34	32.03	0.00	333	69	PEAK																																																																																	
Peak	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Line Margin (dB)	Read Level (dBuV)	Ant Factor (dB/m)	Cable Loss (dB)	Preamp Loss (dB)	Aux Factor (dB)	APos (cm)	TPos (deg)	Remark																																																																																	
1	5745.00	106.28	106.28	0.00	93.38	34.55	10.36	32.01	0.00	333	69	PEAK																																																																																	
Avg	Blank	<table border="1"> <thead> <tr> <th>Peak</th> <th>Freq (MHz)</th> <th>Level (dBuV/m)</th> <th>Limit (dBuV/m)</th> <th>Line Margin (dB)</th> <th>Read Level (dBuV)</th> <th>Ant Factor (dB/m)</th> <th>Cable Loss (dB)</th> <th>Preamp Loss (dB)</th> <th>Aux Factor (dB)</th> <th>APos (cm)</th> <th>TPos (deg)</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>99.22</td> <td>99.22</td> <td>0.00</td> <td>86.32</td> <td>34.55</td> <td>10.36</td> <td>32.01</td> <td>0.00</td> <td>333</td> <td>69</td> <td>AVERAGE</td> </tr> </tbody> </table>	Peak	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Line Margin (dB)	Read Level (dBuV)	Ant Factor (dB/m)	Cable Loss (dB)	Preamp Loss (dB)	Aux Factor (dB)	APos (cm)	TPos (deg)	Remark	1	5745.00	99.22	99.22	0.00	86.32	34.55	10.36	32.01	0.00	333	69	AVERAGE																																																																	
Peak	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Line Margin (dB)	Read Level (dBuV)	Ant Factor (dB/m)	Cable Loss (dB)	Preamp Loss (dB)	Aux Factor (dB)	APos (cm)	TPos (deg)	Remark																																																																																	
1	5745.00	99.22	99.22	0.00	86.32	34.55	10.36	32.01	0.00	333	69	AVERAGE																																																																																	



Mode	47																																																																											
	Harmonic																																																																											
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_Full_5745MHz																																																																											
ANT	CDD 4+5																																																																											
Pol.	Horizontal	Vertical																																																																										
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11490.00</td> <td>43.63</td> <td>74.00</td> <td>-30.37</td> <td>51.95</td> <td>38.29</td> <td>14.91</td> <td>61.52</td> <td>0.00</td> <td>300</td> <td>0 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11490.00	43.63	74.00	-30.37	51.95	38.29	14.91	61.52	0.00	300	0 PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11490.00</td> <td>44.05</td> <td>74.00</td> <td>-29.95</td> <td>52.37</td> <td>38.29</td> <td>14.91</td> <td>61.52</td> <td>0.00</td> <td>100</td> <td>0 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11490.00	44.05	74.00	-29.95	52.37	38.29	14.91	61.52	0.00	100	0 PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																			
1 11490.00	43.63	74.00	-30.37	51.95	38.29	14.91	61.52	0.00	300	0 PEAK																																																																		
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																			
1 11490.00	44.05	74.00	-29.95	52.37	38.29	14.91	61.52	0.00	100	0 PEAK																																																																		



Mode	48																																																																														
	Harmonic																																																																														
	U-NII-3_5.725-5.85_802.11ax HE20_CH157_Full_5785MHz																																																																														
ANT	CDD 4+5																																																																														
Pol.	Horizontal	Vertical																																																																													
Peak Avg																																																																															
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11570.00</td> <td>42.94</td> <td>74.00</td> <td>-31.06</td> <td>51.10</td> <td>38.36</td> <td>14.97</td> <td>61.49</td> <td>0.00</td> <td>300</td> <td>0 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11570.00	42.94	74.00	-31.06	51.10	38.36	14.97	61.49	0.00	300	0 PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11570.00</td> <td>44.84</td> <td>74.00</td> <td>-29.16</td> <td>53.00</td> <td>38.36</td> <td>14.97</td> <td>61.49</td> <td>0.00</td> <td>100</td> <td>0 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11570.00	44.84	74.00	-29.16	53.00	38.36	14.97	61.49	0.00	100
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																							
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																						
1 11570.00	42.94	74.00	-31.06	51.10	38.36	14.97	61.49	0.00	300	0 PEAK																																																																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																							
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																						
1 11570.00	44.84	74.00	-29.16	53.00	38.36	14.97	61.49	0.00	100	0 PEAK																																																																					



	49																																																																																																					
Mode	Band Edge																																																																																																					
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_Full_5825MHz																																																																																																					
ANT	CDD 4+5																																																																																																					
Pol.	Horizontal	Fundamental																																																																																																				
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5854.88</td> <td>57.75</td> <td>111.18</td> <td>-53.43</td> <td>44.40</td> <td>34.84</td> <td>10.45</td> <td>31.94</td> <td>0.00</td> <td>100</td> <td>244</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5872.63</td> <td>55.66</td> <td>105.96</td> <td>-50.30</td> <td>42.23</td> <td>34.91</td> <td>10.47</td> <td>31.95</td> <td>0.00</td> <td>100</td> <td>244</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5924.25</td> <td>53.09</td> <td>68.85</td> <td>-15.76</td> <td>39.46</td> <td>35.11</td> <td>10.51</td> <td>31.99</td> <td>0.00</td> <td>100</td> <td>244</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5929.13</td> <td>54.67</td> <td>68.30</td> <td>-13.63</td> <td>41.01</td> <td>35.13</td> <td>10.52</td> <td>31.99</td> <td>0.00</td> <td>100</td> <td>244</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	1	5854.88	57.75	111.18	-53.43	44.40	34.84	10.45	31.94	0.00	100	244	PEAK	2	5872.63	55.66	105.96	-50.30	42.23	34.91	10.47	31.95	0.00	100	244	PEAK	3	5924.25	53.09	68.85	-15.76	39.46	35.11	10.51	31.99	0.00	100	244	PEAK	4	5929.13	54.67	68.30	-13.63	41.01	35.13	10.52	31.99	0.00	100	244	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>108.37</td> <td>-----</td> <td>95.17</td> <td>34.72</td> <td>10.43</td> <td>31.95</td> <td>0.00</td> <td>100</td> <td>244</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	1	5825.00	108.37	-----	95.17	34.72	10.43	31.95	0.00	100	244	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																														
1	5854.88	57.75	111.18	-53.43	44.40	34.84	10.45	31.94	0.00	100	244	PEAK																																																																																										
2	5872.63	55.66	105.96	-50.30	42.23	34.91	10.47	31.95	0.00	100	244	PEAK																																																																																										
3	5924.25	53.09	68.85	-15.76	39.46	35.11	10.51	31.99	0.00	100	244	PEAK																																																																																										
4	5929.13	54.67	68.30	-13.63	41.01	35.13	10.52	31.99	0.00	100	244	PEAK																																																																																										
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																														
1	5825.00	108.37	-----	95.17	34.72	10.43	31.95	0.00	100	244	PEAK																																																																																											
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>98.41</td> <td>-----</td> <td>85.21</td> <td>34.72</td> <td>10.43</td> <td>31.95</td> <td>0.00</td> <td>100</td> <td>244</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	1	5825.00	98.41	-----	85.21	34.72	10.43	31.95	0.00	100	244	AVERAGE																																																																						
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																														
1	5825.00	98.41	-----	85.21	34.72	10.43	31.95	0.00	100	244	AVERAGE																																																																																											



	49																																																																																																					
Mode	Band Edge																																																																																																					
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_Full_5825MHz																																																																																																					
ANT	CDD 4+5																																																																																																					
Pol.	Vertical	Fundamental																																																																																																				
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5854.50</td> <td>56.06</td> <td>112.04</td> <td>-55.98</td> <td>42.71</td> <td>34.84</td> <td>10.45</td> <td>31.94</td> <td>0.00</td> <td>344</td> <td>65</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5875.00</td> <td>54.11</td> <td>105.30</td> <td>-51.19</td> <td>40.67</td> <td>34.92</td> <td>10.47</td> <td>31.95</td> <td>0.00</td> <td>344</td> <td>65</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5923.75</td> <td>54.42</td> <td>69.22</td> <td>-14.00</td> <td>40.79</td> <td>35.11</td> <td>10.51</td> <td>31.99</td> <td>0.00</td> <td>344</td> <td>65</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5935.63</td> <td>53.81</td> <td>68.30</td> <td>-14.49</td> <td>40.13</td> <td>35.16</td> <td>10.52</td> <td>32.00</td> <td>0.00</td> <td>344</td> <td>65</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	1	5854.50	56.06	112.04	-55.98	42.71	34.84	10.45	31.94	0.00	344	65	PEAK	2	5875.00	54.11	105.30	-51.19	40.67	34.92	10.47	31.95	0.00	344	65	PEAK	3	5923.75	54.42	69.22	-14.00	40.79	35.11	10.51	31.99	0.00	344	65	PEAK	4	5935.63	53.81	68.30	-14.49	40.13	35.16	10.52	32.00	0.00	344	65	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>106.00</td> <td>-----</td> <td>93.60</td> <td>34.72</td> <td>10.43</td> <td>31.95</td> <td>0.00</td> <td>344</td> <td>65</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	1	5825.00	106.00	-----	93.60	34.72	10.43	31.95	0.00	344	65	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																														
1	5854.50	56.06	112.04	-55.98	42.71	34.84	10.45	31.94	0.00	344	65	PEAK																																																																																										
2	5875.00	54.11	105.30	-51.19	40.67	34.92	10.47	31.95	0.00	344	65	PEAK																																																																																										
3	5923.75	54.42	69.22	-14.00	40.79	35.11	10.51	31.99	0.00	344	65	PEAK																																																																																										
4	5935.63	53.81	68.30	-14.49	40.13	35.16	10.52	32.00	0.00	344	65	PEAK																																																																																										
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																														
1	5825.00	106.00	-----	93.60	34.72	10.43	31.95	0.00	344	65	PEAK																																																																																											
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>90.28</td> <td>-----</td> <td>85.08</td> <td>34.72</td> <td>10.43</td> <td>31.95</td> <td>0.00</td> <td>344</td> <td>65</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	1	5825.00	90.28	-----	85.08	34.72	10.43	31.95	0.00	344	65	AVERAGE																																																																						
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																														
1	5825.00	90.28	-----	85.08	34.72	10.43	31.95	0.00	344	65	AVERAGE																																																																																											



Mode	49																																																																															
	Harmonic																																																																															
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_Full_5825MHz																																																																															
ANT	CDD 4+5																																																																															
Pol.	Horizontal	Vertical																																																																														
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11650.00</td> <td>42.55</td> <td>74.00</td> <td>-31.45</td> <td>50.55</td> <td>38.45</td> <td>15.02</td> <td>61.47</td> <td>0.00</td> <td>300</td> <td>0 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11650.00	42.55	74.00	-31.45	50.55	38.45	15.02	61.47	0.00	300	0 PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11650.00</td> <td>42.27</td> <td>74.00</td> <td>-31.73</td> <td>50.27</td> <td>38.45</td> <td>15.02</td> <td>61.47</td> <td>0.00</td> <td>100</td> <td>0 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11650.00	42.27	74.00	-31.73	50.27	38.45	15.02	61.47	0.00	100	0 PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1 11650.00	42.55	74.00	-31.45	50.55	38.45	15.02	61.47	0.00	300	0 PEAK																																																																						
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1 11650.00	42.27	74.00	-31.73	50.27	38.45	15.02	61.47	0.00	100	0 PEAK																																																																						



Mode	50																																																																																																																
	Band Edge - L																																																																																																																
	U-NII-3_5.725-5.85_802.11ax HE40_CH151_Full_5755MHz																																																																																																																
ANT	CDD 4+5																																																																																																																
Pol.	Horizontal	Fundamental																																																																																																															
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5644.95</td> <td>53.48</td> <td>68.30</td> <td>-14.82</td> <td>40.74</td> <td>34.56</td> <td>10.28</td> <td>32.10</td> <td>0.00</td> <td>100</td> <td>115 PEAK</td> </tr> <tr> <td>2 5651.15</td> <td>53.67</td> <td>69.15</td> <td>-15.48</td> <td>40.92</td> <td>34.55</td> <td>10.29</td> <td>32.09</td> <td>0.00</td> <td>100</td> <td>115 PEAK</td> </tr> <tr> <td>3 5700.29</td> <td>57.45</td> <td>105.38</td> <td>-47.93</td> <td>44.67</td> <td>34.51</td> <td>10.32</td> <td>32.05</td> <td>0.00</td> <td>100</td> <td>115 PEAK</td> </tr> <tr> <td>4 5720.13</td> <td>59.58</td> <td>111.19</td> <td>-51.61</td> <td>46.74</td> <td>34.53</td> <td>10.34</td> <td>32.03</td> <td>0.00</td> <td>100</td> <td>115 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5644.95	53.48	68.30	-14.82	40.74	34.56	10.28	32.10	0.00	100	115 PEAK	2 5651.15	53.67	69.15	-15.48	40.92	34.55	10.29	32.09	0.00	100	115 PEAK	3 5700.29	57.45	105.38	-47.93	44.67	34.51	10.32	32.05	0.00	100	115 PEAK	4 5720.13	59.58	111.19	-51.61	46.74	34.53	10.34	32.03	0.00	100	115 PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5755.00</td> <td>105.16</td> <td>-----</td> <td>-----</td> <td>92.24</td> <td>34.56</td> <td>10.37</td> <td>32.01</td> <td>0.00</td> <td>100</td> <td>115 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5755.00	105.16	-----	-----	92.24	34.56	10.37	32.01	0.00	100	115 PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																								
1 5644.95	53.48	68.30	-14.82	40.74	34.56	10.28	32.10	0.00	100	115 PEAK																																																																																																							
2 5651.15	53.67	69.15	-15.48	40.92	34.55	10.29	32.09	0.00	100	115 PEAK																																																																																																							
3 5700.29	57.45	105.38	-47.93	44.67	34.51	10.32	32.05	0.00	100	115 PEAK																																																																																																							
4 5720.13	59.58	111.19	-51.61	46.74	34.53	10.34	32.03	0.00	100	115 PEAK																																																																																																							
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																								
1 5755.00	105.16	-----	-----	92.24	34.56	10.37	32.01	0.00	100	115 PEAK																																																																																																							
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5755.00</td> <td>96.05</td> <td>-----</td> <td>-----</td> <td>83.13</td> <td>34.56</td> <td>10.37</td> <td>32.01</td> <td>0.00</td> <td>100</td> <td>115 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5755.00	96.05	-----	-----	83.13	34.56	10.37	32.01	0.00	100	115 AVERAGE																																																																								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																								
1 5755.00	96.05	-----	-----	83.13	34.56	10.37	32.01	0.00	100	115 AVERAGE																																																																																																							



Mode	50																																																																																	
	Band Edge - R																																																																																	
	U-NII-3_5.725-5.85_802.11ax HE40_CH151_Full_5755MHz																																																																																	
ANT	CDD 4+5																																																																																	
Pol.	Horizontal	Fundamental																																																																																
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5853.87</td> <td>52.95</td> <td>113.49</td> <td>-60.54</td> <td>39.61</td> <td>34.83</td> <td>10.45</td> <td>31.94</td> <td>0.00</td> <td>100</td> <td>115</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5872.20</td> <td>54.35</td> <td>106.08</td> <td>-51.73</td> <td>40.92</td> <td>34.91</td> <td>10.47</td> <td>31.95</td> <td>0.00</td> <td>100</td> <td>115</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5924.85</td> <td>53.53</td> <td>68.41</td> <td>-14.88</td> <td>39.89</td> <td>35.11</td> <td>10.52</td> <td>31.99</td> <td>0.00</td> <td>100</td> <td>115</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5927.77</td> <td>53.60</td> <td>68.30</td> <td>-14.70</td> <td>39.95</td> <td>35.12</td> <td>10.52</td> <td>31.99</td> <td>0.00</td> <td>100</td> <td>115</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5853.87	52.95	113.49	-60.54	39.61	34.83	10.45	31.94	0.00	100	115	PEAK	2	5872.20	54.35	106.08	-51.73	40.92	34.91	10.47	31.95	0.00	100	115	PEAK	3	5924.85	53.53	68.41	-14.88	39.89	35.11	10.52	31.99	0.00	100	115	PEAK	4	5927.77	53.60	68.30	-14.70	39.95	35.12	10.52	31.99	0.00	100	115	PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	5853.87	52.95	113.49	-60.54	39.61	34.83	10.45	31.94	0.00	100	115	PEAK																																																																						
2	5872.20	54.35	106.08	-51.73	40.92	34.91	10.47	31.95	0.00	100	115	PEAK																																																																						
3	5924.85	53.53	68.41	-14.88	39.89	35.11	10.52	31.99	0.00	100	115	PEAK																																																																						
4	5927.77	53.60	68.30	-14.70	39.95	35.12	10.52	31.99	0.00	100	115	PEAK																																																																						



Mode	50																																																																																																																									
	Band Edge - L																																																																																																																									
	U-NII-3_5.725-5.85_802.11ax HE40_CH151_Full_5755MHz																																																																																																																									
ANT	CDD 4+5																																																																																																																									
Pol.	Vertical	Fundamental																																																																																																																								
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5611.16</td> <td>54.10</td> <td>68.30</td> <td>-14.20</td> <td>41.33</td> <td>34.60</td> <td>10.25</td> <td>32.00</td> <td>0.00</td> <td>330</td> <td>69</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5650.07</td> <td>52.23</td> <td>68.35</td> <td>-16.12</td> <td>39.49</td> <td>34.55</td> <td>10.28</td> <td>32.09</td> <td>0.00</td> <td>330</td> <td>69</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5701.68</td> <td>56.25</td> <td>105.77</td> <td>-49.52</td> <td>43.46</td> <td>34.51</td> <td>10.33</td> <td>32.05</td> <td>0.00</td> <td>330</td> <td>69</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5720.90</td> <td>60.68</td> <td>112.95</td> <td>-52.27</td> <td>47.84</td> <td>34.53</td> <td>10.34</td> <td>32.03</td> <td>0.00</td> <td>330</td> <td>69</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5611.16	54.10	68.30	-14.20	41.33	34.60	10.25	32.00	0.00	330	69	PEAK	2	5650.07	52.23	68.35	-16.12	39.49	34.55	10.28	32.09	0.00	330	69	PEAK	3	5701.68	56.25	105.77	-49.52	43.46	34.51	10.33	32.05	0.00	330	69	PEAK	4	5720.90	60.68	112.95	-52.27	47.84	34.53	10.34	32.03	0.00	330	69	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5755.00</td> <td>102.95</td> <td>-----</td> <td>90.03</td> <td>34.56</td> <td>10.37</td> <td>32.01</td> <td>0.00</td> <td>330</td> <td>69</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5755.00	102.95	-----	90.03	34.56	10.37	32.01	0.00	330	69	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																	
1	5611.16	54.10	68.30	-14.20	41.33	34.60	10.25	32.00	0.00	330	69	PEAK																																																																																																														
2	5650.07	52.23	68.35	-16.12	39.49	34.55	10.28	32.09	0.00	330	69	PEAK																																																																																																														
3	5701.68	56.25	105.77	-49.52	43.46	34.51	10.33	32.05	0.00	330	69	PEAK																																																																																																														
4	5720.90	60.68	112.95	-52.27	47.84	34.53	10.34	32.03	0.00	330	69	PEAK																																																																																																														
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																	
1	5755.00	102.95	-----	90.03	34.56	10.37	32.01	0.00	330	69	PEAK																																																																																																															
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5755.00</td> <td>94.55</td> <td>-----</td> <td>81.62</td> <td>34.56</td> <td>10.37</td> <td>32.00</td> <td>0.00</td> <td>330</td> <td>69</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5755.00	94.55	-----	81.62	34.56	10.37	32.00	0.00	330	69	AVERAGE																																																																																
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																	
1	5755.00	94.55	-----	81.62	34.56	10.37	32.00	0.00	330	69	AVERAGE																																																																																																															



Mode	50																																																																									
	Band Edge - R																																																																									
	U-NII-3_5.725-5.85_802.11ax HE40_CH151_Full_5755MHz																																																																									
ANT	CDD 4+5																																																																									
Pol.	Vertical	Fundamental																																																																								
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5854.45</td> <td>53.60</td> <td>112.15</td> <td>-58.55</td> <td>40.25</td> <td>34.84</td> <td>10.45</td> <td>31.94</td> <td>0.00</td> <td>330</td> <td>69</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5872.39</td> <td>54.01</td> <td>106.03</td> <td>-52.02</td> <td>40.58</td> <td>34.91</td> <td>10.47</td> <td>31.95</td> <td>0.00</td> <td>330</td> <td>69</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5924.46</td> <td>52.09</td> <td>68.70</td> <td>-16.61</td> <td>38.45</td> <td>35.11</td> <td>10.52</td> <td>31.99</td> <td>0.00</td> <td>330</td> <td>69</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5925.43</td> <td>53.47</td> <td>68.30</td> <td>-14.83</td> <td>39.82</td> <td>35.12</td> <td>10.52</td> <td>31.99</td> <td>0.00</td> <td>330</td> <td>69</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	1	5854.45	53.60	112.15	-58.55	40.25	34.84	10.45	31.94	0.00	330	69	PEAK	2	5872.39	54.01	106.03	-52.02	40.58	34.91	10.47	31.95	0.00	330	69	PEAK	3	5924.46	52.09	68.70	-16.61	38.45	35.11	10.52	31.99	0.00	330	69	PEAK	4	5925.43	53.47	68.30	-14.83	39.82	35.12	10.52	31.99	0.00	330	69	PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																
1	5854.45	53.60	112.15	-58.55	40.25	34.84	10.45	31.94	0.00	330	69	PEAK																																																														
2	5872.39	54.01	106.03	-52.02	40.58	34.91	10.47	31.95	0.00	330	69	PEAK																																																														
3	5924.46	52.09	68.70	-16.61	38.45	35.11	10.52	31.99	0.00	330	69	PEAK																																																														
4	5925.43	53.47	68.30	-14.83	39.82	35.12	10.52	31.99	0.00	330	69	PEAK																																																														



Mode	50																																																																											
	Harmonic																																																																											
	U-NII-3_5.725-5.85_802.11ax HE40_CH151_Full_5755MHz																																																																											
ANT	CDD 4+5																																																																											
Pol.	Horizontal	Vertical																																																																										
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11510.00</td> <td>43.11</td> <td>74.00</td> <td>-30.89</td> <td>51.40</td> <td>38.30</td> <td>14.92</td> <td>61.51</td> <td>0.00</td> <td>300</td> <td>0 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11510.00	43.11	74.00	-30.89	51.40	38.30	14.92	61.51	0.00	300	0 PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11510.00</td> <td>43.74</td> <td>74.00</td> <td>-30.26</td> <td>52.03</td> <td>38.30</td> <td>14.92</td> <td>61.51</td> <td>0.00</td> <td>100</td> <td>0 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11510.00	43.74	74.00	-30.26	52.03	38.30	14.92	61.51	0.00	100	0 PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																			
1 11510.00	43.11	74.00	-30.89	51.40	38.30	14.92	61.51	0.00	300	0 PEAK																																																																		
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																			
1 11510.00	43.74	74.00	-30.26	52.03	38.30	14.92	61.51	0.00	100	0 PEAK																																																																		



	51																																																																																																																															
Mode	Band Edge - L																																																																																																																															
	U-NII-3_5.725-5.85_802.11ax HE40_CH159_Full_5795MHz																																																																																																																															
ANT	CDD 4+5																																																																																																																															
Pol.	Horizontal	Fundamental																																																																																																																														
Peak	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5633.15</td> <td>53.70</td> <td>68.30</td> <td>-14.60</td> <td>40.96</td> <td>34.57</td> <td>10.27</td> <td>32.10</td> <td>0.00</td> <td>100</td> <td>243</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5650.51</td> <td>50.61</td> <td>68.68</td> <td>-18.07</td> <td>37.87</td> <td>34.55</td> <td>10.28</td> <td>32.09</td> <td>0.00</td> <td>100</td> <td>243</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5700.23</td> <td>52.44</td> <td>105.36</td> <td>-52.92</td> <td>39.66</td> <td>34.51</td> <td>10.32</td> <td>32.05</td> <td>0.00</td> <td>100</td> <td>243</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5720.32</td> <td>52.54</td> <td>111.62</td> <td>-59.08</td> <td>39.70</td> <td>34.53</td> <td>10.34</td> <td>32.03</td> <td>0.00</td> <td>100</td> <td>243</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5633.15	53.70	68.30	-14.60	40.96	34.57	10.27	32.10	0.00	100	243	PEAK	2	5650.51	50.61	68.68	-18.07	37.87	34.55	10.28	32.09	0.00	100	243	PEAK	3	5700.23	52.44	105.36	-52.92	39.66	34.51	10.32	32.05	0.00	100	243	PEAK	4	5720.32	52.54	111.62	-59.08	39.70	34.53	10.34	32.03	0.00	100	243	PEAK	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5795.00</td> <td>100.89</td> <td>-----</td> <td>87.83</td> <td>34.62</td> <td>10.41</td> <td>31.97</td> <td>0.00</td> <td>100</td> <td>243</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5795.00	100.89	-----	87.83	34.62	10.41	31.97	0.00	100	243	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																						
1	5633.15	53.70	68.30	-14.60	40.96	34.57	10.27	32.10	0.00	100	243	PEAK																																																																																																																				
2	5650.51	50.61	68.68	-18.07	37.87	34.55	10.28	32.09	0.00	100	243	PEAK																																																																																																																				
3	5700.23	52.44	105.36	-52.92	39.66	34.51	10.32	32.05	0.00	100	243	PEAK																																																																																																																				
4	5720.32	52.54	111.62	-59.08	39.70	34.53	10.34	32.03	0.00	100	243	PEAK																																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																						
1	5795.00	100.89	-----	87.83	34.62	10.41	31.97	0.00	100	243	PEAK																																																																																																																					
Avg	Blank	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5795.00</td> <td>94.03</td> <td>-----</td> <td>81.00</td> <td>34.60</td> <td>10.40</td> <td>31.97</td> <td>0.00</td> <td>100</td> <td>243</td> <td>AVERAGE</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5795.00	94.03	-----	81.00	34.60	10.40	31.97	0.00	100	243	AVERAGE																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																						
1	5795.00	94.03	-----	81.00	34.60	10.40	31.97	0.00	100	243	AVERAGE																																																																																																																					



Mode	51																																																																									
	Band Edge - R																																																																									
	U-NII-3_5.725-5.85_802.11ax HE40_CH159_Full_5795MHz																																																																									
ANT	CDD 4+5																																																																									
Pol.	Horizontal	Fundamental																																																																								
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5854.83</td> <td>52.72</td> <td>111.29</td> <td>-58.57</td> <td>39.37</td> <td>34.84</td> <td>10.45</td> <td>31.94</td> <td>0.00</td> <td>100</td> <td>243</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5874.83</td> <td>53.53</td> <td>105.35</td> <td>-51.82</td> <td>40.09</td> <td>34.92</td> <td>10.47</td> <td>31.95</td> <td>0.00</td> <td>100</td> <td>243</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5924.89</td> <td>51.78</td> <td>68.38</td> <td>-16.60</td> <td>38.14</td> <td>35.11</td> <td>10.52</td> <td>31.99</td> <td>0.00</td> <td>100</td> <td>243</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5941.48</td> <td>54.11</td> <td>68.30</td> <td>-14.19</td> <td>40.40</td> <td>35.18</td> <td>10.53</td> <td>32.00</td> <td>0.00</td> <td>100</td> <td>243</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	1	5854.83	52.72	111.29	-58.57	39.37	34.84	10.45	31.94	0.00	100	243	PEAK	2	5874.83	53.53	105.35	-51.82	40.09	34.92	10.47	31.95	0.00	100	243	PEAK	3	5924.89	51.78	68.38	-16.60	38.14	35.11	10.52	31.99	0.00	100	243	PEAK	4	5941.48	54.11	68.30	-14.19	40.40	35.18	10.53	32.00	0.00	100	243	PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																
1	5854.83	52.72	111.29	-58.57	39.37	34.84	10.45	31.94	0.00	100	243	PEAK																																																														
2	5874.83	53.53	105.35	-51.82	40.09	34.92	10.47	31.95	0.00	100	243	PEAK																																																														
3	5924.89	51.78	68.38	-16.60	38.14	35.11	10.52	31.99	0.00	100	243	PEAK																																																														
4	5941.48	54.11	68.30	-14.19	40.40	35.18	10.53	32.00	0.00	100	243	PEAK																																																														



	51																																																																																																																								
Mode	Band Edge - L																																																																																																																								
	U-NII-3_5.725-5.85_802.11ax HE40_CH159_Full_5795MHz																																																																																																																								
ANT	CDD 4+5																																																																																																																								
Pol.	Vertical	Fundamental																																																																																																																							
Peak	<table border="1" data-bbox="263 1108 774 1243"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5619.50</td> <td>53.68</td> <td>68.30</td> <td>-14.62</td> <td>40.92</td> <td>34.59</td> <td>10.26</td> <td>32.09</td> <td>0.00</td> <td>300</td> <td>79 PEAK</td> </tr> <tr> <td>2</td> <td>5651.09</td> <td>52.24</td> <td>69.11</td> <td>-16.87</td> <td>39.49</td> <td>34.55</td> <td>10.29</td> <td>32.09</td> <td>0.00</td> <td>300</td> <td>79 PEAK</td> </tr> <tr> <td>3</td> <td>5702.38</td> <td>54.03</td> <td>105.97</td> <td>-51.94</td> <td>41.24</td> <td>34.51</td> <td>10.33</td> <td>32.05</td> <td>0.00</td> <td>300</td> <td>79 PEAK</td> </tr> <tr> <td>4</td> <td>5720.32</td> <td>53.66</td> <td>111.62</td> <td>-57.96</td> <td>40.82</td> <td>34.53</td> <td>10.34</td> <td>32.03</td> <td>0.00</td> <td>300</td> <td>79 PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	1	5619.50	53.68	68.30	-14.62	40.92	34.59	10.26	32.09	0.00	300	79 PEAK	2	5651.09	52.24	69.11	-16.87	39.49	34.55	10.29	32.09	0.00	300	79 PEAK	3	5702.38	54.03	105.97	-51.94	41.24	34.51	10.33	32.05	0.00	300	79 PEAK	4	5720.32	53.66	111.62	-57.96	40.82	34.53	10.34	32.03	0.00	300	79 PEAK	<table border="1" data-bbox="917 1153 1428 1243"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5795.00</td> <td>100.24</td> <td>-----</td> <td>87.21</td> <td>34.60</td> <td>10.40</td> <td>31.97</td> <td>0.00</td> <td>300</td> <td>79 PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	1	5795.00	100.24	-----	87.21	34.60	10.40	31.97	0.00	300	79 PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm																																																																																																																
1	5619.50	53.68	68.30	-14.62	40.92	34.59	10.26	32.09	0.00	300	79 PEAK																																																																																																														
2	5651.09	52.24	69.11	-16.87	39.49	34.55	10.29	32.09	0.00	300	79 PEAK																																																																																																														
3	5702.38	54.03	105.97	-51.94	41.24	34.51	10.33	32.05	0.00	300	79 PEAK																																																																																																														
4	5720.32	53.66	111.62	-57.96	40.82	34.53	10.34	32.03	0.00	300	79 PEAK																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm																																																																																																																
1	5795.00	100.24	-----	87.21	34.60	10.40	31.97	0.00	300	79 PEAK																																																																																																															
Avg	Blank	<table border="1" data-bbox="917 1825 1428 1915"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5795.00</td> <td>93.01</td> <td>-----</td> <td>79.98</td> <td>34.60</td> <td>10.40</td> <td>31.97</td> <td>0.00</td> <td>300</td> <td>79 AVERAGE</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	1	5795.00	93.01	-----	79.98	34.60	10.40	31.97	0.00	300	79 AVERAGE																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm																																																																																																																
1	5795.00	93.01	-----	79.98	34.60	10.40	31.97	0.00	300	79 AVERAGE																																																																																																															



Mode	51																																																																									
	Band Edge - R																																																																									
	U-NII-3_5.725-5.85_802.11ax HE40_CH159_Full_5795MHz																																																																									
ANT	CDD 4+5																																																																									
Pol.	Vertical	Fundamental																																																																								
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5854.21</td> <td>52.50</td> <td>112.70</td> <td>-60.20</td> <td>39.15</td> <td>34.84</td> <td>10.45</td> <td>31.94</td> <td>0.00</td> <td>300</td> <td>79</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5874.98</td> <td>53.95</td> <td>105.31</td> <td>-51.36</td> <td>40.51</td> <td>34.92</td> <td>10.47</td> <td>31.95</td> <td>0.00</td> <td>300</td> <td>79</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5924.89</td> <td>53.56</td> <td>68.30</td> <td>-14.82</td> <td>39.92</td> <td>35.11</td> <td>10.52</td> <td>31.99</td> <td>0.00</td> <td>300</td> <td>79</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5931.71</td> <td>54.39</td> <td>68.30</td> <td>-13.91</td> <td>40.73</td> <td>35.14</td> <td>10.52</td> <td>32.00</td> <td>0.00</td> <td>300</td> <td>79</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	1	5854.21	52.50	112.70	-60.20	39.15	34.84	10.45	31.94	0.00	300	79	PEAK	2	5874.98	53.95	105.31	-51.36	40.51	34.92	10.47	31.95	0.00	300	79	PEAK	3	5924.89	53.56	68.30	-14.82	39.92	35.11	10.52	31.99	0.00	300	79	PEAK	4	5931.71	54.39	68.30	-13.91	40.73	35.14	10.52	32.00	0.00	300	79	PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																
1	5854.21	52.50	112.70	-60.20	39.15	34.84	10.45	31.94	0.00	300	79	PEAK																																																														
2	5874.98	53.95	105.31	-51.36	40.51	34.92	10.47	31.95	0.00	300	79	PEAK																																																														
3	5924.89	53.56	68.30	-14.82	39.92	35.11	10.52	31.99	0.00	300	79	PEAK																																																														
4	5931.71	54.39	68.30	-13.91	40.73	35.14	10.52	32.00	0.00	300	79	PEAK																																																														



Mode	51																																																																											
	Harmonic																																																																											
	U-NII-3_5.725-5.85_802.11ax HE40_CH159_Full_5795MHz																																																																											
ANT	CDD 4+5																																																																											
Pol.	Horizontal	Vertical																																																																										
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11590.00</td> <td>43.36</td> <td>74.00</td> <td>-30.64</td> <td>51.48</td> <td>38.39</td> <td>14.98</td> <td>61.49</td> <td>0.00</td> <td>300</td> <td>0 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11590.00	43.36	74.00	-30.64	51.48	38.39	14.98	61.49	0.00	300	0 PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11590.00</td> <td>43.42</td> <td>74.00</td> <td>-30.58</td> <td>51.54</td> <td>38.39</td> <td>14.98</td> <td>61.49</td> <td>0.00</td> <td>100</td> <td>0 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11590.00	43.42	74.00	-30.58	51.54	38.39	14.98	61.49	0.00	100	0 PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																			
1 11590.00	43.36	74.00	-30.64	51.48	38.39	14.98	61.49	0.00	300	0 PEAK																																																																		
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																			
1 11590.00	43.42	74.00	-30.58	51.54	38.39	14.98	61.49	0.00	100	0 PEAK																																																																		






Mode	52																																																																																																									
	Band Edge - L																																																																																																									
	U-NII-3_5.725-5.85_802.11ax HE80_CH155_Full_5775MHz																																																																																																									
ANT	CDD 4+5																																																																																																									
Pol.	Horizontal	Fundamental																																																																																																								
Peak	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5649.35</td> <td>54.41</td> <td>68.30</td> <td>-13.89</td> <td>41.67</td> <td>34.55</td> <td>10.28</td> <td>32.09</td> <td>0.00</td> <td>100</td> <td>109</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5651.28</td> <td>54.42</td> <td>69.25</td> <td>-14.83</td> <td>41.67</td> <td>34.55</td> <td>10.29</td> <td>32.09</td> <td>0.00</td> <td>100</td> <td>109</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5703.08</td> <td>56.74</td> <td>106.16</td> <td>-49.42</td> <td>43.95</td> <td>34.51</td> <td>10.33</td> <td>32.05</td> <td>0.00</td> <td>100</td> <td>109</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5728.23</td> <td>56.70</td> <td>111.41</td> <td>-54.71</td> <td>43.86</td> <td>34.53</td> <td>10.34</td> <td>32.03</td> <td>0.00</td> <td>100</td> <td>109</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	1	5649.35	54.41	68.30	-13.89	41.67	34.55	10.28	32.09	0.00	100	109	PEAK	2	5651.28	54.42	69.25	-14.83	41.67	34.55	10.29	32.09	0.00	100	109	PEAK	3	5703.08	56.74	106.16	-49.42	43.95	34.51	10.33	32.05	0.00	100	109	PEAK	4	5728.23	56.70	111.41	-54.71	43.86	34.53	10.34	32.03	0.00	100	109	PEAK	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5775.00</td> <td>98.90</td> <td>-----</td> <td>85.92</td> <td>34.58</td> <td>10.39</td> <td>31.99</td> <td>0.00</td> <td>100</td> <td>109</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	1	5775.00	98.90	-----	85.92	34.58	10.39	31.99	0.00	100	109	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																	
1	5649.35	54.41	68.30	-13.89	41.67	34.55	10.28	32.09	0.00	100	109	PEAK																																																																																														
2	5651.28	54.42	69.25	-14.83	41.67	34.55	10.29	32.09	0.00	100	109	PEAK																																																																																														
3	5703.08	56.74	106.16	-49.42	43.95	34.51	10.33	32.05	0.00	100	109	PEAK																																																																																														
4	5728.23	56.70	111.41	-54.71	43.86	34.53	10.34	32.03	0.00	100	109	PEAK																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																	
1	5775.00	98.90	-----	85.92	34.58	10.39	31.99	0.00	100	109	PEAK																																																																																															
Avg	Blank	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5775.00</td> <td>90.63</td> <td>-----</td> <td>77.66</td> <td>34.58</td> <td>10.38</td> <td>31.99</td> <td>0.00</td> <td>100</td> <td>109</td> <td>AVERAGE</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	1	5775.00	90.63	-----	77.66	34.58	10.38	31.99	0.00	100	109	AVERAGE																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																	
1	5775.00	90.63	-----	77.66	34.58	10.38	31.99	0.00	100	109	AVERAGE																																																																																															



Mode	52																																																																																	
	Band Edge - R																																																																																	
	U-NII-3_5.725-5.85_802.11ax HE80_CH155_Full_5775MHz																																																																																	
ANT	CDD 4+5																																																																																	
Pol.	Horizontal	Fundamental																																																																																
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5854.63</td> <td>54.47</td> <td>111.75</td> <td>-57.28</td> <td>41.12</td> <td>34.84</td> <td>10.45</td> <td>31.94</td> <td>0.00</td> <td>100</td> <td>109</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5874.23</td> <td>54.79</td> <td>105.52</td> <td>-50.73</td> <td>41.36</td> <td>34.91</td> <td>10.47</td> <td>31.95</td> <td>0.00</td> <td>100</td> <td>109</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5923.85</td> <td>54.24</td> <td>69.74</td> <td>-15.50</td> <td>40.61</td> <td>35.11</td> <td>10.51</td> <td>31.99</td> <td>0.00</td> <td>100</td> <td>109</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5940.55</td> <td>55.00</td> <td>68.30</td> <td>-13.30</td> <td>41.30</td> <td>35.17</td> <td>10.53</td> <td>32.00</td> <td>0.00</td> <td>100</td> <td>109</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.63	54.47	111.75	-57.28	41.12	34.84	10.45	31.94	0.00	100	109	PEAK	2	5874.23	54.79	105.52	-50.73	41.36	34.91	10.47	31.95	0.00	100	109	PEAK	3	5923.85	54.24	69.74	-15.50	40.61	35.11	10.51	31.99	0.00	100	109	PEAK	4	5940.55	55.00	68.30	-13.30	41.30	35.17	10.53	32.00	0.00	100	109	PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	5854.63	54.47	111.75	-57.28	41.12	34.84	10.45	31.94	0.00	100	109	PEAK																																																																						
2	5874.23	54.79	105.52	-50.73	41.36	34.91	10.47	31.95	0.00	100	109	PEAK																																																																						
3	5923.85	54.24	69.74	-15.50	40.61	35.11	10.51	31.99	0.00	100	109	PEAK																																																																						
4	5940.55	55.00	68.30	-13.30	41.30	35.17	10.53	32.00	0.00	100	109	PEAK																																																																						



	52																																																																																																										
Mode	Band Edge - L																																																																																																										
	U-NII-3_5.725-5.85_802.11ax HE80_CH155_Full_5775MHz																																																																																																										
ANT	CDD 4+5																																																																																																										
Pol.	Vertical	Fundamental																																																																																																									
Peak	 <table border="1" data-bbox="268 1102 774 1249"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5643.23</td> <td>54.91</td> <td>68.30</td> <td>-13.39</td> <td>42.17</td> <td>34.56</td> <td>10.28</td> <td>32.10</td> <td>0.00</td> <td>300</td> <td>55</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5650.05</td> <td>52.12</td> <td>68.34</td> <td>-16.22</td> <td>39.38</td> <td>34.55</td> <td>10.28</td> <td>32.09</td> <td>0.00</td> <td>300</td> <td>55</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5702.20</td> <td>57.26</td> <td>105.92</td> <td>-48.66</td> <td>44.47</td> <td>34.51</td> <td>10.33</td> <td>32.05</td> <td>0.00</td> <td>300</td> <td>55</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5728.40</td> <td>59.55</td> <td>111.81</td> <td>-52.26</td> <td>46.71</td> <td>34.53</td> <td>10.34</td> <td>32.03</td> <td>0.00</td> <td>300</td> <td>55</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5643.23	54.91	68.30	-13.39	42.17	34.56	10.28	32.10	0.00	300	55	PEAK	2	5650.05	52.12	68.34	-16.22	39.38	34.55	10.28	32.09	0.00	300	55	PEAK	3	5702.20	57.26	105.92	-48.66	44.47	34.51	10.33	32.05	0.00	300	55	PEAK	4	5728.40	59.55	111.81	-52.26	46.71	34.53	10.34	32.03	0.00	300	55	PEAK	 <table border="1" data-bbox="911 1102 1417 1249"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5775.00</td> <td>100.01</td> <td>-----</td> <td>87.03</td> <td>34.58</td> <td>10.39</td> <td>31.99</td> <td>0.00</td> <td>300</td> <td>55</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5775.00	100.01	-----	87.03	34.58	10.39	31.99	0.00	300	55	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																		
1	5643.23	54.91	68.30	-13.39	42.17	34.56	10.28	32.10	0.00	300	55	PEAK																																																																																															
2	5650.05	52.12	68.34	-16.22	39.38	34.55	10.28	32.09	0.00	300	55	PEAK																																																																																															
3	5702.20	57.26	105.92	-48.66	44.47	34.51	10.33	32.05	0.00	300	55	PEAK																																																																																															
4	5728.40	59.55	111.81	-52.26	46.71	34.53	10.34	32.03	0.00	300	55	PEAK																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																	
1	5775.00	100.01	-----	87.03	34.58	10.39	31.99	0.00	300	55	PEAK																																																																																																
Avg	Blank	 <table border="1" data-bbox="911 1800 1417 1926"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5775.00</td> <td>90.09</td> <td>-----</td> <td>77.12</td> <td>34.58</td> <td>10.38</td> <td>31.99</td> <td>0.00</td> <td>300</td> <td>55</td> <td>AVERAGE</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5775.00	90.09	-----	77.12	34.58	10.38	31.99	0.00	300	55	AVERAGE																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																	
1	5775.00	90.09	-----	77.12	34.58	10.38	31.99	0.00	300	55	AVERAGE																																																																																																



Mode	52																																																																					
	Band Edge - R																																																																					
	U-NII-3_5.725-5.85_802.11ax HE80_CH155_Full_5775MHz																																																																					
ANT	CDD 4+5																																																																					
Pol.	Vertical	Fundamental																																																																				
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5854.98</td> <td>51.29</td> <td>110.96</td> <td>-59.67</td> <td>37.94</td> <td>34.84</td> <td>10.45</td> <td>31.94</td> <td>0.00</td> <td>300</td> <td>55 PEAK</td> </tr> <tr> <td>2</td> <td>5874.40</td> <td>53.03</td> <td>105.47</td> <td>-52.44</td> <td>39.59</td> <td>34.02</td> <td>10.47</td> <td>31.95</td> <td>0.00</td> <td>300</td> <td>55 PEAK</td> </tr> <tr> <td>3</td> <td>5922.88</td> <td>54.11</td> <td>69.87</td> <td>-15.76</td> <td>40.48</td> <td>35.11</td> <td>10.51</td> <td>31.99</td> <td>0.00</td> <td>300</td> <td>55 PEAK</td> </tr> <tr> <td>4</td> <td>5928.83</td> <td>54.42</td> <td>68.30</td> <td>-13.88</td> <td>40.76</td> <td>35.13</td> <td>10.52</td> <td>31.99</td> <td>0.00</td> <td>300</td> <td>55 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	1	5854.98	51.29	110.96	-59.67	37.94	34.84	10.45	31.94	0.00	300	55 PEAK	2	5874.40	53.03	105.47	-52.44	39.59	34.02	10.47	31.95	0.00	300	55 PEAK	3	5922.88	54.11	69.87	-15.76	40.48	35.11	10.51	31.99	0.00	300	55 PEAK	4	5928.83	54.42	68.30	-13.88	40.76	35.13	10.52	31.99	0.00	300	55 PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																												
1	5854.98	51.29	110.96	-59.67	37.94	34.84	10.45	31.94	0.00	300	55 PEAK																																																											
2	5874.40	53.03	105.47	-52.44	39.59	34.02	10.47	31.95	0.00	300	55 PEAK																																																											
3	5922.88	54.11	69.87	-15.76	40.48	35.11	10.51	31.99	0.00	300	55 PEAK																																																											
4	5928.83	54.42	68.30	-13.88	40.76	35.13	10.52	31.99	0.00	300	55 PEAK																																																											



Mode	52																																																																															
	Harmonic																																																																															
	U-NII-3_5.725-5.85_802.11ax HE80_CH155_Full_5775MHz																																																																															
ANT	CDD 4+5																																																																															
Pol.	Horizontal	Vertical																																																																														
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11550.00</td> <td>44.54</td> <td>74.00</td> <td>-29.46</td> <td>52.75</td> <td>38.34</td> <td>14.95</td> <td>61.50</td> <td>0.00</td> <td>300</td> <td>0 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11550.00	44.54	74.00	-29.46	52.75	38.34	14.95	61.50	0.00	300	0 PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11550.00</td> <td>45.04</td> <td>74.00</td> <td>-28.96</td> <td>53.25</td> <td>38.34</td> <td>14.95</td> <td>61.50</td> <td>0.00</td> <td>100</td> <td>0 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11550.00	45.04	74.00	-28.96	53.25	38.34	14.95	61.50	0.00	100	0 PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1 11550.00	44.54	74.00	-29.46	52.75	38.34	14.95	61.50	0.00	300	0 PEAK																																																																						
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1 11550.00	45.04	74.00	-28.96	53.25	38.34	14.95	61.50	0.00	100	0 PEAK																																																																						



	53																																																																																																																											
Mode	Band Edge																																																																																																																											
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_Partial RU26/0_5745MHz																																																																																																																											
ANT	CDD 4+5																																																																																																																											
Pol.	Horizontal	Fundamental																																																																																																																										
Peak	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5625.96</td> <td>54.98</td> <td>68.30</td> <td>-13.32</td> <td>42.22</td> <td>34.58</td> <td>10.27</td> <td>32.09</td> <td>0.00</td> <td>100</td> <td>229 PEAK</td> </tr> <tr> <td>2</td> <td>5650.17</td> <td>54.07</td> <td>68.43</td> <td>-14.36</td> <td>41.33</td> <td>34.55</td> <td>10.28</td> <td>32.09</td> <td>0.00</td> <td>100</td> <td>229 PEAK</td> </tr> <tr> <td>3</td> <td>5700.49</td> <td>53.81</td> <td>105.44</td> <td>-51.63</td> <td>41.03</td> <td>34.51</td> <td>10.32</td> <td>32.05</td> <td>0.00</td> <td>100</td> <td>229 PEAK</td> </tr> <tr> <td>4</td> <td>5720.64</td> <td>53.14</td> <td>112.36</td> <td>-59.22</td> <td>40.30</td> <td>34.53</td> <td>10.34</td> <td>32.03</td> <td>0.00</td> <td>100</td> <td>229 PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5625.96	54.98	68.30	-13.32	42.22	34.58	10.27	32.09	0.00	100	229 PEAK	2	5650.17	54.07	68.43	-14.36	41.33	34.55	10.28	32.09	0.00	100	229 PEAK	3	5700.49	53.81	105.44	-51.63	41.03	34.51	10.32	32.05	0.00	100	229 PEAK	4	5720.64	53.14	112.36	-59.22	40.30	34.53	10.34	32.03	0.00	100	229 PEAK	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>107.69</td> <td>-----</td> <td>-----</td> <td>94.82</td> <td>34.54</td> <td>10.35</td> <td>32.02</td> <td>0.00</td> <td>100</td> <td>229 PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5745.00	107.69	-----	-----	94.82	34.54	10.35	32.02	0.00	100	229 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																			
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	5625.96	54.98	68.30	-13.32	42.22	34.58	10.27	32.09	0.00	100	229 PEAK																																																																																																																	
2	5650.17	54.07	68.43	-14.36	41.33	34.55	10.28	32.09	0.00	100	229 PEAK																																																																																																																	
3	5700.49	53.81	105.44	-51.63	41.03	34.51	10.32	32.05	0.00	100	229 PEAK																																																																																																																	
4	5720.64	53.14	112.36	-59.22	40.30	34.53	10.34	32.03	0.00	100	229 PEAK																																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	5745.00	107.69	-----	-----	94.82	34.54	10.35	32.02	0.00	100	229 PEAK																																																																																																																	
Avg	Blank	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>100.72</td> <td>-----</td> <td>-----</td> <td>87.85</td> <td>34.54</td> <td>10.35</td> <td>32.02</td> <td>0.00</td> <td>100</td> <td>229 AVERAGE</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5745.00	100.72	-----	-----	87.85	34.54	10.35	32.02	0.00	100	229 AVERAGE																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	5745.00	100.72	-----	-----	87.85	34.54	10.35	32.02	0.00	100	229 AVERAGE																																																																																																																	



	53																																																																																																																								
Mode	Band Edge																																																																																																																								
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_Partial RU26/0_5745MHz																																																																																																																								
ANT	CDD 4+5																																																																																																																								
Pol.	Vertical	Fundamental																																																																																																																							
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5629.58</td> <td>55.03</td> <td>68.30</td> <td>-13.27</td> <td>42.28</td> <td>34.57</td> <td>10.27</td> <td>32.09</td> <td>0.00</td> <td>310</td> <td>108</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5650.03</td> <td>52.06</td> <td>68.32</td> <td>-16.26</td> <td>39.32</td> <td>34.55</td> <td>10.28</td> <td>32.09</td> <td>0.00</td> <td>310</td> <td>108</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5702.95</td> <td>54.40</td> <td>106.13</td> <td>-51.73</td> <td>41.61</td> <td>34.51</td> <td>10.33</td> <td>32.05</td> <td>0.00</td> <td>310</td> <td>108</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5720.06</td> <td>52.12</td> <td>111.04</td> <td>-58.92</td> <td>39.28</td> <td>34.53</td> <td>10.34</td> <td>32.03</td> <td>0.00</td> <td>310</td> <td>108</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5629.58	55.03	68.30	-13.27	42.28	34.57	10.27	32.09	0.00	310	108	PEAK	2	5650.03	52.06	68.32	-16.26	39.32	34.55	10.28	32.09	0.00	310	108	PEAK	3	5702.95	54.40	106.13	-51.73	41.61	34.51	10.33	32.05	0.00	310	108	PEAK	4	5720.06	52.12	111.04	-58.92	39.28	34.53	10.34	32.03	0.00	310	108	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>106.33</td> <td>-----</td> <td>-----</td> <td>93.46</td> <td>34.54</td> <td>10.35</td> <td>32.02</td> <td>0.00</td> <td>310</td> <td>108</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5745.00	106.33	-----	-----	93.46	34.54	10.35	32.02	0.00	310	108	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																																	
1	5629.58	55.03	68.30	-13.27	42.28	34.57	10.27	32.09	0.00	310	108	PEAK																																																																																																													
2	5650.03	52.06	68.32	-16.26	39.32	34.55	10.28	32.09	0.00	310	108	PEAK																																																																																																													
3	5702.95	54.40	106.13	-51.73	41.61	34.51	10.33	32.05	0.00	310	108	PEAK																																																																																																													
4	5720.06	52.12	111.04	-58.92	39.28	34.53	10.34	32.03	0.00	310	108	PEAK																																																																																																													
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																																	
1	5745.00	106.33	-----	-----	93.46	34.54	10.35	32.02	0.00	310	108	PEAK																																																																																																													
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>97.79</td> <td>-----</td> <td>-----</td> <td>84.92</td> <td>34.54</td> <td>10.35</td> <td>32.02</td> <td>0.00</td> <td>310</td> <td>108</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5745.00	97.79	-----	-----	84.92	34.54	10.35	32.02	0.00	310	108	AVERAGE																																																																															
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																																	
1	5745.00	97.79	-----	-----	84.92	34.54	10.35	32.02	0.00	310	108	AVERAGE																																																																																																													



	54																																																																																																																											
Mode	Band Edge																																																																																																																											
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_Partial RU26/8_5825MHz																																																																																																																											
ANT	CDD 4+5																																																																																																																											
Pol.	Horizontal	Fundamental																																																																																																																										
Peak	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5854.88</td> <td>54.27</td> <td>111.18</td> <td>-56.91</td> <td>40.92</td> <td>34.84</td> <td>10.45</td> <td>31.94</td> <td>0.00</td> <td>100</td> <td>246 PEAK</td> </tr> <tr> <td>2</td> <td>5873.63</td> <td>54.64</td> <td>105.68</td> <td>-51.04</td> <td>41.21</td> <td>34.91</td> <td>10.47</td> <td>31.95</td> <td>0.00</td> <td>100</td> <td>246 PEAK</td> </tr> <tr> <td>3</td> <td>5923.63</td> <td>55.23</td> <td>69.31</td> <td>-14.08</td> <td>41.60</td> <td>35.11</td> <td>10.51</td> <td>31.99</td> <td>0.00</td> <td>100</td> <td>246 PEAK</td> </tr> <tr> <td>4</td> <td>5938.63</td> <td>55.32</td> <td>68.30</td> <td>-12.98</td> <td>41.62</td> <td>35.17</td> <td>10.53</td> <td>32.00</td> <td>0.00</td> <td>100</td> <td>246 PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.88	54.27	111.18	-56.91	40.92	34.84	10.45	31.94	0.00	100	246 PEAK	2	5873.63	54.64	105.68	-51.04	41.21	34.91	10.47	31.95	0.00	100	246 PEAK	3	5923.63	55.23	69.31	-14.08	41.60	35.11	10.51	31.99	0.00	100	246 PEAK	4	5938.63	55.32	68.30	-12.98	41.62	35.17	10.53	32.00	0.00	100	246 PEAK	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>107.84</td> <td>-----</td> <td>-----</td> <td>94.58</td> <td>34.76</td> <td>10.44</td> <td>31.94</td> <td>0.00</td> <td>100</td> <td>246 PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	107.84	-----	-----	94.58	34.76	10.44	31.94	0.00	100	246 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																			
Freq	Level	Line	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	5854.88	54.27	111.18	-56.91	40.92	34.84	10.45	31.94	0.00	100	246 PEAK																																																																																																																	
2	5873.63	54.64	105.68	-51.04	41.21	34.91	10.47	31.95	0.00	100	246 PEAK																																																																																																																	
3	5923.63	55.23	69.31	-14.08	41.60	35.11	10.51	31.99	0.00	100	246 PEAK																																																																																																																	
4	5938.63	55.32	68.30	-12.98	41.62	35.17	10.53	32.00	0.00	100	246 PEAK																																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	5825.00	107.84	-----	-----	94.58	34.76	10.44	31.94	0.00	100	246 PEAK																																																																																																																	
Avg	Blank	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>100.13</td> <td>-----</td> <td>-----</td> <td>86.87</td> <td>34.76</td> <td>10.44</td> <td>31.94</td> <td>0.00</td> <td>100</td> <td>246 AVERAGE</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	100.13	-----	-----	86.87	34.76	10.44	31.94	0.00	100	246 AVERAGE																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	5825.00	100.13	-----	-----	86.87	34.76	10.44	31.94	0.00	100	246 AVERAGE																																																																																																																	



	54																																																																																																																											
Mode	Band Edge																																																																																																																											
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_Partial RU26/8_5825MHz																																																																																																																											
ANT	CDD 4+5																																																																																																																											
Pol.	Vertical	Fundamental																																																																																																																										
Peak	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5854.63</td> <td>53.66</td> <td>111.75</td> <td>-58.09</td> <td>40.31</td> <td>34.04</td> <td>10.45</td> <td>31.94</td> <td>0.00</td> <td>346</td> <td>64 PEAK</td> </tr> <tr> <td>2</td> <td>5874.00</td> <td>54.40</td> <td>105.58</td> <td>-51.18</td> <td>40.97</td> <td>34.91</td> <td>10.47</td> <td>31.95</td> <td>0.00</td> <td>346</td> <td>64 PEAK</td> </tr> <tr> <td>3</td> <td>5923.00</td> <td>54.70</td> <td>69.77</td> <td>-15.07</td> <td>41.07</td> <td>35.11</td> <td>10.51</td> <td>31.99</td> <td>0.00</td> <td>346</td> <td>64 PEAK</td> </tr> <tr> <td>4</td> <td>5932.13</td> <td>56.34</td> <td>68.30</td> <td>-11.96</td> <td>42.68</td> <td>35.14</td> <td>10.52</td> <td>32.00</td> <td>0.00</td> <td>346</td> <td>64 PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.63	53.66	111.75	-58.09	40.31	34.04	10.45	31.94	0.00	346	64 PEAK	2	5874.00	54.40	105.58	-51.18	40.97	34.91	10.47	31.95	0.00	346	64 PEAK	3	5923.00	54.70	69.77	-15.07	41.07	35.11	10.51	31.99	0.00	346	64 PEAK	4	5932.13	56.34	68.30	-11.96	42.68	35.14	10.52	32.00	0.00	346	64 PEAK	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>106.81</td> <td>-----</td> <td>-----</td> <td>93.55</td> <td>34.76</td> <td>10.44</td> <td>31.94</td> <td>0.00</td> <td>346</td> <td>64 PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	106.81	-----	-----	93.55	34.76	10.44	31.94	0.00	346	64 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																		
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	5854.63	53.66	111.75	-58.09	40.31	34.04	10.45	31.94	0.00	346	64 PEAK																																																																																																																	
2	5874.00	54.40	105.58	-51.18	40.97	34.91	10.47	31.95	0.00	346	64 PEAK																																																																																																																	
3	5923.00	54.70	69.77	-15.07	41.07	35.11	10.51	31.99	0.00	346	64 PEAK																																																																																																																	
4	5932.13	56.34	68.30	-11.96	42.68	35.14	10.52	32.00	0.00	346	64 PEAK																																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																			
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	5825.00	106.81	-----	-----	93.55	34.76	10.44	31.94	0.00	346	64 PEAK																																																																																																																	
Avg	Blank	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>99.57</td> <td>-----</td> <td>-----</td> <td>86.31</td> <td>34.76</td> <td>10.44</td> <td>31.94</td> <td>0.00</td> <td>346</td> <td>64 AVERAGE</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	99.57	-----	-----	86.31	34.76	10.44	31.94	0.00	346	64 AVERAGE																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																			
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	5825.00	99.57	-----	-----	86.31	34.76	10.44	31.94	0.00	346	64 AVERAGE																																																																																																																	



55																																																																																				
Mode	Band Edge																																																																																			
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_Partial RU52/37_5745MHz																																																																																			
ANT	CDD 4+5																																																																																			
Pol.	Horizontal																																																																																			
Peak	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5632.63</td> <td>54.62</td> <td>68.30</td> <td>-13.68</td> <td>41.87</td> <td>34.57</td> <td>10.27</td> <td>32.09</td> <td>0.00</td> <td>101</td> <td>118</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5650.90</td> <td>53.56</td> <td>68.97</td> <td>-15.41</td> <td>40.81</td> <td>34.55</td> <td>10.29</td> <td>32.09</td> <td>0.00</td> <td>101</td> <td>118</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5718.32</td> <td>62.63</td> <td>110.43</td> <td>-47.80</td> <td>49.80</td> <td>34.53</td> <td>10.34</td> <td>32.04</td> <td>0.00</td> <td>101</td> <td>118</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5720.06</td> <td>52.90</td> <td>111.04</td> <td>-58.14</td> <td>40.06</td> <td>34.53</td> <td>10.34</td> <td>32.03</td> <td>0.00</td> <td>101</td> <td>118</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5632.63	54.62	68.30	-13.68	41.87	34.57	10.27	32.09	0.00	101	118	PEAK	2	5650.90	53.56	68.97	-15.41	40.81	34.55	10.29	32.09	0.00	101	118	PEAK	3	5718.32	62.63	110.43	-47.80	49.80	34.53	10.34	32.04	0.00	101	118	PEAK	4	5720.06	52.90	111.04	-58.14	40.06	34.53	10.34	32.03	0.00	101	118	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																											
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																										
1	5632.63	54.62	68.30	-13.68	41.87	34.57	10.27	32.09	0.00	101	118	PEAK																																																																								
2	5650.90	53.56	68.97	-15.41	40.81	34.55	10.29	32.09	0.00	101	118	PEAK																																																																								
3	5718.32	62.63	110.43	-47.80	49.80	34.53	10.34	32.04	0.00	101	118	PEAK																																																																								
4	5720.06	52.90	111.04	-58.14	40.06	34.53	10.34	32.03	0.00	101	118	PEAK																																																																								
Fundamental	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>110.23</td> <td>-----</td> <td>-----</td> <td>97.34</td> <td>34.55</td> <td>10.36</td> <td>32.02</td> <td>0.00</td> <td>101</td> <td>118</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5745.00	110.23	-----	-----	97.34	34.55	10.36	32.02	0.00	101	118	PEAK																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																												
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																										
1	5745.00	110.23	-----	-----	97.34	34.55	10.36	32.02	0.00	101	118	PEAK																																																																								
Avg	Blank																																																																																			
	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>101.40</td> <td>-----</td> <td>-----</td> <td>88.51</td> <td>34.55</td> <td>10.36</td> <td>32.02</td> <td>0.00</td> <td>101</td> <td>118</td> <td>AVERAGE</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5745.00	101.40	-----	-----	88.51	34.55	10.36	32.02	0.00	101	118	AVERAGE																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																												
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																										
1	5745.00	101.40	-----	-----	88.51	34.55	10.36	32.02	0.00	101	118	AVERAGE																																																																								



	55																																																																																																																											
Mode	Band Edge																																																																																																																											
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_Partial RU52/37_5745MHz																																																																																																																											
ANT	CDD 4+5																																																																																																																											
Pol.	Vertical	Fundamental																																																																																																																										
Peak	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5649.59</td> <td>54.28</td> <td>68.30</td> <td>-14.02</td> <td>41.54</td> <td>34.55</td> <td>10.28</td> <td>32.09</td> <td>0.00</td> <td>300</td> <td>49 PEAK</td> </tr> <tr> <td>2</td> <td>5650.17</td> <td>52.68</td> <td>68.43</td> <td>-15.75</td> <td>39.94</td> <td>34.55</td> <td>10.28</td> <td>32.09</td> <td>0.00</td> <td>300</td> <td>49 PEAK</td> </tr> <tr> <td>3</td> <td>5700.05</td> <td>53.35</td> <td>105.31</td> <td>-51.96</td> <td>40.57</td> <td>34.51</td> <td>10.32</td> <td>32.05</td> <td>0.00</td> <td>300</td> <td>49 PEAK</td> </tr> <tr> <td>4</td> <td>5720.35</td> <td>52.90</td> <td>111.70</td> <td>-58.80</td> <td>40.06</td> <td>34.53</td> <td>10.34</td> <td>32.03</td> <td>0.00</td> <td>300</td> <td>49 PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5649.59	54.28	68.30	-14.02	41.54	34.55	10.28	32.09	0.00	300	49 PEAK	2	5650.17	52.68	68.43	-15.75	39.94	34.55	10.28	32.09	0.00	300	49 PEAK	3	5700.05	53.35	105.31	-51.96	40.57	34.51	10.32	32.05	0.00	300	49 PEAK	4	5720.35	52.90	111.70	-58.80	40.06	34.53	10.34	32.03	0.00	300	49 PEAK	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>105.73</td> <td>-----</td> <td>-----</td> <td>92.84</td> <td>34.55</td> <td>10.36</td> <td>32.02</td> <td>0.00</td> <td>300</td> <td>49 PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5745.00	105.73	-----	-----	92.84	34.55	10.36	32.02	0.00	300	49 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																			
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	5649.59	54.28	68.30	-14.02	41.54	34.55	10.28	32.09	0.00	300	49 PEAK																																																																																																																	
2	5650.17	52.68	68.43	-15.75	39.94	34.55	10.28	32.09	0.00	300	49 PEAK																																																																																																																	
3	5700.05	53.35	105.31	-51.96	40.57	34.51	10.32	32.05	0.00	300	49 PEAK																																																																																																																	
4	5720.35	52.90	111.70	-58.80	40.06	34.53	10.34	32.03	0.00	300	49 PEAK																																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	5745.00	105.73	-----	-----	92.84	34.55	10.36	32.02	0.00	300	49 PEAK																																																																																																																	
Avg	Blank	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>96.75</td> <td>-----</td> <td>-----</td> <td>83.86</td> <td>34.55</td> <td>10.36</td> <td>32.02</td> <td>0.00</td> <td>300</td> <td>49 AVERAGE</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5745.00	96.75	-----	-----	83.86	34.55	10.36	32.02	0.00	300	49 AVERAGE																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	5745.00	96.75	-----	-----	83.86	34.55	10.36	32.02	0.00	300	49 AVERAGE																																																																																																																	



		56																																																																																																																										
Mode	Band Edge																																																																																																																											
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_Partial RU52/40_5825MHz																																																																																																																											
ANT	CDD 4+5																																																																																																																											
Pol.	Horizontal	Fundamental																																																																																																																										
Peak	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5854.75</td> <td>52.79</td> <td>111.47</td> <td>-58.68</td> <td>39.44</td> <td>34.84</td> <td>10.45</td> <td>31.94</td> <td>0.00</td> <td>100</td> <td>255 PEAK</td> </tr> <tr> <td>2</td> <td>5873.38</td> <td>54.74</td> <td>105.75</td> <td>-51.01</td> <td>41.31</td> <td>34.91</td> <td>10.47</td> <td>31.95</td> <td>0.00</td> <td>100</td> <td>255 PEAK</td> </tr> <tr> <td>3</td> <td>5923.38</td> <td>55.03</td> <td>69.50</td> <td>-14.47</td> <td>41.40</td> <td>35.11</td> <td>10.51</td> <td>31.99</td> <td>0.00</td> <td>100</td> <td>255 PEAK</td> </tr> <tr> <td>4</td> <td>5947.38</td> <td>54.94</td> <td>68.30</td> <td>-13.36</td> <td>41.21</td> <td>35.20</td> <td>10.54</td> <td>32.01</td> <td>0.00</td> <td>100</td> <td>255 PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.75	52.79	111.47	-58.68	39.44	34.84	10.45	31.94	0.00	100	255 PEAK	2	5873.38	54.74	105.75	-51.01	41.31	34.91	10.47	31.95	0.00	100	255 PEAK	3	5923.38	55.03	69.50	-14.47	41.40	35.11	10.51	31.99	0.00	100	255 PEAK	4	5947.38	54.94	68.30	-13.36	41.21	35.20	10.54	32.01	0.00	100	255 PEAK	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>108.62</td> <td>-----</td> <td>-----</td> <td>95.36</td> <td>34.76</td> <td>10.44</td> <td>31.94</td> <td>0.00</td> <td>100</td> <td>255 PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	108.62	-----	-----	95.36	34.76	10.44	31.94	0.00	100	255 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																			
Freq	Level	Line	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	5854.75	52.79	111.47	-58.68	39.44	34.84	10.45	31.94	0.00	100	255 PEAK																																																																																																																	
2	5873.38	54.74	105.75	-51.01	41.31	34.91	10.47	31.95	0.00	100	255 PEAK																																																																																																																	
3	5923.38	55.03	69.50	-14.47	41.40	35.11	10.51	31.99	0.00	100	255 PEAK																																																																																																																	
4	5947.38	54.94	68.30	-13.36	41.21	35.20	10.54	32.01	0.00	100	255 PEAK																																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	5825.00	108.62	-----	-----	95.36	34.76	10.44	31.94	0.00	100	255 PEAK																																																																																																																	
Avg	Blank	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>100.52</td> <td>-----</td> <td>-----</td> <td>87.26</td> <td>34.76</td> <td>10.44</td> <td>31.94</td> <td>0.00</td> <td>100</td> <td>255 AVERAGE</td> </tr> </tbody> </table>			Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	100.52	-----	-----	87.26	34.76	10.44	31.94	0.00	100	255 AVERAGE																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	5825.00	100.52	-----	-----	87.26	34.76	10.44	31.94	0.00	100	255 AVERAGE																																																																																																																	






	56																																																																																																																											
Mode	Band Edge																																																																																																																											
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_Partial RU52/40_5825MHz																																																																																																																											
ANT	CDD 4+5																																																																																																																											
Pol.	Vertical	Fundamental																																																																																																																										
Peak	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5855.00</td> <td>54.04</td> <td>110.90</td> <td>-56.86</td> <td>40.69</td> <td>34.04</td> <td>10.45</td> <td>31.94</td> <td>0.00</td> <td>326</td> <td>57 PEAK</td> </tr> <tr> <td>2</td> <td>5875.00</td> <td>54.42</td> <td>105.30</td> <td>-50.88</td> <td>40.98</td> <td>34.92</td> <td>10.47</td> <td>31.95</td> <td>0.00</td> <td>326</td> <td>57 PEAK</td> </tr> <tr> <td>3</td> <td>5922.88</td> <td>55.02</td> <td>69.87</td> <td>-14.85</td> <td>41.39</td> <td>35.11</td> <td>10.51</td> <td>31.99</td> <td>0.00</td> <td>326</td> <td>57 PEAK</td> </tr> <tr> <td>4</td> <td>5937.13</td> <td>56.01</td> <td>68.30</td> <td>-12.29</td> <td>42.32</td> <td>35.16</td> <td>10.53</td> <td>32.00</td> <td>0.00</td> <td>326</td> <td>57 PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5855.00	54.04	110.90	-56.86	40.69	34.04	10.45	31.94	0.00	326	57 PEAK	2	5875.00	54.42	105.30	-50.88	40.98	34.92	10.47	31.95	0.00	326	57 PEAK	3	5922.88	55.02	69.87	-14.85	41.39	35.11	10.51	31.99	0.00	326	57 PEAK	4	5937.13	56.01	68.30	-12.29	42.32	35.16	10.53	32.00	0.00	326	57 PEAK	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>107.29</td> <td>-----</td> <td>-----</td> <td>94.06</td> <td>34.74</td> <td>10.43</td> <td>31.94</td> <td>0.00</td> <td>326</td> <td>57 PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	107.29	-----	-----	94.06	34.74	10.43	31.94	0.00	326	57 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																		
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	5855.00	54.04	110.90	-56.86	40.69	34.04	10.45	31.94	0.00	326	57 PEAK																																																																																																																	
2	5875.00	54.42	105.30	-50.88	40.98	34.92	10.47	31.95	0.00	326	57 PEAK																																																																																																																	
3	5922.88	55.02	69.87	-14.85	41.39	35.11	10.51	31.99	0.00	326	57 PEAK																																																																																																																	
4	5937.13	56.01	68.30	-12.29	42.32	35.16	10.53	32.00	0.00	326	57 PEAK																																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																			
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	5825.00	107.29	-----	-----	94.06	34.74	10.43	31.94	0.00	326	57 PEAK																																																																																																																	
Avg	Blank	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>100.14</td> <td>-----</td> <td>-----</td> <td>86.91</td> <td>34.74</td> <td>10.43</td> <td>31.94</td> <td>0.00</td> <td>326</td> <td>57 AVERAGE</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	100.14	-----	-----	86.91	34.74	10.43	31.94	0.00	326	57 AVERAGE																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																			
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	5825.00	100.14	-----	-----	86.91	34.74	10.43	31.94	0.00	326	57 AVERAGE																																																																																																																	



	57																																																																																																																											
Mode	Band Edge																																																																																																																											
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_Partial RU106/53_5745MHz																																																																																																																											
ANT	CDD 4+5																																																																																																																											
Pol.	Horizontal	Fundamental																																																																																																																										
Peak	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5628.42</td> <td>56.18</td> <td>68.30</td> <td>-12.12</td> <td>43.43</td> <td>34.57</td> <td>10.27</td> <td>32.09</td> <td>0.00</td> <td>100</td> <td>115 PEAK</td> </tr> <tr> <td>2</td> <td>5658.03</td> <td>54.27</td> <td>68.32</td> <td>-14.05</td> <td>41.53</td> <td>34.55</td> <td>10.28</td> <td>32.09</td> <td>0.00</td> <td>100</td> <td>115 PEAK</td> </tr> <tr> <td>3</td> <td>5719.48</td> <td>73.57</td> <td>110.75</td> <td>-37.18</td> <td>60.73</td> <td>34.53</td> <td>10.34</td> <td>32.03</td> <td>0.00</td> <td>100</td> <td>115 PEAK</td> </tr> <tr> <td>4</td> <td>5720.35</td> <td>66.19</td> <td>111.70</td> <td>-45.51</td> <td>53.35</td> <td>34.53</td> <td>10.34</td> <td>32.03</td> <td>0.00</td> <td>100</td> <td>115 PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5628.42	56.18	68.30	-12.12	43.43	34.57	10.27	32.09	0.00	100	115 PEAK	2	5658.03	54.27	68.32	-14.05	41.53	34.55	10.28	32.09	0.00	100	115 PEAK	3	5719.48	73.57	110.75	-37.18	60.73	34.53	10.34	32.03	0.00	100	115 PEAK	4	5720.35	66.19	111.70	-45.51	53.35	34.53	10.34	32.03	0.00	100	115 PEAK	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>110.90</td> <td>-----</td> <td>-----</td> <td>98.01</td> <td>34.55</td> <td>10.36</td> <td>32.02</td> <td>0.00</td> <td>100</td> <td>115 PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5745.00	110.90	-----	-----	98.01	34.55	10.36	32.02	0.00	100	115 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	5628.42	56.18	68.30	-12.12	43.43	34.57	10.27	32.09	0.00	100	115 PEAK																																																																																																																	
2	5658.03	54.27	68.32	-14.05	41.53	34.55	10.28	32.09	0.00	100	115 PEAK																																																																																																																	
3	5719.48	73.57	110.75	-37.18	60.73	34.53	10.34	32.03	0.00	100	115 PEAK																																																																																																																	
4	5720.35	66.19	111.70	-45.51	53.35	34.53	10.34	32.03	0.00	100	115 PEAK																																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	5745.00	110.90	-----	-----	98.01	34.55	10.36	32.02	0.00	100	115 PEAK																																																																																																																	
Avg	Blank	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>102.26</td> <td>-----</td> <td>-----</td> <td>89.37</td> <td>34.55</td> <td>10.36</td> <td>32.02</td> <td>0.00</td> <td>100</td> <td>115 AVERAGE</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5745.00	102.26	-----	-----	89.37	34.55	10.36	32.02	0.00	100	115 AVERAGE																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	5745.00	102.26	-----	-----	89.37	34.55	10.36	32.02	0.00	100	115 AVERAGE																																																																																																																	



57																																																																																
Mode	Band Edge																																																																															
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_Partial RU106/53_5745MHz																																																																															
ANT	CDD 4+5																																																																															
Pol.	Vertical																																																																															
Peak	 <p>Level (dBuV/m) vs Frequency (MHz) plot for Vertical polarization. The plot shows a rising red line for the 5G BAND4 limit and a blue line for the measured signal. Four peaks are marked with blue vertical lines and numbered 1, 2, 3, and 4.</p> <table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5631.18</td> <td>54.51</td> <td>68.30</td> <td>-13.79</td> <td>41.76</td> <td>34.57</td> <td>10.27</td> <td>32.09</td> <td>0.00</td> <td>319</td> <td>55 PEAK</td> </tr> <tr> <td>2</td> <td>5650.03</td> <td>53.30</td> <td>68.32</td> <td>-15.02</td> <td>40.56</td> <td>34.55</td> <td>10.28</td> <td>32.09</td> <td>0.00</td> <td>319</td> <td>55 PEAK</td> </tr> <tr> <td>3</td> <td>5718.90</td> <td>73.12</td> <td>110.59</td> <td>-37.47</td> <td>60.29</td> <td>34.53</td> <td>10.34</td> <td>32.04</td> <td>0.00</td> <td>319</td> <td>55 PEAK</td> </tr> <tr> <td>4</td> <td>5722.09</td> <td>68.70</td> <td>115.67</td> <td>-46.97</td> <td>55.86</td> <td>34.53</td> <td>10.34</td> <td>32.03</td> <td>0.00</td> <td>319</td> <td>55 PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5631.18	54.51	68.30	-13.79	41.76	34.57	10.27	32.09	0.00	319	55 PEAK	2	5650.03	53.30	68.32	-15.02	40.56	34.55	10.28	32.09	0.00	319	55 PEAK	3	5718.90	73.12	110.59	-37.47	60.29	34.53	10.34	32.04	0.00	319	55 PEAK	4	5722.09	68.70	115.67	-46.97	55.86	34.53	10.34	32.03	0.00	319	55 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																						
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																						
1	5631.18	54.51	68.30	-13.79	41.76	34.57	10.27	32.09	0.00	319	55 PEAK																																																																					
2	5650.03	53.30	68.32	-15.02	40.56	34.55	10.28	32.09	0.00	319	55 PEAK																																																																					
3	5718.90	73.12	110.59	-37.47	60.29	34.53	10.34	32.04	0.00	319	55 PEAK																																																																					
4	5722.09	68.70	115.67	-46.97	55.86	34.53	10.34	32.03	0.00	319	55 PEAK																																																																					
Fundamental	 <p>Level (dBuV/m) vs Frequency (MHz) plot for Fundamental polarization. The plot shows a red line for the 5G BAND4 limit and a blue line for the measured signal. A single sharp peak is visible at approximately 5745 MHz.</p> <table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>110.17</td> <td>-----</td> <td>-----</td> <td>97.28</td> <td>34.55</td> <td>10.36</td> <td>32.02</td> <td>0.00</td> <td>319</td> <td>55 PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5745.00	110.17	-----	-----	97.28	34.55	10.36	32.02	0.00	319	55 PEAK																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																							
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																						
1	5745.00	110.17	-----	-----	97.28	34.55	10.36	32.02	0.00	319	55 PEAK																																																																					
Avg	Blank																																																																															
	 <p>Level (dBuV/m) vs Frequency (MHz) plot for Average polarization. The plot shows a red dashed line for the 5G BAND4 (AVG) limit and a blue line for the measured signal. A single sharp peak is visible at approximately 5745 MHz.</p> <table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>101.31</td> <td>-----</td> <td>-----</td> <td>88.42</td> <td>34.55</td> <td>10.36</td> <td>32.02</td> <td>0.00</td> <td>319</td> <td>55 AVERAGE</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5745.00	101.31	-----	-----	88.42	34.55	10.36	32.02	0.00	319	55 AVERAGE																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																							
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																						
1	5745.00	101.31	-----	-----	88.42	34.55	10.36	32.02	0.00	319	55 AVERAGE																																																																					



	58																																																																																																																																
Mode	Band Edge																																																																																																																																
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_Partial RU106/53_5825MHz																																																																																																																																
ANT	CDD 4+5																																																																																																																																
Pol.	Horizontal	Fundamental																																																																																																																															
Peak	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5855.00</td> <td>52.29</td> <td>110.90</td> <td>-58.61</td> <td>38.94</td> <td>34.84</td> <td>10.45</td> <td>31.94</td> <td>0.00</td> <td>100</td> <td>259</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5861.00</td> <td>69.97</td> <td>109.22</td> <td>-39.25</td> <td>56.59</td> <td>34.86</td> <td>10.46</td> <td>31.94</td> <td>0.00</td> <td>100</td> <td>259</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5924.88</td> <td>52.82</td> <td>68.39</td> <td>-15.57</td> <td>39.18</td> <td>35.11</td> <td>10.52</td> <td>31.99</td> <td>0.00</td> <td>100</td> <td>259</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5940.88</td> <td>55.14</td> <td>68.30</td> <td>-13.16</td> <td>41.43</td> <td>35.18</td> <td>10.53</td> <td>32.00</td> <td>0.00</td> <td>100</td> <td>259</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5855.00	52.29	110.90	-58.61	38.94	34.84	10.45	31.94	0.00	100	259	PEAK	2	5861.00	69.97	109.22	-39.25	56.59	34.86	10.46	31.94	0.00	100	259	PEAK	3	5924.88	52.82	68.39	-15.57	39.18	35.11	10.52	31.99	0.00	100	259	PEAK	4	5940.88	55.14	68.30	-13.16	41.43	35.18	10.53	32.00	0.00	100	259	PEAK	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>109.28</td> <td>-----</td> <td>-----</td> <td>96.05</td> <td>34.74</td> <td>10.43</td> <td>31.94</td> <td>0.00</td> <td>100</td> <td>259</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	109.28	-----	-----	96.05	34.74	10.43	31.94	0.00	100	259	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																							
Freq	Level	Line	Level	Factor	Loss	Factor	Factor																																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																							
1	5855.00	52.29	110.90	-58.61	38.94	34.84	10.45	31.94	0.00	100	259	PEAK																																																																																																																					
2	5861.00	69.97	109.22	-39.25	56.59	34.86	10.46	31.94	0.00	100	259	PEAK																																																																																																																					
3	5924.88	52.82	68.39	-15.57	39.18	35.11	10.52	31.99	0.00	100	259	PEAK																																																																																																																					
4	5940.88	55.14	68.30	-13.16	41.43	35.18	10.53	32.00	0.00	100	259	PEAK																																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																								
Freq	Level	Line	Level	Factor	Loss	Factor	Factor																																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																							
1	5825.00	109.28	-----	-----	96.05	34.74	10.43	31.94	0.00	100	259	PEAK																																																																																																																					
Avg	Blank	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>100.35</td> <td>-----</td> <td>-----</td> <td>87.12</td> <td>34.74</td> <td>10.43</td> <td>31.94</td> <td>0.00</td> <td>100</td> <td>259</td> <td>AVERAGE</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	100.35	-----	-----	87.12	34.74	10.43	31.94	0.00	100	259	AVERAGE																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																								
Freq	Level	Line	Level	Factor	Loss	Factor	Factor																																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																							
1	5825.00	100.35	-----	-----	87.12	34.74	10.43	31.94	0.00	100	259	AVERAGE																																																																																																																					



Mode	58																																																																																																								
	Band Edge																																																																																																								
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_Partial RU106/53_5825MHz																																																																																																								
ANT	CDD 4+5																																																																																																								
Pol.	Vertical	Fundamental																																																																																																							
Peak	<table border="1"> <thead> <tr> <th>Peak</th> <th>Limit Freq</th> <th>Limit Level</th> <th>Read Level</th> <th>Ant Level</th> <th>Cable Loss</th> <th>Preamp Loss</th> <th>Aux Loss</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5852.38</td> <td>70.48</td> <td>116.88</td> <td>-46.40</td> <td>57.14</td> <td>34.83</td> <td>10.45</td> <td>31.94</td> <td>0.00</td> <td>323</td> <td>55 PEAK</td> </tr> <tr> <td>2</td> <td>5871.38</td> <td>58.66</td> <td>106.31</td> <td>-47.65</td> <td>45.24</td> <td>34.90</td> <td>10.47</td> <td>31.95</td> <td>0.00</td> <td>323</td> <td>55 PEAK</td> </tr> <tr> <td>3</td> <td>5924.38</td> <td>54.80</td> <td>68.76</td> <td>-13.96</td> <td>41.16</td> <td>35.11</td> <td>10.52</td> <td>31.99</td> <td>0.00</td> <td>323</td> <td>55 PEAK</td> </tr> <tr> <td>4</td> <td>5943.88</td> <td>56.04</td> <td>68.30</td> <td>-12.26</td> <td>42.33</td> <td>35.19</td> <td>10.53</td> <td>32.01</td> <td>0.00</td> <td>323</td> <td>55 PEAK</td> </tr> </tbody> </table>	Peak	Limit Freq	Limit Level	Read Level	Ant Level	Cable Loss	Preamp Loss	Aux Loss	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5852.38	70.48	116.88	-46.40	57.14	34.83	10.45	31.94	0.00	323	55 PEAK	2	5871.38	58.66	106.31	-47.65	45.24	34.90	10.47	31.95	0.00	323	55 PEAK	3	5924.38	54.80	68.76	-13.96	41.16	35.11	10.52	31.99	0.00	323	55 PEAK	4	5943.88	56.04	68.30	-12.26	42.33	35.19	10.53	32.01	0.00	323	55 PEAK	<table border="1"> <thead> <tr> <th>Peak</th> <th>Limit Freq</th> <th>Limit Level</th> <th>Read Level</th> <th>Ant Level</th> <th>Cable Loss</th> <th>Preamp Loss</th> <th>Aux Loss</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>106.49</td> <td>93.26</td> <td>34.74</td> <td>10.43</td> <td>31.94</td> <td>0.00</td> <td>323</td> <td>55</td> <td>PEAK</td> </tr> </tbody> </table>	Peak	Limit Freq	Limit Level	Read Level	Ant Level	Cable Loss	Preamp Loss	Aux Loss	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	106.49	93.26	34.74	10.43	31.94	0.00	323	55	PEAK
Peak	Limit Freq	Limit Level	Read Level	Ant Level	Cable Loss	Preamp Loss	Aux Loss	APos	TPos	Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																															
1	5852.38	70.48	116.88	-46.40	57.14	34.83	10.45	31.94	0.00	323	55 PEAK																																																																																														
2	5871.38	58.66	106.31	-47.65	45.24	34.90	10.47	31.95	0.00	323	55 PEAK																																																																																														
3	5924.38	54.80	68.76	-13.96	41.16	35.11	10.52	31.99	0.00	323	55 PEAK																																																																																														
4	5943.88	56.04	68.30	-12.26	42.33	35.19	10.53	32.01	0.00	323	55 PEAK																																																																																														
Peak	Limit Freq	Limit Level	Read Level	Ant Level	Cable Loss	Preamp Loss	Aux Loss	APos	TPos	Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																															
1	5825.00	106.49	93.26	34.74	10.43	31.94	0.00	323	55	PEAK																																																																																															
Avg	Blank	<table border="1"> <thead> <tr> <th>Peak</th> <th>Limit Freq</th> <th>Limit Level</th> <th>Read Level</th> <th>Ant Level</th> <th>Cable Loss</th> <th>Preamp Loss</th> <th>Aux Loss</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>98.63</td> <td>85.40</td> <td>34.74</td> <td>10.43</td> <td>31.94</td> <td>0.00</td> <td>323</td> <td>55</td> <td>AVERAGE</td> </tr> </tbody> </table>	Peak	Limit Freq	Limit Level	Read Level	Ant Level	Cable Loss	Preamp Loss	Aux Loss	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	98.63	85.40	34.74	10.43	31.94	0.00	323	55	AVERAGE																																																																						
Peak	Limit Freq	Limit Level	Read Level	Ant Level	Cable Loss	Preamp Loss	Aux Loss	APos	TPos	Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																															
1	5825.00	98.63	85.40	34.74	10.43	31.94	0.00	323	55	AVERAGE																																																																																															



Mode	59																																																																															
	Harmonic																																																																															
	U-NII-2C_5.47-5.85_802.11a_CH144_Full_5720MHz																																																																															
ANT	CDD 4+5																																																																															
Pol.	Horizontal	Vertical																																																																														
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11440.00</td> <td>43.38</td> <td>74.00</td> <td>-30.62</td> <td>51.79</td> <td>38.26</td> <td>14.87</td> <td>61.54</td> <td>0.00</td> <td>300</td> <td>0 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11440.00	43.38	74.00	-30.62	51.79	38.26	14.87	61.54	0.00	300	0 PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11440.00</td> <td>45.25</td> <td>74.00</td> <td>-28.75</td> <td>53.66</td> <td>38.26</td> <td>14.87</td> <td>61.54</td> <td>0.00</td> <td>100</td> <td>0 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11440.00	45.25	74.00	-28.75	53.66	38.26	14.87	61.54	0.00	100	0 PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1 11440.00	43.38	74.00	-30.62	51.79	38.26	14.87	61.54	0.00	300	0 PEAK																																																																						
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1 11440.00	45.25	74.00	-28.75	53.66	38.26	14.87	61.54	0.00	100	0 PEAK																																																																						



Mode	60																																																																															
	Harmonic																																																																															
	U-NII-2C_5.47-5.85_802.11ax HE20_CH144_Full_5720MHz																																																																															
ANT	CDD 4+5																																																																															
Pol.	Horizontal	Vertical																																																																														
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11440.00</td> <td>44.19</td> <td>74.00</td> <td>-29.81</td> <td>52.60</td> <td>38.26</td> <td>14.87</td> <td>61.54</td> <td>0.00</td> <td>300</td> <td>0 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11440.00	44.19	74.00	-29.81	52.60	38.26	14.87	61.54	0.00	300	0 PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11440.00</td> <td>43.65</td> <td>74.00</td> <td>-30.35</td> <td>52.06</td> <td>38.26</td> <td>14.87</td> <td>61.54</td> <td>0.00</td> <td>100</td> <td>0 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11440.00	43.65	74.00	-30.35	52.06	38.26	14.87	61.54	0.00	100	0 PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1 11440.00	44.19	74.00	-29.81	52.60	38.26	14.87	61.54	0.00	300	0 PEAK																																																																						
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1 11440.00	43.65	74.00	-30.35	52.06	38.26	14.87	61.54	0.00	100	0 PEAK																																																																						





Mode	61																																																																															
	Harmonic																																																																															
	U-NII-2C_5.47-5.85_802.11ax HE40_CH142_Full_5710MHz																																																																															
ANT	CDD 4+5																																																																															
Pol.	Horizontal	Vertical																																																																														
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11420.00</td> <td>43.93</td> <td>74.00</td> <td>-30.07</td> <td>52.36</td> <td>38.25</td> <td>14.86</td> <td>61.54</td> <td>0.00</td> <td>300</td> <td>0 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11420.00	43.93	74.00	-30.07	52.36	38.25	14.86	61.54	0.00	300	0 PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11420.00</td> <td>43.18</td> <td>74.00</td> <td>-30.82</td> <td>51.61</td> <td>38.25</td> <td>14.86</td> <td>61.54</td> <td>0.00</td> <td>100</td> <td>0 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11420.00	43.18	74.00	-30.82	51.61	38.25	14.86	61.54	0.00	100	0 PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1 11420.00	43.93	74.00	-30.07	52.36	38.25	14.86	61.54	0.00	300	0 PEAK																																																																						
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1 11420.00	43.18	74.00	-30.82	51.61	38.25	14.86	61.54	0.00	100	0 PEAK																																																																						





Mode	62																																																																											
	Harmonic																																																																											
	U-NII-2C_5.47-5.85_802.11ax HE80_CH138_Full_5690MHz																																																																											
ANT	CDD 4+5																																																																											
Pol.	Horizontal	Vertical																																																																										
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11300.00</td> <td>43.26</td> <td>74.00</td> <td>-30.74</td> <td>51.76</td> <td>38.23</td> <td>14.83</td> <td>61.56</td> <td>0.00</td> <td>300</td> <td>0 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11300.00	43.26	74.00	-30.74	51.76	38.23	14.83	61.56	0.00	300	0 PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11300.00</td> <td>44.30</td> <td>74.00</td> <td>-29.70</td> <td>52.80</td> <td>38.23</td> <td>14.83</td> <td>61.56</td> <td>0.00</td> <td>100</td> <td>0 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11300.00	44.30	74.00	-29.70	52.80	38.23	14.83	61.56	0.00	100	0 PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																			
1 11300.00	43.26	74.00	-30.74	51.76	38.23	14.83	61.56	0.00	300	0 PEAK																																																																		
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																			
1 11300.00	44.30	74.00	-29.70	52.80	38.23	14.83	61.56	0.00	100	0 PEAK																																																																		



Mode	18-40	
	Harmonic	
	U-NII-2A_5.15-5.35_802.11ax HE160_CH50_Full_5250MHz	
ANT	CDD 4+5	
Pol.	Horizontal	Vertical
Peak		
Avg		



Mode	30M-1G																																																																																																																																													
	Harmonic																																																																																																																																													
	U-NII-2A_5.15-5.35_802.11ax HE160_CH50_Full_5250MHz																																																																																																																																													
ANT	CDD 4+5																																																																																																																																													
Pol.	Horizontal	Vertical																																																																																																																																												
Peak Avg	 <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq (MHz)</th> <th>Level (dBuV/m)</th> <th>Over Limit (dB)</th> <th>Limit (dBuV/m)</th> <th>ReadAntenna Level (dBuV)</th> <th>Cable Preamp Loss Factor (dB/m)</th> <th>A/Pos (dB)</th> <th>T/Pos (dB)</th> <th>Remark</th> </tr> </thead> <tbody> <tr><td>1</td><td>47.46</td><td>27.89</td><td>-12.11</td><td>40.00</td><td>43.53</td><td>15.87</td><td>0.69</td><td>32.20</td><td>Peak</td></tr> <tr><td>2</td><td>115.36</td><td>31.30</td><td>-12.20</td><td>43.50</td><td>44.71</td><td>17.33</td><td>1.43</td><td>32.17</td><td>Peak</td></tr> <tr><td>3</td><td>202.66</td><td>35.85</td><td>-7.66</td><td>43.50</td><td>50.89</td><td>15.13</td><td>1.93</td><td>32.10</td><td>Peak</td></tr> <tr><td>4</td><td>262.80</td><td>30.98</td><td>-15.02</td><td>46.00</td><td>40.77</td><td>20.20</td><td>2.18</td><td>32.17</td><td>Peak</td></tr> <tr><td>5</td><td>310.33</td><td>30.42</td><td>-15.58</td><td>46.00</td><td>40.66</td><td>19.50</td><td>2.38</td><td>32.12</td><td>Peak</td></tr> <tr><td>6</td><td>731.31</td><td>27.20</td><td>-18.80</td><td>46.00</td><td>28.16</td><td>27.64</td><td>3.66</td><td>32.26</td><td>Peak</td></tr> </tbody> </table>	Peak	Freq (MHz)	Level (dBuV/m)	Over Limit (dB)	Limit (dBuV/m)	ReadAntenna Level (dBuV)	Cable Preamp Loss Factor (dB/m)	A/Pos (dB)	T/Pos (dB)	Remark	1	47.46	27.89	-12.11	40.00	43.53	15.87	0.69	32.20	Peak	2	115.36	31.30	-12.20	43.50	44.71	17.33	1.43	32.17	Peak	3	202.66	35.85	-7.66	43.50	50.89	15.13	1.93	32.10	Peak	4	262.80	30.98	-15.02	46.00	40.77	20.20	2.18	32.17	Peak	5	310.33	30.42	-15.58	46.00	40.66	19.50	2.38	32.12	Peak	6	731.31	27.20	-18.80	46.00	28.16	27.64	3.66	32.26	Peak	 <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq (MHz)</th> <th>Level (dBuV/m)</th> <th>Over Limit (dB)</th> <th>Limit (dBuV/m)</th> <th>ReadAntenna Level (dBuV)</th> <th>Cable Preamp Loss Factor (dB/m)</th> <th>A/Pos (dB)</th> <th>T/Pos (dB)</th> <th>Remark</th> </tr> </thead> <tbody> <tr><td>1</td><td>46.49</td><td>33.02</td><td>-6.98</td><td>40.00</td><td>48.19</td><td>16.36</td><td>0.67</td><td>32.20</td><td>Peak</td></tr> <tr><td>2</td><td>119.24</td><td>27.04</td><td>-16.46</td><td>43.50</td><td>40.19</td><td>17.55</td><td>1.46</td><td>32.16</td><td>Peak</td></tr> <tr><td>3</td><td>202.66</td><td>29.92</td><td>-13.68</td><td>43.50</td><td>44.96</td><td>15.13</td><td>1.93</td><td>32.10</td><td>Peak</td></tr> <tr><td>4</td><td>264.74</td><td>31.00</td><td>-15.00</td><td>46.00</td><td>40.91</td><td>20.07</td><td>2.19</td><td>32.17</td><td>Peak</td></tr> <tr><td>5</td><td>467.47</td><td>24.35</td><td>-21.65</td><td>46.00</td><td>30.29</td><td>23.41</td><td>2.92</td><td>32.27</td><td>Peak</td></tr> <tr><td>6</td><td>732.28</td><td>27.36</td><td>-18.64</td><td>46.00</td><td>28.29</td><td>27.67</td><td>3.66</td><td>32.26</td><td>Peak</td></tr> </tbody> </table>	Peak	Freq (MHz)	Level (dBuV/m)	Over Limit (dB)	Limit (dBuV/m)	ReadAntenna Level (dBuV)	Cable Preamp Loss Factor (dB/m)	A/Pos (dB)	T/Pos (dB)	Remark	1	46.49	33.02	-6.98	40.00	48.19	16.36	0.67	32.20	Peak	2	119.24	27.04	-16.46	43.50	40.19	17.55	1.46	32.16	Peak	3	202.66	29.92	-13.68	43.50	44.96	15.13	1.93	32.10	Peak	4	264.74	31.00	-15.00	46.00	40.91	20.07	2.19	32.17	Peak	5	467.47	24.35	-21.65	46.00	30.29	23.41	2.92	32.27	Peak	6	732.28	27.36	-18.64	46.00	28.29	27.67	3.66	32.26	Peak
Peak	Freq (MHz)	Level (dBuV/m)	Over Limit (dB)	Limit (dBuV/m)	ReadAntenna Level (dBuV)	Cable Preamp Loss Factor (dB/m)	A/Pos (dB)	T/Pos (dB)	Remark																																																																																																																																					
1	47.46	27.89	-12.11	40.00	43.53	15.87	0.69	32.20	Peak																																																																																																																																					
2	115.36	31.30	-12.20	43.50	44.71	17.33	1.43	32.17	Peak																																																																																																																																					
3	202.66	35.85	-7.66	43.50	50.89	15.13	1.93	32.10	Peak																																																																																																																																					
4	262.80	30.98	-15.02	46.00	40.77	20.20	2.18	32.17	Peak																																																																																																																																					
5	310.33	30.42	-15.58	46.00	40.66	19.50	2.38	32.12	Peak																																																																																																																																					
6	731.31	27.20	-18.80	46.00	28.16	27.64	3.66	32.26	Peak																																																																																																																																					
Peak	Freq (MHz)	Level (dBuV/m)	Over Limit (dB)	Limit (dBuV/m)	ReadAntenna Level (dBuV)	Cable Preamp Loss Factor (dB/m)	A/Pos (dB)	T/Pos (dB)	Remark																																																																																																																																					
1	46.49	33.02	-6.98	40.00	48.19	16.36	0.67	32.20	Peak																																																																																																																																					
2	119.24	27.04	-16.46	43.50	40.19	17.55	1.46	32.16	Peak																																																																																																																																					
3	202.66	29.92	-13.68	43.50	44.96	15.13	1.93	32.10	Peak																																																																																																																																					
4	264.74	31.00	-15.00	46.00	40.91	20.07	2.19	32.17	Peak																																																																																																																																					
5	467.47	24.35	-21.65	46.00	30.29	23.41	2.92	32.27	Peak																																																																																																																																					
6	732.28	27.36	-18.64	46.00	28.29	27.67	3.66	32.26	Peak																																																																																																																																					



<Simultaneous transmission>

Radiated Spurious Emission Test Modes

Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 1	2400-2483.5	2400-2483.5	CDD 4+5	Bluetooth-LE_GSKF	39	2480	2Mbps	Full	-
	U-NII-2A	5.15-5.35	CDD 4+5	802.11ax HE160	50	5250	MCS0	Full	-
	Part 27F---LTE_B13_BW_5M								
Mode 2	2400-2483.5	802.11ax HE40	CDD 4+5	802.11ax HE40	09	2452	MCS0	Full	-
	U-NII-2A	5.15-5.35	CDD 4+5	802.11ax HE160	50	5250	MCS0	Full	-
	Part 27F---LTE_B13_BW_5M								



Summary of each worse mode

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
1	Bluetooth-LE_GSKF	39	2491.12	46.24	54.00	-7.76	H	AVERAGE	Pass	Band Edge
	Bluetooth-LE_GSKF	39	7440.00	46.47	74.00	-27.53	V	PEAK	Pass	Harmonic
	802.11ax HE160	50	5148.00	50.58	54.00	-3.42	V	AVERAGE	Pass	Band Edge
	802.11ax HE160	50	10500.00	47.91	68.30	-20.39	V	PEAK	Pass	Harmonic
2	802.11ax HE40	09	2484.74	50.18	54.00	-3.82	H	AVERAGE	Pass	Band Edge
	802.11ax HE40	09	7356.00	43.55	74.00	-30.45	V	PEAK	Pass	Harmonic
	802.11ax HE160	50	5389.65	46.89	54.00	-7.11	H	AVERAGE	Pass	Band Edge
	802.11ax HE160	50	10500.00	46.02	68.30	-22.28	V	PEAK	Pass	Harmonic



Mode	1																																																																																			
	Band Edge																																																																																			
	2400-2483.5_2400-2483.5_Bluetooth-LE_GSKF_CH39_Full_2480MHz																																																																																			
ANT	6																																																																																			
Pol.	Horizontal	Fundamental																																																																																		
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2484.82</td> <td>55.81</td> <td>74.00</td> <td>-18.19</td> <td>43.24</td> <td>32.46</td> <td>6.73</td> <td>32.62</td> <td>6.00</td> <td>110</td> <td>326</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2484.82	55.81	74.00	-18.19	43.24	32.46	6.73	32.62	6.00	110	326	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2480.00</td> <td>100.56</td> <td>-----</td> <td>-----</td> <td>88.01</td> <td>32.45</td> <td>6.73</td> <td>32.63</td> <td>6.00</td> <td>110</td> <td>326</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	100.56	-----	-----	88.01	32.45	6.73	32.63	6.00	110	326	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	2484.82	55.81	74.00	-18.19	43.24	32.46	6.73	32.62	6.00	110	326	PEAK																																																																								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	2480.00	100.56	-----	-----	88.01	32.45	6.73	32.63	6.00	110	326	PEAK																																																																								
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2491.12</td> <td>46.24</td> <td>54.00</td> <td>-7.76</td> <td>33.63</td> <td>32.48</td> <td>6.74</td> <td>32.61</td> <td>6.00</td> <td>110</td> <td>326</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2491.12	46.24	54.00	-7.76	33.63	32.48	6.74	32.61	6.00	110	326	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2480.00</td> <td>98.35</td> <td>-----</td> <td>-----</td> <td>85.81</td> <td>32.44</td> <td>6.73</td> <td>32.63</td> <td>6.00</td> <td>110</td> <td>326</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	98.35	-----	-----	85.81	32.44	6.73	32.63	6.00	110	326	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	2491.12	46.24	54.00	-7.76	33.63	32.48	6.74	32.61	6.00	110	326	AVERAGE																																																																								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	2480.00	98.35	-----	-----	85.81	32.44	6.73	32.63	6.00	110	326	AVERAGE																																																																								



Mode	1																																																																																			
	Band Edge																																																																																			
	2400-2483.5_2400-2483.5_Bluetooth-LE_GSKF_CH39_Full_2480MHz																																																																																			
ANT	6																																																																																			
Pol.	Vertical	Fundamental																																																																																		
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2496.22</td> <td>56.22</td> <td>74.00</td> <td>-17.78</td> <td>43.56</td> <td>32.50</td> <td>6.75</td> <td>32.59</td> <td>6.00</td> <td>273</td> <td>244</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2496.22	56.22	74.00	-17.78	43.56	32.50	6.75	32.59	6.00	273	244	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2480.00</td> <td>95.37</td> <td>-----</td> <td>-----</td> <td>82.82</td> <td>32.45</td> <td>6.73</td> <td>32.63</td> <td>6.00</td> <td>273</td> <td>244</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	95.37	-----	-----	82.82	32.45	6.73	32.63	6.00	273	244	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	2496.22	56.22	74.00	-17.78	43.56	32.50	6.75	32.59	6.00	273	244	PEAK																																																																								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	2480.00	95.37	-----	-----	82.82	32.45	6.73	32.63	6.00	273	244	PEAK																																																																								
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2486.68</td> <td>46.00</td> <td>54.00</td> <td>-8.00</td> <td>33.42</td> <td>32.46</td> <td>6.74</td> <td>32.62</td> <td>6.00</td> <td>273</td> <td>244</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2486.68	46.00	54.00	-8.00	33.42	32.46	6.74	32.62	6.00	273	244	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2480.00</td> <td>93.25</td> <td>-----</td> <td>-----</td> <td>80.71</td> <td>32.44</td> <td>6.73</td> <td>32.63</td> <td>6.00</td> <td>273</td> <td>244</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	93.25	-----	-----	80.71	32.44	6.73	32.63	6.00	273	244	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	2486.68	46.00	54.00	-8.00	33.42	32.46	6.74	32.62	6.00	273	244	AVERAGE																																																																								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	2480.00	93.25	-----	-----	80.71	32.44	6.73	32.63	6.00	273	244	AVERAGE																																																																								



Mode	1																																																																																									
	Harmonic																																																																																									
	2400-2483.5_2400-2483.5_Bluetooth-LE_GSKF_CH39_Full_2480MHz																																																																																									
ANT	6																																																																																									
Pol.	Horizontal	Vertical																																																																																								
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4960.00</td> <td>42.74</td> <td>74.00</td> <td>-31.26</td> <td>60.13</td> <td>34.10</td> <td>9.61</td> <td>61.10</td> <td>0.00</td> <td>300</td> <td>0 PEAK</td> </tr> <tr> <td>2</td> <td>7440.00</td> <td>45.37</td> <td>74.00</td> <td>-28.63</td> <td>58.87</td> <td>35.70</td> <td>11.77</td> <td>60.97</td> <td>0.00</td> <td>300</td> <td>0 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	1	4960.00	42.74	74.00	-31.26	60.13	34.10	9.61	61.10	0.00	300	0 PEAK	2	7440.00	45.37	74.00	-28.63	58.87	35.70	11.77	60.97	0.00	300	0 PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4960.00</td> <td>42.61</td> <td>74.00</td> <td>-31.39</td> <td>60.00</td> <td>34.10</td> <td>9.61</td> <td>61.10</td> <td>0.00</td> <td>100</td> <td>0 PEAK</td> </tr> <tr> <td>2</td> <td>7440.00</td> <td>46.47</td> <td>74.00</td> <td>-27.53</td> <td>59.97</td> <td>35.70</td> <td>11.77</td> <td>60.97</td> <td>0.00</td> <td>100</td> <td>0 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	1	4960.00	42.61	74.00	-31.39	60.00	34.10	9.61	61.10	0.00	100	0 PEAK	2	7440.00	46.47	74.00	-27.53	59.97	35.70	11.77	60.97	0.00	100	0 PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																
1	4960.00	42.74	74.00	-31.26	60.13	34.10	9.61	61.10	0.00	300	0 PEAK																																																																															
2	7440.00	45.37	74.00	-28.63	58.87	35.70	11.77	60.97	0.00	300	0 PEAK																																																																															
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																
1	4960.00	42.61	74.00	-31.39	60.00	34.10	9.61	61.10	0.00	100	0 PEAK																																																																															
2	7440.00	46.47	74.00	-27.53	59.97	35.70	11.77	60.97	0.00	100	0 PEAK																																																																															







Mode	1																																																																																																
	Band Edge - L																																																																																																
	U-NII-2A_5.15-5.35_802.11ax HE160_CH50_Full_5250MHz																																																																																																
ANT	CDD 4+5																																																																																																
Pol.	Horizontal	Fundamental																																																																																															
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5142.00</td> <td>60.84</td> <td>74.00</td> <td>-13.16</td> <td>48.76</td> <td>34.10</td> <td>9.78</td> <td>31.80</td> <td>0.00</td> <td>310</td> <td>283</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5142.00	60.84	74.00	-13.16	48.76	34.10	9.78	31.80	0.00	310	283	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2482.00</td> <td>84.99</td> <td>68.30</td> <td>16.69</td> <td>78.44</td> <td>32.45</td> <td>6.73</td> <td>32.63</td> <td>0.00</td> <td>310</td> <td>283</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>5250.00</td> <td>89.93</td> <td>68.30</td> <td>21.63</td> <td>77.64</td> <td>34.29</td> <td>9.86</td> <td>31.86</td> <td>0.00</td> <td>310</td> <td>283</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2482.00	84.99	68.30	16.69	78.44	32.45	6.73	32.63	0.00	310	283	Peak	2	5250.00	89.93	68.30	21.63	77.64	34.29	9.86	31.86	0.00	310	283	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5142.00	60.84	74.00	-13.16	48.76	34.10	9.78	31.80	0.00	310	283	PEAK																																																																																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2482.00	84.99	68.30	16.69	78.44	32.45	6.73	32.63	0.00	310	283	Peak																																																																																					
2	5250.00	89.93	68.30	21.63	77.64	34.29	9.86	31.86	0.00	310	283	PEAK																																																																																					
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5134.50</td> <td>48.94</td> <td>54.00</td> <td>-5.06</td> <td>36.86</td> <td>34.10</td> <td>9.77</td> <td>31.79</td> <td>0.00</td> <td>310</td> <td>283</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5134.50	48.94	54.00	-5.06	36.86	34.10	9.77	31.79	0.00	310	283	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2482.00</td> <td>80.99</td> <td>68.30</td> <td>12.69</td> <td>74.44</td> <td>32.45</td> <td>6.73</td> <td>32.63</td> <td>0.00</td> <td>310</td> <td>283</td> <td>Average</td> </tr> <tr> <td>2</td> <td>5248.00</td> <td>79.76</td> <td>68.30</td> <td>11.46</td> <td>67.47</td> <td>34.29</td> <td>9.86</td> <td>31.86</td> <td>0.00</td> <td>310</td> <td>283</td> <td>Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2482.00	80.99	68.30	12.69	74.44	32.45	6.73	32.63	0.00	310	283	Average	2	5248.00	79.76	68.30	11.46	67.47	34.29	9.86	31.86	0.00	310	283	Average
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5134.50	48.94	54.00	-5.06	36.86	34.10	9.77	31.79	0.00	310	283	AVERAGE																																																																																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2482.00	80.99	68.30	12.69	74.44	32.45	6.73	32.63	0.00	310	283	Average																																																																																					
2	5248.00	79.76	68.30	11.46	67.47	34.29	9.86	31.86	0.00	310	283	Average																																																																																					





	1																																														
Mode	Band Edge - R																																														
	U-NII-2A_5.15-5.35_802.11ax HE160_CH50_Full_5250MHz																																														
ANT	CDD 4+5																																														
Pol.	Horizontal	Fundamental																																													
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5350.38</td> <td>58.99</td> <td>74.00</td> <td>-15.01</td> <td>46.35</td> <td>34.65</td> <td>9.91</td> <td>31.92</td> <td>0.00</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>310 283 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 5350.38	58.99	74.00	-15.01	46.35	34.65	9.91	31.92	0.00									310 283 PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																							
1 5350.38	58.99	74.00	-15.01	46.35	34.65	9.91	31.92	0.00																																							
								310 283 PEAK																																							
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5352.27</td> <td>47.74</td> <td>54.00</td> <td>-6.26</td> <td>35.11</td> <td>34.65</td> <td>9.91</td> <td>31.93</td> <td>0.00</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>310 283 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 5352.27	47.74	54.00	-6.26	35.11	34.65	9.91	31.93	0.00									310 283 AVERAGE	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																							
1 5352.27	47.74	54.00	-6.26	35.11	34.65	9.91	31.93	0.00																																							
								310 283 AVERAGE																																							



Mode	1																																																																																																
	Band Edge - L																																																																																																
	U-NII-2A_5.15-5.35_802.11ax HE160_CH50_Full_5250MHz																																																																																																
ANT	CDD 4+5																																																																																																
Pol.	Vertical	Fundamental																																																																																															
Peak	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5123.75</td> <td>62.11</td> <td>74.00</td> <td>-11.89</td> <td>50.04</td> <td>34.10</td> <td>9.76</td> <td>31.79</td> <td>0.00</td> <td>300</td> <td>229</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5123.75	62.11	74.00	-11.89	50.04	34.10	9.76	31.79	0.00	300	229	PEAK	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2482.00</td> <td>83.20</td> <td>68.30</td> <td>14.90</td> <td>76.65</td> <td>32.45</td> <td>6.73</td> <td>32.63</td> <td>0.00</td> <td>300</td> <td>229</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>5250.00</td> <td>88.74</td> <td>68.30</td> <td>20.44</td> <td>76.45</td> <td>34.29</td> <td>9.86</td> <td>31.86</td> <td>0.00</td> <td>300</td> <td>229</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2482.00	83.20	68.30	14.90	76.65	32.45	6.73	32.63	0.00	300	229	Peak	2	5250.00	88.74	68.30	20.44	76.45	34.29	9.86	31.86	0.00	300	229	Peak
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5123.75	62.11	74.00	-11.89	50.04	34.10	9.76	31.79	0.00	300	229	PEAK																																																																																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2482.00	83.20	68.30	14.90	76.65	32.45	6.73	32.63	0.00	300	229	Peak																																																																																					
2	5250.00	88.74	68.30	20.44	76.45	34.29	9.86	31.86	0.00	300	229	Peak																																																																																					
Avg	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5148.00</td> <td>50.58</td> <td>54.00</td> <td>-3.42</td> <td>38.50</td> <td>34.10</td> <td>9.78</td> <td>31.80</td> <td>0.00</td> <td>300</td> <td>229</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5148.00	50.58	54.00	-3.42	38.50	34.10	9.78	31.80	0.00	300	229	AVERAGE	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2482.00</td> <td>79.06</td> <td>68.30</td> <td>10.76</td> <td>72.51</td> <td>32.45</td> <td>6.73</td> <td>32.63</td> <td>0.00</td> <td>300</td> <td>229</td> <td>Average</td> </tr> <tr> <td>2</td> <td>5250.00</td> <td>79.44</td> <td>68.30</td> <td>11.14</td> <td>67.15</td> <td>34.29</td> <td>9.86</td> <td>31.86</td> <td>0.00</td> <td>300</td> <td>229</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2482.00	79.06	68.30	10.76	72.51	32.45	6.73	32.63	0.00	300	229	Average	2	5250.00	79.44	68.30	11.14	67.15	34.29	9.86	31.86	0.00	300	229	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5148.00	50.58	54.00	-3.42	38.50	34.10	9.78	31.80	0.00	300	229	AVERAGE																																																																																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2482.00	79.06	68.30	10.76	72.51	32.45	6.73	32.63	0.00	300	229	Average																																																																																					
2	5250.00	79.44	68.30	11.14	67.15	34.29	9.86	31.86	0.00	300	229	AVERAGE																																																																																					



1	
Mode	Band Edge - R
	U-NII-2A_5.15-5.35_802.11ax HE160_CH50_Full_5250MHz
ANT	CDD 4+5
Pol.	Vertical
Peak	Fundamental
	Blank
Avg	Fundamental
	Blank





Mode	1																																																																											
	Harmonic																																																																											
	U-NII-2A_5.15-5.35_802.11ax HE160_CH50_Full_5250MHz																																																																											
ANT	CDD 4+5																																																																											
Pol.	Horizontal	Vertical																																																																										
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 10500.00</td> <td>47.13</td> <td>68.30</td> <td>-21.17</td> <td>55.75</td> <td>37.70</td> <td>14.22</td> <td>60.54</td> <td>0.00</td> <td>300</td> <td>0 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 10500.00	47.13	68.30	-21.17	55.75	37.70	14.22	60.54	0.00	300	0 PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 10500.00</td> <td>47.91</td> <td>68.30</td> <td>-20.39</td> <td>56.53</td> <td>37.70</td> <td>14.22</td> <td>60.54</td> <td>0.00</td> <td>100</td> <td>0 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 10500.00	47.91	68.30	-20.39	56.53	37.70	14.22	60.54	0.00	100	0 PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																			
1 10500.00	47.13	68.30	-21.17	55.75	37.70	14.22	60.54	0.00	300	0 PEAK																																																																		
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																			
1 10500.00	47.91	68.30	-20.39	56.53	37.70	14.22	60.54	0.00	100	0 PEAK																																																																		



Mode	2																																																																																			
	Band Edge - L																																																																																			
	2400-2483.5_802.11ax HE40_802.11ax HE40_CH09_Full_2452MHz																																																																																			
ANT	CDD 3+6																																																																																			
Pol.	Horizontal	Fundamental																																																																																		
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2351.46</td> <td>55.04</td> <td>74.00</td> <td>-18.96</td> <td>43.29</td> <td>32.13</td> <td>6.54</td> <td>32.92</td> <td>6.00</td> <td>106</td> <td>130</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2351.46	55.04	74.00	-18.96	43.29	32.13	6.54	32.92	6.00	106	130	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2452.00</td> <td>104.05</td> <td>-----</td> <td>-----</td> <td>91.71</td> <td>32.34</td> <td>6.70</td> <td>32.70</td> <td>6.00</td> <td>106</td> <td>130</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2452.00	104.05	-----	-----	91.71	32.34	6.70	32.70	6.00	106	130	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	2351.46	55.04	74.00	-18.96	43.29	32.13	6.54	32.92	6.00	106	130	PEAK																																																																								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	2452.00	104.05	-----	-----	91.71	32.34	6.70	32.70	6.00	106	130	PEAK																																																																								
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2389.38</td> <td>42.64</td> <td>54.00</td> <td>-11.36</td> <td>30.62</td> <td>32.28</td> <td>6.60</td> <td>32.86</td> <td>6.00</td> <td>106</td> <td>130</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.38	42.64	54.00	-11.36	30.62	32.28	6.60	32.86	6.00	106	130	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2452.00</td> <td>92.74</td> <td>-----</td> <td>-----</td> <td>80.40</td> <td>32.34</td> <td>6.70</td> <td>32.70</td> <td>6.00</td> <td>106</td> <td>130</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2452.00	92.74	-----	-----	80.40	32.34	6.70	32.70	6.00	106	130	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	2389.38	42.64	54.00	-11.36	30.62	32.28	6.60	32.86	6.00	106	130	AVERAGE																																																																								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	2452.00	92.74	-----	-----	80.40	32.34	6.70	32.70	6.00	106	130	AVERAGE																																																																								



Mode	2																																								
	Band Edge - R																																								
	2400-2483.5_802.11ax HE40_802.11ax HE40_CH09_Full_2452MHz																																								
ANT	CDD 3+6																																								
Pol.	Horizontal	Fundamental																																							
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 2484.83</td> <td>64.11</td> <td>74.00</td> <td>-9.89</td> <td>51.54</td> <td>32.46</td> <td>6.73</td> <td>32.62</td> <td>6.00</td> <td>106</td> <td>130 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 2484.83	64.11	74.00	-9.89	51.54	32.46	6.73	32.62	6.00	106	130 PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																
1 2484.83	64.11	74.00	-9.89	51.54	32.46	6.73	32.62	6.00	106	130 PEAK																															
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 2484.74</td> <td>50.18</td> <td>54.00</td> <td>-3.82</td> <td>37.61</td> <td>32.46</td> <td>6.73</td> <td>32.62</td> <td>6.00</td> <td>106</td> <td>130 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 2484.74	50.18	54.00	-3.82	37.61	32.46	6.73	32.62	6.00	106	130 AVERAGE	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																
1 2484.74	50.18	54.00	-3.82	37.61	32.46	6.73	32.62	6.00	106	130 AVERAGE																															



Mode	2																																																																																			
	Band Edge - L																																																																																			
	2400-2483.5_802.11ax HE40_802.11ax HE40_CH09_Full_2452MHz																																																																																			
ANT	CDD 3+6																																																																																			
Pol.	Vertical	Fundamental																																																																																		
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2386.54</td> <td>55.25</td> <td>74.00</td> <td>-18.75</td> <td>43.25</td> <td>32.27</td> <td>6.60</td> <td>32.87</td> <td>6.00</td> <td>100</td> <td>37</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2386.54	55.25	74.00	-18.75	43.25	32.27	6.60	32.87	6.00	100	37	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2452.00</td> <td>99.88</td> <td>-----</td> <td>-----</td> <td>87.54</td> <td>32.34</td> <td>6.70</td> <td>32.70</td> <td>6.00</td> <td>100</td> <td>37</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2452.00	99.88	-----	-----	87.54	32.34	6.70	32.70	6.00	100	37	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	2386.54	55.25	74.00	-18.75	43.25	32.27	6.60	32.87	6.00	100	37	PEAK																																																																								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	2452.00	99.88	-----	-----	87.54	32.34	6.70	32.70	6.00	100	37	PEAK																																																																								
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2389.66</td> <td>42.51</td> <td>54.00</td> <td>-11.49</td> <td>30.49</td> <td>32.28</td> <td>6.60</td> <td>32.86</td> <td>6.00</td> <td>100</td> <td>37</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.66	42.51	54.00	-11.49	30.49	32.28	6.60	32.86	6.00	100	37	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2452.00</td> <td>89.99</td> <td>-----</td> <td>-----</td> <td>77.66</td> <td>32.34</td> <td>6.69</td> <td>32.70</td> <td>6.00</td> <td>100</td> <td>37</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2452.00	89.99	-----	-----	77.66	32.34	6.69	32.70	6.00	100	37	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	2389.66	42.51	54.00	-11.49	30.49	32.28	6.60	32.86	6.00	100	37	AVERAGE																																																																								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	2452.00	89.99	-----	-----	77.66	32.34	6.69	32.70	6.00	100	37	AVERAGE																																																																								







Mode	2																																								
	Band Edge - R																																								
	2400-2483.5_802.11ax HE40_802.11ax HE40_CH09_Full_2452MHz																																								
ANT	CDD 3+6																																								
Pol.	Vertical	Fundamental																																							
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 2484.83</td> <td>62.19</td> <td>74.00</td> <td>-11.81</td> <td>49.62</td> <td>32.46</td> <td>6.73</td> <td>32.62</td> <td>6.00</td> <td>100</td> <td>37 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 2484.83	62.19	74.00	-11.81	49.62	32.46	6.73	32.62	6.00	100	37 PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																
1 2484.83	62.19	74.00	-11.81	49.62	32.46	6.73	32.62	6.00	100	37 PEAK																															
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 2483.73</td> <td>49.38</td> <td>54.00</td> <td>-4.62</td> <td>36.82</td> <td>32.45</td> <td>6.73</td> <td>32.62</td> <td>6.00</td> <td>100</td> <td>37 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 2483.73	49.38	54.00	-4.62	36.82	32.45	6.73	32.62	6.00	100	37 AVERAGE	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																
1 2483.73	49.38	54.00	-4.62	36.82	32.45	6.73	32.62	6.00	100	37 AVERAGE																															



Mode	2																																																																																																											
	Harmonic																																																																																																											
	2400-2483.5_802.11ax HE40_802.11ax HE40_CH09_Full_2452MHz																																																																																																											
ANT	CDD 3+6																																																																																																											
Pol.	Horizontal	Vertical																																																																																																										
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4904.00</td> <td>40.76</td> <td>74.00</td> <td>-33.24</td> <td>58.86</td> <td>34.10</td> <td>9.55</td> <td>61.75</td> <td>0.00</td> <td>300</td> <td>360</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>7356.00</td> <td>43.20</td> <td>74.00</td> <td>-30.80</td> <td>57.85</td> <td>35.70</td> <td>11.71</td> <td>62.06</td> <td>0.00</td> <td>300</td> <td>360</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	4904.00	40.76	74.00	-33.24	58.86	34.10	9.55	61.75	0.00	300	360	PEAK	2	7356.00	43.20	74.00	-30.80	57.85	35.70	11.71	62.06	0.00	300	360	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4904.00</td> <td>40.68</td> <td>74.00</td> <td>-33.32</td> <td>58.78</td> <td>34.10</td> <td>9.55</td> <td>61.75</td> <td>0.00</td> <td>100</td> <td>360</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>7356.00</td> <td>43.55</td> <td>74.00</td> <td>-30.45</td> <td>58.20</td> <td>35.70</td> <td>11.71</td> <td>62.06</td> <td>0.00</td> <td>100</td> <td>360</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	4904.00	40.68	74.00	-33.32	58.78	34.10	9.55	61.75	0.00	100	360	PEAK	2	7356.00	43.55	74.00	-30.45	58.20	35.70	11.71	62.06	0.00	100	360	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																				
1	4904.00	40.76	74.00	-33.24	58.86	34.10	9.55	61.75	0.00	300	360	PEAK																																																																																																
2	7356.00	43.20	74.00	-30.80	57.85	35.70	11.71	62.06	0.00	300	360	PEAK																																																																																																
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																				
1	4904.00	40.68	74.00	-33.32	58.78	34.10	9.55	61.75	0.00	100	360	PEAK																																																																																																
2	7356.00	43.55	74.00	-30.45	58.20	35.70	11.71	62.06	0.00	100	360	PEAK																																																																																																



Mode	2																																																																																														
	Band Edge - L																																																																																														
	U-NII-2A_5.15-5.35_802.11ax HE160_CH50_Full_5250MHz																																																																																														
ANT	CDD 4+5																																																																																														
Pol.	Horizontal	Fundamental																																																																																													
Peak	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5099.75</td> <td>57.71</td> <td>74.00</td> <td>-16.29</td> <td>45.64</td> <td>34.10</td> <td>9.74</td> <td>31.77</td> <td>0.00</td> <td>100</td> <td>267</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5099.75	57.71	74.00	-16.29	45.64	34.10	9.74	31.77	0.00	100	267	PEAK	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2458.00</td> <td>98.26</td> <td>68.30</td> <td>29.96</td> <td>91.90</td> <td>32.35</td> <td>6.70</td> <td>32.69</td> <td>0.00</td> <td>100</td> <td>267</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>5254.00</td> <td>92.90</td> <td>68.30</td> <td>24.60</td> <td>80.59</td> <td>34.32</td> <td>9.86</td> <td>31.87</td> <td>0.00</td> <td>100</td> <td>267</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	2458.00	98.26	68.30	29.96	91.90	32.35	6.70	32.69	0.00	100	267	Peak	2	5254.00	92.90	68.30	24.60	80.59	34.32	9.86	31.87	0.00	100	267	Peak
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																						
Freq Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	cm	deg																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																							
1	5099.75	57.71	74.00	-16.29	45.64	34.10	9.74	31.77	0.00	100	267	PEAK																																																																																			
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	Remark																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																							
1	2458.00	98.26	68.30	29.96	91.90	32.35	6.70	32.69	0.00	100	267	Peak																																																																																			
2	5254.00	92.90	68.30	24.60	80.59	34.32	9.86	31.87	0.00	100	267	Peak																																																																																			
Avg	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5120.00</td> <td>46.81</td> <td>54.00</td> <td>-7.19</td> <td>34.74</td> <td>34.10</td> <td>9.76</td> <td>31.79</td> <td>0.00</td> <td>100</td> <td>267</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5120.00	46.81	54.00	-7.19	34.74	34.10	9.76	31.79	0.00	100	267	AVERAGE	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2452.00</td> <td>90.00</td> <td>-----</td> <td>-----</td> <td>84.49</td> <td>32.33</td> <td>6.69</td> <td>32.71</td> <td>0.00</td> <td>100</td> <td>267</td> <td>Average</td> </tr> <tr> <td>2</td> <td>5242.00</td> <td>84.79</td> <td>68.30</td> <td>16.49</td> <td>72.53</td> <td>34.27</td> <td>9.85</td> <td>31.86</td> <td>0.00</td> <td>100</td> <td>267</td> <td>Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	2452.00	90.00	-----	-----	84.49	32.33	6.69	32.71	0.00	100	267	Average	2	5242.00	84.79	68.30	16.49	72.53	34.27	9.85	31.86	0.00	100	267	Average
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	Remark																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																							
1	5120.00	46.81	54.00	-7.19	34.74	34.10	9.76	31.79	0.00	100	267	AVERAGE																																																																																			
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	Remark																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																							
1	2452.00	90.00	-----	-----	84.49	32.33	6.69	32.71	0.00	100	267	Average																																																																																			
2	5242.00	84.79	68.30	16.49	72.53	34.27	9.85	31.86	0.00	100	267	Average																																																																																			



Mode	2																																							
	Band Edge - R																																							
	U-NII-2A_5.15-5.35_802.11ax HE160_CH50_Full_5250MHz																																							
ANT	CDD 4+5																																							
Pol.	Horizontal	Fundamental																																						
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5380.20</td> <td>59.51</td> <td>74.00</td> <td>-14.49</td> <td>46.79</td> <td>34.73</td> <td>9.93</td> <td>31.94</td> <td>0.00</td> <td>100 267 PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5380.20	59.51	74.00	-14.49	46.79	34.73	9.93	31.94	0.00	100 267 PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																															
1 5380.20	59.51	74.00	-14.49	46.79	34.73	9.93	31.94	0.00	100 267 PEAK																															
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5389.65</td> <td>46.89</td> <td>54.00</td> <td>-7.11</td> <td>34.15</td> <td>34.76</td> <td>9.93</td> <td>31.95</td> <td>0.00</td> <td>100 267 AVERAGE</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5389.65	46.89	54.00	-7.11	34.15	34.76	9.93	31.95	0.00	100 267 AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																															
1 5389.65	46.89	54.00	-7.11	34.15	34.76	9.93	31.95	0.00	100 267 AVERAGE																															
		Blank																																						



		2																																																																																																		
Mode	Band Edge - L																																																																																																			
	U-NII-2A_5.15-5.35_802.11ax HE160_CH50_Full_5250MHz																																																																																																			
ANT	CDD 4+5																																																																																																			
Pol.	Vertical	Fundamental																																																																																																		
Peak																																																																																																				
	<table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5107.75</td> <td>56.52</td> <td>74.00</td> <td>-17.48</td> <td>44.45</td> <td>34.10</td> <td>9.75</td> <td>31.78</td> <td>0.00</td> <td></td> <td>328</td> <td>51</td> <td>PEAK</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1	5107.75	56.52	74.00	-17.48	44.45	34.10	9.75	31.78	0.00		328	51	PEAK	<table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2446.00</td> <td>95.84</td> <td>68.30</td> <td>27.54</td> <td>89.58</td> <td>32.30</td> <td>6.68</td> <td>32.72</td> <td>0.00</td> <td></td> <td>328</td> <td>51</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>5260.00</td> <td>92.73</td> <td>68.30</td> <td>24.43</td> <td>80.40</td> <td>34.34</td> <td>9.86</td> <td>31.87</td> <td>0.00</td> <td></td> <td>328</td> <td>51</td> <td>Peak</td> </tr> </tbody> </table>		Peak	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1	2446.00	95.84	68.30	27.54	89.58	32.30	6.68	32.72	0.00		328	51	Peak	2	5260.00	92.73	68.30	24.43	80.40	34.34	9.86	31.87	0.00		328	51
Peak	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																								
1	5107.75	56.52	74.00	-17.48	44.45	34.10	9.75	31.78	0.00		328	51	PEAK																																																																																							
Peak	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																								
1	2446.00	95.84	68.30	27.54	89.58	32.30	6.68	32.72	0.00		328	51	Peak																																																																																							
2	5260.00	92.73	68.30	24.43	80.40	34.34	9.86	31.87	0.00		328	51	Peak																																																																																							
Avg																																																																																																				
	<table border="1"> <thead> <tr> <th>Avg</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5118.00</td> <td>45.90</td> <td>54.00</td> <td>-8.10</td> <td>33.82</td> <td>34.10</td> <td>9.76</td> <td>31.78</td> <td>0.00</td> <td></td> <td>328</td> <td>51</td> <td>AVERAGE</td> </tr> </tbody> </table>	Avg	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1	5118.00	45.90	54.00	-8.10	33.82	34.10	9.76	31.78	0.00		328	51	AVERAGE	<table border="1"> <thead> <tr> <th>Avg</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2458.00</td> <td>88.59</td> <td>68.30</td> <td>20.29</td> <td>82.23</td> <td>32.35</td> <td>6.70</td> <td>32.69</td> <td>0.00</td> <td></td> <td>328</td> <td>51</td> <td>Average</td> </tr> <tr> <td>2</td> <td>5254.00</td> <td>83.46</td> <td>68.30</td> <td>15.16</td> <td>71.15</td> <td>34.32</td> <td>9.86</td> <td>31.87</td> <td>0.00</td> <td></td> <td>328</td> <td>51</td> <td>Average</td> </tr> </tbody> </table>		Avg	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1	2458.00	88.59	68.30	20.29	82.23	32.35	6.70	32.69	0.00		328	51	Average	2	5254.00	83.46	68.30	15.16	71.15	34.32	9.86	31.87	0.00		328	51
Avg	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																								
1	5118.00	45.90	54.00	-8.10	33.82	34.10	9.76	31.78	0.00		328	51	AVERAGE																																																																																							
Avg	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																								
1	2458.00	88.59	68.30	20.29	82.23	32.35	6.70	32.69	0.00		328	51	Average																																																																																							
2	5254.00	83.46	68.30	15.16	71.15	34.32	9.86	31.87	0.00		328	51	Average																																																																																							



	2																																						
Mode	Band Edge - R																																						
	U-NII-2A_5.15-5.35_802.11ax HE160_CH50_Full_5250MHz																																						
ANT	CDD 4+5																																						
Pol.	Vertical	Fundamental																																					
Peak	<table border="1" data-bbox="268 1149 778 1249"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5366.34</td> <td>56.53</td> <td>74.00</td> <td>-17.47</td> <td>43.85</td> <td>34.69</td> <td>9.92</td> <td>31.93</td> <td>0.00</td> <td>328 51 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 5366.34	56.53	74.00	-17.47	43.85	34.69	9.92	31.93	0.00	328 51 PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																															
1 5366.34	56.53	74.00	-17.47	43.85	34.69	9.92	31.93	0.00	328 51 PEAK																														
Avg	<table border="1" data-bbox="268 1825 778 1926"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5398.68</td> <td>45.84</td> <td>54.00</td> <td>-8.16</td> <td>33.06</td> <td>34.79</td> <td>9.94</td> <td>31.95</td> <td>0.00</td> <td>328 51 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 5398.68	45.84	54.00	-8.16	33.06	34.79	9.94	31.95	0.00	328 51 AVERAGE	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																															
1 5398.68	45.84	54.00	-8.16	33.06	34.79	9.94	31.95	0.00	328 51 AVERAGE																														



Mode	2																																																																													
	Harmonic																																																																													
	U-NII-2A_5.15-5.35_802.11ax HE160_CH50_Full_5250MHz																																																																													
ANT	CDD 4+5																																																																													
Pol.	Horizontal	Vertical																																																																												
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 10500.00</td> <td>46.01</td> <td>68.30</td> <td>-22.29</td> <td>55.71</td> <td>37.70</td> <td>14.22</td> <td>61.62</td> <td>0.00</td> <td>300 0 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 10500.00	46.01	68.30	-22.29	55.71	37.70	14.22	61.62	0.00	300 0 PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 10500.00</td> <td>46.02</td> <td>68.30</td> <td>-22.28</td> <td>55.72</td> <td>37.70</td> <td>14.22</td> <td>61.62</td> <td>0.00</td> <td>100 0 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 10500.00	46.02	68.30	-22.28	55.72	37.70	14.22	61.62	0.00	100 0 PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																					
1 10500.00	46.01	68.30	-22.29	55.71	37.70	14.22	61.62	0.00	300 0 PEAK																																																																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																					
1 10500.00	46.02	68.30	-22.28	55.72	37.70	14.22	61.62	0.00	100 0 PEAK																																																																					



Appendix D. Duty Cycle Plots

Band	Duty Cycle(%)	T(ms)	1/T(kHz)	VBW Setting
802.11a	99.29	-	-	10HZ
802.11ax HE20	100	-	-	10HZ
802.11ax HE40	98.77	-	-	10HZ
802.11ax HE80	99.15	-	-	10HZ
802.11ax HE160	99.31	-	-	10HZ
802.11ax HE20 RU26	100	-	-	10HZ
802.11ax HE20 RU52	100	-	-	10HZ
802.11ax HE20 RU106	100	-	-	10HZ

802.11a

