





11AX20MIMO_Ant4_6695_52Tone_RU37



Date: 16.NOV.2022 04:26:48


11AX20MIMO_Ant4_6695_106Tone_RU53



Date: 16.NOV.2022 04:29:31




11AX20MIMO_Ant5_6855_26Tone_RU8



Date: 16.NOV.2022 04:31:25


11AX20MIMO_Ant5_6855_52Tone_RU40



Date: 16.NOV.2022 04:35:57




11AX20MIMO_Ant5_6855_106Tone_RU54



Date: 16.NOV.2022 04:39:20


11AX20MIMO_Ant4_6855_26Tone_RU8



Date: 16.NOV.2022 04:32:36




11AX20MIMO_Ant4_6855_52Tone_RU40



Date: 16.NOV.2022 04:37:14


11AX20MIMO_Ant4_6855_106Tone_RU54



Date: 16.NOV.2022 04:40:40




11AX20MIMO_Ant5_6875_26Tone_RU8




Date: 16.NOV.2022 04:46:14

11AX20MIMO_Ant5_6875_52Tone_RU40




Date: 16.NOV.2022 04:48:42






11AX20MIMO_Ant4_6875_52Tone_RU40



Date: 16.NOV.2022 04:50:05


11AX20MIMO_Ant4_6875_106Tone_RU54



Date: 16.NOV.2022 04:52:40




11AX20MIMO_Ant5_6895_26Tone_RU0



Date: 16.NOV.2022 05:59:42


11AX20MIMO_Ant5_6895_52Tone_RU37



Date: 16.NOV.2022 06:05:18




11AX20MIMO_Ant5_6895_106Tone_RU53



Date: 16.NOV.2022 06:09:14


11AX20MIMO_Ant4_6895_26Tone_RU



Date: 16.NOV.2022 06:01:47




11AX20MIMO_Ant4_6895_52Tone_RU37



Date: 16.NOV.2022 06:07:29


11AX20MIMO_Ant4_6895_106Tone_RU53



Date: 16.NOV.2022 06:10:52




11AX20MIMO_Ant5_6995_26Tone_RU0



Date: 16.NOV.2022 06:18:11


11AX20MIMO_Ant5_6995_52Tone_RU37



Date: 16.NOV.2022 06:20:55




11AX20MIMO_Ant5_6995_106Tone_RU53



Date: 16.NOV.2022 06:28:19


11AX20MIMO_Ant4_6995_26Tone_RU



Date: 16.NOV.2022 06:19:21




11AX20MIMO_Ant4_6995_52Tone_RU37





Date: 16.NOV.2022 06:22:09

11AX20MIMO_Ant4_6995_106Tone_RU53




Date: 16.NOV.2022 06:30:18






11AX20MIMO_Ant5_7095_106Tone_RU54



Date: 16.NOV.2022 06:43:52


11AX20MIMO_Ant4_7095_26Tone_RU8



Date: 16.NOV.2022 06:37:02




11AX20MIMO_Ant4_7095_52Tone_RU40



Date: 16.NOV.2022 06:41:03


11AX20MIMO_Ant4_7095_106Tone_RU54



Date: 16.NOV.2022 06:46:11




11AX20MIMO_Ant5_7115_26Tone_RU8





Date: 16.NOV.2022 06:53:52

11AX20MIMO_Ant5_7115_52Tone_RU40




Date: 16.NOV.2022 06:56:19






11AX20MIMO_Ant4_7115_52Tone_RU40



Date: 16.NOV.2022 06:57:30

11AX20MIMO_Ant4_7115_106Tone_RU54




Date: 17.NOV.2022 02:08:26



Appendix B. AC Conducted Emission Test Results

Test Engineer :	Amos Zhang	Temperature :	25.3~26.2°C
		Relative Humidity :	38~40%
Test Voltage :	120Vac / 60Hz	Phase :	Line
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		




Site : CO01-KS
 Condition : 15E RSS247-QP LISN-060105-LINE LINE

	Freq	Level	Over	Limit	Read	LISN	Cable	
	MHz	dBuV	Limit	Line	Level	Factor	Loss	Remark
			dB	dBuV	dBuV	dB	dB	
1	0.173	55.67	-9.14	64.81	45.19	0.05	10.43	QP
2	0.173	38.77	-16.04	54.81	28.29	0.05	10.43	Average
3 *	0.183	56.06	-8.27	64.33	45.61	0.03	10.42	QP
4	0.183	40.66	-13.67	54.33	30.21	0.03	10.42	Average
5	0.219	51.33	-11.55	62.88	40.90	0.03	10.40	QP
6	0.219	34.73	-18.15	52.88	24.30	0.03	10.40	Average
7	0.270	50.62	-10.50	61.12	40.20	0.05	10.37	QP
8	0.270	35.94	-15.18	51.12	25.52	0.05	10.37	Average
9	0.320	46.29	-13.42	59.71	35.90	0.05	10.34	QP
10	0.320	34.59	-15.12	49.71	24.20	0.05	10.34	Average
11	0.356	44.85	-13.98	58.83	34.50	0.03	10.32	QP
12	0.356	31.55	-17.28	48.83	21.20	0.03	10.32	Average
13	0.499	41.38	-14.63	56.01	31.20	-0.03	10.21	QP
14	0.499	32.78	-13.23	46.01	22.60	-0.03	10.21	Average



Test Engineer :	Amos Zhang	Temperature :	25.3~26.2°C
		Relative Humidity :	38~40%
Test Voltage :	120Vac / 60Hz	Phase :	Neutral
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		



Site : CO01-KS
 Condition : 15E RSS247-QP LISN-060105-NEUTRAL NEUTRAL

	Freq	Level	Over	Limit	Read	LISN	Cable	Remark
	MHz	dBuV	Limit	Line	Level	Factor	Loss	
			dB	dBuV	dBuV	dB	dB	
1 *	0.177	58.67	-5.97	64.64	48.21	0.04	10.42	QP
2	0.177	42.07	-12.57	54.64	31.61	0.04	10.42	Average
3	0.259	46.02	-15.45	61.47	35.65	-0.01	10.38	QP
4	0.259	30.62	-20.85	51.47	20.25	-0.01	10.38	Average
5	0.312	49.60	-10.33	59.93	39.31	-0.05	10.34	QP
6	0.312	34.00	-15.93	49.93	23.71	-0.05	10.34	Average
7	0.352	45.55	-13.36	58.91	35.29	-0.06	10.32	QP
8	0.352	31.55	-17.36	48.91	21.29	-0.06	10.32	Average
9	0.469	40.42	-16.12	56.54	30.26	-0.08	10.24	QP
10	0.469	27.32	-19.22	46.54	17.16	-0.08	10.24	Average
11	0.521	39.37	-16.63	56.00	29.25	-0.08	10.20	QP
12	0.521	29.47	-16.53	46.00	19.35	-0.08	10.20	Average

Note:

- Level(dBμV) = Read Level(dBμV) + LISN Factor(dB) + Cable Loss(dB)
- Over Limit(dB) = Level(dBμV) – Limit Line(dBμV)



Appendix C. Radiated Spurious Emission Test Data

Test Engineer :	Carry Xu	Relative Humidity :	41 ~ 42 %
		Temperature :	22 ~ 23 °C

Radiated Spurious Emission Test Modes

Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 1	U-NII-5	5.925-6.425	4+5	802.11a	1	5955	6Mbps	-	-
Mode 2	U-NII-5	5.925-6.425	4+5	802.11a	45	6175	6Mbps	-	-
Mode 3	U-NII-5	5.925-6.425	4+5	802.11a	93	6415	6Mbps	-	-
Mode 4	U-NII-6	6.425-6.525	4+5	802.11a	97	6435	6Mbps	-	-
Mode 5	U-NII-6	6.425-6.525	4+5	802.11a	105	6475	6Mbps	-	-
Mode 6	U-NII-6	6.425-6.525	4+5	802.11a	113	6515	6Mbps	-	-
Mode 7	U-NII-7	6.525-6.875	4+5	802.11a	117	6535	6Mbps	-	-
Mode 8	U-NII-7	6.525-6.875	4+5	802.11a	149	6695	6Mbps	-	-
Mode 9	U-NII-7	6.525-6.875	4+5	802.11a	185	6875	6Mbps	-	-
Mode 10	U-NII-8	6.875-7.125	4+5	802.11a	189	6895	6Mbps	-	-
Mode 11	U-NII-8	6.875-7.125	4+5	802.11a	209	6995	6Mbps	-	-
Mode 12	U-NII-8	6.875-7.125	4+5	802.11a	229	7095	6Mbps	-	-
Mode 13	U-NII-5	5.925-6.425	4+5	802.11ax HE20	1	5955	MCS0	-	-
Mode 14	U-NII-5	5.925-6.425	4+5	802.11ax HE20	1	5955	MCS0	Partial_RU26/0	-
Mode 15	U-NII-5	5.925-6.425	4+5	802.11ax HE20	1	5955	MCS0	Partial_RU52/37	-
Mode 16	U-NII-5	5.925-6.425	4+5	802.11ax HE20	1	5955	MCS0	Partial_RU106/53	-
Mode 17	U-NII-5	5.925-6.425	4+5	802.11ax HE20	45	6175	MCS0	-	-
Mode 18	U-NII-5	5.925-6.425	4+5	802.11ax HE20	93	6415	MCS0	-	-
Mode 19	U-NII-5	5.925-6.425	4+5	802.11ax HE40	3	5965	MCS0	-	-
Mode 20	U-NII-5	5.925-6.425	4+5	802.11ax HE40	43	6165	MCS0	-	-
Mode 21	U-NII-5	5.925-6.425	4+5	802.11ax HE40	91	6405	MCS0	-	-
Mode 22	U-NII-5	5.925-6.425	4+5	802.11ax HE80	7	5985	MCS0	Full RU	-
Mode 23	U-NII-5	5.925-6.425	4+5	802.11ax HE80	39	6145	MCS0	Full RU	-
Mode 24	U-NII-5	5.925-6.425	4+5	802.11ax HE80	87	6385	MCS0	Full RU	-
Mode 25	U-NII-5	5.925-6.425	4+5	802.11ax HE160	15	6025	MCS0	Full RU	-
Mode 26	U-NII-5	5.925-6.425	4+5	802.11ax HE160	47	6185	MCS0	Full RU	-
Mode 27	U-NII-5	5.925-6.425	4+5	802.11ax HE160	79	6345	MCS0	Full RU	-
Mode 28	U-NII-5	5.925-6.425	4+5	802.11ax HE20	97	6435	MCS0	-	-
Mode 29	U-NII-6	6.425-6.525	4+5	802.11ax HE20	105	6475	MCS0	-	-
Mode 30	U-NII-6	6.425-6.525	4+5	802.11ax HE20	113	6515	MCS0	-	-
Mode 31	U-NII-6	6.425-6.525	4+5	802.11ax HE40	99	6445	MCS0	Full RU	-
Mode 32	U-NII-6	6.425-6.525	4+5	802.11ax HE40	107	6485	MCS0	Full RU	-
Mode 33	U-NII-6	6.425-6.525	4+5	802.11ax HE80	103	6465	MCS0	Full RU	-
Mode 34	U-NII-6	6.425-6.525	4+5	802.11ax HE40	115	6525	MCS0	Full RU	-



Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 35	U-NII-6	6.425-6.525	4+5	802.11ax HE80	119	6545	MCS0	Full RU	-
Mode 36	U-NII-6	6.425-6.525	4+5	802.11ax HE160	111	6505	MCS0	Full RU	-
Mode 37	U-NII-7	6.525-6.875	4+5	802.11ax HE20	117	6535	MCS0	Full RU	-
Mode 38	U-NII-7	6.525-6.875	4+5	802.11ax HE20	149	6695	MCS0	Full RU	-
Mode 39	U-NII-7	6.525-6.875	4+5	802.11ax HE40	123	6565	MCS0	Full RU	-
Mode 40	U-NII-7	6.525-6.875	4+5	802.11ax HE40	147	6685	MCS0	Full RU	-
Mode 41	U-NII-7	6.525-6.875	4+5	802.11ax HE40	179	6845	MCS0	Full RU	-
Mode 42	U-NII-7	6.525-6.875	4+5	802.11ax HE80	135	6625	MCS0	Full RU	-
Mode 43	U-NII-7	6.525-6.875	4+5	802.11ax HE80	151	6705	MCS0	Full RU	-
Mode 44	U-NII-7	6.525-6.875	4+5	802.11ax HE160	143	6665	MCS0	Full RU	-
Mode 45	U-NII-7	6.525-6.875	4+5	802.11ax HE20	185	6875	MCS0	Full RU	-
Mode 46	U-NII-7	6.525-6.875	4+5	802.11ax HE80	183	6865	MCS0	Full RU	-
Mode 47	U-NII-7	6.525-6.875	4+5	802.11ax HE160	175	6825	MCS0	Full RU	-
Mode 48	U-NII-8	6.875-7.125	4+5	802.11ax HE20	189	6895	MCS0	Full RU	-
Mode 49	U-NII-8	6.875-7.125	4+5	802.11ax HE20	209	6995	MCS0	Full RU	-
Mode 50	U-NII-8	6.875-7.125	4+5	802.11ax HE20	229	7095	MCS0	Full RU	-
Mode 51	U-NII-8	6.875-7.125	4+5	802.11ax HE20	229	7095	MCS0	Partial_RU26/8	-
Mode 52	U-NII-8	6.875-7.125	4+5	802.11ax HE20	229	7095	MCS0	Partial_RU52/40	-
Mode 53	U-NII-8	6.875-7.125	4+5	802.11ax HE20	229	7095	MCS0	Partial_RU106/54	-
Mode 54	U-NII-8	6.875-7.125	4+5	802.11ax HE40	203	6965	MCS0	Full RU	-
Mode 55	U-NII-8	6.875-7.125	4+5	802.11ax HE40	227	7085	MCS0	Full RU	-
Mode 56	U-NII-8	6.875-7.125	4+5	802.11ax HE80	199	6945	MCS0	Full RU	-
Mode 57	U-NII-8	6.875-7.125	4+5	802.11ax HE80	215	7025	MCS0	Full RU	-
Mode 58	U-NII-8	6.875-7.125	4+5	802.11ax HE160	207	6985	MCS0	Full RU	-
Mode 59	U-NII-8	6.875-7.125	4+5	802.11ax HE40	187	6885	MCS0	Full RU	-
Mode 60	U-NII-8	6.875-7.125	4+5	802.11a	233	7115	6Mbps	-	-
Mode 61	U-NII-8	6.875-7.125	4+5	802.11ax HE20	233	7115	MCS0	-	-
Mode 62	U-NII-8	6.875-7.125	4+5	802.11ax HE20	233	7115	MCS0	Partial_RU26/0	-
Mode 63	U-NII-8	6.875-7.125	4+5	802.11ax HE20	233	7115	MCS0	Partial_RU52/37	-
Mode 64	U-NII-8	6.875-7.125	4+5	802.11ax HE20	233	7115	MCS0	Partial_RU106/53	-

Co-location

Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 65	2400-2483.5	2400-2483.5	4+5	Bluetooth-LE_GSFK	39	2480	2Mbps	-	-
	U-NII-8	6.875-7.125	4+5	802.11ax HE20	233	7115	MCS0	-	-
	Part 27F---LTE_B13_BW_5M								
Mode 66	2400-2483.5	2400-2483.5	4+5	802.11ax HE40	09	2452	MCS0	Full RU	-
	U-NII-8	6.875-7.125	4+5	802.11ax HE20	233	7115	MCS0	-	-
	Part 27F---LTE_B13_BW_5M								
Mode 67	U-NII-8	6.875-7.125	4+5	802.11ax HE20	229	7095	MCS0	-	-
	2400-2483.5	2400-2483.5	4+5	802.11ax HE40	09	2452	MCS0	Full RU	-
	Part 27F---LTE_B13_BW_5M								



Summary of each worse mode

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
1	802.11a	1	5924.97	44.35	68.30	-23.95	H	AVERAGE	Pass	Band Edge
1	802.11a	1	11910.00	44.03	74.00	-29.97	V	PEAK	Pass	Harmonic
2	802.11a	45	12350.00	44.23	74.00	-29.77	V	PEAK	Pass	Harmonic
3	802.11a	93	12830.00	44.40	88.30	-43.90	V	PEAK	Pass	Harmonic
4	802.11a	97	12870.00	44.47	88.30	-43.83	H	PEAK	Pass	Harmonic
5	802.11a	105	12950.00	45.53	88.30	-42.77	V	PEAK	Pass	Harmonic
6	802.11a	113	13030.00	44.28	88.30	-44.02	V	PEAK	Pass	Harmonic
7	802.11a	117	13070.00	44.26	88.30	-44.04	V	PEAK	Pass	Harmonic
8	802.11a	149	13390.00	44.39	74.00	-29.61	V	PEAK	Pass	Harmonic
9	802.11a	185	13750.00	44.02	88.30	-44.28	V	PEAK	Pass	Harmonic
10	802.11a	189	13790.00	43.90	88.30	-44.40	H	PEAK	Pass	Harmonic
11	802.11a	209	13990.00	44.38	88.30	-43.92	V	PEAK	Pass	Harmonic
12	802.11a	229	7125.00	45.87	68.30	-22.43	H	AVERAGE	Pass	Band Edge
12	802.11a	229	14190.00	43.69	88.30	-44.61	H	PEAK	Pass	Harmonic
13	802.11ax HE20	1	5924.97	44.68	68.30	-23.62	H	AVERAGE	Pass	Band Edge
13	802.11ax HE20	1	11910.00	44.37	74.00	-29.63	H	PEAK	Pass	Harmonic
14	802.11ax HE20	1	5913.53	44.23	68.30	-24.07	H	AVERAGE	Pass	Band Edge
14	802.11ax HE20	1	11910.00	47.38	74.00	-26.62	V	PEAK	Pass	Harmonic
15	802.11ax HE20	1	5911.84	44.31	68.30	-23.99	H	AVERAGE	Pass	Band Edge
15	802.11ax HE20	1	11910.00	46.61	74.00	-27.39	V	PEAK	Pass	Harmonic
16	802.11ax HE20	1	5923.80	44.34	68.30	-23.96	H	AVERAGE	Pass	Band Edge
16	802.11ax HE20	1	11910.00	47.03	74.00	-26.97	H	PEAK	Pass	Harmonic
17	802.11ax HE20	45	12350.00	43.74	74.00	-30.26	H	PEAK	Pass	Harmonic
18	802.11ax HE20	93	12830.00	43.58	88.30	-44.72	V	PEAK	Pass	Harmonic
19	802.11ax HE40	3	5924.12	43.91	68.30	-24.39	H	AVERAGE	Pass	Band Edge
19	802.11ax HE40	3	11930.00	43.75	74.00	-30.25	V	PEAK	Pass	Harmonic
20	802.11ax HE40	43	12330.00	44.12	74.00	-29.88	V	PEAK	Pass	Harmonic
21	802.11ax HE40	91	12810.00	44.71	88.30	-43.59	V	PEAK	Pass	Harmonic
22	802.11ax HE80	7	5922.76	45.44	68.30	-22.86	H	AVERAGE	Pass	Band Edge
22	802.11ax HE80	7	11970.00	44.82	74.00	-29.18	V	PEAK	Pass	Harmonic
23	802.11ax HE80	39	12290.00	44.29	74.00	-29.71	H	PEAK	Pass	Harmonic
24	802.11ax HE80	87	12770.00	44.82	88.30	-43.48	H	PEAK	Pass	Harmonic
25	802.11ax HE160	15	5872.60	48.56	68.30	-19.74	H	AVERAGE	Pass	Band Edge
25	802.11ax HE160	15	12050.00	44.20	74.00	-29.80	H	PEAK	Pass	Harmonic
26	802.11ax HE160	47	12370.00	43.93	74.00	-30.07	H	PEAK	Pass	Harmonic
27	802.11ax HE160	79	12690.00	44.37	74.00	-29.63	H	PEAK	Pass	Harmonic
28	802.11ax HE20	97	12870.00	44.85	88.30	-43.45	H	PEAK	Pass	Harmonic
29	802.11ax HE20	105	12950.00	43.61	88.30	-44.69	H	PEAK	Pass	Harmonic
30	802.11ax HE20	113	13030.00	44.39	88.30	-43.91	H	PEAK	Pass	Harmonic
31	802.11ax HE40	99	12890.00	44.34	88.30	-43.96	H	PEAK	Pass	Harmonic
32	802.11ax HE40	107	12970.00	44.38	88.30	-43.92	H	PEAK	Pass	Harmonic



Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
33	802.11ax HE80	103	12930.00	44.40	88.30	-43.90	H	PEAK	Pass	Harmonic
34	802.11ax HE40	115	13050.00	44.65	88.30	-43.65	H	PEAK	Pass	Harmonic
35	802.11ax HE80	119	13090.00	44.32	88.30	-43.98	H	PEAK	Pass	Harmonic
36	802.11ax HE160	111	13010.00	45.52	88.30	-42.78	V	PEAK	Pass	Harmonic
37	802.11ax HE20	117	13070.00	43.98	88.30	-44.32	H	PEAK	Pass	Harmonic
38	802.11ax HE20	149	13390.00	44.04	74.00	-29.96	H	PEAK	Pass	Harmonic
39	802.11ax HE40	123	13130.00	44.93	88.30	-43.37	V	PEAK	Pass	Harmonic
40	802.11ax HE40	147	13370.00	44.69	74.00	-29.31	H	PEAK	Pass	Harmonic
41	802.11ax HE40	179	13690.00	44.11	88.30	-44.19	V	PEAK	Pass	Harmonic
42	802.11ax HE80	135	13250.00	43.77	74.00	-30.23	V	PEAK	Pass	Harmonic
43	802.11ax HE80	151	13410.00	44.64	88.30	-43.66	H	PEAK	Pass	Harmonic
44	802.11ax HE160	143	13330.00	43.98	74.00	-30.02	V	PEAK	Pass	Harmonic
45	802.11ax HE20	185	13750.00	43.54	88.30	-44.76	V	PEAK	Pass	Harmonic
46	802.11ax HE80	183	13730.00	43.84	88.30	-44.46	V	PEAK	Pass	Harmonic
47	802.11ax HE160	175	13650.00	44.25	88.30	-44.05	H	PEAK	Pass	Harmonic
48	802.11ax HE20	189	13790.00	44.24	88.30	-44.06	V	PEAK	Pass	Harmonic
49	802.11ax HE20	209	13990.00	43.50	88.30	-44.80	H	PEAK	Pass	Harmonic
50	802.11ax HE20	229	7134.60	60.38	68.30	-7.92	H	AVERAGE	Pass	Band Edge
50	802.11ax HE20	229	14190.00	42.89	88.30	-45.41	H	PEAK	Pass	Harmonic
51	802.11ax HE20	229	7173.80	45.17	68.30	-23.13	H	AVERAGE	Pass	Band Edge
51	802.11ax HE20	229	14190.00	46.83	88.30	-41.47	H	PEAK	Pass	Harmonic
52	802.11ax HE20	229	7170.28	45.16	68.30	-23.14	H	AVERAGE	Pass	Band Edge
52	802.11ax HE20	229	14190.00	47.47	88.30	-40.83	H	PEAK	Pass	Harmonic
53	802.11ax HE20	229	7138.28	45.20	68.30	-23.10	H	AVERAGE	Pass	Band Edge
53	802.11ax HE20	229	14190.00	47.50	88.30	-40.80	H	PEAK	Pass	Harmonic
54	802.11ax HE40	203	13930.00	43.17	88.30	-45.13	H	PEAK	Pass	Harmonic
55	802.11ax HE40	227	7125.00	44.04	68.30	-24.26	H	AVERAGE	Pass	Band Edge
55	802.11ax HE40	227	14170.00	43.66	88.30	-44.64	V	PEAK	Pass	Harmonic
56	802.11ax HE80	199	13890.00	43.44	88.30	-44.86	H	PEAK	Pass	Harmonic
57	802.11ax HE80	215	7206.94	43.69	68.30	-24.61	H	AVERAGE	Pass	Band Edge
57	802.11ax HE80	215	14050.00	43.77	88.30	-44.53	H	PEAK	Pass	Harmonic
58	802.11ax HE160	207	7133.08	44.40	68.30	-23.90	H	AVERAGE	Pass	Band Edge
58	802.11ax HE160	207	13970.00	43.26	88.30	-45.04	H	PEAK	Pass	Harmonic
59	802.11ax HE40	187	13770.00	43.62	88.30	-44.68	H	PEAK	Pass	Harmonic
60	802.11a	233	7125.01	54.72	68.30	-13.58	H	AVERAGE	Pass	Band Edge
60	802.11a	233	14230.00	43.68	88.30	-44.62	V	PEAK	Pass	Harmonic
61	802.11ax HE20	233	7125.01	65.05	68.30	-3.25	H	AVERAGE	Pass	Band Edge
61	802.11ax HE20	233	14230.00	43.91	88.30	-44.39	H	PEAK	Pass	Harmonic
62	802.11ax HE20	233	7125.01	45.84	68.30	-22.46	H	AVERAGE	Pass	Band Edge
62	802.11ax HE20	233	14230.00	47.77	88.30	-40.53	V	PEAK	Pass	Harmonic
63	802.11ax HE20	233	7125.01	45.63	68.30	-22.67	H	AVERAGE	Pass	Band Edge
63	802.11ax HE20	233	14230.00	47.06	88.30	-41.24	V	PEAK	Pass	Harmonic
64	802.11ax HE20	233	7125.01	46.08	68.30	-22.22	H	AVERAGE	Pass	Band Edge
64	802.11ax HE20	233	14230.00	47.04	88.30	-41.26	V	PEAK	Pass	Harmonic






Co-location

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
65	Bluetooth-LE_GSKF	39	2485.12	45.45	54.00	-8.55	V	AVERAGE	Pass	Band Edge
	Bluetooth-LE_GSKF	39	7440.00	44.04	74.00	-29.96	H	PEAK	Pass	Harmonic
	802.11ax HE20	233	7125.01	54.96	68.30	-13.34	H	AVERAGE	Pass	Band Edge
	802.11ax HE20	233	14230.00	46.60	88.30	-41.70	H	PEAK	Pass	Harmonic
66	802.11ax HE40	09	2483.54	50.26	54.00	-3.74	V	AVERAGE	Pass	Band Edge
	802.11ax HE40	09	7356.00	42.71	74.00	-31.29	V	PEAK	Pass	Harmonic
	802.11ax HE20	233	7125.01	64.95	68.30	-3.35	H	Average	Pass	Band Edge
	802.11ax HE20	233	14230.00	46.98	88.30	-41.32	V	PEAK	Pass	Harmonic
67	802.11ax HE20	229	7209.96	44.86	68.30	-23.44	H	AVERAGE	Pass	Band Edge
	802.11ax HE20	229	14190.00	47.24	88.30	-41.06	V	PEAK	Pass	Harmonic
	802.11ax HE40	09	2483.54	46.93	54.00	-7.07	V	AVERAGE	Pass	Band Edge
	802.11ax HE40	09	7356.00	42.81	74.00	-31.19	H	PEAK	Pass	Harmonic





Mode	1																																																																																	
	Band Edge																																																																																	
	U-NII-5_5.925-6.425_802.11a_CH1_5955MHz																																																																																	
ANT	4+5																																																																																	
Pol.	Horizontal	Fundamental																																																																																
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5924.71</td> <td>55.38</td> <td>88.30</td> <td>-32.92</td> <td>41.74</td> <td>35.11</td> <td>10.52</td> <td>31.99</td> <td>0.00</td> <td>100</td> <td>248</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5924.71	55.38	88.30	-32.92	41.74	35.11	10.52	31.99	0.00	100	248	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5955.00</td> <td>101.63</td> <td>-----</td> <td>-----</td> <td>87.87</td> <td>35.23</td> <td>10.54</td> <td>32.01</td> <td>0.00</td> <td>100</td> <td>248</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5955.00	101.63	-----	-----	87.87	35.23	10.54	32.01	0.00	100	248	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																										
1	5924.71	55.38	88.30	-32.92	41.74	35.11	10.52	31.99	0.00	100	248	PEAK																																																																						
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																										
1	5955.00	101.63	-----	-----	87.87	35.23	10.54	32.01	0.00	100	248	PEAK																																																																						
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5924.97</td> <td>44.35</td> <td>68.30</td> <td>-23.95</td> <td>30.71</td> <td>35.11</td> <td>10.52</td> <td>31.99</td> <td>0.00</td> <td>100</td> <td>248</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5924.97	44.35	68.30	-23.95	30.71	35.11	10.52	31.99	0.00	100	248	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5955.00</td> <td>93.96</td> <td>-----</td> <td>-----</td> <td>80.20</td> <td>35.23</td> <td>10.54</td> <td>32.01</td> <td>0.00</td> <td>100</td> <td>248</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5955.00	93.96	-----	-----	80.20	35.23	10.54	32.01	0.00	100	248	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																										
1	5924.97	44.35	68.30	-23.95	30.71	35.11	10.52	31.99	0.00	100	248	AVERAGE																																																																						
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																										
1	5955.00	93.96	-----	-----	80.20	35.23	10.54	32.01	0.00	100	248	AVERAGE																																																																						



Mode	1																																																																													
	Band Edge																																																																													
	U-NII-5_5.925-6.425_802.11a_CH1_5955MHz																																																																													
ANT	4+5																																																																													
Pol.	Vertical	Fundamental																																																																												
Peak	 <p>Level (dBuV/m) vs Frequency (MHz) for Vertical polarization. The plot shows a blue signal line with a red horizontal limit line at approximately 81.3 dBuV/m. A peak is labeled 'WIFI 6E PEAK' at 5955 MHz.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5923.54</td> <td>54.63</td> <td>88.30</td> <td>-33.67</td> <td>41.00</td> <td>35.11</td> <td>10.51</td> <td>31.99</td> <td>0.00</td> <td>300</td> <td>62 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 5923.54	54.63	88.30	-33.67	41.00	35.11	10.51	31.99	0.00	300	62 PEAK	 <p>Level (dBuV/m) vs Frequency (MHz) for Fundamental polarization. The plot shows a blue signal line with a red horizontal limit line at approximately 81.3 dBuV/m. A peak is labeled 'WIFI 6E PEAK' at 5955 MHz.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5955.00</td> <td>98.00</td> <td>-----</td> <td>-----</td> <td>84.32</td> <td>35.23</td> <td>10.54</td> <td>32.01</td> <td>0.00</td> <td>300</td> <td>62 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 5955.00	98.00	-----	-----	84.32	35.23	10.54	32.01	0.00	300	62 PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																						
1 5923.54	54.63	88.30	-33.67	41.00	35.11	10.51	31.99	0.00	300	62 PEAK																																																																				
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																						
1 5955.00	98.00	-----	-----	84.32	35.23	10.54	32.01	0.00	300	62 PEAK																																																																				
Avg	 <p>Level (dBuV/m) vs Frequency (MHz) for Vertical polarization. The plot shows a blue signal line with a red horizontal limit line at approximately 65.0 dBuV/m. A peak is labeled 'WIFI 6E (AVG)' at 5955 MHz.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5924.19</td> <td>43.18</td> <td>68.30</td> <td>-25.12</td> <td>29.55</td> <td>35.11</td> <td>10.51</td> <td>31.99</td> <td>0.00</td> <td>300</td> <td>62 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 5924.19	43.18	68.30	-25.12	29.55	35.11	10.51	31.99	0.00	300	62 AVERAGE																																							
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																						
1 5924.19	43.18	68.30	-25.12	29.55	35.11	10.51	31.99	0.00	300	62 AVERAGE																																																																				



Mode	1																																																																															
	Harmonic																																																																															
	U-NII-5_5.925-6.425_802.11a_CH1_5955MHz																																																																															
ANT	4+5																																																																															
Pol.	Horizontal	Vertical																																																																														
Peak																																																																																
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11910.00</td> <td>43.96</td> <td>74.00</td> <td>-30.04</td> <td>51.44</td> <td>38.71</td> <td>15.21</td> <td>61.40</td> <td>0.00</td> <td>300</td> <td>0 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11910.00	43.96	74.00	-30.04	51.44	38.71	15.21	61.40	0.00	300	0 PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11910.00</td> <td>44.03</td> <td>74.00</td> <td>-29.97</td> <td>51.51</td> <td>38.71</td> <td>15.21</td> <td>61.40</td> <td>0.00</td> <td>100</td> <td>0 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11910.00	44.03	74.00	-29.97	51.51	38.71	15.21	61.40	0.00	100	0 PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1 11910.00	43.96	74.00	-30.04	51.44	38.71	15.21	61.40	0.00	300	0 PEAK																																																																						
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1 11910.00	44.03	74.00	-29.97	51.51	38.71	15.21	61.40	0.00	100	0 PEAK																																																																						



Mode	2																																																																														
	Harmonic																																																																														
	U-NII-5_5.925-6.425_802.11a_CH45_6175MHz																																																																														
ANT	4+5																																																																														
Pol.	Horizontal	Vertical																																																																													
Peak Avg																																																																															
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 12350.00</td> <td>43.91</td> <td>74.00</td> <td>-30.09</td> <td>50.86</td> <td>38.94</td> <td>15.54</td> <td>61.43</td> <td>0.00</td> <td>300</td> <td>0 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 12350.00	43.91	74.00	-30.09	50.86	38.94	15.54	61.43	0.00	300	0 PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 12350.00</td> <td>44.23</td> <td>74.00</td> <td>-29.77</td> <td>51.18</td> <td>38.94</td> <td>15.54</td> <td>61.43</td> <td>0.00</td> <td>100</td> <td>0 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 12350.00	44.23	74.00	-29.77	51.18	38.94	15.54	61.43	0.00	100
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																						
1 12350.00	43.91	74.00	-30.09	50.86	38.94	15.54	61.43	0.00	300	0 PEAK																																																																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																						
1 12350.00	44.23	74.00	-29.77	51.18	38.94	15.54	61.43	0.00	100	0 PEAK																																																																					





Mode	3																																																																														
	Harmonic																																																																														
	U-NII-5_5.925-6.425_802.11a_CH93_6415MHz																																																																														
ANT	4+5																																																																														
Pol.	Horizontal	Vertical																																																																													
Peak Avg																																																																															
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 12830.00</td> <td>43.87</td> <td>88.30</td> <td>-44.43</td> <td>50.19</td> <td>39.27</td> <td>15.92</td> <td>61.51</td> <td>0.00</td> <td>300</td> <td>0 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 12830.00	43.87	88.30	-44.43	50.19	39.27	15.92	61.51	0.00	300	0 PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 12830.00</td> <td>44.40</td> <td>88.30</td> <td>-43.90</td> <td>50.72</td> <td>39.27</td> <td>15.92</td> <td>61.51</td> <td>0.00</td> <td>100</td> <td>0 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 12830.00	44.40	88.30	-43.90	50.72	39.27	15.92	61.51	0.00	100
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																						
1 12830.00	43.87	88.30	-44.43	50.19	39.27	15.92	61.51	0.00	300	0 PEAK																																																																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																						
1 12830.00	44.40	88.30	-43.90	50.72	39.27	15.92	61.51	0.00	100	0 PEAK																																																																					



Mode	4																																																																														
	Harmonic																																																																														
	U-NII-6_6.425-6.525_802.11a_CH97_6435MHz																																																																														
ANT	4+5																																																																														
Pol.	Horizontal	Vertical																																																																													
Peak Avg																																																																															
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 12870.00</td> <td>44.47</td> <td>88.30</td> <td>-43.83</td> <td>50.74</td> <td>39.30</td> <td>15.95</td> <td>61.52</td> <td>0.00</td> <td>300</td> <td>0 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 12870.00	44.47	88.30	-43.83	50.74	39.30	15.95	61.52	0.00	300	0 PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 12870.00</td> <td>44.16</td> <td>88.30</td> <td>-44.14</td> <td>50.43</td> <td>39.30</td> <td>15.95</td> <td>61.52</td> <td>0.00</td> <td>100</td> <td>0 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 12870.00	44.16	88.30	-44.14	50.43	39.30	15.95	61.52	0.00	100
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																						
1 12870.00	44.47	88.30	-43.83	50.74	39.30	15.95	61.52	0.00	300	0 PEAK																																																																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																						
1 12870.00	44.16	88.30	-44.14	50.43	39.30	15.95	61.52	0.00	100	0 PEAK																																																																					



Mode	5																																																																															
	Harmonic																																																																															
	U-NII-6_6.425-6.525_802.11a_CH105_6475MHz																																																																															
ANT	4+5																																																																															
Pol.	Horizontal	Vertical																																																																														
Peak	 <p>Level (dBuV/m)</p> <p>130</p> <p>113.8</p> <p>97.5</p> <p>81.3</p> <p>65.0</p> <p>48.8</p> <p>32.5</p> <p>16.3</p> <p>0</p> <p>10000 11600. 13200. 14800. 16400. 18000</p> <p>Frequency (MHz)</p> <p>WIFI 6E PEAK</p> <p>WIFI 6E(AVG)</p>	 <p>Level (dBuV/m)</p> <p>130</p> <p>113.8</p> <p>97.5</p> <p>81.3</p> <p>65.0</p> <p>48.8</p> <p>32.5</p> <p>16.3</p> <p>0</p> <p>10000 11600. 13200. 14800. 16400. 18000</p> <p>Frequency (MHz)</p> <p>WIFI 6E PEAK</p> <p>WIFI 6E(AVG)</p>																																																																														
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 12950.00</td> <td>44.46</td> <td>88.30</td> <td>-43.84</td> <td>50.62</td> <td>39.36</td> <td>16.01</td> <td>61.53</td> <td>0.00</td> <td>300</td> <td>0 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 12950.00	44.46	88.30	-43.84	50.62	39.36	16.01	61.53	0.00	300	0 PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 12950.00</td> <td>45.53</td> <td>88.30</td> <td>-42.77</td> <td>51.69</td> <td>39.36</td> <td>16.01</td> <td>61.53</td> <td>0.00</td> <td>100</td> <td>0 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 12950.00	45.53	88.30	-42.77	51.69	39.36	16.01	61.53	0.00	100	0 PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1 12950.00	44.46	88.30	-43.84	50.62	39.36	16.01	61.53	0.00	300	0 PEAK																																																																						
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1 12950.00	45.53	88.30	-42.77	51.69	39.36	16.01	61.53	0.00	100	0 PEAK																																																																						



Mode	6																																																																															
	Harmonic																																																																															
	U-NII-6_6.425-6.525_802.11a_CH113_6515MHz																																																																															
ANT	4+5																																																																															
Pol.	Horizontal	Vertical																																																																														
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 13030.00</td> <td>43.95</td> <td>88.30</td> <td>-44.35</td> <td>50.08</td> <td>39.37</td> <td>16.06</td> <td>61.56</td> <td>0.00</td> <td>300</td> <td>0 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 13030.00	43.95	88.30	-44.35	50.08	39.37	16.06	61.56	0.00	300	0 PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 13030.00</td> <td>44.28</td> <td>88.30</td> <td>-44.02</td> <td>50.41</td> <td>39.37</td> <td>16.06</td> <td>61.56</td> <td>0.00</td> <td>100</td> <td>0 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 13030.00	44.28	88.30	-44.02	50.41	39.37	16.06	61.56	0.00	100	0 PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1 13030.00	43.95	88.30	-44.35	50.08	39.37	16.06	61.56	0.00	300	0 PEAK																																																																						
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1 13030.00	44.28	88.30	-44.02	50.41	39.37	16.06	61.56	0.00	100	0 PEAK																																																																						



Mode	7																																																																														
	Harmonic																																																																														
	U-NII-7_6.525-6.875_802.11a_CH117_6535MHz																																																																														
ANT	4+5																																																																														
Pol.	Horizontal	Vertical																																																																													
Peak Avg																																																																															
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 13070.00</td> <td>44.21</td> <td>88.30</td> <td>-44.09</td> <td>50.38</td> <td>39.33</td> <td>16.08</td> <td>61.58</td> <td>0.00</td> <td>300</td> <td>0 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 13070.00	44.21	88.30	-44.09	50.38	39.33	16.08	61.58	0.00	300	0 PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 13070.00</td> <td>44.26</td> <td>88.30</td> <td>-44.04</td> <td>50.43</td> <td>39.33</td> <td>16.08</td> <td>61.58</td> <td>0.00</td> <td>100</td> <td>0 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 13070.00	44.26	88.30	-44.04	50.43	39.33	16.08	61.58	0.00	100
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																						
1 13070.00	44.21	88.30	-44.09	50.38	39.33	16.08	61.58	0.00	300	0 PEAK																																																																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																						
1 13070.00	44.26	88.30	-44.04	50.43	39.33	16.08	61.58	0.00	100	0 PEAK																																																																					



Mode	8																																																																														
	Harmonic																																																																														
	U-NII-7_6.525-6.875_802.11a_CH149_6695MHz																																																																														
ANT	4+5																																																																														
Pol.	Horizontal	Vertical																																																																													
Peak Avg																																																																															
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 13390.00</td> <td>44.23</td> <td>74.00</td> <td>-29.77</td> <td>50.72</td> <td>39.01</td> <td>16.23</td> <td>61.73</td> <td>0.00</td> <td>300</td> <td>0 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 13390.00	44.23	74.00	-29.77	50.72	39.01	16.23	61.73	0.00	300	0 PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 13390.00</td> <td>44.39</td> <td>74.00</td> <td>-29.61</td> <td>50.88</td> <td>39.01</td> <td>16.23</td> <td>61.73</td> <td>0.00</td> <td>100</td> <td>0 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 13390.00	44.39	74.00	-29.61	50.88	39.01	16.23	61.73	0.00	100
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																						
1 13390.00	44.23	74.00	-29.77	50.72	39.01	16.23	61.73	0.00	300	0 PEAK																																																																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																						
1 13390.00	44.39	74.00	-29.61	50.88	39.01	16.23	61.73	0.00	100	0 PEAK																																																																					



Mode	9																																																																															
	Harmonic																																																																															
	U-NII-7_6.525-6.875_802.11a_CH185_6875MHz																																																																															
ANT	4+5																																																																															
Pol.	Horizontal	Vertical																																																																														
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 13750.00</td> <td>43.66</td> <td>88.30</td> <td>-44.64</td> <td>50.13</td> <td>38.85</td> <td>16.40</td> <td>61.72</td> <td>0.00</td> <td>300</td> <td>0 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 13750.00	43.66	88.30	-44.64	50.13	38.85	16.40	61.72	0.00	300	0 PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 13750.00</td> <td>44.02</td> <td>88.30</td> <td>-44.28</td> <td>50.49</td> <td>38.85</td> <td>16.40</td> <td>61.72</td> <td>0.00</td> <td>100</td> <td>0 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 13750.00	44.02	88.30	-44.28	50.49	38.85	16.40	61.72	0.00	100	0 PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1 13750.00	43.66	88.30	-44.64	50.13	38.85	16.40	61.72	0.00	300	0 PEAK																																																																						
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1 13750.00	44.02	88.30	-44.28	50.49	38.85	16.40	61.72	0.00	100	0 PEAK																																																																						







Mode	10																																																																															
	Harmonic																																																																															
	U-NII-8_6.875-7.125_802.11a_CH189_6895MHz																																																																															
ANT	4+5																																																																															
Pol.	Horizontal	Vertical																																																																														
Peak Avg																																																																																
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 13790.00</td> <td>43.90</td> <td>88.30</td> <td>-44.40</td> <td>50.35</td> <td>38.84</td> <td>16.42</td> <td>61.71</td> <td>0.00</td> <td>300</td> <td>0 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 13790.00	43.90	88.30	-44.40	50.35	38.84	16.42	61.71	0.00	300	0 PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 13790.00</td> <td>42.97</td> <td>88.30</td> <td>-45.33</td> <td>49.42</td> <td>38.84</td> <td>16.42</td> <td>61.71</td> <td>0.00</td> <td>100</td> <td>0 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 13790.00	42.97	88.30	-45.33	49.42	38.84	16.42	61.71	0.00	100
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1 13790.00	43.90	88.30	-44.40	50.35	38.84	16.42	61.71	0.00	300	0 PEAK																																																																						
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																						
1 13790.00	42.97	88.30	-45.33	49.42	38.84	16.42	61.71	0.00	100	0 PEAK																																																																						







Mode	11																																																																														
	Harmonic																																																																														
	U-NII-8_6.875-7.125_802.11a_CH209_6995MHz																																																																														
ANT	4+5																																																																														
Pol.	Horizontal	Vertical																																																																													
Peak Avg																																																																															
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 13990.00</td> <td>42.93</td> <td>88.30</td> <td>-45.37</td> <td>49.28</td> <td>38.80</td> <td>16.51</td> <td>61.66</td> <td>0.00</td> <td>300</td> <td>0 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 13990.00	42.93	88.30	-45.37	49.28	38.80	16.51	61.66	0.00	300	0 PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 13990.00</td> <td>44.38</td> <td>88.30</td> <td>-43.92</td> <td>50.73</td> <td>38.80</td> <td>16.51</td> <td>61.66</td> <td>0.00</td> <td>100</td> <td>0 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 13990.00	44.38	88.30	-43.92	50.73	38.80	16.51	61.66	0.00	100
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																						
1 13990.00	42.93	88.30	-45.37	49.28	38.80	16.51	61.66	0.00	300	0 PEAK																																																																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																						
1 13990.00	44.38	88.30	-43.92	50.73	38.80	16.51	61.66	0.00	100	0 PEAK																																																																					



	12																																																																																			
Mode	Band Edge																																																																																			
	U-NII-8_6.875-7.125_802.11a_CH229_7095MHz																																																																																			
ANT	4+5																																																																																			
Pol.	Horizontal	Fundamental																																																																																		
Peak	 <p>Level (dBuV/m)</p> <p>Frequency (MHz)</p> <p>WIFI 6E PEAK</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7125.16</td> <td>57.14</td> <td>88.30</td> <td>-31.16</td> <td>42.64</td> <td>35.70</td> <td>11.59</td> <td>32.79</td> <td>0.00</td> <td>100</td> <td>231</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7125.16	57.14	88.30	-31.16	42.64	35.70	11.59	32.79	0.00	100	231	PEAK	 <p>Level (dBuV/m)</p> <p>Frequency (MHz)</p> <p>WIFI 6E PEAK</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7095.00</td> <td>100.76</td> <td>-----</td> <td>-----</td> <td>86.27</td> <td>35.70</td> <td>11.57</td> <td>32.78</td> <td>0.00</td> <td>100</td> <td>231</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7095.00	100.76	-----	-----	86.27	35.70	11.57	32.78	0.00	100	231	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	7125.16	57.14	88.30	-31.16	42.64	35.70	11.59	32.79	0.00	100	231	PEAK																																																																								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	7095.00	100.76	-----	-----	86.27	35.70	11.57	32.78	0.00	100	231	PEAK																																																																								
Avg	 <p>Level (dBuV/m)</p> <p>Frequency (MHz)</p> <p>WIFI 6E(AVG)</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7125.00</td> <td>45.87</td> <td>68.30</td> <td>-22.43</td> <td>31.37</td> <td>35.70</td> <td>11.59</td> <td>32.79</td> <td>0.00</td> <td>100</td> <td>231</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7125.00	45.87	68.30	-22.43	31.37	35.70	11.59	32.79	0.00	100	231	AVERAGE	 <p>Level (dBuV/m)</p> <p>Frequency (MHz)</p> <p>WIFI 6E(AVG)</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7095.00</td> <td>91.62</td> <td>-----</td> <td>-----</td> <td>77.13</td> <td>35.70</td> <td>11.57</td> <td>32.78</td> <td>0.00</td> <td>100</td> <td>231</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7095.00	91.62	-----	-----	77.13	35.70	11.57	32.78	0.00	100	231	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	7125.00	45.87	68.30	-22.43	31.37	35.70	11.59	32.79	0.00	100	231	AVERAGE																																																																								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	7095.00	91.62	-----	-----	77.13	35.70	11.57	32.78	0.00	100	231	AVERAGE																																																																								



	12																																																																																			
Mode	Band Edge																																																																																			
	U-NII-8_6.875-7.125_802.11a_CH229_7095MHz																																																																																			
ANT	4+5																																																																																			
Pol.	Vertical	Fundamental																																																																																		
Peak	 <p>Level (dBuV/m) vs Frequency (MHz) for Vertical. Peak at 7130.44 MHz.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7130.44</td> <td>55.60</td> <td>88.30</td> <td>-32.70</td> <td>41.10</td> <td>35.70</td> <td>11.59</td> <td>32.79</td> <td>0.00</td> <td>100</td> <td>44</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7130.44	55.60	88.30	-32.70	41.10	35.70	11.59	32.79	0.00	100	44	PEAK	 <p>Level (dBuV/m) vs Frequency (MHz) for Fundamental. Peak at 7095.00 MHz.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7095.00</td> <td>96.05</td> <td>-----</td> <td>-----</td> <td>81.56</td> <td>35.70</td> <td>11.57</td> <td>32.78</td> <td>0.00</td> <td>100</td> <td>44</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7095.00	96.05	-----	-----	81.56	35.70	11.57	32.78	0.00	100	44	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	7130.44	55.60	88.30	-32.70	41.10	35.70	11.59	32.79	0.00	100	44	PEAK																																																																								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	7095.00	96.05	-----	-----	81.56	35.70	11.57	32.78	0.00	100	44	PEAK																																																																								
Avg	 <p>Level (dBuV/m) vs Frequency (MHz) for Vertical. Average at 7125.00 MHz.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7125.00</td> <td>44.67</td> <td>68.30</td> <td>-23.63</td> <td>30.17</td> <td>35.70</td> <td>11.59</td> <td>32.79</td> <td>0.00</td> <td>100</td> <td>44</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7125.00	44.67	68.30	-23.63	30.17	35.70	11.59	32.79	0.00	100	44	AVERAGE	 <p>Level (dBuV/m) vs Frequency (MHz) for Fundamental. Average at 7095.00 MHz.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7095.00</td> <td>87.92</td> <td>-----</td> <td>-----</td> <td>73.43</td> <td>35.70</td> <td>11.57</td> <td>32.78</td> <td>0.00</td> <td>100</td> <td>44</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7095.00	87.92	-----	-----	73.43	35.70	11.57	32.78	0.00	100	44	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	7125.00	44.67	68.30	-23.63	30.17	35.70	11.59	32.79	0.00	100	44	AVERAGE																																																																								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	7095.00	87.92	-----	-----	73.43	35.70	11.57	32.78	0.00	100	44	AVERAGE																																																																								



Mode	12																																																																															
	Harmonic																																																																															
	U-NII-8_6.875-7.125_802.11a_CH229_7095MHz																																																																															
ANT	4+5																																																																															
Pol.	Horizontal	Vertical																																																																														
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 14190.00</td> <td>43.69</td> <td>88.30</td> <td>-44.61</td> <td>49.58</td> <td>39.06</td> <td>16.65</td> <td>61.60</td> <td>0.00</td> <td>300</td> <td>0 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 14190.00	43.69	88.30	-44.61	49.58	39.06	16.65	61.60	0.00	300	0 PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 14190.00</td> <td>43.57</td> <td>88.30</td> <td>-44.73</td> <td>49.46</td> <td>39.06</td> <td>16.65</td> <td>61.60</td> <td>0.00</td> <td>100</td> <td>0 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 14190.00	43.57	88.30	-44.73	49.46	39.06	16.65	61.60	0.00	100	0 PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1 14190.00	43.69	88.30	-44.61	49.58	39.06	16.65	61.60	0.00	300	0 PEAK																																																																						
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1 14190.00	43.57	88.30	-44.73	49.46	39.06	16.65	61.60	0.00	100	0 PEAK																																																																						



Mode	13																																																																																			
	Band Edge																																																																																			
	U-NII-5_5.925-6.425_802.11ax HE20_CH1_5955MHz																																																																																			
ANT	4+5																																																																																			
Pol.	Horizontal	Fundamental																																																																																		
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5922.11</td> <td>56.28</td> <td>88.30</td> <td>-32.02</td> <td>42.66</td> <td>35.10</td> <td>10.51</td> <td>31.99</td> <td>0.00</td> <td>100</td> <td>257</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5922.11	56.28	88.30	-32.02	42.66	35.10	10.51	31.99	0.00	100	257	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5955.00</td> <td>102.27</td> <td>-----</td> <td>-----</td> <td>88.49</td> <td>35.25</td> <td>10.55</td> <td>32.02</td> <td>0.00</td> <td>100</td> <td>257</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	102.27	-----	-----	88.49	35.25	10.55	32.02	0.00	100	257	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5922.11	56.28	88.30	-32.02	42.66	35.10	10.51	31.99	0.00	100	257	PEAK																																																																								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5955.00	102.27	-----	-----	88.49	35.25	10.55	32.02	0.00	100	257	PEAK																																																																								
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5924.97</td> <td>44.68</td> <td>68.30</td> <td>-23.62</td> <td>31.04</td> <td>35.11</td> <td>10.52</td> <td>31.99</td> <td>0.00</td> <td>100</td> <td>257</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.97	44.68	68.30	-23.62	31.04	35.11	10.52	31.99	0.00	100	257	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5955.00</td> <td>92.76</td> <td>-----</td> <td>-----</td> <td>78.98</td> <td>35.25</td> <td>10.55</td> <td>32.02</td> <td>0.00</td> <td>100</td> <td>257</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	92.76	-----	-----	78.98	35.25	10.55	32.02	0.00	100	257	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5924.97	44.68	68.30	-23.62	31.04	35.11	10.52	31.99	0.00	100	257	AVERAGE																																																																								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5955.00	92.76	-----	-----	78.98	35.25	10.55	32.02	0.00	100	257	AVERAGE																																																																								



Mode	13																																																																																			
	Band Edge																																																																																			
	U-NII-5_5.925-6.425_802.11ax HE20_CH1_5955MHz																																																																																			
ANT	4+5																																																																																			
Pol.	Vertical	Fundamental																																																																																		
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5859.71</td> <td>54.13</td> <td>88.30</td> <td>-34.17</td> <td>40.75</td> <td>34.86</td> <td>10.46</td> <td>31.94</td> <td>0.00</td> <td>300</td> <td>57</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5859.71	54.13	88.30	-34.17	40.75	34.86	10.46	31.94	0.00	300	57	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5955.00</td> <td>98.99</td> <td>-----</td> <td>-----</td> <td>85.21</td> <td>35.25</td> <td>10.55</td> <td>32.02</td> <td>0.00</td> <td>300</td> <td>57</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	98.99	-----	-----	85.21	35.25	10.55	32.02	0.00	300	57	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5859.71	54.13	88.30	-34.17	40.75	34.86	10.46	31.94	0.00	300	57	PEAK																																																																								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5955.00	98.99	-----	-----	85.21	35.25	10.55	32.02	0.00	300	57	PEAK																																																																								
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5923.02</td> <td>43.50</td> <td>68.30</td> <td>-24.80</td> <td>29.87</td> <td>35.11</td> <td>10.51</td> <td>31.99</td> <td>0.00</td> <td>300</td> <td>57</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5923.02	43.50	68.30	-24.80	29.87	35.11	10.51	31.99	0.00	300	57	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5955.00</td> <td>89.59</td> <td>-----</td> <td>-----</td> <td>75.81</td> <td>35.25</td> <td>10.55</td> <td>32.02</td> <td>0.00</td> <td>300</td> <td>57</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	89.59	-----	-----	75.81	35.25	10.55	32.02	0.00	300	57	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5923.02	43.50	68.30	-24.80	29.87	35.11	10.51	31.99	0.00	300	57	AVERAGE																																																																								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5955.00	89.59	-----	-----	75.81	35.25	10.55	32.02	0.00	300	57	AVERAGE																																																																								



Mode	13																																																																															
	Harmonic																																																																															
	U-NII-5_5.925-6.425_802.11ax HE20_CH1_5955MHz																																																																															
ANT	4+5																																																																															
Pol.	Horizontal	Vertical																																																																														
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11910.00</td> <td>44.37</td> <td>74.00</td> <td>-29.63</td> <td>51.85</td> <td>38.71</td> <td>15.21</td> <td>61.40</td> <td>0.00</td> <td>300</td> <td>0 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11910.00	44.37	74.00	-29.63	51.85	38.71	15.21	61.40	0.00	300	0 PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11910.00</td> <td>43.54</td> <td>74.00</td> <td>-30.46</td> <td>51.02</td> <td>38.71</td> <td>15.21</td> <td>61.40</td> <td>0.00</td> <td>100</td> <td>0 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11910.00	43.54	74.00	-30.46	51.02	38.71	15.21	61.40	0.00	100	0 PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1 11910.00	44.37	74.00	-29.63	51.85	38.71	15.21	61.40	0.00	300	0 PEAK																																																																						
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1 11910.00	43.54	74.00	-30.46	51.02	38.71	15.21	61.40	0.00	100	0 PEAK																																																																						



Mode	14																																																																																			
	Band Edge																																																																																			
	U-NII-5_5.925-6.425_802.11ax HE20_CH1_Partial_RU26/0_5955MHz																																																																																			
ANT	4+5																																																																																			
Pol.	Horizontal	Fundamental																																																																																		
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5897.80</td> <td>56.40</td> <td>88.30</td> <td>-31.90</td> <td>42.87</td> <td>35.01</td> <td>10.49</td> <td>31.97</td> <td>0.00</td> <td>100</td> <td>229</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5897.80	56.40	88.30	-31.90	42.87	35.01	10.49	31.97	0.00	100	229	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5955.00</td> <td>99.07</td> <td>-----</td> <td>-----</td> <td>85.33</td> <td>35.21</td> <td>10.54</td> <td>32.01</td> <td>0.00</td> <td>100</td> <td>229</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	99.07	-----	-----	85.33	35.21	10.54	32.01	0.00	100	229	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5897.80	56.40	88.30	-31.90	42.87	35.01	10.49	31.97	0.00	100	229	PEAK																																																																								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5955.00	99.07	-----	-----	85.33	35.21	10.54	32.01	0.00	100	229	PEAK																																																																								
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5913.53</td> <td>44.23</td> <td>68.30</td> <td>-24.07</td> <td>30.63</td> <td>35.07</td> <td>10.51</td> <td>31.98</td> <td>0.00</td> <td>100</td> <td>229</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5913.53	44.23	68.30	-24.07	30.63	35.07	10.51	31.98	0.00	100	229	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5955.00</td> <td>91.09</td> <td>-----</td> <td>-----</td> <td>77.35</td> <td>35.21</td> <td>10.54</td> <td>32.01</td> <td>0.00</td> <td>100</td> <td>229</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	91.09	-----	-----	77.35	35.21	10.54	32.01	0.00	100	229	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5913.53	44.23	68.30	-24.07	30.63	35.07	10.51	31.98	0.00	100	229	AVERAGE																																																																								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5955.00	91.09	-----	-----	77.35	35.21	10.54	32.01	0.00	100	229	AVERAGE																																																																								