





11G-CDD_Ant5_2437_30~1000



Date: 22.DEC.2022 04:41:36


11G-CDD_Ant5_2437_1000~26500




Date: 22.DEC.2022 04:42:13



11G-CDD_Ant4_2437_30~1000




11G-CDD_Ant4_2437_1000~26500






11G-CDD_Ant5_2462_30~1000




11G-CDD_Ant5_2462_1000~26500






11G-CDD_Ant4_2462_30~1000




11G-CDD_Ant4_2462_1000~26500






11AX20MIMO_Ant5_2412_30~1000



Date: 22.DEC.2022 04:51:19


11AX20MIMO_Ant5_2412_1000~26500



Date: 22.DEC.2022 04:51:56




11AX20MIMO_Ant4_2412_30~1000



Date: 22.DEC.2022 04:53:17


11AX20MIMO_Ant4_2412_1000~26500



Date: 22.DEC.2022 04:53:53




11AX20MIMO_Ant5_2437_30~1000



Date: 22.DEC.2022 06:04:05


11AX20MIMO_Ant5_2437_1000~26500




Date: 22.DEC.2022 06:04:42



11AX20MIMO_Ant4_2437_30~1000




11AX20MIMO_Ant4_2437_1000~26500






11AX20MIMO_Ant5_2462_30~1000




11AX20MIMO_Ant5_2462_1000~26500






11AX20MIMO_Ant4_2462_30~1000




11AX20MIMO_Ant4_2462_1000~26500






11AX40MIMO_Ant5_2422_30~1000



Date: 22.DEC.2022 06:32:55


11AX40MIMO_Ant5_2422_1000~26500



Date: 22.DEC.2022 06:33:32




11AX40MIMO_Ant4_2422_30~1000



Date: 22.DEC.2022 06:34:54


11AX40MIMO_Ant4_2422_1000~26500



Date: 22.DEC.2022 06:35:31




11AX40MIMO_Ant5_2437_30~1000



Date: 22.DEC.2022 06:37:37


11AX40MIMO_Ant5_2437_1000~26500




Date: 22.DEC.2022 06:38:13



11AX40MIMO_Ant4_2437_30~1000




11AX40MIMO_Ant4_2437_1000~26500






11AX40MIMO_Ant5_2452_30~1000



Date: 22.DEC.2022 06:45:15


11AX40MIMO_Ant5_2452_1000~26500



Date: 22.DEC.2022 06:45:52




11AX40MIMO_Ant4_2452_30~1000



Date: 22.DEC.2022 06:47:19

11AX40MIMO_Ant4_2452_1000~26500



Date: 22.DEC.2022 06:47:56




Maximum power spectral density for Partial RU

Test Result

TestMode	Antenna	Freq(MHz)	RuSize	RuIndex	Result [dBm/3kHz]	Limit [dBm/3kHz]	Verdict
11AX20MIMO	Ant5	2412	26Tone	RU0	-8.59	≤8.00	PASS
			52Tone	RU37	-9.47	≤8.00	PASS
			106Tone	RU53	-8.61	≤8.00	PASS
	Ant4	2412	26Tone	RU0	-10.61	≤8.00	PASS
			52Tone	RU37	-9.55	≤8.00	PASS
			106Tone	RU53	-9.91	≤8.00	PASS
	total	2412	26Tone	RU0	-6.47	≤8.00	PASS
			52Tone	RU37	-6.50	≤8.00	PASS
			106Tone	RU53	-6.20	≤8.00	PASS
	Ant5	2437	26Tone	RU0	-8.97	≤8.00	PASS
			52Tone	RU37	-9.14	≤8.00	PASS
			106Tone	RU53	-9.09	≤8.00	PASS
	Ant4	2437	26Tone	RU0	-10.65	≤8.00	PASS
			52Tone	RU37	-10.8	≤8.00	PASS
			106Tone	RU53	-11.11	≤8.00	PASS
	total	2437	26Tone	RU0	-6.72	≤8.00	PASS
			52Tone	RU37	-6.88	≤8.00	PASS
			106Tone	RU53	-6.97	≤8.00	PASS
	Ant5	2462	26Tone	RU8	-10.12	≤8.00	PASS
			52Tone	RU40	-9.74	≤8.00	PASS
			106Tone	RU54	-9.74	≤8.00	PASS
	Ant4	2462	26Tone	RU8	-9.24	≤8.00	PASS
			52Tone	RU40	-8.97	≤8.00	PASS
			106Tone	RU54	-8.69	≤8.00	PASS
total	2462	26Tone	RU8	-6.65	≤8.00	PASS	
		52Tone	RU40	-6.33	≤8.00	PASS	
		106Tone	RU54	-6.17	≤8.00	PASS	




Test Graphs






11AX20MIMO_Ant5_2412_106Tone_RU53



Date: 28.DEC.2022 06:49:11


11AX20MIMO_Ant4_2412_26Tone_RU0




Date: 28.DEC.2022 06:35:28



11AX20MIMO_Ant4_2412_52Tone_RU37




11AX20MIMO_Ant4_2412_106Tone_RU53






11AX20MIMO_Ant5_2437_26Tone_RU0




11AX20MIMO_Ant5_2437_52Tone_RU37






11AX20MIMO_Ant5_2437_106Tone_RU53



Date: 28.DEC.2022 07:06:22


11AX20MIMO_Ant4_2437_26Tone_RU0



Date: 28.DEC.2022 06:54:30




11AX20MIMO_Ant4_2437_52Tone_RU37



Date: 28.DEC.2022 07:05:17


11AX20MIMO_Ant4_2437_106Tone_RU53



Date: 28.DEC.2022 07:06:39




11AX20MIMO_Ant5_2462_26Tone_RU8



Date: 28.DEC.2022 07:11:44


11AX20MIMO_Ant5_2462_52Tone_RU40



Date: 28.DEC.2022 07:13:06




11AX20MIMO_Ant5_2462_106Tone_RU54



Date: 28.DEC.2022 07:14:44


11AX20MIMO_Ant4_2462_26Tone_RU8




Date: 28.DEC.2022 07:11:55



11AX20MIMO_Ant4_2462_52Tone_RU40




11AX20MIMO_Ant4_2462_106Tone_RU54





Appendix B. AC Conducted Emission Test Results

Test Engineer :	Amos	Temperature :	25.3~26.2°C
		Relative Humidity :	38~40%
Test Voltage :	120Vac / 60Hz	Phase :	Line
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		




Site : CO01-KS
Condition : 15C RSS247-QP LISN-060103-L LINE

	Freq	Level	Over	Limit	Read	LISN	Cable	Remark
	MHz	dBuV	Limit	Line	Level	Factor	Loss	
			dB	dBuV	dBuV	dB	dB	
1 *	0.192	54.93	-9.00	63.93	44.20	0.31	10.42	QP
2	0.192	33.33	-20.60	53.93	22.60	0.31	10.42	Average
3	0.205	49.53	-13.87	63.40	38.79	0.32	10.42	QP
4	0.205	28.93	-24.47	53.40	18.19	0.32	10.42	Average
5	0.262	50.76	-10.62	61.38	40.11	0.28	10.37	QP
6	0.262	30.26	-21.12	51.38	19.61	0.28	10.37	Average
7	0.317	44.80	-15.00	59.80	34.20	0.26	10.34	QP
8	0.317	22.80	-27.00	49.80	12.20	0.26	10.34	Average
9	0.469	38.70	-17.84	56.54	28.20	0.26	10.24	QP
10	0.469	22.70	-23.84	46.54	12.20	0.26	10.24	Average
11	13.197	37.81	-22.19	60.00	26.20	0.52	11.09	QP
12	13.197	32.21	-17.79	50.00	20.60	0.52	11.09	Average



Test Engineer :	Amos	Temperature :	25.3~26.2°C
		Relative Humidity :	38~40%
Test Voltage :	120Vac / 60Hz	Phase :	Neutral
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		



Site : CO01-KS
Condition : 15C RSS247-QP LISN-060103-N NEUTRAL

	Freq	Level	Over	Limit	Read	LISN	Cable	Remark
	MHz	dBuV	Limit	Line	Level	Factor	Loss	
			dB	dBuV	dBuV	dB	dB	
1 *	0.175	48.94	-16.78	64.72	38.21	0.31	10.42	QP
2	0.175	27.34	-27.38	54.72	16.61	0.31	10.42	Average
3	0.235	44.22	-18.04	62.26	33.50	0.33	10.39	QP
4	0.235	22.92	-29.34	52.26	12.20	0.33	10.39	Average
5	0.273	42.21	-18.82	61.03	31.50	0.34	10.37	QP
6	0.273	23.31	-27.72	51.03	12.60	0.34	10.37	Average
7	0.538	36.08	-19.92	56.00	25.60	0.28	10.20	QP
8	0.538	20.68	-25.32	46.00	10.20	0.28	10.20	Average
9	10.564	39.22	-20.78	60.00	28.11	0.37	10.74	QP
10	10.564	32.31	-17.69	50.00	21.20	0.37	10.74	Average
11	12.988	40.37	-19.63	60.00	28.80	0.50	11.07	QP
12	12.988	33.47	-16.53	50.00	21.90	0.50	11.07	Average

Note:

- Level(dBμV) = Read Level(dBμV) + LISN Factor(dB) + Cable Loss(dB)
- Over Limit(dB) = Level(dBμV) – Limit Line(dBμV)



Appendix C. Radiated Spurious Emission

2.4GHz 2400~2483.5MHz

WIFI 802.11b (Band Edge @ 3m)

WIFI	Note	Frequency	Level	Margin	Limit	Read	Antenna	Path	Preamp	Ant	Table	Peak	Pol.
Ant.					Line	Level	Factor	Loss	Factor	Pos	Pos	Avg.	
4+5		(MHz)	(dBμV/m)	(dB)	(dBμV/m)	(dBμV)	(dB/m)	(dB)	(dB)	(cm)	(deg)	(P/A)	(H/V)
802.11b CH 01 2412MHz		2389.905	49.94	-24.06	74	50.92	27.53	5.37	33.88	100	87	P	H
		2390	40.23	-13.77	54	41.21	27.53	5.37	33.88	100	87	A	H
	*	2412	110.67	-	-	111.58	27.6	5.37	33.88	100	87	P	H
	*	2412	107.32	-	-	108.23	27.6	5.37	33.88	100	87	A	H
		2351.685	50.03	-23.97	74	51.16	27.4	5.34	33.87	323	251	P	V
		2390	39.28	-14.72	54	40.26	27.53	5.37	33.88	323	251	A	V
	*	2412	106.06	-	-	106.97	27.6	5.37	33.88	323	251	P	V
	*	2412	102.25	-	-	103.16	27.6	5.37	33.88	323	251	A	V
802.11b CH 11 2462MHz	*	2462	111.97	-	-	112.68	27.77	5.41	33.89	100	97	P	H
	*	2462	109.1	-	-	109.81	27.77	5.41	33.89	100	97	A	H
		2486.88	53.72	-20.28	74	54.3	27.86	5.46	33.9	100	97	P	H
		2483.52	46.18	-7.82	54	46.78	27.84	5.46	33.9	100	97	A	H
	*	2462	106.25	-	-	106.96	27.77	5.41	33.89	318	274	P	V
	*	2462	103.33	-	-	104.04	27.77	5.41	33.89	318	274	A	V
		2486.68	51.08	-22.92	74	51.67	27.85	5.46	33.9	318	274	P	V
		2483.52	40.81	-13.19	54	41.41	27.84	5.46	33.9	318	274	A	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



**2.4GHz 2400~2483.5MHz
WIFI 802.11b (Harmonic @ 3m)**

WIFI Ant.	Note	Frequency	Level	Margin	Limit Line	Read Level	Antenna Factor	Path Loss	Preamp Factor	Ant Pos	Table Pos	Peak Avg.	Pol.
4+5		(MHz)	(dBμV/m)	(dB)	(dBμV/m)	(dBμV)	(dB/m)	(dB)	(dB)	(cm)	(deg)	(P/A)	(H/V)
802.11b CH 01 2412MHz		4824	45.97	-28.03	74	55.27	31.58	8.88	49.76	-	-	P	H
		4824	43.95	-30.05	74	53.25	31.58	8.88	49.76	-	-	P	V
802.11b CH 06 2437MHz		4874	43.86	-30.14	74	53.2	31.67	8.76	49.77	-	-	P	H
		7311	45.56	-28.44	74	49.12	36.21	10.18	49.95	-	-	P	H
		4874	43.8	-30.2	74	53.14	31.67	8.76	49.77	-	-	P	V
		7311	46.37	-27.63	74	49.93	36.21	10.18	49.95	-	-	P	V
802.11b CH 11 2462MHz		4924	42.71	-31.29	74	52.2	31.76	8.53	49.78	-	-	P	H
		7386	45.83	-28.17	74	49.49	36.29	10.18	50.13	-	-	P	H
		4924	41.42	-32.58	74	50.91	31.76	8.53	49.78	-	-	P	V
		7386	45.78	-28.22	74	49.44	36.29	10.18	50.13	-	-	P	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



**2.4GHz 2400~2483.5MHz
WIFI 802.11g (Band Edge @ 3m)**

WIFI Ant. 4+5	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11g CH 01 2412MHz		2390	58.1	-15.9	74	59.08	27.53	5.37	33.88	100	81	P	H
		2390	47.22	-6.78	54	48.2	27.53	5.37	33.88	100	81	A	H
	*	2412	109.93	-	-	110.84	27.6	5.37	33.88	100	81	P	H
	*	2412	102.04	-	-	102.95	27.6	5.37	33.88	100	81	A	H
		2388.855	54.38	-19.62	74	55.37	27.52	5.37	33.88	342	268	P	V
		2389.275	44.01	-9.99	54	45	27.52	5.37	33.88	342	268	A	V
	*	2412	108.63	-	-	109.54	27.6	5.37	33.88	342	268	P	V
	*	2412	101.16	-	-	102.07	27.6	5.37	33.88	342	268	A	V
802.11g CH 11 2462MHz	*	2462	110.69	-	-	111.4	27.77	5.41	33.89	100	135	P	H
	*	2462	103.2	-	-	103.91	27.77	5.41	33.89	100	135	A	H
		2484.52	63.1	-10.9	74	63.69	27.85	5.46	33.9	100	135	P	H
		2484.08	50.98	-3.02	54	51.57	27.85	5.46	33.9	100	135	A	H
	*	2462	108.52	-	-	109.23	27.77	5.41	33.89	281	268	P	V
	*	2462	100.37	-	-	101.08	27.77	5.41	33.89	281	268	A	V
		2484.72	58.95	-15.05	74	59.54	27.85	5.46	33.9	281	268	P	V
		2484.44	46	-8	54	46.59	27.85	5.46	33.9	281	268	A	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



**2.4GHz 2400~2483.5MHz
WIFI 802.11g (Harmonic @ 3m)**

WIFI Ant. 4+5	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11g CH 01 2412MHz		4824	44.12	-29.88	74	53.42	31.58	8.88	49.76	-	-	P	H
		4824	43.5	-30.5	74	52.8	31.58	8.88	49.76	-	-	P	V
802.11g CH 06 2437MHz		4874	43.71	-30.29	74	53.05	31.67	8.76	49.77	-	-	P	H
		7311	45.22	-28.78	74	48.78	36.21	10.18	49.95	-	-	P	H
		4874	44.92	-29.08	74	54.26	31.67	8.76	49.77	-	-	P	V
		7311	45.53	-28.47	74	49.09	36.21	10.18	49.95	-	-	P	V
802.11g CH 11 2462MHz		4924	41.5	-32.5	74	50.99	31.76	8.53	49.78			P	H
		7386	45.89	-28.11	74	49.55	36.29	10.18	50.13			P	H
		4924	41.27	-32.73	74	50.76	31.76	8.53	49.78	-	-	P	V
		7386	46	-28	74	49.66	36.29	10.18	50.13	-	-	P	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



**2.4GHz 2400~2483.5MHz
WIFI 802.11 ax HE20 Full (Band Edge @ 3m)**

WIFI Ant.	Note	Frequency	Level	Margin	Limit Line	Read Level	Antenna Factor	Path Loss	Preamp Factor	Ant Pos	Table Pos	Peak Avg.	Pol.
4+5		(MHz)	(dBμV/m)	(dB)	(dBμV/m)	(dBμV)	(dB/m)	(dB)	(dB)	(cm)	(deg)	(P/A)	(H/V)
802.11ax HE20 Full CH 01 2412MHz		2389.8	58.51	-15.49	74	59.49	27.53	5.37	33.88	100	77	P	H
		2390	47.91	-6.09	54	48.89	27.53	5.37	33.88	100	77	A	H
	*	2412	109.71	-	-	110.62	27.6	5.37	33.88	100	77	P	H
	*	2412	100.33	-	-	101.24	27.6	5.37	33.88	100	77	A	H
		2389.8	54.73	-19.27	74	55.71	27.53	5.37	33.88	342	268	P	V
		2390	42.25	-11.75	54	43.23	27.53	5.37	33.88	342	268	A	V
	*	2412	109.42	-	-	110.33	27.6	5.37	33.88	342	268	P	V
	*	2412	98.2	-	-	99.11	27.6	5.37	33.88	342	268	A	V
8802.11ax HE20 Full CH 11 2462MHz		2462	110.05	-	-	110.76	27.77	5.41	33.89	100	76	P	H
		2462	101.88	-	-	102.59	27.77	5.41	33.89	100	76	A	H
		2484.64	61.75	-12.25	74	62.34	27.85	5.46	33.9	100	76	P	H
		2483.52	50.97	-3.03	54	51.57	27.84	5.46	33.9	100	76	A	H
	*	2462	109.71	-	-	110.42	27.77	5.41	33.89	360	266	P	V
	*	2462	100.76	-	-	101.47	27.77	5.41	33.89	360	266	A	V
		2486.68	58	-16	74	58.59	27.85	5.46	33.9	360	266	P	V
	2486.32	45.52	-8.48	54	46.11	27.85	5.46	33.9	360	266	A	V	
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



**2.4GHz 2400~2483.5MHz
WIFI 802.11 ax HE40 Full (Band Edge @ 3m)**

WIFI Ant.	Note	Frequency	Level	Margin	Limit Line	Read Level	Antenna Factor	Path Loss	Preamp Factor	Ant Pos	Table Pos	Peak Avg.	Pol.
4+5		(MHz)	(dBμV/m)	(dB)	(dBμV/m)	(dBμV)	(dB/m)	(dB)	(dB)	(cm)	(deg)	(P/A)	(H/V)
802.11ax HE40 Full CH 03 2422MHz		2389.52	58.73	-15.27	74	59.72	27.52	5.37	33.88	100	90	P	H
		2389.94	49.56	-4.44	54	50.54	27.53	5.37	33.88	100	90	A	H
	*	2422	107.26	-	-	108.14	27.63	5.37	33.88	100	90	P	H
	*	2422	98.15	-	-	99.03	27.63	5.37	33.88	100	90	A	H
		2486.49	52.87	-21.13	74	53.46	27.85	5.46	33.9	100	90	P	H
		2484.25	42.25	-11.75	54	42.84	27.85	5.46	33.9	100	90	A	H
		2389.94	59.8	-14.2	74	60.78	27.53	5.37	33.88	335	269	P	V
		2389.38	46.74	-7.26	54	47.73	27.52	5.37	33.88	335	269	A	V
	*	2422	106.84	-	-	107.72	27.63	5.37	33.88	335	269	P	V
	*	2422	96.42	-	-	97.3	27.63	5.37	33.88	335	269	A	V
	2488.73	51.23	-22.77	74	51.81	27.86	5.46	33.9	335	269	P	V	
	2483.5	40.76	-13.24	54	41.36	27.84	5.46	33.9	335	269	A	V	
8802.11ax HE40 Full CH 09 2452MHz		2389.1	50.03	-23.97	74	51.02	27.52	5.37	33.88	100	78	P	H
		2389.8	40.23	-13.77	54	41.21	27.53	5.37	33.88	100	78	A	H
	*	2452	107.88	-	-	108.62	27.74	5.41	33.89	100	78	P	H
	*	2452	98.59	-	-	99.33	27.74	5.41	33.89	100	78	A	H
		2486.91	61.63	-12.37	74	62.21	27.86	5.46	33.9	100	78	P	H
		2485.51	50.53	-3.47	54	51.12	27.85	5.46	33.9	100	78	A	H
		2362.92	49.85	-24.15	74	50.95	27.43	5.34	33.87	358	294	P	V
		2389.66	39.11	-14.89	54	40.1	27.52	5.37	33.88	358	294	A	V
	*	2452	102.67	-	-	103.39	27.76	5.41	33.89	358	294	P	V
	*	2452	94.3	-	-	95.05	27.73	5.41	33.89	358	294	A	V
	2483.62	59.03	-14.97	74	59.63	27.84	5.46	33.9	358	294	P	V	
	2483.5	47.68	-6.32	54	48.28	27.84	5.46	33.9	358	294	A	V	
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



**2.4GHz 2400~2483.5MHz
WIFI 802.11 ax HE20 Full (Harmonic @ 3m)**

WIFI Ant.	Note	Frequency	Level	Margin	Limit Line	Read Level	Antenna Factor	Path Loss	Preamp Factor	Ant Pos	Table Pos	Peak Avg.	Pol.
4+5		(MHz)	(dBμV/m)	(dB)	(dBμV/m)	(dBμV)	(dB/m)	(dB)	(dB)	(cm)	(deg)	(P/A)	(H/V)
802.11ax HE20 Full CH 01 2412MHz		4824	44.42	-29.58	74	53.72	31.58	8.88	49.76	-	-	P	H
		4824	44.16	-29.84	74	53.46	31.58	8.88	49.76	-	-	P	V
802.11ax HE20 Full CH 06 2437MHz		4874	42.89	-31.11	74	52.23	31.67	8.76	49.77	-	-	P	H
		7311	44.29	-29.71	74	47.85	36.21	10.18	49.95	-	-	P	H
		4874	42.33	-31.67	74	51.67	31.67	8.76	49.77	-	-	P	V
		7311	44.98	-29.02	74	48.54	36.21	10.18	49.95	-	-	P	V
802.11ax HE20 Full CH 11 2462MHz		4924	41.48	-32.52	74	50.97	31.76	8.53	49.78	-	-	P	H
		7386	46.43	-27.57	74	50.09	36.29	10.18	50.13	-	-	P	H
		4924	41.51	-32.49	74	51	31.76	8.53	49.78	-	-	P	V
		7386	44.75	-29.25	74	48.41	36.29	10.18	50.13	-	-	P	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



**2.4GHz 2400~2483.5MHz
WIFI 802.11ax HE20 Partial 26 (Band Edge @ 3m)**

WIFI Ant. 4+5	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11ax HE20 Partial 26/0 CH 01 2412MHz		2334.675	50.05	-23.95	74	50.44	28.17	5.31	33.87	117	291	P	H
		2390	38.56	-15.44	54	38.62	28.45	5.37	33.88	117	291	A	H
	*	2412	108.23	-	-	108.18	28.56	5.37	33.88	117	291	P	H
	*	2412	98.87	-	-	98.82	28.56	5.37	33.88	117	291	A	H
		2386.755	49.87	-24.13	74	49.95	28.43	5.37	33.88	334	260	P	V
		2390	38.51	-15.49	54	38.57	28.45	5.37	33.88	334	260	A	V
	*	2412	102.71	-	-	102.66	28.56	5.37	33.88	334	260	P	V
	*	2412	94.3	-	-	94.25	28.56	5.37	33.88	334	260	A	V
802.11ax HE20 Partial 26/8 CH 11 2462MHz	*	2462	108.63	-	-	108.3	28.81	5.41	33.89	100	301	P	H
	*	2462	98.35	-	-	98.02	28.81	5.41	33.89	100	301	A	H
		2484.08	50.81	-23.19	74	50.33	28.92	5.46	33.9	100	301	P	H
		2487.64	39.45	-14.55	54	38.95	28.94	5.46	33.9	100	301	A	H
	*	2462	109.33	-	-	109	28.81	5.41	33.89	400	269	P	V
	*	2462	99.91	-	-	99.58	28.81	5.41	33.89	400	269	A	V
		2483.92	50.86	-23.14	74	50.38	28.92	5.46	33.9	400	269	P	V
		2487.2	39.56	-14.44	54	39.06	28.94	5.46	33.9	400	269	A	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



**2.4GHz 2400~2483.5MHz
WIFI 802.11ax HE20 Partial 52 (Band Edge @ 3m)**

WIFI Ant. 4+5	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11ax HE20 Partial 52/37 CH 01 2412MHz		2358.3	50.6	-23.4	74	50.84	28.29	5.34	33.87	122	290	P	H
		2390	38.81	-15.19	54	38.87	28.45	5.37	33.88	122	290	A	H
	*	2412	106.69	-	-	106.64	28.56	5.37	33.88	122	290	P	H
	*	2412	98.09	-	-	98.04	28.56	5.37	33.88	122	290	A	H
		2359.14	50	-24	74	50.23	28.3	5.34	33.87	333	260	P	V
		2390	38.65	-15.35	54	38.71	28.45	5.37	33.88	333	260	A	V
	*	2412	106.03	-	-	105.98	28.56	5.37	33.88	333	260	P	V
	*	2412	96.25	-	-	96.2	28.56	5.37	33.88	333	260	A	V
802.11ax HE20 Partial 52/40 CH 11 2462MHz	*	2462	107.99	-	-	107.66	28.81	5.41	33.89	108	299	P	H
	*	2462	99.18	-	-	98.85	28.81	5.41	33.89	108	299	A	H
		2485.8	51.65	-22.35	74	51.16	28.93	5.46	33.9	108	299	P	H
		2485.44	39.73	-14.27	54	39.24	28.93	5.46	33.9	108	299	A	H
	*	2462	107.54	-	-	107.21	28.81	5.41	33.89	400	270	P	V
	*	2462	98.84	-	-	98.51	28.81	5.41	33.89	400	270	A	V
		2484.24	50.46	-23.54	74	49.98	28.92	5.46	33.9	400	270	P	V
		2485.96	39.52	-14.48	54	39.03	28.93	5.46	33.9	400	270	A	V



**2.4GHz 2400~2483.5MHz
WIFI 802.11ax HE20 Partial 106 (Band Edge @ 3m)**

WIFI Ant. 4+5	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11ax HE20 Partial 106/53 CH 01 2412MHz		2389.38	53.24	-20.76	74	53.3	28.45	5.37	33.88	144	290	P	H
		2390	39.32	-14.68	54	39.38	28.45	5.37	33.88	144	290	A	H
	*	2412	107.63	-	-	107.58	28.56	5.37	33.88	144	290	P	H
	*	2412	98.93	-	-	98.88	28.56	5.37	33.88	144	290	A	H
		2389.905	51.31	-22.69	74	51.37	28.45	5.37	33.88	329	266	P	V
		2390	38.88	-15.12	54	38.94	28.45	5.37	33.88	329	266	A	V
	*	2412	106.46	-	-	106.41	28.56	5.37	33.88	329	266	P	V
	*	2412	96.74	-	-	96.69	28.56	5.37	33.88	329	266	A	V
802.11ax HE20 Partial 106/54 CH 11 2462MHz	*	2462	109.31	-	-	108.98	28.81	5.41	33.89	111	288	P	H
	*	2462	99.83	-	-	99.5	28.81	5.41	33.89	111	288	A	H
		2483.76	61.94	-12.06	74	61.46	28.92	5.46	33.9	111	288	P	H
		2483.6	40.56	-13.44	54	40.08	28.92	5.46	33.9	111	288	A	H
	*	2462	109.45	-	-	109.12	28.81	5.41	33.89	400	268	P	V
	*	2462	99.27	-	-	98.94	28.81	5.41	33.89	400	268	A	V
		2483.8	59.89	-14.11	74	59.41	28.92	5.46	33.9	400	268	P	V
		2483.52	40.43	-13.57	54	39.95	28.92	5.46	33.9	400	268	A	V



**2.4GHz 2400~2483.5MHz
WIFI 802.11 ax HE40 Full (Harmonic @ 3m)**

WIFI Ant. 4+5	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11ax		4844	44.12	-29.88	74	52.6	31.94	8.76	49.18	-	-	P	H
HE40 Full		7266	44.64	-29.36	74	49.34	36.9	10.18	51.78	-	-	P	H
CH 03		4844	44.29	-29.71	74	52.77	31.94	8.76	49.18	-	-	P	V
2422MHz		7266	44.86	-29.14	74	49.56	36.9	10.18	51.78	-	-	P	V
802.11ax		4874	42.91	-31.09	74	52.25	31.67	8.76	49.77	-	-	P	H
HE40 Full		7311	45.33	-28.67	74	48.89	36.21	10.18	49.95	-	-	P	H
CH 06		4874	43.05	-30.95	74	52.39	31.67	8.76	49.77	-	-	P	V
2437MHz		7311	45.78	-28.22	74	49.34	36.21	10.18	49.95	-	-	P	V
802.11ax		4904	42.15	-31.85	74	51.55	31.73	8.65	49.78	-	-	P	H
HE40 Full		7356	46.43	-27.57	74	50.04	36.26	10.18	50.05	-	-	P	H
CH 09		4904	41.55	-32.45	74	50.95	31.73	8.65	49.78	-	-	P	V
2452MHz		7356	45.33	-28.67	74	48.94	36.26	10.18	50.05	-	-	P	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



Emission below 1GHz
2.4GHz WIFI 802.11g (LF)

WIFI	Note	Frequency	Level	Margin	Limit	Read	Antenna	Path	Preamp	Ant	Table	Peak	Pol.
Ant.					Line	Level	Factor	Loss	Factor	Pos	Pos	Avg.	
4+5		(MHz)	(dBμV/m)	(dB)	(dBμV/m)	(dBμV)	(dB/m)	(dB)	(dB)	(cm)	(deg)	(P/A)	(H/V)
2.4GHz 802.11g LF		30.97	24.75	-15.25	40	30.75	25.29	0.54	31.83	-	-	Peak	H
		192.96	33.71	-9.79	43.5	48.23	15.38	1.41	31.31	-	-	Peak	H
		288.99	36.37	-9.63	46	46.06	19.66	1.77	31.12	-	-	Peak	H
		324.88	38.5	-7.5	46	47.42	20.27	1.89	31.08	-	-	Peak	H
		373.38	34.74	-11.26	46	42.43	21.3	2.04	31.03	-	-	Peak	H
		953.44	34.35	-11.65	46	30.8	31.09	3.24	30.78	-	-	Peak	H
		53.28	29.8	-10.2	40	47.23	13.7	0.73	31.86	-	-	Peak	V
		159.98	28.12	-15.38	43.5	41.54	16.67	1.29	31.38	-	-	Peak	V
		289.96	32.89	-13.11	46	42.56	19.68	1.77	31.12	-	-	Peak	V
		300.63	32.43	-13.57	46	41.78	19.95	1.8	31.1	-	-	Peak	V
		752.65	31.33	-14.67	46	30.82	28.55	2.86	30.9	-	-	Peak	V
	952.47	34.42	-11.58	46	30.87	31.11	3.23	30.79	-	-	Peak	V	
Remark	1. No other spurious found. 2. All results are PASS against limit line.												



Co-location

11g_Tx_CH11 2452Mhz Tx & LTE Band 48 Link

WIFI Ant. 1+2	Note	Frequency (MHz)	Level (dBμV/m)	Over Limit (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
B1g_Tx_CH11& LTE Band 48	*	2462	109.09	-	-	109.8	27.77	5.41	33.89	116	279	P	H
	*	2462	102.09	-	-	102.8	27.77	5.41	33.89	116	279	A	H
		2483.68	60.72	-13.28	74	61.32	27.84	5.46	33.9	116	279	P	H
		2483.52	49.38	-4.62	54	49.98	27.84	5.46	33.9	116	279	A	H
	*	2462	107.1	-	-	107.81	27.77	5.41	33.89	400	273	P	V
	*	2462	100.54	-	-	101.25	27.77	5.41	33.89	400	273	A	V
		2483.56	56.86	-17.14	74	57.46	27.84	5.46	33.9	400	273	P	V
		2483.52	45.47	-8.53	54	46.07	27.84	5.46	33.9	400	273	A	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



2.4GHz 2400~2483.5MHz (Harmonic @ 3m)

11g_Tx_CH11 2462Mhz& LTE Band 48

WIFI Ant.	Note	Frequency	Level	Over Limit	Limit Line	Read Level	Antenna Factor	Path Loss	Preamp Factor	Ant Pos	Table Pos	Peak Avg.	Pol.
1+2		(MHz)	(dBμV/m)	(dB)	(dBμV/m)	(dBμV)	(dB/m)	(dB)	(dB)	(cm)	(deg)	(P/A)	(H/V)
11g_Tx_CH11& LTE Band 48		4924	42.8	-31.2	74	52.29	31.76	8.53	49.78	-	-	P	H
		7386	45.75	-28.25	74	49.41	36.29	10.18	50.13	-	-	P	H
		4924	42.63	-31.37	74	52.12	31.76	8.53	49.78	-	-	P	V
		7386	46.26	-27.74	74	49.92	36.29	10.18	50.13	-	-	P	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



Note symbol

*	Fundamental Frequency which can be ignored. However, the level of any unwanted emissions shall not exceed the level of the fundamental frequency.
!	Test result is Margin line.
P/A	Peak or Average
H/V	Horizontal or Vertical

A calculation example for radiated spurious emission is shown as below:

WIFI	Note	Frequency	Level	Margin	Limit	Read	Antenna	Path	Preamp	Ant	Table	Peak	Pol.
Ant.					Line	Level	Factor	Loss	Factor	Pos	Pos	Avg.	
4+5		(MHz)	(dBμV/m)	(dB)	(dBμV/m)	(dBμV)	(dB/m)	(dB)	(dB)	(cm)	(deg)	(P/A)	(H/V)
802.11b		2390	55.45	-18.55	74	54.51	32.22	4.58	35.86	103	308	P	H
CH 01													
2412MHz		2390	43.54	-10.46	54	42.6	32.22	4.58	35.86	103	308	A	H

1. Path Loss(dB) = Cable loss(dB) + Filter loss(dB) + Attenuator loss(dB)
2. Level(dBμV/m) =
Antenna Factor(dB/m) + Path Loss(dB) + Read Level(dBμV) - Preamp Factor(dB)
3. Margin (dB) = Level(dBμV/m) – Limit Line(dBμV/m)

For Peak Limit @ 2390MHz:

1. Level(dBμV/m)
= Antenna Factor(dB/m) + Path Loss(dB) + Read Level(dBμV) - Preamp Factor(dB)
= 32.22(dB/m) + 4.58(dB) + 54.51(dBμV) – 35.86 (dB)
= 55.45 (dBμV/m)
2. Margin (dB)
= Level(dBμV/m) – Limit Line(dBμV/m)
= 55.45(dBμV/m) – 74(dBμV/m)
= -18.55(dB)

For Average Limit @ 2390MHz:

1. Level(dBμV/m)
= Antenna Factor(dB/m) + Path Loss(dB) + Read Level(dBμV) - Preamp Factor(dB)
= 32.22(dB/m) + 4.58(dB) + 42.6(dBμV) – 35.86 (dB)
= 43.54 (dBμV/m)
2. Margin (dB)
= Level(dBμV/m) – Limit Line(dBμV/m)
= 43.54(dBμV/m) – 54(dBμV/m)
= -10.46(dB)


Both peak and average measured complies with the limit line, so test result is “PASS”.







Appendix D. Radiated Spurious Emission Plots

2.4GHz 2400~2483.5MHz
 WIFI 802.11b (Band Edge @ 3m)





WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11b CH01 2412MHz	
4+5	Horizontal	Fundamental
Peak	<p>Site : 03CH04-SZ Condition : PEAK_BIE_24 3m 91000-1474-2022 HORIZONTAL REW: 1000.000kHz VBW: 0.010kHz Project : 200913 Mode : Mode 15 IMEI : 358041760025512/358041760025520 Plane : X with Accessories IM Power setting 21</p>	<p>Site : 03CH04-SZ Condition : PEAK_24 3m 91000-1474-2022 HORIZONTAL REW: 1000.000kHz VBW: 3000.000kHz Project : 200913 Mode : Mode 15 IMEI : 358041760025512/358041760025520 Plane : X with Accessories IM Power setting 21</p>





WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11b CH01 2412MHz	
4+5	Vertical	Fundamental
Peak	 <p>Site : 03CH04-SZ Condition : PEAK_74 3m 91200-1474-2022 VERTICAL RBW:1000.000kHz VBW:3000.000kHz Project : 2D0913 Mode : Mode 19 IMEI : 358041760025512/358041760025520 Plane : X with Accessories IM Power setting 21</p>	 <p>Site : 03CH04-SZ Condition : PEAK_74 3m 91200-1474-2022 VERTICAL RBW:1000.000kHz VBW:3000.000kHz Project : 2D0913 Mode : Mode 19 IMEI : 358041760025512/358041760025520 Plane : X with Accessories IM Power setting 21</p>
Avg.	 <p>Site : 03CH04-SZ Condition : AVG_54 3m 91200-1474-2022 VERTICAL RBW:1000.000kHz VBW:0.010kHz Project : 2D0913 Mode : Mode 19 IMEI : 358041760025512/358041760025520 Plane : X with Accessories IM Power setting 21</p>	 <p>Site : 03CH04-SZ Condition : AVG_54 3m 91200-1474-2022 VERTICAL RBW:1000.000kHz VBW:0.010kHz Project : 2D0913 Mode : Mode 19 IMEI : 358041760025512/358041760025520 Plane : X with Accessories IM Power setting 21</p>



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11b CH11 2462MHz	
4+5	Horizontal	Fundamental
Peak	 <p>Date: 3 Level (dBuV/m) Date: 2022.12.27</p> <p>Site : 03CH04-SZ Condition : PEAK_BE_24 3m 91200.1474-2022 HORIZONTAL RBW:1000.000kHz VBW:3000.000kHz Project : ZD0913 Mode : Mode 21 IMEI : 358041760025512/358041760025520 Plane : X with Accessories IM Power setting 21</p>	 <p>Date: 1 Level (dBuV/m) Date: 2022.12.27</p> <p>Site : 03CH04-SZ Condition : PEAK_F0 3m 91200.1474-2022 HORIZONTAL RBW:1000.000kHz VBW:3000.000kHz Project : ZD0913 Mode : Mode 21 IMEI : 358041760025512/358041760025520 Plane : X with Accessories IM Power setting 21</p>
Avg.	 <p>Date: 4 Level (dBuV/m) Date: 2022.12.27</p> <p>Site : 03CH04-SZ Condition : AVG_BE_54 3m 91200.1474-2022 HORIZONTAL RBW:1000.000kHz VBW:0.010kHz Project : ZD0913 Mode : Mode 21 IMEI : 358041760025512/358041760025520 Plane : X with Accessories IM Power setting 21</p>	 <p>Date: 2 Level (dBuV/m) Date: 2022.12.27</p> <p>Site : 03CH04-SZ Condition : AVG_F0 3m 91200.1474-2022 HORIZONTAL RBW:1000.000kHz VBW:0.010kHz Project : ZD0913 Mode : Mode 21 IMEI : 358041760025512/358041760025520 Plane : X with Accessories IM Power setting 21</p>







WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11b CH11 2462MHz	
4+5	Vertical	Fundamental
Peak	<p>Site : 03CH04-SZ Condition : PEAK_BE_24 3m 91200-1474-2022 VERTICAL RBW:1000.000kHz VBW:3000.000kHz Project : ZD0913 Mode : Mode 21 IMEI : 358041760025512/358041760025520 Plane : X with Accessories : 1M Power setting 21</p>	<p>Site : 03CH04-SZ Condition : PEAK_24 3m 91200-1474-2022 VERTICAL RBW:1000.000kHz VBW:3000.000kHz Project : ZD0913 Mode : Mode 21 IMEI : 358041760025512/358041760025520 Plane : X with Accessories : 1M Power setting 21</p>
Avg.	<p>Site : 03CH04-SZ Condition : AVG_BE_54 3m 91200-1474-2022 VERTICAL RBW:1000.000kHz VBW:0.010kHz Project : ZD0913 Mode : Mode 21 IMEI : 358041760025512/358041760025520 Plane : X with Accessories : 1M Power setting 21</p>	<p>Site : 03CH04-SZ Condition : AVG_54 3m 91200-1474-2022 VERTICAL RBW:1000.000kHz VBW:0.010kHz Project : ZD0913 Mode : Mode 21 IMEI : 358041760025512/358041760025520 Plane : X with Accessories : 1M Power setting 21</p>







2.4GHz 2400~2483.5MHz
WIFI 802.11g (Band Edge @ 3m)

WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11g CH01 2412MHz	
4+5	Horizontal	Fundamental
Peak	<p>Site : 03CH04-SZ Condition : PEAK_BE_74 3m 91000-1474-2022 HORIZONTAL RBW: 1000.000kHz VBW: 3000.000kHz Project : 200913 Mode : Mode 22 IMEI : 358041760025512/358041760025520 Plane : X with Accessories GM Power setting 19</p>	<p>Site : 03CH04-SZ Condition : PEAK_74 3m 91000-1474-2022 HORIZONTAL RBW: 1000.000kHz VBW: 3000.000kHz Project : 200913 Mode : Mode 22 IMEI : 358041760025512/358041760025520 Plane : X with Accessories GM Power setting 19</p>
Avg.	<p>Site : 03CH04-SZ Condition : AVG_BE_54 3m 91200-1474-2022 HORIZONTAL RBW: 1000.000kHz VBW: 0.010kHz Project : 200913 Mode : Mode 22 IMEI : 358041760025512/358041760025520 Plane : X with Accessories GM Power setting 19</p>	<p>Site : 03CH04-SZ Condition : AVG_54 3m 91200-1474-2022 HORIZONTAL RBW: 1000.000kHz VBW: 0.010kHz Project : 200913 Mode : Mode 22 IMEI : 358041760025512/358041760025520 Plane : X with Accessories GM Power setting 19</p>



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11g CH01 2412MHz	
4+5	Vertical	Fundamental
Peak	 <p>Date: 5 Level (dBuV/m) Date: 2022.12.27</p> <p>Site : 03CH04-SZ Condition : PEAK_5E_24 3m 91200-1474-2022 VERTICAL RBW: 1000.000kHz VBW: 3000.000kHz Project : 2D0913 Mode : Mode 22 IMEI : 358041760025512/358041760025520 Plane : X with Accessories GM Power setting 19</p>	 <p>Date: 7 Level (dBuV/m) Date: 2022.12.27</p> <p>Site : 03CH04-SZ Condition : PEAK_7F 3m 91200-1474-2022 VERTICAL RBW: 1000.000kHz VBW: 3000.000kHz Project : 2D0913 Mode : Mode 22 IMEI : 358041760025512/358041760025520 Plane : X with Accessories GM Power setting 19</p>
Avg.	 <p>Date: 6 Level (dBuV/m) Date: 2022.12.27</p> <p>Site : 03CH04-SZ Condition : AVG_5E_54 3m 91200-1474-2022 VERTICAL RBW: 1000.000kHz VBW: 0.010kHz Project : 2D0913 Mode : Mode 22 IMEI : 358041760025512/358041760025520 Plane : X with Accessories GM Power setting 19</p>	 <p>Date: 8 Level (dBuV/m) Date: 2022.12.27</p> <p>Site : 03CH04-SZ Condition : AVG_54 3m 91200-1474-2022 VERTICAL RBW: 1000.000kHz VBW: 0.010kHz Project : 2D0913 Mode : Mode 22 IMEI : 358041760025512/358041760025520 Plane : X with Accessories GM Power setting 19</p>



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11g CH11 2462MHz	
4+5	Horizontal	Fundamental
Peak	 <p>Date: 3 Level (dBuV/m) Date: 2022.12.27</p> <p>Site : 03CH04-SZ Condition : PEAK_BE_24 3m 91200.1474-2022 HORIZONTAL RBW:1000.000kHz VBW:3000.000kHz Project : ZD0913 Mode : Mode 24 IMEI : 358041760025512/358041760025520 Plane : X with Accessories GM Power setting 19</p>	 <p>Date: 1 Level (dBuV/m) Date: 2022.12.27</p> <p>Site : 03CH04-SZ Condition : PEAK_F0 3m 91200.1474-2022 HORIZONTAL RBW:1000.000kHz VBW:3000.000kHz Project : ZD0913 Mode : Mode 24 IMEI : 358041760025512/358041760025520 Plane : X with Accessories GM Power setting 19</p>
Avg.	 <p>Date: 4 Level (dBuV/m) Date: 2022.12.27</p> <p>Site : 03CH04-SZ Condition : AVG_BE_54 3m 91200.1474-2022 HORIZONTAL RBW:1000.000kHz VBW:0.010kHz Project : ZD0913 Mode : Mode 24 IMEI : 358041760025512/358041760025520 Plane : X with Accessories GM Power setting 19</p>	 <p>Date: 2 Level (dBuV/m) Date: 2022.12.27</p> <p>Site : 03CH04-SZ Condition : AVG_F0 3m 91200.1474-2022 HORIZONTAL RBW:1000.000kHz VBW:0.010kHz Project : ZD0913 Mode : Mode 24 IMEI : 358041760025512/358041760025520 Plane : X with Accessories GM Power setting 19</p>







WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11g CH11 2462MHz	
4+5	Vertical	Fundamental
Peak	<p>Site : 03CH04-SZ Condition : PEAK_BE_24 3m 91200-1474-2022 VERTICAL RBW:1000.000kHz VBW:3000.000kHz Project : ZD0913 Mode : Mode 24 IMEI : 358041760025512/358041760025520 Plane : X with Accessories GM Power setting 19</p>	<p>Site : 03CH04-SZ Condition : PEAK_F0 3m 91200-1474-2022 VERTICAL RBW:1000.000kHz VBW:3000.000kHz Project : ZD0913 Mode : Mode 24 IMEI : 358041760025512/358041760025520 Plane : X with Accessories GM Power setting 19</p>
Avg.	<p>Site : 03CH04-SZ Condition : AVG_BE_54 3m 91200-1474-2022 VERTICAL RBW:1000.000kHz VBW:0.010kHz Project : ZD0913 Mode : Mode 24 IMEI : 358041760025512/358041760025520 Plane : X with Accessories GM Power setting 19</p>	<p>Site : 03CH04-SZ Condition : AVG_F0 3m 91200-1474-2022 VERTICAL RBW:1000.000kHz VBW:0.010kHz Project : ZD0913 Mode : Mode 24 IMEI : 358041760025512/358041760025520 Plane : X with Accessories GM Power setting 19</p>







2.4GHz 2400~2483.5MHz
WIFI 802.11ax HE20 Full (Band Edge @ 3m)

WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11ax HE20 Full CH01 2412MHz	
4+5	Horizontal	Fundamental
Peak	<p>Date: 1 Level (dBuV/m) Date: 2022.12.27</p> <p>Site : 03CH04-SZ Condition : PEAK_BE_74 3m 91000-1474-2022 HORIZONTAL RBW: 1000.000kHz VBW: 3000.000kHz Project : 200913 Mode : Mode 25 IMEI : 358041760025512/358041760025520 Plane : X with Accessories MCS0 Power setting 18</p>	<p>Date: 3 Level (dBuV/m) Date: 2022.12.27</p> <p>Site : 03CH04-SZ Condition : PEAK_74 3m 91000-1474-2022 HORIZONTAL RBW: 1000.000kHz VBW: 3000.000kHz Project : 200913 Mode : Mode 25 IMEI : 358041760025512/358041760025520 Plane : X with Accessories MCS0 Power setting 18</p>
Avg.	<p>Date: 2 Level (dBuV/m) Date: 2022.12.27</p> <p>Site : 03CH04-SZ Condition : AVG_BE_54 3m 91200-1474-2022 HORIZONTAL RBW: 1000.000kHz VBW: 0.010kHz Project : 200913 Mode : Mode 25 IMEI : 358041760025512/358041760025520 Plane : X with Accessories MCS0 Power setting 18</p>	<p>Date: 4 Level (dBuV/m) Date: 2022.12.27</p> <p>Site : 03CH04-SZ Condition : AVG_54 3m 91200-1474-2022 HORIZONTAL RBW: 1000.000kHz VBW: 0.010kHz Project : 200913 Mode : Mode 25 IMEI : 358041760025512/358041760025520 Plane : X with Accessories MCS0 Power setting 18</p>







WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11ax HE20 Full CH01 2412MHz	
4+5	Vertical	Fundamental
Peak	 <p>Date: 5 Level (dBuV/m) Date: 2022.12.27</p> <p>Site : 03CH04-SZ Condition : PEAK_5E_24 3m 91200-1474-2022 VERTICAL Project : 2D0913 Mode : Mode 25 IMEI : 358041760025512/358041760025520 Plane : X with Accessories MCS0 Power setting 18</p>	 <p>Date: 7 Level (dBuV/m) Date: 2022.12.27</p> <p>Site : 03CH04-SZ Condition : PEAK_7F_3m 91200-1474-2022 VERTICAL Project : 2D0913 Mode : Mode 25 IMEI : 358041760025512/358041760025520 Plane : X with Accessories MCS0 Power setting 18</p>
Avg.	 <p>Date: 6 Level (dBuV/m) Date: 2022.12.27</p> <p>Site : 03CH04-SZ Condition : AVG_5E_54 3m 91200-1474-2022 VERTICAL Project : 2D0913 Mode : Mode 25 IMEI : 358041760025512/358041760025520 Plane : X with Accessories MCS0 Power setting 18</p>	 <p>Date: 8 Level (dBuV/m) Date: 2022.12.27</p> <p>Site : 03CH04-SZ Condition : AVG_54 3m 91200-1474-2022 VERTICAL Project : 2D0913 Mode : Mode 25 IMEI : 358041760025512/358041760025520 Plane : X with Accessories MCS0 Power setting 18</p>







WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11ax HE20 Full CH11 2462MHz	
4+5	Horizontal	Fundamental
Peak	 <p>Date: 11 Level (dBuV/m) Date: 2022.12.27</p> <p>Site : 03CH04-SZ Condition : PEAK_BE_24 3m 91200-1474-2022 HORIZONTAL RBW:1000.000kHz VBW:3000.000kHz Project : 2D0913 Mode : Mode 27 IMEI : 358041760025512/358041760025520 Plane : X with Accessories MCS0 Power setting 17.5</p>	 <p>Date: 9 Level (dBuV/m) Date: 2022.12.27</p> <p>Site : 03CH04-SZ Condition : PEAK_24 3m 91200-1474-2022 HORIZONTAL RBW:1000.000kHz VBW:3000.000kHz Project : 2D0913 Mode : Mode 27 IMEI : 358041760025512/358041760025520 Plane : X with Accessories MCS0 Power setting 17.5</p>
Avg.	 <p>Date: 12 Level (dBuV/m) Date: 2022.12.27</p> <p>Site : 03CH04-SZ Condition : AVG_BE_54 3m 91200-1474-2022 HORIZONTAL RBW:1000.000kHz VBW:0.010kHz Project : 2D0913 Mode : Mode 27 IMEI : 358041760025512/358041760025520 Plane : X with Accessories MCS0 Power setting 17.5</p>	 <p>Date: 10 Level (dBuV/m) Date: 2022.12.27</p> <p>Site : 03CH04-SZ Condition : AVG_54 3m 91200-1474-2022 HORIZONTAL RBW:1000.000kHz VBW:0.010kHz Project : 2D0913 Mode : Mode 27 IMEI : 358041760025512/358041760025520 Plane : X with Accessories MCS0 Power setting 17.5</p>





WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11ax HE20 Full CH11 2462MHz	
4+5	Vertical	Fundamental
Peak	 <p>Site : 03CH04-SZ Condition : PEAK_BE_74 3m 91200-1474-2022 VERTICAL RBW:1000.000kHz VBW:3000.000kHz Project : 2D0913 Mode : 27 IMEI : 358041760025512/358041760025520 Plane : X with Accessories MCS0 Power setting 17.5</p>	 <p>Site : 03CH04-SZ Condition : PEAK_74 3m 91200-1474-2022 VERTICAL RBW:1000.000kHz VBW:3000.000kHz Project : 2D0913 Mode : 27 IMEI : 358041760025512/358041760025520 Plane : X with Accessories MCS0 Power setting 17.5</p>
Avg.	 <p>Site : 03CH04-SZ Condition : AVG_BE_54 3m 91200-1474-2022 VERTICAL RBW:1000.000kHz VBW:0.010kHz Project : 2D0913 Mode : 27 IMEI : 358041760025512/358041760025520 Plane : X with Accessories MCS0 Power setting 17.5</p>	 <p>Site : 03CH04-SZ Condition : AVG_54 3m 91200-1474-2022 VERTICAL RBW:1000.000kHz VBW:0.010kHz Project : 2D0913 Mode : 27 IMEI : 358041760025512/358041760025520 Plane : X with Accessories MCS0 Power setting 17.5</p>







2.4GHz 2400~2483.5MHz
WIFI 802.11ax HE40 Full (Band Edge @ 3m)

WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11ax HE40 Full CH03 2422MHz - L	
4+5	Horizontal	Fundamental
Peak	 <p>Date: 1 Level (dBuV/m) Date: 2023.01.14</p> <p>Site : 03CH04-SZ Condition : PEAK_BE_74 3m 91000-1474-2022 HORIZONTAL RBW: 1000.000kHz VBW: 3000.000kHz Project : 200913 Mode : Mode 34 IMEI : 358041760025512/358041760025520 Plane : X with Accessories MCS0 Power setting 18.5</p>	 <p>Date: 3 Level (dBuV/m) Date: 2023.01.14</p> <p>Site : 03CH04-SZ Condition : PEAK_F4 3m 91000-1474-2022 HORIZONTAL RBW: 1000.000kHz VBW: 3000.000kHz Project : 200913 Mode : Mode 34 IMEI : 358041760025512/358041760025520 Plane : X with Accessories MCS0 Power setting 18.5</p>
Avg.	 <p>Date: 2 Level (dBuV/m) Date: 2023.01.14</p> <p>Site : 03CH04-SZ Condition : AVG_BE_54 3m 91200-1474-2022 HORIZONTAL RBW: 1000.000kHz VBW: 0.010kHz Project : 200913 Mode : Mode 34 IMEI : 358041760025512/358041760025520 Plane : X with Accessories MCS0 Power setting 18.5</p>	 <p>Date: 4 Level (dBuV/m) Date: 2023.01.14</p> <p>Site : 03CH04-SZ Condition : AVG_F4 3m 91200-1474-2022 HORIZONTAL RBW: 1000.000kHz VBW: 0.010kHz Project : 200913 Mode : Mode 34 IMEI : 358041760025512/358041760025520 Plane : X with Accessories MCS0 Power setting 18.5</p>



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11ax HE40 Full CH03 2422MHz - R	
4+5	Horizontal	Fundamental
Peak	 <p>Date: 5 Date: 2023.01.14</p> <p>Level (dBm/100Hz)</p> <p>Frequency (MHz)</p> <p>Site: 03CH04-SZ Condition: PEAK_BE_24_3m 91200-1474-2022 HORIZONTAL RBW: 1000.0000kHz VBW: 3000.0000kHz Project: 2D0913 Mode: Mode 34 IMEI: 358041760025512/358041760025520 Plane: X with Accessories MCSO Power setting: 18.5</p>	Left blank
Avg.	 <p>Date: 6 Date: 2023.01.14</p> <p>Level (dBm/100Hz)</p> <p>Frequency (MHz)</p> <p>Site: 03CH04-SZ Condition: AVG_BE_24_3m 91200-1474-2022 HORIZONTAL RBW: 1000.0000kHz VBW: 0.0100kHz Project: 2D0913 Mode: Mode 34 IMEI: 358041760025512/358041760025520 Plane: X with Accessories MCSO Power setting: 18.5</p>	Left blank







WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11ax HE40 Full CH03 2422MHz - L	
4+5	Vertical	Fundamental
Peak	 <p>Date: 7 Level (dBuV/m) Date: 2023.01.14</p> <p>Site : 03CH04-SZ Condition : PEAK_5E_24 3m 91200-1474-2022 VERTICAL RBW: 1000.000kHz VBW: 3000.000kHz Project : ZD0913 Mode : Mode 34 IMEI : 358041760025512/358041760025520 Plane : X with Accessories MCS0 Power setting 18.5</p>	 <p>Date: 9 Level (dBuV/m) Date: 2023.01.14</p> <p>Site : 03CH04-SZ Condition : PEAK_7A 3m 91200-1474-2022 VERTICAL RBW: 1000.000kHz VBW: 3000.000kHz Project : ZD0913 Mode : Mode 34 IMEI : 358041760025512/358041760025520 Plane : X with Accessories MCS0 Power setting 18.5</p>
Avg.	 <p>Date: 8 Level (dBuV/m) Date: 2023.01.14</p> <p>Site : 03CH04-SZ Condition : AVG_5E_54 3m 91200-1474-2022 VERTICAL RBW: 1000.000kHz VBW: 0.010kHz Project : ZD0913 Mode : Mode 34 IMEI : 358041760025512/358041760025520 Plane : X with Accessories MCS0 Power setting 18.5</p>	 <p>Date: 10 Level (dBuV/m) Date: 2023.01.14</p> <p>Site : 03CH04-SZ Condition : AVG_54 3m 91200-1474-2022 VERTICAL RBW: 1000.000kHz VBW: 0.010kHz Project : ZD0913 Mode : Mode 34 IMEI : 358041760025512/358041760025520 Plane : X with Accessories MCS0 Power setting 18.5</p>





WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11ax HE40 Full CH03 2422MHz - R	
4+5	Vertical	Fundamental
<p>Peak</p>	<p>Site: 03CH04-SZ Condition: PEAK_SE_24_3m 91200-1474-2022 VERTICAL Project: 2D0913 Mode: Mode 34 IMEI: 358041760025512/358041760025520 Plane: X with Accessories MCS0 Power setting 18.5</p>	<p>Left blank</p>
<p>Avg.</p>	<p>Site: 03CH04-SZ Condition: AVG_SE_24_3m 91200-1474-2022 VERTICAL Project: 2D0913 Mode: Mode 34 IMEI: 358041760025512/358041760025520 Plane: X with Accessories MCS0 Power setting 18.5</p>	<p>Left blank</p>







WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11ax HE40 Full CH09 2452MHz - L	
4+5	Horizontal	Fundamental
<p>Peak</p>	 <p>Date: 13 Level (dBuV/m) Date: 2023.01.14</p> <p>Site : 03CH04-SZ Condition : PEAK_SE_24_3m 91200-1474-2022 HORIZONTAL RBW:1000.000kHz VBW:3000.000kHz Project : 2D0913 Mode : Mode 36 IMEI : 358041760025512/358041760025520 Plane : X with Accessories MCS0 Power setting 18</p>	 <p>Date: 15 Level (dBuV/m) Date: 2023.01.14</p> <p>Site : 03CH04-SZ Condition : PEAK_FD_3m 91200-1474-2022 HORIZONTAL RBW:1000.000kHz VBW:3000.000kHz Project : 2D0913 Mode : Mode 36 IMEI : 358041760025512/358041760025520 Plane : X with Accessories MCS0 Power setting 18</p>
<p>Avg.</p>	 <p>Date: 14 Level (dBuV/m) Date: 2023.01.14</p> <p>Site : 03CH04-SZ Condition : AVG_SE_54_3m 91200-1474-2022 HORIZONTAL RBW:1000.000kHz VBW:0.010kHz Project : 2D0913 Mode : Mode 36 IMEI : 358041760025512/358041760025520 Plane : X with Accessories MCS0 Power setting 18</p>	 <p>Date: 16 Level (dBuV/m) Date: 2023.01.14</p> <p>Site : 03CH04-SZ Condition : AVG_FD_3m 91200-1474-2022 HORIZONTAL RBW:1000.000kHz VBW:0.010kHz Project : 2D0913 Mode : Mode 36 IMEI : 358041760025512/358041760025520 Plane : X with Accessories MCS0 Power setting 18</p>





WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11ax HE40 Full CH09 2452MHz - R	
4+5	Horizontal	Fundamental
Peak	 <p>Site: 03CH04-SZ Condition: PEAK_BE_74 3m 91200-1474-2022 HORIZONTAL Project: 2D0913 Mode: 36 IMEI: 358041760025512/358041760025520 Plane: X with Accessories MCS9 Power setting 18</p>	Left blank
Avg.	 <p>Site: 03CH04-SZ Condition: AVG_BE_54 3m 91200-1474-2022 HORIZONTAL Project: 2D0913 Mode: 36 IMEI: 358041760025512/358041760025520 Plane: X with Accessories MCS9 Power setting 18</p>	Left blank



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11ax HE40 Full CH09 2452MHz - L	
4+5	Vertical	Fundamental
Peak	 <p>Date: 19 Level (dBuV/m) Date: 2023.01.14</p> <p>Site : 03CH04-SZ Condition : PEAK_5E_24 3m 91200-1474-2022 VERTICAL RBW:1000.000kHz VBW:3000.000kHz Project : 2D0913 Mode : Mode 36 IMEI : 358041760025512/358041760025520 Plane : X with Accessories MCS0 Power setting 18</p>	 <p>Date: 21 Level (dBuV/m) Date: 2023.01.14</p> <p>Site : 03CH04-SZ Condition : PEAK_7A 3m 91200-1474-2022 VERTICAL RBW:1000.000kHz VBW:3000.000kHz Project : 2D0913 Mode : Mode 36 IMEI : 358041760025512/358041760025520 Plane : X with Accessories MCS0 Power setting 18</p>
Avg.	 <p>Date: 20 Level (dBuV/m) Date: 2023.01.14</p> <p>Site : 03CH04-SZ Condition : AVG_5E_54 3m 91200-1474-2022 VERTICAL RBW:1000.000kHz VBW:0.010kHz Project : 2D0913 Mode : Mode 36 IMEI : 358041760025512/358041760025520 Plane : X with Accessories MCS0 Power setting 18</p>	 <p>Date: 22 Level (dBuV/m) Date: 2023.01.14</p> <p>Site : 03CH04-SZ Condition : AVG_54 3m 91200-1474-2022 VERTICAL RBW:1000.000kHz VBW:0.010kHz Project : 2D0913 Mode : Mode 36 IMEI : 358041760025512/358041760025520 Plane : X with Accessories MCS0 Power setting 18</p>



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11ax HE40 Full CH09 2452MHz - R	
4+5	Vertical	Fundamental
Peak	 <p>Site: 03CH04-SZ Condition: PEAK_BK_24_3m 91200-1474-2022 VERTICAL Project: 2D0913 Mode: 26 IMEI: 358041760025512/358041760025520 Plane: X with Accessories MCS9 Power setting 18</p>	Left blank
Avg.	 <p>Site: 03CH04-SZ Condition: AVG_BK_24_3m 91200-1474-2022 VERTICAL Project: 2D0913 Mode: 26 IMEI: 358041760025512/358041760025520 Plane: X with Accessories MCS9 Power setting 18</p>	Left blank







2.4GHz 2400~2483.5MHz





WIFI 802.11ax HE20 Partial 26 (Band Edge @ 3m)

WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11ax HE20 Partial 26/0 CH01 2412MHz	
4+5	Horizontal	Fundamental
Peak	<p>Site : 03CH04-SZ Condition : PEAK_BE_74 3m HF_ANT_91200-2206-22 HORIZONTAL RBW: 1000.000kHz VBW: 3000.000kHz Project : ZD0913 Mode : Mode 28 IMEI : 358041760025512/358041760025520 Plane : X with Accessories MCS0 Power setting 8 26/0</p>	<p>Site : 03CH04-SZ Condition : PEAK_74 3m HF_ANT_91200-2206-22 HORIZONTAL RBW: 1000.000kHz VBW: 3000.000kHz Project : ZD0913 Mode : Mode 28 IMEI : 358041760025512/358041760025520 Plane : X with Accessories MCS0 Power setting 8 26/0</p>
Avg.	<p>Site : 03CH04-SZ Condition : AVG_BE_54 3m HF_ANT_91200-2206-22 HORIZONTAL RBW: 1000.000kHz VBW: 0.019kHz Project : ZD0913 Mode : Mode 28 IMEI : 358041760025512/358041760025520 Plane : X with Accessories MCS0 Power setting 8 26/0</p>	<p>Site : 03CH04-SZ Condition : AVG_54 3m HF_ANT_91200-2206-22 HORIZONTAL RBW: 1000.000kHz VBW: 0.019kHz Project : ZD0913 Mode : Mode 28 IMEI : 358041760025512/358041760025520 Plane : X with Accessories MCS0 Power setting 8 26/0</p>







WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11ax HE20 Partial 26/0 CH01 2412MHz	
4+5	Vertical	Fundamental
Peak	 <p>Date: 5 Level (dBuV/m) Date: 2023-01-04</p> <p>Site : 03CH04-SZ Condition : PEAK_8E_74 3m HF ANT_91200-2206-22 VERTICAL Project : 202913 Mode : Mode 28 IMEI : 358041760025512/358041760025520 Plane : X with Accessories MCS0 Power setting 8 26/0</p>	 <p>Date: 7 Level (dBuV/m) Date: 2023-01-04</p> <p>Site : 03CH04-SZ Condition : PEAK_74 3m HF ANT_91200-2206-22 VERTICAL Project : 202913 Mode : Mode 28 IMEI : 358041760025512/358041760025520 Plane : X with Accessories MCS0 Power setting 8 26/0</p>
Avg.	 <p>Date: 6 Level (dBuV/m) Date: 2023-01-04</p> <p>Site : 03CH04-SZ Condition : AVG_8E_54 3m HF ANT_91200-2206-22 VERTICAL Project : 202913 Mode : Mode 28 IMEI : 358041760025512/358041760025520 Plane : X with Accessories MCS0 Power setting 8 26/0</p>	 <p>Date: 8 Level (dBuV/m) Date: 2023-01-04</p> <p>Site : 03CH04-SZ Condition : AVG_54 3m HF ANT_91200-2206-22 VERTICAL Project : 202913 Mode : Mode 28 IMEI : 358041760025512/358041760025520 Plane : X with Accessories MCS0 Power setting 8 26/0</p>



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11ax HE20 Partial 26/8 CH11 2462MHz	
4+5	Horizontal	Fundamental
Peak	 <p>Site : 03CH04-SZ Condition : PEAK_BE_74 3m HF ANT 91200-2206-22 HORIZONTAL Project : 202913 Mode : 31 IMEI : 358041760025512/358041760025520 Plane : X with Accessories MCS0 Power setting 8 26/8</p>	 <p>Site : 03CH04-SZ Condition : PEAK_74 3m HF ANT 91200-2206-22 HORIZONTAL Project : 202913 Mode : 31 IMEI : 358041760025512/358041760025520 Plane : X with Accessories MCS0 Power setting 8 26/8</p>
Avg.	 <p>Site : 03CH04-SZ Condition : AVG_BE_54 3m HF ANT 91200-2206-22 HORIZONTAL Project : 202913 Mode : 31 IMEI : 358041760025512/358041760025520 Plane : X with Accessories MCS0 Power setting 8 26/8</p>	 <p>Site : 03CH04-SZ Condition : AVG_54 3m HF ANT 91200-2206-22 HORIZONTAL Project : 202913 Mode : 31 IMEI : 358041760025512/358041760025520 Plane : X with Accessories MCS0 Power setting 8 26/8</p>



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11ax HE20 Partial 26/8 CH11 2462MHz	
4+5	Vertical	Fundamental
Peak	 <p>Site : 03CH04-SZ Condition : PEAK_BE_74 3m HF ANT_91200-2206-22 VERTICAL Project : 202913 Mode : 31 IMEI : 358041760025512/358041760025520 Plane : X with Accessories MCS0 Power setting 8 26/8</p>	 <p>Site : 03CH04-SZ Condition : PEAK_74 3m HF ANT_91200-2206-22 VERTICAL Project : 202913 Mode : 31 IMEI : 358041760025512/358041760025520 Plane : X with Accessories MCS0 Power setting 8 26/8</p>
Avg.	 <p>Site : 03CH04-SZ Condition : AVG_BE_54 3m HF ANT_91200-2206-22 VERTICAL Project : 202913 Mode : 31 IMEI : 358041760025512/358041760025520 Plane : X with Accessories MCS0 Power setting 8 26/8</p>	 <p>Site : 03CH04-SZ Condition : AVG_54 3m HF ANT_91200-2206-22 VERTICAL Project : 202913 Mode : 31 IMEI : 358041760025512/358041760025520 Plane : X with Accessories MCS0 Power setting 8 26/8</p>