





11AX20MIMO_Ant5_6855_106Tone_RU54



Date: 31.DEC.2022 07:15:25


11AX20MIMO_Ant4_6855_26Tone_RU8



Date: 31.DEC.2022 07:13:37




11AX20MIMO_Ant4_6855_52Tone_RU40





Date: 31.DEC.2022 07:14:49

11AX20MIMO_Ant4_6855_106Tone_RU54




Date: 31.DEC.2022 07:16:00






11AX20MIMO_Ant5_6875_106Tone_RU54



Date: 31.DEC.2022 07:20:33


11AX20MIMO_Ant4_6875_26Tone_RU8



Date: 31.DEC.2022 07:18:03




11AX20MIMO_Ant4_6875_52Tone_RU40





Date: 31.DEC.2022 07:19:35

11AX20MIMO_Ant4_6875_106Tone_RU54




Date: 31.DEC.2022 07:21:08






11AX20MIMO_Ant5_6895_106Tone_RU53



Date: 31.DEC.2022 07:26:38


11AX20MIMO_Ant4_6895_26Tone_RU0



Date: 31.DEC.2022 07:23:03




11AX20MIMO_Ant4_6895_52Tone_RU37





Date: 31.DEC.2022 07:25:26

11AX20MIMO_Ant4_6895_106Tone_RU53




Date: 31.DEC.2022 07:27:13






11AX20MIMO_Ant5_6995_106Tone_RU53



Date: 31.DEC.2022 07:32:05


11AX20MIMO_Ant4_6995_26Tone_RU0



Date: 31.DEC.2022 07:29:01




11AX20MIMO_Ant4_6995_52Tone_RU37





Date: 31.DEC.2022 07:30:28

11AX20MIMO_Ant4_6995_106Tone_RU53




Date: 31.DEC.2022 07:32:43






11AX20MIMO_Ant5_7095_106Tone_RU54



Date: 31.DEC.2022 07:40:01


11AX20MIMO_Ant4_7095_26Tone_RU8



Date: 31.DEC.2022 07:35:48




11AX20MIMO_Ant4_7095_52Tone_RU40



Date: 31.DEC.2022 07:38:12


11AX20MIMO_Ant4_7095_106Tone_RU54



Date: 31.DEC.2022 07:40:36




11AX20MIMO_Ant5_7115_26Tone_RU8





Date: 31.DEC.2022 07:44:02

11AX20MIMO_Ant5_7115_52Tone_RU40




Date: 31.DEC.2022 07:45:36






11AX20MIMO_Ant4_7115_52Tone_RU40



Date: 31.DEC.2022 07:46:11

11AX20MIMO_Ant4_7115_106Tone_RU54




Date: 9.JAN.2023 04:35:47



Appendix B. AC Conducted Emission Test Results

Test Engineer :	Amos Zhang	Temperature :	25.3~26.2°C
		Relative Humidity :	38~40%
Test Voltage :	120Vac / 60Hz	Phase :	Line
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		




Site : CO01-KS
 Condition : 15E RSS247-QP LISN-060103-L LINE

	Freq	Level	Over	Limit	Read	LISN	Cable	Remark
	MHz	dBuV	Limit	Line	Level	Factor	Loss	
			dB	dBuV	dBuV	dB	dB	
1	0.165	56.19	-9.02	65.21	45.49	0.27	10.43	QP
2	0.165	36.59	-18.62	55.21	25.89	0.27	10.43	Average
3 *	0.180	56.90	-7.60	64.50	46.21	0.27	10.42	QP
4	0.180	36.30	-18.20	54.50	25.61	0.27	10.42	Average
5	0.207	48.83	-14.49	63.32	38.11	0.31	10.41	QP
6	0.207	29.03	-24.29	53.32	18.31	0.31	10.41	Average
7	0.235	49.59	-12.67	62.26	38.90	0.30	10.39	QP
8	0.235	28.89	-23.37	52.26	18.20	0.30	10.39	Average
9	0.288	47.22	-13.37	60.59	36.59	0.27	10.36	QP
10	0.288	26.12	-24.47	50.59	15.49	0.27	10.36	Average
11	0.343	44.20	-14.93	59.13	33.60	0.27	10.33	QP
12	0.343	23.20	-25.93	49.13	12.60	0.27	10.33	Average
13	0.393	44.09	-13.90	57.99	33.50	0.29	10.30	QP
14	0.393	26.09	-21.90	47.99	15.50	0.29	10.30	Average
15	0.447	40.13	-16.80	56.93	29.60	0.27	10.26	QP
16	0.447	26.13	-20.80	46.93	15.60	0.27	10.26	Average



Test Engineer :	Amos Zhang	Temperature :	25.3~26.2°C
		Relative Humidity :	38~40%
Test Voltage :	120Vac / 60Hz	Phase :	Neutral
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		



Site : CO01-KS
 Condition : 15E RSS247-QP LISN-060103-N NEUTRAL

	Freq	Level	Over	Limit	Read	LISN	Cable	Remark
	MHz	dBuV	Limit	Line	Level	Factor	Loss	
			dB	dBuV	dBuV	dB	dB	
1	0.173	52.34	-12.47	64.81	41.60	0.31	10.43	QP
2	0.173	32.34	-22.47	54.81	21.60	0.31	10.43	Average
3 *	0.195	52.84	-10.96	63.80	42.10	0.32	10.42	QP
4	0.195	31.94	-21.86	53.80	21.20	0.32	10.42	Average
5	0.255	46.31	-15.29	61.60	35.60	0.33	10.38	QP
6	0.255	27.61	-23.99	51.60	16.90	0.33	10.38	Average
7	0.459	36.02	-20.69	56.71	25.50	0.28	10.24	QP
8	0.459	21.12	-25.59	46.71	10.60	0.28	10.24	Average
9	11.021	39.72	-20.28	60.00	28.50	0.40	10.82	QP
10	11.021	33.12	-16.88	50.00	21.90	0.40	10.82	Average
11	13.337	40.82	-19.18	60.00	29.21	0.51	11.10	QP
12	13.337	34.12	-15.88	50.00	22.51	0.51	11.10	Average

Note:

- Level(dBμV) = Read Level(dBμV) + LISN Factor(dB) + Cable Loss(dB)
- Over Limit(dB) = Level(dBμV) – Limit Line(dBμV)



Appendix C. Radiated Spurious Emission Test Data

U-NII-5 - 5925~6425MHz

WIFI 802.11a (Band Edge @ 3m)

WIFI Ant. 4+5	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11a CH 01 5955MHz		5907.46	48.42	-39.78	88.2	38.36	32.77	10.42	33.13	100	241	P	H
		5924.68	37.6	-30.6	68.2	27.53	32.79	10.42	33.14	100	241	A	H
	*	5955	95.96	-	-	85.77	32.84	10.5	33.15	100	241	P	H
	*	5955	90.9	-	-	80.71	32.84	10.5	33.15	100	241	A	H
		5917.96	48.27	-39.93	88.2	38.2	32.79	10.42	33.14	100	272	P	V
		5924.12	37.63	-30.57	68.2	27.56	32.79	10.42	33.14	100	272	A	V
	*	5955	93.77	-	-	83.58	32.84	10.5	33.15	100	272	P	V
	*	5955	88.7	-	-	78.51	32.84	10.5	33.15	100	272	A	V
802.11a CH 02 5935MHz		5924.96	66.93	-21.27	88.2	56.86	32.79	10.42	33.14	100	239	P	H
		5924.96	55.16	-13.04	68.2	45.09	32.79	10.42	33.14	100	239	A	H
	*	5935	96.9	-	-	86.74	32.81	10.5	33.15	100	239	P	H
	*	5935	90.7	-	-	80.54	32.81	10.5	33.15	100	239	A	H
		5924.96	69	-19.2	88.2	58.93	32.79	10.42	33.14	107	272	P	V
		5925	56.09	-12.11	68.2	46.01	32.8	10.42	33.14	107	272	A	V
	*	5935	93.77	-	-	83.61	32.81	10.5	33.15	107	272	P	V
	*	5935	87.43	-	-	77.27	32.81	10.5	33.15	107	272	A	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



U-NII-5 5925~6425MHz

WIFI 802.11a (Harmonic @ 3m)

WIFI Ant.	Note	Frequency	Level	Margin	Limit Line	Read Level	Antenna Factor	Path Loss	Preamp Factor	Ant Pos	Table Pos	Peak Avg.	Pol.
4+5		(MHz)	(dBμV/m)	(dB)	(dBμV/m)	(dBμV)	(dB/m)	(dB)	(dB)	(cm)	(deg)	(P/A)	(H/V)
802.11a CH 01 5955MHz		11910	48.88	-25.12	74	30.97	39.08	13.18	34.35	-	-	P	H
		17865	48.34	-25.66	74	19.18	45.87	16.18	32.89	-	-	P	H
		11910	49.45	-24.55	74	31.54	39.08	13.18	34.35	-	-	P	V
		17865	48.21	-25.79	74	19.05	45.87	16.18	32.89	-	-	P	V
802.11a CH 02 5935MHz		11870	49.36	-24.64	74	45.76	39.12	13.16	48.68	-	-	P	H
		17805	48.95	-25.05	74	20.18	45.55	16.15	32.93	-	-	P	H
		11870	48.35	-25.65	74	44.75	39.12	13.16	48.68	-	-	P	V
		17805	48.47	-25.53	74	19.7	45.55	16.15	32.93	-	-	P	V
802.11a CH 45 6175MHz		12350	48.83	-25.17	74	44.84	39.1	13.35	48.46	-	-	P	H
		12350	47.82	-26.18	74	43.83	39.1	13.35	48.46	-	-	P	V
802.11a CH 93 6415MHz		12830	48.95	-39.25	88.2	44.53	39.25	13.5	48.33	-	-	P	H
		12830	48.77	-39.43	88.2	44.35	39.25	13.5	48.33	-	-	P	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



**U-NII-5 5925~6425MHz
WIFI 802.11ax HE20 Full (Band Edge @ 3m)**

WIFI Ant.	Note	Frequency	Level	Margin	Limit Line	Read Level	Antenna Factor	Path Loss	Preamp Factor	Ant Pos	Table Pos	Peak Avg.	Pol.
4+5		(MHz)	(dBμV/m)	(dB)	(dBμV/m)	(dBμV)	(dB/m)	(dB)	(dB)	(cm)	(deg)	(P/A)	(H/V)
802.11ax HE20 Full CH 01 5955MHz		5861.26	47.64	-40.56	88.2	37.69	32.71	10.33	33.09	100	236	P	H
		5924.68	37.32	-30.88	68.2	27.25	32.79	10.42	33.14	100	236	A	H
	*	5955	96.33	-	-	86.14	32.84	10.5	33.15	100	236	P	H
	*	5955	90.15	-	-	79.96	32.84	10.5	33.15	100	236	A	H
		5888.84	47.77	-40.43	88.2	37.83	32.74	10.33	33.13	100	270	P	V
		5924.96	37.27	-30.93	68.2	27.2	32.79	10.42	33.14	100	270	A	V
	*	5955	95.78	-	-	85.59	32.84	10.5	33.15	100	270	P	V
	*	5955	87.18	-	-	76.99	32.84	10.5	33.15	100	270	A	V
802.11ax HE20 Full CH 02 5935MHz		5925	72.41	-15.79	88.2	62.33	32.8	10.42	33.14	100	236	P	H
		5925	65.14	-3.06	68.2	55.06	32.8	10.42	33.14	100	236	A	H
	*	5935	87.36	-	-	77.2	32.81	10.5	33.15	100	236	P	H
	*	5935	78.82	-	-	68.66	32.81	10.5	33.15	100	236	A	H
		5924.96	68.88	-19.32	88.2	58.81	32.79	10.42	33.14	100	274	P	V
		5925	61	-7.2	68.2	50.92	32.8	10.42	33.14	100	274	A	V
	*	5935	82.81	-	-	72.65	32.81	10.5	33.15	100	274	P	V
	*	5935	75.89	-	-	65.73	32.81	10.5	33.15	100	274	A	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



U-NII-5 5925~6425MHz

WIFI 802.11ax HE20 Full (Harmonic @ 3m)

WIFI Ant.	Note	Frequency	Level	Margin	Limit Line	Read Level	Antenna Factor	Path Loss	Preamp Factor	Ant Pos	Table Pos	Peak Avg.	Pol.
4+5		(MHz)	(dBμV/m)	(dB)	(dBμV/m)	(dBμV)	(dB/m)	(dB)	(dB)	(cm)	(deg)	(P/A)	(H/V)
802.11ax		11910	48.64	-25.36	74	30.73	39.08	13.18	34.35	-	-	P	H
HE20 Full		17865	49.75	-24.25	74	20.59	45.87	16.18	32.89	-	-	P	H
CH 01		11910	48.79	-25.21	74	30.88	39.08	13.18	34.35	-	-	P	V
5955MHz		17868	50.01	-23.99	74	20.8	45.89	16.21	32.89	-	-	P	V
802.11ax		11870	49.29	-24.71	74	45.69	39.12	13.16	48.68	-	-	P	H
HE20 Full		11870	48.9	-25.1	74	45.3	39.12	13.16	48.68	-	-	P	V
CH 02		11870	48.9	-25.1	74	45.3	39.12	13.16	48.68	-	-	P	V
5935MHz		11870	48.9	-25.1	74	45.3	39.12	13.16	48.68	-	-	P	V
802.11ax		12350	48.75	-25.25	74	44.76	39.1	13.35	48.46	-	-	P	H
HE20 Full		12350	48.49	-25.51	74	44.5	39.1	13.35	48.46	-	-	P	V
CH 45		12350	48.49	-25.51	74	44.5	39.1	13.35	48.46	-	-	P	V
6175MHz		12350	48.49	-25.51	74	44.5	39.1	13.35	48.46	-	-	P	V
802.11ax		12830	47.29	-40.91	88.2	42.87	39.25	13.5	48.33	-	-	P	H
HE20 Full		12830	48.32	-39.88	88.2	43.9	39.25	13.5	48.33	-	-	P	V
CH 93		12830	48.32	-39.88	88.2	43.9	39.25	13.5	48.33	-	-	P	V
6415MHz		12830	48.32	-39.88	88.2	43.9	39.25	13.5	48.33	-	-	P	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



**U-NII-5 5925~6425MHz
WIFI 802.11ax HE20 Partial 26 (Band Edge @ 3m)**

WIFI Ant.	Note	Frequency	Level	Margin	Limit Line	Read Level	Antenna Factor	Path Loss	Preamp Factor	Ant Pos	Table Pos	Peak Avg.	Pol.
4+5		(MHz)	(dBμV/m)	(dB)	(dBμV/m)	(dBμV)	(dB/m)	(dB)	(dB)	(cm)	(deg)	(P/A)	(H/V)
802.11ax HE20 Partial 26/0 CH 01 5955MHz		5868.82	48.7	-39.5	88.2	38.74	32.72	10.33	33.09	111	123	P	H
		5924.26	37.82	-30.38	68.2	27.75	32.79	10.42	33.14	111	123	A	H
	*	5955	94.87	-	-	84.68	32.84	10.5	33.15	111	123	P	H
	*	5955	85.31	-	-	75.12	32.84	10.5	33.15	111	123	A	H
		5923.28	48.51	-39.69	88.2	38.44	32.79	10.42	33.14	100	263	P	V
		5924.68	37.74	-30.46	68.2	27.67	32.79	10.42	33.14	100	263	A	V
	*	5955	90.92	-	-	80.73	32.84	10.5	33.15	100	263	P	V
	*	5955	84.27	-	-	74.08	32.84	10.5	33.15	100	263	A	V
802.11ax HE20 Partial 26/0 CH 02 5935MHz		5925	75.25	-12.95	88.2	65.17	32.8	10.42	33.14	111	125	P	H
		5925	64.81	-3.39	68.2	54.73	32.8	10.42	33.14	111	125	A	H
	*	5935	84.6	-	-	74.44	32.81	10.5	33.15	111	125	P	H
	*	5935	76.81	-	-	66.65	32.81	10.5	33.15	111	125	A	H
		5925	78.75	-9.45	88.2	68.67	32.8	10.42	33.14	100	278	P	V
		5925	64.77	-3.43	68.2	54.69	32.8	10.42	33.14	100	278	A	V
	*	5935	85.75	-	-	75.59	32.81	10.5	33.15	100	278	P	V
	*	5935	78.32	-	-	68.16	32.81	10.5	33.15	100	278	A	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



U-NII-5 5925~6425MHz

WIFI 802.11ax HE20 Partial 26 (Harmonic @ 3m)

WIFI Ant.	Note	Frequency	Level	Margin	Limit Line	Read Level	Antenna Factor	Path Loss	Preamp Factor	Ant Pos	Table Pos	Peak Avg.	Pol.
4+5		(MHz)	(dBμV/m)	(dB)	(dBμV/m)	(dBμV)	(dB/m)	(dB)	(dB)	(cm)	(deg)	(P/A)	(H/V)
02.11ax HE20 Partial 26/0 CH 01 5955MHz		11910	48.61	-25.39	74	45	39.08	13.18	48.65	-	-	P	H
		17865	48.82	-25.18	74	38.74	45.87	16.18	51.97	-	-	P	H
		11910	48.35	-25.65	74	44.74	39.08	13.18	48.65	-	-	P	V
		17865	48.45	-25.55	74	38.37	45.87	16.18	51.97	-	-	P	V
802.11ax HE20 Partial 26/0 CH 02 5935MHz		11870	48.09	-25.91	74	44.49	39.12	13.16	48.68	-	-	P	H
		17805	48.51	-25.49	74	38.71	45.55	16.15	51.9	-	-	P	H
		11870	48.01	-25.99	74	44.41	39.12	13.16	48.68	-	-	P	V
		17805	48.44	-25.56	74	38.64	45.55	16.15	51.9	-	-	P	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



**U-NII-5 5925~6425MHz
WIFI 802.11ax HE20 Partial 52 (Band Edge @ 3m)**

WIFI Ant.	Note	Frequency	Level	Margin	Limit Line	Read Level	Antenna Factor	Path Loss	Preamp Factor	Ant Pos	Table Pos	Peak Avg.	Pol.
4+5		(MHz)	(dBμV/m)	(dB)	(dBμV/m)	(dBμV)	(dB/m)	(dB)	(dB)	(cm)	(deg)	(P/A)	(H/V)
802.11ax HE20 Partial 52/37 CH 01 5955MHz		5899.48	47.9	-40.3	88.2	37.85	32.76	10.42	33.13	100	124	P	H
		5923.98	37.79	-30.41	68.2	27.72	32.79	10.42	33.14	100	124	A	H
	*	5955	91.31	-	-	81.12	32.84	10.5	33.15	100	124	P	H
	*	5955	84.11	-	-	73.92	32.84	10.5	33.15	100	124	A	H
		5851.46	47.83	-40.37	88.2	37.95	32.69	10.25	33.06	100	252	P	V
		5924.96	37.73	-30.47	68.2	27.66	32.79	10.42	33.14	100	252	A	V
	*	5955	91.8	-	-	81.61	32.84	10.5	33.15	100	252	P	V
	*	5955	83.56	-	-	73.37	32.84	10.5	33.15	100	252	A	V
802.11ax HE20 Partial 52/37 CH 02 5935MHz		5925	73.66	-14.54	88.2	63.58	32.8	10.42	33.14	118	136	P	H
		5925	64.97	-3.23	68.2	54.89	32.8	10.42	33.14	118	136	A	H
	*	5935	84.44	-	-	74.28	32.81	10.5	33.15	118	136	P	H
	*	5935	76.76	-	-	66.6	32.81	10.5	33.15	118	136	A	H
		5925	72.77	-15.43	88.2	62.69	32.8	10.42	33.14	100	285	P	V
		5925	64.14	-4.06	68.2	54.06	32.8	10.42	33.14	100	285	A	V
	*	5935	85.29	-	-	75.13	32.81	10.5	33.15	100	285	P	V
	*	5935	77.82	-	-	67.66	32.81	10.5	33.15	100	285	A	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



U-NII-5 5925~6425MHz

WIFI 802.11ax HE20 Partial 52 (Harmonic @ 3m)

WIFI Ant.	Note	Frequency	Level	Margin	Limit Line	Read Level	Antenna Factor	Path Loss	Preamp Factor	Ant Pos	Table Pos	Peak Avg.	Pol.
4+5		(MHz)	(dBμV/m)	(dB)	(dBμV/m)	(dBμV)	(dB/m)	(dB)	(dB)	(cm)	(deg)	(P/A)	(H/V)
802.11ax HE20 Partial 52/37 CH 01 5955MHz		11910	48.22	-25.78	74	44.61	39.08	13.18	48.65	-	-	P	H
		17865	48.54	-25.46	74	38.46	45.87	16.18	51.97	-	-	P	H
		11910	47.85	-26.15	74	44.24	39.08	13.18	48.65	-	-	P	V
		17865	48.43	-25.57	74	19.27	45.87	16.18	32.89	-	-	P	V
802.11ax HE20 Partial 52/37 CH 02 5935MHz		11870	48.74	-25.26	74	45.14	39.12	13.16	48.68	-	-	P	H
		17805	48.32	-25.68	74	38.52	45.55	16.15	51.9	-	-	P	H
		11870.4	48.38	-25.62	74	30.48	39.12	13.16	34.38	-	-	P	V
		17805	48.05	-25.95	74	19.28	45.55	16.15	32.93	-	-	P	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



**U-NII-5 5925~6425MHz
WIFI 802.11ax HE20 Partial 106 (Band Edge @ 3m)**

WIFI Ant.	Note	Frequency	Level	Margin	Limit Line	Read Level	Antenna Factor	Path Loss	Preamp Factor	Ant Pos	Table Pos	Peak Avg.	Pol.
4+5		(MHz)	(dBμV/m)	(dB)	(dBμV/m)	(dBμV)	(dB/m)	(dB)	(dB)	(cm)	(deg)	(P/A)	(H/V)
802.11ax HE20 Partial 106/53 CH 01 5955MHz		5916.84	50.9	-37.3	88.2	40.84	32.78	10.42	33.14	100	124	P	H
		5924.4	37.86	-30.34	68.2	27.79	32.79	10.42	33.14	100	124	A	H
	*	5955	93.95	-	-	83.76	32.84	10.5	33.15	100	124	P	H
	*	5955	86.29	-	-	76.1	32.84	10.5	33.15	100	124	A	H
		5904.8	48.93	-39.27	88.2	38.87	32.77	10.42	33.13	100	254	P	V
		5924.96	37.84	-30.36	68.2	27.77	32.79	10.42	33.14	100	254	A	V
	*	5955	94.59	-	-	84.4	32.84	10.5	33.15	100	254	P	V
	*	5955	85.63	-	-	75.44	32.84	10.5	33.15	100	254	A	V
802.11ax HE20 Partial 106/53 CH 02 5935MHz		5925	74.77	-13.43	88.2	64.69	32.8	10.42	33.14	213	243	P	H
		5925	65.03	-3.17	68.2	54.95	32.8	10.42	33.14	213	243	A	H
	*	5935	83.88	-	-	73.72	32.81	10.5	33.15	213	243	P	H
	*	5935	75.92	-	-	65.76	32.81	10.5	33.15	213	243	A	H
		5925	75.77	-12.43	88.2	65.69	32.8	10.42	33.14	100	277	P	V
		5925	65.09	-3.11	68.2	55.01	32.8	10.42	33.14	100	277	A	V
	*	5935	83.94	-	-	73.78	32.81	10.5	33.15	100	277	P	V
	*	5935	75.61	-	-	65.45	32.81	10.5	33.15	100	277	A	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



U-NII-5 5925~6425MHz

WIFI 802.11ax HE20 Partial 52 (Harmonic @ 3m)

WIFI Ant.	Note	Frequency	Level	Margin	Limit Line	Read Level	Antenna Factor	Path Loss	Preamp Factor	Ant Pos	Table Pos	Peak Avg.	Pol.
4+5		(MHz)	(dBμV/m)	(dB)	(dBμV/m)	(dBμV)	(dB/m)	(dB)	(dB)	(cm)	(deg)	(P/A)	(H/V)
802.11ax HE20 Partial 106/53 CH 01 5955MHz		11910	47.51	-26.49	74	43.9	39.08	13.18	48.65	-	-	P	H
		17865	48.14	-25.86	74	38.06	45.87	16.18	51.97	-	-	P	H
		11910	47.84	-26.16	74	44.23	39.08	13.18	48.65	-	-	P	V
		17865	48.89	-25.11	74	38.81	45.87	16.18	51.97	-	-	P	V
802.11ax HE20 Partial 106/53 CH 02 5935MHz		11870	49.17	-24.83	74	45.57	39.12	13.16	48.68	-	-	P	H
		17805	48.03	-25.97	74	38.23	45.55	16.15	51.9	-	-	P	H
		11870	47.84	-26.16	74	44.24	39.12	13.16	48.68	-	-	P	V
		17805	48.47	-25.53	74	38.67	45.55	16.15	51.9	-	-	P	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



WIFI 802.11ax HE40 Full (Band Edge @ 3m)

WIFI Ant.	Note	Frequency	Level	Margin	Limit Line	Read Level	Antenna Factor	Path Loss	Preamp Factor	Ant Pos	Table Pos	Peak Avg.	Pol.
4+5		(MHz)	(dBμV/m)	(dB)	(dBμV/m)	(dBμV)	(dB/m)	(dB)	(dB)	(cm)	(deg)	(P/A)	(H/V)
802.11ax HE40 Full CH 03 5965MHz		5924.68	50.81	-37.39	88.2	40.74	32.79	10.42	33.14	100	239	P	H
		5924.52	39.64	-28.56	68.2	29.57	32.79	10.42	33.14	100	239	P	H
	*	5965	95.37	-	-	85.19	32.85	10.5	33.17	100	239	A	H
	*	5965	89.4	-	-	79.22	32.85	10.5	33.17	100	239	P	H
		5914.92	47.58	-40.62	88.2	37.52	32.78	10.42	33.14	100	271	P	V
		5925	38.19	-30.01	68.2	28.11	32.8	10.42	33.14	100	271	A	V
	*	5965	92.85	-	-	82.67	32.85	10.5	33.17	100	271	P	V
*	5965	86.84	-	-	76.66	32.85	10.5	33.17	100	271	A	V	
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



U-NII-5 5925~6425MHz

WIFI 802.11ax HE40 Full (Harmonic @ 3m)

WIFI Ant.	Note	Frequency	Level	Margin	Limit Line	Read Level	Antenna Factor	Path Loss	Preamp Factor	Ant Pos	Table Pos	Peak Avg.	Pol.
4+5		(MHz)	(dBμV/m)	(dB)	(dBμV/m)	(dBμV)	(dB/m)	(dB)	(dB)	(cm)	(deg)	(P/A)	(H/V)
802.11ax		11930	48.9	-25.1	74	45.3	39.06	13.18	48.64	-	-	P	H
HE40 Full		17895	48.76	-25.24	74	38.51	46.03	16.21	51.99	-	-	P	H
CH 03		11930	47.84	-26.16	74	44.24	39.06	13.18	48.64	-	-	P	V
5965MHz		17895	49.4	-24.6	74	20.01	46.03	16.21	32.85	-	-	P	V
802.11ax		12330	46.58	-27.42	74	42.6	39.1	13.35	48.47	-	-	P	H
HE40 Full		12330	47.19	-26.81	74	43.21	39.1	13.35	48.47	-	-	P	V
CH 43		12330	47.19	-26.81	74	43.21	39.1	13.35	48.47	-	-	P	V
6165MHz		12330	47.19	-26.81	74	43.21	39.1	13.35	48.47	-	-	P	V
802.11ax		12810	47.36	-40.84	88.2	42.96	39.24	13.5	48.34			P	H
HE40 Full		12810	47.36	-40.84	88.2	42.96	39.24	13.5	48.34			P	H
CH91		12810	48.23	-39.97	88.2	43.83	39.24	13.5	48.34			P	V
6405MHz		12810	48.23	-39.97	88.2	43.83	39.24	13.5	48.34			P	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



U-NII-5 5925~6425MHz
WIFI 802.11ax HE80 Full (Band Edge @ 3m)

Table with 14 columns: WIFI Ant., Note, Frequency, Level, Margin, Limit Line, Read Level, Antenna Factor, Path Loss, Preamp Factor, Ant Pos, Table Pos, Peak Avg., Pol. Rows include test results for 802.11ax HE80 Full CH 07 5985MHz and a Remark section.



U-NII-5 5925~6425MHz

WIFI 802.11ax HE80 Full (Harmonic @ 3m)

WIFI Ant.	Note	Frequency	Level	Margin	Limit Line	Read Level	Antenna Factor	Path Loss	Preamp Factor	Ant Pos	Table Pos	Peak Avg.	Pol.
4+5		(MHz)	(dBμV/m)	(dB)	(dBμV/m)	(dBμV)	(dB/m)	(dB)	(dB)	(cm)	(deg)	(P/A)	(H/V)
802.11ax HE80 Full		11970	48.32	-25.68	74	44.7	39.03	13.21	48.62	-	-	P	H
CH 07		17955	47.16	-26.84	74	36.59	46.36	16.27	52.06	-	-	P	H
5985MHz		11970	48.03	-25.97	74	44.41	39.03	13.21	48.62	-	-	P	V
		17955	48.23	-25.77	74	37.66	46.36	16.27	52.06	-	-	P	V
802.11ax HE80 Full		12290	45.92	-28.08	74	41.98	39.09	13.33	48.48	-	-	P	H
CH 39		12290	48.04	-25.96	74	44.1	39.09	13.33	48.48	-	-	P	V
6145MHz													
802.11ax HE80 Full		12770	47.98	-40.22	88.2	43.61	39.23	13.49	48.35	-	-	P	H
CH 87		12770	49.03	-39.17	88.2	44.66	39.23	13.49	48.35	-	-	P	V
6385MHz													
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



U-NII-5 5925~6425MHz

WIFI 802.11ax HE160 Full (Band Edge @ 3m)

WIFI Ant.	Note	Frequency	Level	Margin	Limit Line	Read Level	Antenna Factor	Path Loss	Preamp Factor	Ant Pos	Table Pos	Peak Avg.	Pol.
4+5		(MHz)	(dBμV/m)	(dB)	(dBμV/m)	(dBμV)	(dB/m)	(dB)	(dB)	(cm)	(deg)	(P/A)	(H/V)
802.11ax HE160 Full		5891.92	57.06	-31.14	88.2	47.11	32.75	10.33	33.13	100	240	P	H
		5923.84	46.05	-22.15	68.2	35.98	32.79	10.42	33.14	100	240	A	H
	*	6025	96.24	-	-	85.9	32.99	10.6	33.25	100	240	P	H
	*	6025	87.34	-	-	77	32.99	10.6	33.25	100	240	A	H
CH 15 6025MHz		5906.76	52.95	-35.25	88.2	42.89	32.77	10.42	33.13	100	272	P	V
		5924.96	42.87	-25.33	68.2	32.8	32.79	10.42	33.14	100	272	A	V
	*	6025	94.13	-	-	83.79	32.99	10.6	33.25	100	272	P	V
	*	6025	85.88	-	-	75.54	32.99	10.6	33.25	100	272	A	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



U-NII-5 5925~6425MHz

WIFI 802.11ax HE80 Full (Harmonic @ 3m)

WIFI Ant.	Note	Frequency	Level	Margin	Limit Line	Read Level	Antenna Factor	Path Loss	Preamp Factor	Ant Pos	Table Pos	Peak Avg.	Pol.
4+5		(MHz)	(dBμV/m)	(dB)	(dBμV/m)	(dBμV)	(dB/m)	(dB)	(dB)	(cm)	(deg)	(P/A)	(H/V)
802.11ax HE160 Full		12050	45.91	-28.09	74	42.23	39.01	13.25	48.58	-	-	P	H
CH 15 6025MHz		12050	45.83	-28.17	74	42.15	39.01	13.25	48.58	-	-	P	V
802.11ax HE160 Full		12370	47.82	-26.18	74	43.8	39.11	13.36	48.45	-	-	P	H
CH 47 6185MHz		12370	48.28	-25.72	74	44.26	39.11	13.36	48.45	-	-	P	V
802.11ax HE160 Full		12690	48.16	-25.84	74	43.85	39.21	13.46	48.36	-	-	P	H
CH 79 6345MHz		12690	47.44	-26.56	74	43.13	39.21	13.46	48.36	-	-	P	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



U-NII-6 - 6425~6525MHz

WIFI 802.11a Full (Harmonic @ 3m)

WIFI Ant. 4+5	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Cable Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11a CH 97 6435MHz		12870	47.94	-40.26	88.2	43.5	39.26	13.51	48.33	-	-	P	H
		12870	49.36	-38.84	88.2	44.92	39.26	13.51	48.33	-	-	P	V
802.11a CH 105 6475MHz		12950	48.87	-39.33	88.2	44.36	39.28	13.54	48.31	-	-	P	H
		12950	49.29	-38.91	88.2	44.78	39.28	13.54	48.31	-	-	P	V
802.11a CH 113 6515MHz		13030	50.19	-38.01	88.2	45.54	39.37	13.56	48.28	-	-	P	H
		13030	50.75	-37.45	88.2	46.1	39.37	13.56	48.28	-	-	P	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



WIFI 802.11ax HE20 Full (Harmonic @ 3m)

WIFI Ant.	Note	Frequency	Level	Margin	Limit Line	Read Level	Antenna Factor	Cable Loss	Preamp Factor	Ant Pos	Table Pos	Peak Avg.	Pol.
4+5		(MHz)	(dBμV/m)	(dB)	(dBμV/m)	(dBμV)	(dB/m)	(dB)	(dB)	(cm)	(deg)	(P/A)	(H/V)
802.11ax HE 20 CH 97 6435MHz		12870	48.5	-39.7	88.2	44.06	39.26	13.51	48.33	-	-	P	H
		12870	48.54	-39.66	88.2	44.1	39.26	13.51	48.33	-	-	P	V
802.11ax HE 20 CH 105 6475MHz		12950	49.23	-38.97	88.2	44.72	39.28	13.54	48.31	-	-	P	H
		12950	49.13	-39.07	88.2	44.62	39.28	13.54	48.31	-	-	P	V
802.11ax HE 20 CH 113 6515MHz		13030	49.48	-38.72	88.2	44.83	39.37	13.56	48.28	-	-	P	H
		13030	49.13	-39.07	88.2	44.48	39.37	13.56	48.28	-	-	P	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



U-NII-6 6425~6525MHz

WIFI 802.11ax HE40 Full (Harmonic @ 3m)

WIFI Ant.	Note	Frequency	Level	Margin	Limit Line	Read Level	Antenna Factor	Cable Loss	Preamp Factor	Ant Pos	Table Pos	Peak Avg.	Pol.
4+5		(MHz)	(dBμV/m)	(dB)	(dBμV/m)	(dBμV)	(dB/m)	(dB)	(dB)	(cm)	(deg)	(P/A)	(H/V)
802.11ax HE 40		12890	47.64	-40.56	88.2	43.17	39.27	13.52	48.32	-	-	P	H
CH 99 6445MHz		12890	47.87	-40.33	88.2	43.4	39.27	13.52	48.32	-	-	P	V
802.11ax HE 40		12970	48.04	-40.16	88.2	43.51	39.29	13.55	48.31	-	-	P	H
CH 107 6485MHz		12970	48.37	-39.83	88.2	43.84	39.29	13.55	48.31	-	-	P	V
802.11ax HE 40		13050	49.59	-38.61	88.2	44.87	39.42	13.57	48.27	-	-	P	H
CH 115 6525MHz		13050	49.72	-38.48	88.2	45	39.42	13.57	48.27	-	-	P	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



U-NII-6 6425~6525MHz
WIFI 802.11ax 80 Full (Harmonic @ 3m)

Table with 14 columns: WIFI Ant., Note, Frequency, Level, Margin, Limit Line, Read Level, Antenna Factor, Cable Loss, Preamp Factor, Ant Pos, Table Pos, Peak Avg., Pol. Rows include 802.11ac 80 CH 103 6465MHz and 802.11ac 80 CH 119 6545MHz.



U-NII-6 6425~6525MHz
WIFI 802.11ax 160 Full (Harmonic @ 3m)

Table with 14 columns: WIFI Ant., Note, Frequency, Level, Margin, Limit Line, Read Level, Antenna Factor, Cable Loss, Preamp Factor, Ant Pos, Table Pos, Peak Avg., Pol. It contains two rows of test data for 802.11ax160 CH 111 at 6505MHz and a Remark section.



U-NII-7 - 6525~6875MHz

WIFI 802.11a (Harmonic @ 3m)

WIFI Ant. 4+5	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Cable Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11a CH 117		13070	50.19	-38.01	88.2	45.42	39.46	13.57	48.26	-	-	P	H
6535MHz		13070	49.86	-38.34	88.2	45.09	39.46	13.57	48.26	-	-	P	V
802.11a CH 149		13390	49.62	-24.38	74	43.81	40.2	13.68	48.07	-	-	P	H
6695MHz		13390	49.95	-24.05	74	44.14	40.2	13.68	48.07	-	-	P	V
802.11a CH 185		13750	52.34	-35.86	88.2	45.32	41.02	13.8	47.8	-	-	P	H
6875MHz		13750	52.47	-35.73	88.2	45.45	41.02	13.8	47.8	-	-	P	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



WIFI 802.11ax 20 (Harmonic @ 3m)

WIFI Ant.	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Cable Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11ax 20 CH 117		13070	49.96	-38.24	88.2	45.19	39.46	13.57	48.26	-	-	P	H
6535MHz		13070	49.5	-38.7	88.2	44.73	39.46	13.57	48.26	-	-	P	V
802.11ax 20 CH 149		13392	48.12	-25.88	74	42.3	40.2	13.68	48.06	-	-	P	H
6695MHz		13390	47.41	-26.59	74	41.6	40.2	13.68	48.07	-	-	P	V
802.11ax 20 CH 185		13750	49.48	-38.72	88.2	42.46	41.02	13.8	47.8	-	-	P	H
6875MHz		13750	49.93	-38.27	88.2	42.91	41.02	13.8	47.8	-	-	P	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



U-NII-7 - 6525~6875MHz
WIFI 802.11ax HE40 (Harmonic @ 3m)

Table with 14 columns: WIFI Ant., Note, Frequency, Level, Margin, Limit Line, Read Level, Antenna Factor, Cable Loss, Preamp Factor, Ant Pos, Table Pos, Peak Avg., Pol. It contains test results for frequencies 13130, 13370, and 13690 MHz across different channels (HE40, CH 123, CH 147, CH 179).



U-NII-7 - 6525~6875MHz
WIFI 802.11ax 80 (Harmonic @ 3m)

Table with 14 columns: WIFI Ant., Note, Frequency, Level, Margin, Limit Line, Read Level, Antenna Factor, Cable Loss, Preamp Factor, Ant Pos, Table Pos, Peak Avg., Pol. Rows include test results for frequencies 13250, 13410, and 13730 MHz.



U-NII-7 - 6525~6875MHz
WIFI 802.11ax 160 (Harmonic @ 3m)

Table with 14 columns: WIFI Ant., Note, Frequency, Level, Margin, Limit Line, Read Level, Antenna Factor, Cable Loss, Preamp Factor, Ant Pos, Table Pos, Peak Avg., Pol. Rows include data for 802.11ax 160 CH 143 6665MHz and 802.11ax160 CH 175 6825MHz.



U-NII-8 – 6875~7125

WIFI 802.11a (Band Edge @ 3m)

WIFI Ant. 4+5	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Cable Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11a CH 229 7095MHz	*	7095	97.09	-	-	85.11	36	10.2	34.22	100	242	P	H
	*	7095	91.34	-	-	79.36	36	10.2	34.22	100	242	A	H
		7159.985	50.9	-37.3	88.2	39	36.06	10.19	34.35	100	242	P	H
		7253.435	49.6	-24.4	74	37.67	36.15	10.18	34.4	100	242	P	H
		7164	39.97	-28.23	68.2	28.07	36.06	10.19	34.35	100	242	A	H
		7298.385	39.69	-14.31	54	27.72	36.2	10.18	34.41	100	242	A	H
	*	7095	94.35	-	-	82.38	35.99	10.2	34.22	100	267	P	V
	*	7095	88.54	-	-	76.57	35.99	10.2	34.22	100	267	A	V
		7137.735	50.09	-38.11	88.2	38.16	36.04	10.2	34.31	100	267	P	V
		7307.28	49.92	-24.08	74	37.94	36.21	10.18	34.41	100	267	P	V
		7167.72	39.89	-28.31	68.2	27.98	36.07	10.19	34.35	100	267	A	V
		7296.525	39.64	-14.36	54	27.67	36.2	10.18	34.41	100	267	A	V
802.11a CH 233 7115MHz	*	7115	99.31	-	-	87.35	36.02	10.2	34.26	235	247	P	H
	*	7115	93.41	-	-	81.45	36.02	10.2	34.26	235	247	A	H
		7125	75.78	-12.42	88.2	63.81	36.03	10.2	34.26	235	247	P	H
		7326.86	51.8	-22.2	74	39.81	36.23	10.18	34.42	235	247	P	H
		7125	64.17	-4.03	68.2	52.2	36.03	10.2	34.26	235	247	A	H
		7298.85	40.36	-13.64	54	28.39	36.2	10.18	34.41	235	247	A	H
	*	7115	97.21	-	-	85.25	36.02	10.2	34.26	100	283	P	V
	*	7115	91.07	-	-	79.11	36.02	10.2	34.26	100	283	A	V
		7125	72.19	-16.01	88.2	60.22	36.03	10.2	34.26	100	283	P	V
	*	7325.525	50.69	-23.31	74	38.7	36.23	10.18	34.42	100	283	P	V
		7125	59.92	-8.28	68.2	47.95	36.03	10.2	34.26	100	283	A	V
	7299.315	40.36	-13.64	54	28.39	36.2	10.18	34.41	100	283	A	V	
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



**U-NII-8 - 6875~7125MHz
WIFI 802.11a (Harmonic @ 3m)**

WIFI Ant.	Note	Frequency	Level	Margin	Limit Line	Read Level	Antenna Factor	Cable Loss	Preamp Factor	Ant Pos	Table Pos	Peak Avg.	Pol.
4+5		(MHz)	(dBμV/m)	(dB)	(dBμV/m)	(dBμV)	(dB/m)	(dB)	(dB)	(cm)	(deg)	(P/A)	(H/V)
802.11a CH 189 6895MHz		13790	51.9	-36.3	88.2	44.74	41.12	13.81	47.77	-	-	P	H
		13790	51.38	-36.82	88.2	44.22	41.12	13.81	47.77	-	-	P	V
802.11a CH 209 6995MHz		13990	53.02	-35.18	88.2	45.18	41.58	13.87	47.61	-	-	P	H
		13990	51.99	-36.21	88.2	44.15	41.58	13.87	47.61	-	-	P	V
802.11a CH 233 7115MHz		14230	49.48	-38.72	88.2	42.86	41.16	13.98	48.52	-	-	P	H
		14230	50.24	-37.96	88.2	43.62	41.16	13.98	48.52	-	-	P	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												

WIFI Ant.	Note	Frequency	Level	Margin	Limit Line	Read Level	Antenna Factor	Cable Loss	Preamp Factor	Ant Pos	Table Pos	Peak Avg.	Pol.
4+5		(MHz)	(dBμV/m)	(dB)	(dBμV/m)	(dBμV)	(dB/m)	(dB)	(dB)	(cm)	(deg)	(P/A)	(H/V)
802.11ax 20 CH 229 7095MHz		14190	49.81	-38.39	88.2	42.97	41.24	13.96	48.36	-	-	p	H
		14190	51.49	-36.71	88.2	44.65	41.24	13.96	48.36	-	-	p	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



WIFI 802.11ax 20 (Band Edge @ 3m)

WIFI Ant.	Note	Frequency	Level	Margin	Limit Line	Read Level	Antenna Factor	Cable Loss	Preamp Factor	Ant Pos	Table Pos	Peak Avg.	Pol.
4+5		(MHz)	(dBμV/m)	(dB)	(dBμV/m)	(dBμV)	(dB/m)	(dB)	(dB)	(cm)	(deg)	(P/A)	(H/V)
802.11ax 20 CH 229 7095MHz	*	7095	100.73	-	-	88.75	36	10.2	34.22	100	241	P	H
	*	7095	92.3	-	-	80.32	36	10.2	34.22	100	241	A	H
		7236.08	52.26	-35.94	88.2	40.34	36.14	10.18	34.4	100	241	P	H
		7273.015	51.17	-22.83	74	39.22	36.17	10.18	34.4	100	241	P	H
		7136.1	40.74	-27.46	68.2	28.81	36.04	10.2	34.31	100	241	A	H
		7297.455	40.3	-13.7	54	28.33	36.2	10.18	34.41	100	241	A	H
	*	7095	97.5	-	-	85.52	36	10.2	34.22	100	265	P	V
	*	7095	89.02	-	-	77.04	36	10.2	34.22	100	265	A	V
		7230.295	51.42	-36.78	88.2	39.51	36.13	10.18	34.4	100	265	P	V
		7338.875	51.18	-22.82	74	39.18	36.24	10.18	34.42	100	265	P	V
	7165.86	40.48	-27.72	68.2	28.57	36.07	10.19	34.35	100	265	A	V	
	7296.06	40.09	-13.91	54	28.12	36.2	10.18	34.41	100	265	A	V	
802.11ax 20 CH 233 7115MHz	*	7115	81.31	-	-	69.35	36.02	10.2	34.26	271	246	P	H
	*	7115	73.27	-	-	61.31	36.02	10.2	34.26	271	246	A	H
		7125	70.98	-17.22	88.2	59.01	36.03	10.2	34.26	271	246	P	H
		7270.345	51	-23	74	39.05	36.17	10.18	34.4	271	246	P	H
		7125	64.89	-3.31	68.2	52.92	36.03	10.2	34.26	271	246	A	H
		7297.455	40.38	-13.62	54	28.41	36.2	10.18	34.41	271	246	A	H
	*	7115	77.34	-	-	65.38	36.02	10.2	34.26	100	270	P	V
	*	7115	70.06	-	-	58.1	36.02	10.2	34.26	100	270	A	V
		7125	64.35	-23.85	88.2	52.38	36.03	10.2	34.26	100	270	P	V
	*	7256.55	51.56	-22.44	74	39.62	36.16	10.18	34.4	100	270	P	V
	7125	58	-10.2	68.2	46.03	36.03	10.2	34.26	100	270	A	V	
	7296.525	40.39	-13.61	54	28.42	36.2	10.18	34.41	100	270	A	V	
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



**U-NII-8 - 6875~7125MHz
WIFI 802.11ax 20 (Harmonic @ 3m)**

WIFI Ant.	Note	Frequency	Level	Margin	Limit Line	Read Level	Antenna Factor	Cable Loss	Preamp Factor	Ant Pos	Table Pos	Peak Avg.	Pol.
4+5		(MHz)	(dBμV/m)	(dB)	(dBμV/m)	(dBμV)	(dB/m)	(dB)	(dB)	(cm)	(deg)	(P/A)	(H/V)
802.11ax 20 CH 189 6895MHz		13790	51.74	-36.46	88.2	44.58	41.12	13.81	47.77	-	-	P	H
		13790	48.79	-39.41	88.2	41.63	41.12	13.81	47.77	-	-	P	V
802.11ax 20 CH 209 6995MHz		13990	51.31	-36.89	88.2	43.47	41.58	13.87	47.61	-	-	P	H
		13990	50.05	-38.15	88.2	42.21	41.58	13.87	47.61	-	-	P	V
802.11ax 20 CH 233 7115MHz		14230	50.87	-37.33	88.2	44.25	41.16	13.98	48.52	-	-	P	H
		14230	49.65	-38.55	88.2	43.03	41.16	13.98	48.52	-	-	P	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												

WIFI Ant.	Note	Frequency	Level	Margin	Limit Line	Read Level	Antenna Factor	Cable Loss	Preamp Factor	Ant Pos	Table Pos	Peak Avg.	Pol.
4+5		(MHz)	(dBμV/m)	(dB)	(dBμV/m)	(dBμV)	(dB/m)	(dB)	(dB)	(cm)	(deg)	(P/A)	(H/V)
802.11ax 20 CH 229 7095MHz		14190	50.05	-38.15	88.2	43.21	41.24	13.96	48.36	-	-	p	H
		14190	49.84	-38.36	88.2	43	41.24	13.96	48.36	-	-	p	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



**U-NII-8 - 6875~7125MHz
WIFI 802.11ax HE20 Partial 26 (Band Edge @ 3m)**

WIFI Ant.	Note	Frequency	Level	Margin	Limit Line	Read Level	Antenna Factor	Path Loss	Preamp Factor	Ant Pos	Table Pos	Peak Avg.	Pol.
4+5		(MHz)	(dBμV/m)	(dB)	(dBμV/m)	(dBμV)	(dB/m)	(dB)	(dB)	(cm)	(deg)	(P/A)	(H/V)
802.11ax HE20 Partial 26/8 CH 229 7095MHz	*	7095	104.57	-	-	91.83	36	10.2	33.46	281	289	P	H
	*	7095	95.86	-	-	83.12	36	10.2	33.46	281	289	A	H
		7225.845	52.19	-36.01	88.2	39.29	36.13	10.18	33.41	281	289	P	H
		7344.215	51.79	-22.21	74	38.73	36.24	10.18	33.36	281	289	P	H
		7169.58	40.35	-27.85	68.2	27.52	36.07	10.19	33.43	281	289	A	H
		7338.84	40.04	-13.96	54	26.98	36.24	10.18	33.36	281	289	A	H
	*	7095	96.12	-	-	83.38	36	10.2	33.46	203	295	P	V
	*	7095	86.91	-	-	74.17	36	10.2	33.46	203	295	A	V
		7215.61	51.99	-36.21	88.2	39.1	36.12	10.18	33.41	203	295	P	V
		7341.1	52.35	-21.65	74	39.29	36.24	10.18	33.36	203	295	P	V
		7168.185	40.49	-27.71	68.2	27.66	36.07	10.19	33.43	203	295	A	V
		7299.78	40.28	-13.72	54	27.28	36.2	10.18	33.38	203	295	A	V
802.11ax HE20 Partial 26/8 CH 233 7115MHz	*	7115	81.16	-	-	69.2	36.02	10.2	34.26	228	291	P	H
	*	7115	72.03	-	-	60.07	36.02	10.2	34.26	228	291	A	H
		7125	69.99	-18.21	88.2	58.02	36.03	10.2	34.26	228	291	P	H
		7347.775	49.59	-24.41	74	37.58	36.25	10.18	34.42	228	291	P	H
		7125	64.46	-3.74	68.2	52.49	36.03	10.2	34.26	228	291	A	H
		7299.315	39.49	-14.51	54	27.52	36.2	10.18	34.41	228	291	A	H
	*	7115	80.04	-	-	68.08	36.02	10.2	34.26	100	262	P	V
	*	7115	71.09	-	-	59.13	36.02	10.2	34.26	100	262	A	V
		7125	70.7	-17.5	88.2	58.73	36.03	10.2	34.26	100	262	P	V
		7307.725	50.18	-23.82	74	38.2	36.21	10.18	34.41	100	262	P	V
	7125	62.78	-5.42	68.2	50.81	36.03	10.2	34.26	100	262	A	V	
	7297.92	39.46	-14.54	54	27.49	36.2	10.18	34.41	100	262	A	V	



U-NII-8 - 6875~7125MHz

WIFI 802.11ax HE20 Partial 26 (Harmonic @ 3m)

WIFI Ant.	Note	Frequency	Level	Margin	Limit Line	Read Level	Antenna Factor	Cable Loss	Preamp Factor	Ant Pos	Table Pos	Peak Avg.	Pol.
4+5		(MHz)	(dBμV/m)	(dB)	(dBμV/m)	(dBμV)	(dB/m)	(dB)	(dB)	(cm)	(deg)	(P/A)	(H/V)
802.11ax HE20		14190	51.94	-36.26	88.2	45.1	41.24	13.96	48.36	-	-	P	H
Partial 26/8													
CH 229		14190	51.85	-36.35	88.2	45.01	41.24	13.96	48.36	-	-	P	V
7095MHz													
802.11ax HE20		14230	51.04	-37.16	88.2	44.42	41.16	13.98	48.52	-	-	P	H
Partial 26/8													
CH 233		14230	50.62	-37.58	88.2	44	41.16	13.98	48.52	-	-	P	V
7115MHz													
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



U-NII-8 - 6875~7125MHz

WIFI 802.11ax HE20 Partial 52 (Band Edge @ 3m)

WIFI Ant.	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11ax20 Partial 52/40 CH 229 7095MHz	*	7095	105.15	-	-	92.41	36	10.2	33.46	280	294	P	H
	*	7095	95.39	-	-	82.65	36	10.2	33.46	280	294	A	H
		7150.64	51.57	-36.63	88.2	38.77	36.05	10.19	33.44	280	294	P	H
		7270.79	52.04	-21.96	74	39.08	36.17	10.18	33.39	280	294	P	H
		7164.93	40.24	-27.96	68.2	27.42	36.06	10.19	33.43	280	294	A	H
		7299.315	39.94	-14.06	54	26.94	36.2	10.18	33.38	280	294	A	H
	*	7095	96.85	-	-	84.11	36	10.2	33.46	203	295	P	V
	*	7095	88.63	-	-	75.89	36	10.2	33.46	203	295	A	V
		7183.125	51.37	-36.83	88.2	38.54	36.08	10.18	33.43	203	295	P	V
		7329.975	51.35	-22.65	74	38.31	36.23	10.18	33.37	203	295	P	V
		7166.325	40.31	-27.89	68.2	27.48	36.07	10.19	33.43	203	295	A	V
		7337.445	40.1	-13.9	54	27.05	36.24	10.18	33.37	203	295	A	V
802.11ax20 Partial 52/40 CH 233 7115MHz	*	7115	79.11	-	-	67.15	36.02	10.2	34.26	274	288	P	H
	*	7115	71.05	-	-	59.09	36.02	10.2	34.26	274	288	A	H
		7125	71.76	-16.44	88.2	59.79	36.03	10.2	34.26	274	288	P	H
		7328.64	51.54	-22.46	74	39.55	36.23	10.18	34.42	274	288	P	H
		7125	64.98	-3.22	68.2	53.01	36.03	10.2	34.26	274	288	A	H
		7296.99	39.45	-14.55	54	27.48	36.2	10.18	34.41	274	288	A	H
	*	7115	78.3	-	-	66.34	36.02	10.2	34.26	100	263	P	V
	*	7115	70.46	-	-	58.5	36.02	10.2	34.26	100	263	A	V
		7125	64.3	-23.9	88.2	52.33	36.03	10.2	34.26	100	263	P	V
		7249.875	49.95	-38.25	88.2	38.02	36.15	10.18	34.4	100	263	P	V
		7125	59.79	-8.41	68.2	47.82	36.03	10.2	34.26	100	263	A	V
		7296.525	39.45	-14.55	54	27.48	36.2	10.18	34.41	100	263	A	V



U-NII-8 - 6875~7125MHz

WIFI 802.11ax HE20 Partial 52 (Harmonic @ 3m)

WIFI Ant.	Note	Frequency	Level	Margin	Limit Line	Read Level	Antenna Factor	Cable Loss	Preamp Factor	Ant Pos	Table Pos	Peak Avg.	Pol.
4+5		(MHz)	(dBμV/m)	(dB)	(dBμV/m)	(dBμV)	(dB/m)	(dB)	(dB)	(cm)	(deg)	(P/A)	(H/V)
802.11ax20 Partial 52/40		14190	53.24	-34.96	88.2	46.4	41.24	13.96	48.36	-	-	P	H
CH 229 7095MHz		14190	52.22	-35.98	88.2	45.38	41.24	13.96	48.36	-	-	P	V
802.11ax20 Partial 52/40		14230	51.08	-37.12	88.2	44.46	41.16	13.98	48.52	-	-	P	H
CH 233 7115MHz		14230	50.69	-37.51	88.2	44.07	41.16	13.98	48.52	-	-	P	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



U-NII-8 - 6875~7125MHz

WIFI 802.11ax HE20 Partial 106 (Band Edge @ 3m)

WIFI Ant.	Note	Frequency	Level	Margin	Limit Line	Read Level	Antenna Factor	Path Loss	Preamp Factor	Ant Pos	Table Pos	Peak Avg.	Pol.
4+5		(MHz)	(dBμV/m)	(dB)	(dBμV/m)	(dBμV)	(dB/m)	(dB)	(dB)	(cm)	(deg)	(P/A)	(H/V)
802.11ax20 Partial 106/54 CH 229 7095MHz	*	7095	105.17	-	-	92.43	36	10.2	33.46	281	294	P	H
	*	7095	95.05	-	-	82.31	36	10.2	33.46	281	294	A	H
		7160.43	51.6	-36.6	88.2	38.79	36.06	10.19	33.44	281	294	P	H
		7250.32	50.99	-23.01	74	38.06	36.15	10.18	33.4	281	294	P	H
		7167.255	40.16	-28.04	68.2	27.33	36.07	10.19	33.43	281	294	A	H
		7297.92	39.89	-14.11	54	26.89	36.2	10.18	33.38	281	294	A	H
	*	7095	98.83	-	-	86.09	36	10.2	33.46	203	289	P	V
	*	7095	89.3	-	-	76.56	36	10.2	33.46	203	289	A	V
		7150.195	51.91	-36.29	88.2	39.11	36.05	10.19	33.44	203	289	P	V
		7335.76	51.41	-22.59	74	38.36	36.24	10.18	33.37	203	289	P	V
		7167.255	40.02	-28.18	68.2	27.19	36.07	10.19	33.43	203	289	A	V
		7298.85	39.77	-14.23	54	26.77	36.2	10.18	33.38	203	289	A	V
	802.11ax20 Partial 106/54 CH 233 7115MHz	*	7115	77.3	-	-	65.34	36.02	10.2	34.26	276	292	P
*		7115	68.96	-	-	57	36.02	10.2	34.26	276	292	A	H
		7125	70.44	-17.76	88.2	58.47	36.03	10.2	34.26	276	292	P	H
		7329.53	50.63	-23.37	74	38.64	36.23	10.18	34.42	276	292	P	H
		7125	64.39	-3.81	68.2	52.42	36.03	10.2	34.26	276	292	A	H
		7296.99	39.43	-14.57	54	27.46	36.2	10.18	34.41	276	292	A	H
*		7115	78.46	-	-	66.5	36.02	10.2	34.26	100	274	P	V
*		7115	69.37	-	-	57.41	36.02	10.2	34.26	100	274	A	V
		7125	66.33	-21.87	88.2	54.36	36.03	10.2	34.26	100	274	P	V
		7293.485	49.61	-24.39	74	37.65	36.19	10.18	34.41	100	274	P	V
	7125	60.2	-8	68.2	48.23	36.03	10.2	34.26	100	274	A	V	
	7296.525	39.45	-14.55	54	27.48	36.2	10.18	34.41	100	274	A	V	



U-NII-8 - 6875~7125MHz

WIFI 802.11ax HE20 Partial 106 (Harmonic @ 3m)

WIFI Ant.	Note	Frequency	Level	Margin	Limit Line	Read Level	Antenna Factor	Cable Loss	Preamp Factor	Ant Pos	Table Pos	Peak Avg.	Pol.
4+5		(MHz)	(dBμV/m)	(dB)	(dBμV/m)	(dBμV)	(dB/m)	(dB)	(dB)	(cm)	(deg)	(P/A)	(H/V)
802.11ax20 Partial 106/54		14190	53.87	-34.33	88.2	47.03	41.24	13.96	48.36	-	-	P	H
CH 229 7095MHz		14190	52.53	-35.67	88.2	45.69	41.24	13.96	48.36	-	-	P	V
802.11ax20 Partial 106/54		14230	52.22	-35.98	88.2	45.6	41.16	13.98	48.52	-	-	P	H
CH 233 7115MHz		14230	51.29	-36.91	88.2	44.67	41.16	13.98	48.52	-	-	P	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



U-NII-8 - 6875~7125MHz
WIFI 802.11 HE40 (Band Edge @ 3m)

Table with 14 columns: WIFI Ant., Note, Frequency (MHz), Level (dBµV/m), Margin (dB), Limit Line (dBµV/m), Read Level (dBµV), Antenna Factor (dB/m), Cable Loss (dB), Preamp Factor (dB), Ant Pos (cm), Table Pos (deg), Peak Avg. (P/A), Pol. (H/V). Rows include test data for 802.11 ax40 CH 227 7085MHz and a Remark section.



U-NII-8 - 6875~7125MHz
WIFI 802.11 HE40 (Harmonic @ 3m)

Table with 14 columns: WIFI Ant., Note, Frequency, Level, Margin, Limit Line, Read Level, Antenna Factor, Cable Loss, Preamp Factor, Ant Pos, Table Pos, Peak Avg., Pol. Rows include channels 187, 203, 227 and their harmonics.



U-NII-8 - 6875~7125MHz
WIFI 802.11 HE80 (Band Edge @ 3m)

Table with 14 columns: WIFI Ant., Note, Frequency, Level, Margin, Limit Line, Read Level, Antenna Factor, Cable Loss, Preamp Factor, Ant Pos, Table Pos, Peak Avg., Pol. Rows include test data for 802.11ax 80 CH 215 7025MHz and a Remark section.



U-NII-8 - 6875~7125MHz
WIFI 802.11n HE80 (Harmonic @ 3m)

Table with 14 columns: WIFI Ant., Note, Frequency, Level, Margin, Limit Line, Read Level, Antenna Factor, Cable Loss, Preamp Factor, Ant Pos, Table Pos, Peak Avg., Pol. Rows include data for 802.11ax 80 CH 199 and 802.11ax 80 CH 215.



U-NII-8 - 6875~7125MHz
WIFI 802.11 HE160 (Band Edge @ 3m)

Table with 14 columns: WIFI Ant., Note, Frequency, Level, Margin, Limit Line, Read Level, Antenna Factor, Cable Loss, Preamp Factor, Ant Pos, Table Pos, Peak Avg., Pol. Rows include data for 802.11ax 160 CH 207 6985MHz and a Remark section.



U-NII-8 - 6875~7125MHz
WIFI 802.11ax HE160 (Harmonic @ 3m)

Table with 14 columns: WIFI Ant., Note, Frequency, Level, Margin, Limit Line, Read Level, Antenna Factor, Cable Loss, Preamp Factor, Ant Pos, Table Pos, Peak Avg., Pol. Rows include data for 802.11ax160 CH 207 6985MHz and a Remark section.



Emission below 1GHz

WIFI 802.11ax HE20 (Band Edge @ 3m)

WIFI Ant. 4+5	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Cable Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11ax20 CH02 LF		30	25.33	-14.67	40	30.84	25.86	0.53	31.9	-	-	P	H
		192.96	31.04	-12.46	43.5	45.56	15.38	1.41	31.31	-	-	P	H
		289.96	36.58	-9.42	46	46.25	19.68	1.77	31.12	-	-	P	H
		324.88	38.73	-7.27	46	47.65	20.27	1.89	31.08	-	-	P	H
		374.35	34.69	-11.31	46	42.35	21.33	2.04	31.03	-	-	P	H
		936.95	34.31	-11.69	46	31.3	30.68	3.21	30.88	-	-	P	H
		54.25	29.62	-10.38	40	47.34	13.46	0.73	31.91	-	-	P	V
		159.01	30.31	-13.19	43.5	43.69	16.71	1.29	31.38	-	-	P	V
		192.96	28.46	-15.04	43.5	42.98	15.38	1.41	31.31	-	-	P	V
		289.96	33.3	-12.7	46	42.97	19.68	1.77	31.12	-	-	P	V
		566.41	29.24	-16.76	46	31.58	26.1	2.49	30.93	-	-	P	V
		951.5	34.5	-11.5	46	30.93	31.13	3.23	30.79	-	-	P	V
Remark	1. No other spurious found. 2. All results are PASS against limit line.												



Co-colation

WIFI.6G_11ax20_TX_CH02 + Band 48 Link + BLE (2Mbps)_TX_CH39(Ant.4)
(Band Edge @ 3m)

	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
WIFI.6G_11 ax20_TX_C H02 + Band 48 Link + BLE (2Mbps)_TX _CH39 (Ant.4)		5924.96	70.14	-18.06	88.2	60.07	32.79	10.42	33.14	118	229	P	H
		5924.96	64.27	-3.93	68.2	54.2	32.79	10.42	33.14	118	229	A	H
	*	5935	81.43	-	-	71.27	32.81	10.5	33.15	118	229	P	H
	*	5935	72.2	-	-	62.04	32.81	10.5	33.15	118	229	A	H
		5924.96	67.6	-20.6	88.2	57.53	32.79	10.42	33.14	100	147	P	V
		5924.96	59.21	-8.99	68.2	49.14	32.79	10.42	33.14	100	147	A	V
	*	5935	79.39	-	-	69.23	32.81	10.5	33.15	100	147	P	V
	*	5935	70.19	-	-	60.03	32.81	10.5	33.15	100	147	A	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												

	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
WIFI.6G_11 ax20_TX_C H02 + Band 48 Link + BLE (2Mbps)_T X_CH39 (Ant.4)	*	2480	94.96	-	-	95.57	27.83	5.46	33.9	117	121	P	H
	*	2480	93.21	-	-	93.82	27.83	5.46	33.9	117	121	P	H
		2493	49.23	-24.77	74	49.79	27.88	5.46	33.9	117	121	A	H
		2483.6	41.32	-12.68	54	41.92	27.84	5.46	33.9	117	121	P	H
	*	2480	82.2	-	-	82.81	27.83	5.46	33.9	100	282	P	V
	*	2480	80.4	-	-	81.01	27.83	5.46	33.9	100	282	P	V
		2489	49.04	-24.96	74	49.62	27.86	5.46	33.9	100	282	A	V
		2488.44	41.59	-12.41	54	42.17	27.86	5.46	33.9	100	282	P	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



**WIFI.6G_11ax20_TX_CH02 + Band 48 Link + BLE (2Mbps)_TX_CH39(Ant.5)
(Band Edge @ 3m)**

	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
WIFI.6G_11 ax20_TX_C H02 + Band 48 Link + BLE (2Mbps)_T X_CH39 (Ant.5)		5924.96	67.66	-20.54	88.2	57.59	32.79	10.42	33.14	112	227	P	H
		5924.96	61.22	-6.98	68.2	51.15	32.79	10.42	33.14	112	227	A	H
	*	5935	79.55	-	-	69.39	32.81	10.5	33.15	112	227	P	H
	*	5935	71.14	-	-	60.98	32.81	10.5	33.15	112	227	A	H
		5924.96	67.21	-20.99	88.2	57.14	32.79	10.42	33.14	297	268	P	V
		5924.96	59.81	-8.39	68.2	49.74	32.79	10.42	33.14	297	268	A	V
	*	5935	79.96	-	-	69.8	32.81	10.5	33.15	297	268	P	V
	*	5935	70.38	-	-	60.22	32.81	10.5	33.15	297	268	A	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												

	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
WIFI.6G_11 ax20_TX_C H02 + Band 48 Link + BLE (2Mbps)_T X_CH39 (Ant.5)	*	2480	102.31	-	-	102.92	27.83	5.46	33.9	100	258	P	H
	*	2480	100.45	-	-	101.06	27.83	5.46	33.9	100	258	A	H
		2483.8	49.48	-24.52	74	50.08	27.84	5.46	33.9	100	258	A	H
		2484.28	41.43	-12.57	54	42.02	27.85	5.46	33.9	100	258	P	H
	*	2480	101.99	-	-	102.6	27.83	5.46	33.9	391	257	P	V
	*	2480	100.19	-	-	100.8	27.83	5.46	33.9	391	257	A	V
		2483.52	50.33	-23.67	74	50.93	27.84	5.46	33.9	391	257	A	V
		2483.8	41.49	-12.51	54	42.09	27.84	5.46	33.9	391	257	P	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



**WIFI.6G_11ax20_TX_CH02 + Band 48 Link + 11g_TX_CH11
(Band Edge @ 3m)**

	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
WIFI.6G_11 ax20_TX_C H02 + Band 48 Link + 11g_TX_CH 11		5924.96	67.56	-20.64	88.2	57.7	32.79	10.42	33.35	251	302	P	H
		5924.96	63.6	-4.6	68.2	53.74	32.79	10.42	33.35	251	302	A	H
	*	5935	84.82	-	-	74.85	32.81	10.5	33.34	251	302	P	H
	*	5935	75.97	-	-	66	32.81	10.5	33.34	251	302	A	H
		5924.96	67.36	-20.84	88.2	57.5	32.79	10.42	33.35	100	280	P	V
		5924.96	61.36	-6.84	68.2	51.5	32.79	10.42	33.35	100	280	A	V
	*	5935	82.79	-	-	72.82	32.81	10.5	33.34	100	280	P	V
*	5935	74.3	-	-	64.33	32.81	10.5	33.34	100	280	A	V	
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												

	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
WIFI.6G_11 ax20_TX_C H02 + Band 48 Link + 11g_TX_CH 11	*	2462	111.9	-	-	112.61	27.77	5.41	33.89	100	328	P	H
	*	2462	103.51	-	-	104.22	27.77	5.41	33.89	100	328	A	H
		2486.56	62.21	-11.79	74	62.8	27.85	5.46	33.9	100	328	A	H
		2485.84	50.67	-3.33	54	51.26	27.85	5.46	33.9	100	328	P	H
	*	2462	110.07	-	-	110.78	27.77	5.41	33.89	229	100	P	V
	*	2462	102.56	-	-	103.27	27.77	5.41	33.89	229	100	A	V
		2483.88	62.52	-11.48	74	63.11	27.85	5.46	33.9	229	100	A	V
	2483.52	50.6	-3.4	54	51.2	27.84	5.46	33.9	229	100	P	V	
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



**WIFI.6G_11ax20_TX_CH02 + Band 48 Link + BLE (2Mbps)_TX_CH39(Ant.4)
(Harmonic @ 3m)**

	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
WIFI.6G_11 ax20_TX_C H02 + Band 48 Link + BLE (2Mbps)_T X_CH39 (Ant.4)		4960	43.83	-30.17	74	36.27	31.83	8.41	32.68	-	-	P	H
		7440	44.03	-29.97	74	47.78	36.34	10.17	50.26	-	-	P	H
		11870	49.75	-24.25	74	46.15	39.12	13.16	48.68	-	-	P	H
		17805	49.88	-24.12	74	40.08	45.55	16.15	51.9	-	-	P	H
		4960	44.72	-29.28	74	37.16	31.83	8.41	32.68	-	-	P	V
		7440	44.46	-29.54	74	48.21	36.34	10.17	50.26	-	-	P	V
		11870	48.31	-25.69	74	30.41	39.12	13.16	34.38	-	-	P	V
		17805	49.11	-24.89	74	20.34	45.55	16.15	32.93	-	-	P	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												

**WIFI.6G_11ax20_TX_CH02 + Band 48 Link + BLE (2Mbps)_TX_CH39(Ant.5)
(Harmonic @ 3m)**

	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
WIFI.6G_11 ax20_TX_C H02 + Band 48 Link + BLE (2Mbps)_T X_CH39 (Ant.5)		4960	48.22	-25.78	74	40.66	31.83	8.41	32.68	-	-	P	H
		7440	43.56	-30.44	74	47.31	36.34	10.17	50.26	-	-	P	H
		11870	49.62	-24.38	74	31.72	39.12	13.16	34.38	-	-	P	H
		17808	48.85	-25.15	74	39.05	45.56	16.15	51.91	-	-	P	H
		4960	44.74	-29.26	74	37.18	31.83	8.41	32.68	-	-	P	V
		7440	46.19	-27.81	74	49.94	36.34	10.17	50.26	-	-	P	V
		11870	49.17	-24.83	74	31.27	39.12	13.16	34.38	-	-	P	V
		17805	48.98	-25.02	74	39.18	45.55	16.15	51.9	-	-	P	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



WIFI.6G_11ax20_TX_CH02 + Band 48 Link + 11g_TX_CH11
(Harmonic @ 3m)

	Note	Frequency	Level	Margin	Limit Line	Read Level	Antenna Factor	Path Loss	Preamp Factor	Ant Pos	Table Pos	Peak Avg.	Pol.
		(MHz)	(dBμV/m)	(dB)	(dBμV/m)	(dBμV)	(dB/m)	(dB)	(dB)	(cm)	(deg)	(P/A)	(H/V)
WIFI.6G_11ax20_TX_CH02 + Band 48 Link + 11g_TX_CH11		4924	49.76	-24.24	74	42.29	31.76	8.53	32.82	-	-	P	H
		7386	44.78	-29.22	74	48.44	36.29	10.18	50.13	-	-	P	H
		11870	50.92	-23.08	74	47.32	39.12	13.16	48.68	-	-	P	H
		17805	50.31	-23.69	74	40.51	45.55	16.15	51.9	-	-	P	H
		4924	50.28	-23.72	74	42.81	31.76	8.53	32.82	-	-	P	V
		7986	45.4	-42.8	88.2	47.96	36.98	11.15	50.69	-	-	P	V
		11870	49.42	-24.58	74	45.82	39.12	13.16	48.68	-	-	P	V
		17805	50.44	-23.56	74	40.64	45.55	16.15	51.9	-	-	P	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



Note symbol

*	Fundamental Frequency which can be ignored. However, the level of any unwanted emissions shall not exceed the level of the fundamental frequency.
!	Test result is Margin line.
P/A	Peak or Average
H/V	Horizontal or Vertical



A calculation example for radiated spurious emission is shown as below:

WIFI Ant. 1+2	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11b		2390	55.45	-18.55	74	54.51	32.22	4.58	35.86	103	308	P	H
CH 01		2390	43.54	-10.46	54	42.6	32.22	4.58	35.86	103	308	A	H
2412MHz													

1. Path Loss(dB) = Cable loss(dB) + Filter loss(dB) + Attenuator loss(dB)
2. Level(dBμV/m) = Antenna Factor(dB/m) + Path Loss(dB) + Read Level(dBμV) - Preamp Factor(dB)
3. Margin (dB) = Level(dBμV/m) – Limit Line(dBμV/m)

For Peak Limit @ 2390MHz:

1. Level(dBμV/m)
= Antenna Factor(dB/m) + Path Loss(dB) + Read Level(dBμV) - Preamp Factor(dB)
= 32.22(dB/m) + 4.58(dB) + 54.51(dBμV) – 35.86 (dB)
= 55.45 (dBμV/m)
2. Margin (dB)
= Level(dBμV/m) – Limit Line(dBμV/m)
= 55.45(dBμV/m) – 74(dBμV/m)
= -18.55(dB)

For Average Limit @ 2390MHz:

1. Level(dBμV/m)
= Antenna Factor(dB/m) + Path Loss(dB) + Read Level(dBμV) - Preamp Factor(dB)
= 32.22(dB/m) + 4.58(dB) + 42.6(dBμV) – 35.86 (dB)
= 43.54 (dBμV/m)
2. Margin (dB) = Level(dBμV/m) – Limit Line(dBμV/m)
= 43.54(dBμV/m) – 54(dBμV/m)
= -10.46(dB)

Both peak and average measured complies with the limit line, so test result is “PASS”.







Appendix D. Radiated Spurious Emission Plots





U-NII-5 - 5925~6425MHz WIFI 802.11a (Band Edge @ 3m)

WIFI	U-NII-5 5925~6425MHz Band Edge @ 3m	
ANT	802.11a CH01 5955MHz	
4+5	Horizontal	Fundamental
Peak	<p>Site : 03CH04-SZ Condition : PEAK(U-NII)_BE 3m 91200-1474-2022 HORIZONTAL Project : 200913 Mode : Mode 1 IMEI : 358041760025512/358041760025520 Plane : Z with Accessories GM Power setting 10</p>	<p>Site : 03CH04-SZ Condition : PEAK(U-NII)_BE 3m 91200-1474-2022 HORIZONTAL Project : 200913 Mode : Mode 1 IMEI : 358041760025512/358041760025520 Plane : Z with Accessories GM Power setting 10</p>
Avg.	<p>Site : 03CH04-SZ Condition : AVG(U-NII)_BE 3m 91200-1474-2022 HORIZONTAL Project : 200913 Mode : Mode 1 IMEI : 358041760025512/358041760025520 Plane : Z with Accessories GM Power setting 10</p>	<p>Site : 03CH04-SZ Condition : AVG(U-NII)_BE 3m 91200-1474-2022 HORIZONTAL Project : 200913 Mode : Mode 1 IMEI : 358041760025512/358041760025520 Plane : Z with Accessories GM Power setting 10</p>







WIFI	U-NII-5 5925~6425MHz Band Edge @ 3m	
ANT	802.11a CH01 5955MHz	
4+5	Vertical	Fundamental
<p>Peak</p>	 <p>Date: 5 Level (dBuV/m) Date: 2022-12-29</p> <p>Site : 03CH04-SZ Condition : PEAK(U-NII)_BE 3m 9120D-1474-2022 VERTICAL Project : 200913 Mode : Mode 1 IMEI : 358041760025512/358041760025520 Plane : Z with Accessories GM Power setting 10</p>	 <p>Date: 7 Level (dBuV/m) Date: 2022-12-29</p> <p>Site : 03CH04-SZ Condition : PEAK(U-NII)_BE 3m 9120D-1474-2022 VERTICAL Project : 200913 Mode : Mode 1 IMEI : 358041760025512/358041760025520 Plane : Z with Accessories GM Power setting 10</p>
<p>Avg.</p>	 <p>Date: 6 Level (dBuV/m) Date: 2022-12-29</p> <p>Site : 03CH04-SZ Condition : AVG(U-NII)_BE 3m 9120D-1474-2022 VERTICAL Project : 200913 Mode : Mode 1 IMEI : 358041760025512/358041760025520 Plane : Z with Accessories GM Power setting 10</p>	 <p>Date: 8 Level (dBuV/m) Date: 2022-12-29</p> <p>Site : 03CH04-SZ Condition : AVG(U-NII)_BE 3m 9120D-1474-2022 VERTICAL Project : 200913 Mode : Mode 1 IMEI : 358041760025512/358041760025520 Plane : Z with Accessories GM Power setting 10</p>



WIFI	U-NII-5 5925~6425MHz Band Edge @ 3m	
ANT	802.11a CH02 5935MHz	
4+5	Horizontal	Fundamental
<p>Peak</p>	 <p>Date: 1 Date: 2022-12-28</p> <p>Site : 03CH04-SZ Condition : PEAK(U-NII)_BE 3m 9120D-1474-2022 HORIZONTAL Project : 200913 Mode : Mode 51 IMEI : 358041760025512/358041760025520 Plane : Z with Accessories GM Power setting 10</p>	 <p>Date: 3 Date: 2022-12-28</p> <p>Site : 03CH04-SZ Condition : PEAK(U-NII)_BE 3m 9120D-1474-2022 HORIZONTAL Project : 200913 Mode : Mode 51 IMEI : 358041760025512/358041760025520 Plane : Z with Accessories GM Power setting 10</p>
<p>Avg.</p>	 <p>Date: 2 Date: 2022-12-28</p> <p>Site : 03CH04-SZ Condition : AVG(U-NII)_BE 3m 9120D-1474-2022 HORIZONTAL Project : 200913 Mode : Mode 51 IMEI : 358041760025512/358041760025520 Plane : Z with Accessories GM Power setting 10</p>	 <p>Date: 4 Date: 2022-12-28</p> <p>Site : 03CH04-SZ Condition : AVG(U-NII)_BE 3m 9120D-1474-2022 HORIZONTAL Project : 200913 Mode : Mode 51 IMEI : 358041760025512/358041760025520 Plane : Z with Accessories GM Power setting 10</p>



WIFI	U-NII-5 5925~6425MHz Band Edge @ 3m	
ANT	802.11a CH02 5935MHz	
4+5	Vertical	Fundamental
<p>Peak</p>	 <p>Date: 5 Level (dBuV/m) Date: 2022-12-28</p> <p>Site : 03CH04-SZ Condition : PEAK(U-NII)_BE 3m 9120D-1474-2022 VERTICAL Project : 200913 Mode : Mode 51 IMEI : 358041760025512/358041760025520 Plane : Z with Accessories GM Power setting 10</p>	 <p>Date: 7 Level (dBuV/m) Date: 2022-12-28</p> <p>Site : 03CH04-SZ Condition : PEAK(U-NII)_BE 3m 9120D-1474-2022 VERTICAL Project : 200913 Mode : Mode 51 IMEI : 358041760025512/358041760025520 Plane : Z with Accessories GM Power setting 10</p>
<p>Avg.</p>	 <p>Date: 6 Level (dBuV/m) Date: 2022-12-28</p> <p>Site : 03CH04-SZ Condition : AVG(U-NII)_BE 3m 9120D-1474-2022 VERTICAL Project : 200913 Mode : Mode 51 IMEI : 358041760025512/358041760025520 Plane : Z with Accessories GM Power setting 10</p>	 <p>Date: 8 Level (dBuV/m) Date: 2022-12-28</p> <p>Site : 03CH04-SZ Condition : AVG(U-NII)_BE 3m 9120D-1474-2022 VERTICAL Project : 200913 Mode : Mode 51 IMEI : 358041760025512/358041760025520 Plane : Z with Accessories GM Power setting 10</p>







WIFI 802.11ax 20 (Band Edge @ 3m)

WIFI	U-NII-5 5925-6425MHz Band Edge @ 3m	
ANT	802.11ax20 CH01 5955MHz	
4+5	Horizontal	Fundamental
Peak	<p>Site : 03CH04-SZ Condition : PEAK(U-NII)_E 3m 9120D-1474-2022 HORIZONTAL Project : 2D0913 Mode : Mode 13 IMEI : 350041760025512/350041760025520 Plane : Z with Accessories MCS0 Power setting 10</p>	<p>Site : 03CH04-SZ Condition : PEAK(U-NII)_E 3m 9120D-1474-2022 HORIZONTAL Project : 2D0913 Mode : Mode 13 IMEI : 350041760025512/350041760025520 Plane : Z with Accessories MCS0 Power setting 10</p>
Avg.	<p>Site : 03CH04-SZ Condition : AVG(U-NII)_E 3m 9120D-1474-2022 HORIZONTAL Project : 2D0913 Mode : Mode 13 IMEI : 350041760025512/350041760025520 Plane : Z with Accessories MCS0 Power setting 10</p>	<p>Site : 03CH04-SZ Condition : AVG(U-NII)_E 3m 9120D-1474-2022 HORIZONTAL Project : 2D0913 Mode : Mode 13 IMEI : 350041760025512/350041760025520 Plane : Z with Accessories MCS0 Power setting 10</p>







WIFI	U-NII-5 5925-6425MHz Band Edge @ 3m	
ANT	802.11ax20 CH01 5955MHz	
4+5	Vertical	Fundamental
<p>Peak</p>	<p>Date: 5 Level (dBuV/m) Date: 2022-12-29</p> <p>Site : 03CH04-SZ Condition : PEAK(U-NII)_BE 3m 9120D-1474-2022 VERTICAL Project : 2D0913 Mode : Mode 13 IMEI : 358041760025512/358041760025520 Plane : Z with Accessories MCS0 Power setting 10</p>	<p>Date: 7 Level (dBuV/m) Date: 2022-12-29</p> <p>Site : 03CH04-SZ Condition : PEAK(U-NII)_BE 3m 9120D-1474-2022 VERTICAL Project : 2D0913 Mode : Mode 13 IMEI : 358041760025512/358041760025520 Plane : Z with Accessories MCS0 Power setting 10</p>
<p>Avg.</p>	<p>Date: 6 Level (dBuV/m) Date: 2022-12-29</p> <p>Site : 03CH04-SZ Condition : AVG(U-NII)_BE 3m 9120D-1474-2022 VERTICAL Project : 2D0913 Mode : Mode 13 IMEI : 358041760025512/358041760025520 Plane : Z with Accessories MCS0 Power setting 10</p>	<p>Date: 8 Level (dBuV/m) Date: 2022-12-29</p> <p>Site : 03CH04-SZ Condition : AVG(U-NII)_BE 3m 9120D-1474-2022 VERTICAL Project : 2D0913 Mode : Mode 13 IMEI : 358041760025512/358041760025520 Plane : Z with Accessories MCS0 Power setting 10</p>







WIFI	U-NII-5 5925~6425MHz Band Edge @ 3m	
ANT	802.11ax20 CH02 5935MHz	
4+5	Horizontal	Fundamental
<p>Peak</p>	 <p>Date: 13 Date: 2022-12-29</p> <p>Site : 03CH04-SZ Condition : PEAK(U-NII)_E 3m 9120D-1474-2022 HORIZONTAL Project : 200913 Mode : Mode 62 IMEI : 358041760025512/358041760025520 Plane : Z with Accessories MCS 0 Power setting -3</p>	 <p>Date: 15 Date: 2022-12-29</p> <p>Site : 03CH04-SZ Condition : PEAK(U-NII)_E 3m 9120D-1474-2022 HORIZONTAL Project : 200913 Mode : Mode 62 IMEI : 358041760025512/358041760025520 Plane : Z with Accessories MCS 0 Power setting -3</p>
<p>Avg.</p>	 <p>Date: 14 Date: 2022-12-29</p> <p>Site : 03CH04-SZ Condition : AVG(U-NII)_E 3m 9120D-1474-2022 HORIZONTAL Project : 200913 Mode : Mode 62 IMEI : 358041760025512/358041760025520 Plane : Z with Accessories MCS 0 Power setting -3</p>	 <p>Date: 16 Date: 2022-12-29</p> <p>Site : 03CH04-SZ Condition : AVG(U-NII)_E 3m 9120D-1474-2022 HORIZONTAL Project : 200913 Mode : Mode 62 IMEI : 358041760025512/358041760025520 Plane : Z with Accessories MCS 0 Power setting -3</p>



WIFI	U-NII-5 5925~6425MHz Band Edge @ 3m	
ANT	802.11ax20 CH02 5935MHz	
4+5	Vertical	Fundamental
<p>Peak</p>	 <p>Date: 17 Level (dBuV/m) Date: 2022-12-29</p> <p>Site : 03CH04-SZ Condition : PEAK(U-NII)_E 3m 9120D-1474-2022 VERTICAL Project : 200913 Mode : Mode 62 IMEI : 358041760025512/358041760025520 Plane : Z with Accessories MCS 0 Power setting -3</p>	 <p>Date: 19 Level (dBuV/m) Date: 2022-12-29</p> <p>Site : 03CH04-SZ Condition : PEAK(U-NII)_E 3m 9120D-1474-2022 VERTICAL Project : 200913 Mode : Mode 62 IMEI : 358041760025512/358041760025520 Plane : Z with Accessories MCS 0 Power setting -3</p>
<p>Avg.</p>	 <p>Date: 18 Level (dBuV/m) Date: 2022-12-29</p> <p>Site : 03CH04-SZ Condition : AVG(U-NII)_E 3m 9120D-1474-2022 VERTICAL Project : 200913 Mode : Mode 62 IMEI : 358041760025512/358041760025520 Plane : Z with Accessories MCS 0 Power setting -3</p>	 <p>Date: 20 Level (dBuV/m) Date: 2022-12-29</p> <p>Site : 03CH04-SZ Condition : AVG(U-NII)_E 3m 9120D-1474-2022 VERTICAL Project : 200913 Mode : Mode 62 IMEI : 358041760025512/358041760025520 Plane : Z with Accessories MCS 0 Power setting -3</p>



**U-NII-5 5925~6425MHz
WIFI 802.11ax 40 (Band Edge @ 3m)**

WIFI	U-NII-5 5925~6425MHz Band Edge @ 3m	
ANT	802.11ax 40 CH03 5965MHz	
4+5	Horizontal	Fundamental
Peak	 <p>Date: 1 Level (dBuV/m) Date: 2022-12-29</p> <p>Site : 03CH04-SZ Condition : PEAK(U-NII)_E 3m 9120D-1474-2022 HORIZONTAL Project : 2D0913 Mode : Mode 19 IMEI : 358041760025512/358041760025520 Plane : Z with Accessories MCS9 Power setting 12</p>	 <p>Date: 3 Level (dBuV/m) Date: 2022-12-29</p> <p>Site : 03CH04-SZ Condition : PEAK(U-NII)_E 3m 9120D-1474-2022 HORIZONTAL Project : 2D0913 Mode : Mode 19 IMEI : 358041760025512/358041760025520 Plane : Z with Accessories MCS9 Power setting 12</p>
Avg.	 <p>Date: 2 Level (dBuV/m) Date: 2022-12-29</p> <p>Site : 03CH04-SZ Condition : AVG(U-NII)_E 3m 9120D-1474-2022 HORIZONTAL Project : 2D0913 Mode : Mode 19 IMEI : 358041760025512/358041760025520 Plane : Z with Accessories MCS9 Power setting 12</p>	 <p>Date: 4 Level (dBuV/m) Date: 2022-12-29</p> <p>Site : 03CH04-SZ Condition : AVG(U-NII)_E 3m 9120D-1474-2022 HORIZONTAL Project : 2D0913 Mode : Mode 19 IMEI : 358041760025512/358041760025520 Plane : Z with Accessories MCS9 Power setting 12</p>







WIFI	U-NII-5 5925-6425MHz Band Edge @ 3m	
ANT	802.11ax 40 CH03 5965MHz	
4+5	Vertical	Fundamental
Peak	<p>Site : 03CH04-SZ Condition : PEAK(U-NII)_E 3m 9120D-1474-2022 VERTICAL Project : 200913 Mode : Mode 19 IMEI : 358041760025512/358041760025520 Plane : Z with Accessories MCS0 Power setting 12</p>	<p>Site : 03CH04-SZ Condition : PEAK(U-NII)_E 3m 9120D-1474-2022 VERTICAL Project : 200913 Mode : Mode 19 IMEI : 358041760025512/358041760025520 Plane : Z with Accessories MCS0 Power setting 12</p>
Avg.	<p>Site : 03CH04-SZ Condition : AVG(U-NII)_E 3m 9120D-1474-2022 VERTICAL Project : 200913 Mode : Mode 19 IMEI : 358041760025512/358041760025520 Plane : Z with Accessories MCS0 Power setting 12</p>	<p>Site : 03CH04-SZ Condition : AVG(U-NII)_E 3m 9120D-1474-2022 VERTICAL Project : 200913 Mode : Mode 19 IMEI : 358041760025512/358041760025520 Plane : Z with Accessories MCS0 Power setting 12</p>



**U-NII-5 5925~6425MHz
WIFI 802.11ax 80 (Band Edge @ 3m)**

WIFI	U-NII-5 5925~6425MHz Band Edge @ 3m	
ANT	802.11ax 80 CH07 5985MHz	
4+5	Horizontal	Fundamental
Peak	<p>Horizontal</p> <p>Date: 1 Level (dBuV/m) Date: 2022-12-29</p> <p>Site : 03CH04-SZ Condition : PEAK(U-NII)_E 3m 9120D-1474-2022 HORIZONTAL Project : 2D0913 Mode : Mode 22 IMEI : 358041760025512/358041760025520 Plane : Z with Accessories MCS0 Power setting 13</p>	<p>Fundamental</p> <p>Date: 3 Level (dBuV/m) Date: 2022-12-29</p> <p>Site : 03CH04-SZ Condition : PEAK(U-NII)_E 3m 9120D-1474-2022 HORIZONTAL Project : 2D0913 Mode : Mode 22 IMEI : 358041760025512/358041760025520 Plane : Z with Accessories MCS0 Power setting 13</p>
Avg.	<p>Horizontal</p> <p>Date: 2 Level (dBuV/m) Date: 2022-12-29</p> <p>Site : 03CH04-SZ Condition : AVG(U-NII)_E 3m 9120D-1474-2022 HORIZONTAL Project : 2D0913 Mode : Mode 22 IMEI : 358041760025512/358041760025520 Plane : Z with Accessories MCS0 Power setting 13</p>	<p>Fundamental</p> <p>Date: 4 Level (dBuV/m) Date: 2022-12-29</p> <p>Site : 03CH04-SZ Condition : AVG(U-NII)_E 3m 9120D-1474-2022 HORIZONTAL Project : 2D0913 Mode : Mode 22 IMEI : 358041760025512/358041760025520 Plane : Z with Accessories MCS0 Power setting 13</p>







WIFI	U-NII-5 5925~6425MHz Band Edge @ 3m	
ANT	802.11ax 80 CH07 5985MHz	
4+5	Vertical	Fundamental
<p>Peak</p>	 <p>Date: 5 Level (dBuV/m) Date: 2022-12-29</p> <p>Site : 03CH04-SZ Condition : PEAK(U-NII)_BE 3m 9120D-1474-2022 VERTICAL Project : 200913 Mode : Mode 22 IMEI : 358041760025512/358041760025520 Plane : Z with Accessories MCS0 Power setting 13</p>	 <p>Date: 7 Level (dBuV/m) Date: 2022-12-29</p> <p>Site : 03CH04-SZ Condition : PEAK(U-NII)_BE 3m 9120D-1474-2022 VERTICAL Project : 200913 Mode : Mode 22 IMEI : 358041760025512/358041760025520 Plane : Z with Accessories MCS0 Power setting 13</p>
<p>Avg.</p>	 <p>Date: 6 Level (dBuV/m) Date: 2022-12-29</p> <p>Site : 03CH04-SZ Condition : AVG(U-NII)_BE 3m 9120D-1474-2022 VERTICAL Project : 200913 Mode : Mode 22 IMEI : 358041760025512/358041760025520 Plane : Z with Accessories MCS0 Power setting 13</p>	 <p>Date: 8 Level (dBuV/m) Date: 2022-12-29</p> <p>Site : 03CH04-SZ Condition : AVG(U-NII)_BE 3m 9120D-1474-2022 VERTICAL Project : 200913 Mode : Mode 22 IMEI : 358041760025512/358041760025520 Plane : Z with Accessories MCS0 Power setting 13</p>



**U-NII-5 5925~6425MHz
WIFI 802.11ax 160 (Band Edge @ 3m)**





WIFI	U-NII-5 5925~6425MHz Band Edge @ 3m	
ANT	802.11ax 160 CH15 6025MHz	
4+5	Horizontal	Fundamental
Peak	<p>Date: 1 Level (dBuV/m) Date: 2022-12-29</p> <p>Site : 03CH04-SZ Condition : PEAK(U-NII)_E 3m 9120D-1474-2022 HORIZONTAL Project : 2D0913 Mode : Mode 25 IMEI : 358041760025512/358041760025520 Plane : Z with Accessories MCS0 Power setting 15</p>	<p>Date: 3 Level (dBuV/m) Date: 2022-12-29</p> <p>Site : 03CH04-SZ Condition : PEAK(U-NII)_E 3m 9120D-1474-2022 HORIZONTAL Project : 2D0913 Mode : Mode 25 IMEI : 358041760025512/358041760025520 Plane : Z with Accessories MCS0 Power setting 15</p>
Avg.	<p>Date: 2 Level (dBuV/m) Date: 2022-12-29</p> <p>Site : 03CH04-SZ Condition : AVG(U-NII)_E 3m 9120D-1474-2022 HORIZONTAL Project : 2D0913 Mode : Mode 25 IMEI : 358041760025512/358041760025520 Plane : Z with Accessories MCS0 Power setting 15</p>	<p>Date: 4 Level (dBuV/m) Date: 2022-12-29</p> <p>Site : 03CH04-SZ Condition : AVG(U-NII)_E 3m 9120D-1474-2022 HORIZONTAL Project : 2D0913 Mode : Mode 25 IMEI : 358041760025512/358041760025520 Plane : Z with Accessories MCS0 Power setting 15</p>



WIFI	U-NII-5 5925~6425MHz Band Edge @ 3m	
ANT	802.11ax 160 CH15 6025MHz	
4+5	Vertical	Fundamental
<p>Peak</p>	 <p>Date: 5 Level (dBuV/m) Date: 2022-12-29</p> <p>Site : 03CH04-SZ Condition : PEAK(U-NII)_BE 3m 9120D-1474-2022 VERTICAL Project : 200913 Mode : Mode 25 IMEI : 358041760025512/358041760025520 Plane : Z with Accessories MCS0 Power setting 15</p>	 <p>Date: 7 Level (dBuV/m) Date: 2022-12-29</p> <p>Site : 03CH04-SZ Condition : PEAK(U-NII)_BE 3m 9120D-1474-2022 VERTICAL Project : 200913 Mode : Mode 25 IMEI : 358041760025512/358041760025520 Plane : Z with Accessories MCS0 Power setting 15</p>
<p>Avg.</p>	 <p>Date: 6 Level (dBuV/m) Date: 2022-12-29</p> <p>Site : 03CH04-SZ Condition : AVG(U-NII)_BE 3m 9120D-1474-2022 VERTICAL Project : 200913 Mode : Mode 25 IMEI : 358041760025512/358041760025520 Plane : Z with Accessories MCS0 Power setting 15</p>	 <p>Date: 8 Level (dBuV/m) Date: 2022-12-29</p> <p>Site : 03CH04-SZ Condition : AVG(U-NII)_BE 3m 9120D-1474-2022 VERTICAL Project : 200913 Mode : Mode 25 IMEI : 358041760025512/358041760025520 Plane : Z with Accessories MCS0 Power setting 15</p>



U-NII-5 5925~6425MHz
WIFI 802.11ax HE20 Partial 26 (Band Edge @ 3m)

WIFI	U-NII-5 5925~6425MHz Band Edge @ 3m	
ANT	802.11ax HE20 Partial 26/0 CH01 5955MHz	
4+5	Horizontal	Fundamental
Peak	 <p>Date: 1 Level (dBuV/m) Date: 2023-01-04</p> <p>Site : 03CH04-SZ Condition : PEAK(U-NII)_E 3m 9120D-1474-2022 HORIZONTAL Project : 2D0913 Mode : Mode 14 IMEI : 358041760025512/358041760025520 Plane : Z with Accessories MCS9 Power setting 0 26/0</p>	 <p>Date: 3 Level (dBuV/m) Date: 2023-01-04</p> <p>Site : 03CH04-SZ Condition : PEAK(U-NII)_E 3m 9120D-1474-2022 HORIZONTAL Project : 2D0913 Mode : Mode 14 IMEI : 358041760025512/358041760025520 Plane : Z with Accessories MCS9 Power setting 0 26/0</p>
Avg.	 <p>Date: 2 Level (dBuV/m) Date: 2023-01-04</p> <p>Site : 03CH04-SZ Condition : AVG(U-NII)_E 3m 9120D-1474-2022 HORIZONTAL Project : 2D0913 Mode : Mode 14 IMEI : 358041760025512/358041760025520 Plane : Z with Accessories MCS9 Power setting 0 26/0</p>	 <p>Date: 4 Level (dBuV/m) Date: 2023-01-04</p> <p>Site : 03CH04-SZ Condition : AVG(U-NII)_E 3m 9120D-1474-2022 HORIZONTAL Project : 2D0913 Mode : Mode 14 IMEI : 358041760025512/358041760025520 Plane : Z with Accessories MCS9 Power setting 0 26/0</p>