









Mode	15																																																																																																																																																																																																	
	Emission below 1GHz																																																																																																																																																																																																	
	2400-2483.5_802.11n HT40_CH05_2432MHz																																																																																																																																																																																																	
Pol.	Horizontal	Vertical																																																																																																																																																																																																
Peak QP	 <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr><td>1</td><td>30.00</td><td>24.05</td><td>40.00</td><td>-15.95</td><td>28.88</td><td>25.69</td><td>0.88</td><td>31.40</td><td>0.00</td><td>---</td><td>Peak</td></tr> <tr><td>2</td><td>184.23</td><td>24.76</td><td>43.50</td><td>-18.74</td><td>39.37</td><td>14.62</td><td>2.17</td><td>31.40</td><td>0.00</td><td>---</td><td>Peak</td></tr> <tr><td>3</td><td>198.78</td><td>26.83</td><td>43.50</td><td>-16.67</td><td>41.26</td><td>14.71</td><td>2.26</td><td>31.40</td><td>0.00</td><td>---</td><td>Peak</td></tr> <tr><td>4</td><td>239.52</td><td>28.09</td><td>46.00</td><td>-17.91</td><td>39.86</td><td>17.14</td><td>2.49</td><td>31.40</td><td>0.00</td><td>---</td><td>Peak</td></tr> <tr><td>5</td><td>558.65</td><td>36.75</td><td>46.00</td><td>-9.25</td><td>38.28</td><td>26.15</td><td>3.77</td><td>31.45</td><td>0.00</td><td>---</td><td>Peak</td></tr> <tr><td>6</td><td>675.05</td><td>32.63</td><td>46.00</td><td>-13.37</td><td>33.54</td><td>26.33</td><td>4.14</td><td>31.38</td><td>0.00</td><td>---</td><td>Peak</td></tr> </tbody> </table>	Peak	Freq	Level	Limit	Over	ReadAntenna	Cable	Preamp	Aux	A/Pos	T/Pos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	30.00	24.05	40.00	-15.95	28.88	25.69	0.88	31.40	0.00	---	Peak	2	184.23	24.76	43.50	-18.74	39.37	14.62	2.17	31.40	0.00	---	Peak	3	198.78	26.83	43.50	-16.67	41.26	14.71	2.26	31.40	0.00	---	Peak	4	239.52	28.09	46.00	-17.91	39.86	17.14	2.49	31.40	0.00	---	Peak	5	558.65	36.75	46.00	-9.25	38.28	26.15	3.77	31.45	0.00	---	Peak	6	675.05	32.63	46.00	-13.37	33.54	26.33	4.14	31.38	0.00	---	Peak	 <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr><td>1</td><td>30.00</td><td>23.13</td><td>40.00</td><td>-16.87</td><td>27.96</td><td>25.69</td><td>0.88</td><td>31.40</td><td>0.00</td><td>---</td><td>Peak</td></tr> <tr><td>2</td><td>183.26</td><td>25.32</td><td>43.50</td><td>-18.18</td><td>39.90</td><td>14.66</td><td>2.16</td><td>31.40</td><td>0.00</td><td>---</td><td>Peak</td></tr> <tr><td>3</td><td>197.81</td><td>27.81</td><td>43.50</td><td>-15.69</td><td>42.27</td><td>14.68</td><td>2.26</td><td>31.40</td><td>0.00</td><td>---</td><td>Peak</td></tr> <tr><td>4</td><td>250.19</td><td>32.37</td><td>46.00</td><td>-13.63</td><td>42.77</td><td>18.45</td><td>2.55</td><td>31.40</td><td>0.00</td><td>---</td><td>Peak</td></tr> <tr><td>5</td><td>637.22</td><td>36.63</td><td>46.00</td><td>-9.37</td><td>37.81</td><td>26.19</td><td>4.03</td><td>31.40</td><td>0.00</td><td>---</td><td>Peak</td></tr> <tr><td>6</td><td>719.67</td><td>31.25</td><td>46.00</td><td>-14.75</td><td>31.30</td><td>27.02</td><td>4.28</td><td>31.35</td><td>0.00</td><td>---</td><td>Peak</td></tr> </tbody> </table>	Peak	Freq	Level	Limit	Over	ReadAntenna	Cable	Preamp	Aux	A/Pos	T/Pos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	30.00	23.13	40.00	-16.87	27.96	25.69	0.88	31.40	0.00	---	Peak	2	183.26	25.32	43.50	-18.18	39.90	14.66	2.16	31.40	0.00	---	Peak	3	197.81	27.81	43.50	-15.69	42.27	14.68	2.26	31.40	0.00	---	Peak	4	250.19	32.37	46.00	-13.63	42.77	18.45	2.55	31.40	0.00	---	Peak	5	637.22	36.63	46.00	-9.37	37.81	26.19	4.03	31.40	0.00	---	Peak	6	719.67	31.25	46.00	-14.75	31.30	27.02	4.28	31.35	0.00	---	Peak
Peak	Freq	Level	Limit	Over	ReadAntenna	Cable	Preamp	Aux	A/Pos	T/Pos	Remark																																																																																																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																																							
1	30.00	24.05	40.00	-15.95	28.88	25.69	0.88	31.40	0.00	---	Peak																																																																																																																																																																																							
2	184.23	24.76	43.50	-18.74	39.37	14.62	2.17	31.40	0.00	---	Peak																																																																																																																																																																																							
3	198.78	26.83	43.50	-16.67	41.26	14.71	2.26	31.40	0.00	---	Peak																																																																																																																																																																																							
4	239.52	28.09	46.00	-17.91	39.86	17.14	2.49	31.40	0.00	---	Peak																																																																																																																																																																																							
5	558.65	36.75	46.00	-9.25	38.28	26.15	3.77	31.45	0.00	---	Peak																																																																																																																																																																																							
6	675.05	32.63	46.00	-13.37	33.54	26.33	4.14	31.38	0.00	---	Peak																																																																																																																																																																																							
Peak	Freq	Level	Limit	Over	ReadAntenna	Cable	Preamp	Aux	A/Pos	T/Pos	Remark																																																																																																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																																							
1	30.00	23.13	40.00	-16.87	27.96	25.69	0.88	31.40	0.00	---	Peak																																																																																																																																																																																							
2	183.26	25.32	43.50	-18.18	39.90	14.66	2.16	31.40	0.00	---	Peak																																																																																																																																																																																							
3	197.81	27.81	43.50	-15.69	42.27	14.68	2.26	31.40	0.00	---	Peak																																																																																																																																																																																							
4	250.19	32.37	46.00	-13.63	42.77	18.45	2.55	31.40	0.00	---	Peak																																																																																																																																																																																							
5	637.22	36.63	46.00	-9.37	37.81	26.19	4.03	31.40	0.00	---	Peak																																																																																																																																																																																							
6	719.67	31.25	46.00	-14.75	31.30	27.02	4.28	31.35	0.00	---	Peak																																																																																																																																																																																							



		16																																																																										
Mode		Band Edge - L																																																																										
		802.11n HT40_CH05_TX + LTE Band 48 link																																																																										
Pol.	Horizontal	Fundamental																																																																										
Peak	 <table border="1" data-bbox="268 1102 794 1227"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2389.56</td> <td>60.04</td> <td>74.00</td> <td>-13.96</td> <td>44.18</td> <td>31.98</td> <td>8.77</td> <td>30.89</td> <td>6.00</td> <td>374</td> <td>257</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	2389.56	60.04	74.00	-13.96	44.18	31.98	8.77	30.89	6.00	374	257	PEAK	 <table border="1" data-bbox="906 1102 1433 1227"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2432.00</td> <td>106.37</td> <td>74.00</td> <td>32.37</td> <td>90.19</td> <td>32.05</td> <td>8.91</td> <td>30.78</td> <td>6.00</td> <td>374</td> <td>257</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	2432.00	106.37	74.00	32.37	90.19	32.05	8.91	30.78	6.00	374	257	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																					
1	2389.56	60.04	74.00	-13.96	44.18	31.98	8.77	30.89	6.00	374	257	PEAK																																																																
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																					
1	2432.00	106.37	74.00	32.37	90.19	32.05	8.91	30.78	6.00	374	257	PEAK																																																																
Avg	 <table border="1" data-bbox="268 1778 794 1904"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2389.95</td> <td>50.50</td> <td>54.00</td> <td>-3.50</td> <td>34.64</td> <td>31.98</td> <td>8.77</td> <td>30.89</td> <td>6.00</td> <td>374</td> <td>257</td> <td>Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	2389.95	50.50	54.00	-3.50	34.64	31.98	8.77	30.89	6.00	374	257	Average	 <table border="1" data-bbox="906 1778 1433 1904"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2432.00</td> <td>96.71</td> <td>54.00</td> <td>42.71</td> <td>80.58</td> <td>32.04</td> <td>8.89</td> <td>30.80</td> <td>6.00</td> <td>374</td> <td>257</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	2432.00	96.71	54.00	42.71	80.58	32.04	8.89	30.80	6.00	374	257	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																					
1	2389.95	50.50	54.00	-3.50	34.64	31.98	8.77	30.89	6.00	374	257	Average																																																																
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																					
1	2432.00	96.71	54.00	42.71	80.58	32.04	8.89	30.80	6.00	374	257	AVERAGE																																																																



		16																																												
Mode	Band Edge - R																																													
	802.11n HT40_CH05_TX + LTE Band 48 link																																													
Pol.	Horizontal	Fundamental																																												
Peak			Blank																																											
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> <tr> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2486.27</td> <td>57.65</td> <td>74.00</td> <td>-16.35</td> <td>41.10</td> <td>32.13</td> <td>9.06</td> <td>30.64</td> <td>6.00</td> <td>374</td> <td>257</td> <td>PEAK</td> </tr> </tbody> </table>			Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB								cm	1	2486.27	57.65	74.00	-16.35	41.10	32.13	9.06	30.64	6.00	374
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																							
							cm																																							
1	2486.27	57.65	74.00	-16.35	41.10	32.13	9.06	30.64	6.00	374	257	PEAK																																		
Avg			Blank																																											
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> <tr> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2484.06</td> <td>46.14</td> <td>54.00</td> <td>-7.86</td> <td>29.60</td> <td>32.13</td> <td>9.05</td> <td>30.64</td> <td>6.00</td> <td>374</td> <td>257</td> <td>AVERAGE</td> </tr> </tbody> </table>			Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB								cm	1	2484.06	46.14	54.00	-7.86	29.60	32.13	9.05	30.64	6.00	374
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																							
							cm																																							
1	2484.06	46.14	54.00	-7.86	29.60	32.13	9.05	30.64	6.00	374	257	AVERAGE																																		



16

Mode

Band Edge - L


802.11n HT40_CH05_TX + LTE Band 48 link

Pol.


Vertical

Fundamental

Peak




Freq	Level	Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark
		Line	Margin								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	2388.78	58.31	74.00	-15.69	42.45	31.98	8.77	30.89	6.00	379	237 PEAK




Freq	Level	Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark
		Line	Margin								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	2432.00	104.35	74.00	30.35	88.18	32.05	8.90	30.78	6.00	379	237 PEAK

Avg



Freq	Level	Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark
		Line	Margin								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	2389.95	48.66	54.00	-5.34	32.80	31.98	8.77	30.89	6.00	379	237 AVERAGE



Freq	Level	Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark
		Line	Margin								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	2432.00	94.74	54.00	40.74	78.56	32.05	8.91	30.78	6.00	379	237 AVERAGE



		16																																																	
Mode	Band Edge - R																																																		
	802.11n HT40_CH05_TX + LTE Band 48 link																																																		
Pol.	Vertical	Fundamental																																																	
Peak				Blank																																															
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> <tr> <th>cm</th> <th>deg</th> <th colspan="7"></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2491.94</td> <td>58.37</td> <td>74.00</td> <td>-15.63</td> <td>41.77</td> <td>32.14</td> <td>9.08</td> <td>30.62</td> <td>6.00</td> <td>379</td> <td>237</td> <td>PEAK</td> </tr> </tbody> </table>				Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg								1	2491.94	58.37	74.00	-15.63	41.77	32.14	9.08	30.62	6.00	379
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																											
cm	deg																																																		
1	2491.94	58.37	74.00	-15.63	41.77	32.14	9.08	30.62	6.00	379	237	PEAK																																							
Avg				Blank																																															
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> <tr> <th>cm</th> <th>deg</th> <th colspan="7"></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2484.00</td> <td>46.19</td> <td>54.00</td> <td>-7.81</td> <td>29.65</td> <td>32.13</td> <td>9.05</td> <td>30.64</td> <td>6.00</td> <td>379</td> <td>237</td> <td>AVERAGE</td> </tr> </tbody> </table>				Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg								1	2484.00	46.19	54.00	-7.81	29.65	32.13	9.05	30.64	6.00	379
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																											
cm	deg																																																		
1	2484.00	46.19	54.00	-7.81	29.65	32.13	9.05	30.64	6.00	379	237	AVERAGE																																							



Mode	16																																																																																																															
	Harmonic																																																																																																															
	802.11n HT40_CH05_TX + LTE Band 48 link																																																																																																															
Pol.	Horizontal	Vertical																																																																																																														
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4864.00</td> <td>41.51</td> <td>74.00</td> <td>-32.49</td> <td>59.99</td> <td>34.63</td> <td>12.33</td> <td>65.44</td> <td>0.00</td> <td>300</td> <td>360</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>7296.00</td> <td>43.96</td> <td>74.00</td> <td>-30.04</td> <td>57.92</td> <td>36.56</td> <td>14.72</td> <td>65.24</td> <td>0.00</td> <td>300</td> <td>360</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4864.00	41.51	74.00	-32.49	59.99	34.63	12.33	65.44	0.00	300	360	PEAK	2	7296.00	43.96	74.00	-30.04	57.92	36.56	14.72	65.24	0.00	300	360	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4864.00</td> <td>41.72</td> <td>74.00</td> <td>-32.28</td> <td>60.20</td> <td>34.63</td> <td>12.33</td> <td>65.44</td> <td>0.00</td> <td>100</td> <td>360</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>7296.00</td> <td>43.89</td> <td>74.00</td> <td>-30.11</td> <td>57.85</td> <td>36.56</td> <td>14.72</td> <td>65.24</td> <td>0.00</td> <td>100</td> <td>360</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4864.00	41.72	74.00	-32.28	60.20	34.63	12.33	65.44	0.00	100	360	PEAK	2	7296.00	43.89	74.00	-30.11	57.85	36.56	14.72	65.24	0.00	100	360	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																						
1	4864.00	41.51	74.00	-32.49	59.99	34.63	12.33	65.44	0.00	300	360	PEAK																																																																																																				
2	7296.00	43.96	74.00	-30.04	57.92	36.56	14.72	65.24	0.00	300	360	PEAK																																																																																																				
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																						
1	4864.00	41.72	74.00	-32.28	60.20	34.63	12.33	65.44	0.00	100	360	PEAK																																																																																																				
2	7296.00	43.89	74.00	-30.11	57.85	36.56	14.72	65.24	0.00	100	360	PEAK																																																																																																				


Appendix D. Duty Cycle Plots

Band	Duty Cycle(%)	T(ms)	1/T(kHz)	VBW Setting
802.11b	100	-	-	10HZ
802.11g	98.61	-	-	10HZ
802.11n HT20	97.78	1.913	0.523	0.56kHz
802.11n HT40	94.89	0.942	1.062	1.1kHz

802.11b




802.11g





802.11n HT20



802.11n HT40

