



### Full Power Mode

GSM850	Burst Average Power (dBm)			Tune-up Limit (dBm)	Frame-Average Power (dBm)			Tune-up Limit (dBm)
	128	189	251		128	189	251	
	824.2	836.4	848.8		824.2	836.4	848.8	
TX Channel								
Frequency (MHz)								
GSM 1 Tx slot	32.05	32.11	32.01	33.00	23.05	23.11	23.01	24.00
GPRS 1 Tx slot	32.00	32.09	31.95	33.00	23.00	23.09	22.95	24.00
GPRS 2 Tx slots	29.92	30.05	29.93	31.00	23.92	24.05	23.93	25.00
GPRS 3 Tx slots	28.11	28.13	28.00	29.50	23.85	23.87	23.74	25.24
GPRS 4 Tx slots	26.03	26.07	25.96	27.00	23.03	23.07	22.96	24.00
EDGE 1 Tx slot	25.41	25.55	25.50	27.00	16.41	16.55	16.50	18.00
EDGE 2 Tx slots	24.09	24.22	24.18	26.00	18.09	18.22	18.18	20.00
EDGE 3 Tx slots	22.01	22.04	21.97	23.50	17.75	17.78	17.71	19.24
EDGE 4 Tx slots	19.53	19.69	19.59	21.00	16.53	16.69	16.59	18.00

Band	WCDMA V			Tune-up Limit (dBm)	
	4192	4192	4238		
	4357	4407	4458		
TX Channel					
Rx Channel					
Frequency (MHz)	836.4	836.4	846.6		
3GPP Rel 99	AMR 12.2kbps	22.23	22.28	22.21	24.00
3GPP Rel 99	RMC 12.2kbps	22.25	22.39	22.26	24.00
3GPP Rel 6	HSDPA Subtest-1	21.07	21.46	21.35	23.00
3GPP Rel 6	HSDPA Subtest-2	21.35	21.19	21.30	23.00
3GPP Rel 6	HSDPA Subtest-3	20.87	20.72	20.69	22.50
3GPP Rel 6	HSDPA Subtest-4	20.76	20.98	20.63	22.50
3GPP Rel 8	DC-HSDPA Subtest-1	21.28	21.60	21.26	23.00
3GPP Rel 8	DC-HSDPA Subtest-2	21.17	21.46	21.43	23.00
3GPP Rel 8	DC-HSDPA Subtest-3	20.66	20.98	20.89	22.50
3GPP Rel 8	DC-HSDPA Subtest-4	20.80	21.02	20.67	22.50
3GPP Rel 6	HSUPA Subtest-1	21.09	21.28	21.00	23.00
3GPP Rel 6	HSUPA Subtest-2	19.29	19.10	19.25	21.00
3GPP Rel 6	HSUPA Subtest-3	20.09	20.14	20.10	22.00
3GPP Rel 6	HSUPA Subtest-4	19.24	19.16	19.34	21.00
3GPP Rel 6	HSUPA Subtest-5	21.38	21.46	21.50	23.00







## Reduced Power Mode for Hotspot

GSM850	Burst Average Power (dBm)			Tune-up Limit (dBm)	Frame-Average Power (dBm)			Tune-up Limit (dBm)
	128	189	251		128	189	251	
TX Channel	824.2	836.4	848.8		824.2	836.4	848.8	
Frequency (MHz)	824.2	836.4	848.8		824.2	836.4	848.8	
GSM 1 Tx slot	32.05	32.11	32.01	33.00	23.05	23.11	23.01	24.00
GPRS 1 Tx slot	32.00	32.09	31.95	33.00	23.00	23.09	22.95	24.00
GPRS 2 Tx slots	29.92	30.05	29.93	31.00	23.92	24.05	23.93	25.00
GPRS 3 Tx slots	28.11	28.13	28.00	29.50	23.85	23.87	23.74	25.24
GPRS 4 Tx slots	26.03	26.07	25.96	27.00	23.03	23.07	22.96	24.00
EDGE 1 Tx slot	25.41	25.55	25.50	27.00	16.41	16.55	16.50	18.00
EDGE 2 Tx slots	24.09	24.22	24.18	26.00	18.09	18.22	18.18	20.00
EDGE 3 Tx slots	22.01	22.04	21.97	23.50	17.75	17.78	17.71	19.24
EDGE 4 Tx slots	19.53	19.69	19.59	21.00	16.53	16.69	16.59	18.00

Band	WCDMA V			Tune-up Limit (dBm)	
	4132	4182	4233		
TX Channel	4357	4407	4458		
Rx Channel	4357	4407	4458		
Frequency (MHz)	826.4	836.4	846.6		
3GPP Rel 99	AMR 12.2Kbps	22.23	22.28	22.21	24.00
3GPP Rel 99	RMC 12.2Kbps	22.25	22.39	22.26	24.00
3GPP Rel 6	HSDPA Subtest-1	21.07	21.46	21.35	23.00
3GPP Rel 6	HSDPA Subtest-2	21.35	21.19	21.30	23.00
3GPP Rel 6	HSDPA Subtest-3	20.87	20.72	20.69	22.50
3GPP Rel 6	HSDPA Subtest-4	20.76	20.98	20.63	22.50
3GPP Rel 8	DC-HSDPA Subtest-1	21.28	21.60	21.26	23.00
3GPP Rel 8	DC-HSDPA Subtest-2	21.17	21.46	21.43	23.00
3GPP Rel 8	DC-HSDPA Subtest-3	20.66	20.98	20.89	22.50
3GPP Rel 8	DC-HSDPA Subtest-4	20.80	21.02	20.67	22.50
3GPP Rel 6	HSUPA Subtest-1	21.09	21.28	21.00	23.00
3GPP Rel 6	HSUPA Subtest-2	19.29	19.10	19.25	21.00
3GPP Rel 6	HSUPA Subtest-3	20.09	20.14	20.10	22.00
3GPP Rel 6	HSUPA Subtest-4	19.24	19.16	19.34	21.00
3GPP Rel 6	HSUPA Subtest-5	21.38	21.46	21.50	23.00











## WLAN/Bluetooth Power

2.4GHz WLAN				Ant 2 Full Power For Head SAR For Hotspot SAR For Body-worn SAR For Extremity SAR		
	Mode	Channel	Frequency (MHz)	Average power (dBm)	Tune-Up Limit	Duty Cycle %
2.4GHz WLAN	802.11b 1Mbps	1	2412	19.01	20.50	97.97
		6	2437	19.11	20.50	
		11	2462	18.98	20.50	
	802.11g 6Mbps	1	2412	19.36	20.50	97.46
		6	2437	18.83	20.50	
		11	2462	18.72	20.50	
	802.11n-HT20 MCSO	1	2412	19.06	20.50	88.18
		6	2437	19.37	20.50	
		11	2462	19.05	20.50	

5.2GHz WLAN				Ant 2 Full Power For Head SAR		Ant 2 For Body-worn SAR For Hotspot SAR For Extremity SAR		
	Mode	Channel	Frequency (MHz)	Average power (dBm)	Tune-Up Limit	Average power (dBm)	Tune-Up Limit	Duty Cycle %
5.2GHz WLAN	802.11a 6Mbps	36	5180	18.49	19.50	13.42	14.50	88.89
		40	5200	18.40	19.50	13.16	14.50	
		44	5220	17.92	19.50	13.02	14.50	
		48	5240	18.12	19.50	13.11	14.50	
	802.11n-HT20 MCSO	36	5180	18.46	19.50	Not Required	14.50	88.61
		40	5200	18.41	19.50			
		44	5220	17.92	19.50			
		48	5240	18.06	19.50			
	802.11ac-VHT20 MCSO	36	5180	17.56	19.00	Not Required	14.50	89.16
		40	5200	17.42	19.00			
		44	5220	17.07	19.00			
		48	5240	17.29	19.00			

5.3GHz WLAN				Ant 2 Full Power For Head SAR		Ant 2 For Body-worn SAR For Extremity SAR		
	Mode	Channel	Frequency (MHz)	Average power (dBm)	Tune-Up Limit	Average power (dBm)	Tune-Up Limit	Duty Cycle %
5.3GHz WLAN	802.11a 6Mbps	52	5260	17.90	19.50	12.88	14.50	88.89
		56	5280	18.15	19.50	13.05	14.50	
		60	5300	18.04	19.50	12.91	14.50	
		64	5320	17.73	19.50	12.75	14.50	
	802.11n-HT20 MCSO	52	5260	17.90	19.50	Not Required	14.50	88.61
		56	5280	18.20	19.50			
		60	5300	18.04	19.50			
		64	5320	17.66	19.50			
	802.11ac-VHT20 MCSO	52	5260	17.04	18.50	Not Required	14.50	89.16
		56	5280	17.32	19.00			
		60	5300	17.23	19.00			
		64	5320	16.78	18.50			

5.5GHz WLAN				Ant 2 Full Power For Head SAR		Ant 2 For Body-worn SAR For Extremity SAR		
	Mode	Channel	Frequency (MHz)	Average power (dBm)	Tune-Up Limit	Average power (dBm)	Tune-Up Limit	Duty Cycle %
5.5GHz WLAN	802.11a 6Mbps	100	5500	18.24	19.50	15.12	16.50	88.89
		116	5580	18.09	19.50	14.95	16.50	
		124	5620	18.04	19.50	14.86	16.50	
		132	5660	17.73	19.50	15.41	16.50	
		140	5700	18.07	19.50	15.68	16.50	
	802.11n-HT20 MCSO	100	5500	18.15	19.50	Not Required	16.50	88.61
		116	5580	17.97	19.50			
		124	5620	17.85	19.50			
		140	5700	17.94	19.50			
	802.11ac-VHT20 MCSO	100	5500	17.21	19.00	Not Required	16.50	89.16
		116	5580	16.73	18.50			
		124	5620	17.07	18.50			
140		5700	16.58	18.50				

5.8GHz WLAN				Ant 2 Full Power For Head SAR For Hotspot SAR For Body-worn SAR For Extremity SAR		
	Mode	Channel	Frequency (MHz)	Average power (dBm)	Tune-Up Limit	Duty Cycle %
5.8GHz WLAN	802.11a 6Mbps	149	5745	17.79	19.50	88.89
		157	5785	18.02	19.50	
		165	5825	17.60	19.50	
	802.11n-HT20 MCSO	149	5745	17.70	19.50	88.61
		157	5785	17.92	19.50	
		165	5825	17.56	19.50	
	802.11ac-VHT20 MCSO	149	5745	17.56	19.50	89.16
		157	5785	16.61	18.50	

**BT BR/EDR**

Mode	Channel	Frequency (MHz)	Average power (dBm)			Tune-up Limit
			1Mbps	2Mbps	3Mbps	
BR / EDR	CH 00	2402	9.56	7.23	7.44	11.50
	CH 39	2441	9.77	7.84	7.81	11.50
	CH 78	2480	10.81	8.93	9.03	12.50

**BLE\_1M**

Mode	Channel	Frequency (MHz)	Average power (dBm)
LE	CH 00	2402	0.97
	CH 19	2440	0.61
	CH 39	2480	1.04
Tune-up Limit			2.00

**BLE\_2M**

Mode	Channel	Frequency (MHz)	Average power (dBm)
LE	CH 00	2402	0.88
	CH 19	2440	0.75
	CH 39	2480	0.92
Tune-up Limit			2.00