




LTE Band 66C / 20MHz+20MHz


16QAM

Lowest Band Edge / 1RB0 and 1RB9




Date: 20_APR_2023 22:11:59

Highest Band Edge / 1RB0 and 1RB9




Date: 20_APR_2023 22:27:54

Lowest Band Edge / 1RB99 and 1RB0




Date: 20_APR_2023 22:15:13

Highest Band Edge / 1RB99 and 1RB0




Date: 20_APR_2023 22:31:09

Lowest Band Edge / Full RB



Date: 20_APR_2023 22:08:46

Highest Band Edge / Full RB




Date: 20_APR_2023 22:24:40



LTE Band 66C / 20MHz+20MHz


64QAM

Lowest Band Edge / 1RB0 and 1RB9




Date: 20_APR_2023 22:12:48

Highest Band Edge / 1RB0 and 1RB9




Date: 20_APR_2023 22:28:43

Lowest Band Edge / 1RB99 and 1RB0




Date: 20_APR_2023 22:16:02

Highest Band Edge / 1RB99 and 1RB0




Date: 20_APR_2023 22:31:57

Lowest Band Edge / Full RB



Date: 20_APR_2023 22:09:35

Highest Band Edge / Full RB



Date: 20_APR_2023 22:25:29





LTE Band 66C / 20MHz+20MHz

256QAM

Lowest Band Edge / 1RB0 and 1RB9

Highest Band Edge / 1RB0 and 1RB9





Date: 20.APR.2023 22:13:36

Date: 20.APR.2023 22:29:31

Lowest Band Edge / 1RB99 and 1RB0

Highest Band Edge / 1RB99 and 1RB0





Date: 20.APR.2023 22:16:49

Date: 20.APR.2023 22:32:46

Lowest Band Edge / Full RB

Highest Band Edge / Full RB



Date: 20.APR.2023 22:10:23


Date: 20.APR.2023 22:26:17




Conducted Spurious Emission

LTE Band 66C / 5MHz+20MHz QPSK Lowest Channel / 1RB24 and 1RB0

LTE Band 66C / 5MHz+20MHz QPSK Middle Channel / 1RB24 and 1RB0




Date: 18.APR.2023 23:03:43






Date: 18.APR.2023 23:07:47

LTE Band 66C / 5MHz+20MHz QPSK Highest Channel / 1RB24 and 1RB0




Date: 18.APR.2023 23:22:29






LTE Band 66C / 10MHz+20MHz QPSK Lowest Channel / 1RB49 and 1RB0

LTE Band 66C / 10MHz+20MHz QPSK Middle Channel / 1RB49 and 1RB0




Date: 20.APR.2023 19:08:03



Date: 20.APR.2023 19:12:07

LTE Band 66C / 10MHz+20MHz QPSK Highest Channel / 1RB49 and 1RB0





Date: 20.APR.2023 19:39:59



LTE Band 66C / 15MHz+10MHz QPSK Lowest Channel / 1RB24 and 1RB0


LTE Band 66C / 15MHz+10MHz QPSK Middle Channel / 1RB24 and 1RB0



Date: 19.APR.2023 00:27:50

Date: 19.APR.2023 00:13:01

LTE Band 66C / 15MHz+10MHz QPSK Highest Channel / 1RB24 and 1RB0





Date: 19.APR.2023 00:10:48



LTE Band 66C / 15MHz+15MHz QPSK Lowest Channel / 1RB24 and 1RB0


LTE Band 66C / 15MHz+15MHz QPSK Middle Channel / 1RB24 and 1RB0



Date: 20.APR.2023 20:24:58

Date: 20.APR.2023 20:28:59

LTE Band 66C / 15MHz+15MHz QPSK Highest Channel / 1RB24 and 1RB0




Date: 20.APR.2023 20:41:54




LTE Band 66C / 15MHz+20MHz QPSK Lowest Channel / 1RB74 and 1RB0

LTE Band 66C / 15MHz+20MHz QPSK Middle Channel / 1RB74 and 1RB0




Date: 20.APR.2023 20:54:44



Date: 20.APR.2023 20:58:46

LTE Band 66C / 15MHz+20MHz QPSK Highest Channel / 1RB74 and 1RB0





Date: 20.APR.2023 21:11:18



LTE Band 66C / 20MHz+5MHz QPSK Lowest Channel / 1RB99 and 1RB0


LTE Band 66C / 20MHz+5MHz QPSK Middle Channel / 1RB99 and 1RB0



Date: 20.APR.2023 21:51:11

Date: 20.APR.2023 21:55:14

LTE Band 66C / 20MHz+5MHz QPSK Highest Channel / 1RB99 and 1RB0




Date: 20.APR.2023 22:07:05




LTE Band 66C / 20MHz+10MHz QPSK Lowest Channel / 1RB99 and 1RB0

LTE Band 66C / 20MHz+10MHz QPSK Middle Channel / 1RB99 and 1RB0




Date: 20.APR.2023 19:54:15



Date: 20.APR.2023 19:56:26

LTE Band 66C / 20MHz+10MHz QPSK Highest Channel / 1RB99 and 1RB0




Date: 20.APR.2023 20:11:15




LTE Band 66C / 20MHz+15MHz QPSK Lowest Channel / 1RB99 and 1RB0

LTE Band 66C / 20MHz+15MHz QPSK Middle Channel / 1RB99 and 1RB0




Date: 20.APR.2023 21:23:25



Date: 20.APR.2023 21:27:27

LTE Band 66C / 20MHz+15MHz QPSK Highest Channel / 1RB99 and 1RB0




Date: 20.APR.2023 21:39:20




LTE Band 66C / 20MHz+20MHz QPSK Lowest Channel / 1RB99 and 1RB0

LTE Band 66C / 20MHz+20MHz QPSK Middle Channel / 1RB99 and 1RB0




Date: 20.APR.2023 22:18:57



Date: 20.APR.2023 22:21:09

LTE Band 66C / 20MHz+20MHz QPSK Highest Channel / 1RB99 and 1RB0



Date: 20.APR.2023 22:34:54



Frequency Stability

Test Conditions		LTE Band 42C (QPSK) / Middle Channel	Limit
Temperature (°C)	Voltage (Volt)	BW 20+20MHz	Note 2.
		Deviation (ppm)	Result
50	Normal Voltage	0.0021	PASS
40	Normal Voltage	0.0028	
30	Normal Voltage	0.0039	
20(Ref.)	Normal Voltage	0.0000	
10	Normal Voltage	0.0046	
0	Normal Voltage	0.0023	
-10	Normal Voltage	0.0037	
-20	Normal Voltage	0.0012	
-30	Normal Voltage	0.0006	
20	Maximum Voltage	0.0019	
20	Normal Voltage	0.0022	
20	Battery End Point	0.0014	

Note:

1. Normal Voltage =3.91V. ; Battery End Point (BEP) =3.4 V. ; Maximum Voltage =4.5 V.
2. Note: The frequency fundamental emissions stay within the authorized frequency block.



Appendix B. Test Results of Radiated Test

Radiated Spurious Emission

Test Engineer :	Carry Xu	Temperature :	23~25°C
		Relative Humidity :	41~42%

RSE pretest all the support Antennas, only the worst results are shown in the report.

LTE Band 2 / 20MHz / QPSK (Ant0) for Other PA								
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	3705	-55.78	-13	-42.78	-68.04	2.64	14.90	H
	5550	-54.77	-13	-41.77	-66.63	2.94	14.80	H
	7410	-54.07	-13	-41.07	-63.84	3.39	13.16	H
	3705	-56.70	-13	-43.70	-68.96	2.64	14.90	V
	5550	-52.14	-13	-39.14	-64.00	2.94	14.80	V
	7410	-54.43	-13	-41.43	-64.20	3.39	13.16	V
Middle	3742	-57.75	-13	-44.75	-70.01	2.64	14.90	H
	5613	-55.23	-13	-42.23	-67.09	2.94	14.80	H
	7485	-52.82	-13	-39.82	-62.59	3.39	13.16	H
	3742	-57.45	-13	-44.45	-69.71	2.64	14.90	V
	5613	-55.56	-13	-42.56	-67.42	2.94	14.80	V
	7485	-52.71	-13	-39.71	-62.48	3.39	13.16	V
Highest	3780	-57.78	-13	-44.78	-70.04	2.64	14.90	H
	5670	-56.46	-13	-43.46	-68.32	2.94	14.80	H
	7560	-54.24	-13	-41.24	-64.01	3.39	13.16	H
	3780	-57.22	-13	-44.22	-69.48	2.64	14.90	V
	5670	-57.03	-13	-44.03	-68.89	2.94	14.80	V
	7560	-54.11	-13	-41.11	-63.88	3.39	13.16	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



LTE Band 12 / 10MHz / QPSK (Ant1)								
Channel	Frequency (MHz)	ERP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	1400	-67.50	-13	-54.50	-74.47	1.58	10.70	H
	2104	-63.12	-13	-50.12	-71.37	2.102	12.50	H
	2800	-59.94	-13	-46.94	-68.83	2.856	13.90	H
	1400	-67.00	-13	-54.00	-73.97	1.58	10.70	V
	2104	-62.04	-13	-49.04	-70.29	2.10	12.50	V
	2800	-59.38	-13	-46.38	-68.27	2.86	13.90	V
Middle	1408	-68.04	-13	-55.04	-75.01	1.58	10.70	H
	2112	-63.03	-13	-50.03	-71.28	2.102	12.50	H
	2816	-60.26	-13	-47.26	-69.15	2.856	13.90	H
	1408	-67.14	-13	-54.14	-74.11	1.58	10.70	V
	2112	-62.26	-13	-49.26	-70.51	2.10	12.50	V
	2816	-60.00	-13	-47.00	-68.89	2.86	13.90	V
Highest	1416	-67.41	-13	-54.41	-74.38	1.58	10.70	H
	2120	-62.72	-13	-49.72	-70.97	2.102	12.50	H
	2824	-59.89	-13	-46.89	-68.78	2.856	13.90	H
	1416	-67.19	-13	-54.19	-74.16	1.58	10.70	V
	2120	-61.66	-13	-48.66	-69.91	2.10	12.50	V
	2824	-59.73	-13	-46.73	-68.62	2.86	13.90	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.

LTE Band 13 / 5MHz / QPSK (Ant1)								
Channel	Frequency (MHz)	ERP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	1552	-64.75	-13	-51.75	-67.38	1.09	5.87	H
	2328	-59.71	-13	-46.71	-62.11	1.37	5.92	H
	3104	-58.49	-13	-45.49	-62.38	1.64	7.68	H
	1552	-63.99	-13	-50.99	-66.62	1.09	5.87	V
	2328	-58.46	-13	-45.46	-60.86	1.37	5.92	V
	3104	-58.23	-13	-45.23	-62.12	1.64	7.68	V
Middle	1560	-64.64	-42.15	-22.49	-67.27	1.09	5.87	H
	2336	-59.73	-13	-46.73	-62.13	1.37	5.92	H
	3120	-58.11	-13	-45.11	-62.00	1.64	7.68	H
	1560	-63.78	-42.15	-21.63	-66.41	1.09	5.87	V
	2336	-58.32	-13	-45.32	-60.72	1.37	5.92	V
	3120	-58.00	-13	-45.00	-61.89	1.64	7.68	V
Highest	1568	-64.82	-42.15	-22.67	-67.45	1.09	5.87	H
	2344	-59.53	-13	-46.53	-61.93	1.37	5.92	H
	3128	-58.12	-13	-45.12	-62.01	1.64	7.68	H
	1568	-63.82	-42.15	-21.67	-66.45	1.09	5.87	V
	2344	-45.28	-13	-32.28	-47.68	1.37	5.92	V
	3128	-45.22	-13	-32.22	-49.11	1.64	7.68	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



LTE Band 13 / 10MHz / QPSK (Ant1)								
Channel	Frequency (MHz)	ERP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Middle	1552	-64.94	-13	-51.94	-67.57	1.09	5.87	H
	2336	-59.73	-13	-46.73	-62.13	1.37	5.92	H
	3112	-58.19	-13	-45.19	-62.08	1.64	7.68	H
	1552	-63.93	-13	-50.93	-66.56	1.09	5.87	V
	2336	-57.91	-13	-44.91	-60.31	1.37	5.92	V
	3112	-57.84	-13	-44.84	-61.73	1.64	7.68	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.

LTE Band 25 / 20MHz / QPSK (Ant0)								
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	3702	-57.45	-13	-44.45	-69.71	2.64	14.90	H
	5553	-55.42	-13	-42.42	-67.28	2.94	14.80	H
	7404	-53.15	-13	-40.15	-62.92	3.39	13.16	H
	3702	-57.86	-13	-44.86	-70.12	2.64	14.90	V
	5553	-55.40	-13	-42.40	-67.26	2.94	14.80	V
	7404	-53.02	-13	-40.02	-62.79	3.39	13.16	V
Middle	3742	-57.56	-13	-44.56	-69.82	2.64	14.90	H
	5613	-55.56	-13	-42.56	-67.42	2.94	14.80	H
	7485	-52.66	-13	-39.66	-62.43	3.39	13.16	H
	3742	-57.75	-13	-44.75	-70.01	2.64	14.90	V
	5613	-55.82	-13	-42.82	-67.68	2.94	14.80	V
	7485	-52.69	-13	-39.69	-62.46	3.39	13.16	V
Highest	3792	-57.80	-13	-44.80	-70.06	2.64	14.90	H
	5688	-55.91	-13	-42.91	-67.77	2.94	14.80	H
	7584	-52.68	-13	-39.68	-62.45	3.39	13.16	H
	3792	-57.42	-13	-44.42	-69.68	2.64	14.90	V
	5688	-56.39	-13	-43.39	-68.25	2.94	14.80	V
	7584	-52.61	-13	-39.61	-62.38	3.39	13.16	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



LTE Band 26 / 15MHz / QPSK (Ant1)								
Channel	Frequency (MHz)	ERP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	1664	-65.50	-13	-52.50	-72.47	1.58	10.70	H
	2496	-61.35	-13	-48.35	-69.60	2.102	12.50	H
	3328	-60.96	-13	-47.96	-69.85	2.856	13.90	H
	1664	-64.49	-13	-51.49	-71.46	1.58	10.70	V
	2496	-59.51	-13	-46.51	-67.76	2.10	12.50	V
	3328	-60.91	-13	-47.91	-69.80	2.86	13.90	V
Middle	1672	-64.19	-13	-51.19	-71.16	1.58	10.70	H
	2512	-59.85	-13	-46.85	-68.10	2.102	12.50	H
	3344	-61.10	-13	-48.10	-69.99	2.856	13.90	H
	1672	-65.28	-13	-52.28	-72.25	1.58	10.70	V
	2512	-60.59	-13	-47.59	-68.84	2.10	12.50	V
	3344	-61.23	-13	-48.23	-70.12	2.86	13.90	V
Highest	1680	-65.40	-13	-52.40	-72.37	1.58	10.70	H
	2520	-60.33	-13	-47.33	-68.58	2.102	12.50	H
	3368	-61.65	-13	-48.65	-70.54	2.856	13.90	H
	1680	-64.19	-13	-51.19	-71.16	1.58	10.70	V
	2520	-60.08	-13	-47.08	-68.33	2.10	12.50	V
	3368	-61.53	-13	-48.53	-70.42	2.86	13.90	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



LTE Band 66 / 20MHz / QPSK (Ant0)								
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	3422	-58.69	-13	-45.69	-69.43	2.604	13.34	H
	5133	-55.32	-13	-42.32	-65.83	3.011	13.52	H
	6844	-54.64	-13	-41.64	-64.84	3.271	13.47	H
	3422	-58.57	-13	-45.57	-69.31	2.604	13.34	V
	5133	-55.52	-13	-42.52	-66.03	3.011	13.52	V
	6844	-54.67	-13	-41.67	-64.87	3.271	13.47	V
Middle	3472	-58.22	-13	-45.22	-68.96	2.604	13.34	H
	5208	-54.56	-13	-41.56	-65.07	3.011	13.52	H
	6944	-54.26	-13	-41.26	-64.46	3.271	13.47	H
	3472	-58.42	-13	-45.42	-69.16	2.604	13.34	V
	5208	-54.90	-13	-41.90	-65.41	3.011	13.52	V
	6944	-54.35	-13	-41.35	-64.55	3.271	13.47	V
Highest	3522	-57.85	-13	-44.85	-68.59	2.604	13.34	H
	5283	-56.25	-13	-43.25	-66.76	3.011	13.52	H
	7044	-53.96	-13	-40.96	-64.16	3.271	13.47	H
	3522	-57.66	-13	-44.66	-68.40	2.604	13.34	V
	5283	-55.96	-13	-42.96	-66.47	3.011	13.52	V
	7044	-53.86	-13	-40.86	-64.06	3.271	13.47	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.

LTE Band 66 / 20MHz / QPSK (Ant0) for Other PA								
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	3422	-57.20	-13	-44.20	-67.94	2.604	13.34	H
	5133	-55.36	-13	-42.36	-65.87	3.011	13.52	H
	6844	-54.85	-13	-41.85	-65.05	3.271	13.47	H
	3422	-57.48	-13	-44.48	-68.22	2.604	13.34	V
	5133	-55.53	-13	-42.53	-66.04	3.011	13.52	V
	6844	-54.59	-13	-41.59	-64.79	3.271	13.47	V
Middle	3472	-57.38	-13	-44.38	-68.12	2.604	13.34	H
	5208	-54.62	-13	-41.62	-65.13	3.011	13.52	H
	6944	-54.48	-13	-41.48	-64.68	3.271	13.47	H
	3472	-57.72	-13	-44.72	-68.46	2.604	13.34	V
	5208	-54.68	-13	-41.68	-65.19	3.011	13.52	V
	6944	-54.33	-13	-41.33	-64.53	3.271	13.47	V
Highest	3522	-57.11	-13	-44.11	-67.85	2.604	13.34	H
	5283	-56.78	-13	-43.78	-67.29	3.011	13.52	H
	7044	-54.34	-13	-41.34	-64.54	3.271	13.47	H
	3522	-56.67	-13	-43.67	-67.41	2.604	13.34	V
	5283	-54.28	-13	-41.28	-64.79	3.011	13.52	V
	7044	-54.15	-13	-41.15	-64.35	3.271	13.47	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



LTE Band 66C / 20+20MHz / QPSK(ANT0)								
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
PCC Lowest (1RB0)	3422	-57.37	-13	-44.37	-68.11	2.604	13.34	H
	5133	-55.35	-13	-42.35	-65.86	3.011	13.52	H
	6844	-55.01	-13	-42.01	-65.21	3.271	13.47	H
	3422	-57.15	-13	-44.15	-67.89	2.604	13.34	V
	5133	-54.86	-13	-41.86	-65.37	3.011	13.52	V
	6844	-54.6	-13	-41.60	-64.80	3.271	13.47	V
SCC Lowest (1RB Max)	3461	-57.26	-13	-44.26	-68.00	2.604	13.34	H
	5192	-54.62	-13	-41.62	-65.13	3.011	13.52	H
	6923	-54.45	-13	-41.45	-64.65	3.271	13.47	H
	3461	-57.25	-13	-44.25	-67.99	2.604	13.34	V
	5192	-54.55	-13	-41.55	-65.06	3.011	13.52	V
	6923	-54.58	-13	-41.58	-64.78	3.271	13.47	V
PCC Middle (1RB0)	3472	-57.24	-13	-44.24	-67.98	2.604	13.34	H
	5208	-54.56	-13	-41.56	-65.07	3.011	13.52	H
	6944	-54.4	-13	-41.40	-64.60	3.271	13.47	H
	3472	-57.54	-13	-44.54	-68.28	2.604	13.34	V
	5208	-54.74	-13	-41.74	-65.25	3.011	13.52	V
	6944	-54.58	-13	-41.58	-64.78	3.271	13.47	V
SCC Middle (1RB Max)	3510	-56.93	-13	-43.93	-67.67	2.604	13.34	H
	5267	-56.5	-13	-43.50	-67.01	3.011	13.52	H
	7023	-54.39	-13	-41.39	-64.59	3.271	13.47	H
	3510	-57.43	-13	-44.43	-68.17	2.604	13.34	V
	5267	-56.71	-13	-43.71	-67.22	3.011	13.52	V
	7023	-54.55	-13	-41.55	-64.75	3.271	13.47	V
PCC Highest (1RB0)	3480	-57.23	-13	-44.23	-67.97	2.604	13.34	H
	5220	-54.65	-13	-41.65	-65.16	3.011	13.52	H
	6960	-54.04	-13	-41.04	-64.24	3.271	13.47	H
	3480	-57.73	-13	-44.73	-68.47	2.604	13.34	V
	5220	-54.93	-13	-41.93	-65.44	3.011	13.52	V
	6960	-54.48	-13	-41.48	-64.68	3.271	13.47	V
SCC Highest (1RB Max)	3522	-56.83	-13	-43.83	-67.57	2.604	13.34	H
	5283	-56.30	-13	-43.30	-66.81	3.011	13.52	H
	7044	-53.94	-13	-40.94	-64.14	3.271	13.47	H
	3522	-57.26	-13	-44.26	-68.00	2.604	13.34	V
	5283	-57.04	-13	-44.04	-67.55	3.011	13.52	V
	7044	-54.16	-13	-41.16	-64.36	3.271	13.47	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.