



|             |  | <b>50</b>   |              |             |        |        |       |        |        |        |      |         |             |              |             |        |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |    |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |    |         |
|-------------|--|---|--------------|-------------|--------|--------|-------|--------|--------|--------|------|---------|-------------|--------------|-------------|--------|--------|--|--|-----|--------|--------|----|------|------|----|----|----|-----|---|---------|-------|-------|--------|-------|-------|-------|-------|------|-----|----|---------|---|-------|------|-----|-------|--------|-----|------|------|--------|------|-------|-------------|--------------|-------------|--------|--------|--|--|-----|--------|--------|----|------|------|----|----|----|-----|---|---------|-------|-------|-------|-------|-------|-------|-------|------|-----|----|---------|
| <b>Mode</b> |  | <b>Band Edge</b>  |              |             |        |        |       |        |        |        |      |         |             |              |             |        |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |    |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |    |         |
|             |  | <b>U-NII-8_6.875-7.125_802.11ax HE20_CH229_Full_7095MHz</b> |              |             |        |        |       |        |        |        |      |         |             |              |             |        |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |    |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |    |         |
| <b>ANT</b>  |  | <b>CDD 5+4</b>  |              |             |        |        |       |        |        |        |      |         |             |              |             |        |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |    |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |    |         |
| <b>Pol.</b> | <b>Vertical</b>  | <b>Fundamental</b>  |              |             |        |        |       |        |        |        |      |         |             |              |             |        |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |    |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |    |         |
| <b>Peak</b> | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7160.20</td> <td>49.96</td> <td>88.20</td> <td>-38.24</td> <td>39.62</td> <td>35.50</td> <td>12.67</td> <td>37.83</td> <td>0.00</td> <td>366</td> <td>73</td> <td>PEAK</td> </tr> </tbody> </table>    | Limit   | Read         | Ant         | Cable  | Preamp | Aux   | APos   | TPos   | Remark | Freq | Level   | Line Margin | Level Factor | Loss Factor | Factor | Factor |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 | 7160.20 | 49.96 | 88.20 | -38.24 | 39.62 | 35.50 | 12.67 | 37.83 | 0.00 | 366 | 73 | PEAK    | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7095.00</td> <td>99.35</td> <td>-----</td> <td>-----</td> <td>89.15</td> <td>35.50</td> <td>12.58</td> <td>37.88</td> <td>0.00</td> <td>366</td> <td>73</td> <td>PEAK</td> </tr> </tbody> </table>    | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line Margin | Level Factor | Loss Factor | Factor | Factor |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 | 7095.00 | 99.35 | ----- | ----- | 89.15 | 35.50 | 12.58 | 37.88 | 0.00 | 366 | 73 | PEAK    |
|             | Limit  | Read  | Ant          | Cable       | Preamp | Aux    | APos  | TPos   | Remark |        |      |         |             |              |             |        |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |    |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |    |         |
| Freq        | Level  | Line Margin   | Level Factor | Loss Factor | Factor | Factor |       |        |        |        |      |         |             |              |             |        |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |    |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |    |         |
| MHz         | dBuV/m   | dBuV/m  | dB           | dBuV        | dB/m   | dB     | dB    | cm     | deg    |        |      |         |             |              |             |        |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |    |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |    |         |
| 1           | 7160.20  | 49.96   | 88.20        | -38.24      | 39.62  | 35.50  | 12.67 | 37.83  | 0.00   | 366    | 73   | PEAK    |             |              |             |        |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |    |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |    |         |
| Limit       | Read   | Ant   | Cable        | Preamp      | Aux    | APos   | TPos  | Remark |        |        |      |         |             |              |             |        |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |    |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |    |         |
| Freq        | Level  | Line Margin   | Level Factor | Loss Factor | Factor | Factor |       |        |        |        |      |         |             |              |             |        |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |    |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |    |         |
| MHz         | dBuV/m   | dBuV/m  | dB           | dBuV        | dB/m   | dB     | dB    | cm     | deg    |        |      |         |             |              |             |        |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |    |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |    |         |
| 1           | 7095.00  | 99.35   | -----        | -----       | 89.15  | 35.50  | 12.58 | 37.88  | 0.00   | 366    | 73   | PEAK    |             |              |             |        |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |    |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |    |         |
| <b>Avg</b>  | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7220.52</td> <td>39.02</td> <td>68.20</td> <td>-29.18</td> <td>28.60</td> <td>35.50</td> <td>12.71</td> <td>37.79</td> <td>0.00</td> <td>366</td> <td>73</td> <td>AVERAGE</td> </tr> </tbody> </table> | Limit   | Read         | Ant         | Cable  | Preamp | Aux   | APos   | TPos   | Remark | Freq | Level   | Line Margin | Level Factor | Loss Factor | Factor | Factor |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 | 7220.52 | 39.02 | 68.20 | -29.18 | 28.60 | 35.50 | 12.71 | 37.79 | 0.00 | 366 | 73 | AVERAGE | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7095.00</td> <td>88.76</td> <td>-----</td> <td>-----</td> <td>78.56</td> <td>35.50</td> <td>12.58</td> <td>37.88</td> <td>0.00</td> <td>366</td> <td>73</td> <td>AVERAGE</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line Margin | Level Factor | Loss Factor | Factor | Factor |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 | 7095.00 | 88.76 | ----- | ----- | 78.56 | 35.50 | 12.58 | 37.88 | 0.00 | 366 | 73 | AVERAGE |
|             | Limit  | Read  | Ant          | Cable       | Preamp | Aux    | APos  | TPos   | Remark |        |      |         |             |              |             |        |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |    |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |    |         |
| Freq        | Level  | Line Margin   | Level Factor | Loss Factor | Factor | Factor |       |        |        |        |      |         |             |              |             |        |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |    |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |    |         |
| MHz         | dBuV/m   | dBuV/m  | dB           | dBuV        | dB/m   | dB     | dB    | cm     | deg    |        |      |         |             |              |             |        |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |    |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |    |         |
| 1           | 7220.52  | 39.02   | 68.20        | -29.18      | 28.60  | 35.50  | 12.71 | 37.79  | 0.00   | 366    | 73   | AVERAGE |             |              |             |        |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |    |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |    |         |
| Limit       | Read   | Ant   | Cable        | Preamp      | Aux    | APos   | TPos  | Remark |        |        |      |         |             |              |             |        |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |    |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |    |         |
| Freq        | Level  | Line Margin   | Level Factor | Loss Factor | Factor | Factor |       |        |        |        |      |         |             |              |             |        |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |    |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |    |         |
| MHz         | dBuV/m   | dBuV/m  | dB           | dBuV        | dB/m   | dB     | dB    | cm     | deg    |        |      |         |             |              |             |        |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |    |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |    |         |
| 1           | 7095.00  | 88.76   | -----        | -----       | 78.56  | 35.50  | 12.58 | 37.88  | 0.00   | 366    | 73   | AVERAGE |             |              |             |        |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |    |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |    |         |







| Mode        | 50  |             |              |             |        |        |       |        |        |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |    |     |  |   |          |       |       |        |       |       |       |       |      |     |     |      |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |    |     |  |   |          |       |       |        |       |       |       |       |      |     |     |      |
|-------------|---|-------------|--------------|-------------|--------|--------|-------|--------|--------|--------|------|-------|-------------|--------------|-------------|--------|--|--|--|-----|--------|--------|----|------|------|----|----|----|----|-----|--|---|----------|-------|-------|--------|-------|-------|-------|-------|------|-----|-----|------|---|-------|------|-----|-------|--------|-----|------|------|--------|------|-------|-------------|--------------|-------------|--------|--|--|--|-----|--------|--------|----|------|------|----|----|----|----|-----|--|---|----------|-------|-------|--------|-------|-------|-------|-------|------|-----|-----|------|
|             | Harmonic  |             |              |             |        |        |       |        |        |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |    |     |  |   |          |       |       |        |       |       |       |       |      |     |     |      |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |    |     |  |   |          |       |       |        |       |       |       |       |      |     |     |      |
|             | U-NII-8_6.875-7.125_802.11ax HE20_CH229_Full_7095MHz  |             |              |             |        |        |       |        |        |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |    |     |  |   |          |       |       |        |       |       |       |       |      |     |     |      |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |    |     |  |   |          |       |       |        |       |       |       |       |      |     |     |      |
| ANT         | CDD 5+4   |             |              |             |        |        |       |        |        |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |    |     |  |   |          |       |       |        |       |       |       |       |      |     |     |      |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |    |     |  |   |          |       |       |        |       |       |       |       |      |     |     |      |
| Pol.        | Horizontal  | Vertical    |              |             |        |        |       |        |        |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |    |     |  |   |          |       |       |        |       |       |       |       |      |     |     |      |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |    |     |  |   |          |       |       |        |       |       |       |       |      |     |     |      |
| Peak<br>Avg | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>14190.00</td> <td>45.54</td> <td>88.20</td> <td>-42.66</td> <td>53.48</td> <td>38.89</td> <td>18.17</td> <td>65.00</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table> | Limit       | Read         | Ant         | Cable  | Preamp | Aux   | APos   | TPos   | Remark | Freq | Level | Line Margin | Level Factor | Loss Factor | Factor |  |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | dB | cm | deg |  | 1 | 14190.00 | 45.54 | 88.20 | -42.66 | 53.48 | 38.89 | 18.17 | 65.00 | 0.00 | --- | --- | PEAK | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>14190.00</td> <td>46.75</td> <td>88.20</td> <td>-41.45</td> <td>54.69</td> <td>38.89</td> <td>18.17</td> <td>65.00</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line Margin | Level Factor | Loss Factor | Factor |  |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | dB | cm | deg |  | 1 | 14190.00 | 46.75 | 88.20 | -41.45 | 54.69 | 38.89 | 18.17 | 65.00 | 0.00 | --- | --- | PEAK |
|             | Limit   | Read        | Ant          | Cable       | Preamp | Aux    | APos  | TPos   | Remark |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |    |     |  |   |          |       |       |        |       |       |       |       |      |     |     |      |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |    |     |  |   |          |       |       |        |       |       |       |       |      |     |     |      |
| Freq        | Level   | Line Margin | Level Factor | Loss Factor | Factor |        |       |        |        |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |    |     |  |   |          |       |       |        |       |       |       |       |      |     |     |      |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |    |     |  |   |          |       |       |        |       |       |       |       |      |     |     |      |
| MHz         | dBuV/m  | dBuV/m      | dB           | dBuV        | dB/m   | dB     | dB    | dB     | cm     | deg    |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |    |     |  |   |          |       |       |        |       |       |       |       |      |     |     |      |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |    |     |  |   |          |       |       |        |       |       |       |       |      |     |     |      |
| 1           | 14190.00  | 45.54       | 88.20        | -42.66      | 53.48  | 38.89  | 18.17 | 65.00  | 0.00   | ---    | ---  | PEAK  |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |    |     |  |   |          |       |       |        |       |       |       |       |      |     |     |      |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |    |     |  |   |          |       |       |        |       |       |       |       |      |     |     |      |
| Limit       | Read  | Ant         | Cable        | Preamp      | Aux    | APos   | TPos  | Remark |        |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |    |     |  |   |          |       |       |        |       |       |       |       |      |     |     |      |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |    |     |  |   |          |       |       |        |       |       |       |       |      |     |     |      |
| Freq        | Level   | Line Margin | Level Factor | Loss Factor | Factor |        |       |        |        |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |    |     |  |   |          |       |       |        |       |       |       |       |      |     |     |      |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |    |     |  |   |          |       |       |        |       |       |       |       |      |     |     |      |
| MHz         | dBuV/m  | dBuV/m      | dB           | dBuV        | dB/m   | dB     | dB    | dB     | cm     | deg    |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |    |     |  |   |          |       |       |        |       |       |       |       |      |     |     |      |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |    |     |  |   |          |       |       |        |       |       |       |       |      |     |     |      |
| 1           | 14190.00  | 46.75       | 88.20        | -41.45      | 54.69  | 38.89  | 18.17 | 65.00  | 0.00   | ---    | ---  | PEAK  |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |    |     |  |   |          |       |       |        |       |       |       |       |      |     |     |      |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |    |     |  |   |          |       |       |        |       |       |       |       |      |     |     |      |



|       |   | 51          |              |             |        |        |       |        |        |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |     |         |
|-------|---|-------------|--------------|-------------|--------|--------|-------|--------|--------|--------|------|---------|-------------|--------------|-------------|--------|--|--|--|-----|--------|--------|----|------|------|----|----|----|-----|---|---------|-------|-------|--------|-------|-------|-------|-------|------|-----|-----|---------|--|-------|------|-----|-------|--------|-----|------|------|--------|------|-------|-------------|--------------|-------------|--------|--|--|--|-----|--------|--------|----|------|------|----|----|----|-----|---|---------|-------|-------|-------|-------|-------|-------|-------|------|-----|-----|---------|
| Mode  | Band Edge   |             |              |             |        |        |       |        |        |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |     |         |
|       | U-NII-8_6.875-7.125_802.11ax HE20_CH229_RU26/8_7095MHz  |             |              |             |        |        |       |        |        |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |     |         |
| ANT   | CDD 5+4   |             |              |             |        |        |       |        |        |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |     |         |
| Pol.  | Horizontal  | Fundamental |              |             |        |        |       |        |        |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |     |         |
| Peak  | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7239.56</td> <td>50.08</td> <td>88.20</td> <td>-38.12</td> <td>39.64</td> <td>35.50</td> <td>12.71</td> <td>37.77</td> <td>0.00</td> <td>100</td> <td>299</td> <td>PEAK</td> </tr> </tbody> </table>    | Limit       | Read         | Ant         | Cable  | Preamp | Aux   | APos   | TPos   | Remark | Freq | Level   | Line Margin | Level Factor | Loss Factor | Factor |  |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 | 7239.56 | 50.08 | 88.20 | -38.12 | 39.64 | 35.50 | 12.71 | 37.77 | 0.00 | 100 | 299 | PEAK    | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7095.00</td> <td>95.22</td> <td>-----</td> <td>-----</td> <td>85.00</td> <td>35.50</td> <td>12.59</td> <td>37.87</td> <td>0.00</td> <td>100</td> <td>299</td> <td>PEAK</td> </tr> </tbody> </table>    | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line Margin | Level Factor | Loss Factor | Factor |  |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 | 7095.00 | 95.22 | ----- | ----- | 85.00 | 35.50 | 12.59 | 37.87 | 0.00 | 100 | 299 | PEAK    |
|       | Limit   | Read        | Ant          | Cable       | Preamp | Aux    | APos  | TPos   | Remark |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |     |         |
| Freq  | Level   | Line Margin | Level Factor | Loss Factor | Factor |        |       |        |        |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |     |         |
| MHz   | dBuV/m  | dBuV/m      | dB           | dBuV        | dB/m   | dB     | dB    | cm     | deg    |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |     |         |
| 1     | 7239.56   | 50.08       | 88.20        | -38.12      | 39.64  | 35.50  | 12.71 | 37.77  | 0.00   | 100    | 299  | PEAK    |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |     |         |
| Limit | Read  | Ant         | Cable        | Preamp      | Aux    | APos   | TPos  | Remark |        |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |     |         |
| Freq  | Level   | Line Margin | Level Factor | Loss Factor | Factor |        |       |        |        |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |     |         |
| MHz   | dBuV/m  | dBuV/m      | dB           | dBuV        | dB/m   | dB     | dB    | cm     | deg    |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |     |         |
| 1     | 7095.00   | 95.22       | -----        | -----       | 85.00  | 35.50  | 12.59 | 37.87  | 0.00   | 100    | 299  | PEAK    |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |     |         |
| Avg   | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7191.24</td> <td>39.05</td> <td>68.20</td> <td>-29.15</td> <td>28.65</td> <td>35.50</td> <td>12.71</td> <td>37.81</td> <td>0.00</td> <td>100</td> <td>299</td> <td>AVERAGE</td> </tr> </tbody> </table> | Limit       | Read         | Ant         | Cable  | Preamp | Aux   | APos   | TPos   | Remark | Freq | Level   | Line Margin | Level Factor | Loss Factor | Factor |  |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 | 7191.24 | 39.05 | 68.20 | -29.15 | 28.65 | 35.50 | 12.71 | 37.81 | 0.00 | 100 | 299 | AVERAGE | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7095.00</td> <td>87.69</td> <td>-----</td> <td>-----</td> <td>77.47</td> <td>35.50</td> <td>12.59</td> <td>37.87</td> <td>0.00</td> <td>100</td> <td>299</td> <td>AVERAGE</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line Margin | Level Factor | Loss Factor | Factor |  |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 | 7095.00 | 87.69 | ----- | ----- | 77.47 | 35.50 | 12.59 | 37.87 | 0.00 | 100 | 299 | AVERAGE |
| Limit | Read  | Ant         | Cable        | Preamp      | Aux    | APos   | TPos  | Remark |        |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |     |         |
| Freq  | Level   | Line Margin | Level Factor | Loss Factor | Factor |        |       |        |        |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |     |         |
| MHz   | dBuV/m  | dBuV/m      | dB           | dBuV        | dB/m   | dB     | dB    | cm     | deg    |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |     |         |
| 1     | 7191.24   | 39.05       | 68.20        | -29.15      | 28.65  | 35.50  | 12.71 | 37.81  | 0.00   | 100    | 299  | AVERAGE |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |     |         |
| Limit | Read  | Ant         | Cable        | Preamp      | Aux    | APos   | TPos  | Remark |        |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |     |         |
| Freq  | Level   | Line Margin | Level Factor | Loss Factor | Factor |        |       |        |        |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |     |         |
| MHz   | dBuV/m  | dBuV/m      | dB           | dBuV        | dB/m   | dB     | dB    | cm     | deg    |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |     |         |
| 1     | 7095.00   | 87.69       | -----        | -----       | 77.47  | 35.50  | 12.59 | 37.87  | 0.00   | 100    | 299  | AVERAGE |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |     |         |



|             |   | <b>51</b>          |              |             |        |        |       |        |        |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |     |         |
|-------------|---|--------------------|--------------|-------------|--------|--------|-------|--------|--------|--------|------|---------|-------------|--------------|-------------|--------|--|--|--|-----|--------|--------|----|------|------|----|----|----|-----|---|---------|-------|-------|--------|-------|-------|-------|-------|------|-----|-----|---------|--|-------|------|-----|-------|--------|-----|------|------|--------|------|-------|-------------|--------------|-------------|--------|--|--|--|-----|--------|--------|----|------|------|----|----|----|-----|---|---------|-------|-------|-------|-------|-------|-------|-------|------|-----|-----|---------|
| <b>Mode</b> | <b>Band Edge</b>  |                    |              |             |        |        |       |        |        |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |     |         |
|             | <b>U-NII-8_6.875-7.125_802.11ax HE20_CH229_RU26/8_7095MHz</b>   |                    |              |             |        |        |       |        |        |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |     |         |
| <b>ANT</b>  | <b>CDD 5+4</b>  |                    |              |             |        |        |       |        |        |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |     |         |
| <b>Pol.</b> | <b>Vertical</b>   | <b>Fundamental</b> |              |             |        |        |       |        |        |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |     |         |
| <b>Peak</b> |  <p>Level (dBuV/m)</p> <p>130</p> <p>113.8</p> <p>97.5</p> <p>81.3</p> <p>65.0</p> <p>48.8</p> <p>32.5</p> <p>16.3</p> <p>0</p> <p>7085 7117. 7149. 7181. 7213. 7245</p> <p style="text-align: center;">Frequency (MHz)</p> <p style="text-align: right; color: red;">WiFi 6E(Peak)</p> <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7221.96</td> <td>49.99</td> <td>88.20</td> <td>-38.21</td> <td>39.56</td> <td>35.50</td> <td>12.71</td> <td>37.78</td> <td>0.00</td> <td>100</td> <td>321</td> <td>PEAK</td> </tr> </tbody> </table>    | Limit              | Read         | Ant         | Cable  | Preamp | Aux   | APos   | TPos   | Remark | Freq | Level   | Line Margin | Level Factor | Loss Factor | Factor |  |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 | 7221.96 | 49.99 | 88.20 | -38.21 | 39.56 | 35.50 | 12.71 | 37.78 | 0.00 | 100 | 321 | PEAK    |  <p>Level (dBuV/m)</p> <p>130</p> <p>113.8</p> <p>97.5</p> <p>81.3</p> <p>65.0</p> <p>48.8</p> <p>32.5</p> <p>16.3</p> <p>0</p> <p>1000 2800. 4600. 6400. 8200. 10000</p> <p style="text-align: center;">Frequency (MHz)</p> <p style="text-align: right; color: red;">WiFi 6E(Peak)</p> <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7095.00</td> <td>90.69</td> <td>-----</td> <td>-----</td> <td>80.47</td> <td>35.50</td> <td>12.59</td> <td>37.87</td> <td>0.00</td> <td>100</td> <td>321</td> <td>PEAK</td> </tr> </tbody> </table>    | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line Margin | Level Factor | Loss Factor | Factor |  |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 | 7095.00 | 90.69 | ----- | ----- | 80.47 | 35.50 | 12.59 | 37.87 | 0.00 | 100 | 321 | PEAK    |
|             | Limit   | Read               | Ant          | Cable       | Preamp | Aux    | APos  | TPos   | Remark |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |     |         |
| Freq        | Level   | Line Margin        | Level Factor | Loss Factor | Factor |        |       |        |        |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |     |         |
| MHz         | dBuV/m  | dBuV/m             | dB           | dBuV        | dB/m   | dB     | dB    | cm     | deg    |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |     |         |
| 1           | 7221.96   | 49.99              | 88.20        | -38.21      | 39.56  | 35.50  | 12.71 | 37.78  | 0.00   | 100    | 321  | PEAK    |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |     |         |
| Limit       | Read  | Ant                | Cable        | Preamp      | Aux    | APos   | TPos  | Remark |        |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |     |         |
| Freq        | Level   | Line Margin        | Level Factor | Loss Factor | Factor |        |       |        |        |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |     |         |
| MHz         | dBuV/m  | dBuV/m             | dB           | dBuV        | dB/m   | dB     | dB    | cm     | deg    |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |     |         |
| 1           | 7095.00   | 90.69              | -----        | -----       | 80.47  | 35.50  | 12.59 | 37.87  | 0.00   | 100    | 321  | PEAK    |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |     |         |
| <b>Avg</b>  |  <p>Level (dBuV/m)</p> <p>130</p> <p>113.8</p> <p>97.5</p> <p>81.3</p> <p>65.0</p> <p>48.8</p> <p>32.5</p> <p>16.3</p> <p>0</p> <p>7085 7117. 7149. 7181. 7213. 7245</p> <p style="text-align: center;">Frequency (MHz)</p> <p style="text-align: right; color: red;">WiFi 6E(AVG)</p> <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7192.36</td> <td>39.08</td> <td>68.20</td> <td>-29.12</td> <td>28.68</td> <td>35.50</td> <td>12.71</td> <td>37.81</td> <td>0.00</td> <td>100</td> <td>321</td> <td>AVERAGE</td> </tr> </tbody> </table> | Limit              | Read         | Ant         | Cable  | Preamp | Aux   | APos   | TPos   | Remark | Freq | Level   | Line Margin | Level Factor | Loss Factor | Factor |  |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 | 7192.36 | 39.08 | 68.20 | -29.12 | 28.68 | 35.50 | 12.71 | 37.81 | 0.00 | 100 | 321 | AVERAGE |  <p>Level (dBuV/m)</p> <p>130</p> <p>113.8</p> <p>97.5</p> <p>81.3</p> <p>65.0</p> <p>48.8</p> <p>32.5</p> <p>16.3</p> <p>0</p> <p>1000 2800. 4600. 6400. 8200. 10000</p> <p style="text-align: center;">Frequency (MHz)</p> <p style="text-align: right; color: red;">WiFi 6E(AVG)</p> <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7095.00</td> <td>83.07</td> <td>-----</td> <td>-----</td> <td>72.85</td> <td>35.50</td> <td>12.59</td> <td>37.87</td> <td>0.00</td> <td>100</td> <td>321</td> <td>AVERAGE</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line Margin | Level Factor | Loss Factor | Factor |  |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 | 7095.00 | 83.07 | ----- | ----- | 72.85 | 35.50 | 12.59 | 37.87 | 0.00 | 100 | 321 | AVERAGE |
| Limit       | Read  | Ant                | Cable        | Preamp      | Aux    | APos   | TPos  | Remark |        |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |     |         |
| Freq        | Level   | Line Margin        | Level Factor | Loss Factor | Factor |        |       |        |        |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |     |         |
| MHz         | dBuV/m  | dBuV/m             | dB           | dBuV        | dB/m   | dB     | dB    | cm     | deg    |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |     |         |
| 1           | 7192.36   | 39.08              | 68.20        | -29.12      | 28.68  | 35.50  | 12.71 | 37.81  | 0.00   | 100    | 321  | AVERAGE |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |     |         |
| Limit       | Read  | Ant                | Cable        | Preamp      | Aux    | APos   | TPos  | Remark |        |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |     |         |
| Freq        | Level   | Line Margin        | Level Factor | Loss Factor | Factor |        |       |        |        |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |     |         |
| MHz         | dBuV/m  | dBuV/m             | dB           | dBuV        | dB/m   | dB     | dB    | cm     | deg    |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |     |         |
| 1           | 7095.00   | 83.07              | -----        | -----       | 72.85  | 35.50  | 12.59 | 37.87  | 0.00   | 100    | 321  | AVERAGE |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |     |         |







| Mode        | 51   |             |              |             |        |        |       |        |        |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |      |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |      |
|-------------|--|-------------|--------------|-------------|--------|--------|-------|--------|--------|--------|------|-------|-------------|--------------|-------------|--------|--|--|--|-----|--------|--------|----|------|------|----|----|----|-----|------------|-------|-------|--------|-------|-------|-------|-------|------|-----|-----|------|--|-------|------|-----|-------|--------|-----|------|------|--------|------|-------|-------------|--------------|-------------|--------|--|--|--|-----|--------|--------|----|------|------|----|----|----|-----|------------|-------|-------|--------|-------|-------|-------|-------|------|-----|-----|------|
|             | Harmonic   |             |              |             |        |        |       |        |        |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |      |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |      |
|             | U-NII-8_6.875-7.125_802.11ax HE20_CH229_RU26/8_7095MHz   |             |              |             |        |        |       |        |        |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |      |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |      |
| ANT         | CDD 5+4  |             |              |             |        |        |       |        |        |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |      |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |      |
| Pol.        | Horizontal   | Vertical    |              |             |        |        |       |        |        |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |      |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |      |
| Peak<br>Avg | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 14190.00</td> <td>46.38</td> <td>88.20</td> <td>-41.82</td> <td>54.32</td> <td>38.89</td> <td>18.17</td> <td>65.00</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table> | Limit       | Read         | Ant         | Cable  | Preamp | Aux   | APos   | TPos   | Remark | Freq | Level | Line Margin | Level Factor | Loss Factor | Factor |  |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 14190.00 | 46.38 | 88.20 | -41.82 | 54.32 | 38.89 | 18.17 | 65.00 | 0.00 | --- | --- | PEAK | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 14190.00</td> <td>46.84</td> <td>88.20</td> <td>-41.36</td> <td>54.78</td> <td>38.89</td> <td>18.17</td> <td>65.00</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line Margin | Level Factor | Loss Factor | Factor |  |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 14190.00 | 46.84 | 88.20 | -41.36 | 54.78 | 38.89 | 18.17 | 65.00 | 0.00 | --- | --- | PEAK |
|             | Limit  | Read        | Ant          | Cable       | Preamp | Aux    | APos  | TPos   | Remark |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |      |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |      |
| Freq        | Level  | Line Margin | Level Factor | Loss Factor | Factor |        |       |        |        |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |      |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |      |
| MHz         | dBuV/m   | dBuV/m      | dB           | dBuV        | dB/m   | dB     | dB    | cm     | deg    |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |      |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |      |
| 1 14190.00  | 46.38  | 88.20       | -41.82       | 54.32       | 38.89  | 18.17  | 65.00 | 0.00   | ---    | ---    | PEAK |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |      |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |      |
| Limit       | Read   | Ant         | Cable        | Preamp      | Aux    | APos   | TPos  | Remark |        |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |      |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |      |
| Freq        | Level  | Line Margin | Level Factor | Loss Factor | Factor |        |       |        |        |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |      |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |      |
| MHz         | dBuV/m   | dBuV/m      | dB           | dBuV        | dB/m   | dB     | dB    | cm     | deg    |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |      |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |      |
| 1 14190.00  | 46.84  | 88.20       | -41.36       | 54.78       | 38.89  | 18.17  | 65.00 | 0.00   | ---    | ---    | PEAK |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |      |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |      |



|       |   | 52          |              |             |        |        |       |        |        |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |     |         |
|-------|---|-------------|--------------|-------------|--------|--------|-------|--------|--------|--------|------|---------|-------------|--------------|-------------|--------|--|--|--|-----|--------|--------|----|------|------|----|----|----|-----|---|---------|-------|-------|--------|-------|-------|-------|-------|------|-----|-----|---------|--|-------|------|-----|-------|--------|-----|------|------|--------|------|-------|-------------|--------------|-------------|--------|--|--|--|-----|--------|--------|----|------|------|----|----|----|-----|---|---------|-------|-------|-------|-------|-------|-------|-------|------|-----|-----|---------|
| Mode  | Band Edge   |             |              |             |        |        |       |        |        |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |     |         |
|       | U-NII-8_6.875-7.125_802.11ax HE20_CH229_RU52/40_7095MHz   |             |              |             |        |        |       |        |        |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |     |         |
| ANT   | CDD 5+4   |             |              |             |        |        |       |        |        |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |     |         |
| Pol.  | Horizontal  | Fundamental |              |             |        |        |       |        |        |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |     |         |
| Peak  | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7227.24</td> <td>50.92</td> <td>88.20</td> <td>-37.28</td> <td>40.49</td> <td>35.50</td> <td>12.71</td> <td>37.78</td> <td>0.00</td> <td>100</td> <td>300</td> <td>PEAK</td> </tr> </tbody> </table>    | Limit       | Read         | Ant         | Cable  | Preamp | Aux   | APos   | TPos   | Remark | Freq | Level   | Line Margin | Level Factor | Loss Factor | Factor |  |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 | 7227.24 | 50.92 | 88.20 | -37.28 | 40.49 | 35.50 | 12.71 | 37.78 | 0.00 | 100 | 300 | PEAK    | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7095.00</td> <td>98.42</td> <td>-----</td> <td>-----</td> <td>88.20</td> <td>35.50</td> <td>12.59</td> <td>37.87</td> <td>0.00</td> <td>100</td> <td>300</td> <td>PEAK</td> </tr> </tbody> </table>    | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line Margin | Level Factor | Loss Factor | Factor |  |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 | 7095.00 | 98.42 | ----- | ----- | 88.20 | 35.50 | 12.59 | 37.87 | 0.00 | 100 | 300 | PEAK    |
|       | Limit   | Read        | Ant          | Cable       | Preamp | Aux    | APos  | TPos   | Remark |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |     |         |
| Freq  | Level   | Line Margin | Level Factor | Loss Factor | Factor |        |       |        |        |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |     |         |
| MHz   | dBuV/m  | dBuV/m      | dB           | dBuV        | dB/m   | dB     | dB    | cm     | deg    |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |     |         |
| 1     | 7227.24   | 50.92       | 88.20        | -37.28      | 40.49  | 35.50  | 12.71 | 37.78  | 0.00   | 100    | 300  | PEAK    |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |     |         |
| Limit | Read  | Ant         | Cable        | Preamp      | Aux    | APos   | TPos  | Remark |        |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |     |         |
| Freq  | Level   | Line Margin | Level Factor | Loss Factor | Factor |        |       |        |        |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |     |         |
| MHz   | dBuV/m  | dBuV/m      | dB           | dBuV        | dB/m   | dB     | dB    | cm     | deg    |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |     |         |
| 1     | 7095.00   | 98.42       | -----        | -----       | 88.20  | 35.50  | 12.59 | 37.87  | 0.00   | 100    | 300  | PEAK    |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |     |         |
| Avg   | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7191.24</td> <td>39.09</td> <td>68.20</td> <td>-29.11</td> <td>28.69</td> <td>35.50</td> <td>12.71</td> <td>37.81</td> <td>0.00</td> <td>100</td> <td>300</td> <td>AVERAGE</td> </tr> </tbody> </table> | Limit       | Read         | Ant         | Cable  | Preamp | Aux   | APos   | TPos   | Remark | Freq | Level   | Line Margin | Level Factor | Loss Factor | Factor |  |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 | 7191.24 | 39.09 | 68.20 | -29.11 | 28.69 | 35.50 | 12.71 | 37.81 | 0.00 | 100 | 300 | AVERAGE | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7095.00</td> <td>89.64</td> <td>-----</td> <td>-----</td> <td>79.42</td> <td>35.50</td> <td>12.59</td> <td>37.87</td> <td>0.00</td> <td>100</td> <td>300</td> <td>AVERAGE</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line Margin | Level Factor | Loss Factor | Factor |  |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 | 7095.00 | 89.64 | ----- | ----- | 79.42 | 35.50 | 12.59 | 37.87 | 0.00 | 100 | 300 | AVERAGE |
|       | Limit   | Read        | Ant          | Cable       | Preamp | Aux    | APos  | TPos   | Remark |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |     |         |
| Freq  | Level   | Line Margin | Level Factor | Loss Factor | Factor |        |       |        |        |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |     |         |
| MHz   | dBuV/m  | dBuV/m      | dB           | dBuV        | dB/m   | dB     | dB    | cm     | deg    |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |     |         |
| 1     | 7191.24   | 39.09       | 68.20        | -29.11      | 28.69  | 35.50  | 12.71 | 37.81  | 0.00   | 100    | 300  | AVERAGE |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |     |         |
| Limit | Read  | Ant         | Cable        | Preamp      | Aux    | APos   | TPos  | Remark |        |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |     |         |
| Freq  | Level   | Line Margin | Level Factor | Loss Factor | Factor |        |       |        |        |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |     |         |
| MHz   | dBuV/m  | dBuV/m      | dB           | dBuV        | dB/m   | dB     | dB    | cm     | deg    |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |     |         |
| 1     | 7095.00   | 89.64       | -----        | -----       | 79.42  | 35.50  | 12.59 | 37.87  | 0.00   | 100    | 300  | AVERAGE |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |     |         |







|             |  | <b>52</b>          |              |             |        |        |       |        |        |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |     |         |
|-------------|--|--------------------|--------------|-------------|--------|--------|-------|--------|--------|--------|------|---------|-------------|--------------|-------------|--------|--|--|--|-----|--------|--------|----|------|------|----|----|----|-----|---|---------|-------|-------|--------|-------|-------|-------|-------|------|-----|-----|---------|---|-------|------|-----|-------|--------|-----|------|------|--------|------|-------|-------------|--------------|-------------|--------|--|--|--|-----|--------|--------|----|------|------|----|----|----|-----|---|---------|-------|-------|-------|-------|-------|-------|-------|------|-----|-----|---------|
| <b>Mode</b> | <b>Band Edge</b>   |                    |              |             |        |        |       |        |        |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |     |         |
|             | <b>U-NII-8_6.875-7.125_802.11ax HE20_CH229_RU52/40_7095MHz</b>   |                    |              |             |        |        |       |        |        |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |     |         |
| <b>ANT</b>  | <b>CDD 5+4</b>   |                    |              |             |        |        |       |        |        |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |     |         |
| <b>Pol.</b> | <b>Vertical</b>  | <b>Fundamental</b> |              |             |        |        |       |        |        |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |     |         |
| <b>Peak</b> |  <p>Level (dBuV/m) vs Frequency (MHz) for Vertical. Peak at 7137.16 MHz.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7137.16</td> <td>50.99</td> <td>88.20</td> <td>-37.21</td> <td>40.70</td> <td>35.50</td> <td>12.64</td> <td>37.85</td> <td>0.00</td> <td>100</td> <td>322</td> <td>PEAK</td> </tr> </tbody> </table>        | Limit              | Read         | Ant         | Cable  | Preamp | Aux   | APos   | TPos   | Remark | Freq | Level   | Line Margin | Level Factor | Loss Factor | Factor |  |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 | 7137.16 | 50.99 | 88.20 | -37.21 | 40.70 | 35.50 | 12.64 | 37.85 | 0.00 | 100 | 322 | PEAK    |  <p>Level (dBuV/m) vs Frequency (MHz) for Fundamental. Peak at 7095.00 MHz.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7095.00</td> <td>92.67</td> <td>-----</td> <td>-----</td> <td>82.45</td> <td>35.50</td> <td>12.59</td> <td>37.87</td> <td>0.00</td> <td>100</td> <td>322</td> <td>PEAK</td> </tr> </tbody> </table>        | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line Margin | Level Factor | Loss Factor | Factor |  |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 | 7095.00 | 92.67 | ----- | ----- | 82.45 | 35.50 | 12.59 | 37.87 | 0.00 | 100 | 322 | PEAK    |
|             | Limit  | Read               | Ant          | Cable       | Preamp | Aux    | APos  | TPos   | Remark |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |     |         |
| Freq        | Level  | Line Margin        | Level Factor | Loss Factor | Factor |        |       |        |        |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |     |         |
| MHz         | dBuV/m   | dBuV/m             | dB           | dBuV        | dB/m   | dB     | dB    | cm     | deg    |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |     |         |
| 1           | 7137.16  | 50.99              | 88.20        | -37.21      | 40.70  | 35.50  | 12.64 | 37.85  | 0.00   | 100    | 322  | PEAK    |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |     |         |
| Limit       | Read   | Ant                | Cable        | Preamp      | Aux    | APos   | TPos  | Remark |        |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |     |         |
| Freq        | Level  | Line Margin        | Level Factor | Loss Factor | Factor |        |       |        |        |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |     |         |
| MHz         | dBuV/m   | dBuV/m             | dB           | dBuV        | dB/m   | dB     | dB    | cm     | deg    |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |     |         |
| 1           | 7095.00  | 92.67              | -----        | -----       | 82.45  | 35.50  | 12.59 | 37.87  | 0.00   | 100    | 322  | PEAK    |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |     |         |
| <b>Avg</b>  |  <p>Level (dBuV/m) vs Frequency (MHz) for Vertical. Average at 7198.60 MHz.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7198.60</td> <td>39.09</td> <td>68.20</td> <td>-29.11</td> <td>28.68</td> <td>35.50</td> <td>12.71</td> <td>37.80</td> <td>0.00</td> <td>100</td> <td>322</td> <td>AVERAGE</td> </tr> </tbody> </table> | Limit              | Read         | Ant         | Cable  | Preamp | Aux   | APos   | TPos   | Remark | Freq | Level   | Line Margin | Level Factor | Loss Factor | Factor |  |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 | 7198.60 | 39.09 | 68.20 | -29.11 | 28.68 | 35.50 | 12.71 | 37.80 | 0.00 | 100 | 322 | AVERAGE |  <p>Level (dBuV/m) vs Frequency (MHz) for Fundamental. Average at 7095.00 MHz.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7095.00</td> <td>84.09</td> <td>-----</td> <td>-----</td> <td>73.87</td> <td>35.50</td> <td>12.59</td> <td>37.87</td> <td>0.00</td> <td>100</td> <td>322</td> <td>AVERAGE</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line Margin | Level Factor | Loss Factor | Factor |  |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 | 7095.00 | 84.09 | ----- | ----- | 73.87 | 35.50 | 12.59 | 37.87 | 0.00 | 100 | 322 | AVERAGE |
|             | Limit  | Read               | Ant          | Cable       | Preamp | Aux    | APos  | TPos   | Remark |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |     |         |
| Freq        | Level  | Line Margin        | Level Factor | Loss Factor | Factor |        |       |        |        |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |     |         |
| MHz         | dBuV/m   | dBuV/m             | dB           | dBuV        | dB/m   | dB     | dB    | cm     | deg    |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |     |         |
| 1           | 7198.60  | 39.09              | 68.20        | -29.11      | 28.68  | 35.50  | 12.71 | 37.80  | 0.00   | 100    | 322  | AVERAGE |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |     |         |
| Limit       | Read   | Ant                | Cable        | Preamp      | Aux    | APos   | TPos  | Remark |        |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |     |         |
| Freq        | Level  | Line Margin        | Level Factor | Loss Factor | Factor |        |       |        |        |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |     |         |
| MHz         | dBuV/m   | dBuV/m             | dB           | dBuV        | dB/m   | dB     | dB    | cm     | deg    |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |     |         |
| 1           | 7095.00  | 84.09              | -----        | -----       | 73.87  | 35.50  | 12.59 | 37.87  | 0.00   | 100    | 322  | AVERAGE |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |     |         |



| Mode        | 52  |             |              |             |        |        |       |        |          |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |          |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |          |
|-------------|---|-------------|--------------|-------------|--------|--------|-------|--------|----------|--------|------|-------|-------------|--------------|-------------|--------|--|--|--|-----|--------|--------|----|------|------|----|----|----|------------|-------|-------|--------|-------|-------|-------|-------|------|----------|---|-------|------|-----|-------|--------|-----|------|------|--------|------|-------|-------------|--------------|-------------|--------|--|--|--|-----|--------|--------|----|------|------|----|----|----|------------|-------|-------|--------|-------|-------|-------|-------|------|----------|
|             | Harmonic  |             |              |             |        |        |       |        |          |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |          |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |          |
|             | U-NII-8_6.875-7.125_802.11ax HE20_CH229_RU52/40_7095MHz   |             |              |             |        |        |       |        |          |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |          |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |          |
| ANT         | CDD 5+4   |             |              |             |        |        |       |        |          |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |          |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |          |
| Pol.        | Horizontal  | Vertical    |              |             |        |        |       |        |          |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |          |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |          |
| Peak<br>Avg | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 14190.00</td> <td>45.61</td> <td>88.20</td> <td>-42.59</td> <td>53.55</td> <td>38.89</td> <td>18.17</td> <td>65.00</td> <td>0.00</td> <td>--- PEAK</td> </tr> </tbody> </table> | Limit       | Read         | Ant         | Cable  | Preamp | Aux   | APos   | TPos     | Remark | Freq | Level | Line Margin | Level Factor | Loss Factor | Factor |  |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | dB | 1 14190.00 | 45.61 | 88.20 | -42.59 | 53.55 | 38.89 | 18.17 | 65.00 | 0.00 | --- PEAK | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 14190.00</td> <td>45.99</td> <td>88.20</td> <td>-42.21</td> <td>53.93</td> <td>38.89</td> <td>18.17</td> <td>65.00</td> <td>0.00</td> <td>--- PEAK</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line Margin | Level Factor | Loss Factor | Factor |  |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | dB | 1 14190.00 | 45.99 | 88.20 | -42.21 | 53.93 | 38.89 | 18.17 | 65.00 | 0.00 | --- PEAK |
|             | Limit   | Read        | Ant          | Cable       | Preamp | Aux    | APos  | TPos   | Remark   |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |          |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |          |
| Freq        | Level   | Line Margin | Level Factor | Loss Factor | Factor |        |       |        |          |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |          |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |          |
| MHz         | dBuV/m  | dBuV/m      | dB           | dBuV        | dB/m   | dB     | dB    | dB     |          |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |          |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |          |
| 1 14190.00  | 45.61   | 88.20       | -42.59       | 53.55       | 38.89  | 18.17  | 65.00 | 0.00   | --- PEAK |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |          |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |          |
| Limit       | Read  | Ant         | Cable        | Preamp      | Aux    | APos   | TPos  | Remark |          |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |          |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |          |
| Freq        | Level   | Line Margin | Level Factor | Loss Factor | Factor |        |       |        |          |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |          |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |          |
| MHz         | dBuV/m  | dBuV/m      | dB           | dBuV        | dB/m   | dB     | dB    | dB     |          |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |          |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |          |
| 1 14190.00  | 45.99   | 88.20       | -42.21       | 53.93       | 38.89  | 18.17  | 65.00 | 0.00   | --- PEAK |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |          |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |          |





|             |  | <b>53</b>          |        |        |        |        |        |        |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |       |       |      |     |     |         |
|-------------|--|--------------------|--------|--------|--------|--------|--------|--------|--------|--------|------|---------|------|--------|-------|--------|------|--------|--------|-----|--------|--------|----|------|------|----|----|----|---|---------|-------|-------|--------|-------|-------|-------|-------|------|-----|-----|---------|---|-------|------|-----|-------|--------|-----|------|------|--------|------|-------|------|--------|-------|--------|------|--------|--------|-----|--------|--------|----|------|------|----|----|----|---|---------|-------|-------|-------|-------|-------|-------|-------|------|-----|-----|---------|
| <b>Mode</b> | <b>Band Edge</b>   |                    |        |        |        |        |        |        |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |       |       |      |     |     |         |
|             | <b>U-NII-8_6.875-7.125_802.11ax HE20_CH229_RU106/54_7095MHz</b>  |                    |        |        |        |        |        |        |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |       |       |      |     |     |         |
| <b>ANT</b>  | <b>CDD 5+4</b>   |                    |        |        |        |        |        |        |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |       |       |      |     |     |         |
| <b>Pol.</b> | <b>Horizontal</b>  | <b>Fundamental</b> |        |        |        |        |        |        |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |       |       |      |     |     |         |
| <b>Peak</b> |  <p>Level (dBuV/m)</p> <p>130</p> <p>113.8</p> <p>97.5</p> <p>81.3</p> <p>65.0</p> <p>48.8</p> <p>32.5</p> <p>16.3</p> <p>0</p> <p>7085 7117. 7149. 7181. 7213. 7245</p> <p style="text-align: center;">Frequency (MHz)</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7178.44</td> <td>50.46</td> <td>88.20</td> <td>-37.74</td> <td>40.09</td> <td>35.50</td> <td>12.69</td> <td>37.82</td> <td>0.00</td> <td>101</td> <td>300</td> <td>PEAK</td> </tr> </tbody> </table>     | Limit              | Read   | Ant    | Cable  | Preamp | Aux    | APos   | TPos   | Remark | Freq | Level   | Line | Margin | Level | Factor | Loss | Factor | Factor | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | dB | 1 | 7178.44 | 50.46 | 88.20 | -37.74 | 40.09 | 35.50 | 12.69 | 37.82 | 0.00 | 101 | 300 | PEAK    |  <p>Level (dBuV/m)</p> <p>130</p> <p>113.8</p> <p>97.5</p> <p>81.3</p> <p>65.0</p> <p>48.8</p> <p>32.5</p> <p>16.3</p> <p>0</p> <p>1000 2000. 4000. 6400. 8200. 10000</p> <p style="text-align: center;">Frequency (MHz)</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7095.00</td> <td>98.40</td> <td>88.20</td> <td>10.20</td> <td>88.18</td> <td>35.50</td> <td>12.59</td> <td>37.87</td> <td>0.00</td> <td>101</td> <td>300</td> <td>PEAK</td> </tr> </tbody> </table>     | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line | Margin | Level | Factor | Loss | Factor | Factor | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | dB | 1 | 7095.00 | 98.40 | 88.20 | 10.20 | 88.18 | 35.50 | 12.59 | 37.87 | 0.00 | 101 | 300 | PEAK    |
|             | Limit  | Read               | Ant    | Cable  | Preamp | Aux    | APos   | TPos   | Remark |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |       |       |      |     |     |         |
| Freq        | Level  | Line               | Margin | Level  | Factor | Loss   | Factor | Factor |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |       |       |      |     |     |         |
| MHz         | dBuV/m   | dBuV/m             | dB     | dBuV   | dB/m   | dB     | dB     | dB     |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |       |       |      |     |     |         |
| 1           | 7178.44  | 50.46              | 88.20  | -37.74 | 40.09  | 35.50  | 12.69  | 37.82  | 0.00   | 101    | 300  | PEAK    |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |       |       |      |     |     |         |
| Limit       | Read   | Ant                | Cable  | Preamp | Aux    | APos   | TPos   | Remark |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |       |       |      |     |     |         |
| Freq        | Level  | Line               | Margin | Level  | Factor | Loss   | Factor | Factor |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |       |       |      |     |     |         |
| MHz         | dBuV/m   | dBuV/m             | dB     | dBuV   | dB/m   | dB     | dB     | dB     |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |       |       |      |     |     |         |
| 1           | 7095.00  | 98.40              | 88.20  | 10.20  | 88.18  | 35.50  | 12.59  | 37.87  | 0.00   | 101    | 300  | PEAK    |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |       |       |      |     |     |         |
| <b>Avg</b>  |  <p>Level (dBuV/m)</p> <p>130</p> <p>113.8</p> <p>97.5</p> <p>81.3</p> <p>65.0</p> <p>48.8</p> <p>32.5</p> <p>16.3</p> <p>0</p> <p>7085 7117. 7149. 7181. 7213. 7245</p> <p style="text-align: center;">Frequency (MHz)</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7198.28</td> <td>39.12</td> <td>68.20</td> <td>-29.08</td> <td>28.71</td> <td>35.50</td> <td>12.71</td> <td>37.80</td> <td>0.00</td> <td>101</td> <td>300</td> <td>AVERAGE</td> </tr> </tbody> </table> | Limit              | Read   | Ant    | Cable  | Preamp | Aux    | APos   | TPos   | Remark | Freq | Level   | Line | Margin | Level | Factor | Loss | Factor | Factor | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | dB | 1 | 7198.28 | 39.12 | 68.20 | -29.08 | 28.71 | 35.50 | 12.71 | 37.80 | 0.00 | 101 | 300 | AVERAGE |  <p>Level (dBuV/m)</p> <p>130</p> <p>113.8</p> <p>97.5</p> <p>81.3</p> <p>65.0</p> <p>48.8</p> <p>32.5</p> <p>16.3</p> <p>0</p> <p>1000 2000. 4000. 6400. 8200. 10000</p> <p style="text-align: center;">Frequency (MHz)</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7095.00</td> <td>89.46</td> <td>68.20</td> <td>21.26</td> <td>79.24</td> <td>35.50</td> <td>12.59</td> <td>37.87</td> <td>0.00</td> <td>101</td> <td>300</td> <td>AVERAGE</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line | Margin | Level | Factor | Loss | Factor | Factor | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | dB | 1 | 7095.00 | 89.46 | 68.20 | 21.26 | 79.24 | 35.50 | 12.59 | 37.87 | 0.00 | 101 | 300 | AVERAGE |
|             | Limit  | Read               | Ant    | Cable  | Preamp | Aux    | APos   | TPos   | Remark |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |       |       |      |     |     |         |
| Freq        | Level  | Line               | Margin | Level  | Factor | Loss   | Factor | Factor |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |       |       |      |     |     |         |
| MHz         | dBuV/m   | dBuV/m             | dB     | dBuV   | dB/m   | dB     | dB     | dB     |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |       |       |      |     |     |         |
| 1           | 7198.28  | 39.12              | 68.20  | -29.08 | 28.71  | 35.50  | 12.71  | 37.80  | 0.00   | 101    | 300  | AVERAGE |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |       |       |      |     |     |         |
| Limit       | Read   | Ant                | Cable  | Preamp | Aux    | APos   | TPos   | Remark |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |       |       |      |     |     |         |
| Freq        | Level  | Line               | Margin | Level  | Factor | Loss   | Factor | Factor |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |       |       |      |     |     |         |
| MHz         | dBuV/m   | dBuV/m             | dB     | dBuV   | dB/m   | dB     | dB     | dB     |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |       |       |      |     |     |         |
| 1           | 7095.00  | 89.46              | 68.20  | 21.26  | 79.24  | 35.50  | 12.59  | 37.87  | 0.00   | 101    | 300  | AVERAGE |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |       |       |      |     |     |         |





|             | <b>53</b>   |                    |        |        |        |        |        |        |                 |        |      |       |      |        |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |           |       |       |        |       |       |       |       |      |                 |  |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |           |       |       |       |       |       |       |       |      |                 |
|-------------|---|--------------------|--------|--------|--------|--------|--------|--------|-----------------|--------|------|-------|------|--------|-------|--------|------|--------|--|-----|--------|--------|----|------|------|----|----|----|-----|-----------|-------|-------|--------|-------|-------|-------|-------|------|-----------------|--|-------|------|-----|-------|--------|-----|------|------|--------|------|-------|------|--------|-------|--------|------|--------|--|-----|--------|--------|----|------|------|----|----|----|-----|-----------|-------|-------|-------|-------|-------|-------|-------|------|-----------------|
| <b>Mode</b> | <b>Band Edge</b>  |                    |        |        |        |        |        |        |                 |        |      |       |      |        |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |           |       |       |        |       |       |       |       |      |                 |  |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |           |       |       |       |       |       |       |       |      |                 |
|             | <b>U-NII-8_6.875-7.125_802.11ax HE20_CH229_RU106/54_7095MHz</b>   |                    |        |        |        |        |        |        |                 |        |      |       |      |        |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |           |       |       |        |       |       |       |       |      |                 |  |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |           |       |       |       |       |       |       |       |      |                 |
| <b>ANT</b>  | <b>CDD 5+4</b>  |                    |        |        |        |        |        |        |                 |        |      |       |      |        |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |           |       |       |        |       |       |       |       |      |                 |  |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |           |       |       |       |       |       |       |       |      |                 |
| <b>Pol.</b> | <b>Vertical</b>   | <b>Fundamental</b> |        |        |        |        |        |        |                 |        |      |       |      |        |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |           |       |       |        |       |       |       |       |      |                 |  |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |           |       |       |       |       |       |       |       |      |                 |
| <b>Peak</b> | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 7213.72</td> <td>50.31</td> <td>88.20</td> <td>-37.89</td> <td>39.89</td> <td>35.50</td> <td>12.71</td> <td>37.79</td> <td>0.00</td> <td>100 323 PEAK</td> </tr> </tbody> </table>    | Limit              | Read   | Ant    | Cable  | Preamp | Aux    | APos   | TPos            | Remark | Freq | Level | Line | Margin | Level | Factor | Loss | Factor |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 7213.72 | 50.31 | 88.20 | -37.89 | 39.89 | 35.50 | 12.71 | 37.79 | 0.00 | 100 323 PEAK    | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 7095.00</td> <td>93.56</td> <td>88.20</td> <td>5.36</td> <td>83.34</td> <td>35.50</td> <td>12.59</td> <td>37.87</td> <td>0.00</td> <td>100 323 PEAK</td> </tr> </tbody> </table>     | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line | Margin | Level | Factor | Loss | Factor |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 7095.00 | 93.56 | 88.20 | 5.36  | 83.34 | 35.50 | 12.59 | 37.87 | 0.00 | 100 323 PEAK    |
| Limit       | Read  | Ant                | Cable  | Preamp | Aux    | APos   | TPos   | Remark |                 |        |      |       |      |        |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |           |       |       |        |       |       |       |       |      |                 |  |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |           |       |       |       |       |       |       |       |      |                 |
| Freq        | Level   | Line               | Margin | Level  | Factor | Loss   | Factor |        |                 |        |      |       |      |        |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |           |       |       |        |       |       |       |       |      |                 |  |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |           |       |       |       |       |       |       |       |      |                 |
| MHz         | dBuV/m  | dBuV/m             | dB     | dBuV   | dB/m   | dB     | dB     | cm     | deg             |        |      |       |      |        |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |           |       |       |        |       |       |       |       |      |                 |  |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |           |       |       |       |       |       |       |       |      |                 |
| 1 7213.72   | 50.31   | 88.20              | -37.89 | 39.89  | 35.50  | 12.71  | 37.79  | 0.00   | 100 323 PEAK    |        |      |       |      |        |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |           |       |       |        |       |       |       |       |      |                 |  |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |           |       |       |       |       |       |       |       |      |                 |
| Limit       | Read  | Ant                | Cable  | Preamp | Aux    | APos   | TPos   | Remark |                 |        |      |       |      |        |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |           |       |       |        |       |       |       |       |      |                 |  |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |           |       |       |       |       |       |       |       |      |                 |
| Freq        | Level   | Line               | Margin | Level  | Factor | Loss   | Factor |        |                 |        |      |       |      |        |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |           |       |       |        |       |       |       |       |      |                 |  |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |           |       |       |       |       |       |       |       |      |                 |
| MHz         | dBuV/m  | dBuV/m             | dB     | dBuV   | dB/m   | dB     | dB     | cm     | deg             |        |      |       |      |        |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |           |       |       |        |       |       |       |       |      |                 |  |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |           |       |       |       |       |       |       |       |      |                 |
| 1 7095.00   | 93.56   | 88.20              | 5.36   | 83.34  | 35.50  | 12.59  | 37.87  | 0.00   | 100 323 PEAK    |        |      |       |      |        |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |           |       |       |        |       |       |       |       |      |                 |  |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |           |       |       |       |       |       |       |       |      |                 |
| <b>Avg</b>  | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 7193.00</td> <td>39.08</td> <td>68.20</td> <td>-29.12</td> <td>28.68</td> <td>35.50</td> <td>12.71</td> <td>37.81</td> <td>0.00</td> <td>100 323 AVERAGE</td> </tr> </tbody> </table> | Limit              | Read   | Ant    | Cable  | Preamp | Aux    | APos   | TPos            | Remark | Freq | Level | Line | Margin | Level | Factor | Loss | Factor |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 7193.00 | 39.08 | 68.20 | -29.12 | 28.68 | 35.50 | 12.71 | 37.81 | 0.00 | 100 323 AVERAGE | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 7095.00</td> <td>85.16</td> <td>68.20</td> <td>16.96</td> <td>74.94</td> <td>35.50</td> <td>12.59</td> <td>37.87</td> <td>0.00</td> <td>100 323 AVERAGE</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line | Margin | Level | Factor | Loss | Factor |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 7095.00 | 85.16 | 68.20 | 16.96 | 74.94 | 35.50 | 12.59 | 37.87 | 0.00 | 100 323 AVERAGE |
| Limit       | Read  | Ant                | Cable  | Preamp | Aux    | APos   | TPos   | Remark |                 |        |      |       |      |        |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |           |       |       |        |       |       |       |       |      |                 |  |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |           |       |       |       |       |       |       |       |      |                 |
| Freq        | Level   | Line               | Margin | Level  | Factor | Loss   | Factor |        |                 |        |      |       |      |        |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |           |       |       |        |       |       |       |       |      |                 |  |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |           |       |       |       |       |       |       |       |      |                 |
| MHz         | dBuV/m  | dBuV/m             | dB     | dBuV   | dB/m   | dB     | dB     | cm     | deg             |        |      |       |      |        |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |           |       |       |        |       |       |       |       |      |                 |  |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |           |       |       |       |       |       |       |       |      |                 |
| 1 7193.00   | 39.08   | 68.20              | -29.12 | 28.68  | 35.50  | 12.71  | 37.81  | 0.00   | 100 323 AVERAGE |        |      |       |      |        |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |           |       |       |        |       |       |       |       |      |                 |  |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |           |       |       |       |       |       |       |       |      |                 |
| Limit       | Read  | Ant                | Cable  | Preamp | Aux    | APos   | TPos   | Remark |                 |        |      |       |      |        |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |           |       |       |        |       |       |       |       |      |                 |  |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |           |       |       |       |       |       |       |       |      |                 |
| Freq        | Level   | Line               | Margin | Level  | Factor | Loss   | Factor |        |                 |        |      |       |      |        |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |           |       |       |        |       |       |       |       |      |                 |  |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |           |       |       |       |       |       |       |       |      |                 |
| MHz         | dBuV/m  | dBuV/m             | dB     | dBuV   | dB/m   | dB     | dB     | cm     | deg             |        |      |       |      |        |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |           |       |       |        |       |       |       |       |      |                 |  |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |           |       |       |       |       |       |       |       |      |                 |
| 1 7095.00   | 85.16   | 68.20              | 16.96  | 74.94  | 35.50  | 12.59  | 37.87  | 0.00   | 100 323 AVERAGE |        |      |       |      |        |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |           |       |       |        |       |       |       |       |      |                 |  |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |           |       |       |       |       |       |       |       |      |                 |



| Mode        | 53  |             |              |             |        |        |       |        |          |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |          |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |          |
|-------------|---|-------------|--------------|-------------|--------|--------|-------|--------|----------|--------|------|-------|-------------|--------------|-------------|--------|--|--|--|-----|--------|--------|----|------|------|----|----|----|------------|-------|-------|--------|-------|-------|-------|-------|------|----------|---|-------|------|-----|-------|--------|-----|------|------|--------|------|-------|-------------|--------------|-------------|--------|--|--|--|-----|--------|--------|----|------|------|----|----|----|------------|-------|-------|--------|-------|-------|-------|-------|------|----------|
|             | Harmonic  |             |              |             |        |        |       |        |          |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |          |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |          |
|             | U-NII-8_6.875-7.125_802.11ax HE20_CH229_RU106/54_7095MHz  |             |              |             |        |        |       |        |          |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |          |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |          |
| ANT         | CDD 5+4   |             |              |             |        |        |       |        |          |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |          |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |          |
| Pol.        | Horizontal  | Vertical    |              |             |        |        |       |        |          |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |          |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |          |
| Peak<br>Avg | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 14190.00</td> <td>45.78</td> <td>88.20</td> <td>-42.42</td> <td>53.72</td> <td>38.89</td> <td>18.17</td> <td>65.00</td> <td>0.00</td> <td>--- PEAK</td> </tr> </tbody> </table> | Limit       | Read         | Ant         | Cable  | Preamp | Aux   | APos   | TPos     | Remark | Freq | Level | Line Margin | Level Factor | Loss Factor | Factor |  |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | dB | 1 14190.00 | 45.78 | 88.20 | -42.42 | 53.72 | 38.89 | 18.17 | 65.00 | 0.00 | --- PEAK | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 14190.00</td> <td>47.10</td> <td>88.20</td> <td>-41.10</td> <td>55.04</td> <td>38.89</td> <td>18.17</td> <td>65.00</td> <td>0.00</td> <td>--- PEAK</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line Margin | Level Factor | Loss Factor | Factor |  |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | dB | 1 14190.00 | 47.10 | 88.20 | -41.10 | 55.04 | 38.89 | 18.17 | 65.00 | 0.00 | --- PEAK |
|             | Limit   | Read        | Ant          | Cable       | Preamp | Aux    | APos  | TPos   | Remark   |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |          |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |          |
| Freq        | Level   | Line Margin | Level Factor | Loss Factor | Factor |        |       |        |          |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |          |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |          |
| MHz         | dBuV/m  | dBuV/m      | dB           | dBuV        | dB/m   | dB     | dB    | dB     |          |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |          |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |          |
| 1 14190.00  | 45.78   | 88.20       | -42.42       | 53.72       | 38.89  | 18.17  | 65.00 | 0.00   | --- PEAK |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |          |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |          |
| Limit       | Read  | Ant         | Cable        | Preamp      | Aux    | APos   | TPos  | Remark |          |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |          |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |          |
| Freq        | Level   | Line Margin | Level Factor | Loss Factor | Factor |        |       |        |          |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |          |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |          |
| MHz         | dBuV/m  | dBuV/m      | dB           | dBuV        | dB/m   | dB     | dB    | dB     |          |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |          |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |          |
| 1 14190.00  | 47.10   | 88.20       | -41.10       | 55.04       | 38.89  | 18.17  | 65.00 | 0.00   | --- PEAK |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |          |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |          |



| Mode       | 54  |   |              |             |        |        |       |        |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |     |     |      |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |     |     |      |
|------------|---|---|--------------|-------------|--------|--------|-------|--------|------|--------|------|-------|-------------|--------------|-------------|--------|--|--|--|-----|--------|--------|----|------|------|----|----|----|------------|-------|-------|--------|-------|-------|-------|-------|------|-----|-----|------|---|-------|------|-----|-------|--------|-----|------|------|--------|------|-------|-------------|--------------|-------------|--------|--|--|--|-----|--------|--------|----|------|------|----|----|----|------------|-------|-------|--------|-------|-------|-------|-------|------|-----|-----|------|
|            | Harmonic  |   |              |             |        |        |       |        |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |     |     |      |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |     |     |      |
|            | U-NII-8_6.875-7.125_802.11ax HE40_CH203_Full_6965MHz  |   |              |             |        |        |       |        |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |     |     |      |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |     |     |      |
| ANT        | CDD 5+4   |   |              |             |        |        |       |        |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |     |     |      |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |     |     |      |
| Pol.       | Horizontal  | Vertical  |              |             |        |        |       |        |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |     |     |      |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |     |     |      |
| Peak       |   |  |              |             |        |        |       |        |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |     |     |      |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |     |     |      |
| Avg        | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 13930.00</td> <td>44.07</td> <td>88.20</td> <td>-44.13</td> <td>52.43</td> <td>38.80</td> <td>17.99</td> <td>65.15</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table> | Limit   | Read         | Ant         | Cable  | Preamp | Aux   | APos   | TPos | Remark | Freq | Level | Line Margin | Level Factor | Loss Factor | Factor |  |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | dB | 1 13930.00 | 44.07 | 88.20 | -44.13 | 52.43 | 38.80 | 17.99 | 65.15 | 0.00 | --- | --- | PEAK | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 13930.00</td> <td>44.15</td> <td>88.20</td> <td>-44.05</td> <td>52.51</td> <td>38.80</td> <td>17.99</td> <td>65.15</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line Margin | Level Factor | Loss Factor | Factor |  |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | dB | 1 13930.00 | 44.15 | 88.20 | -44.05 | 52.51 | 38.80 | 17.99 | 65.15 | 0.00 | --- | --- | PEAK |
| Limit      | Read  | Ant   | Cable        | Preamp      | Aux    | APos   | TPos  | Remark |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |     |     |      |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |     |     |      |
| Freq       | Level   | Line Margin   | Level Factor | Loss Factor | Factor |        |       |        |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |     |     |      |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |     |     |      |
| MHz        | dBuV/m  | dBuV/m  | dB           | dBuV        | dB/m   | dB     | dB    | dB     |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |     |     |      |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |     |     |      |
| 1 13930.00 | 44.07   | 88.20   | -44.13       | 52.43       | 38.80  | 17.99  | 65.15 | 0.00   | ---  | ---    | PEAK |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |     |     |      |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |     |     |      |
| Limit      | Read  | Ant   | Cable        | Preamp      | Aux    | APos   | TPos  | Remark |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |     |     |      |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |     |     |      |
| Freq       | Level   | Line Margin   | Level Factor | Loss Factor | Factor |        |       |        |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |     |     |      |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |     |     |      |
| MHz        | dBuV/m  | dBuV/m  | dB           | dBuV        | dB/m   | dB     | dB    | dB     |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |     |     |      |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |     |     |      |
| 1 13930.00 | 44.15   | 88.20   | -44.05       | 52.51       | 38.80  | 17.99  | 65.15 | 0.00   | ---  | ---    | PEAK |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |     |     |      |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |     |     |      |



|           |  | 55          |              |             |        |        |       |        |                 |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |        |       |       |       |       |      |                 |   |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |        |       |       |       |       |       |       |      |
|-----------|--|-------------|--------------|-------------|--------|--------|-------|--------|-----------------|--------|------|-------|-------------|--------------|-------------|--------|--|--|--|-----|--------|--------|----|------|------|----|----|----|-----|-----------|-------|-------|--------|-------|-------|-------|-------|------|-----------------|---|--|-------|------|-----|-------|--------|-----|------|------|--------|------|-------|-------------|--------------|-------------|--------|--|--|--|-----|--------|--------|----|------|------|----|----|----|-----|-----------|--------|-------|-------|-------|-------|-------|-------|------|
| Mode      | Band Edge  |             |              |             |        |        |       |        |                 |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |        |       |       |       |       |      |                 |   |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |        |       |       |       |       |       |       |      |
|           | U-NII-8_6.875-7.125_802.11ax HE40_CH227_Full_7085MHz   |             |              |             |        |        |       |        |                 |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |        |       |       |       |       |      |                 |   |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |        |       |       |       |       |       |       |      |
| ANT       | CDD 5+4  |             |              |             |        |        |       |        |                 |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |        |       |       |       |       |      |                 |   |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |        |       |       |       |       |       |       |      |
| Pol.      | Horizontal   | Fundamental |              |             |        |        |       |        |                 |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |        |       |       |       |       |      |                 |   |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |        |       |       |       |       |       |       |      |
| Peak      |  |             |              |             |        |        |       |        |                 |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |        |       |       |       |       |      |                 |   |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |        |       |       |       |       |       |       |      |
|           | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 7132.20</td> <td>52.22</td> <td>88.20</td> <td>-35.98</td> <td>41.94</td> <td>35.50</td> <td>12.63</td> <td>37.85</td> <td>0.00</td> <td>104 301 PEAK</td> </tr> </tbody> </table>    | Limit       | Read         | Ant         | Cable  | Preamp | Aux   | APos   | TPos            | Remark | Freq | Level | Line Margin | Level Factor | Loss Factor | Factor |  |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 7132.20 | 52.22 | 88.20 | -35.98 | 41.94 | 35.50 | 12.63 | 37.85 | 0.00 | 104 301 PEAK    | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 7085.00</td> <td>100.43</td> <td>-----</td> <td>-----</td> <td>90.25</td> <td>35.50</td> <td>12.57</td> <td>37.89</td> <td>0.00</td> <td>104 301 PEAK</td> </tr> </tbody> </table>   |  | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line Margin | Level Factor | Loss Factor | Factor |  |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 7085.00 | 100.43 | ----- | ----- | 90.25 | 35.50 | 12.57 | 37.89 | 0.00 |
| Limit     | Read   | Ant         | Cable        | Preamp      | Aux    | APos   | TPos  | Remark |                 |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |        |       |       |       |       |      |                 |   |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |        |       |       |       |       |       |       |      |
| Freq      | Level  | Line Margin | Level Factor | Loss Factor | Factor |        |       |        |                 |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |        |       |       |       |       |      |                 |   |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |        |       |       |       |       |       |       |      |
| MHz       | dBuV/m   | dBuV/m      | dB           | dBuV        | dB/m   | dB     | dB    | cm     | deg             |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |        |       |       |       |       |      |                 |   |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |        |       |       |       |       |       |       |      |
| 1 7132.20 | 52.22  | 88.20       | -35.98       | 41.94       | 35.50  | 12.63  | 37.85 | 0.00   | 104 301 PEAK    |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |        |       |       |       |       |      |                 |   |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |        |       |       |       |       |       |       |      |
| Limit     | Read   | Ant         | Cable        | Preamp      | Aux    | APos   | TPos  | Remark |                 |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |        |       |       |       |       |      |                 |   |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |        |       |       |       |       |       |       |      |
| Freq      | Level  | Line Margin | Level Factor | Loss Factor | Factor |        |       |        |                 |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |        |       |       |       |       |      |                 |   |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |        |       |       |       |       |       |       |      |
| MHz       | dBuV/m   | dBuV/m      | dB           | dBuV        | dB/m   | dB     | dB    | cm     | deg             |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |        |       |       |       |       |      |                 |   |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |        |       |       |       |       |       |       |      |
| 1 7085.00 | 100.43   | -----       | -----        | 90.25       | 35.50  | 12.57  | 37.89 | 0.00   | 104 301 PEAK    |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |        |       |       |       |       |      |                 |   |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |        |       |       |       |       |       |       |      |
| Avg       |  |             |              |             |        |        |       |        |                 |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |        |       |       |       |       |      |                 |   |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |        |       |       |       |       |       |       |      |
|           | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 7125.00</td> <td>41.22</td> <td>68.20</td> <td>-26.98</td> <td>30.96</td> <td>35.50</td> <td>12.62</td> <td>37.86</td> <td>0.00</td> <td>104 301 AVERAGE</td> </tr> </tbody> </table> | Limit       | Read         | Ant         | Cable  | Preamp | Aux   | APos   | TPos            | Remark | Freq | Level | Line Margin | Level Factor | Loss Factor | Factor |  |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 7125.00 | 41.22 | 68.20 | -26.98 | 30.96 | 35.50 | 12.62 | 37.86 | 0.00 | 104 301 AVERAGE | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 7085.00</td> <td>90.65</td> <td>-----</td> <td>-----</td> <td>80.47</td> <td>35.50</td> <td>12.57</td> <td>37.89</td> <td>0.00</td> <td>104 301 AVERAGE</td> </tr> </tbody> </table> |  | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line Margin | Level Factor | Loss Factor | Factor |  |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 7085.00 | 90.65  | ----- | ----- | 80.47 | 35.50 | 12.57 | 37.89 | 0.00 |
| Limit     | Read   | Ant         | Cable        | Preamp      | Aux    | APos   | TPos  | Remark |                 |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |        |       |       |       |       |      |                 |   |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |        |       |       |       |       |       |       |      |
| Freq      | Level  | Line Margin | Level Factor | Loss Factor | Factor |        |       |        |                 |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |        |       |       |       |       |      |                 |   |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |        |       |       |       |       |       |       |      |
| MHz       | dBuV/m   | dBuV/m      | dB           | dBuV        | dB/m   | dB     | dB    | cm     | deg             |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |        |       |       |       |       |      |                 |   |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |        |       |       |       |       |       |       |      |
| 1 7125.00 | 41.22  | 68.20       | -26.98       | 30.96       | 35.50  | 12.62  | 37.86 | 0.00   | 104 301 AVERAGE |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |        |       |       |       |       |      |                 |   |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |        |       |       |       |       |       |       |      |
| Limit     | Read   | Ant         | Cable        | Preamp      | Aux    | APos   | TPos  | Remark |                 |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |        |       |       |       |       |      |                 |   |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |        |       |       |       |       |       |       |      |
| Freq      | Level  | Line Margin | Level Factor | Loss Factor | Factor |        |       |        |                 |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |        |       |       |       |       |      |                 |   |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |        |       |       |       |       |       |       |      |
| MHz       | dBuV/m   | dBuV/m      | dB           | dBuV        | dB/m   | dB     | dB    | cm     | deg             |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |        |       |       |       |       |      |                 |   |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |        |       |       |       |       |       |       |      |
| 1 7085.00 | 90.65  | -----       | -----        | 80.47       | 35.50  | 12.57  | 37.89 | 0.00   | 104 301 AVERAGE |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |        |       |       |       |       |      |                 |   |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |        |       |       |       |       |       |       |      |



|             |  | <b>55</b>          |              |             |        |        |       |        |        |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |    |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |    |         |
|-------------|--|--------------------|--------------|-------------|--------|--------|-------|--------|--------|--------|------|---------|-------------|--------------|-------------|--------|--|--|--|-----|--------|--------|----|------|------|----|----|----|-----|---|---------|-------|-------|--------|-------|-------|-------|-------|------|-----|----|---------|---|-------|------|-----|-------|--------|-----|------|------|--------|------|-------|-------------|--------------|-------------|--------|--|--|--|-----|--------|--------|----|------|------|----|----|----|-----|---|---------|-------|-------|-------|-------|-------|-------|-------|------|-----|----|---------|
| <b>Mode</b> | <b>Band Edge</b>   |                    |              |             |        |        |       |        |        |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |    |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |    |         |
|             | <b>U-NII-8_6.875-7.125_802.11ax HE40_CH227_Full_7085MHz</b>  |                    |              |             |        |        |       |        |        |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |    |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |    |         |
| <b>ANT</b>  | <b>CDD 5+4</b>   |                    |              |             |        |        |       |        |        |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |    |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |    |         |
| <b>Pol.</b> | <b>Vertical</b>  | <b>Fundamental</b> |              |             |        |        |       |        |        |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |    |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |    |         |
| <b>Peak</b> | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7227.40</td> <td>50.42</td> <td>88.20</td> <td>-37.78</td> <td>39.99</td> <td>35.50</td> <td>12.71</td> <td>37.78</td> <td>0.00</td> <td>352</td> <td>73</td> <td>PEAK</td> </tr> </tbody> </table>    | Limit              | Read         | Ant         | Cable  | Preamp | Aux   | APos   | TPos   | Remark | Freq | Level   | Line Margin | Level Factor | Loss Factor | Factor |  |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 | 7227.40 | 50.42 | 88.20 | -37.78 | 39.99 | 35.50 | 12.71 | 37.78 | 0.00 | 352 | 73 | PEAK    | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7085.00</td> <td>95.82</td> <td>-----</td> <td>-----</td> <td>85.64</td> <td>35.50</td> <td>12.57</td> <td>37.89</td> <td>0.00</td> <td>352</td> <td>73</td> <td>PEAK</td> </tr> </tbody> </table>    | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line Margin | Level Factor | Loss Factor | Factor |  |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 | 7085.00 | 95.82 | ----- | ----- | 85.64 | 35.50 | 12.57 | 37.89 | 0.00 | 352 | 73 | PEAK    |
|             | Limit  | Read               | Ant          | Cable       | Preamp | Aux    | APos  | TPos   | Remark |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |    |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |    |         |
| Freq        | Level  | Line Margin        | Level Factor | Loss Factor | Factor |        |       |        |        |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |    |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |    |         |
| MHz         | dBuV/m   | dBuV/m             | dB           | dBuV        | dB/m   | dB     | dB    | cm     | deg    |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |    |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |    |         |
| 1           | 7227.40  | 50.42              | 88.20        | -37.78      | 39.99  | 35.50  | 12.71 | 37.78  | 0.00   | 352    | 73   | PEAK    |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |    |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |    |         |
| Limit       | Read   | Ant                | Cable        | Preamp      | Aux    | APos   | TPos  | Remark |        |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |    |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |    |         |
| Freq        | Level  | Line Margin        | Level Factor | Loss Factor | Factor |        |       |        |        |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |    |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |    |         |
| MHz         | dBuV/m   | dBuV/m             | dB           | dBuV        | dB/m   | dB     | dB    | cm     | deg    |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |    |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |    |         |
| 1           | 7085.00  | 95.82              | -----        | -----       | 85.64  | 35.50  | 12.57 | 37.89  | 0.00   | 352    | 73   | PEAK    |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |    |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |    |         |
| <b>Avg</b>  | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7125.00</td> <td>39.06</td> <td>68.20</td> <td>-29.14</td> <td>28.80</td> <td>35.50</td> <td>12.62</td> <td>37.86</td> <td>0.00</td> <td>352</td> <td>73</td> <td>AVERAGE</td> </tr> </tbody> </table> | Limit              | Read         | Ant         | Cable  | Preamp | Aux   | APos   | TPos   | Remark | Freq | Level   | Line Margin | Level Factor | Loss Factor | Factor |  |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 | 7125.00 | 39.06 | 68.20 | -29.14 | 28.80 | 35.50 | 12.62 | 37.86 | 0.00 | 352 | 73 | AVERAGE | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7085.00</td> <td>86.17</td> <td>-----</td> <td>-----</td> <td>75.99</td> <td>35.50</td> <td>12.57</td> <td>37.89</td> <td>0.00</td> <td>352</td> <td>73</td> <td>AVERAGE</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line Margin | Level Factor | Loss Factor | Factor |  |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 | 7085.00 | 86.17 | ----- | ----- | 75.99 | 35.50 | 12.57 | 37.89 | 0.00 | 352 | 73 | AVERAGE |
|             | Limit  | Read               | Ant          | Cable       | Preamp | Aux    | APos  | TPos   | Remark |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |    |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |    |         |
| Freq        | Level  | Line Margin        | Level Factor | Loss Factor | Factor |        |       |        |        |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |    |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |    |         |
| MHz         | dBuV/m   | dBuV/m             | dB           | dBuV        | dB/m   | dB     | dB    | cm     | deg    |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |    |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |    |         |
| 1           | 7125.00  | 39.06              | 68.20        | -29.14      | 28.80  | 35.50  | 12.62 | 37.86  | 0.00   | 352    | 73   | AVERAGE |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |    |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |    |         |
| Limit       | Read   | Ant                | Cable        | Preamp      | Aux    | APos   | TPos  | Remark |        |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |    |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |    |         |
| Freq        | Level  | Line Margin        | Level Factor | Loss Factor | Factor |        |       |        |        |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |    |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |    |         |
| MHz         | dBuV/m   | dBuV/m             | dB           | dBuV        | dB/m   | dB     | dB    | cm     | deg    |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |    |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |    |         |
| 1           | 7085.00  | 86.17              | -----        | -----       | 75.99  | 35.50  | 12.57 | 37.89  | 0.00   | 352    | 73   | AVERAGE |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |    |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |    |         |



| Mode        | 55   |             |              |             |        |        |       |        |        |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |      |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |      |
|-------------|--|-------------|--------------|-------------|--------|--------|-------|--------|--------|--------|------|-------|-------------|--------------|-------------|--------|--|--|--|-----|--------|--------|----|------|------|----|----|----|-----|------------|-------|-------|--------|-------|-------|-------|-------|------|-----|-----|------|--|-------|------|-----|-------|--------|-----|------|------|--------|------|-------|-------------|--------------|-------------|--------|--|--|--|-----|--------|--------|----|------|------|----|----|----|-----|------------|-------|-------|--------|-------|-------|-------|-------|------|-----|-----|------|
|             | Harmonic   |             |              |             |        |        |       |        |        |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |      |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |      |
|             | U-NII-8_6.875-7.125_802.11ax HE40_CH227_Full_7085MHz   |             |              |             |        |        |       |        |        |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |      |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |      |
| ANT         | CDD 5+4  |             |              |             |        |        |       |        |        |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |      |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |      |
| Pol.        | Horizontal   | Vertical    |              |             |        |        |       |        |        |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |      |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |      |
| Peak<br>Avg | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 14170.00</td> <td>45.26</td> <td>88.20</td> <td>-42.94</td> <td>53.27</td> <td>38.87</td> <td>18.15</td> <td>65.03</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table> | Limit       | Read         | Ant         | Cable  | Preamp | Aux   | APos   | TPos   | Remark | Freq | Level | Line Margin | Level Factor | Loss Factor | Factor |  |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 14170.00 | 45.26 | 88.20 | -42.94 | 53.27 | 38.87 | 18.15 | 65.03 | 0.00 | --- | --- | PEAK | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 14170.00</td> <td>44.86</td> <td>88.20</td> <td>-43.34</td> <td>52.87</td> <td>38.87</td> <td>18.15</td> <td>65.03</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line Margin | Level Factor | Loss Factor | Factor |  |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 14170.00 | 44.86 | 88.20 | -43.34 | 52.87 | 38.87 | 18.15 | 65.03 | 0.00 | --- | --- | PEAK |
|             | Limit  | Read        | Ant          | Cable       | Preamp | Aux    | APos  | TPos   | Remark |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |      |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |      |
| Freq        | Level  | Line Margin | Level Factor | Loss Factor | Factor |        |       |        |        |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |      |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |      |
| MHz         | dBuV/m   | dBuV/m      | dB           | dBuV        | dB/m   | dB     | dB    | cm     | deg    |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |      |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |      |
| 1 14170.00  | 45.26  | 88.20       | -42.94       | 53.27       | 38.87  | 18.15  | 65.03 | 0.00   | ---    | ---    | PEAK |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |      |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |      |
| Limit       | Read   | Ant         | Cable        | Preamp      | Aux    | APos   | TPos  | Remark |        |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |      |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |      |
| Freq        | Level  | Line Margin | Level Factor | Loss Factor | Factor |        |       |        |        |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |      |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |      |
| MHz         | dBuV/m   | dBuV/m      | dB           | dBuV        | dB/m   | dB     | dB    | cm     | deg    |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |      |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |      |
| 1 14170.00  | 44.86  | 88.20       | -43.34       | 52.87       | 38.87  | 18.15  | 65.03 | 0.00   | ---    | ---    | PEAK |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |      |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |      |







| Mode        | 56   |             |              |             |        |        |       |        |      |        |        |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |      |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |    |     |        |            |       |       |        |       |       |       |       |      |     |     |
|-------------|--|-------------|--------------|-------------|--------|--------|-------|--------|------|--------|--------|-------|-------------|--------------|-------------|--------|--|--|--|-----|--------|--------|----|------|------|----|----|----|-----|------------|-------|-------|--------|-------|-------|-------|-------|------|-----|-----|------|--|-------|------|-----|-------|--------|-----|------|------|--------|------|-------|-------------|--------------|-------------|--------|--|--|--|-----|--------|--------|----|------|------|----|----|----|----|-----|--------|------------|-------|-------|--------|-------|-------|-------|-------|------|-----|-----|
|             | Harmonic   |             |              |             |        |        |       |        |      |        |        |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |      |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |    |     |        |            |       |       |        |       |       |       |       |      |     |     |
|             | U-NII-8_6.875-7.125_802.11ax HE80_CH199_Full_6945MHz   |             |              |             |        |        |       |        |      |        |        |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |      |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |    |     |        |            |       |       |        |       |       |       |       |      |     |     |
| ANT         | CDD 5+4  |             |              |             |        |        |       |        |      |        |        |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |      |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |    |     |        |            |       |       |        |       |       |       |       |      |     |     |
| Pol.        | Horizontal   | Vertical    |              |             |        |        |       |        |      |        |        |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |      |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |    |     |        |            |       |       |        |       |       |       |       |      |     |     |
| Peak<br>Avg |  |             |              |             |        |        |       |        |      |        |        |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |      |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |    |     |        |            |       |       |        |       |       |       |       |      |     |     |
|             | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 13890.00</td> <td>44.45</td> <td>88.20</td> <td>-43.75</td> <td>52.82</td> <td>38.80</td> <td>17.96</td> <td>65.13</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table> | Limit       | Read         | Ant         | Cable  | Preamp | Aux   | APos   | TPos | Remark | Freq   | Level | Line Margin | Level Factor | Loss Factor | Factor |  |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 13890.00 | 44.45 | 88.20 | -43.75 | 52.82 | 38.80 | 17.96 | 65.13 | 0.00 | --- | --- | PEAK | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1 13890.00</td> <td>45.49</td> <td>88.20</td> <td>-42.71</td> <td>53.86</td> <td>38.80</td> <td>17.96</td> <td>65.13</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line Margin | Level Factor | Loss Factor | Factor |  |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | dB | cm | deg | Remark | 1 13890.00 | 45.49 | 88.20 | -42.71 | 53.86 | 38.80 | 17.96 | 65.13 | 0.00 | --- | --- |
| Limit       | Read   | Ant         | Cable        | Preamp      | Aux    | APos   | TPos  | Remark |      |        |        |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |      |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |    |     |        |            |       |       |        |       |       |       |       |      |     |     |
| Freq        | Level  | Line Margin | Level Factor | Loss Factor | Factor |        |       |        |      |        |        |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |      |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |    |     |        |            |       |       |        |       |       |       |       |      |     |     |
| MHz         | dBuV/m   | dBuV/m      | dB           | dBuV        | dB/m   | dB     | dB    | cm     | deg  |        |        |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |      |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |    |     |        |            |       |       |        |       |       |       |       |      |     |     |
| 1 13890.00  | 44.45  | 88.20       | -43.75       | 52.82       | 38.80  | 17.96  | 65.13 | 0.00   | ---  | ---    | PEAK   |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |      |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |    |     |        |            |       |       |        |       |       |       |       |      |     |     |
| Limit       | Read   | Ant         | Cable        | Preamp      | Aux    | APos   | TPos  | Remark |      |        |        |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |      |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |    |     |        |            |       |       |        |       |       |       |       |      |     |     |
| Freq        | Level  | Line Margin | Level Factor | Loss Factor | Factor |        |       |        |      |        |        |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |      |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |    |     |        |            |       |       |        |       |       |       |       |      |     |     |
| MHz         | dBuV/m   | dBuV/m      | dB           | dBuV        | dB/m   | dB     | dB    | dB     | cm   | deg    | Remark |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |      |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |    |     |        |            |       |       |        |       |       |       |       |      |     |     |
| 1 13890.00  | 45.49  | 88.20       | -42.71       | 53.86       | 38.80  | 17.96  | 65.13 | 0.00   | ---  | ---    | PEAK   |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |      |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |    |     |        |            |       |       |        |       |       |       |       |      |     |     |





|       |   | 57          |              |             |        |        |       |        |        |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |     |         |
|-------|---|-------------|--------------|-------------|--------|--------|-------|--------|--------|--------|------|---------|-------------|--------------|-------------|--------|--|--|--|-----|--------|--------|----|------|------|----|----|----|-----|---|---------|-------|-------|--------|-------|-------|-------|-------|------|-----|-----|---------|--|-------|------|-----|-------|--------|-----|------|------|--------|------|-------|-------------|--------------|-------------|--------|--|--|--|-----|--------|--------|----|------|------|----|----|----|-----|---|---------|-------|-------|-------|-------|-------|-------|-------|------|-----|-----|---------|
| Mode  | Band Edge   |             |              |             |        |        |       |        |        |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |     |         |
|       | U-NII-8_6.875-7.125_802.11ax HE80_CH215_Full_7025MHz  |             |              |             |        |        |       |        |        |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |     |         |
| ANT   | CDD 5+4   |             |              |             |        |        |       |        |        |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |     |         |
| Pol.  | Horizontal  | Fundamental |              |             |        |        |       |        |        |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |     |         |
| Peak  | <p>Level (dBuV/m) vs Frequency (MHz) plot for Horizontal polarization. The y-axis ranges from 0 to 130 dBuV/m, and the x-axis ranges from 7025 to 7245 MHz. A red horizontal line indicates the WiFi 6E(Peak) limit at approximately 97.5 dBuV/m. The blue trace shows a signal that drops significantly after 7069 MHz.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7166.90</td> <td>50.78</td> <td>88.20</td> <td>-37.42</td> <td>40.44</td> <td>35.50</td> <td>12.67</td> <td>37.83</td> <td>0.00</td> <td>100</td> <td>300</td> <td>PEAK</td> </tr> </tbody> </table>   | Limit       | Read         | Ant         | Cable  | Preamp | Aux   | APos   | TPos   | Remark | Freq | Level   | Line Margin | Level Factor | Loss Factor | Factor |  |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 | 7166.90 | 50.78 | 88.20 | -37.42 | 40.44 | 35.50 | 12.67 | 37.83 | 0.00 | 100 | 300 | PEAK    | <p>Level (dBuV/m) vs Frequency (MHz) plot for Fundamental polarization. The y-axis ranges from 0 to 130 dBuV/m, and the x-axis ranges from 1000 to 10000 MHz. A red horizontal line indicates the WiFi 6E(Peak) limit at approximately 97.5 dBuV/m. The blue trace shows a signal with a prominent peak at 7025 MHz.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7025.00</td> <td>98.13</td> <td>-----</td> <td>-----</td> <td>88.14</td> <td>35.44</td> <td>12.48</td> <td>37.93</td> <td>0.00</td> <td>100</td> <td>300</td> <td>PEAK</td> </tr> </tbody> </table>   | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line Margin | Level Factor | Loss Factor | Factor |  |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 | 7025.00 | 98.13 | ----- | ----- | 88.14 | 35.44 | 12.48 | 37.93 | 0.00 | 100 | 300 | PEAK    |
|       | Limit   | Read        | Ant          | Cable       | Preamp | Aux    | APos  | TPos   | Remark |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |     |         |
| Freq  | Level   | Line Margin | Level Factor | Loss Factor | Factor |        |       |        |        |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |     |         |
| MHz   | dBuV/m  | dBuV/m      | dB           | dBuV        | dB/m   | dB     | dB    | cm     | deg    |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |     |         |
| 1     | 7166.90   | 50.78       | 88.20        | -37.42      | 40.44  | 35.50  | 12.67 | 37.83  | 0.00   | 100    | 300  | PEAK    |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |     |         |
| Limit | Read  | Ant         | Cable        | Preamp      | Aux    | APos   | TPos  | Remark |        |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |     |         |
| Freq  | Level   | Line Margin | Level Factor | Loss Factor | Factor |        |       |        |        |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |     |         |
| MHz   | dBuV/m  | dBuV/m      | dB           | dBuV        | dB/m   | dB     | dB    | cm     | deg    |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |     |         |
| 1     | 7025.00   | 98.13       | -----        | -----       | 88.14  | 35.44  | 12.48 | 37.93  | 0.00   | 100    | 300  | PEAK    |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |     |         |
| Avg   | <p>Level (dBuV/m) vs Frequency (MHz) plot for Horizontal polarization. The y-axis ranges from 0 to 130 dBuV/m, and the x-axis ranges from 7025 to 7245 MHz. A red horizontal line indicates the WiFi 6E(AVG) limit at approximately 65.0 dBuV/m. The blue trace shows a signal that drops significantly after 7069 MHz.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7199.24</td> <td>39.32</td> <td>68.20</td> <td>-28.88</td> <td>28.91</td> <td>35.50</td> <td>12.71</td> <td>37.80</td> <td>0.00</td> <td>100</td> <td>300</td> <td>AVERAGE</td> </tr> </tbody> </table> | Limit       | Read         | Ant         | Cable  | Preamp | Aux   | APos   | TPos   | Remark | Freq | Level   | Line Margin | Level Factor | Loss Factor | Factor |  |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 | 7199.24 | 39.32 | 68.20 | -28.88 | 28.91 | 35.50 | 12.71 | 37.80 | 0.00 | 100 | 300 | AVERAGE | <p>Level (dBuV/m) vs Frequency (MHz) plot for Fundamental polarization. The y-axis ranges from 0 to 130 dBuV/m, and the x-axis ranges from 1000 to 10000 MHz. A red horizontal line indicates the WiFi 6E(AVG) limit at approximately 65.0 dBuV/m. The blue trace shows a signal with a prominent peak at 7025 MHz.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7025.00</td> <td>88.28</td> <td>-----</td> <td>-----</td> <td>78.26</td> <td>35.46</td> <td>12.49</td> <td>37.93</td> <td>0.00</td> <td>100</td> <td>300</td> <td>AVERAGE</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line Margin | Level Factor | Loss Factor | Factor |  |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 | 7025.00 | 88.28 | ----- | ----- | 78.26 | 35.46 | 12.49 | 37.93 | 0.00 | 100 | 300 | AVERAGE |
| Limit | Read  | Ant         | Cable        | Preamp      | Aux    | APos   | TPos  | Remark |        |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |     |         |
| Freq  | Level   | Line Margin | Level Factor | Loss Factor | Factor |        |       |        |        |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |     |         |
| MHz   | dBuV/m  | dBuV/m      | dB           | dBuV        | dB/m   | dB     | dB    | cm     | deg    |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |     |         |
| 1     | 7199.24   | 39.32       | 68.20        | -28.88      | 28.91  | 35.50  | 12.71 | 37.80  | 0.00   | 100    | 300  | AVERAGE |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |     |         |
| Limit | Read  | Ant         | Cable        | Preamp      | Aux    | APos   | TPos  | Remark |        |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |     |         |
| Freq  | Level   | Line Margin | Level Factor | Loss Factor | Factor |        |       |        |        |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |     |         |
| MHz   | dBuV/m  | dBuV/m      | dB           | dBuV        | dB/m   | dB     | dB    | cm     | deg    |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |     |         |
| 1     | 7025.00   | 88.28       | -----        | -----       | 78.26  | 35.46  | 12.49 | 37.93  | 0.00   | 100    | 300  | AVERAGE |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |     |         |



|             |   | <b>57</b>          |              |             |        |        |       |        |        |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |     |         |
|-------------|---|--------------------|--------------|-------------|--------|--------|-------|--------|--------|--------|------|---------|-------------|--------------|-------------|--------|--|--|--|-----|--------|--------|----|------|------|----|----|----|-----|---|---------|-------|-------|--------|-------|-------|-------|-------|------|-----|-----|---------|---|-------|------|-----|-------|--------|-----|------|------|--------|------|-------|-------------|--------------|-------------|--------|--|--|--|-----|--------|--------|----|------|------|----|----|----|-----|---|---------|-------|-------|-------|-------|-------|-------|-------|------|-----|-----|---------|
| <b>Mode</b> | <b>Band Edge</b>  |                    |              |             |        |        |       |        |        |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |     |         |
|             | <b>U-NII-8_6.875-7.125_802.11ax HE80_CH215_Full_7025MHz</b>   |                    |              |             |        |        |       |        |        |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |     |         |
| <b>ANT</b>  | <b>CDD 5+4</b>  |                    |              |             |        |        |       |        |        |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |     |         |
| <b>Pol.</b> | <b>Vertical</b>   | <b>Fundamental</b> |              |             |        |        |       |        |        |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |     |         |
| <b>Peak</b> |  <p>Level (dBuV/m) vs Frequency (MHz) for Vertical Peak. The plot shows a signal level starting at approximately 97.5 dBuV/m at 7025 MHz, dropping sharply to about 48.8 dBuV/m by 7069 MHz, and remaining flat with a small peak at 7201 MHz. A red horizontal line indicates the WiFi 6E(Peak) limit at approximately 81.3 dBuV/m.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7193.08</td> <td>50.46</td> <td>88.20</td> <td>-37.74</td> <td>40.06</td> <td>35.50</td> <td>12.71</td> <td>37.81</td> <td>0.00</td> <td>100</td> <td>302</td> <td>PEAK</td> </tr> </tbody> </table> | Limit              | Read         | Ant         | Cable  | Preamp | Aux   | APos   | TPos   | Remark | Freq | Level   | Line Margin | Level Factor | Loss Factor | Factor |  |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 | 7193.08 | 50.46 | 88.20 | -37.74 | 40.06 | 35.50 | 12.71 | 37.81 | 0.00 | 100 | 302 | PEAK    |  <p>Level (dBuV/m) vs Frequency (MHz) for Fundamental Peak. The plot shows a signal level starting at approximately 81.3 dBuV/m at 1000 MHz, with a sharp peak at 7025 MHz reaching about 98.22 dBuV/m. A red horizontal line indicates the WiFi 6E(Peak) limit at approximately 81.3 dBuV/m.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7025.00</td> <td>98.22</td> <td>-----</td> <td>-----</td> <td>88.15</td> <td>35.48</td> <td>12.51</td> <td>37.92</td> <td>0.00</td> <td>100</td> <td>302</td> <td>PEAK</td> </tr> </tbody> </table>        | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line Margin | Level Factor | Loss Factor | Factor |  |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 | 7025.00 | 98.22 | ----- | ----- | 88.15 | 35.48 | 12.51 | 37.92 | 0.00 | 100 | 302 | PEAK    |
|             | Limit   | Read               | Ant          | Cable       | Preamp | Aux    | APos  | TPos   | Remark |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |     |         |
| Freq        | Level   | Line Margin        | Level Factor | Loss Factor | Factor |        |       |        |        |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |     |         |
| MHz         | dBuV/m  | dBuV/m             | dB           | dBuV        | dB/m   | dB     | dB    | cm     | deg    |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |     |         |
| 1           | 7193.08   | 50.46              | 88.20        | -37.74      | 40.06  | 35.50  | 12.71 | 37.81  | 0.00   | 100    | 302  | PEAK    |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |     |         |
| Limit       | Read  | Ant                | Cable        | Preamp      | Aux    | APos   | TPos  | Remark |        |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |     |         |
| Freq        | Level   | Line Margin        | Level Factor | Loss Factor | Factor |        |       |        |        |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |     |         |
| MHz         | dBuV/m  | dBuV/m             | dB           | dBuV        | dB/m   | dB     | dB    | cm     | deg    |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |     |         |
| 1           | 7025.00   | 98.22              | -----        | -----       | 88.15  | 35.48  | 12.51 | 37.92  | 0.00   | 100    | 302  | PEAK    |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |     |         |
| <b>Avg</b>  |  <p>Level (dBuV/m) vs Frequency (MHz) for Vertical Average. The plot shows a signal level starting at approximately 81.3 dBuV/m at 7025 MHz, dropping to about 39.38 dBuV/m by 7069 MHz, and remaining flat with a small peak at 7201 MHz. A red horizontal line indicates the WiFi 6E(AVG) limit at approximately 65.0 dBuV/m.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7201.66</td> <td>39.38</td> <td>68.20</td> <td>-28.82</td> <td>28.97</td> <td>35.50</td> <td>12.71</td> <td>37.80</td> <td>0.00</td> <td>100</td> <td>302</td> <td>AVERAGE</td> </tr> </tbody> </table>  | Limit              | Read         | Ant         | Cable  | Preamp | Aux   | APos   | TPos   | Remark | Freq | Level   | Line Margin | Level Factor | Loss Factor | Factor |  |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 | 7201.66 | 39.38 | 68.20 | -28.82 | 28.97 | 35.50 | 12.71 | 37.80 | 0.00 | 100 | 302 | AVERAGE |  <p>Level (dBuV/m) vs Frequency (MHz) for Fundamental Average. The plot shows a signal level starting at approximately 76.42 dBuV/m at 1000 MHz, with a sharp peak at 7025 MHz reaching about 76.42 dBuV/m. A red horizontal line indicates the WiFi 6E(AVG) limit at approximately 65.0 dBuV/m.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7025.00</td> <td>76.42</td> <td>-----</td> <td>-----</td> <td>66.40</td> <td>35.46</td> <td>12.49</td> <td>37.93</td> <td>0.00</td> <td>100</td> <td>302</td> <td>AVERAGE</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line Margin | Level Factor | Loss Factor | Factor |  |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 | 7025.00 | 76.42 | ----- | ----- | 66.40 | 35.46 | 12.49 | 37.93 | 0.00 | 100 | 302 | AVERAGE |
|             | Limit   | Read               | Ant          | Cable       | Preamp | Aux    | APos  | TPos   | Remark |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |     |         |
| Freq        | Level   | Line Margin        | Level Factor | Loss Factor | Factor |        |       |        |        |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |     |         |
| MHz         | dBuV/m  | dBuV/m             | dB           | dBuV        | dB/m   | dB     | dB    | cm     | deg    |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |     |         |
| 1           | 7201.66   | 39.38              | 68.20        | -28.82      | 28.97  | 35.50  | 12.71 | 37.80  | 0.00   | 100    | 302  | AVERAGE |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |     |         |
| Limit       | Read  | Ant                | Cable        | Preamp      | Aux    | APos   | TPos  | Remark |        |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |     |         |
| Freq        | Level   | Line Margin        | Level Factor | Loss Factor | Factor |        |       |        |        |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |     |         |
| MHz         | dBuV/m  | dBuV/m             | dB           | dBuV        | dB/m   | dB     | dB    | cm     | deg    |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |     |         |
| 1           | 7025.00   | 76.42              | -----        | -----       | 66.40  | 35.46  | 12.49 | 37.93  | 0.00   | 100    | 302  | AVERAGE |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |     |         |







| Mode        | 57   |             |              |             |        |        |       |        |        |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |      |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |      |
|-------------|--|-------------|--------------|-------------|--------|--------|-------|--------|--------|--------|------|-------|-------------|--------------|-------------|--------|--|--|--|-----|--------|--------|----|------|------|----|----|----|-----|------------|-------|-------|--------|-------|-------|-------|-------|------|-----|-----|------|--|-------|------|-----|-------|--------|-----|------|------|--------|------|-------|-------------|--------------|-------------|--------|--|--|--|-----|--------|--------|----|------|------|----|----|----|-----|------------|-------|-------|--------|-------|-------|-------|-------|------|-----|-----|------|
|             | Harmonic   |             |              |             |        |        |       |        |        |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |      |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |      |
|             | U-NII-8_6.875-7.125_802.11ax HE80_CH215_Full_7025MHz   |             |              |             |        |        |       |        |        |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |      |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |      |
| ANT         | CDD 5+4  |             |              |             |        |        |       |        |        |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |      |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |      |
| Pol.        | Horizontal   | Vertical    |              |             |        |        |       |        |        |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |      |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |      |
| Peak<br>Avg | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 14950.00</td> <td>45.08</td> <td>88.20</td> <td>-43.12</td> <td>53.36</td> <td>38.80</td> <td>18.07</td> <td>65.15</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table> | Limit       | Read         | Ant         | Cable  | Preamp | Aux   | APos   | TPos   | Remark | Freq | Level | Line Margin | Level Factor | Loss Factor | Factor |  |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 14950.00 | 45.08 | 88.20 | -43.12 | 53.36 | 38.80 | 18.07 | 65.15 | 0.00 | --- | --- | PEAK | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 14950.00</td> <td>44.72</td> <td>88.20</td> <td>-43.48</td> <td>53.00</td> <td>38.80</td> <td>18.07</td> <td>65.15</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line Margin | Level Factor | Loss Factor | Factor |  |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 14950.00 | 44.72 | 88.20 | -43.48 | 53.00 | 38.80 | 18.07 | 65.15 | 0.00 | --- | --- | PEAK |
|             | Limit  | Read        | Ant          | Cable       | Preamp | Aux    | APos  | TPos   | Remark |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |      |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |      |
| Freq        | Level  | Line Margin | Level Factor | Loss Factor | Factor |        |       |        |        |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |      |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |      |
| MHz         | dBuV/m   | dBuV/m      | dB           | dBuV        | dB/m   | dB     | dB    | cm     | deg    |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |      |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |      |
| 1 14950.00  | 45.08  | 88.20       | -43.12       | 53.36       | 38.80  | 18.07  | 65.15 | 0.00   | ---    | ---    | PEAK |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |      |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |      |
| Limit       | Read   | Ant         | Cable        | Preamp      | Aux    | APos   | TPos  | Remark |        |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |      |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |      |
| Freq        | Level  | Line Margin | Level Factor | Loss Factor | Factor |        |       |        |        |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |      |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |      |
| MHz         | dBuV/m   | dBuV/m      | dB           | dBuV        | dB/m   | dB     | dB    | cm     | deg    |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |      |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |      |
| 1 14950.00  | 44.72  | 88.20       | -43.48       | 53.00       | 38.80  | 18.07  | 65.15 | 0.00   | ---    | ---    | PEAK |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |      |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |      |



|             |  | <b>58</b>          |              |             |        |        |       |        |                 |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |        |       |       |       |       |      |                 |   |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |       |       |       |       |       |      |
|-------------|--|--------------------|--------------|-------------|--------|--------|-------|--------|-----------------|--------|------|-------|-------------|--------------|-------------|--------|--|--|--|-----|--------|--------|----|------|------|----|----|----|-----|-----------|-------|-------|--------|-------|-------|-------|-------|------|-----------------|---|--|-------|------|-----|-------|--------|-----|------|------|--------|------|-------|-------------|--------------|-------------|--------|--|--|--|-----|--------|--------|----|------|------|----|----|----|-----|-----------|-------|-------|-------|-------|-------|-------|-------|------|
| <b>Mode</b> | <b>Band Edge</b>   |                    |              |             |        |        |       |        |                 |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |        |       |       |       |       |      |                 |   |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |       |       |       |       |       |      |
|             | <b>U-NII-8_6.875-7.125_802.11ax HE160 _CH207_Full RU_6985MHz</b>   |                    |              |             |        |        |       |        |                 |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |        |       |       |       |       |      |                 |   |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |       |       |       |       |       |      |
| <b>ANT</b>  | <b>CDD 5+4</b>   |                    |              |             |        |        |       |        |                 |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |        |       |       |       |       |      |                 |   |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |       |       |       |       |       |      |
| <b>Pol.</b> | <b>Horizontal</b>  | <b>Fundamental</b> |              |             |        |        |       |        |                 |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |        |       |       |       |       |      |                 |   |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |       |       |       |       |       |      |
| <b>Peak</b> |  |                    |              |             |        |        |       |        |                 |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |        |       |       |       |       |      |                 |   |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |       |       |       |       |       |      |
|             | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 7128.52</td> <td>51.35</td> <td>88.20</td> <td>-36.85</td> <td>41.00</td> <td>35.50</td> <td>12.62</td> <td>37.85</td> <td>0.00</td> <td>100 302 PEAK</td> </tr> </tbody> </table>    | Limit              | Read         | Ant         | Cable  | Preamp | Aux   | APos   | TPos            | Remark | Freq | Level | Line Margin | Level Factor | Loss Factor | Factor |  |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 7128.52 | 51.35 | 88.20 | -36.85 | 41.00 | 35.50 | 12.62 | 37.85 | 0.00 | 100 302 PEAK    | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 6985.00</td> <td>94.95</td> <td>-----</td> <td>-----</td> <td>85.10</td> <td>35.40</td> <td>12.39</td> <td>37.94</td> <td>0.00</td> <td>100 302 PEAK</td> </tr> </tbody> </table>    |  | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line Margin | Level Factor | Loss Factor | Factor |  |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 6985.00 | 94.95 | ----- | ----- | 85.10 | 35.40 | 12.39 | 37.94 | 0.00 |
| Limit       | Read   | Ant                | Cable        | Preamp      | Aux    | APos   | TPos  | Remark |                 |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |        |       |       |       |       |      |                 |   |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |       |       |       |       |       |      |
| Freq        | Level  | Line Margin        | Level Factor | Loss Factor | Factor |        |       |        |                 |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |        |       |       |       |       |      |                 |   |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |       |       |       |       |       |      |
| MHz         | dBuV/m   | dBuV/m             | dB           | dBuV        | dB/m   | dB     | dB    | cm     | deg             |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |        |       |       |       |       |      |                 |   |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |       |       |       |       |       |      |
| 1 7128.52   | 51.35  | 88.20              | -36.85       | 41.00       | 35.50  | 12.62  | 37.85 | 0.00   | 100 302 PEAK    |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |        |       |       |       |       |      |                 |   |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |       |       |       |       |       |      |
| Limit       | Read   | Ant                | Cable        | Preamp      | Aux    | APos   | TPos  | Remark |                 |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |        |       |       |       |       |      |                 |   |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |       |       |       |       |       |      |
| Freq        | Level  | Line Margin        | Level Factor | Loss Factor | Factor |        |       |        |                 |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |        |       |       |       |       |      |                 |   |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |       |       |       |       |       |      |
| MHz         | dBuV/m   | dBuV/m             | dB           | dBuV        | dB/m   | dB     | dB    | cm     | deg             |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |        |       |       |       |       |      |                 |   |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |       |       |       |       |       |      |
| 1 6985.00   | 94.95  | -----              | -----        | 85.10       | 35.40  | 12.39  | 37.94 | 0.00   | 100 302 PEAK    |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |        |       |       |       |       |      |                 |   |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |       |       |       |       |       |      |
| <b>Avg</b>  |  |                    |              |             |        |        |       |        |                 |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |        |       |       |       |       |      |                 |   |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |       |       |       |       |       |      |
|             | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 7128.28</td> <td>41.25</td> <td>68.20</td> <td>-26.95</td> <td>30.98</td> <td>35.50</td> <td>12.62</td> <td>37.85</td> <td>0.00</td> <td>100 302 AVERAGE</td> </tr> </tbody> </table> | Limit              | Read         | Ant         | Cable  | Preamp | Aux   | APos   | TPos            | Remark | Freq | Level | Line Margin | Level Factor | Loss Factor | Factor |  |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 7128.28 | 41.25 | 68.20 | -26.95 | 30.98 | 35.50 | 12.62 | 37.85 | 0.00 | 100 302 AVERAGE | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 6985.00</td> <td>84.84</td> <td>-----</td> <td>-----</td> <td>74.97</td> <td>35.40</td> <td>12.42</td> <td>37.95</td> <td>0.00</td> <td>100 302 AVERAGE</td> </tr> </tbody> </table> |  | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line Margin | Level Factor | Loss Factor | Factor |  |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 6985.00 | 84.84 | ----- | ----- | 74.97 | 35.40 | 12.42 | 37.95 | 0.00 |
| Limit       | Read   | Ant                | Cable        | Preamp      | Aux    | APos   | TPos  | Remark |                 |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |        |       |       |       |       |      |                 |   |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |       |       |       |       |       |      |
| Freq        | Level  | Line Margin        | Level Factor | Loss Factor | Factor |        |       |        |                 |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |        |       |       |       |       |      |                 |   |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |       |       |       |       |       |      |
| MHz         | dBuV/m   | dBuV/m             | dB           | dBuV        | dB/m   | dB     | dB    | cm     | deg             |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |        |       |       |       |       |      |                 |   |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |       |       |       |       |       |      |
| 1 7128.28   | 41.25  | 68.20              | -26.95       | 30.98       | 35.50  | 12.62  | 37.85 | 0.00   | 100 302 AVERAGE |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |        |       |       |       |       |      |                 |   |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |       |       |       |       |       |      |
| Limit       | Read   | Ant                | Cable        | Preamp      | Aux    | APos   | TPos  | Remark |                 |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |        |       |       |       |       |      |                 |   |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |       |       |       |       |       |      |
| Freq        | Level  | Line Margin        | Level Factor | Loss Factor | Factor |        |       |        |                 |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |        |       |       |       |       |      |                 |   |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |       |       |       |       |       |      |
| MHz         | dBuV/m   | dBuV/m             | dB           | dBuV        | dB/m   | dB     | dB    | cm     | deg             |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |        |       |       |       |       |      |                 |   |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |       |       |       |       |       |      |
| 1 6985.00   | 84.84  | -----              | -----        | 74.97       | 35.40  | 12.42  | 37.95 | 0.00   | 100 302 AVERAGE |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |        |       |       |       |       |      |                 |   |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |       |       |       |       |       |      |



|             |  | <b>58</b>          |              |             |        |        |       |        |        |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |    |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |    |         |
|-------------|--|--------------------|--------------|-------------|--------|--------|-------|--------|--------|--------|------|---------|-------------|--------------|-------------|--------|--|--|--|-----|--------|--------|----|------|------|----|----|----|-----|---|---------|-------|-------|--------|-------|-------|-------|-------|------|-----|----|---------|---|-------|------|-----|-------|--------|-----|------|------|--------|------|-------|-------------|--------------|-------------|--------|--|--|--|-----|--------|--------|----|------|------|----|----|----|-----|---|---------|-------|-------|-------|-------|-------|-------|-------|------|-----|----|---------|
| <b>Mode</b> | <b>Band Edge</b>   |                    |              |             |        |        |       |        |        |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |    |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |    |         |
|             | <b>U-NII-8_6.875-7.125_802.11ax HE160 _CH207_Full RU_6985MHz</b>   |                    |              |             |        |        |       |        |        |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |    |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |    |         |
| <b>ANT</b>  | <b>CDD 5+4</b>   |                    |              |             |        |        |       |        |        |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |    |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |    |         |
| <b>Pol.</b> | <b>Vertical</b>  | <b>Fundamental</b> |              |             |        |        |       |        |        |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |    |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |    |         |
| <b>Peak</b> |  <p>Level (dBuV/m) vs Frequency (MHz) for Vertical Peak. A red horizontal line indicates the WiFi 6E(Peak) limit at approximately 81.3 dBuV/m. The blue trace shows the signal level, which is below the limit in the 6.875-7.125 MHz range.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7133.80</td> <td>51.13</td> <td>88.20</td> <td>-37.07</td> <td>40.85</td> <td>35.50</td> <td>12.63</td> <td>37.85</td> <td>0.00</td> <td>348</td> <td>70</td> <td>PEAK</td> </tr> </tbody> </table>               | Limit              | Read         | Ant         | Cable  | Preamp | Aux   | APos   | TPos   | Remark | Freq | Level   | Line Margin | Level Factor | Loss Factor | Factor |  |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 | 7133.80 | 51.13 | 88.20 | -37.07 | 40.85 | 35.50 | 12.63 | 37.85 | 0.00 | 348 | 70 | PEAK    |  <p>Level (dBuV/m) vs Frequency (MHz) for Fundamental Peak. A red horizontal line indicates the WiFi 6E(Peak) limit at approximately 81.3 dBuV/m. The blue trace shows the signal level, which is below the limit in the 6.875-7.125 MHz range.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6985.00</td> <td>90.33</td> <td>-----</td> <td>-----</td> <td>80.44</td> <td>35.40</td> <td>12.44</td> <td>37.95</td> <td>0.00</td> <td>348</td> <td>70</td> <td>PEAK</td> </tr> </tbody> </table>               | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line Margin | Level Factor | Loss Factor | Factor |  |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 | 6985.00 | 90.33 | ----- | ----- | 80.44 | 35.40 | 12.44 | 37.95 | 0.00 | 348 | 70 | PEAK    |
|             | Limit  | Read               | Ant          | Cable       | Preamp | Aux    | APos  | TPos   | Remark |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |    |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |    |         |
| Freq        | Level  | Line Margin        | Level Factor | Loss Factor | Factor |        |       |        |        |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |    |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |    |         |
| MHz         | dBuV/m   | dBuV/m             | dB           | dBuV        | dB/m   | dB     | dB    | cm     | deg    |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |    |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |    |         |
| 1           | 7133.80  | 51.13              | 88.20        | -37.07      | 40.85  | 35.50  | 12.63 | 37.85  | 0.00   | 348    | 70   | PEAK    |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |    |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |    |         |
| Limit       | Read   | Ant                | Cable        | Preamp      | Aux    | APos   | TPos  | Remark |        |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |    |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |    |         |
| Freq        | Level  | Line Margin        | Level Factor | Loss Factor | Factor |        |       |        |        |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |    |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |    |         |
| MHz         | dBuV/m   | dBuV/m             | dB           | dBuV        | dB/m   | dB     | dB    | cm     | deg    |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |    |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |    |         |
| 1           | 6985.00  | 90.33              | -----        | -----       | 80.44  | 35.40  | 12.44 | 37.95  | 0.00   | 348    | 70   | PEAK    |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |    |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |    |         |
| <b>Avg</b>  |  <p>Level (dBuV/m) vs Frequency (MHz) for Vertical Average. A red horizontal line indicates the WiFi 6E(AVG) limit at approximately 65.0 dBuV/m. The blue trace shows the average signal level, which is below the limit in the 6.875-7.125 MHz range.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7130.20</td> <td>39.73</td> <td>68.20</td> <td>-28.47</td> <td>29.45</td> <td>35.50</td> <td>12.63</td> <td>37.85</td> <td>0.00</td> <td>348</td> <td>70</td> <td>AVERAGE</td> </tr> </tbody> </table> | Limit              | Read         | Ant         | Cable  | Preamp | Aux   | APos   | TPos   | Remark | Freq | Level   | Line Margin | Level Factor | Loss Factor | Factor |  |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 | 7130.20 | 39.73 | 68.20 | -28.47 | 29.45 | 35.50 | 12.63 | 37.85 | 0.00 | 348 | 70 | AVERAGE |  <p>Level (dBuV/m) vs Frequency (MHz) for Fundamental Average. A red horizontal line indicates the WiFi 6E(AVG) limit at approximately 65.0 dBuV/m. The blue trace shows the average signal level, which is below the limit in the 6.875-7.125 MHz range.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6985.00</td> <td>80.09</td> <td>-----</td> <td>-----</td> <td>70.19</td> <td>35.40</td> <td>12.45</td> <td>37.95</td> <td>0.00</td> <td>348</td> <td>70</td> <td>AVERAGE</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line Margin | Level Factor | Loss Factor | Factor |  |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 | 6985.00 | 80.09 | ----- | ----- | 70.19 | 35.40 | 12.45 | 37.95 | 0.00 | 348 | 70 | AVERAGE |
|             | Limit  | Read               | Ant          | Cable       | Preamp | Aux    | APos  | TPos   | Remark |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |    |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |    |         |
| Freq        | Level  | Line Margin        | Level Factor | Loss Factor | Factor |        |       |        |        |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |    |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |    |         |
| MHz         | dBuV/m   | dBuV/m             | dB           | dBuV        | dB/m   | dB     | dB    | cm     | deg    |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |    |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |    |         |
| 1           | 7130.20  | 39.73              | 68.20        | -28.47      | 29.45  | 35.50  | 12.63 | 37.85  | 0.00   | 348    | 70   | AVERAGE |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |    |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |    |         |
| Limit       | Read   | Ant                | Cable        | Preamp      | Aux    | APos   | TPos  | Remark |        |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |    |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |    |         |
| Freq        | Level  | Line Margin        | Level Factor | Loss Factor | Factor |        |       |        |        |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |    |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |    |         |
| MHz         | dBuV/m   | dBuV/m             | dB           | dBuV        | dB/m   | dB     | dB    | cm     | deg    |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |    |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |    |         |
| 1           | 6985.00  | 80.09              | -----        | -----       | 70.19  | 35.40  | 12.45 | 37.95  | 0.00   | 348    | 70   | AVERAGE |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |    |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |    |         |



| Mode        | 58   |             |              |             |        |        |       |        |        |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |      |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |      |
|-------------|--|-------------|--------------|-------------|--------|--------|-------|--------|--------|--------|------|-------|-------------|--------------|-------------|--------|--|--|--|-----|--------|--------|----|------|------|----|----|----|-----|------------|-------|-------|--------|-------|-------|-------|-------|------|-----|-----|------|--|-------|------|-----|-------|--------|-----|------|------|--------|------|-------|-------------|--------------|-------------|--------|--|--|--|-----|--------|--------|----|------|------|----|----|----|----|-----|------------|-------|-------|--------|-------|-------|-------|-------|------|-----|-----|------|
|             | Harmonic   |             |              |             |        |        |       |        |        |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |      |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |      |
|             | U-NII-8_6.875-7.125_802.11ax HE160 _CH207_Full RU_6985MHz  |             |              |             |        |        |       |        |        |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |      |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |      |
| ANT         | CDD 5+4  |             |              |             |        |        |       |        |        |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |      |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |      |
| Pol.        | Horizontal   | Vertical    |              |             |        |        |       |        |        |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |      |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |      |
| Peak<br>Avg | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 13970.00</td> <td>44.41</td> <td>88.20</td> <td>-43.79</td> <td>52.77</td> <td>38.80</td> <td>18.02</td> <td>65.18</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table> | Limit       | Read         | Ant         | Cable  | Preamp | Aux   | APos   | TPos   | Remark | Freq | Level | Line Margin | Level Factor | Loss Factor | Factor |  |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 13970.00 | 44.41 | 88.20 | -43.79 | 52.77 | 38.80 | 18.02 | 65.18 | 0.00 | --- | --- | PEAK | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 13970.00</td> <td>45.37</td> <td>88.20</td> <td>-42.83</td> <td>53.73</td> <td>38.80</td> <td>18.02</td> <td>65.18</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line Margin | Level Factor | Loss Factor | Factor |  |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | dB | cm | deg | 1 13970.00 | 45.37 | 88.20 | -42.83 | 53.73 | 38.80 | 18.02 | 65.18 | 0.00 | --- | --- | PEAK |
|             | Limit  | Read        | Ant          | Cable       | Preamp | Aux    | APos  | TPos   | Remark |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |      |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |      |
| Freq        | Level  | Line Margin | Level Factor | Loss Factor | Factor |        |       |        |        |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |      |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |      |
| MHz         | dBuV/m   | dBuV/m      | dB           | dBuV        | dB/m   | dB     | dB    | cm     | deg    |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |      |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |      |
| 1 13970.00  | 44.41  | 88.20       | -43.79       | 52.77       | 38.80  | 18.02  | 65.18 | 0.00   | ---    | ---    | PEAK |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |      |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |      |
| Limit       | Read   | Ant         | Cable        | Preamp      | Aux    | APos   | TPos  | Remark |        |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |      |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |      |
| Freq        | Level  | Line Margin | Level Factor | Loss Factor | Factor |        |       |        |        |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |      |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |      |
| MHz         | dBuV/m   | dBuV/m      | dB           | dBuV        | dB/m   | dB     | dB    | dB     | cm     | deg    |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |      |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |      |
| 1 13970.00  | 45.37  | 88.20       | -42.83       | 53.73       | 38.80  | 18.02  | 65.18 | 0.00   | ---    | ---    | PEAK |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |      |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |      |







| Mode        | 59  |             |              |             |        |        |       |        |        |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |     |     |      |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |     |     |      |
|-------------|---|-------------|--------------|-------------|--------|--------|-------|--------|--------|--------|------|-------|-------------|--------------|-------------|--------|--|--|--|-----|--------|--------|----|------|------|----|----|----|------------|-------|-------|--------|-------|-------|-------|-------|------|-----|-----|------|---|-------|------|-----|-------|--------|-----|------|------|--------|------|-------|-------------|--------------|-------------|--------|--|--|--|-----|--------|--------|----|------|------|----|----|----|------------|-------|-------|--------|-------|-------|-------|-------|------|-----|-----|------|
|             | Harmonic  |             |              |             |        |        |       |        |        |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |     |     |      |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |     |     |      |
|             | U-NII-8_6.875-7.125_802.11ax HE40_CH187_Full_6885MHz  |             |              |             |        |        |       |        |        |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |     |     |      |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |     |     |      |
| ANT         | CDD 5+4   |             |              |             |        |        |       |        |        |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |     |     |      |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |     |     |      |
| Pol.        | Horizontal  | Vertical    |              |             |        |        |       |        |        |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |     |     |      |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |     |     |      |
| Peak<br>Avg | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 13770.00</td> <td>45.37</td> <td>88.20</td> <td>-42.83</td> <td>53.71</td> <td>38.83</td> <td>17.88</td> <td>65.05</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table> | Limit       | Read         | Ant         | Cable  | Preamp | Aux   | APos   | TPos   | Remark | Freq | Level | Line Margin | Level Factor | Loss Factor | Factor |  |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | dB | 1 13770.00 | 45.37 | 88.20 | -42.83 | 53.71 | 38.83 | 17.88 | 65.05 | 0.00 | --- | --- | PEAK | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 13770.00</td> <td>44.88</td> <td>88.20</td> <td>-43.32</td> <td>53.22</td> <td>38.83</td> <td>17.88</td> <td>65.05</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line Margin | Level Factor | Loss Factor | Factor |  |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | dB | 1 13770.00 | 44.88 | 88.20 | -43.32 | 53.22 | 38.83 | 17.88 | 65.05 | 0.00 | --- | --- | PEAK |
|             | Limit   | Read        | Ant          | Cable       | Preamp | Aux    | APos  | TPos   | Remark |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |     |     |      |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |     |     |      |
| Freq        | Level   | Line Margin | Level Factor | Loss Factor | Factor |        |       |        |        |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |     |     |      |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |     |     |      |
| MHz         | dBuV/m  | dBuV/m      | dB           | dBuV        | dB/m   | dB     | dB    | dB     |        |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |     |     |      |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |     |     |      |
| 1 13770.00  | 45.37   | 88.20       | -42.83       | 53.71       | 38.83  | 17.88  | 65.05 | 0.00   | ---    | ---    | PEAK |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |     |     |      |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |     |     |      |
| Limit       | Read  | Ant         | Cable        | Preamp      | Aux    | APos   | TPos  | Remark |        |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |     |     |      |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |     |     |      |
| Freq        | Level   | Line Margin | Level Factor | Loss Factor | Factor |        |       |        |        |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |     |     |      |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |     |     |      |
| MHz         | dBuV/m  | dBuV/m      | dB           | dBuV        | dB/m   | dB     | dB    | dB     |        |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |     |     |      |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |     |     |      |
| 1 13770.00  | 44.88   | 88.20       | -43.32       | 53.22       | 38.83  | 17.88  | 65.05 | 0.00   | ---    | ---    | PEAK |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |     |     |      |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |     |     |      |



|             |  | <b>61</b>          |        |        |        |        |        |        |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |        |       |       |       |       |       |       |      |     |     |         |
|-------------|--|--------------------|--------|--------|--------|--------|--------|--------|--------|--------|------|---------|------|--------|-------|--------|------|--------|--------|-----|--------|--------|----|------|------|----|----|----|---|---------|-------|-------|--------|-------|-------|-------|-------|------|-----|-----|---------|--|-------|------|-----|-------|--------|-----|------|------|--------|------|-------|------|--------|-------|--------|------|--------|--------|-----|--------|--------|----|------|------|----|----|----|---|---------|--------|-------|-------|-------|-------|-------|-------|------|-----|-----|---------|
| <b>Mode</b> | <b>Band Edge - L</b>   |                    |        |        |        |        |        |        |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |        |       |       |       |       |       |       |      |     |     |         |
|             | <b>U-NII-5_5.925-6.425_802.11a_CH2_Full_5935MHz</b>  |                    |        |        |        |        |        |        |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |        |       |       |       |       |       |       |      |     |     |         |
| <b>ANT</b>  | <b>CDD 5+4</b>   |                    |        |        |        |        |        |        |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |        |       |       |       |       |       |       |      |     |     |         |
| <b>Pol.</b> | <b>Horizontal</b>  | <b>Fundamental</b> |        |        |        |        |        |        |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |        |       |       |       |       |       |       |      |     |     |         |
| <b>Peak</b> | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5924.71</td> <td>73.58</td> <td>88.20</td> <td>-14.62</td> <td>67.07</td> <td>35.00</td> <td>11.40</td> <td>39.89</td> <td>0.00</td> <td>104</td> <td>271</td> <td>PEAK</td> </tr> </tbody> </table>   | Limit              | Read   | Ant    | Cable  | Preamp | Aux    | APos   | TPos   | Remark | Freq | Level   | Line | Margin | Level | Factor | Loss | Factor | Factor | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | dB | 1 | 5924.71 | 73.58 | 88.20 | -14.62 | 67.07 | 35.00 | 11.40 | 39.89 | 0.00 | 104 | 271 | PEAK    | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5932.00</td> <td>102.31</td> <td>88.20</td> <td>14.11</td> <td>95.74</td> <td>35.03</td> <td>11.41</td> <td>39.87</td> <td>0.00</td> <td>104</td> <td>271</td> <td>Peak</td> </tr> </tbody> </table>   | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line | Margin | Level | Factor | Loss | Factor | Factor | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | dB | 1 | 5932.00 | 102.31 | 88.20 | 14.11 | 95.74 | 35.03 | 11.41 | 39.87 | 0.00 | 104 | 271 | Peak    |
|             | Limit  | Read               | Ant    | Cable  | Preamp | Aux    | APos   | TPos   | Remark |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |        |       |       |       |       |       |       |      |     |     |         |
| Freq        | Level  | Line               | Margin | Level  | Factor | Loss   | Factor | Factor |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |        |       |       |       |       |       |       |      |     |     |         |
| MHz         | dBuV/m   | dBuV/m             | dB     | dBuV   | dB/m   | dB     | dB     | dB     |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |        |       |       |       |       |       |       |      |     |     |         |
| 1           | 5924.71  | 73.58              | 88.20  | -14.62 | 67.07  | 35.00  | 11.40  | 39.89  | 0.00   | 104    | 271  | PEAK    |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |        |       |       |       |       |       |       |      |     |     |         |
| Limit       | Read   | Ant                | Cable  | Preamp | Aux    | APos   | TPos   | Remark |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |        |       |       |       |       |       |       |      |     |     |         |
| Freq        | Level  | Line               | Margin | Level  | Factor | Loss   | Factor | Factor |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |        |       |       |       |       |       |       |      |     |     |         |
| MHz         | dBuV/m   | dBuV/m             | dB     | dBuV   | dB/m   | dB     | dB     | dB     |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |        |       |       |       |       |       |       |      |     |     |         |
| 1           | 5932.00  | 102.31             | 88.20  | 14.11  | 95.74  | 35.03  | 11.41  | 39.87  | 0.00   | 104    | 271  | Peak    |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |        |       |       |       |       |       |       |      |     |     |         |
| <b>Avg</b>  | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5924.97</td> <td>61.50</td> <td>68.20</td> <td>-6.70</td> <td>54.99</td> <td>35.00</td> <td>11.40</td> <td>39.89</td> <td>0.00</td> <td>104</td> <td>271</td> <td>AVERAGE</td> </tr> </tbody> </table> | Limit              | Read   | Ant    | Cable  | Preamp | Aux    | APos   | TPos   | Remark | Freq | Level   | Line | Margin | Level | Factor | Loss | Factor | Factor | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | dB | 1 | 5924.97 | 61.50 | 68.20 | -6.70  | 54.99 | 35.00 | 11.40 | 39.89 | 0.00 | 104 | 271 | AVERAGE | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5941.00</td> <td>94.78</td> <td>68.20</td> <td>26.58</td> <td>88.15</td> <td>35.06</td> <td>11.42</td> <td>39.85</td> <td>0.00</td> <td>104</td> <td>271</td> <td>Average</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line | Margin | Level | Factor | Loss | Factor | Factor | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | dB | 1 | 5941.00 | 94.78  | 68.20 | 26.58 | 88.15 | 35.06 | 11.42 | 39.85 | 0.00 | 104 | 271 | Average |
|             | Limit  | Read               | Ant    | Cable  | Preamp | Aux    | APos   | TPos   | Remark |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |        |       |       |       |       |       |       |      |     |     |         |
| Freq        | Level  | Line               | Margin | Level  | Factor | Loss   | Factor | Factor |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |        |       |       |       |       |       |       |      |     |     |         |
| MHz         | dBuV/m   | dBuV/m             | dB     | dBuV   | dB/m   | dB     | dB     | dB     |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |        |       |       |       |       |       |       |      |     |     |         |
| 1           | 5924.97  | 61.50              | 68.20  | -6.70  | 54.99  | 35.00  | 11.40  | 39.89  | 0.00   | 104    | 271  | AVERAGE |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |        |       |       |       |       |       |       |      |     |     |         |
| Limit       | Read   | Ant                | Cable  | Preamp | Aux    | APos   | TPos   | Remark |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |        |       |       |       |       |       |       |      |     |     |         |
| Freq        | Level  | Line               | Margin | Level  | Factor | Loss   | Factor | Factor |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |        |       |       |       |       |       |       |      |     |     |         |
| MHz         | dBuV/m   | dBuV/m             | dB     | dBuV   | dB/m   | dB     | dB     | dB     |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |        |       |       |       |       |       |       |      |     |     |         |
| 1           | 5941.00  | 94.78              | 68.20  | 26.58  | 88.15  | 35.06  | 11.42  | 39.85  | 0.00   | 104    | 271  | Average |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |        |       |       |       |       |       |       |      |     |     |         |









|       |   | 61   |             |        |        |        |        |        |        |     |    |         |       |      |        |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |    |         |  |       |      |     |       |        |     |      |      |  |  |      |       |      |        |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |   |         |        |       |       |       |       |       |       |      |     |    |         |
|-------|---|--|-------------|--------|--------|--------|--------|--------|--------|-----|----|---------|-------|------|--------|-------|--------|------|--------|--------|--------|-----|--------|--------|----|------|------|----|----|----|----|-----|---|---------|-------|-------|--------|-------|-------|-------|-------|------|-----|----|---------|--|-------|------|-----|-------|--------|-----|------|------|--|--|------|-------|------|--------|-------|--------|------|--------|--------|--------|-----|--------|--------|----|------|------|----|----|----|----|-----|---|---------|--------|-------|-------|-------|-------|-------|-------|------|-----|----|---------|
| Mode  |   | Band Edge - L                                |             |        |        |        |        |        |        |     |    |         |       |      |        |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |    |         |  |       |      |     |       |        |     |      |      |  |  |      |       |      |        |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |   |         |        |       |       |       |       |       |       |      |     |    |         |
|       |   | U-NII-5_5.925-6.425_802.11a_CH2_Full_5935MHz |             |        |        |        |        |        |        |     |    |         |       |      |        |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |    |         |  |       |      |     |       |        |     |      |      |  |  |      |       |      |        |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |   |         |        |       |       |       |       |       |       |      |     |    |         |
| ANT   |   | CDD 5+4                                      |             |        |        |        |        |        |        |     |    |         |       |      |        |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |    |         |  |       |      |     |       |        |     |      |      |  |  |      |       |      |        |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |   |         |        |       |       |       |       |       |       |      |     |    |         |
| Pol.  |   | Vertical                                     | Fundamental |        |        |        |        |        |        |     |    |         |       |      |        |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |    |         |  |       |      |     |       |        |     |      |      |  |  |      |       |      |        |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |   |         |        |       |       |       |       |       |       |      |     |    |         |
| Peak  |  <p>Level (dBuV/m)</p> <p>Frequency (MHz)</p> <p>WiFi 6E(Peak)</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5924.97</td> <td>77.80</td> <td>88.20</td> <td>-10.40</td> <td>71.29</td> <td>35.00</td> <td>11.40</td> <td>39.89</td> <td>0.00</td> <td>276</td> <td>83</td> <td>PEAK</td> </tr> </tbody> </table>   | Limit  | Read        | Ant    | Cable  | Preamp | Aux    | APos   | TPos   |     |    | Freq    | Level | Line | Margin | Level | Factor | Loss | Factor | Factor | Remark | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | dB | cm | deg | 1 | 5924.97 | 77.80 | 88.20 | -10.40 | 71.29 | 35.00 | 11.40 | 39.89 | 0.00 | 276 | 83 | PEAK    |  <p>Level (dBuV/m)</p> <p>Frequency (MHz)</p> <p>WiFi 6E(Peak)</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5932.00</td> <td>104.92</td> <td>88.20</td> <td>16.72</td> <td>98.35</td> <td>35.03</td> <td>11.41</td> <td>39.87</td> <td>0.00</td> <td>276</td> <td>83</td> <td>Peak</td> </tr> </tbody> </table>   | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos |  |  | Freq | Level | Line | Margin | Level | Factor | Loss | Factor | Factor | Remark | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | dB | cm | deg | 1 | 5932.00 | 104.92 | 88.20 | 16.72 | 98.35 | 35.03 | 11.41 | 39.87 | 0.00 | 276 | 83 | Peak    |
| Limit | Read  | Ant  | Cable       | Preamp | Aux    | APos   | TPos   |        |        |     |    |         |       |      |        |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |    |         |  |       |      |     |       |        |     |      |      |  |  |      |       |      |        |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |   |         |        |       |       |       |       |       |       |      |     |    |         |
| Freq  | Level   | Line   | Margin      | Level  | Factor | Loss   | Factor | Factor | Remark |     |    |         |       |      |        |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |    |         |  |       |      |     |       |        |     |      |      |  |  |      |       |      |        |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |   |         |        |       |       |       |       |       |       |      |     |    |         |
| MHz   | dBuV/m  | dBuV/m                                       | dB          | dBuV   | dB/m   | dB     | dB     | dB     | cm     | deg |    |         |       |      |        |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |    |         |  |       |      |     |       |        |     |      |      |  |  |      |       |      |        |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |   |         |        |       |       |       |       |       |       |      |     |    |         |
| 1     | 5924.97   | 77.80  | 88.20       | -10.40 | 71.29  | 35.00  | 11.40  | 39.89  | 0.00   | 276 | 83 | PEAK    |       |      |        |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |    |         |  |       |      |     |       |        |     |      |      |  |  |      |       |      |        |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |   |         |        |       |       |       |       |       |       |      |     |    |         |
| Limit | Read  | Ant  | Cable       | Preamp | Aux    | APos   | TPos   |        |        |     |    |         |       |      |        |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |    |         |  |       |      |     |       |        |     |      |      |  |  |      |       |      |        |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |   |         |        |       |       |       |       |       |       |      |     |    |         |
| Freq  | Level   | Line   | Margin      | Level  | Factor | Loss   | Factor | Factor | Remark |     |    |         |       |      |        |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |    |         |  |       |      |     |       |        |     |      |      |  |  |      |       |      |        |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |   |         |        |       |       |       |       |       |       |      |     |    |         |
| MHz   | dBuV/m  | dBuV/m                                       | dB          | dBuV   | dB/m   | dB     | dB     | dB     | cm     | deg |    |         |       |      |        |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |    |         |  |       |      |     |       |        |     |      |      |  |  |      |       |      |        |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |   |         |        |       |       |       |       |       |       |      |     |    |         |
| 1     | 5932.00   | 104.92                                       | 88.20       | 16.72  | 98.35  | 35.03  | 11.41  | 39.87  | 0.00   | 276 | 83 | Peak    |       |      |        |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |    |         |  |       |      |     |       |        |     |      |      |  |  |      |       |      |        |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |   |         |        |       |       |       |       |       |       |      |     |    |         |
| Avg   |  <p>Level (dBuV/m)</p> <p>Frequency (MHz)</p> <p>WiFi 6E(AVG)</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5924.97</td> <td>64.66</td> <td>68.20</td> <td>-3.54</td> <td>58.15</td> <td>35.00</td> <td>11.40</td> <td>39.89</td> <td>0.00</td> <td>276</td> <td>83</td> <td>AVERAGE</td> </tr> </tbody> </table> | Limit  | Read        | Ant    | Cable  | Preamp | Aux    | APos   | TPos   |     |    | Freq    | Level | Line | Margin | Level | Factor | Loss | Factor | Factor | Remark | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | dB | cm | deg | 1 | 5924.97 | 64.66 | 68.20 | -3.54  | 58.15 | 35.00 | 11.40 | 39.89 | 0.00 | 276 | 83 | AVERAGE |  <p>Level (dBuV/m)</p> <p>Frequency (MHz)</p> <p>WiFi 6E(AVG)</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5941.00</td> <td>96.99</td> <td>68.20</td> <td>28.79</td> <td>90.36</td> <td>35.06</td> <td>11.42</td> <td>39.85</td> <td>0.00</td> <td>276</td> <td>83</td> <td>Average</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos |  |  | Freq | Level | Line | Margin | Level | Factor | Loss | Factor | Factor | Remark | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | dB | cm | deg | 1 | 5941.00 | 96.99  | 68.20 | 28.79 | 90.36 | 35.06 | 11.42 | 39.85 | 0.00 | 276 | 83 | Average |
| Limit | Read  | Ant  | Cable       | Preamp | Aux    | APos   | TPos   |        |        |     |    |         |       |      |        |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |    |         |  |       |      |     |       |        |     |      |      |  |  |      |       |      |        |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |   |         |        |       |       |       |       |       |       |      |     |    |         |
| Freq  | Level   | Line   | Margin      | Level  | Factor | Loss   | Factor | Factor | Remark |     |    |         |       |      |        |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |    |         |  |       |      |     |       |        |     |      |      |  |  |      |       |      |        |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |   |         |        |       |       |       |       |       |       |      |     |    |         |
| MHz   | dBuV/m  | dBuV/m                                       | dB          | dBuV   | dB/m   | dB     | dB     | dB     | cm     | deg |    |         |       |      |        |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |    |         |  |       |      |     |       |        |     |      |      |  |  |      |       |      |        |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |   |         |        |       |       |       |       |       |       |      |     |    |         |
| 1     | 5924.97   | 64.66  | 68.20       | -3.54  | 58.15  | 35.00  | 11.40  | 39.89  | 0.00   | 276 | 83 | AVERAGE |       |      |        |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |    |         |  |       |      |     |       |        |     |      |      |  |  |      |       |      |        |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |   |         |        |       |       |       |       |       |       |      |     |    |         |
| Limit | Read  | Ant  | Cable       | Preamp | Aux    | APos   | TPos   |        |        |     |    |         |       |      |        |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |    |         |  |       |      |     |       |        |     |      |      |  |  |      |       |      |        |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |   |         |        |       |       |       |       |       |       |      |     |    |         |
| Freq  | Level   | Line   | Margin      | Level  | Factor | Loss   | Factor | Factor | Remark |     |    |         |       |      |        |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |    |         |  |       |      |     |       |        |     |      |      |  |  |      |       |      |        |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |   |         |        |       |       |       |       |       |       |      |     |    |         |
| MHz   | dBuV/m  | dBuV/m                                       | dB          | dBuV   | dB/m   | dB     | dB     | dB     | cm     | deg |    |         |       |      |        |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |    |         |  |       |      |     |       |        |     |      |      |  |  |      |       |      |        |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |   |         |        |       |       |       |       |       |       |      |     |    |         |
| 1     | 5941.00   | 96.99  | 68.20       | 28.79  | 90.36  | 35.06  | 11.42  | 39.85  | 0.00   | 276 | 83 | Average |       |      |        |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |    |         |  |       |      |     |       |        |     |      |      |  |  |      |       |      |        |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |   |         |        |       |       |       |       |       |       |      |     |    |         |







| Mode       | 61   |             |              |             |             |        |       |        |      |        |      |       |             |              |             |             |        |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |     |     |      |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |             |        |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |     |     |      |
|------------|--|-------------|--------------|-------------|-------------|--------|-------|--------|------|--------|------|-------|-------------|--------------|-------------|-------------|--------|--|--|-----|--------|--------|----|------|------|----|----|----|------------|-------|-------|--------|-------|-------|-------|-------|------|-----|-----|------|--|-------|------|-----|-------|--------|-----|------|------|--------|------|-------|-------------|--------------|-------------|-------------|--------|--|--|-----|--------|--------|----|------|------|----|----|----|------------|-------|-------|--------|-------|-------|-------|-------|------|-----|-----|------|
|            | Harmonic   |             |              |             |             |        |       |        |      |        |      |       |             |              |             |             |        |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |     |     |      |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |             |        |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |     |     |      |
|            | U-NII-5_5.925-6.425_802.11a_CH2_Full_5935MHz   |             |              |             |             |        |       |        |      |        |      |       |             |              |             |             |        |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |     |     |      |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |             |        |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |     |     |      |
| ANT        | CDD 5+4  |             |              |             |             |        |       |        |      |        |      |       |             |              |             |             |        |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |     |     |      |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |             |        |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |     |     |      |
| Pol.       | Horizontal   | Vertical    |              |             |             |        |       |        |      |        |      |       |             |              |             |             |        |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |     |     |      |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |             |        |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |     |     |      |
| Peak       |  |             |              |             |             |        |       |        |      |        |      |       |             |              |             |             |        |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |     |     |      |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |             |        |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |     |     |      |
| Avg        | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 11870.00</td> <td>44.73</td> <td>74.00</td> <td>-29.27</td> <td>55.93</td> <td>38.50</td> <td>16.60</td> <td>66.30</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table> | Limit       | Read         | Ant         | Cable       | Preamp | Aux   | APos   | TPos | Remark | Freq | Level | Line Margin | Level Factor | Loss Factor | Loss Factor | Factor |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | dB | 1 11870.00 | 44.73 | 74.00 | -29.27 | 55.93 | 38.50 | 16.60 | 66.30 | 0.00 | --- | --- | PEAK | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 11870.00</td> <td>45.34</td> <td>74.00</td> <td>-28.66</td> <td>56.54</td> <td>38.50</td> <td>16.60</td> <td>66.30</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line Margin | Level Factor | Loss Factor | Loss Factor | Factor |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | dB | 1 11870.00 | 45.34 | 74.00 | -28.66 | 56.54 | 38.50 | 16.60 | 66.30 | 0.00 | --- | --- | PEAK |
| Limit      | Read   | Ant         | Cable        | Preamp      | Aux         | APos   | TPos  | Remark |      |        |      |       |             |              |             |             |        |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |     |     |      |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |             |        |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |     |     |      |
| Freq       | Level  | Line Margin | Level Factor | Loss Factor | Loss Factor | Factor |       |        |      |        |      |       |             |              |             |             |        |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |     |     |      |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |             |        |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |     |     |      |
| MHz        | dBuV/m   | dBuV/m      | dB           | dBuV        | dB/m        | dB     | dB    | dB     |      |        |      |       |             |              |             |             |        |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |     |     |      |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |             |        |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |     |     |      |
| 1 11870.00 | 44.73  | 74.00       | -29.27       | 55.93       | 38.50       | 16.60  | 66.30 | 0.00   | ---  | ---    | PEAK |       |             |              |             |             |        |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |     |     |      |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |             |        |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |     |     |      |
| Limit      | Read   | Ant         | Cable        | Preamp      | Aux         | APos   | TPos  | Remark |      |        |      |       |             |              |             |             |        |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |     |     |      |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |             |        |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |     |     |      |
| Freq       | Level  | Line Margin | Level Factor | Loss Factor | Loss Factor | Factor |       |        |      |        |      |       |             |              |             |             |        |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |     |     |      |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |             |        |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |     |     |      |
| MHz        | dBuV/m   | dBuV/m      | dB           | dBuV        | dB/m        | dB     | dB    | dB     |      |        |      |       |             |              |             |             |        |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |     |     |      |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |             |        |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |     |     |      |
| 1 11870.00 | 45.34  | 74.00       | -28.66       | 56.54       | 38.50       | 16.60  | 66.30 | 0.00   | ---  | ---    | PEAK |       |             |              |             |             |        |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |     |     |      |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |             |        |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |     |     |      |



|             |   | <b>62</b>          |        |        |        |        |        |        |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |       |       |      |     |     |         |
|-------------|---|--------------------|--------|--------|--------|--------|--------|--------|--------|--------|------|---------|------|--------|-------|--------|------|--------|--------|-----|--------|--------|----|------|------|----|----|----|---|---------|-------|-------|--------|-------|-------|-------|-------|------|-----|-----|---------|--|-------|------|-----|-------|--------|-----|------|------|--------|------|-------|------|--------|-------|--------|------|--------|--------|-----|--------|--------|----|------|------|----|----|----|---|---------|-------|-------|-------|-------|-------|-------|-------|------|-----|-----|---------|
| <b>Mode</b> | <b>Band Edge - L</b>  |                    |        |        |        |        |        |        |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |       |       |      |     |     |         |
|             | <b>U-NII-5_5.925-6.425_802.11ax HE20_CH2_Full_5935MHz</b>   |                    |        |        |        |        |        |        |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |       |       |      |     |     |         |
| <b>ANT</b>  | <b>CDD 5+4</b>  |                    |        |        |        |        |        |        |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |       |       |      |     |     |         |
| <b>Pol.</b> | <b>Horizontal</b>   | <b>Fundamental</b> |        |        |        |        |        |        |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |       |       |      |     |     |         |
| <b>Peak</b> |  <p>Level (dBuV/m)</p> <p>Frequency (MHz)</p> <p>Wifi 6E(Peak)</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5924.97</td> <td>73.89</td> <td>88.20</td> <td>-14.31</td> <td>67.38</td> <td>35.00</td> <td>11.40</td> <td>39.89</td> <td>0.00</td> <td>100</td> <td>260</td> <td>PEAK</td> </tr> </tbody> </table>   | Limit              | Read   | Ant    | Cable  | Preamp | Aux    | APos   | TPos   | Remark | Freq | Level   | Line | Margin | Level | Factor | Loss | Factor | Factor | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | dB | 1 | 5924.97 | 73.89 | 88.20 | -14.31 | 67.38 | 35.00 | 11.40 | 39.89 | 0.00 | 100 | 260 | PEAK    |  <p>Level (dBuV/m)</p> <p>Frequency (MHz)</p> <p>Wifi 6E(Peak)</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5935.00</td> <td>89.11</td> <td>88.20</td> <td>0.91</td> <td>82.54</td> <td>35.03</td> <td>11.41</td> <td>39.87</td> <td>0.00</td> <td>100</td> <td>260</td> <td>PEAK</td> </tr> </tbody> </table>     | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line | Margin | Level | Factor | Loss | Factor | Factor | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | dB | 1 | 5935.00 | 89.11 | 88.20 | 0.91  | 82.54 | 35.03 | 11.41 | 39.87 | 0.00 | 100 | 260 | PEAK    |
|             | Limit   | Read               | Ant    | Cable  | Preamp | Aux    | APos   | TPos   | Remark |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |       |       |      |     |     |         |
| Freq        | Level   | Line               | Margin | Level  | Factor | Loss   | Factor | Factor |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |       |       |      |     |     |         |
| MHz         | dBuV/m  | dBuV/m             | dB     | dBuV   | dB/m   | dB     | dB     | dB     |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |       |       |      |     |     |         |
| 1           | 5924.97   | 73.89              | 88.20  | -14.31 | 67.38  | 35.00  | 11.40  | 39.89  | 0.00   | 100    | 260  | PEAK    |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |       |       |      |     |     |         |
| Limit       | Read  | Ant                | Cable  | Preamp | Aux    | APos   | TPos   | Remark |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |       |       |      |     |     |         |
| Freq        | Level   | Line               | Margin | Level  | Factor | Loss   | Factor | Factor |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |       |       |      |     |     |         |
| MHz         | dBuV/m  | dBuV/m             | dB     | dBuV   | dB/m   | dB     | dB     | dB     |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |       |       |      |     |     |         |
| 1           | 5935.00   | 89.11              | 88.20  | 0.91   | 82.54  | 35.03  | 11.41  | 39.87  | 0.00   | 100    | 260  | PEAK    |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |       |       |      |     |     |         |
| <b>Avg</b>  |  <p>Level (dBuV/m)</p> <p>Frequency (MHz)</p> <p>Wifi 6E(AVG)</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5924.97</td> <td>64.71</td> <td>68.20</td> <td>-3.49</td> <td>58.20</td> <td>35.00</td> <td>11.40</td> <td>39.89</td> <td>0.00</td> <td>100</td> <td>260</td> <td>AVERAGE</td> </tr> </tbody> </table> | Limit              | Read   | Ant    | Cable  | Preamp | Aux    | APos   | TPos   | Remark | Freq | Level   | Line | Margin | Level | Factor | Loss | Factor | Factor | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | dB | 1 | 5924.97 | 64.71 | 68.20 | -3.49  | 58.20 | 35.00 | 11.40 | 39.89 | 0.00 | 100 | 260 | AVERAGE |  <p>Level (dBuV/m)</p> <p>Frequency (MHz)</p> <p>Wifi 6E(AVG)</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5935.00</td> <td>80.24</td> <td>68.20</td> <td>12.04</td> <td>73.67</td> <td>35.03</td> <td>11.41</td> <td>39.87</td> <td>0.00</td> <td>100</td> <td>260</td> <td>AVERAGE</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line | Margin | Level | Factor | Loss | Factor | Factor | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | dB | 1 | 5935.00 | 80.24 | 68.20 | 12.04 | 73.67 | 35.03 | 11.41 | 39.87 | 0.00 | 100 | 260 | AVERAGE |
|             | Limit   | Read               | Ant    | Cable  | Preamp | Aux    | APos   | TPos   | Remark |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |       |       |      |     |     |         |
| Freq        | Level   | Line               | Margin | Level  | Factor | Loss   | Factor | Factor |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |       |       |      |     |     |         |
| MHz         | dBuV/m  | dBuV/m             | dB     | dBuV   | dB/m   | dB     | dB     | dB     |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |       |       |      |     |     |         |
| 1           | 5924.97   | 64.71              | 68.20  | -3.49  | 58.20  | 35.00  | 11.40  | 39.89  | 0.00   | 100    | 260  | AVERAGE |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |       |       |      |     |     |         |
| Limit       | Read  | Ant                | Cable  | Preamp | Aux    | APos   | TPos   | Remark |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |       |       |      |     |     |         |
| Freq        | Level   | Line               | Margin | Level  | Factor | Loss   | Factor | Factor |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |       |       |      |     |     |         |
| MHz         | dBuV/m  | dBuV/m             | dB     | dBuV   | dB/m   | dB     | dB     | dB     |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |       |       |      |     |     |         |
| 1           | 5935.00   | 80.24              | 68.20  | 12.04  | 73.67  | 35.03  | 11.41  | 39.87  | 0.00   | 100    | 260  | AVERAGE |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |       |       |      |     |     |         |







|             |  | <b>62</b>          |        |        |        |        |        |        |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |     |    |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |       |       |      |     |    |         |
|-------------|--|--------------------|--------|--------|--------|--------|--------|--------|--------|--------|------|---------|------|--------|-------|--------|------|--------|--------|-----|--------|--------|----|------|------|----|----|----|---|---------|-------|-------|--------|-------|-------|-------|-------|------|-----|----|---------|---|-------|------|-----|-------|--------|-----|------|------|--------|------|-------|------|--------|-------|--------|------|--------|--------|-----|--------|--------|----|------|------|----|----|----|---|---------|-------|-------|-------|-------|-------|-------|-------|------|-----|----|---------|
| <b>Mode</b> | <b>Band Edge - L</b>   |                    |        |        |        |        |        |        |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |     |    |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |       |       |      |     |    |         |
|             | <b>U-NII-5_5.925-6.425_802.11ax HE20_CH2_Full_5935MHz</b>  |                    |        |        |        |        |        |        |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |     |    |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |       |       |      |     |    |         |
| <b>ANT</b>  | <b>CDD 5+4</b>   |                    |        |        |        |        |        |        |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |     |    |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |       |       |      |     |    |         |
| <b>Pol.</b> | <b>Vertical</b>  | <b>Fundamental</b> |        |        |        |        |        |        |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |     |    |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |       |       |      |     |    |         |
| <b>Peak</b> |  <p>Level (dBuV/m)</p> <p>Frequency (MHz)</p> <p>WiFi 6E(Peak)</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5924.97</td> <td>69.64</td> <td>88.20</td> <td>-18.56</td> <td>63.13</td> <td>35.00</td> <td>11.40</td> <td>39.89</td> <td>0.00</td> <td>276</td> <td>83</td> <td>PEAK</td> </tr> </tbody> </table>   | Limit              | Read   | Ant    | Cable  | Preamp | Aux    | APos   | TPos   | Remark | Freq | Level   | Line | Margin | Level | Factor | Loss | Factor | Factor | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | dB | 1 | 5924.97 | 69.64 | 88.20 | -18.56 | 63.13 | 35.00 | 11.40 | 39.89 | 0.00 | 276 | 83 | PEAK    |  <p>Level (dBuV/m)</p> <p>Frequency (MHz)</p> <p>WiFi 6E(Peak)</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5935.00</td> <td>92.33</td> <td>88.20</td> <td>4.13</td> <td>85.70</td> <td>35.06</td> <td>11.42</td> <td>39.85</td> <td>0.00</td> <td>276</td> <td>83</td> <td>PEAK</td> </tr> </tbody> </table>     | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line | Margin | Level | Factor | Loss | Factor | Factor | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | dB | 1 | 5935.00 | 92.33 | 88.20 | 4.13  | 85.70 | 35.06 | 11.42 | 39.85 | 0.00 | 276 | 83 | PEAK    |
|             | Limit  | Read               | Ant    | Cable  | Preamp | Aux    | APos   | TPos   | Remark |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |     |    |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |       |       |      |     |    |         |
| Freq        | Level  | Line               | Margin | Level  | Factor | Loss   | Factor | Factor |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |     |    |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |       |       |      |     |    |         |
| MHz         | dBuV/m   | dBuV/m             | dB     | dBuV   | dB/m   | dB     | dB     | dB     |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |     |    |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |       |       |      |     |    |         |
| 1           | 5924.97  | 69.64              | 88.20  | -18.56 | 63.13  | 35.00  | 11.40  | 39.89  | 0.00   | 276    | 83   | PEAK    |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |     |    |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |       |       |      |     |    |         |
| Limit       | Read   | Ant                | Cable  | Preamp | Aux    | APos   | TPos   | Remark |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |     |    |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |       |       |      |     |    |         |
| Freq        | Level  | Line               | Margin | Level  | Factor | Loss   | Factor | Factor |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |     |    |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |       |       |      |     |    |         |
| MHz         | dBuV/m   | dBuV/m             | dB     | dBuV   | dB/m   | dB     | dB     | dB     |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |     |    |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |       |       |      |     |    |         |
| 1           | 5935.00  | 92.33              | 88.20  | 4.13   | 85.70  | 35.06  | 11.42  | 39.85  | 0.00   | 276    | 83   | PEAK    |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |     |    |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |       |       |      |     |    |         |
| <b>Avg</b>  |  <p>Level (dBuV/m)</p> <p>Frequency (MHz)</p> <p>WiFi 6E(AVG)</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5924.97</td> <td>59.63</td> <td>68.20</td> <td>-8.57</td> <td>53.12</td> <td>35.00</td> <td>11.40</td> <td>39.89</td> <td>0.00</td> <td>276</td> <td>83</td> <td>AVERAGE</td> </tr> </tbody> </table> | Limit              | Read   | Ant    | Cable  | Preamp | Aux    | APos   | TPos   | Remark | Freq | Level   | Line | Margin | Level | Factor | Loss | Factor | Factor | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | dB | 1 | 5924.97 | 59.63 | 68.20 | -8.57  | 53.12 | 35.00 | 11.40 | 39.89 | 0.00 | 276 | 83 | AVERAGE |  <p>Level (dBuV/m)</p> <p>Frequency (MHz)</p> <p>WiFi 6E(AVG)</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5935.00</td> <td>83.36</td> <td>68.20</td> <td>15.16</td> <td>76.73</td> <td>35.06</td> <td>11.42</td> <td>39.85</td> <td>0.00</td> <td>276</td> <td>83</td> <td>AVERAGE</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line | Margin | Level | Factor | Loss | Factor | Factor | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | dB | 1 | 5935.00 | 83.36 | 68.20 | 15.16 | 76.73 | 35.06 | 11.42 | 39.85 | 0.00 | 276 | 83 | AVERAGE |
|             | Limit  | Read               | Ant    | Cable  | Preamp | Aux    | APos   | TPos   | Remark |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |     |    |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |       |       |      |     |    |         |
| Freq        | Level  | Line               | Margin | Level  | Factor | Loss   | Factor | Factor |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |     |    |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |       |       |      |     |    |         |
| MHz         | dBuV/m   | dBuV/m             | dB     | dBuV   | dB/m   | dB     | dB     | dB     |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |     |    |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |       |       |      |     |    |         |
| 1           | 5924.97  | 59.63              | 68.20  | -8.57  | 53.12  | 35.00  | 11.40  | 39.89  | 0.00   | 276    | 83   | AVERAGE |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |     |    |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |       |       |      |     |    |         |
| Limit       | Read   | Ant                | Cable  | Preamp | Aux    | APos   | TPos   | Remark |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |     |    |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |       |       |      |     |    |         |
| Freq        | Level  | Line               | Margin | Level  | Factor | Loss   | Factor | Factor |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |     |    |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |       |       |      |     |    |         |
| MHz         | dBuV/m   | dBuV/m             | dB     | dBuV   | dB/m   | dB     | dB     | dB     |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |     |    |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |       |       |      |     |    |         |
| 1           | 5935.00  | 83.36              | 68.20  | 15.16  | 76.73  | 35.06  | 11.42  | 39.85  | 0.00   | 276    | 83   | AVERAGE |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |     |    |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |       |       |      |     |    |         |







|             | <b>62</b>  |                 |              |             |        |        |       |        |      |        |      |       |             |              |             |        |        |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |      |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |        |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |
|-------------|--|-----------------|--------------|-------------|--------|--------|-------|--------|------|--------|------|-------|-------------|--------------|-------------|--------|--------|--|--|-----|--------|--------|----|------|------|----|----|----|-----|------------|-------|-------|--------|-------|-------|-------|-------|------|-----|-----|------|--|-------|------|-----|-------|--------|-----|------|------|--------|------|-------|-------------|--------------|-------------|--------|--------|--|--|-----|--------|--------|----|------|------|----|----|----|-----|------------|-------|-------|--------|-------|-------|-------|-------|------|-----|-----|
| <b>Mode</b> | <b>Harmonic</b>  |                 |              |             |        |        |       |        |      |        |      |       |             |              |             |        |        |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |      |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |        |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |
|             | <b>U-NII-5_5.925-6.425_802.11ax HE20_CH2_Full_5935MHz</b>  |                 |              |             |        |        |       |        |      |        |      |       |             |              |             |        |        |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |      |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |        |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |
| <b>ANT</b>  | <b>CDD 5+4</b>   |                 |              |             |        |        |       |        |      |        |      |       |             |              |             |        |        |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |      |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |        |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |
| <b>Pol.</b> | <b>Horizontal</b>  | <b>Vertical</b> |              |             |        |        |       |        |      |        |      |       |             |              |             |        |        |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |      |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |        |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |
| <b>Peak</b> |  |                 |              |             |        |        |       |        |      |        |      |       |             |              |             |        |        |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |      |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |        |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |
|             | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11870.00</td> <td>44.46</td> <td>74.00</td> <td>-29.54</td> <td>55.66</td> <td>38.50</td> <td>16.60</td> <td>66.30</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table> | Limit           | Read         | Ant         | Cable  | Preamp | Aux   | APos   | TPos | Remark | Freq | Level | Line Margin | Level Factor | Loss Factor | Factor | Factor |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 11870.00 | 44.46 | 74.00 | -29.54 | 55.66 | 38.50 | 16.60 | 66.30 | 0.00 | --- | --- | PEAK | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11870.00</td> <td>45.08</td> <td>74.00</td> <td>-28.92</td> <td>56.28</td> <td>38.50</td> <td>16.60</td> <td>66.30</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line Margin | Level Factor | Loss Factor | Factor | Factor |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 11870.00 | 45.08 | 74.00 | -28.92 | 56.28 | 38.50 | 16.60 | 66.30 | 0.00 | --- | --- |
| Limit       | Read   | Ant             | Cable        | Preamp      | Aux    | APos   | TPos  | Remark |      |        |      |       |             |              |             |        |        |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |      |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |        |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |
| Freq        | Level  | Line Margin     | Level Factor | Loss Factor | Factor | Factor |       |        |      |        |      |       |             |              |             |        |        |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |      |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |        |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |
| MHz         | dBuV/m   | dBuV/m          | dB           | dBuV        | dB/m   | dB     | dB    | cm     | deg  |        |      |       |             |              |             |        |        |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |      |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |        |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |
| 1 11870.00  | 44.46  | 74.00           | -29.54       | 55.66       | 38.50  | 16.60  | 66.30 | 0.00   | ---  | ---    | PEAK |       |             |              |             |        |        |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |      |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |        |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |
| Limit       | Read   | Ant             | Cable        | Preamp      | Aux    | APos   | TPos  | Remark |      |        |      |       |             |              |             |        |        |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |      |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |        |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |
| Freq        | Level  | Line Margin     | Level Factor | Loss Factor | Factor | Factor |       |        |      |        |      |       |             |              |             |        |        |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |      |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |        |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |
| MHz         | dBuV/m   | dBuV/m          | dB           | dBuV        | dB/m   | dB     | dB    | cm     | deg  |        |      |       |             |              |             |        |        |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |      |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |        |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |
| 1 11870.00  | 45.08  | 74.00           | -28.92       | 56.28       | 38.50  | 16.60  | 66.30 | 0.00   | ---  | ---    | PEAK |       |             |              |             |        |        |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |      |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |        |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |
| <b>Avg</b>  |  |                 |              |             |        |        |       |        |      |        |      |       |             |              |             |        |        |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |      |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |        |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |
|             | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11870.00</td> <td>44.46</td> <td>74.00</td> <td>-29.54</td> <td>55.66</td> <td>38.50</td> <td>16.60</td> <td>66.30</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table> | Limit           | Read         | Ant         | Cable  | Preamp | Aux   | APos   | TPos | Remark | Freq | Level | Line Margin | Level Factor | Loss Factor | Factor | Factor |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 11870.00 | 44.46 | 74.00 | -29.54 | 55.66 | 38.50 | 16.60 | 66.30 | 0.00 | --- | --- | PEAK | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11870.00</td> <td>45.08</td> <td>74.00</td> <td>-28.92</td> <td>56.28</td> <td>38.50</td> <td>16.60</td> <td>66.30</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line Margin | Level Factor | Loss Factor | Factor | Factor |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 11870.00 | 45.08 | 74.00 | -28.92 | 56.28 | 38.50 | 16.60 | 66.30 | 0.00 | --- | --- |
| Limit       | Read   | Ant             | Cable        | Preamp      | Aux    | APos   | TPos  | Remark |      |        |      |       |             |              |             |        |        |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |      |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |        |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |
| Freq        | Level  | Line Margin     | Level Factor | Loss Factor | Factor | Factor |       |        |      |        |      |       |             |              |             |        |        |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |      |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |        |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |
| MHz         | dBuV/m   | dBuV/m          | dB           | dBuV        | dB/m   | dB     | dB    | cm     | deg  |        |      |       |             |              |             |        |        |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |      |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |        |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |
| 1 11870.00  | 44.46  | 74.00           | -29.54       | 55.66       | 38.50  | 16.60  | 66.30 | 0.00   | ---  | ---    | PEAK |       |             |              |             |        |        |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |      |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |        |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |
| Limit       | Read   | Ant             | Cable        | Preamp      | Aux    | APos   | TPos  | Remark |      |        |      |       |             |              |             |        |        |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |      |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |        |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |
| Freq        | Level  | Line Margin     | Level Factor | Loss Factor | Factor | Factor |       |        |      |        |      |       |             |              |             |        |        |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |      |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |        |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |
| MHz         | dBuV/m   | dBuV/m          | dB           | dBuV        | dB/m   | dB     | dB    | cm     | deg  |        |      |       |             |              |             |        |        |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |      |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |        |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |
| 1 11870.00  | 45.08  | 74.00           | -28.92       | 56.28       | 38.50  | 16.60  | 66.30 | 0.00   | ---  | ---    | PEAK |       |             |              |             |        |        |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |      |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |        |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |



|             | <b>63</b>   |                    |        |        |        |        |        |                 |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |           |       |       |        |       |       |       |       |      |  |  |  |  |  |  |  |  |                 |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |           |       |       |       |       |       |       |       |      |  |  |  |  |  |  |  |  |                 |
|-------------|---|--------------------|--------|--------|--------|--------|--------|-----------------|------|--------|------|-------|------|--------|-------|--------|------|--------|--------|-----|--------|--------|----|------|------|----|----|----|-----------|-------|-------|--------|-------|-------|-------|-------|------|--|--|--|--|--|--|--|--|-----------------|---|-------|------|-----|-------|--------|-----|------|------|--------|------|-------|------|--------|-------|--------|------|--------|--------|-----|--------|--------|----|------|------|----|----|----|-----------|-------|-------|-------|-------|-------|-------|-------|------|--|--|--|--|--|--|--|--|-----------------|
| <b>Mode</b> | <b>Band Edge</b>  |                    |        |        |        |        |        |                 |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |           |       |       |        |       |       |       |       |      |  |  |  |  |  |  |  |  |                 |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |           |       |       |       |       |       |       |       |      |  |  |  |  |  |  |  |  |                 |
|             | <b>U-NII-5_5.925-6.425_802.11ax HE20_CH2_RU26/0_5935MHz</b>   |                    |        |        |        |        |        |                 |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |           |       |       |        |       |       |       |       |      |  |  |  |  |  |  |  |  |                 |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |           |       |       |       |       |       |       |       |      |  |  |  |  |  |  |  |  |                 |
| <b>ANT</b>  | <b>CDD 5+4</b>  |                    |        |        |        |        |        |                 |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |           |       |       |        |       |       |       |       |      |  |  |  |  |  |  |  |  |                 |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |           |       |       |       |       |       |       |       |      |  |  |  |  |  |  |  |  |                 |
| <b>Pol.</b> | <b>Horizontal</b>   | <b>Fundamental</b> |        |        |        |        |        |                 |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |           |       |       |        |       |       |       |       |      |  |  |  |  |  |  |  |  |                 |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |           |       |       |       |       |       |       |       |      |  |  |  |  |  |  |  |  |                 |
| <b>Peak</b> |  <p>Level (dBuV/m) vs Frequency (MHz) plot for Horizontal polarization. The y-axis ranges from 0 to 130 dBuV/m, and the x-axis ranges from 5825 to 5955 MHz. A red horizontal line indicates the limit at approximately 81.3 dBuV/m. A blue line shows the measured signal with a peak labeled 'WiFi 6E(Peak)' at 5929 MHz.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5924.97</td> <td>74.30</td> <td>88.20</td> <td>-13.90</td> <td>67.79</td> <td>35.00</td> <td>11.40</td> <td>39.89</td> <td>0.00</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>102 286 PEAK</td> </tr> </tbody> </table>            | Limit              | Read   | Ant    | Cable  | Preamp | Aux    | APos            | TPos | Remark | Freq | Level | Line | Margin | Level | Factor | Loss | Factor | Factor | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | dB | 1 5924.97 | 74.30 | 88.20 | -13.90 | 67.79 | 35.00 | 11.40 | 39.89 | 0.00 |  |  |  |  |  |  |  |  | 102 286 PEAK    |  <p>Level (dBuV/m) vs Frequency (MHz) plot for Fundamental polarization. The y-axis ranges from 0 to 130 dBuV/m, and the x-axis ranges from 1000 to 10000 MHz. A red horizontal line indicates the limit at approximately 81.3 dBuV/m. A blue line shows the measured signal with a peak labeled 'WiFi 6E(Peak)' at 5935 MHz.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5935.00</td> <td>85.51</td> <td>88.20</td> <td>-2.69</td> <td>78.92</td> <td>35.04</td> <td>11.41</td> <td>39.86</td> <td>0.00</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>102 286 PEAK</td> </tr> </tbody> </table>            | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line | Margin | Level | Factor | Loss | Factor | Factor | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | dB | 1 5935.00 | 85.51 | 88.20 | -2.69 | 78.92 | 35.04 | 11.41 | 39.86 | 0.00 |  |  |  |  |  |  |  |  | 102 286 PEAK    |
| Limit       | Read  | Ant                | Cable  | Preamp | Aux    | APos   | TPos   | Remark          |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |           |       |       |        |       |       |       |       |      |  |  |  |  |  |  |  |  |                 |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |           |       |       |       |       |       |       |       |      |  |  |  |  |  |  |  |  |                 |
| Freq        | Level   | Line               | Margin | Level  | Factor | Loss   | Factor | Factor          |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |           |       |       |        |       |       |       |       |      |  |  |  |  |  |  |  |  |                 |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |           |       |       |       |       |       |       |       |      |  |  |  |  |  |  |  |  |                 |
| MHz         | dBuV/m  | dBuV/m             | dB     | dBuV   | dB/m   | dB     | dB     | dB              |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |           |       |       |        |       |       |       |       |      |  |  |  |  |  |  |  |  |                 |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |           |       |       |       |       |       |       |       |      |  |  |  |  |  |  |  |  |                 |
| 1 5924.97   | 74.30   | 88.20              | -13.90 | 67.79  | 35.00  | 11.40  | 39.89  | 0.00            |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |           |       |       |        |       |       |       |       |      |  |  |  |  |  |  |  |  |                 |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |           |       |       |       |       |       |       |       |      |  |  |  |  |  |  |  |  |                 |
|             |   |                    |        |        |        |        |        | 102 286 PEAK    |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |           |       |       |        |       |       |       |       |      |  |  |  |  |  |  |  |  |                 |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |           |       |       |       |       |       |       |       |      |  |  |  |  |  |  |  |  |                 |
| Limit       | Read  | Ant                | Cable  | Preamp | Aux    | APos   | TPos   | Remark          |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |           |       |       |        |       |       |       |       |      |  |  |  |  |  |  |  |  |                 |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |           |       |       |       |       |       |       |       |      |  |  |  |  |  |  |  |  |                 |
| Freq        | Level   | Line               | Margin | Level  | Factor | Loss   | Factor | Factor          |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |           |       |       |        |       |       |       |       |      |  |  |  |  |  |  |  |  |                 |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |           |       |       |       |       |       |       |       |      |  |  |  |  |  |  |  |  |                 |
| MHz         | dBuV/m  | dBuV/m             | dB     | dBuV   | dB/m   | dB     | dB     | dB              |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |           |       |       |        |       |       |       |       |      |  |  |  |  |  |  |  |  |                 |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |           |       |       |       |       |       |       |       |      |  |  |  |  |  |  |  |  |                 |
| 1 5935.00   | 85.51   | 88.20              | -2.69  | 78.92  | 35.04  | 11.41  | 39.86  | 0.00            |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |           |       |       |        |       |       |       |       |      |  |  |  |  |  |  |  |  |                 |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |           |       |       |       |       |       |       |       |      |  |  |  |  |  |  |  |  |                 |
|             |   |                    |        |        |        |        |        | 102 286 PEAK    |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |           |       |       |        |       |       |       |       |      |  |  |  |  |  |  |  |  |                 |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |           |       |       |       |       |       |       |       |      |  |  |  |  |  |  |  |  |                 |
| <b>Avg</b>  |  <p>Level (dBuV/m) vs Frequency (MHz) plot for Horizontal polarization. The y-axis ranges from 0 to 130 dBuV/m, and the x-axis ranges from 5825 to 5955 MHz. A red horizontal line indicates the limit at approximately 65.0 dBuV/m. A blue line shows the measured signal with an average peak labeled 'WiFi 6E(AVG)' at 5929 MHz.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5924.97</td> <td>64.32</td> <td>68.20</td> <td>-3.88</td> <td>57.81</td> <td>35.00</td> <td>11.40</td> <td>39.89</td> <td>0.00</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>102 286 AVERAGE</td> </tr> </tbody> </table> | Limit              | Read   | Ant    | Cable  | Preamp | Aux    | APos            | TPos | Remark | Freq | Level | Line | Margin | Level | Factor | Loss | Factor | Factor | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | dB | 1 5924.97 | 64.32 | 68.20 | -3.88  | 57.81 | 35.00 | 11.40 | 39.89 | 0.00 |  |  |  |  |  |  |  |  | 102 286 AVERAGE |  <p>Level (dBuV/m) vs Frequency (MHz) plot for Fundamental polarization. The y-axis ranges from 0 to 130 dBuV/m, and the x-axis ranges from 1000 to 10000 MHz. A red horizontal line indicates the limit at approximately 65.0 dBuV/m. A blue line shows the measured signal with an average peak labeled 'WiFi 6E(AVG)' at 5935 MHz.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5935.00</td> <td>75.64</td> <td>68.20</td> <td>7.44</td> <td>69.05</td> <td>35.04</td> <td>11.41</td> <td>39.86</td> <td>0.00</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>102 286 AVERAGE</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line | Margin | Level | Factor | Loss | Factor | Factor | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | dB | 1 5935.00 | 75.64 | 68.20 | 7.44  | 69.05 | 35.04 | 11.41 | 39.86 | 0.00 |  |  |  |  |  |  |  |  | 102 286 AVERAGE |
| Limit       | Read  | Ant                | Cable  | Preamp | Aux    | APos   | TPos   | Remark          |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |           |       |       |        |       |       |       |       |      |  |  |  |  |  |  |  |  |                 |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |           |       |       |       |       |       |       |       |      |  |  |  |  |  |  |  |  |                 |
| Freq        | Level   | Line               | Margin | Level  | Factor | Loss   | Factor | Factor          |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |           |       |       |        |       |       |       |       |      |  |  |  |  |  |  |  |  |                 |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |           |       |       |       |       |       |       |       |      |  |  |  |  |  |  |  |  |                 |
| MHz         | dBuV/m  | dBuV/m             | dB     | dBuV   | dB/m   | dB     | dB     | dB              |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |           |       |       |        |       |       |       |       |      |  |  |  |  |  |  |  |  |                 |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |           |       |       |       |       |       |       |       |      |  |  |  |  |  |  |  |  |                 |
| 1 5924.97   | 64.32   | 68.20              | -3.88  | 57.81  | 35.00  | 11.40  | 39.89  | 0.00            |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |           |       |       |        |       |       |       |       |      |  |  |  |  |  |  |  |  |                 |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |           |       |       |       |       |       |       |       |      |  |  |  |  |  |  |  |  |                 |
|             |   |                    |        |        |        |        |        | 102 286 AVERAGE |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |           |       |       |        |       |       |       |       |      |  |  |  |  |  |  |  |  |                 |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |           |       |       |       |       |       |       |       |      |  |  |  |  |  |  |  |  |                 |
| Limit       | Read  | Ant                | Cable  | Preamp | Aux    | APos   | TPos   | Remark          |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |           |       |       |        |       |       |       |       |      |  |  |  |  |  |  |  |  |                 |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |           |       |       |       |       |       |       |       |      |  |  |  |  |  |  |  |  |                 |
| Freq        | Level   | Line               | Margin | Level  | Factor | Loss   | Factor | Factor          |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |           |       |       |        |       |       |       |       |      |  |  |  |  |  |  |  |  |                 |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |           |       |       |       |       |       |       |       |      |  |  |  |  |  |  |  |  |                 |
| MHz         | dBuV/m  | dBuV/m             | dB     | dBuV   | dB/m   | dB     | dB     | dB              |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |           |       |       |        |       |       |       |       |      |  |  |  |  |  |  |  |  |                 |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |           |       |       |       |       |       |       |       |      |  |  |  |  |  |  |  |  |                 |
| 1 5935.00   | 75.64   | 68.20              | 7.44   | 69.05  | 35.04  | 11.41  | 39.86  | 0.00            |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |           |       |       |        |       |       |       |       |      |  |  |  |  |  |  |  |  |                 |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |           |       |       |       |       |       |       |       |      |  |  |  |  |  |  |  |  |                 |
|             |   |                    |        |        |        |        |        | 102 286 AVERAGE |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |           |       |       |        |       |       |       |       |      |  |  |  |  |  |  |  |  |                 |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |           |       |       |       |       |       |       |       |      |  |  |  |  |  |  |  |  |                 |







|             | <b>63</b>   |                    |        |        |        |        |        |                |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |           |       |       |        |       |       |       |       |      |  |  |  |  |  |  |  |  |                |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |           |       |       |       |       |       |       |       |      |  |  |  |  |  |  |  |  |                |
|-------------|---|--------------------|--------|--------|--------|--------|--------|----------------|------|--------|------|-------|------|--------|-------|--------|------|--------|--------|-----|--------|--------|----|------|------|----|----|----|-----------|-------|-------|--------|-------|-------|-------|-------|------|--|--|--|--|--|--|--|--|----------------|---|-------|------|-----|-------|--------|-----|------|------|--------|------|-------|------|--------|-------|--------|------|--------|--------|-----|--------|--------|----|------|------|----|----|----|-----------|-------|-------|-------|-------|-------|-------|-------|------|--|--|--|--|--|--|--|--|----------------|
| <b>Mode</b> | <b>Band Edge</b>  |                    |        |        |        |        |        |                |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |           |       |       |        |       |       |       |       |      |  |  |  |  |  |  |  |  |                |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |           |       |       |       |       |       |       |       |      |  |  |  |  |  |  |  |  |                |
|             | <b>U-NII-5_5.925-6.425_802.11ax HE20_CH2_RU26/0_5935MHz</b>   |                    |        |        |        |        |        |                |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |           |       |       |        |       |       |       |       |      |  |  |  |  |  |  |  |  |                |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |           |       |       |       |       |       |       |       |      |  |  |  |  |  |  |  |  |                |
| <b>ANT</b>  | <b>CDD 5+4</b>  |                    |        |        |        |        |        |                |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |           |       |       |        |       |       |       |       |      |  |  |  |  |  |  |  |  |                |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |           |       |       |       |       |       |       |       |      |  |  |  |  |  |  |  |  |                |
| <b>Pol.</b> | <b>Vertical</b>   | <b>Fundamental</b> |        |        |        |        |        |                |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |           |       |       |        |       |       |       |       |      |  |  |  |  |  |  |  |  |                |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |           |       |       |       |       |       |       |       |      |  |  |  |  |  |  |  |  |                |
| <b>Peak</b> |  <p>Level (dBuV/m) vs Frequency (MHz) plot for Vertical polarization. The plot shows a peak at 5929 MHz. A red horizontal line indicates the limit at approximately 81.3 dBuV/m. The measured peak is labeled 'Wifi 6E(Peak)'.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5924.97</td> <td>75.48</td> <td>88.20</td> <td>-12.72</td> <td>68.97</td> <td>35.00</td> <td>11.40</td> <td>39.89</td> <td>0.00</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>290 73 PEAK</td> </tr> </tbody> </table>                    | Limit              | Read   | Ant    | Cable  | Preamp | Aux    | APos           | TPos | Remark | Freq | Level | Line | Margin | Level | Factor | Loss | Factor | Factor | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | dB | 1 5924.97 | 75.48 | 88.20 | -12.72 | 68.97 | 35.00 | 11.40 | 39.89 | 0.00 |  |  |  |  |  |  |  |  | 290 73 PEAK    |  <p>Level (dBuV/m) vs Frequency (MHz) plot for Fundamental polarization. The plot shows a peak at 5935 MHz. A red horizontal line indicates the limit at approximately 81.3 dBuV/m. The measured peak is labeled 'Wifi 6E(Peak)'.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5935.00</td> <td>86.96</td> <td>88.20</td> <td>-1.24</td> <td>80.46</td> <td>34.99</td> <td>11.40</td> <td>39.89</td> <td>0.00</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>290 73 PEAK</td> </tr> </tbody> </table>                     | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line | Margin | Level | Factor | Loss | Factor | Factor | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | dB | 1 5935.00 | 86.96 | 88.20 | -1.24 | 80.46 | 34.99 | 11.40 | 39.89 | 0.00 |  |  |  |  |  |  |  |  | 290 73 PEAK    |
| Limit       | Read  | Ant                | Cable  | Preamp | Aux    | APos   | TPos   | Remark         |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |           |       |       |        |       |       |       |       |      |  |  |  |  |  |  |  |  |                |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |           |       |       |       |       |       |       |       |      |  |  |  |  |  |  |  |  |                |
| Freq        | Level   | Line               | Margin | Level  | Factor | Loss   | Factor | Factor         |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |           |       |       |        |       |       |       |       |      |  |  |  |  |  |  |  |  |                |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |           |       |       |       |       |       |       |       |      |  |  |  |  |  |  |  |  |                |
| MHz         | dBuV/m  | dBuV/m             | dB     | dBuV   | dB/m   | dB     | dB     | dB             |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |           |       |       |        |       |       |       |       |      |  |  |  |  |  |  |  |  |                |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |           |       |       |       |       |       |       |       |      |  |  |  |  |  |  |  |  |                |
| 1 5924.97   | 75.48   | 88.20              | -12.72 | 68.97  | 35.00  | 11.40  | 39.89  | 0.00           |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |           |       |       |        |       |       |       |       |      |  |  |  |  |  |  |  |  |                |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |           |       |       |       |       |       |       |       |      |  |  |  |  |  |  |  |  |                |
|             |   |                    |        |        |        |        |        | 290 73 PEAK    |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |           |       |       |        |       |       |       |       |      |  |  |  |  |  |  |  |  |                |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |           |       |       |       |       |       |       |       |      |  |  |  |  |  |  |  |  |                |
| Limit       | Read  | Ant                | Cable  | Preamp | Aux    | APos   | TPos   | Remark         |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |           |       |       |        |       |       |       |       |      |  |  |  |  |  |  |  |  |                |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |           |       |       |       |       |       |       |       |      |  |  |  |  |  |  |  |  |                |
| Freq        | Level   | Line               | Margin | Level  | Factor | Loss   | Factor | Factor         |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |           |       |       |        |       |       |       |       |      |  |  |  |  |  |  |  |  |                |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |           |       |       |       |       |       |       |       |      |  |  |  |  |  |  |  |  |                |
| MHz         | dBuV/m  | dBuV/m             | dB     | dBuV   | dB/m   | dB     | dB     | dB             |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |           |       |       |        |       |       |       |       |      |  |  |  |  |  |  |  |  |                |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |           |       |       |       |       |       |       |       |      |  |  |  |  |  |  |  |  |                |
| 1 5935.00   | 86.96   | 88.20              | -1.24  | 80.46  | 34.99  | 11.40  | 39.89  | 0.00           |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |           |       |       |        |       |       |       |       |      |  |  |  |  |  |  |  |  |                |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |           |       |       |       |       |       |       |       |      |  |  |  |  |  |  |  |  |                |
|             |   |                    |        |        |        |        |        | 290 73 PEAK    |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |           |       |       |        |       |       |       |       |      |  |  |  |  |  |  |  |  |                |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |           |       |       |       |       |       |       |       |      |  |  |  |  |  |  |  |  |                |
| <b>Avg</b>  |  <p>Level (dBuV/m) vs Frequency (MHz) plot for Vertical polarization. The plot shows an average peak at 5929 MHz. A red horizontal line indicates the limit at approximately 65.0 dBuV/m. The measured average peak is labeled 'Wifi-6E(AVG)'.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5924.97</td> <td>64.65</td> <td>68.20</td> <td>-3.55</td> <td>58.14</td> <td>35.00</td> <td>11.40</td> <td>39.89</td> <td>0.00</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>290 73 AVERAGE</td> </tr> </tbody> </table> | Limit              | Read   | Ant    | Cable  | Preamp | Aux    | APos           | TPos | Remark | Freq | Level | Line | Margin | Level | Factor | Loss | Factor | Factor | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | dB | 1 5924.97 | 64.65 | 68.20 | -3.55  | 58.14 | 35.00 | 11.40 | 39.89 | 0.00 |  |  |  |  |  |  |  |  | 290 73 AVERAGE |  <p>Level (dBuV/m) vs Frequency (MHz) plot for Fundamental polarization. The plot shows an average peak at 5935 MHz. A red horizontal line indicates the limit at approximately 65.0 dBuV/m. The measured average peak is labeled 'Wifi-6E(AVG)'.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5935.00</td> <td>78.24</td> <td>68.20</td> <td>10.04</td> <td>71.74</td> <td>34.99</td> <td>11.40</td> <td>39.89</td> <td>0.00</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>290 73 AVERAGE</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line | Margin | Level | Factor | Loss | Factor | Factor | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | dB | 1 5935.00 | 78.24 | 68.20 | 10.04 | 71.74 | 34.99 | 11.40 | 39.89 | 0.00 |  |  |  |  |  |  |  |  | 290 73 AVERAGE |
| Limit       | Read  | Ant                | Cable  | Preamp | Aux    | APos   | TPos   | Remark         |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |           |       |       |        |       |       |       |       |      |  |  |  |  |  |  |  |  |                |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |           |       |       |       |       |       |       |       |      |  |  |  |  |  |  |  |  |                |
| Freq        | Level   | Line               | Margin | Level  | Factor | Loss   | Factor | Factor         |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |           |       |       |        |       |       |       |       |      |  |  |  |  |  |  |  |  |                |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |           |       |       |       |       |       |       |       |      |  |  |  |  |  |  |  |  |                |
| MHz         | dBuV/m  | dBuV/m             | dB     | dBuV   | dB/m   | dB     | dB     | dB             |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |           |       |       |        |       |       |       |       |      |  |  |  |  |  |  |  |  |                |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |           |       |       |       |       |       |       |       |      |  |  |  |  |  |  |  |  |                |
| 1 5924.97   | 64.65   | 68.20              | -3.55  | 58.14  | 35.00  | 11.40  | 39.89  | 0.00           |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |           |       |       |        |       |       |       |       |      |  |  |  |  |  |  |  |  |                |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |           |       |       |       |       |       |       |       |      |  |  |  |  |  |  |  |  |                |
|             |   |                    |        |        |        |        |        | 290 73 AVERAGE |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |           |       |       |        |       |       |       |       |      |  |  |  |  |  |  |  |  |                |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |           |       |       |       |       |       |       |       |      |  |  |  |  |  |  |  |  |                |
| Limit       | Read  | Ant                | Cable  | Preamp | Aux    | APos   | TPos   | Remark         |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |           |       |       |        |       |       |       |       |      |  |  |  |  |  |  |  |  |                |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |           |       |       |       |       |       |       |       |      |  |  |  |  |  |  |  |  |                |
| Freq        | Level   | Line               | Margin | Level  | Factor | Loss   | Factor | Factor         |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |           |       |       |        |       |       |       |       |      |  |  |  |  |  |  |  |  |                |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |           |       |       |       |       |       |       |       |      |  |  |  |  |  |  |  |  |                |
| MHz         | dBuV/m  | dBuV/m             | dB     | dBuV   | dB/m   | dB     | dB     | dB             |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |           |       |       |        |       |       |       |       |      |  |  |  |  |  |  |  |  |                |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |           |       |       |       |       |       |       |       |      |  |  |  |  |  |  |  |  |                |
| 1 5935.00   | 78.24   | 68.20              | 10.04  | 71.74  | 34.99  | 11.40  | 39.89  | 0.00           |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |           |       |       |        |       |       |       |       |      |  |  |  |  |  |  |  |  |                |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |           |       |       |       |       |       |       |       |      |  |  |  |  |  |  |  |  |                |
|             |   |                    |        |        |        |        |        | 290 73 AVERAGE |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |           |       |       |        |       |       |       |       |      |  |  |  |  |  |  |  |  |                |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |           |       |       |       |       |       |       |       |      |  |  |  |  |  |  |  |  |                |







| Mode        | 63   |             |              |             |        |        |       |        |        |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |      |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |      |
|-------------|--|-------------|--------------|-------------|--------|--------|-------|--------|--------|--------|------|-------|-------------|--------------|-------------|--------|--|--|--|-----|--------|--------|----|------|------|----|----|----|-----|------------|-------|-------|--------|-------|-------|-------|-------|------|-----|-----|------|--|-------|------|-----|-------|--------|-----|------|------|--------|------|-------|-------------|--------------|-------------|--------|--|--|--|-----|--------|--------|----|------|------|----|----|----|-----|------------|-------|-------|--------|-------|-------|-------|-------|------|-----|-----|------|
|             | Harmonic   |             |              |             |        |        |       |        |        |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |      |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |      |
|             | U-NII-5_5.925-6.425_802.11ax HE20_CH2_RU26/0_5935MHz   |             |              |             |        |        |       |        |        |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |      |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |      |
| ANT         | CDD 5+4  |             |              |             |        |        |       |        |        |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |      |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |      |
| Pol.        | Horizontal   | Vertical    |              |             |        |        |       |        |        |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |      |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |      |
| Peak<br>Avg | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11870.00</td> <td>45.11</td> <td>74.00</td> <td>-28.89</td> <td>56.31</td> <td>38.50</td> <td>16.60</td> <td>66.30</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table> | Limit       | Read         | Ant         | Cable  | Preamp | Aux   | APos   | TPos   | Remark | Freq | Level | Line Margin | Level Factor | Loss Factor | Factor |  |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 11870.00 | 45.11 | 74.00 | -28.89 | 56.31 | 38.50 | 16.60 | 66.30 | 0.00 | --- | --- | PEAK | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11870.00</td> <td>44.74</td> <td>74.00</td> <td>-29.26</td> <td>55.94</td> <td>38.50</td> <td>16.60</td> <td>66.30</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line Margin | Level Factor | Loss Factor | Factor |  |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 11870.00 | 44.74 | 74.00 | -29.26 | 55.94 | 38.50 | 16.60 | 66.30 | 0.00 | --- | --- | PEAK |
|             | Limit  | Read        | Ant          | Cable       | Preamp | Aux    | APos  | TPos   | Remark |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |      |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |      |
| Freq        | Level  | Line Margin | Level Factor | Loss Factor | Factor |        |       |        |        |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |      |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |      |
| MHz         | dBuV/m   | dBuV/m      | dB           | dBuV        | dB/m   | dB     | dB    | cm     | deg    |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |      |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |      |
| 1 11870.00  | 45.11  | 74.00       | -28.89       | 56.31       | 38.50  | 16.60  | 66.30 | 0.00   | ---    | ---    | PEAK |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |      |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |      |
| Limit       | Read   | Ant         | Cable        | Preamp      | Aux    | APos   | TPos  | Remark |        |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |      |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |      |
| Freq        | Level  | Line Margin | Level Factor | Loss Factor | Factor |        |       |        |        |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |      |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |      |
| MHz         | dBuV/m   | dBuV/m      | dB           | dBuV        | dB/m   | dB     | dB    | cm     | deg    |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |      |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |      |
| 1 11870.00  | 44.74  | 74.00       | -29.26       | 55.94       | 38.50  | 16.60  | 66.30 | 0.00   | ---    | ---    | PEAK |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |      |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |      |
|             |  |             |              |             |        |        |       |        |        |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |      |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |      |





|             |   | <b>64</b>          |              |             |        |        |       |        |        |        |         |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |       |       |       |       |       |      |     |     |         |
|-------------|---|--------------------|--------------|-------------|--------|--------|-------|--------|--------|--------|---------|-------|-------------|--------------|-------------|--------|--|--|--|-----|--------|--------|----|------|------|----|----|----|-----|-----------|-------|-------|--------|-------|-------|-------|-------|------|-----|-----|---------|---|-------|------|-----|-------|--------|-----|------|------|--------|------|-------|-------------|--------------|-------------|--------|--|--|--|-----|--------|--------|----|------|------|----|----|----|-----|-----------|-------|-------|-------|-------|-------|-------|-------|------|-----|-----|---------|
| <b>Mode</b> | <b>Band Edge</b>  |                    |              |             |        |        |       |        |        |        |         |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |       |       |       |       |       |      |     |     |         |
|             | <b>U-NII-5_5.925-6.425_802.11ax HE20_CH2_RU52/37_5935MHz</b>  |                    |              |             |        |        |       |        |        |        |         |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |       |       |       |       |       |      |     |     |         |
| <b>ANT</b>  | <b>CDD 5+4</b>  |                    |              |             |        |        |       |        |        |        |         |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |       |       |       |       |       |      |     |     |         |
| <b>Pol.</b> | <b>Horizontal</b>   | <b>Fundamental</b> |              |             |        |        |       |        |        |        |         |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |       |       |       |       |       |      |     |     |         |
| <b>Peak</b> |  <p>Level (dBuV/m) vs Frequency (MHz) plot for Horizontal polarization. The y-axis ranges from 0 to 130 dBuV/m, and the x-axis ranges from 5825 to 5955 MHz. A red horizontal line indicates the limit at approximately 81.3 dBuV/m. A blue trace shows the signal, with a peak labeled 'Wifi 6E(Peak)' at 5929 MHz.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5924.97</td> <td>67.82</td> <td>88.20</td> <td>-20.38</td> <td>61.31</td> <td>35.00</td> <td>11.40</td> <td>39.89</td> <td>0.00</td> <td>100</td> <td>277</td> <td>PEAK</td> </tr> </tbody> </table>    | Limit              | Read         | Ant         | Cable  | Preamp | Aux   | APos   | TPos   | Remark | Freq    | Level | Line Margin | Level Factor | Loss Factor | Factor |  |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 5924.97 | 67.82 | 88.20 | -20.38 | 61.31 | 35.00 | 11.40 | 39.89 | 0.00 | 100 | 277 | PEAK    |  <p>Level (dBuV/m) vs Frequency (MHz) plot for Fundamental polarization. The y-axis ranges from 0 to 130 dBuV/m, and the x-axis ranges from 1000 to 10000 MHz. A red horizontal line indicates the limit at approximately 81.3 dBuV/m. A blue trace shows the signal, with a peak labeled 'Wifi 6E(Peak)' at 5935 MHz.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5935.00</td> <td>85.96</td> <td>-----</td> <td>-----</td> <td>79.39</td> <td>35.03</td> <td>11.41</td> <td>39.87</td> <td>0.00</td> <td>100</td> <td>277</td> <td>PEAK</td> </tr> </tbody> </table>    | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line Margin | Level Factor | Loss Factor | Factor |  |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 5935.00 | 85.96 | ----- | ----- | 79.39 | 35.03 | 11.41 | 39.87 | 0.00 | 100 | 277 | PEAK    |
|             | Limit   | Read               | Ant          | Cable       | Preamp | Aux    | APos  | TPos   | Remark |        |         |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |       |       |       |       |       |      |     |     |         |
| Freq        | Level   | Line Margin        | Level Factor | Loss Factor | Factor |        |       |        |        |        |         |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |       |       |       |       |       |      |     |     |         |
| MHz         | dBuV/m  | dBuV/m             | dB           | dBuV        | dB/m   | dB     | dB    | cm     | deg    |        |         |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |       |       |       |       |       |      |     |     |         |
| 1 5924.97   | 67.82   | 88.20              | -20.38       | 61.31       | 35.00  | 11.40  | 39.89 | 0.00   | 100    | 277    | PEAK    |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |       |       |       |       |       |      |     |     |         |
| Limit       | Read  | Ant                | Cable        | Preamp      | Aux    | APos   | TPos  | Remark |        |        |         |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |       |       |       |       |       |      |     |     |         |
| Freq        | Level   | Line Margin        | Level Factor | Loss Factor | Factor |        |       |        |        |        |         |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |       |       |       |       |       |      |     |     |         |
| MHz         | dBuV/m  | dBuV/m             | dB           | dBuV        | dB/m   | dB     | dB    | cm     | deg    |        |         |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |       |       |       |       |       |      |     |     |         |
| 1 5935.00   | 85.96   | -----              | -----        | 79.39       | 35.03  | 11.41  | 39.87 | 0.00   | 100    | 277    | PEAK    |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |       |       |       |       |       |      |     |     |         |
| <b>Avg</b>  |  <p>Level (dBuV/m) vs Frequency (MHz) plot for Horizontal polarization. The y-axis ranges from 0 to 130 dBuV/m, and the x-axis ranges from 5825 to 5955 MHz. A red horizontal line indicates the limit at approximately 65.0 dBuV/m. A blue trace shows the signal, with a peak labeled 'Wifi 6E(AVG)' at 5929 MHz.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5924.97</td> <td>57.36</td> <td>68.20</td> <td>-10.84</td> <td>50.85</td> <td>35.00</td> <td>11.40</td> <td>39.89</td> <td>0.00</td> <td>100</td> <td>277</td> <td>AVERAGE</td> </tr> </tbody> </table> | Limit              | Read         | Ant         | Cable  | Preamp | Aux   | APos   | TPos   | Remark | Freq    | Level | Line Margin | Level Factor | Loss Factor | Factor |  |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 5924.97 | 57.36 | 68.20 | -10.84 | 50.85 | 35.00 | 11.40 | 39.89 | 0.00 | 100 | 277 | AVERAGE |  <p>Level (dBuV/m) vs Frequency (MHz) plot for Fundamental polarization. The y-axis ranges from 0 to 130 dBuV/m, and the x-axis ranges from 1000 to 10000 MHz. A red horizontal line indicates the limit at approximately 65.0 dBuV/m. A blue trace shows the signal, with a peak labeled 'Wifi 6E(AVG)' at 5935 MHz.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5935.00</td> <td>77.58</td> <td>-----</td> <td>-----</td> <td>71.01</td> <td>35.03</td> <td>11.41</td> <td>39.87</td> <td>0.00</td> <td>100</td> <td>277</td> <td>AVERAGE</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line Margin | Level Factor | Loss Factor | Factor |  |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 5935.00 | 77.58 | ----- | ----- | 71.01 | 35.03 | 11.41 | 39.87 | 0.00 | 100 | 277 | AVERAGE |
|             | Limit   | Read               | Ant          | Cable       | Preamp | Aux    | APos  | TPos   | Remark |        |         |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |       |       |       |       |       |      |     |     |         |
| Freq        | Level   | Line Margin        | Level Factor | Loss Factor | Factor |        |       |        |        |        |         |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |       |       |       |       |       |      |     |     |         |
| MHz         | dBuV/m  | dBuV/m             | dB           | dBuV        | dB/m   | dB     | dB    | cm     | deg    |        |         |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |       |       |       |       |       |      |     |     |         |
| 1 5924.97   | 57.36   | 68.20              | -10.84       | 50.85       | 35.00  | 11.40  | 39.89 | 0.00   | 100    | 277    | AVERAGE |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |       |       |       |       |       |      |     |     |         |
| Limit       | Read  | Ant                | Cable        | Preamp      | Aux    | APos   | TPos  | Remark |        |        |         |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |       |       |       |       |       |      |     |     |         |
| Freq        | Level   | Line Margin        | Level Factor | Loss Factor | Factor |        |       |        |        |        |         |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |       |       |       |       |       |      |     |     |         |
| MHz         | dBuV/m  | dBuV/m             | dB           | dBuV        | dB/m   | dB     | dB    | cm     | deg    |        |         |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |       |       |       |       |       |      |     |     |         |
| 1 5935.00   | 77.58   | -----              | -----        | 71.01       | 35.03  | 11.41  | 39.87 | 0.00   | 100    | 277    | AVERAGE |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |       |       |       |       |       |      |     |     |         |



|             | <b>64</b>  |                    |              |             |        |        |       |        |                |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |        |       |       |       |       |      |                |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |       |       |       |       |       |      |                |
|-------------|--|--------------------|--------------|-------------|--------|--------|-------|--------|----------------|--------|------|-------|-------------|--------------|-------------|--------|--|--|--|-----|--------|--------|----|------|------|----|----|----|-----|-----------|-------|-------|--------|-------|-------|-------|-------|------|----------------|--|-------|------|-----|-------|--------|-----|------|------|--------|------|-------|-------------|--------------|-------------|--------|--|--|--|-----|--------|--------|----|------|------|----|----|----|-----|-----------|-------|-------|-------|-------|-------|-------|-------|------|----------------|
| <b>Mode</b> | <b>Band Edge</b>   |                    |              |             |        |        |       |        |                |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |        |       |       |       |       |      |                |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |       |       |       |       |       |      |                |
|             | <b>U-NII-5_5.925-6.425_802.11ax HE20_CH2_RU52/37_5935MHz</b>   |                    |              |             |        |        |       |        |                |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |        |       |       |       |       |      |                |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |       |       |       |       |       |      |                |
| <b>ANT</b>  | <b>CDD 5+4</b>   |                    |              |             |        |        |       |        |                |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |        |       |       |       |       |      |                |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |       |       |       |       |       |      |                |
| <b>Pol.</b> | <b>Vertical</b>  | <b>Fundamental</b> |              |             |        |        |       |        |                |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |        |       |       |       |       |      |                |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |       |       |       |       |       |      |                |
| <b>Peak</b> |  <p>Level (dBuV/m) vs Frequency (MHz) plot for Vertical polarization. Shows a peak at 5929 MHz labeled 'Wifi 6E(Peak)'.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5924.97</td> <td>73.57</td> <td>88.20</td> <td>-14.63</td> <td>67.06</td> <td>35.00</td> <td>11.40</td> <td>39.89</td> <td>0.00</td> <td>305 78 PEAK</td> </tr> </tbody> </table>               | Limit              | Read         | Ant         | Cable  | Preamp | Aux   | APos   | TPos           | Remark | Freq | Level | Line Margin | Level Factor | Loss Factor | Factor |  |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 5924.97 | 73.57 | 88.20 | -14.63 | 67.06 | 35.00 | 11.40 | 39.89 | 0.00 | 305 78 PEAK    |  <p>Level (dBuV/m) vs Frequency (MHz) plot for Fundamental polarization. Shows a peak at 5935 MHz labeled 'Wifi 6E(Peak)'.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5935.00</td> <td>89.78</td> <td>-----</td> <td>-----</td> <td>83.21</td> <td>35.03</td> <td>11.41</td> <td>39.87</td> <td>0.00</td> <td>305 78 PEAK</td> </tr> </tbody> </table>                | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line Margin | Level Factor | Loss Factor | Factor |  |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 5935.00 | 89.78 | ----- | ----- | 83.21 | 35.03 | 11.41 | 39.87 | 0.00 | 305 78 PEAK    |
| Limit       | Read   | Ant                | Cable        | Preamp      | Aux    | APos   | TPos  | Remark |                |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |        |       |       |       |       |      |                |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |       |       |       |       |       |      |                |
| Freq        | Level  | Line Margin        | Level Factor | Loss Factor | Factor |        |       |        |                |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |        |       |       |       |       |      |                |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |       |       |       |       |       |      |                |
| MHz         | dBuV/m   | dBuV/m             | dB           | dBuV        | dB/m   | dB     | dB    | cm     | deg            |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |        |       |       |       |       |      |                |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |       |       |       |       |       |      |                |
| 1 5924.97   | 73.57  | 88.20              | -14.63       | 67.06       | 35.00  | 11.40  | 39.89 | 0.00   | 305 78 PEAK    |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |        |       |       |       |       |      |                |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |       |       |       |       |       |      |                |
| Limit       | Read   | Ant                | Cable        | Preamp      | Aux    | APos   | TPos  | Remark |                |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |        |       |       |       |       |      |                |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |       |       |       |       |       |      |                |
| Freq        | Level  | Line Margin        | Level Factor | Loss Factor | Factor |        |       |        |                |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |        |       |       |       |       |      |                |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |       |       |       |       |       |      |                |
| MHz         | dBuV/m   | dBuV/m             | dB           | dBuV        | dB/m   | dB     | dB    | cm     | deg            |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |        |       |       |       |       |      |                |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |       |       |       |       |       |      |                |
| 1 5935.00   | 89.78  | -----              | -----        | 83.21       | 35.03  | 11.41  | 39.87 | 0.00   | 305 78 PEAK    |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |        |       |       |       |       |      |                |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |       |       |       |       |       |      |                |
| <b>Avg</b>  |  <p>Level (dBuV/m) vs Frequency (MHz) plot for Vertical polarization. Shows an average peak at 5924.97 MHz labeled 'WIFI-6E(AVG)'.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5924.97</td> <td>64.60</td> <td>68.20</td> <td>-3.60</td> <td>58.09</td> <td>35.00</td> <td>11.40</td> <td>39.89</td> <td>0.00</td> <td>305 78 AVERAGE</td> </tr> </tbody> </table> | Limit              | Read         | Ant         | Cable  | Preamp | Aux   | APos   | TPos           | Remark | Freq | Level | Line Margin | Level Factor | Loss Factor | Factor |  |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 5924.97 | 64.60 | 68.20 | -3.60  | 58.09 | 35.00 | 11.40 | 39.89 | 0.00 | 305 78 AVERAGE |  <p>Level (dBuV/m) vs Frequency (MHz) plot for Fundamental polarization. Shows an average peak at 5935.00 MHz labeled 'WIFI-6E(AVG)'.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5935.00</td> <td>81.21</td> <td>-----</td> <td>-----</td> <td>74.64</td> <td>35.03</td> <td>11.41</td> <td>39.87</td> <td>0.00</td> <td>305 78 AVERAGE</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line Margin | Level Factor | Loss Factor | Factor |  |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 5935.00 | 81.21 | ----- | ----- | 74.64 | 35.03 | 11.41 | 39.87 | 0.00 | 305 78 AVERAGE |
| Limit       | Read   | Ant                | Cable        | Preamp      | Aux    | APos   | TPos  | Remark |                |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |        |       |       |       |       |      |                |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |       |       |       |       |       |      |                |
| Freq        | Level  | Line Margin        | Level Factor | Loss Factor | Factor |        |       |        |                |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |        |       |       |       |       |      |                |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |       |       |       |       |       |      |                |
| MHz         | dBuV/m   | dBuV/m             | dB           | dBuV        | dB/m   | dB     | dB    | cm     | deg            |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |        |       |       |       |       |      |                |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |       |       |       |       |       |      |                |
| 1 5924.97   | 64.60  | 68.20              | -3.60        | 58.09       | 35.00  | 11.40  | 39.89 | 0.00   | 305 78 AVERAGE |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |        |       |       |       |       |      |                |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |       |       |       |       |       |      |                |
| Limit       | Read   | Ant                | Cable        | Preamp      | Aux    | APos   | TPos  | Remark |                |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |        |       |       |       |       |      |                |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |       |       |       |       |       |      |                |
| Freq        | Level  | Line Margin        | Level Factor | Loss Factor | Factor |        |       |        |                |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |        |       |       |       |       |      |                |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |       |       |       |       |       |      |                |
| MHz         | dBuV/m   | dBuV/m             | dB           | dBuV        | dB/m   | dB     | dB    | cm     | deg            |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |        |       |       |       |       |      |                |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |       |       |       |       |       |      |                |
| 1 5935.00   | 81.21  | -----              | -----        | 74.64       | 35.03  | 11.41  | 39.87 | 0.00   | 305 78 AVERAGE |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |        |       |       |       |       |      |                |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |       |       |       |       |       |      |                |







| Mode        | 64  |             |              |             |        |        |       |        |        |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |     |     |      |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |     |     |      |
|-------------|---|-------------|--------------|-------------|--------|--------|-------|--------|--------|--------|------|-------|-------------|--------------|-------------|--------|--|--|--|-----|--------|--------|----|------|------|----|----|----|------------|-------|-------|--------|-------|-------|-------|-------|------|-----|-----|------|---|-------|------|-----|-------|--------|-----|------|------|--------|------|-------|-------------|--------------|-------------|--------|--|--|--|-----|--------|--------|----|------|------|----|----|----|------------|-------|-------|--------|-------|-------|-------|-------|------|-----|-----|------|
|             | Harmonic  |             |              |             |        |        |       |        |        |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |     |     |      |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |     |     |      |
|             | U-NII-5_5.925-6.425_802.11ax HE20_CH2_RU52/37_5935MHz   |             |              |             |        |        |       |        |        |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |     |     |      |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |     |     |      |
| ANT         | CDD 5+4   |             |              |             |        |        |       |        |        |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |     |     |      |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |     |     |      |
| Pol.        | Horizontal  | Vertical    |              |             |        |        |       |        |        |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |     |     |      |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |     |     |      |
| Peak<br>Avg | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 11870.00</td> <td>44.76</td> <td>74.00</td> <td>-29.24</td> <td>55.96</td> <td>38.50</td> <td>16.60</td> <td>66.30</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table> | Limit       | Read         | Ant         | Cable  | Preamp | Aux   | APos   | TPos   | Remark | Freq | Level | Line Margin | Level Factor | Loss Factor | Factor |  |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | dB | 1 11870.00 | 44.76 | 74.00 | -29.24 | 55.96 | 38.50 | 16.60 | 66.30 | 0.00 | --- | --- | PEAK | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 11870.00</td> <td>44.91</td> <td>74.00</td> <td>-29.09</td> <td>56.11</td> <td>38.50</td> <td>16.60</td> <td>66.30</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line Margin | Level Factor | Loss Factor | Factor |  |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | dB | 1 11870.00 | 44.91 | 74.00 | -29.09 | 56.11 | 38.50 | 16.60 | 66.30 | 0.00 | --- | --- | PEAK |
|             | Limit   | Read        | Ant          | Cable       | Preamp | Aux    | APos  | TPos   | Remark |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |     |     |      |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |     |     |      |
| Freq        | Level   | Line Margin | Level Factor | Loss Factor | Factor |        |       |        |        |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |     |     |      |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |     |     |      |
| MHz         | dBuV/m  | dBuV/m      | dB           | dBuV        | dB/m   | dB     | dB    | dB     |        |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |     |     |      |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |     |     |      |
| 1 11870.00  | 44.76   | 74.00       | -29.24       | 55.96       | 38.50  | 16.60  | 66.30 | 0.00   | ---    | ---    | PEAK |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |     |     |      |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |     |     |      |
| Limit       | Read  | Ant         | Cable        | Preamp      | Aux    | APos   | TPos  | Remark |        |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |     |     |      |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |     |     |      |
| Freq        | Level   | Line Margin | Level Factor | Loss Factor | Factor |        |       |        |        |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |     |     |      |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |     |     |      |
| MHz         | dBuV/m  | dBuV/m      | dB           | dBuV        | dB/m   | dB     | dB    | dB     |        |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |     |     |      |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |     |     |      |
| 1 11870.00  | 44.91   | 74.00       | -29.09       | 56.11       | 38.50  | 16.60  | 66.30 | 0.00   | ---    | ---    | PEAK |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |     |     |      |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |     |     |      |
|             |   |             |              |             |        |        |       |        |        |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |     |     |      |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |     |     |      |



|       |  | 65          |              |             |        |        |       |        |        |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |     |         |
|-------|--|-------------|--------------|-------------|--------|--------|-------|--------|--------|--------|------|---------|-------------|--------------|-------------|--------|--|--|--|-----|--------|--------|----|------|------|----|----|----|-----|---|---------|-------|-------|--------|-------|-------|-------|-------|------|-----|-----|---------|--|-------|------|-----|-------|--------|-----|------|------|--------|------|-------|-------------|--------------|-------------|--------|--|--|--|-----|--------|--------|----|------|------|----|----|----|-----|---|---------|-------|-------|-------|-------|-------|-------|-------|------|-----|-----|---------|
| Mode  | Band Edge  |             |              |             |        |        |       |        |        |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |     |         |
|       | U-NII-5_5.925-6.425_802.11ax HE20_CH2_RU106/53_5935MHz   |             |              |             |        |        |       |        |        |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |     |         |
| ANT   | CDD 5+4  |             |              |             |        |        |       |        |        |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |     |         |
| Pol.  | Horizontal   | Fundamental |              |             |        |        |       |        |        |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |     |         |
| Peak  | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5924.97</td> <td>71.94</td> <td>88.20</td> <td>-16.26</td> <td>65.43</td> <td>35.00</td> <td>11.40</td> <td>39.89</td> <td>0.00</td> <td>102</td> <td>267</td> <td>PEAK</td> </tr> </tbody> </table>   | Limit       | Read         | Ant         | Cable  | Preamp | Aux   | APos   | TPos   | Remark | Freq | Level   | Line Margin | Level Factor | Loss Factor | Factor |  |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 | 5924.97 | 71.94 | 88.20 | -16.26 | 65.43 | 35.00 | 11.40 | 39.89 | 0.00 | 102 | 267 | PEAK    | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5935.00</td> <td>88.47</td> <td>-----</td> <td>-----</td> <td>81.90</td> <td>35.03</td> <td>11.41</td> <td>39.87</td> <td>0.00</td> <td>102</td> <td>267</td> <td>PEAK</td> </tr> </tbody> </table>    | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line Margin | Level Factor | Loss Factor | Factor |  |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 | 5935.00 | 88.47 | ----- | ----- | 81.90 | 35.03 | 11.41 | 39.87 | 0.00 | 102 | 267 | PEAK    |
|       | Limit  | Read        | Ant          | Cable       | Preamp | Aux    | APos  | TPos   | Remark |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |     |         |
| Freq  | Level  | Line Margin | Level Factor | Loss Factor | Factor |        |       |        |        |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |     |         |
| MHz   | dBuV/m   | dBuV/m      | dB           | dBuV        | dB/m   | dB     | dB    | cm     | deg    |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |     |         |
| 1     | 5924.97  | 71.94       | 88.20        | -16.26      | 65.43  | 35.00  | 11.40 | 39.89  | 0.00   | 102    | 267  | PEAK    |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |     |         |
| Limit | Read   | Ant         | Cable        | Preamp      | Aux    | APos   | TPos  | Remark |        |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |     |         |
| Freq  | Level  | Line Margin | Level Factor | Loss Factor | Factor |        |       |        |        |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |     |         |
| MHz   | dBuV/m   | dBuV/m      | dB           | dBuV        | dB/m   | dB     | dB    | cm     | deg    |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |     |         |
| 1     | 5935.00  | 88.47       | -----        | -----       | 81.90  | 35.03  | 11.41 | 39.87  | 0.00   | 102    | 267  | PEAK    |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |     |         |
| Avg   | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5924.97</td> <td>61.85</td> <td>68.20</td> <td>-6.35</td> <td>55.34</td> <td>35.00</td> <td>11.40</td> <td>39.89</td> <td>0.00</td> <td>102</td> <td>267</td> <td>AVERAGE</td> </tr> </tbody> </table> | Limit       | Read         | Ant         | Cable  | Preamp | Aux   | APos   | TPos   | Remark | Freq | Level   | Line Margin | Level Factor | Loss Factor | Factor |  |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 | 5924.97 | 61.85 | 68.20 | -6.35  | 55.34 | 35.00 | 11.40 | 39.89 | 0.00 | 102 | 267 | AVERAGE | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5935.00</td> <td>78.62</td> <td>-----</td> <td>-----</td> <td>72.05</td> <td>35.03</td> <td>11.41</td> <td>39.87</td> <td>0.00</td> <td>102</td> <td>267</td> <td>AVERAGE</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line Margin | Level Factor | Loss Factor | Factor |  |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 | 5935.00 | 78.62 | ----- | ----- | 72.05 | 35.03 | 11.41 | 39.87 | 0.00 | 102 | 267 | AVERAGE |
| Limit | Read   | Ant         | Cable        | Preamp      | Aux    | APos   | TPos  | Remark |        |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |     |         |
| Freq  | Level  | Line Margin | Level Factor | Loss Factor | Factor |        |       |        |        |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |     |         |
| MHz   | dBuV/m   | dBuV/m      | dB           | dBuV        | dB/m   | dB     | dB    | cm     | deg    |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |     |         |
| 1     | 5924.97  | 61.85       | 68.20        | -6.35       | 55.34  | 35.00  | 11.40 | 39.89  | 0.00   | 102    | 267  | AVERAGE |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |     |         |
| Limit | Read   | Ant         | Cable        | Preamp      | Aux    | APos   | TPos  | Remark |        |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |     |         |
| Freq  | Level  | Line Margin | Level Factor | Loss Factor | Factor |        |       |        |        |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |     |         |
| MHz   | dBuV/m   | dBuV/m      | dB           | dBuV        | dB/m   | dB     | dB    | cm     | deg    |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |     |         |
| 1     | 5935.00  | 78.62       | -----        | -----       | 72.05  | 35.03  | 11.41 | 39.87  | 0.00   | 102    | 267  | AVERAGE |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |     |         |



| Mode  | 65   |             |              |             |        |        |       |        |        |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |    |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |    |         |
|-------|--|-------------|--------------|-------------|--------|--------|-------|--------|--------|--------|------|---------|-------------|--------------|-------------|--------|--|--|--|-----|--------|--------|----|------|------|----|----|----|-----|---|---------|-------|-------|--------|-------|-------|-------|-------|------|-----|----|---------|---|-------|------|-----|-------|--------|-----|------|------|--------|------|-------|-------------|--------------|-------------|--------|--|--|--|-----|--------|--------|----|------|------|----|----|----|-----|---|---------|-------|-------|-------|-------|-------|-------|-------|------|-----|----|---------|
|       | Band Edge  |             |              |             |        |        |       |        |        |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |    |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |    |         |
|       | U-NII-5_5.925-6.425_802.11ax HE20_CH2_RU106/53_5935MHz   |             |              |             |        |        |       |        |        |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |    |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |    |         |
| ANT   | CDD 5+4  |             |              |             |        |        |       |        |        |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |    |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |    |         |
| Pol.  | Vertical   | Fundamental |              |             |        |        |       |        |        |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |    |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |    |         |
| Peak  |  <p>Level (dBuV/m)</p> <p>Frequency (MHz)</p> <p>WiFi 6E(Peak)</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5924.97</td> <td>74.01</td> <td>88.20</td> <td>-14.19</td> <td>67.50</td> <td>35.00</td> <td>11.40</td> <td>39.89</td> <td>0.00</td> <td>303</td> <td>79</td> <td>PEAK</td> </tr> </tbody> </table>   | Limit       | Read         | Ant         | Cable  | Preamp | Aux   | APos   | TPos   | Remark | Freq | Level   | Line Margin | Level Factor | Loss Factor | Factor |  |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 | 5924.97 | 74.01 | 88.20 | -14.19 | 67.50 | 35.00 | 11.40 | 39.89 | 0.00 | 303 | 79 | PEAK    |  <p>Level (dBuV/m)</p> <p>Frequency (MHz)</p> <p>WiFi 6E(Peak)</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5935.00</td> <td>89.86</td> <td>-----</td> <td>-----</td> <td>83.29</td> <td>35.03</td> <td>11.41</td> <td>39.87</td> <td>0.00</td> <td>303</td> <td>79</td> <td>PEAK</td> </tr> </tbody> </table>    | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line Margin | Level Factor | Loss Factor | Factor |  |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 | 5935.00 | 89.86 | ----- | ----- | 83.29 | 35.03 | 11.41 | 39.87 | 0.00 | 303 | 79 | PEAK    |
|       | Limit  | Read        | Ant          | Cable       | Preamp | Aux    | APos  | TPos   | Remark |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |    |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |    |         |
| Freq  | Level  | Line Margin | Level Factor | Loss Factor | Factor |        |       |        |        |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |    |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |    |         |
| MHz   | dBuV/m   | dBuV/m      | dB           | dBuV        | dB/m   | dB     | dB    | cm     | deg    |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |    |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |    |         |
| 1     | 5924.97  | 74.01       | 88.20        | -14.19      | 67.50  | 35.00  | 11.40 | 39.89  | 0.00   | 303    | 79   | PEAK    |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |    |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |    |         |
| Limit | Read   | Ant         | Cable        | Preamp      | Aux    | APos   | TPos  | Remark |        |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |    |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |    |         |
| Freq  | Level  | Line Margin | Level Factor | Loss Factor | Factor |        |       |        |        |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |    |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |    |         |
| MHz   | dBuV/m   | dBuV/m      | dB           | dBuV        | dB/m   | dB     | dB    | cm     | deg    |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |    |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |    |         |
| 1     | 5935.00  | 89.86       | -----        | -----       | 83.29  | 35.03  | 11.41 | 39.87  | 0.00   | 303    | 79   | PEAK    |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |    |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |    |         |
| Avg   |  <p>Level (dBuV/m)</p> <p>Frequency (MHz)</p> <p>WiFi-6E(AVG)</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5924.97</td> <td>64.62</td> <td>68.20</td> <td>-3.58</td> <td>58.11</td> <td>35.00</td> <td>11.40</td> <td>39.89</td> <td>0.00</td> <td>303</td> <td>79</td> <td>AVERAGE</td> </tr> </tbody> </table> | Limit       | Read         | Ant         | Cable  | Preamp | Aux   | APos   | TPos   | Remark | Freq | Level   | Line Margin | Level Factor | Loss Factor | Factor |  |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 | 5924.97 | 64.62 | 68.20 | -3.58  | 58.11 | 35.00 | 11.40 | 39.89 | 0.00 | 303 | 79 | AVERAGE |  <p>Level (dBuV/m)</p> <p>Frequency (MHz)</p> <p>WiFi-6E(AVG)</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5935.00</td> <td>80.88</td> <td>-----</td> <td>-----</td> <td>74.31</td> <td>35.03</td> <td>11.41</td> <td>39.87</td> <td>0.00</td> <td>303</td> <td>79</td> <td>AVERAGE</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line Margin | Level Factor | Loss Factor | Factor |  |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 | 5935.00 | 80.88 | ----- | ----- | 74.31 | 35.03 | 11.41 | 39.87 | 0.00 | 303 | 79 | AVERAGE |
| Limit | Read   | Ant         | Cable        | Preamp      | Aux    | APos   | TPos  | Remark |        |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |    |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |    |         |
| Freq  | Level  | Line Margin | Level Factor | Loss Factor | Factor |        |       |        |        |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |    |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |    |         |
| MHz   | dBuV/m   | dBuV/m      | dB           | dBuV        | dB/m   | dB     | dB    | cm     | deg    |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |    |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |    |         |
| 1     | 5924.97  | 64.62       | 68.20        | -3.58       | 58.11  | 35.00  | 11.40 | 39.89  | 0.00   | 303    | 79   | AVERAGE |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |    |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |    |         |
| Limit | Read   | Ant         | Cable        | Preamp      | Aux    | APos   | TPos  | Remark |        |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |    |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |    |         |
| Freq  | Level  | Line Margin | Level Factor | Loss Factor | Factor |        |       |        |        |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |    |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |    |         |
| MHz   | dBuV/m   | dBuV/m      | dB           | dBuV        | dB/m   | dB     | dB    | cm     | deg    |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |    |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |    |         |
| 1     | 5935.00  | 80.88       | -----        | -----       | 74.31  | 35.03  | 11.41 | 39.87  | 0.00   | 303    | 79   | AVERAGE |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |    |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |    |         |







| Mode        | 65   |             |              |             |        |        |       |        |        |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |      |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |      |
|-------------|--|-------------|--------------|-------------|--------|--------|-------|--------|--------|--------|------|-------|-------------|--------------|-------------|--------|--|--|--|-----|--------|--------|----|------|------|----|----|----|-----|------------|-------|-------|--------|-------|-------|-------|-------|------|-----|-----|------|--|-------|------|-----|-------|--------|-----|------|------|--------|------|-------|-------------|--------------|-------------|--------|--|--|--|-----|--------|--------|----|------|------|----|----|----|-----|------------|-------|-------|--------|-------|-------|-------|-------|------|-----|-----|------|
|             | Harmonic   |             |              |             |        |        |       |        |        |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |      |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |      |
|             | U-NII-5_5.925-6.425_802.11ax HE20_CH2_RU106/53_5935MHz   |             |              |             |        |        |       |        |        |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |      |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |      |
| ANT         | CDD 5+4  |             |              |             |        |        |       |        |        |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |      |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |      |
| Pol.        | Horizontal   | Vertical    |              |             |        |        |       |        |        |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |      |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |      |
| Peak<br>Avg | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11870.00</td> <td>44.95</td> <td>74.00</td> <td>-29.05</td> <td>56.15</td> <td>38.50</td> <td>16.60</td> <td>66.30</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table> | Limit       | Read         | Ant         | Cable  | Preamp | Aux   | APos   | TPos   | Remark | Freq | Level | Line Margin | Level Factor | Loss Factor | Factor |  |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 11870.00 | 44.95 | 74.00 | -29.05 | 56.15 | 38.50 | 16.60 | 66.30 | 0.00 | --- | --- | PEAK | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11870.00</td> <td>45.26</td> <td>74.00</td> <td>-28.74</td> <td>56.46</td> <td>38.50</td> <td>16.60</td> <td>66.30</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line Margin | Level Factor | Loss Factor | Factor |  |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 11870.00 | 45.26 | 74.00 | -28.74 | 56.46 | 38.50 | 16.60 | 66.30 | 0.00 | --- | --- | PEAK |
|             | Limit  | Read        | Ant          | Cable       | Preamp | Aux    | APos  | TPos   | Remark |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |      |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |      |
| Freq        | Level  | Line Margin | Level Factor | Loss Factor | Factor |        |       |        |        |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |      |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |      |
| MHz         | dBuV/m   | dBuV/m      | dB           | dBuV        | dB/m   | dB     | dB    | cm     | deg    |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |      |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |      |
| 1 11870.00  | 44.95  | 74.00       | -29.05       | 56.15       | 38.50  | 16.60  | 66.30 | 0.00   | ---    | ---    | PEAK |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |      |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |      |
| Limit       | Read   | Ant         | Cable        | Preamp      | Aux    | APos   | TPos  | Remark |        |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |      |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |      |
| Freq        | Level  | Line Margin | Level Factor | Loss Factor | Factor |        |       |        |        |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |      |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |      |
| MHz         | dBuV/m   | dBuV/m      | dB           | dBuV        | dB/m   | dB     | dB    | cm     | deg    |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |      |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |      |
| 1 11870.00  | 45.26  | 74.00       | -28.74       | 56.46       | 38.50  | 16.60  | 66.30 | 0.00   | ---    | ---    | PEAK |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |      |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |      |



|       | 66   |             |              |             |        |        |       |        |        |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |       |       |      |     |     |         |
|-------|--|-------------|--------------|-------------|--------|--------|-------|--------|--------|--------|------|---------|-------------|--------------|-------------|--------|--|--|--|-----|--------|--------|----|------|------|----|----|----|-----|---|---------|-------|-------|-------|-------|-------|-------|-------|------|-----|-----|---------|--|-------|------|-----|-------|--------|-----|------|------|--------|------|-------|-------------|--------------|-------------|--------|--|--|--|-----|--------|--------|----|------|------|----|----|----|-----|---|---------|--------|-------|-------|-------|-------|-------|-------|------|-----|-----|---------|
| Mode  | Band Edge  |             |              |             |        |        |       |        |        |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |       |       |      |     |     |         |
|       | U-NII-8_6.875-7.125_802.11a_CH233_Full_7115MHz   |             |              |             |        |        |       |        |        |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |       |       |      |     |     |         |
| ANT   | CDD 5+4  |             |              |             |        |        |       |        |        |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |       |       |      |     |     |         |
| Pol.  | Horizontal   | Fundamental |              |             |        |        |       |        |        |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |       |       |      |     |     |         |
| Peak  | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7125.00</td> <td>79.06</td> <td>88.20</td> <td>-9.14</td> <td>68.80</td> <td>35.50</td> <td>12.62</td> <td>37.86</td> <td>0.00</td> <td>100</td> <td>304</td> <td>PEAK</td> </tr> </tbody> </table>    | Limit       | Read         | Ant         | Cable  | Preamp | Aux   | APos   | TPos   | Remark | Freq | Level   | Line Margin | Level Factor | Loss Factor | Factor |  |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 | 7125.00 | 79.06 | 88.20 | -9.14 | 68.80 | 35.50 | 12.62 | 37.86 | 0.00 | 100 | 304 | PEAK    | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7115.00</td> <td>102.79</td> <td>-----</td> <td>-----</td> <td>92.54</td> <td>35.50</td> <td>12.61</td> <td>37.86</td> <td>0.00</td> <td>100</td> <td>304</td> <td>PEAK</td> </tr> </tbody> </table>   | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line Margin | Level Factor | Loss Factor | Factor |  |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 | 7115.00 | 102.79 | ----- | ----- | 92.54 | 35.50 | 12.61 | 37.86 | 0.00 | 100 | 304 | PEAK    |
|       | Limit  | Read        | Ant          | Cable       | Preamp | Aux    | APos  | TPos   | Remark |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |       |       |      |     |     |         |
| Freq  | Level  | Line Margin | Level Factor | Loss Factor | Factor |        |       |        |        |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |       |       |      |     |     |         |
| MHz   | dBuV/m   | dBuV/m      | dB           | dBuV        | dB/m   | dB     | dB    | cm     | deg    |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |       |       |      |     |     |         |
| 1     | 7125.00  | 79.06       | 88.20        | -9.14       | 68.80  | 35.50  | 12.62 | 37.86  | 0.00   | 100    | 304  | PEAK    |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |       |       |      |     |     |         |
| Limit | Read   | Ant         | Cable        | Preamp      | Aux    | APos   | TPos  | Remark |        |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |       |       |      |     |     |         |
| Freq  | Level  | Line Margin | Level Factor | Loss Factor | Factor |        |       |        |        |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |       |       |      |     |     |         |
| MHz   | dBuV/m   | dBuV/m      | dB           | dBuV        | dB/m   | dB     | dB    | cm     | deg    |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |       |       |      |     |     |         |
| 1     | 7115.00  | 102.79      | -----        | -----       | 92.54  | 35.50  | 12.61 | 37.86  | 0.00   | 100    | 304  | PEAK    |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |       |       |      |     |     |         |
| Avg   | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7125.00</td> <td>63.85</td> <td>68.20</td> <td>-4.35</td> <td>53.59</td> <td>35.50</td> <td>12.62</td> <td>37.86</td> <td>0.00</td> <td>100</td> <td>304</td> <td>AVERAGE</td> </tr> </tbody> </table> | Limit       | Read         | Ant         | Cable  | Preamp | Aux   | APos   | TPos   | Remark | Freq | Level   | Line Margin | Level Factor | Loss Factor | Factor |  |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 | 7125.00 | 63.85 | 68.20 | -4.35 | 53.59 | 35.50 | 12.62 | 37.86 | 0.00 | 100 | 304 | AVERAGE | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7115.00</td> <td>93.90</td> <td>-----</td> <td>-----</td> <td>83.67</td> <td>35.50</td> <td>12.60</td> <td>37.87</td> <td>0.00</td> <td>100</td> <td>304</td> <td>AVERAGE</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line Margin | Level Factor | Loss Factor | Factor |  |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 | 7115.00 | 93.90  | ----- | ----- | 83.67 | 35.50 | 12.60 | 37.87 | 0.00 | 100 | 304 | AVERAGE |
|       | Limit  | Read        | Ant          | Cable       | Preamp | Aux    | APos  | TPos   | Remark |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |       |       |      |     |     |         |
| Freq  | Level  | Line Margin | Level Factor | Loss Factor | Factor |        |       |        |        |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |       |       |      |     |     |         |
| MHz   | dBuV/m   | dBuV/m      | dB           | dBuV        | dB/m   | dB     | dB    | cm     | deg    |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |       |       |      |     |     |         |
| 1     | 7125.00  | 63.85       | 68.20        | -4.35       | 53.59  | 35.50  | 12.62 | 37.86  | 0.00   | 100    | 304  | AVERAGE |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |       |       |      |     |     |         |
| Limit | Read   | Ant         | Cable        | Preamp      | Aux    | APos   | TPos  | Remark |        |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |       |       |      |     |     |         |
| Freq  | Level  | Line Margin | Level Factor | Loss Factor | Factor |        |       |        |        |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |       |       |      |     |     |         |
| MHz   | dBuV/m   | dBuV/m      | dB           | dBuV        | dB/m   | dB     | dB    | cm     | deg    |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |       |       |      |     |     |         |
| 1     | 7115.00  | 93.90       | -----        | -----       | 83.67  | 35.50  | 12.60 | 37.87  | 0.00   | 100    | 304  | AVERAGE |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |       |       |      |     |     |         |







|             |   | <b>66</b>          |              |             |        |        |       |        |        |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |     |         |
|-------------|---|--------------------|--------------|-------------|--------|--------|-------|--------|--------|--------|------|---------|-------------|--------------|-------------|--------|--|--|--|-----|--------|--------|----|------|------|----|----|----|-----|---|---------|-------|-------|--------|-------|-------|-------|-------|------|-----|-----|---------|--|-------|------|-----|-------|--------|-----|------|------|--------|------|-------|-------------|--------------|-------------|--------|--|--|--|-----|--------|--------|----|------|------|----|----|----|-----|---|---------|-------|-------|-------|-------|-------|-------|-------|------|-----|-----|---------|
| <b>Mode</b> | <b>Band Edge</b>  |                    |              |             |        |        |       |        |        |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |     |         |
|             | <b>U-NII-8_6.875-7.125_802.11a_CH233_Full_7115MHz</b>   |                    |              |             |        |        |       |        |        |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |     |         |
| <b>ANT</b>  | <b>CDD 5+4</b>  |                    |              |             |        |        |       |        |        |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |     |         |
| <b>Pol.</b> | <b>Vertical</b>   | <b>Fundamental</b> |              |             |        |        |       |        |        |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |     |         |
| <b>Peak</b> |  <p>Level (dBuV/m) vs Frequency (MHz) for Vertical polarization. Peak at 7115.00 MHz.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7125.16</td> <td>69.33</td> <td>88.20</td> <td>-18.87</td> <td>59.07</td> <td>35.50</td> <td>12.62</td> <td>37.86</td> <td>0.00</td> <td>100</td> <td>140</td> <td>PEAK</td> </tr> </tbody> </table>        | Limit              | Read         | Ant         | Cable  | Preamp | Aux   | APos   | TPos   | Remark | Freq | Level   | Line Margin | Level Factor | Loss Factor | Factor |  |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 | 7125.16 | 69.33 | 88.20 | -18.87 | 59.07 | 35.50 | 12.62 | 37.86 | 0.00 | 100 | 140 | PEAK    |  <p>Level (dBuV/m) vs Frequency (MHz) for Fundamental polarization. Peak at 7115.00 MHz.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7115.00</td> <td>96.62</td> <td>-----</td> <td>-----</td> <td>86.39</td> <td>35.50</td> <td>12.60</td> <td>37.87</td> <td>0.00</td> <td>100</td> <td>140</td> <td>PEAK</td> </tr> </tbody> </table>        | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line Margin | Level Factor | Loss Factor | Factor |  |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 | 7115.00 | 96.62 | ----- | ----- | 86.39 | 35.50 | 12.60 | 37.87 | 0.00 | 100 | 140 | PEAK    |
|             | Limit   | Read               | Ant          | Cable       | Preamp | Aux    | APos  | TPos   | Remark |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |     |         |
| Freq        | Level   | Line Margin        | Level Factor | Loss Factor | Factor |        |       |        |        |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |     |         |
| MHz         | dBuV/m  | dBuV/m             | dB           | dBuV        | dB/m   | dB     | dB    | cm     | deg    |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |     |         |
| 1           | 7125.16   | 69.33              | 88.20        | -18.87      | 59.07  | 35.50  | 12.62 | 37.86  | 0.00   | 100    | 140  | PEAK    |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |     |         |
| Limit       | Read  | Ant                | Cable        | Preamp      | Aux    | APos   | TPos  | Remark |        |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |     |         |
| Freq        | Level   | Line Margin        | Level Factor | Loss Factor | Factor |        |       |        |        |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |     |         |
| MHz         | dBuV/m  | dBuV/m             | dB           | dBuV        | dB/m   | dB     | dB    | cm     | deg    |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |     |         |
| 1           | 7115.00   | 96.62              | -----        | -----       | 86.39  | 35.50  | 12.60 | 37.87  | 0.00   | 100    | 140  | PEAK    |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |     |         |
| <b>Avg</b>  |  <p>Level (dBuV/m) vs Frequency (MHz) for Vertical polarization. Average at 7125.00 MHz.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7125.00</td> <td>54.75</td> <td>68.20</td> <td>-13.45</td> <td>44.49</td> <td>35.50</td> <td>12.62</td> <td>37.86</td> <td>0.00</td> <td>100</td> <td>140</td> <td>AVERAGE</td> </tr> </tbody> </table> | Limit              | Read         | Ant         | Cable  | Preamp | Aux   | APos   | TPos   | Remark | Freq | Level   | Line Margin | Level Factor | Loss Factor | Factor |  |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 | 7125.00 | 54.75 | 68.20 | -13.45 | 44.49 | 35.50 | 12.62 | 37.86 | 0.00 | 100 | 140 | AVERAGE |  <p>Level (dBuV/m) vs Frequency (MHz) for Fundamental polarization. Average at 7115.00 MHz.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7115.00</td> <td>88.22</td> <td>-----</td> <td>-----</td> <td>77.97</td> <td>35.50</td> <td>12.61</td> <td>37.86</td> <td>0.00</td> <td>100</td> <td>140</td> <td>AVERAGE</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line Margin | Level Factor | Loss Factor | Factor |  |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 | 7115.00 | 88.22 | ----- | ----- | 77.97 | 35.50 | 12.61 | 37.86 | 0.00 | 100 | 140 | AVERAGE |
|             | Limit   | Read               | Ant          | Cable       | Preamp | Aux    | APos  | TPos   | Remark |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |     |         |
| Freq        | Level   | Line Margin        | Level Factor | Loss Factor | Factor |        |       |        |        |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |     |         |
| MHz         | dBuV/m  | dBuV/m             | dB           | dBuV        | dB/m   | dB     | dB    | cm     | deg    |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |     |         |
| 1           | 7125.00   | 54.75              | 68.20        | -13.45      | 44.49  | 35.50  | 12.62 | 37.86  | 0.00   | 100    | 140  | AVERAGE |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |     |         |
| Limit       | Read  | Ant                | Cable        | Preamp      | Aux    | APos   | TPos  | Remark |        |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |     |         |
| Freq        | Level   | Line Margin        | Level Factor | Loss Factor | Factor |        |       |        |        |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |     |         |
| MHz         | dBuV/m  | dBuV/m             | dB           | dBuV        | dB/m   | dB     | dB    | cm     | deg    |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |     |         |
| 1           | 7115.00   | 88.22              | -----        | -----       | 77.97  | 35.50  | 12.61 | 37.86  | 0.00   | 100    | 140  | AVERAGE |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |     |         |









| Mode        | 66  |          |        |        |        |        |        |        |        |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |          |       |       |        |       |       |       |       |      |     |     |      |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |          |       |       |        |       |       |       |       |      |     |     |      |
|-------------|---|----------|--------|--------|--------|--------|--------|--------|--------|--------|------|-------|------|--------|-------|--------|------|--------|--------|-----|--------|--------|----|------|------|----|----|----|---|----------|-------|-------|--------|-------|-------|-------|-------|------|-----|-----|------|---|-------|------|-----|-------|--------|-----|------|------|--------|------|-------|------|--------|-------|--------|------|--------|--------|-----|--------|--------|----|------|------|----|----|----|---|----------|-------|-------|--------|-------|-------|-------|-------|------|-----|-----|------|
|             | Harmonic  |          |        |        |        |        |        |        |        |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |          |       |       |        |       |       |       |       |      |     |     |      |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |          |       |       |        |       |       |       |       |      |     |     |      |
|             | U-NII-8_6.875-7.125_802.11a_CH233_Full_7115MHz  |          |        |        |        |        |        |        |        |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |          |       |       |        |       |       |       |       |      |     |     |      |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |          |       |       |        |       |       |       |       |      |     |     |      |
| ANT         | CDD 5+4   |          |        |        |        |        |        |        |        |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |          |       |       |        |       |       |       |       |      |     |     |      |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |          |       |       |        |       |       |       |       |      |     |     |      |
| Pol.        | Horizontal  | Vertical |        |        |        |        |        |        |        |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |          |       |       |        |       |       |       |       |      |     |     |      |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |          |       |       |        |       |       |       |       |      |     |     |      |
| Peak<br>Avg | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>14230.00</td> <td>45.37</td> <td>88.20</td> <td>-42.83</td> <td>53.24</td> <td>38.90</td> <td>18.19</td> <td>64.96</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table> | Limit    | Read   | Ant    | Cable  | Preamp | Aux    | APos   | TPos   | Remark | Freq | Level | Line | Margin | Level | Factor | Loss | Factor | Factor | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | dB | 1 | 14230.00 | 45.37 | 88.20 | -42.83 | 53.24 | 38.90 | 18.19 | 64.96 | 0.00 | --- | --- | PEAK | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>14223.11</td> <td>48.47</td> <td>88.20</td> <td>-39.73</td> <td>56.35</td> <td>38.90</td> <td>18.19</td> <td>64.97</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line | Margin | Level | Factor | Loss | Factor | Factor | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | dB | 1 | 14223.11 | 48.47 | 88.20 | -39.73 | 56.35 | 38.90 | 18.19 | 64.97 | 0.00 | --- | --- | PEAK |
|             | Limit   | Read     | Ant    | Cable  | Preamp | Aux    | APos   | TPos   | Remark |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |          |       |       |        |       |       |       |       |      |     |     |      |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |          |       |       |        |       |       |       |       |      |     |     |      |
| Freq        | Level   | Line     | Margin | Level  | Factor | Loss   | Factor | Factor |        |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |          |       |       |        |       |       |       |       |      |     |     |      |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |          |       |       |        |       |       |       |       |      |     |     |      |
| MHz         | dBuV/m  | dBuV/m   | dB     | dBuV   | dB/m   | dB     | dB     | dB     |        |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |          |       |       |        |       |       |       |       |      |     |     |      |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |          |       |       |        |       |       |       |       |      |     |     |      |
| 1           | 14230.00  | 45.37    | 88.20  | -42.83 | 53.24  | 38.90  | 18.19  | 64.96  | 0.00   | ---    | ---  | PEAK  |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |          |       |       |        |       |       |       |       |      |     |     |      |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |          |       |       |        |       |       |       |       |      |     |     |      |
| Limit       | Read  | Ant      | Cable  | Preamp | Aux    | APos   | TPos   | Remark |        |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |          |       |       |        |       |       |       |       |      |     |     |      |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |          |       |       |        |       |       |       |       |      |     |     |      |
| Freq        | Level   | Line     | Margin | Level  | Factor | Loss   | Factor | Factor |        |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |          |       |       |        |       |       |       |       |      |     |     |      |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |          |       |       |        |       |       |       |       |      |     |     |      |
| MHz         | dBuV/m  | dBuV/m   | dB     | dBuV   | dB/m   | dB     | dB     | dB     |        |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |          |       |       |        |       |       |       |       |      |     |     |      |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |          |       |       |        |       |       |       |       |      |     |     |      |
| 1           | 14223.11  | 48.47    | 88.20  | -39.73 | 56.35  | 38.90  | 18.19  | 64.97  | 0.00   | ---    | ---  | PEAK  |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |          |       |       |        |       |       |       |       |      |     |     |      |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |          |       |       |        |       |       |       |       |      |     |     |      |



|             |   | <b>67</b>          |              |             |        |        |       |        |        |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |     |         |
|-------------|---|--------------------|--------------|-------------|--------|--------|-------|--------|--------|--------|------|---------|-------------|--------------|-------------|--------|--|--|--|-----|--------|--------|----|------|------|----|----|----|-----|---|---------|-------|-------|--------|-------|-------|-------|-------|------|-----|-----|---------|---|-------|------|-----|-------|--------|-----|------|------|--------|------|-------|-------------|--------------|-------------|--------|--|--|--|-----|--------|--------|----|------|------|----|----|----|-----|---|---------|-------|-------|-------|-------|-------|-------|-------|------|-----|-----|---------|
| <b>Mode</b> | <b>Band Edge</b>  |                    |              |             |        |        |       |        |        |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |     |         |
|             | <b>U-NII-8_6.875-7.125_802.11ax HE20_CH233_Full_7115MHz</b>   |                    |              |             |        |        |       |        |        |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |     |         |
| <b>ANT</b>  | <b>CDD 5+4</b>  |                    |              |             |        |        |       |        |        |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |     |         |
| <b>Pol.</b> | <b>Horizontal</b>   | <b>Fundamental</b> |              |             |        |        |       |        |        |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |     |         |
| <b>Peak</b> |  <p>Level (dBuV/m)</p> <p>130</p> <p>113.8</p> <p>97.5</p> <p>81.3</p> <p>65.0</p> <p>48.8</p> <p>32.5</p> <p>16.3</p> <p>0</p> <p>7085 7117. 7149. 7181. 7213. 7245</p> <p style="text-align: center;">Frequency (MHz)</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7125.00</td> <td>71.15</td> <td>88.20</td> <td>-17.05</td> <td>60.89</td> <td>35.50</td> <td>12.62</td> <td>37.86</td> <td>0.00</td> <td>100</td> <td>303</td> <td>PEAK</td> </tr> </tbody> </table>    | Limit              | Read         | Ant         | Cable  | Preamp | Aux   | APos   | TPos   | Remark | Freq | Level   | Line Margin | Level Factor | Loss Factor | Factor |  |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 | 7125.00 | 71.15 | 88.20 | -17.05 | 60.89 | 35.50 | 12.62 | 37.86 | 0.00 | 100 | 303 | PEAK    |  <p>Level (dBuV/m)</p> <p>130</p> <p>113.8</p> <p>97.5</p> <p>81.3</p> <p>65.0</p> <p>48.8</p> <p>32.5</p> <p>16.3</p> <p>0</p> <p>1000 2800. 4600. 6400. 8200. 10000</p> <p style="text-align: center;">Frequency (MHz)</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7115.00</td> <td>88.04</td> <td>-----</td> <td>-----</td> <td>77.81</td> <td>35.50</td> <td>12.60</td> <td>37.87</td> <td>0.00</td> <td>100</td> <td>303</td> <td>PEAK</td> </tr> </tbody> </table>     | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line Margin | Level Factor | Loss Factor | Factor |  |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 | 7115.00 | 88.04 | ----- | ----- | 77.81 | 35.50 | 12.60 | 37.87 | 0.00 | 100 | 303 | PEAK    |
|             | Limit   | Read               | Ant          | Cable       | Preamp | Aux    | APos  | TPos   | Remark |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |     |         |
| Freq        | Level   | Line Margin        | Level Factor | Loss Factor | Factor |        |       |        |        |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |     |         |
| MHz         | dBuV/m  | dBuV/m             | dB           | dBuV        | dB/m   | dB     | dB    | cm     | deg    |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |     |         |
| 1           | 7125.00   | 71.15              | 88.20        | -17.05      | 60.89  | 35.50  | 12.62 | 37.86  | 0.00   | 100    | 303  | PEAK    |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |     |         |
| Limit       | Read  | Ant                | Cable        | Preamp      | Aux    | APos   | TPos  | Remark |        |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |     |         |
| Freq        | Level   | Line Margin        | Level Factor | Loss Factor | Factor |        |       |        |        |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |     |         |
| MHz         | dBuV/m  | dBuV/m             | dB           | dBuV        | dB/m   | dB     | dB    | cm     | deg    |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |     |         |
| 1           | 7115.00   | 88.04              | -----        | -----       | 77.81  | 35.50  | 12.60 | 37.87  | 0.00   | 100    | 303  | PEAK    |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |     |         |
| <b>Avg</b>  |  <p>Level (dBuV/m)</p> <p>130</p> <p>113.8</p> <p>97.5</p> <p>81.3</p> <p>65.0</p> <p>48.8</p> <p>32.5</p> <p>16.3</p> <p>0</p> <p>7085 7117. 7149. 7181. 7213. 7245</p> <p style="text-align: center;">Frequency (MHz)</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7125.00</td> <td>64.51</td> <td>68.20</td> <td>-3.69</td> <td>54.25</td> <td>35.50</td> <td>12.62</td> <td>37.86</td> <td>0.00</td> <td>100</td> <td>303</td> <td>AVERAGE</td> </tr> </tbody> </table> | Limit              | Read         | Ant         | Cable  | Preamp | Aux   | APos   | TPos   | Remark | Freq | Level   | Line Margin | Level Factor | Loss Factor | Factor |  |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 | 7125.00 | 64.51 | 68.20 | -3.69  | 54.25 | 35.50 | 12.62 | 37.86 | 0.00 | 100 | 303 | AVERAGE |  <p>Level (dBuV/m)</p> <p>130</p> <p>113.8</p> <p>97.5</p> <p>81.3</p> <p>65.0</p> <p>48.8</p> <p>32.5</p> <p>16.3</p> <p>0</p> <p>1000 2800. 4600. 6400. 8200. 10000</p> <p style="text-align: center;">Frequency (MHz)</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7115.00</td> <td>77.33</td> <td>-----</td> <td>-----</td> <td>67.10</td> <td>35.50</td> <td>12.60</td> <td>37.87</td> <td>0.00</td> <td>100</td> <td>303</td> <td>AVERAGE</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line Margin | Level Factor | Loss Factor | Factor |  |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 | 7115.00 | 77.33 | ----- | ----- | 67.10 | 35.50 | 12.60 | 37.87 | 0.00 | 100 | 303 | AVERAGE |
|             | Limit   | Read               | Ant          | Cable       | Preamp | Aux    | APos  | TPos   | Remark |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |     |         |
| Freq        | Level   | Line Margin        | Level Factor | Loss Factor | Factor |        |       |        |        |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |     |         |
| MHz         | dBuV/m  | dBuV/m             | dB           | dBuV        | dB/m   | dB     | dB    | cm     | deg    |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |     |         |
| 1           | 7125.00   | 64.51              | 68.20        | -3.69       | 54.25  | 35.50  | 12.62 | 37.86  | 0.00   | 100    | 303  | AVERAGE |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |     |         |
| Limit       | Read  | Ant                | Cable        | Preamp      | Aux    | APos   | TPos  | Remark |        |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |     |         |
| Freq        | Level   | Line Margin        | Level Factor | Loss Factor | Factor |        |       |        |        |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |     |         |
| MHz         | dBuV/m  | dBuV/m             | dB           | dBuV        | dB/m   | dB     | dB    | cm     | deg    |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |     |         |
| 1           | 7115.00   | 77.33              | -----        | -----       | 67.10  | 35.50  | 12.60 | 37.87  | 0.00   | 100    | 303  | AVERAGE |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |     |         |







|       |  | 67          |              |             |        |        |       |        |        |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |     |         |
|-------|--|-------------|--------------|-------------|--------|--------|-------|--------|--------|--------|------|---------|-------------|--------------|-------------|--------|--|--|--|-----|--------|--------|----|------|------|----|----|----|-----|---|---------|-------|-------|--------|-------|-------|-------|-------|------|-----|-----|---------|--|-------|------|-----|-------|--------|-----|------|------|--------|------|-------|-------------|--------------|-------------|--------|--|--|--|-----|--------|--------|----|------|------|----|----|----|-----|---|---------|-------|-------|-------|-------|-------|-------|-------|------|-----|-----|---------|
| Mode  | Band Edge  |             |              |             |        |        |       |        |        |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |     |         |
|       | U-NII-8_6.875-7.125_802.11ax HE20_CH233_Full_7115MHz   |             |              |             |        |        |       |        |        |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |     |         |
| ANT   | CDD 5+4  |             |              |             |        |        |       |        |        |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |     |         |
| Pol.  | Vertical   | Fundamental |              |             |        |        |       |        |        |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |     |         |
| Peak  |  <p>Level (dBuV/m) vs Frequency (MHz) for Vertical. Peak at 7115 MHz.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7125.00</td> <td>70.02</td> <td>88.20</td> <td>-18.18</td> <td>59.76</td> <td>35.50</td> <td>12.62</td> <td>37.06</td> <td>0.00</td> <td>100</td> <td>324</td> <td>PEAK</td> </tr> </tbody> </table>       | Limit       | Read         | Ant         | Cable  | Preamp | Aux   | APos   | TPos   | Remark | Freq | Level   | Line Margin | Level Factor | Loss Factor | Factor |  |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 | 7125.00 | 70.02 | 88.20 | -18.18 | 59.76 | 35.50 | 12.62 | 37.06 | 0.00 | 100 | 324 | PEAK    |  <p>Level (dBuV/m) vs Frequency (MHz) for Fundamental. Peak at 7115 MHz.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7115.00</td> <td>81.41</td> <td>-----</td> <td>-----</td> <td>71.18</td> <td>35.50</td> <td>12.60</td> <td>37.87</td> <td>0.00</td> <td>100</td> <td>324</td> <td>PEAK</td> </tr> </tbody> </table>        | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line Margin | Level Factor | Loss Factor | Factor |  |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 | 7115.00 | 81.41 | ----- | ----- | 71.18 | 35.50 | 12.60 | 37.87 | 0.00 | 100 | 324 | PEAK    |
|       | Limit  | Read        | Ant          | Cable       | Preamp | Aux    | APos  | TPos   | Remark |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |     |         |
| Freq  | Level  | Line Margin | Level Factor | Loss Factor | Factor |        |       |        |        |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |     |         |
| MHz   | dBuV/m   | dBuV/m      | dB           | dBuV        | dB/m   | dB     | dB    | cm     | deg    |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |     |         |
| 1     | 7125.00  | 70.02       | 88.20        | -18.18      | 59.76  | 35.50  | 12.62 | 37.06  | 0.00   | 100    | 324  | PEAK    |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |     |         |
| Limit | Read   | Ant         | Cable        | Preamp      | Aux    | APos   | TPos  | Remark |        |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |     |         |
| Freq  | Level  | Line Margin | Level Factor | Loss Factor | Factor |        |       |        |        |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |     |         |
| MHz   | dBuV/m   | dBuV/m      | dB           | dBuV        | dB/m   | dB     | dB    | cm     | deg    |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |     |         |
| 1     | 7115.00  | 81.41       | -----        | -----       | 71.18  | 35.50  | 12.60 | 37.87  | 0.00   | 100    | 324  | PEAK    |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |     |         |
| Avg   |  <p>Level (dBuV/m) vs Frequency (MHz) for Vertical. Average at 7115 MHz.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7125.00</td> <td>59.42</td> <td>68.20</td> <td>-8.78</td> <td>49.16</td> <td>35.50</td> <td>12.62</td> <td>37.06</td> <td>0.00</td> <td>100</td> <td>324</td> <td>AVERAGE</td> </tr> </tbody> </table> | Limit       | Read         | Ant         | Cable  | Preamp | Aux   | APos   | TPos   | Remark | Freq | Level   | Line Margin | Level Factor | Loss Factor | Factor |  |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 | 7125.00 | 59.42 | 68.20 | -8.78  | 49.16 | 35.50 | 12.62 | 37.06 | 0.00 | 100 | 324 | AVERAGE |  <p>Level (dBuV/m) vs Frequency (MHz) for Fundamental. Average at 7115 MHz.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7115.00</td> <td>71.34</td> <td>-----</td> <td>-----</td> <td>61.11</td> <td>35.50</td> <td>12.60</td> <td>37.87</td> <td>0.00</td> <td>100</td> <td>324</td> <td>AVERAGE</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line Margin | Level Factor | Loss Factor | Factor |  |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 | 7115.00 | 71.34 | ----- | ----- | 61.11 | 35.50 | 12.60 | 37.87 | 0.00 | 100 | 324 | AVERAGE |
| Limit | Read   | Ant         | Cable        | Preamp      | Aux    | APos   | TPos  | Remark |        |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |     |         |
| Freq  | Level  | Line Margin | Level Factor | Loss Factor | Factor |        |       |        |        |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |     |         |
| MHz   | dBuV/m   | dBuV/m      | dB           | dBuV        | dB/m   | dB     | dB    | cm     | deg    |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |     |         |
| 1     | 7125.00  | 59.42       | 68.20        | -8.78       | 49.16  | 35.50  | 12.62 | 37.06  | 0.00   | 100    | 324  | AVERAGE |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |     |         |
| Limit | Read   | Ant         | Cable        | Preamp      | Aux    | APos   | TPos  | Remark |        |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |     |         |
| Freq  | Level  | Line Margin | Level Factor | Loss Factor | Factor |        |       |        |        |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |     |         |
| MHz   | dBuV/m   | dBuV/m      | dB           | dBuV        | dB/m   | dB     | dB    | cm     | deg    |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |     |         |
| 1     | 7115.00  | 71.34       | -----        | -----       | 61.11  | 35.50  | 12.60 | 37.87  | 0.00   | 100    | 324  | AVERAGE |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |     |         |







| Mode        | 67  |             |              |             |        |        |       |        |        |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |    |     |   |          |       |       |        |       |       |       |       |      |     |     |      |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |    |     |   |          |       |       |        |       |       |       |       |      |     |     |      |
|-------------|---|-------------|--------------|-------------|--------|--------|-------|--------|--------|--------|------|-------|-------------|--------------|-------------|--------|--|--|--|-----|--------|--------|----|------|------|----|----|----|----|-----|---|----------|-------|-------|--------|-------|-------|-------|-------|------|-----|-----|------|---|-------|------|-----|-------|--------|-----|------|------|--------|------|-------|-------------|--------------|-------------|--------|--|--|--|-----|--------|--------|----|------|------|----|----|----|----|-----|---|----------|-------|-------|--------|-------|-------|-------|-------|------|-----|-----|------|
|             | Harmonic  |             |              |             |        |        |       |        |        |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |    |     |   |          |       |       |        |       |       |       |       |      |     |     |      |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |    |     |   |          |       |       |        |       |       |       |       |      |     |     |      |
|             | U-NII-8_6.875-7.125_802.11ax HE20_CH233_Full_7115MHz  |             |              |             |        |        |       |        |        |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |    |     |   |          |       |       |        |       |       |       |       |      |     |     |      |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |    |     |   |          |       |       |        |       |       |       |       |      |     |     |      |
| ANT         | CDD 5+4   |             |              |             |        |        |       |        |        |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |    |     |   |          |       |       |        |       |       |       |       |      |     |     |      |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |    |     |   |          |       |       |        |       |       |       |       |      |     |     |      |
| Pol.        | Horizontal  | Vertical    |              |             |        |        |       |        |        |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |    |     |   |          |       |       |        |       |       |       |       |      |     |     |      |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |    |     |   |          |       |       |        |       |       |       |       |      |     |     |      |
| Peak<br>Avg | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>14230.00</td> <td>45.40</td> <td>88.20</td> <td>-42.80</td> <td>53.27</td> <td>38.90</td> <td>18.19</td> <td>64.96</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table> | Limit       | Read         | Ant         | Cable  | Preamp | Aux   | APos   | TPos   | Remark | Freq | Level | Line Margin | Level Factor | Loss Factor | Factor |  |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | dB | cm | deg | 1 | 14230.00 | 45.40 | 88.20 | -42.80 | 53.27 | 38.90 | 18.19 | 64.96 | 0.00 | --- | --- | PEAK | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>14230.00</td> <td>46.38</td> <td>88.20</td> <td>-41.82</td> <td>54.25</td> <td>38.90</td> <td>18.19</td> <td>64.96</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line Margin | Level Factor | Loss Factor | Factor |  |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | dB | cm | deg | 1 | 14230.00 | 46.38 | 88.20 | -41.82 | 54.25 | 38.90 | 18.19 | 64.96 | 0.00 | --- | --- | PEAK |
|             | Limit   | Read        | Ant          | Cable       | Preamp | Aux    | APos  | TPos   | Remark |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |    |     |   |          |       |       |        |       |       |       |       |      |     |     |      |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |    |     |   |          |       |       |        |       |       |       |       |      |     |     |      |
| Freq        | Level   | Line Margin | Level Factor | Loss Factor | Factor |        |       |        |        |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |    |     |   |          |       |       |        |       |       |       |       |      |     |     |      |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |    |     |   |          |       |       |        |       |       |       |       |      |     |     |      |
| MHz         | dBuV/m  | dBuV/m      | dB           | dBuV        | dB/m   | dB     | dB    | dB     | cm     | deg    |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |    |     |   |          |       |       |        |       |       |       |       |      |     |     |      |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |    |     |   |          |       |       |        |       |       |       |       |      |     |     |      |
| 1           | 14230.00  | 45.40       | 88.20        | -42.80      | 53.27  | 38.90  | 18.19 | 64.96  | 0.00   | ---    | ---  | PEAK  |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |    |     |   |          |       |       |        |       |       |       |       |      |     |     |      |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |    |     |   |          |       |       |        |       |       |       |       |      |     |     |      |
| Limit       | Read  | Ant         | Cable        | Preamp      | Aux    | APos   | TPos  | Remark |        |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |    |     |   |          |       |       |        |       |       |       |       |      |     |     |      |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |    |     |   |          |       |       |        |       |       |       |       |      |     |     |      |
| Freq        | Level   | Line Margin | Level Factor | Loss Factor | Factor |        |       |        |        |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |    |     |   |          |       |       |        |       |       |       |       |      |     |     |      |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |    |     |   |          |       |       |        |       |       |       |       |      |     |     |      |
| MHz         | dBuV/m  | dBuV/m      | dB           | dBuV        | dB/m   | dB     | dB    | dB     | cm     | deg    |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |    |     |   |          |       |       |        |       |       |       |       |      |     |     |      |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |    |     |   |          |       |       |        |       |       |       |       |      |     |     |      |
| 1           | 14230.00  | 46.38       | 88.20        | -41.82      | 54.25  | 38.90  | 18.19 | 64.96  | 0.00   | ---    | ---  | PEAK  |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |    |     |   |          |       |       |        |       |       |       |       |      |     |     |      |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |    |     |   |          |       |       |        |       |       |       |       |      |     |     |      |



|             |   | <b>68</b>          |              |             |        |        |       |        |        |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |     |         |
|-------------|---|--------------------|--------------|-------------|--------|--------|-------|--------|--------|--------|------|---------|-------------|--------------|-------------|--------|--|--|--|-----|--------|--------|----|------|------|----|----|----|-----|---|---------|-------|-------|--------|-------|-------|-------|-------|------|-----|-----|---------|---|-------|------|-----|-------|--------|-----|------|------|--------|------|-------|-------------|--------------|-------------|--------|--|--|--|-----|--------|--------|----|------|------|----|----|----|-----|---|---------|-------|-------|-------|-------|-------|-------|-------|------|-----|-----|---------|
| <b>Mode</b> | <b>Band Edge</b>  |                    |              |             |        |        |       |        |        |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |     |         |
|             | <b>U-NII-8_6.875-7.125_802.11ax HE20_CH233_RU26/8_7115MHz</b>   |                    |              |             |        |        |       |        |        |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |     |         |
| <b>ANT</b>  | <b>CDD 5+4</b>  |                    |              |             |        |        |       |        |        |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |     |         |
| <b>Pol.</b> | <b>Horizontal</b>   | <b>Fundamental</b> |              |             |        |        |       |        |        |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |     |         |
| <b>Peak</b> |  <p>Level (dBuV/m)</p> <p>130</p> <p>113.8</p> <p>97.5</p> <p>81.3</p> <p>65.0</p> <p>48.8</p> <p>32.5</p> <p>16.3</p> <p>0</p> <p>7085 7117 7149 7181 7213 7245</p> <p style="text-align: center;">Frequency (MHz)</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7125.00</td> <td>72.39</td> <td>88.20</td> <td>-15.81</td> <td>62.13</td> <td>35.50</td> <td>12.62</td> <td>37.86</td> <td>0.00</td> <td>100</td> <td>296</td> <td>PEAK</td> </tr> </tbody> </table>    | Limit              | Read         | Ant         | Cable  | Preamp | Aux   | APos   | TPos   | Remark | Freq | Level   | Line Margin | Level Factor | Loss Factor | Factor |  |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 | 7125.00 | 72.39 | 88.20 | -15.81 | 62.13 | 35.50 | 12.62 | 37.86 | 0.00 | 100 | 296 | PEAK    |  <p>Level (dBuV/m)</p> <p>130</p> <p>113.8</p> <p>97.5</p> <p>81.3</p> <p>65.0</p> <p>48.8</p> <p>32.5</p> <p>16.3</p> <p>0</p> <p>1000 2800 4600 6400 8200 10000</p> <p style="text-align: center;">Frequency (MHz)</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7115.00</td> <td>84.64</td> <td>-----</td> <td>-----</td> <td>74.39</td> <td>35.50</td> <td>12.61</td> <td>37.86</td> <td>0.00</td> <td>100</td> <td>296</td> <td>PEAK</td> </tr> </tbody> </table>     | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line Margin | Level Factor | Loss Factor | Factor |  |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 | 7115.00 | 84.64 | ----- | ----- | 74.39 | 35.50 | 12.61 | 37.86 | 0.00 | 100 | 296 | PEAK    |
|             | Limit   | Read               | Ant          | Cable       | Preamp | Aux    | APos  | TPos   | Remark |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |     |         |
| Freq        | Level   | Line Margin        | Level Factor | Loss Factor | Factor |        |       |        |        |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |     |         |
| MHz         | dBuV/m  | dBuV/m             | dB           | dBuV        | dB/m   | dB     | dB    | cm     | deg    |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |     |         |
| 1           | 7125.00   | 72.39              | 88.20        | -15.81      | 62.13  | 35.50  | 12.62 | 37.86  | 0.00   | 100    | 296  | PEAK    |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |     |         |
| Limit       | Read  | Ant                | Cable        | Preamp      | Aux    | APos   | TPos  | Remark |        |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |     |         |
| Freq        | Level   | Line Margin        | Level Factor | Loss Factor | Factor |        |       |        |        |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |     |         |
| MHz         | dBuV/m  | dBuV/m             | dB           | dBuV        | dB/m   | dB     | dB    | cm     | deg    |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |     |         |
| 1           | 7115.00   | 84.64              | -----        | -----       | 74.39  | 35.50  | 12.61 | 37.86  | 0.00   | 100    | 296  | PEAK    |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |     |         |
| <b>Avg</b>  |  <p>Level (dBuV/m)</p> <p>130</p> <p>113.8</p> <p>97.5</p> <p>81.3</p> <p>65.0</p> <p>48.8</p> <p>32.5</p> <p>16.3</p> <p>0</p> <p>7085 7117 7149 7181 7213 7245</p> <p style="text-align: center;">Frequency (MHz)</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7125.00</td> <td>64.70</td> <td>68.20</td> <td>-3.50</td> <td>54.44</td> <td>35.50</td> <td>12.62</td> <td>37.86</td> <td>0.00</td> <td>100</td> <td>296</td> <td>AVERAGE</td> </tr> </tbody> </table> | Limit              | Read         | Ant         | Cable  | Preamp | Aux   | APos   | TPos   | Remark | Freq | Level   | Line Margin | Level Factor | Loss Factor | Factor |  |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 | 7125.00 | 64.70 | 68.20 | -3.50  | 54.44 | 35.50 | 12.62 | 37.86 | 0.00 | 100 | 296 | AVERAGE |  <p>Level (dBuV/m)</p> <p>130</p> <p>113.8</p> <p>97.5</p> <p>81.3</p> <p>65.0</p> <p>48.8</p> <p>32.5</p> <p>16.3</p> <p>0</p> <p>1000 2800 4600 6400 8200 10000</p> <p style="text-align: center;">Frequency (MHz)</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7115.00</td> <td>75.76</td> <td>-----</td> <td>-----</td> <td>65.51</td> <td>35.50</td> <td>12.61</td> <td>37.86</td> <td>0.00</td> <td>100</td> <td>296</td> <td>AVERAGE</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line Margin | Level Factor | Loss Factor | Factor |  |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 | 7115.00 | 75.76 | ----- | ----- | 65.51 | 35.50 | 12.61 | 37.86 | 0.00 | 100 | 296 | AVERAGE |
|             | Limit   | Read               | Ant          | Cable       | Preamp | Aux    | APos  | TPos   | Remark |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |     |         |
| Freq        | Level   | Line Margin        | Level Factor | Loss Factor | Factor |        |       |        |        |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |     |         |
| MHz         | dBuV/m  | dBuV/m             | dB           | dBuV        | dB/m   | dB     | dB    | cm     | deg    |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |     |         |
| 1           | 7125.00   | 64.70              | 68.20        | -3.50       | 54.44  | 35.50  | 12.62 | 37.86  | 0.00   | 100    | 296  | AVERAGE |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |     |         |
| Limit       | Read  | Ant                | Cable        | Preamp      | Aux    | APos   | TPos  | Remark |        |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |     |         |
| Freq        | Level   | Line Margin        | Level Factor | Loss Factor | Factor |        |       |        |        |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |     |         |
| MHz         | dBuV/m  | dBuV/m             | dB           | dBuV        | dB/m   | dB     | dB    | cm     | deg    |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |     |         |
| 1           | 7115.00   | 75.76              | -----        | -----       | 65.51  | 35.50  | 12.61 | 37.86  | 0.00   | 100    | 296  | AVERAGE |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |     |         |



|             |  | <b>68</b>          |              |             |        |        |       |        |        |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |     |         |
|-------------|--|--------------------|--------------|-------------|--------|--------|-------|--------|--------|--------|------|---------|-------------|--------------|-------------|--------|--|--|--|-----|--------|--------|----|------|------|----|----|----|-----|---|---------|-------|-------|--------|-------|-------|-------|-------|------|-----|-----|---------|--|-------|------|-----|-------|--------|-----|------|------|--------|------|-------|-------------|--------------|-------------|--------|--|--|--|-----|--------|--------|----|------|------|----|----|----|-----|---|---------|-------|-------|-------|-------|-------|-------|-------|------|-----|-----|---------|
| <b>Mode</b> | <b>Band Edge</b>   |                    |              |             |        |        |       |        |        |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |     |         |
|             | <b>U-NII-8_6.875-7.125_802.11ax HE20_CH233_RU26/8_7115MHz</b>  |                    |              |             |        |        |       |        |        |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |     |         |
| <b>ANT</b>  | <b>CDD 5+4</b>   |                    |              |             |        |        |       |        |        |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |     |         |
| <b>Pol.</b> | <b>Vertical</b>  | <b>Fundamental</b> |              |             |        |        |       |        |        |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |     |         |
| <b>Peak</b> |  <p>Level (dBuV/m) vs Frequency (MHz) for Vertical. Peak at 7115 MHz.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7125.00</td> <td>69.15</td> <td>88.20</td> <td>-19.05</td> <td>58.89</td> <td>35.50</td> <td>12.62</td> <td>37.86</td> <td>0.00</td> <td>100</td> <td>182</td> <td>PEAK</td> </tr> </tbody> </table>       | Limit              | Read         | Ant         | Cable  | Preamp | Aux   | APos   | TPos   | Remark | Freq | Level   | Line Margin | Level Factor | Loss Factor | Factor |  |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 | 7125.00 | 69.15 | 88.20 | -19.05 | 58.89 | 35.50 | 12.62 | 37.86 | 0.00 | 100 | 182 | PEAK    |  <p>Level (dBuV/m) vs Frequency (MHz) for Fundamental. Peak at 7115 MHz.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7115.00</td> <td>79.97</td> <td>-----</td> <td>-----</td> <td>69.72</td> <td>35.50</td> <td>12.61</td> <td>37.86</td> <td>0.00</td> <td>100</td> <td>182</td> <td>PEAK</td> </tr> </tbody> </table>        | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line Margin | Level Factor | Loss Factor | Factor |  |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 | 7115.00 | 79.97 | ----- | ----- | 69.72 | 35.50 | 12.61 | 37.86 | 0.00 | 100 | 182 | PEAK    |
|             | Limit  | Read               | Ant          | Cable       | Preamp | Aux    | APos  | TPos   | Remark |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |     |         |
| Freq        | Level  | Line Margin        | Level Factor | Loss Factor | Factor |        |       |        |        |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |     |         |
| MHz         | dBuV/m   | dBuV/m             | dB           | dBuV        | dB/m   | dB     | dB    | cm     | deg    |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |     |         |
| 1           | 7125.00  | 69.15              | 88.20        | -19.05      | 58.89  | 35.50  | 12.62 | 37.86  | 0.00   | 100    | 182  | PEAK    |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |     |         |
| Limit       | Read   | Ant                | Cable        | Preamp      | Aux    | APos   | TPos  | Remark |        |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |     |         |
| Freq        | Level  | Line Margin        | Level Factor | Loss Factor | Factor |        |       |        |        |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |     |         |
| MHz         | dBuV/m   | dBuV/m             | dB           | dBuV        | dB/m   | dB     | dB    | cm     | deg    |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |     |         |
| 1           | 7115.00  | 79.97              | -----        | -----       | 69.72  | 35.50  | 12.61 | 37.86  | 0.00   | 100    | 182  | PEAK    |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |     |         |
| <b>Avg</b>  |  <p>Level (dBuV/m) vs Frequency (MHz) for Vertical. Average at 7115 MHz.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7125.00</td> <td>60.13</td> <td>68.20</td> <td>-8.07</td> <td>49.87</td> <td>35.50</td> <td>12.62</td> <td>37.86</td> <td>0.00</td> <td>100</td> <td>182</td> <td>AVERAGE</td> </tr> </tbody> </table> | Limit              | Read         | Ant         | Cable  | Preamp | Aux   | APos   | TPos   | Remark | Freq | Level   | Line Margin | Level Factor | Loss Factor | Factor |  |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 | 7125.00 | 60.13 | 68.20 | -8.07  | 49.87 | 35.50 | 12.62 | 37.86 | 0.00 | 100 | 182 | AVERAGE |  <p>Level (dBuV/m) vs Frequency (MHz) for Fundamental. Average at 7115 MHz.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7115.00</td> <td>70.52</td> <td>-----</td> <td>-----</td> <td>60.27</td> <td>35.50</td> <td>12.61</td> <td>37.86</td> <td>0.00</td> <td>100</td> <td>182</td> <td>AVERAGE</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line Margin | Level Factor | Loss Factor | Factor |  |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 | 7115.00 | 70.52 | ----- | ----- | 60.27 | 35.50 | 12.61 | 37.86 | 0.00 | 100 | 182 | AVERAGE |
|             | Limit  | Read               | Ant          | Cable       | Preamp | Aux    | APos  | TPos   | Remark |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |     |         |
| Freq        | Level  | Line Margin        | Level Factor | Loss Factor | Factor |        |       |        |        |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |     |         |
| MHz         | dBuV/m   | dBuV/m             | dB           | dBuV        | dB/m   | dB     | dB    | cm     | deg    |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |     |         |
| 1           | 7125.00  | 60.13              | 68.20        | -8.07       | 49.87  | 35.50  | 12.62 | 37.86  | 0.00   | 100    | 182  | AVERAGE |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |     |         |
| Limit       | Read   | Ant                | Cable        | Preamp      | Aux    | APos   | TPos  | Remark |        |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |     |         |
| Freq        | Level  | Line Margin        | Level Factor | Loss Factor | Factor |        |       |        |        |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |     |         |
| MHz         | dBuV/m   | dBuV/m             | dB           | dBuV        | dB/m   | dB     | dB    | cm     | deg    |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |     |         |
| 1           | 7115.00  | 70.52              | -----        | -----       | 60.27  | 35.50  | 12.61 | 37.86  | 0.00   | 100    | 182  | AVERAGE |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |     |         |



| Mode        | 68   |             |              |             |        |        |       |        |        |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |      |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |      |
|-------------|--|-------------|--------------|-------------|--------|--------|-------|--------|--------|--------|------|-------|-------------|--------------|-------------|--------|--|--|--|-----|--------|--------|----|------|------|----|----|----|-----|------------|-------|-------|--------|-------|-------|-------|-------|------|-----|-----|------|--|-------|------|-----|-------|--------|-----|------|------|--------|------|-------|-------------|--------------|-------------|--------|--|--|--|-----|--------|--------|----|------|------|----|----|----|-----|------------|-------|-------|--------|-------|-------|-------|-------|------|-----|-----|------|
|             | Harmonic   |             |              |             |        |        |       |        |        |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |      |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |      |
|             | U-NII-8_6.875-7.125_802.11ax HE20_CH233_RU26/8_7115MHz   |             |              |             |        |        |       |        |        |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |      |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |      |
| ANT         | CDD 5+4  |             |              |             |        |        |       |        |        |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |      |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |      |
| Pol.        | Horizontal   | Vertical    |              |             |        |        |       |        |        |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |      |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |      |
| Peak<br>Avg | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 14230.00</td> <td>45.79</td> <td>88.20</td> <td>-42.41</td> <td>53.66</td> <td>38.90</td> <td>18.19</td> <td>64.96</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table> | Limit       | Read         | Ant         | Cable  | Preamp | Aux   | APos   | TPos   | Remark | Freq | Level | Line Margin | Level Factor | Loss Factor | Factor |  |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 14230.00 | 45.79 | 88.20 | -42.41 | 53.66 | 38.90 | 18.19 | 64.96 | 0.00 | --- | --- | PEAK | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 14230.00</td> <td>46.43</td> <td>88.20</td> <td>-41.77</td> <td>54.30</td> <td>38.90</td> <td>18.19</td> <td>64.96</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line Margin | Level Factor | Loss Factor | Factor |  |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 14230.00 | 46.43 | 88.20 | -41.77 | 54.30 | 38.90 | 18.19 | 64.96 | 0.00 | --- | --- | PEAK |
|             | Limit  | Read        | Ant          | Cable       | Preamp | Aux    | APos  | TPos   | Remark |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |      |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |      |
| Freq        | Level  | Line Margin | Level Factor | Loss Factor | Factor |        |       |        |        |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |      |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |      |
| MHz         | dBuV/m   | dBuV/m      | dB           | dBuV        | dB/m   | dB     | dB    | cm     | deg    |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |      |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |      |
| 1 14230.00  | 45.79  | 88.20       | -42.41       | 53.66       | 38.90  | 18.19  | 64.96 | 0.00   | ---    | ---    | PEAK |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |      |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |      |
| Limit       | Read   | Ant         | Cable        | Preamp      | Aux    | APos   | TPos  | Remark |        |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |      |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |      |
| Freq        | Level  | Line Margin | Level Factor | Loss Factor | Factor |        |       |        |        |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |      |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |      |
| MHz         | dBuV/m   | dBuV/m      | dB           | dBuV        | dB/m   | dB     | dB    | cm     | deg    |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |      |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |      |
| 1 14230.00  | 46.43  | 88.20       | -41.77       | 54.30       | 38.90  | 18.19  | 64.96 | 0.00   | ---    | ---    | PEAK |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |      |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |      |



|             |  | <b>69</b>          |        |        |        |        |        |        |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |       |       |      |     |     |         |
|-------------|--|--------------------|--------|--------|--------|--------|--------|--------|--------|--------|------|---------|------|--------|-------|--------|------|--------|--------|-----|--------|--------|----|------|------|----|----|----|---|---------|-------|-------|--------|-------|-------|-------|-------|------|-----|-----|---------|---|-------|------|-----|-------|--------|-----|------|------|--------|------|-------|------|--------|-------|--------|------|--------|--------|-----|--------|--------|----|------|------|----|----|----|---|---------|-------|-------|-------|-------|-------|-------|-------|------|-----|-----|---------|
| <b>Mode</b> | <b>Band Edge</b>   |                    |        |        |        |        |        |        |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |       |       |      |     |     |         |
|             | <b>U-NII-8_6.875-7.125_802.11ax HE20_CH233_RU52/40_7115MHz</b>   |                    |        |        |        |        |        |        |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |       |       |      |     |     |         |
| <b>ANT</b>  | <b>CDD 5+4</b>   |                    |        |        |        |        |        |        |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |       |       |      |     |     |         |
| <b>Pol.</b> | <b>Horizontal</b>  | <b>Fundamental</b> |        |        |        |        |        |        |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |       |       |      |     |     |         |
| <b>Peak</b> | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7125.00</td> <td>72.61</td> <td>88.20</td> <td>-15.59</td> <td>62.35</td> <td>35.50</td> <td>12.62</td> <td>37.86</td> <td>0.00</td> <td>101</td> <td>298</td> <td>PEAK</td> </tr> </tbody> </table>   | Limit              | Read   | Ant    | Cable  | Preamp | Aux    | APos   | TPos   | Remark | Freq | Level   | Line | Margin | Level | Factor | Loss | Factor | Factor | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | dB | 1 | 7125.00 | 72.61 | 88.20 | -15.59 | 62.35 | 35.50 | 12.62 | 37.86 | 0.00 | 101 | 298 | PEAK    | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7115.00</td> <td>85.01</td> <td>88.20</td> <td>-3.19</td> <td>74.76</td> <td>35.50</td> <td>12.61</td> <td>37.86</td> <td>0.00</td> <td>101</td> <td>298</td> <td>PEAK</td> </tr> </tbody> </table>   | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line | Margin | Level | Factor | Loss | Factor | Factor | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | dB | 1 | 7115.00 | 85.01 | 88.20 | -3.19 | 74.76 | 35.50 | 12.61 | 37.86 | 0.00 | 101 | 298 | PEAK    |
|             | Limit  | Read               | Ant    | Cable  | Preamp | Aux    | APos   | TPos   | Remark |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |       |       |      |     |     |         |
| Freq        | Level  | Line               | Margin | Level  | Factor | Loss   | Factor | Factor |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |       |       |      |     |     |         |
| MHz         | dBuV/m   | dBuV/m             | dB     | dBuV   | dB/m   | dB     | dB     | dB     |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |       |       |      |     |     |         |
| 1           | 7125.00  | 72.61              | 88.20  | -15.59 | 62.35  | 35.50  | 12.62  | 37.86  | 0.00   | 101    | 298  | PEAK    |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |       |       |      |     |     |         |
| Limit       | Read   | Ant                | Cable  | Preamp | Aux    | APos   | TPos   | Remark |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |       |       |      |     |     |         |
| Freq        | Level  | Line               | Margin | Level  | Factor | Loss   | Factor | Factor |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |       |       |      |     |     |         |
| MHz         | dBuV/m   | dBuV/m             | dB     | dBuV   | dB/m   | dB     | dB     | dB     |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |       |       |      |     |     |         |
| 1           | 7115.00  | 85.01              | 88.20  | -3.19  | 74.76  | 35.50  | 12.61  | 37.86  | 0.00   | 101    | 298  | PEAK    |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |       |       |      |     |     |         |
| <b>Avg</b>  | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7125.00</td> <td>64.61</td> <td>68.20</td> <td>-3.59</td> <td>54.35</td> <td>35.50</td> <td>12.62</td> <td>37.86</td> <td>0.00</td> <td>101</td> <td>298</td> <td>AVERAGE</td> </tr> </tbody> </table> | Limit              | Read   | Ant    | Cable  | Preamp | Aux    | APos   | TPos   | Remark | Freq | Level   | Line | Margin | Level | Factor | Loss | Factor | Factor | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | dB | 1 | 7125.00 | 64.61 | 68.20 | -3.59  | 54.35 | 35.50 | 12.62 | 37.86 | 0.00 | 101 | 298 | AVERAGE | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7115.00</td> <td>76.22</td> <td>68.20</td> <td>8.02</td> <td>65.97</td> <td>35.50</td> <td>12.61</td> <td>37.86</td> <td>0.00</td> <td>101</td> <td>298</td> <td>AVERAGE</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line | Margin | Level | Factor | Loss | Factor | Factor | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | dB | 1 | 7115.00 | 76.22 | 68.20 | 8.02  | 65.97 | 35.50 | 12.61 | 37.86 | 0.00 | 101 | 298 | AVERAGE |
|             | Limit  | Read               | Ant    | Cable  | Preamp | Aux    | APos   | TPos   | Remark |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |       |       |      |     |     |         |
| Freq        | Level  | Line               | Margin | Level  | Factor | Loss   | Factor | Factor |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |       |       |      |     |     |         |
| MHz         | dBuV/m   | dBuV/m             | dB     | dBuV   | dB/m   | dB     | dB     | dB     |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |       |       |      |     |     |         |
| 1           | 7125.00  | 64.61              | 68.20  | -3.59  | 54.35  | 35.50  | 12.62  | 37.86  | 0.00   | 101    | 298  | AVERAGE |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |       |       |      |     |     |         |
| Limit       | Read   | Ant                | Cable  | Preamp | Aux    | APos   | TPos   | Remark |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |       |       |      |     |     |         |
| Freq        | Level  | Line               | Margin | Level  | Factor | Loss   | Factor | Factor |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |       |       |      |     |     |         |
| MHz         | dBuV/m   | dBuV/m             | dB     | dBuV   | dB/m   | dB     | dB     | dB     |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |       |       |      |     |     |         |
| 1           | 7115.00  | 76.22              | 68.20  | 8.02   | 65.97  | 35.50  | 12.61  | 37.86  | 0.00   | 101    | 298  | AVERAGE |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |       |       |      |     |     |         |





|             |  | <b>69</b>          |        |        |        |        |        |        |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |       |       |      |     |     |         |
|-------------|--|--------------------|--------|--------|--------|--------|--------|--------|--------|--------|------|---------|------|--------|-------|--------|------|--------|--------|-----|--------|--------|----|------|------|----|----|----|---|---------|-------|-------|--------|-------|-------|-------|-------|------|-----|-----|---------|---|-------|------|-----|-------|--------|-----|------|------|--------|------|-------|------|--------|-------|--------|------|--------|--------|-----|--------|--------|----|------|------|----|----|----|---|---------|-------|-------|-------|-------|-------|-------|-------|------|-----|-----|---------|
| <b>Mode</b> | <b>Band Edge</b>   |                    |        |        |        |        |        |        |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |       |       |      |     |     |         |
|             | <b>U-NII-8_6.875-7.125_802.11ax HE20_CH233_RU52/40_7115MHz</b>   |                    |        |        |        |        |        |        |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |       |       |      |     |     |         |
| <b>ANT</b>  | <b>CDD 5+4</b>   |                    |        |        |        |        |        |        |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |       |       |      |     |     |         |
| <b>Pol.</b> | <b>Vertical</b>  | <b>Fundamental</b> |        |        |        |        |        |        |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |       |       |      |     |     |         |
| <b>Peak</b> | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7125.00</td> <td>66.67</td> <td>88.20</td> <td>-21.53</td> <td>56.41</td> <td>35.50</td> <td>12.62</td> <td>37.86</td> <td>0.00</td> <td>100</td> <td>317</td> <td>PEAK</td> </tr> </tbody> </table>   | Limit              | Read   | Ant    | Cable  | Preamp | Aux    | APos   | TPos   | Remark | Freq | Level   | Line | Margin | Level | Factor | Loss | Factor | Factor | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | dB | 1 | 7125.00 | 66.67 | 88.20 | -21.53 | 56.41 | 35.50 | 12.62 | 37.86 | 0.00 | 100 | 317 | PEAK    | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7115.00</td> <td>80.08</td> <td>88.20</td> <td>-8.12</td> <td>69.83</td> <td>35.50</td> <td>12.61</td> <td>37.86</td> <td>0.00</td> <td>100</td> <td>317</td> <td>PEAK</td> </tr> </tbody> </table>   | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line | Margin | Level | Factor | Loss | Factor | Factor | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | dB | 1 | 7115.00 | 80.08 | 88.20 | -8.12 | 69.83 | 35.50 | 12.61 | 37.86 | 0.00 | 100 | 317 | PEAK    |
|             | Limit  | Read               | Ant    | Cable  | Preamp | Aux    | APos   | TPos   | Remark |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |       |       |      |     |     |         |
| Freq        | Level  | Line               | Margin | Level  | Factor | Loss   | Factor | Factor |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |       |       |      |     |     |         |
| MHz         | dBuV/m   | dBuV/m             | dB     | dBuV   | dB/m   | dB     | dB     | dB     |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |       |       |      |     |     |         |
| 1           | 7125.00  | 66.67              | 88.20  | -21.53 | 56.41  | 35.50  | 12.62  | 37.86  | 0.00   | 100    | 317  | PEAK    |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |       |       |      |     |     |         |
| Limit       | Read   | Ant                | Cable  | Preamp | Aux    | APos   | TPos   | Remark |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |       |       |      |     |     |         |
| Freq        | Level  | Line               | Margin | Level  | Factor | Loss   | Factor | Factor |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |       |       |      |     |     |         |
| MHz         | dBuV/m   | dBuV/m             | dB     | dBuV   | dB/m   | dB     | dB     | dB     |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |       |       |      |     |     |         |
| 1           | 7115.00  | 80.08              | 88.20  | -8.12  | 69.83  | 35.50  | 12.61  | 37.86  | 0.00   | 100    | 317  | PEAK    |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |       |       |      |     |     |         |
| <b>Avg</b>  | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7125.00</td> <td>59.19</td> <td>68.20</td> <td>-9.01</td> <td>48.93</td> <td>35.50</td> <td>12.62</td> <td>37.86</td> <td>0.00</td> <td>100</td> <td>317</td> <td>AVERAGE</td> </tr> </tbody> </table> | Limit              | Read   | Ant    | Cable  | Preamp | Aux    | APos   | TPos   | Remark | Freq | Level   | Line | Margin | Level | Factor | Loss | Factor | Factor | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | dB | 1 | 7125.00 | 59.19 | 68.20 | -9.01  | 48.93 | 35.50 | 12.62 | 37.86 | 0.00 | 100 | 317 | AVERAGE | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7115.00</td> <td>70.28</td> <td>68.20</td> <td>2.08</td> <td>60.03</td> <td>35.50</td> <td>12.61</td> <td>37.86</td> <td>0.00</td> <td>100</td> <td>317</td> <td>AVERAGE</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line | Margin | Level | Factor | Loss | Factor | Factor | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | dB | 1 | 7115.00 | 70.28 | 68.20 | 2.08  | 60.03 | 35.50 | 12.61 | 37.86 | 0.00 | 100 | 317 | AVERAGE |
|             | Limit  | Read               | Ant    | Cable  | Preamp | Aux    | APos   | TPos   | Remark |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |       |       |      |     |     |         |
| Freq        | Level  | Line               | Margin | Level  | Factor | Loss   | Factor | Factor |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |       |       |      |     |     |         |
| MHz         | dBuV/m   | dBuV/m             | dB     | dBuV   | dB/m   | dB     | dB     | dB     |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |       |       |      |     |     |         |
| 1           | 7125.00  | 59.19              | 68.20  | -9.01  | 48.93  | 35.50  | 12.62  | 37.86  | 0.00   | 100    | 317  | AVERAGE |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |       |       |      |     |     |         |
| Limit       | Read   | Ant                | Cable  | Preamp | Aux    | APos   | TPos   | Remark |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |       |       |      |     |     |         |
| Freq        | Level  | Line               | Margin | Level  | Factor | Loss   | Factor | Factor |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |       |       |      |     |     |         |
| MHz         | dBuV/m   | dBuV/m             | dB     | dBuV   | dB/m   | dB     | dB     | dB     |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |       |       |      |     |     |         |
| 1           | 7115.00  | 70.28              | 68.20  | 2.08   | 60.03  | 35.50  | 12.61  | 37.86  | 0.00   | 100    | 317  | AVERAGE |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |       |       |      |     |     |         |



| Mode        | 69   |             |              |             |        |        |       |        |        |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |      |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |      |
|-------------|--|-------------|--------------|-------------|--------|--------|-------|--------|--------|--------|------|-------|-------------|--------------|-------------|--------|--|--|--|-----|--------|--------|----|------|------|----|----|----|-----|------------|-------|-------|--------|-------|-------|-------|-------|------|-----|-----|------|--|-------|------|-----|-------|--------|-----|------|------|--------|------|-------|-------------|--------------|-------------|--------|--|--|--|-----|--------|--------|----|------|------|----|----|----|----|-----|------------|-------|-------|--------|-------|-------|-------|-------|------|-----|-----|------|
|             | Harmonic   |             |              |             |        |        |       |        |        |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |      |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |      |
|             | U-NII-8_6.875-7.125_802.11ax HE20_CH233_RU52/40_7115MHz  |             |              |             |        |        |       |        |        |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |      |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |      |
| ANT         | CDD 5+4  |             |              |             |        |        |       |        |        |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |      |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |      |
| Pol.        | Horizontal   | Vertical    |              |             |        |        |       |        |        |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |      |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |      |
| Peak<br>Avg | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 14230.00</td> <td>46.80</td> <td>88.20</td> <td>-41.40</td> <td>54.67</td> <td>38.90</td> <td>18.19</td> <td>64.96</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table> | Limit       | Read         | Ant         | Cable  | Preamp | Aux   | APos   | TPos   | Remark | Freq | Level | Line Margin | Level Factor | Loss Factor | Factor |  |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 14230.00 | 46.80 | 88.20 | -41.40 | 54.67 | 38.90 | 18.19 | 64.96 | 0.00 | --- | --- | PEAK | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 14230.00</td> <td>46.21</td> <td>88.20</td> <td>-41.99</td> <td>54.08</td> <td>38.90</td> <td>18.19</td> <td>64.96</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line Margin | Level Factor | Loss Factor | Factor |  |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | dB | cm | deg | 1 14230.00 | 46.21 | 88.20 | -41.99 | 54.08 | 38.90 | 18.19 | 64.96 | 0.00 | --- | --- | PEAK |
|             | Limit  | Read        | Ant          | Cable       | Preamp | Aux    | APos  | TPos   | Remark |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |      |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |      |
| Freq        | Level  | Line Margin | Level Factor | Loss Factor | Factor |        |       |        |        |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |      |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |      |
| MHz         | dBuV/m   | dBuV/m      | dB           | dBuV        | dB/m   | dB     | dB    | cm     | deg    |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |      |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |      |
| 1 14230.00  | 46.80  | 88.20       | -41.40       | 54.67       | 38.90  | 18.19  | 64.96 | 0.00   | ---    | ---    | PEAK |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |      |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |      |
| Limit       | Read   | Ant         | Cable        | Preamp      | Aux    | APos   | TPos  | Remark |        |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |      |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |      |
| Freq        | Level  | Line Margin | Level Factor | Loss Factor | Factor |        |       |        |        |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |      |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |      |
| MHz         | dBuV/m   | dBuV/m      | dB           | dBuV        | dB/m   | dB     | dB    | dB     | cm     | deg    |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |      |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |      |
| 1 14230.00  | 46.21  | 88.20       | -41.99       | 54.08       | 38.90  | 18.19  | 64.96 | 0.00   | ---    | ---    | PEAK |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |      |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |      |



|       |   | 70   |        |        |        |        |        |        |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |       |       |      |     |     |         |
|-------|---|--|--------|--------|--------|--------|--------|--------|--------|--------|------|---------|------|--------|-------|--------|------|--------|--------|-----|--------|--------|----|------|------|----|----|----|---|---------|-------|-------|--------|-------|-------|-------|-------|------|-----|-----|---------|---|-------|------|-----|-------|--------|-----|------|------|--------|------|-------|------|--------|-------|--------|------|--------|--------|-----|--------|--------|----|------|------|----|----|----|---|---------|-------|-------|-------|-------|-------|-------|-------|------|-----|-----|---------|
| Mode  |   | Band Edge  |        |        |        |        |        |        |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |       |       |      |     |     |         |
|       |   | U-NII-8_6.875-7.125_802.11ax HE20_CH233_RU106/54_7115MHz |        |        |        |        |        |        |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |       |       |      |     |     |         |
| ANT   |   | CDD 5+4  |        |        |        |        |        |        |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |       |       |      |     |     |         |
| Pol.  | Horizontal  | Fundamental  |        |        |        |        |        |        |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |       |       |      |     |     |         |
| Peak  | <p>Level (dBuV/m) vs Frequency (MHz) plot for Horizontal polarization. The plot shows a peak at 7115 MHz. A red horizontal line indicates the limit at approximately 95 dBuV/m. The actual peak level is around 81.3 dBuV/m.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7125.00</td> <td>73.13</td> <td>88.20</td> <td>-15.07</td> <td>62.87</td> <td>35.50</td> <td>12.62</td> <td>37.86</td> <td>0.00</td> <td>102</td> <td>298</td> <td>PEAK</td> </tr> </tbody> </table>                 | Limit  | Read   | Ant    | Cable  | Preamp | Aux    | APos   | TPos   | Remark | Freq | Level   | Line | Margin | Level | Factor | Loss | Factor | Factor | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | dB | 1 | 7125.00 | 73.13 | 88.20 | -15.07 | 62.87 | 35.50 | 12.62 | 37.86 | 0.00 | 102 | 298 | PEAK    | <p>Level (dBuV/m) vs Frequency (MHz) plot for Fundamental polarization. The plot shows a peak at 7115 MHz. A red horizontal line indicates the limit at approximately 95 dBuV/m. The actual peak level is around 81.3 dBuV/m.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7115.00</td> <td>84.12</td> <td>88.20</td> <td>-4.08</td> <td>73.87</td> <td>35.50</td> <td>12.61</td> <td>37.86</td> <td>0.00</td> <td>102</td> <td>298</td> <td>PEAK</td> </tr> </tbody> </table>                 | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line | Margin | Level | Factor | Loss | Factor | Factor | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | dB | 1 | 7115.00 | 84.12 | 88.20 | -4.08 | 73.87 | 35.50 | 12.61 | 37.86 | 0.00 | 102 | 298 | PEAK    |
|       | Limit   | Read   | Ant    | Cable  | Preamp | Aux    | APos   | TPos   | Remark |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |       |       |      |     |     |         |
| Freq  | Level   | Line   | Margin | Level  | Factor | Loss   | Factor | Factor |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |       |       |      |     |     |         |
| MHz   | dBuV/m  | dBuV/m   | dB     | dBuV   | dB/m   | dB     | dB     | dB     |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |       |       |      |     |     |         |
| 1     | 7125.00   | 73.13  | 88.20  | -15.07 | 62.87  | 35.50  | 12.62  | 37.86  | 0.00   | 102    | 298  | PEAK    |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |       |       |      |     |     |         |
| Limit | Read  | Ant  | Cable  | Preamp | Aux    | APos   | TPos   | Remark |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |       |       |      |     |     |         |
| Freq  | Level   | Line   | Margin | Level  | Factor | Loss   | Factor | Factor |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |       |       |      |     |     |         |
| MHz   | dBuV/m  | dBuV/m   | dB     | dBuV   | dB/m   | dB     | dB     | dB     |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |       |       |      |     |     |         |
| 1     | 7115.00   | 84.12  | 88.20  | -4.08  | 73.87  | 35.50  | 12.61  | 37.86  | 0.00   | 102    | 298  | PEAK    |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |       |       |      |     |     |         |
| Avg   | <p>Level (dBuV/m) vs Frequency (MHz) plot for Horizontal polarization. The plot shows an average level at 7115 MHz. A red horizontal line indicates the limit at approximately 65 dBuV/m. The actual average level is around 64.58 dBuV/m.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7125.00</td> <td>64.58</td> <td>68.20</td> <td>-3.62</td> <td>54.32</td> <td>35.50</td> <td>12.62</td> <td>37.86</td> <td>0.00</td> <td>102</td> <td>298</td> <td>AVERAGE</td> </tr> </tbody> </table> | Limit  | Read   | Ant    | Cable  | Preamp | Aux    | APos   | TPos   | Remark | Freq | Level   | Line | Margin | Level | Factor | Loss | Factor | Factor | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | dB | 1 | 7125.00 | 64.58 | 68.20 | -3.62  | 54.32 | 35.50 | 12.62 | 37.86 | 0.00 | 102 | 298 | AVERAGE | <p>Level (dBuV/m) vs Frequency (MHz) plot for Fundamental polarization. The plot shows an average level at 7115 MHz. A red horizontal line indicates the limit at approximately 65 dBuV/m. The actual average level is around 74.70 dBuV/m.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7115.00</td> <td>74.70</td> <td>68.20</td> <td>6.50</td> <td>64.45</td> <td>35.50</td> <td>12.61</td> <td>37.86</td> <td>0.00</td> <td>102</td> <td>298</td> <td>AVERAGE</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line | Margin | Level | Factor | Loss | Factor | Factor | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | dB | 1 | 7115.00 | 74.70 | 68.20 | 6.50  | 64.45 | 35.50 | 12.61 | 37.86 | 0.00 | 102 | 298 | AVERAGE |
|       | Limit   | Read   | Ant    | Cable  | Preamp | Aux    | APos   | TPos   | Remark |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |       |       |      |     |     |         |
| Freq  | Level   | Line   | Margin | Level  | Factor | Loss   | Factor | Factor |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |       |       |      |     |     |         |
| MHz   | dBuV/m  | dBuV/m   | dB     | dBuV   | dB/m   | dB     | dB     | dB     |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |       |       |      |     |     |         |
| 1     | 7125.00   | 64.58  | 68.20  | -3.62  | 54.32  | 35.50  | 12.62  | 37.86  | 0.00   | 102    | 298  | AVERAGE |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |       |       |      |     |     |         |
| Limit | Read  | Ant  | Cable  | Preamp | Aux    | APos   | TPos   | Remark |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |       |       |      |     |     |         |
| Freq  | Level   | Line   | Margin | Level  | Factor | Loss   | Factor | Factor |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |       |       |      |     |     |         |
| MHz   | dBuV/m  | dBuV/m   | dB     | dBuV   | dB/m   | dB     | dB     | dB     |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |       |       |      |     |     |         |
| 1     | 7115.00   | 74.70  | 68.20  | 6.50   | 64.45  | 35.50  | 12.61  | 37.86  | 0.00   | 102    | 298  | AVERAGE |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |       |       |      |     |     |         |



|       |  | 70   |        |        |        |        |        |        |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |       |       |      |     |     |         |
|-------|--|--|--------|--------|--------|--------|--------|--------|--------|--------|------|---------|------|--------|-------|--------|------|--------|--------|-----|--------|--------|----|------|------|----|----|----|---|---------|-------|-------|--------|-------|-------|-------|-------|------|-----|-----|---------|--|-------|------|-----|-------|--------|-----|------|------|--------|------|-------|------|--------|-------|--------|------|--------|--------|-----|--------|--------|----|------|------|----|----|----|---|---------|-------|-------|-------|-------|-------|-------|-------|------|-----|-----|---------|
| Mode  |  | Band Edge  |        |        |        |        |        |        |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |       |       |      |     |     |         |
|       |  | U-NII-8_6.875-7.125_802.11ax HE20_CH233_RU106/54_7115MHz |        |        |        |        |        |        |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |       |       |      |     |     |         |
| ANT   |  | CDD 5+4  |        |        |        |        |        |        |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |       |       |      |     |     |         |
| Pol.  | Vertical   | Fundamental  |        |        |        |        |        |        |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |       |       |      |     |     |         |
| Peak  | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7125.00</td> <td>67.33</td> <td>88.20</td> <td>-20.87</td> <td>57.07</td> <td>35.50</td> <td>12.62</td> <td>37.86</td> <td>0.00</td> <td>100</td> <td>323</td> <td>PEAK</td> </tr> </tbody> </table>   | Limit  | Read   | Ant    | Cable  | Preamp | Aux    | APos   | TPos   | Remark | Freq | Level   | Line | Margin | Level | Factor | Loss | Factor | Factor | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | dB | 1 | 7125.00 | 67.33 | 88.20 | -20.87 | 57.07 | 35.50 | 12.62 | 37.86 | 0.00 | 100 | 323 | PEAK    | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7115.00</td> <td>77.71</td> <td>-----</td> <td>-----</td> <td>67.46</td> <td>35.50</td> <td>12.61</td> <td>37.86</td> <td>0.00</td> <td>100</td> <td>323</td> <td>PEAK</td> </tr> </tbody> </table>    | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line | Margin | Level | Factor | Loss | Factor | Factor | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | dB | 1 | 7115.00 | 77.71 | ----- | ----- | 67.46 | 35.50 | 12.61 | 37.86 | 0.00 | 100 | 323 | PEAK    |
|       | Limit  | Read   | Ant    | Cable  | Preamp | Aux    | APos   | TPos   | Remark |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |       |       |      |     |     |         |
| Freq  | Level  | Line   | Margin | Level  | Factor | Loss   | Factor | Factor |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |       |       |      |     |     |         |
| MHz   | dBuV/m   | dBuV/m   | dB     | dBuV   | dB/m   | dB     | dB     | dB     |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |       |       |      |     |     |         |
| 1     | 7125.00  | 67.33  | 88.20  | -20.87 | 57.07  | 35.50  | 12.62  | 37.86  | 0.00   | 100    | 323  | PEAK    |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |       |       |      |     |     |         |
| Limit | Read   | Ant  | Cable  | Preamp | Aux    | APos   | TPos   | Remark |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |       |       |      |     |     |         |
| Freq  | Level  | Line   | Margin | Level  | Factor | Loss   | Factor | Factor |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |       |       |      |     |     |         |
| MHz   | dBuV/m   | dBuV/m   | dB     | dBuV   | dB/m   | dB     | dB     | dB     |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |       |       |      |     |     |         |
| 1     | 7115.00  | 77.71  | -----  | -----  | 67.46  | 35.50  | 12.61  | 37.86  | 0.00   | 100    | 323  | PEAK    |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |       |       |      |     |     |         |
| Avg   | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7125.00</td> <td>58.87</td> <td>68.20</td> <td>-9.33</td> <td>48.61</td> <td>35.50</td> <td>12.62</td> <td>37.86</td> <td>0.00</td> <td>100</td> <td>323</td> <td>AVERAGE</td> </tr> </tbody> </table> | Limit  | Read   | Ant    | Cable  | Preamp | Aux    | APos   | TPos   | Remark | Freq | Level   | Line | Margin | Level | Factor | Loss | Factor | Factor | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | dB | 1 | 7125.00 | 58.87 | 68.20 | -9.33  | 48.61 | 35.50 | 12.62 | 37.86 | 0.00 | 100 | 323 | AVERAGE | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7115.00</td> <td>69.21</td> <td>-----</td> <td>-----</td> <td>58.96</td> <td>35.50</td> <td>12.61</td> <td>37.86</td> <td>0.00</td> <td>100</td> <td>323</td> <td>AVERAGE</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line | Margin | Level | Factor | Loss | Factor | Factor | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | dB | 1 | 7115.00 | 69.21 | ----- | ----- | 58.96 | 35.50 | 12.61 | 37.86 | 0.00 | 100 | 323 | AVERAGE |
|       | Limit  | Read   | Ant    | Cable  | Preamp | Aux    | APos   | TPos   | Remark |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |       |       |      |     |     |         |
| Freq  | Level  | Line   | Margin | Level  | Factor | Loss   | Factor | Factor |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |       |       |      |     |     |         |
| MHz   | dBuV/m   | dBuV/m   | dB     | dBuV   | dB/m   | dB     | dB     | dB     |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |       |       |      |     |     |         |
| 1     | 7125.00  | 58.87  | 68.20  | -9.33  | 48.61  | 35.50  | 12.62  | 37.86  | 0.00   | 100    | 323  | AVERAGE |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |       |       |      |     |     |         |
| Limit | Read   | Ant  | Cable  | Preamp | Aux    | APos   | TPos   | Remark |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |       |       |      |     |     |         |
| Freq  | Level  | Line   | Margin | Level  | Factor | Loss   | Factor | Factor |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |       |       |      |     |     |         |
| MHz   | dBuV/m   | dBuV/m   | dB     | dBuV   | dB/m   | dB     | dB     | dB     |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |       |       |      |     |     |         |
| 1     | 7115.00  | 69.21  | -----  | -----  | 58.96  | 35.50  | 12.61  | 37.86  | 0.00   | 100    | 323  | AVERAGE |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |       |       |      |     |     |         |



| Mode        | 70   |             |              |             |        |        |       |        |        |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |      |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |      |
|-------------|--|-------------|--------------|-------------|--------|--------|-------|--------|--------|--------|------|-------|-------------|--------------|-------------|--------|--|--|--|-----|--------|--------|----|------|------|----|----|----|-----|------------|-------|-------|--------|-------|-------|-------|-------|------|-----|-----|------|--|-------|------|-----|-------|--------|-----|------|------|--------|------|-------|-------------|--------------|-------------|--------|--|--|--|-----|--------|--------|----|------|------|----|----|----|-----|------------|-------|-------|--------|-------|-------|-------|-------|------|-----|-----|------|
|             | Harmonic   |             |              |             |        |        |       |        |        |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |      |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |      |
|             | U-NII-8_6.875-7.125_802.11ax HE20_CH233_RU106/54_7115MHz   |             |              |             |        |        |       |        |        |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |      |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |      |
| ANT         | CDD 5+4  |             |              |             |        |        |       |        |        |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |      |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |      |
| Pol.        | Horizontal   | Vertical    |              |             |        |        |       |        |        |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |      |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |      |
| Peak<br>Avg | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 14230.00</td> <td>46.28</td> <td>88.20</td> <td>-41.92</td> <td>54.15</td> <td>38.90</td> <td>18.19</td> <td>64.96</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table> | Limit       | Read         | Ant         | Cable  | Preamp | Aux   | APos   | TPos   | Remark | Freq | Level | Line Margin | Level Factor | Loss Factor | Factor |  |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 14230.00 | 46.28 | 88.20 | -41.92 | 54.15 | 38.90 | 18.19 | 64.96 | 0.00 | --- | --- | PEAK | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 14230.00</td> <td>45.76</td> <td>88.20</td> <td>-42.44</td> <td>53.63</td> <td>38.90</td> <td>18.19</td> <td>64.96</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line Margin | Level Factor | Loss Factor | Factor |  |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 14230.00 | 45.76 | 88.20 | -42.44 | 53.63 | 38.90 | 18.19 | 64.96 | 0.00 | --- | --- | PEAK |
|             | Limit  | Read        | Ant          | Cable       | Preamp | Aux    | APos  | TPos   | Remark |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |      |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |      |
| Freq        | Level  | Line Margin | Level Factor | Loss Factor | Factor |        |       |        |        |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |      |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |      |
| MHz         | dBuV/m   | dBuV/m      | dB           | dBuV        | dB/m   | dB     | dB    | cm     | deg    |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |      |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |      |
| 1 14230.00  | 46.28  | 88.20       | -41.92       | 54.15       | 38.90  | 18.19  | 64.96 | 0.00   | ---    | ---    | PEAK |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |      |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |      |
| Limit       | Read   | Ant         | Cable        | Preamp      | Aux    | APos   | TPos  | Remark |        |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |      |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |      |
| Freq        | Level  | Line Margin | Level Factor | Loss Factor | Factor |        |       |        |        |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |      |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |      |
| MHz         | dBuV/m   | dBuV/m      | dB           | dBuV        | dB/m   | dB     | dB    | cm     | deg    |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |      |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |      |
| 1 14230.00  | 45.76  | 88.20       | -42.44       | 53.63       | 38.90  | 18.19  | 64.96 | 0.00   | ---    | ---    | PEAK |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |      |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |      |







| Mode       | 60   |          |            |            |                          |                          |                          |                   |        |        |                 |          |          |  |     |        |    |        |      |      |    |    |    |     |  |   |       |       |        |       |       |       |      |       |     |     |                 |   |       |       |        |       |       |       |      |       |     |     |                 |   |        |       |        |       |       |       |      |       |     |     |                 |   |        |       |        |       |       |       |      |       |     |     |                 |   |        |       |        |       |       |       |      |       |     |     |                 |   |        |       |        |       |       |       |      |       |     |     |                 |   |      |      |       |            |            |                          |                   |        |       |       |        |          |  |     |        |    |        |      |      |    |    |    |     |  |   |       |       |       |       |       |       |      |       |     |     |               |   |       |       |        |       |       |       |      |       |     |     |               |   |        |       |        |       |       |       |      |       |     |     |               |   |        |       |        |       |       |       |      |       |     |     |               |   |        |       |        |       |       |       |      |       |     |     |               |   |        |       |        |       |       |       |      |       |     |     |               |
|------------|--|----------|------------|------------|--------------------------|--------------------------|--------------------------|-------------------|--------|--------|-----------------|----------|----------|--|-----|--------|----|--------|------|------|----|----|----|-----|--|---|-------|-------|--------|-------|-------|-------|------|-------|-----|-----|-----------------|---|-------|-------|--------|-------|-------|-------|------|-------|-----|-----|-----------------|---|--------|-------|--------|-------|-------|-------|------|-------|-----|-----|-----------------|---|--------|-------|--------|-------|-------|-------|------|-------|-----|-----|-----------------|---|--------|-------|--------|-------|-------|-------|------|-------|-----|-----|-----------------|---|--------|-------|--------|-------|-------|-------|------|-------|-----|-----|-----------------|---|------|------|-------|------------|------------|--------------------------|-------------------|--------|-------|-------|--------|----------|--|-----|--------|----|--------|------|------|----|----|----|-----|--|---|-------|-------|-------|-------|-------|-------|------|-------|-----|-----|---------------|---|-------|-------|--------|-------|-------|-------|------|-------|-----|-----|---------------|---|--------|-------|--------|-------|-------|-------|------|-------|-----|-----|---------------|---|--------|-------|--------|-------|-------|-------|------|-------|-----|-----|---------------|---|--------|-------|--------|-------|-------|-------|------|-------|-----|-----|---------------|---|--------|-------|--------|-------|-------|-------|------|-------|-----|-----|---------------|
|            | LF   |          |            |            |                          |                          |                          |                   |        |        |                 |          |          |  |     |        |    |        |      |      |    |    |    |     |  |   |       |       |        |       |       |       |      |       |     |     |                 |   |       |       |        |       |       |       |      |       |     |     |                 |   |        |       |        |       |       |       |      |       |     |     |                 |   |        |       |        |       |       |       |      |       |     |     |                 |   |        |       |        |       |       |       |      |       |     |     |                 |   |        |       |        |       |       |       |      |       |     |     |                 |   |      |      |       |            |            |                          |                   |        |       |       |        |          |  |     |        |    |        |      |      |    |    |    |     |  |   |       |       |       |       |       |       |      |       |     |     |               |   |       |       |        |       |       |       |      |       |     |     |               |   |        |       |        |       |       |       |      |       |     |     |               |   |        |       |        |       |       |       |      |       |     |     |               |   |        |       |        |       |       |       |      |       |     |     |               |   |        |       |        |       |       |       |      |       |     |     |               |
|            | U-NII-5_5.925-6.425_802.11ax HE20_CH2_Full_5935MHz   |          |            |            |                          |                          |                          |                   |        |        |                 |          |          |  |     |        |    |        |      |      |    |    |    |     |  |   |       |       |        |       |       |       |      |       |     |     |                 |   |       |       |        |       |       |       |      |       |     |     |                 |   |        |       |        |       |       |       |      |       |     |     |                 |   |        |       |        |       |       |       |      |       |     |     |                 |   |        |       |        |       |       |       |      |       |     |     |                 |   |        |       |        |       |       |       |      |       |     |     |                 |   |      |      |       |            |            |                          |                   |        |       |       |        |          |  |     |        |    |        |      |      |    |    |    |     |  |   |       |       |       |       |       |       |      |       |     |     |               |   |       |       |        |       |       |       |      |       |     |     |               |   |        |       |        |       |       |       |      |       |     |     |               |   |        |       |        |       |       |       |      |       |     |     |               |   |        |       |        |       |       |       |      |       |     |     |               |   |        |       |        |       |       |       |      |       |     |     |               |
| ANT        | CDD 5+4  |          |            |            |                          |                          |                          |                   |        |        |                 |          |          |  |     |        |    |        |      |      |    |    |    |     |  |   |       |       |        |       |       |       |      |       |     |     |                 |   |       |       |        |       |       |       |      |       |     |     |                 |   |        |       |        |       |       |       |      |       |     |     |                 |   |        |       |        |       |       |       |      |       |     |     |                 |   |        |       |        |       |       |       |      |       |     |     |                 |   |        |       |        |       |       |       |      |       |     |     |                 |   |      |      |       |            |            |                          |                   |        |       |       |        |          |  |     |        |    |        |      |      |    |    |    |     |  |   |       |       |       |       |       |       |      |       |     |     |               |   |       |       |        |       |       |       |      |       |     |     |               |   |        |       |        |       |       |       |      |       |     |     |               |   |        |       |        |       |       |       |      |       |     |     |               |   |        |       |        |       |       |       |      |       |     |     |               |   |        |       |        |       |       |       |      |       |     |     |               |
| Pol.       | Horizontal   | Vertical |            |            |                          |                          |                          |                   |        |        |                 |          |          |  |     |        |    |        |      |      |    |    |    |     |  |   |       |       |        |       |       |       |      |       |     |     |                 |   |       |       |        |       |       |       |      |       |     |     |                 |   |        |       |        |       |       |       |      |       |     |     |                 |   |        |       |        |       |       |       |      |       |     |     |                 |   |        |       |        |       |       |       |      |       |     |     |                 |   |        |       |        |       |       |       |      |       |     |     |                 |   |      |      |       |            |            |                          |                   |        |       |       |        |          |  |     |        |    |        |      |      |    |    |    |     |  |   |       |       |       |       |       |       |      |       |     |     |               |   |       |       |        |       |       |       |      |       |     |     |               |   |        |       |        |       |       |       |      |       |     |     |               |   |        |       |        |       |       |       |      |       |     |     |               |   |        |       |        |       |       |       |      |       |     |     |               |   |        |       |        |       |       |       |      |       |     |     |               |
| Peak<br>QP | <p>Data: 2</p> <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Over Limit</th> <th>Limit Line</th> <th>ReadAntenna Level Factor</th> <th>Cable Loss Factor</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr><td>1</td><td>30.97</td><td>20.85</td><td>-19.15</td><td>40.00</td><td>29.04</td><td>24.07</td><td>0.73</td><td>32.99</td><td>---</td><td>---</td><td>Peak HORIZONTAL</td></tr> <tr><td>2</td><td>91.11</td><td>22.74</td><td>-20.76</td><td>43.50</td><td>30.81</td><td>15.35</td><td>1.43</td><td>32.85</td><td>---</td><td>---</td><td>Peak HORIZONTAL</td></tr> <tr><td>3</td><td>170.65</td><td>26.59</td><td>-16.91</td><td>43.50</td><td>41.45</td><td>16.00</td><td>1.97</td><td>32.83</td><td>---</td><td>---</td><td>Peak HORIZONTAL</td></tr> <tr><td>4</td><td>450.90</td><td>23.40</td><td>-22.60</td><td>46.00</td><td>30.67</td><td>22.55</td><td>3.24</td><td>33.06</td><td>---</td><td>---</td><td>Peak HORIZONTAL</td></tr> <tr><td>5</td><td>763.32</td><td>27.55</td><td>-18.45</td><td>46.00</td><td>30.16</td><td>25.95</td><td>4.22</td><td>32.78</td><td>---</td><td>---</td><td>Peak HORIZONTAL</td></tr> <tr><td>6</td><td>984.48</td><td>30.39</td><td>-23.61</td><td>54.00</td><td>29.32</td><td>27.41</td><td>4.80</td><td>31.14</td><td>---</td><td>---</td><td>Peak HORIZONTAL</td></tr> </tbody> </table> | Peak     | Freq       | Level      | Over Limit               | Limit Line               | ReadAntenna Level Factor | Cable Loss Factor | Preamp | A/Pos  | T/Pos           | Remark   | Pol/Phas |  | MHz | dBuV/m | dB | dBuV/m | dBuV | dB/m | dB | dB | cm | deg |  | 1 | 30.97 | 20.85 | -19.15 | 40.00 | 29.04 | 24.07 | 0.73 | 32.99 | --- | --- | Peak HORIZONTAL | 2 | 91.11 | 22.74 | -20.76 | 43.50 | 30.81 | 15.35 | 1.43 | 32.85 | --- | --- | Peak HORIZONTAL | 3 | 170.65 | 26.59 | -16.91 | 43.50 | 41.45 | 16.00 | 1.97 | 32.83 | --- | --- | Peak HORIZONTAL | 4 | 450.90 | 23.40 | -22.60 | 46.00 | 30.67 | 22.55 | 3.24 | 33.06 | --- | --- | Peak HORIZONTAL | 5 | 763.32 | 27.55 | -18.45 | 46.00 | 30.16 | 25.95 | 4.22 | 32.78 | --- | --- | Peak HORIZONTAL | 6 | 984.48 | 30.39 | -23.61 | 54.00 | 29.32 | 27.41 | 4.80 | 31.14 | --- | --- | Peak HORIZONTAL | <p>Data: 1</p> <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Over Limit</th> <th>Limit Line</th> <th>ReadAntenna Level Factor</th> <th>Cable Loss Factor</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr><td>1</td><td>45.52</td><td>33.10</td><td>-6.90</td><td>40.00</td><td>48.98</td><td>16.11</td><td>0.98</td><td>32.97</td><td>---</td><td>---</td><td>Peak VERTICAL</td></tr> <tr><td>2</td><td>78.50</td><td>23.05</td><td>-16.95</td><td>40.00</td><td>41.45</td><td>13.06</td><td>1.32</td><td>32.78</td><td>---</td><td>---</td><td>Peak VERTICAL</td></tr> <tr><td>3</td><td>325.85</td><td>20.19</td><td>-25.81</td><td>46.00</td><td>30.42</td><td>19.90</td><td>2.75</td><td>32.88</td><td>---</td><td>---</td><td>Peak VERTICAL</td></tr> <tr><td>4</td><td>467.47</td><td>23.12</td><td>-22.88</td><td>46.00</td><td>29.93</td><td>22.90</td><td>3.30</td><td>33.01</td><td>---</td><td>---</td><td>Peak VERTICAL</td></tr> <tr><td>5</td><td>764.29</td><td>27.64</td><td>-18.36</td><td>46.00</td><td>30.24</td><td>25.95</td><td>4.23</td><td>32.78</td><td>---</td><td>---</td><td>Peak VERTICAL</td></tr> <tr><td>6</td><td>978.66</td><td>31.35</td><td>-22.65</td><td>54.00</td><td>30.36</td><td>27.43</td><td>4.79</td><td>31.23</td><td>---</td><td>---</td><td>Peak VERTICAL</td></tr> </tbody> </table> | Peak | Freq | Level | Over Limit | Limit Line | ReadAntenna Level Factor | Cable Loss Factor | Preamp | A/Pos | T/Pos | Remark | Pol/Phas |  | MHz | dBuV/m | dB | dBuV/m | dBuV | dB/m | dB | dB | cm | deg |  | 1 | 45.52 | 33.10 | -6.90 | 40.00 | 48.98 | 16.11 | 0.98 | 32.97 | --- | --- | Peak VERTICAL | 2 | 78.50 | 23.05 | -16.95 | 40.00 | 41.45 | 13.06 | 1.32 | 32.78 | --- | --- | Peak VERTICAL | 3 | 325.85 | 20.19 | -25.81 | 46.00 | 30.42 | 19.90 | 2.75 | 32.88 | --- | --- | Peak VERTICAL | 4 | 467.47 | 23.12 | -22.88 | 46.00 | 29.93 | 22.90 | 3.30 | 33.01 | --- | --- | Peak VERTICAL | 5 | 764.29 | 27.64 | -18.36 | 46.00 | 30.24 | 25.95 | 4.23 | 32.78 | --- | --- | Peak VERTICAL | 6 | 978.66 | 31.35 | -22.65 | 54.00 | 30.36 | 27.43 | 4.79 | 31.23 | --- | --- | Peak VERTICAL |
|            | Peak   | Freq     | Level      | Over Limit | Limit Line               | ReadAntenna Level Factor | Cable Loss Factor        | Preamp            | A/Pos  | T/Pos  | Remark          | Pol/Phas |          |  |     |        |    |        |      |      |    |    |    |     |  |   |       |       |        |       |       |       |      |       |     |     |                 |   |       |       |        |       |       |       |      |       |     |     |                 |   |        |       |        |       |       |       |      |       |     |     |                 |   |        |       |        |       |       |       |      |       |     |     |                 |   |        |       |        |       |       |       |      |       |     |     |                 |   |        |       |        |       |       |       |      |       |     |     |                 |   |      |      |       |            |            |                          |                   |        |       |       |        |          |  |     |        |    |        |      |      |    |    |    |     |  |   |       |       |       |       |       |       |      |       |     |     |               |   |       |       |        |       |       |       |      |       |     |     |               |   |        |       |        |       |       |       |      |       |     |     |               |   |        |       |        |       |       |       |      |       |     |     |               |   |        |       |        |       |       |       |      |       |     |     |               |   |        |       |        |       |       |       |      |       |     |     |               |
|            | MHz  | dBuV/m   | dB         | dBuV/m     | dBuV                     | dB/m                     | dB                       | dB                | cm     | deg    |                 |          |          |  |     |        |    |        |      |      |    |    |    |     |  |   |       |       |        |       |       |       |      |       |     |     |                 |   |       |       |        |       |       |       |      |       |     |     |                 |   |        |       |        |       |       |       |      |       |     |     |                 |   |        |       |        |       |       |       |      |       |     |     |                 |   |        |       |        |       |       |       |      |       |     |     |                 |   |        |       |        |       |       |       |      |       |     |     |                 |   |      |      |       |            |            |                          |                   |        |       |       |        |          |  |     |        |    |        |      |      |    |    |    |     |  |   |       |       |       |       |       |       |      |       |     |     |               |   |       |       |        |       |       |       |      |       |     |     |               |   |        |       |        |       |       |       |      |       |     |     |               |   |        |       |        |       |       |       |      |       |     |     |               |   |        |       |        |       |       |       |      |       |     |     |               |   |        |       |        |       |       |       |      |       |     |     |               |
| 1          | 30.97  | 20.85    | -19.15     | 40.00      | 29.04                    | 24.07                    | 0.73                     | 32.99             | ---    | ---    | Peak HORIZONTAL |          |          |  |     |        |    |        |      |      |    |    |    |     |  |   |       |       |        |       |       |       |      |       |     |     |                 |   |       |       |        |       |       |       |      |       |     |     |                 |   |        |       |        |       |       |       |      |       |     |     |                 |   |        |       |        |       |       |       |      |       |     |     |                 |   |        |       |        |       |       |       |      |       |     |     |                 |   |        |       |        |       |       |       |      |       |     |     |                 |   |      |      |       |            |            |                          |                   |        |       |       |        |          |  |     |        |    |        |      |      |    |    |    |     |  |   |       |       |       |       |       |       |      |       |     |     |               |   |       |       |        |       |       |       |      |       |     |     |               |   |        |       |        |       |       |       |      |       |     |     |               |   |        |       |        |       |       |       |      |       |     |     |               |   |        |       |        |       |       |       |      |       |     |     |               |   |        |       |        |       |       |       |      |       |     |     |               |
| 2          | 91.11  | 22.74    | -20.76     | 43.50      | 30.81                    | 15.35                    | 1.43                     | 32.85             | ---    | ---    | Peak HORIZONTAL |          |          |  |     |        |    |        |      |      |    |    |    |     |  |   |       |       |        |       |       |       |      |       |     |     |                 |   |       |       |        |       |       |       |      |       |     |     |                 |   |        |       |        |       |       |       |      |       |     |     |                 |   |        |       |        |       |       |       |      |       |     |     |                 |   |        |       |        |       |       |       |      |       |     |     |                 |   |        |       |        |       |       |       |      |       |     |     |                 |   |      |      |       |            |            |                          |                   |        |       |       |        |          |  |     |        |    |        |      |      |    |    |    |     |  |   |       |       |       |       |       |       |      |       |     |     |               |   |       |       |        |       |       |       |      |       |     |     |               |   |        |       |        |       |       |       |      |       |     |     |               |   |        |       |        |       |       |       |      |       |     |     |               |   |        |       |        |       |       |       |      |       |     |     |               |   |        |       |        |       |       |       |      |       |     |     |               |
| 3          | 170.65   | 26.59    | -16.91     | 43.50      | 41.45                    | 16.00                    | 1.97                     | 32.83             | ---    | ---    | Peak HORIZONTAL |          |          |  |     |        |    |        |      |      |    |    |    |     |  |   |       |       |        |       |       |       |      |       |     |     |                 |   |       |       |        |       |       |       |      |       |     |     |                 |   |        |       |        |       |       |       |      |       |     |     |                 |   |        |       |        |       |       |       |      |       |     |     |                 |   |        |       |        |       |       |       |      |       |     |     |                 |   |        |       |        |       |       |       |      |       |     |     |                 |   |      |      |       |            |            |                          |                   |        |       |       |        |          |  |     |        |    |        |      |      |    |    |    |     |  |   |       |       |       |       |       |       |      |       |     |     |               |   |       |       |        |       |       |       |      |       |     |     |               |   |        |       |        |       |       |       |      |       |     |     |               |   |        |       |        |       |       |       |      |       |     |     |               |   |        |       |        |       |       |       |      |       |     |     |               |   |        |       |        |       |       |       |      |       |     |     |               |
| 4          | 450.90   | 23.40    | -22.60     | 46.00      | 30.67                    | 22.55                    | 3.24                     | 33.06             | ---    | ---    | Peak HORIZONTAL |          |          |  |     |        |    |        |      |      |    |    |    |     |  |   |       |       |        |       |       |       |      |       |     |     |                 |   |       |       |        |       |       |       |      |       |     |     |                 |   |        |       |        |       |       |       |      |       |     |     |                 |   |        |       |        |       |       |       |      |       |     |     |                 |   |        |       |        |       |       |       |      |       |     |     |                 |   |        |       |        |       |       |       |      |       |     |     |                 |   |      |      |       |            |            |                          |                   |        |       |       |        |          |  |     |        |    |        |      |      |    |    |    |     |  |   |       |       |       |       |       |       |      |       |     |     |               |   |       |       |        |       |       |       |      |       |     |     |               |   |        |       |        |       |       |       |      |       |     |     |               |   |        |       |        |       |       |       |      |       |     |     |               |   |        |       |        |       |       |       |      |       |     |     |               |   |        |       |        |       |       |       |      |       |     |     |               |
| 5          | 763.32   | 27.55    | -18.45     | 46.00      | 30.16                    | 25.95                    | 4.22                     | 32.78             | ---    | ---    | Peak HORIZONTAL |          |          |  |     |        |    |        |      |      |    |    |    |     |  |   |       |       |        |       |       |       |      |       |     |     |                 |   |       |       |        |       |       |       |      |       |     |     |                 |   |        |       |        |       |       |       |      |       |     |     |                 |   |        |       |        |       |       |       |      |       |     |     |                 |   |        |       |        |       |       |       |      |       |     |     |                 |   |        |       |        |       |       |       |      |       |     |     |                 |   |      |      |       |            |            |                          |                   |        |       |       |        |          |  |     |        |    |        |      |      |    |    |    |     |  |   |       |       |       |       |       |       |      |       |     |     |               |   |       |       |        |       |       |       |      |       |     |     |               |   |        |       |        |       |       |       |      |       |     |     |               |   |        |       |        |       |       |       |      |       |     |     |               |   |        |       |        |       |       |       |      |       |     |     |               |   |        |       |        |       |       |       |      |       |     |     |               |
| 6          | 984.48   | 30.39    | -23.61     | 54.00      | 29.32                    | 27.41                    | 4.80                     | 31.14             | ---    | ---    | Peak HORIZONTAL |          |          |  |     |        |    |        |      |      |    |    |    |     |  |   |       |       |        |       |       |       |      |       |     |     |                 |   |       |       |        |       |       |       |      |       |     |     |                 |   |        |       |        |       |       |       |      |       |     |     |                 |   |        |       |        |       |       |       |      |       |     |     |                 |   |        |       |        |       |       |       |      |       |     |     |                 |   |        |       |        |       |       |       |      |       |     |     |                 |   |      |      |       |            |            |                          |                   |        |       |       |        |          |  |     |        |    |        |      |      |    |    |    |     |  |   |       |       |       |       |       |       |      |       |     |     |               |   |       |       |        |       |       |       |      |       |     |     |               |   |        |       |        |       |       |       |      |       |     |     |               |   |        |       |        |       |       |       |      |       |     |     |               |   |        |       |        |       |       |       |      |       |     |     |               |   |        |       |        |       |       |       |      |       |     |     |               |
| Peak       | Freq   | Level    | Over Limit | Limit Line | ReadAntenna Level Factor | Cable Loss Factor        | Preamp                   | A/Pos             | T/Pos  | Remark | Pol/Phas        |          |          |  |     |        |    |        |      |      |    |    |    |     |  |   |       |       |        |       |       |       |      |       |     |     |                 |   |       |       |        |       |       |       |      |       |     |     |                 |   |        |       |        |       |       |       |      |       |     |     |                 |   |        |       |        |       |       |       |      |       |     |     |                 |   |        |       |        |       |       |       |      |       |     |     |                 |   |        |       |        |       |       |       |      |       |     |     |                 |   |      |      |       |            |            |                          |                   |        |       |       |        |          |  |     |        |    |        |      |      |    |    |    |     |  |   |       |       |       |       |       |       |      |       |     |     |               |   |       |       |        |       |       |       |      |       |     |     |               |   |        |       |        |       |       |       |      |       |     |     |               |   |        |       |        |       |       |       |      |       |     |     |               |   |        |       |        |       |       |       |      |       |     |     |               |   |        |       |        |       |       |       |      |       |     |     |               |
|            | MHz  | dBuV/m   | dB         | dBuV/m     | dBuV                     | dB/m                     | dB                       | dB                | cm     | deg    |                 |          |          |  |     |        |    |        |      |      |    |    |    |     |  |   |       |       |        |       |       |       |      |       |     |     |                 |   |       |       |        |       |       |       |      |       |     |     |                 |   |        |       |        |       |       |       |      |       |     |     |                 |   |        |       |        |       |       |       |      |       |     |     |                 |   |        |       |        |       |       |       |      |       |     |     |                 |   |        |       |        |       |       |       |      |       |     |     |                 |   |      |      |       |            |            |                          |                   |        |       |       |        |          |  |     |        |    |        |      |      |    |    |    |     |  |   |       |       |       |       |       |       |      |       |     |     |               |   |       |       |        |       |       |       |      |       |     |     |               |   |        |       |        |       |       |       |      |       |     |     |               |   |        |       |        |       |       |       |      |       |     |     |               |   |        |       |        |       |       |       |      |       |     |     |               |   |        |       |        |       |       |       |      |       |     |     |               |
| 1          | 45.52  | 33.10    | -6.90      | 40.00      | 48.98                    | 16.11                    | 0.98                     | 32.97             | ---    | ---    | Peak VERTICAL   |          |          |  |     |        |    |        |      |      |    |    |    |     |  |   |       |       |        |       |       |       |      |       |     |     |                 |   |       |       |        |       |       |       |      |       |     |     |                 |   |        |       |        |       |       |       |      |       |     |     |                 |   |        |       |        |       |       |       |      |       |     |     |                 |   |        |       |        |       |       |       |      |       |     |     |                 |   |        |       |        |       |       |       |      |       |     |     |                 |   |      |      |       |            |            |                          |                   |        |       |       |        |          |  |     |        |    |        |      |      |    |    |    |     |  |   |       |       |       |       |       |       |      |       |     |     |               |   |       |       |        |       |       |       |      |       |     |     |               |   |        |       |        |       |       |       |      |       |     |     |               |   |        |       |        |       |       |       |      |       |     |     |               |   |        |       |        |       |       |       |      |       |     |     |               |   |        |       |        |       |       |       |      |       |     |     |               |
| 2          | 78.50  | 23.05    | -16.95     | 40.00      | 41.45                    | 13.06                    | 1.32                     | 32.78             | ---    | ---    | Peak VERTICAL   |          |          |  |     |        |    |        |      |      |    |    |    |     |  |   |       |       |        |       |       |       |      |       |     |     |                 |   |       |       |        |       |       |       |      |       |     |     |                 |   |        |       |        |       |       |       |      |       |     |     |                 |   |        |       |        |       |       |       |      |       |     |     |                 |   |        |       |        |       |       |       |      |       |     |     |                 |   |        |       |        |       |       |       |      |       |     |     |                 |   |      |      |       |            |            |                          |                   |        |       |       |        |          |  |     |        |    |        |      |      |    |    |    |     |  |   |       |       |       |       |       |       |      |       |     |     |               |   |       |       |        |       |       |       |      |       |     |     |               |   |        |       |        |       |       |       |      |       |     |     |               |   |        |       |        |       |       |       |      |       |     |     |               |   |        |       |        |       |       |       |      |       |     |     |               |   |        |       |        |       |       |       |      |       |     |     |               |
| 3          | 325.85   | 20.19    | -25.81     | 46.00      | 30.42                    | 19.90                    | 2.75                     | 32.88             | ---    | ---    | Peak VERTICAL   |          |          |  |     |        |    |        |      |      |    |    |    |     |  |   |       |       |        |       |       |       |      |       |     |     |                 |   |       |       |        |       |       |       |      |       |     |     |                 |   |        |       |        |       |       |       |      |       |     |     |                 |   |        |       |        |       |       |       |      |       |     |     |                 |   |        |       |        |       |       |       |      |       |     |     |                 |   |        |       |        |       |       |       |      |       |     |     |                 |   |      |      |       |            |            |                          |                   |        |       |       |        |          |  |     |        |    |        |      |      |    |    |    |     |  |   |       |       |       |       |       |       |      |       |     |     |               |   |       |       |        |       |       |       |      |       |     |     |               |   |        |       |        |       |       |       |      |       |     |     |               |   |        |       |        |       |       |       |      |       |     |     |               |   |        |       |        |       |       |       |      |       |     |     |               |   |        |       |        |       |       |       |      |       |     |     |               |
| 4          | 467.47   | 23.12    | -22.88     | 46.00      | 29.93                    | 22.90                    | 3.30                     | 33.01             | ---    | ---    | Peak VERTICAL   |          |          |  |     |        |    |        |      |      |    |    |    |     |  |   |       |       |        |       |       |       |      |       |     |     |                 |   |       |       |        |       |       |       |      |       |     |     |                 |   |        |       |        |       |       |       |      |       |     |     |                 |   |        |       |        |       |       |       |      |       |     |     |                 |   |        |       |        |       |       |       |      |       |     |     |                 |   |        |       |        |       |       |       |      |       |     |     |                 |   |      |      |       |            |            |                          |                   |        |       |       |        |          |  |     |        |    |        |      |      |    |    |    |     |  |   |       |       |       |       |       |       |      |       |     |     |               |   |       |       |        |       |       |       |      |       |     |     |               |   |        |       |        |       |       |       |      |       |     |     |               |   |        |       |        |       |       |       |      |       |     |     |               |   |        |       |        |       |       |       |      |       |     |     |               |   |        |       |        |       |       |       |      |       |     |     |               |
| 5          | 764.29   | 27.64    | -18.36     | 46.00      | 30.24                    | 25.95                    | 4.23                     | 32.78             | ---    | ---    | Peak VERTICAL   |          |          |  |     |        |    |        |      |      |    |    |    |     |  |   |       |       |        |       |       |       |      |       |     |     |                 |   |       |       |        |       |       |       |      |       |     |     |                 |   |        |       |        |       |       |       |      |       |     |     |                 |   |        |       |        |       |       |       |      |       |     |     |                 |   |        |       |        |       |       |       |      |       |     |     |                 |   |        |       |        |       |       |       |      |       |     |     |                 |   |      |      |       |            |            |                          |                   |        |       |       |        |          |  |     |        |    |        |      |      |    |    |    |     |  |   |       |       |       |       |       |       |      |       |     |     |               |   |       |       |        |       |       |       |      |       |     |     |               |   |        |       |        |       |       |       |      |       |     |     |               |   |        |       |        |       |       |       |      |       |     |     |               |   |        |       |        |       |       |       |      |       |     |     |               |   |        |       |        |       |       |       |      |       |     |     |               |
| 6          | 978.66   | 31.35    | -22.65     | 54.00      | 30.36                    | 27.43                    | 4.79                     | 31.23             | ---    | ---    | Peak VERTICAL   |          |          |  |     |        |    |        |      |      |    |    |    |     |  |   |       |       |        |       |       |       |      |       |     |     |                 |   |       |       |        |       |       |       |      |       |     |     |                 |   |        |       |        |       |       |       |      |       |     |     |                 |   |        |       |        |       |       |       |      |       |     |     |                 |   |        |       |        |       |       |       |      |       |     |     |                 |   |        |       |        |       |       |       |      |       |     |     |                 |   |      |      |       |            |            |                          |                   |        |       |       |        |          |  |     |        |    |        |      |      |    |    |    |     |  |   |       |       |       |       |       |       |      |       |     |     |               |   |       |       |        |       |       |       |      |       |     |     |               |   |        |       |        |       |       |       |      |       |     |     |               |   |        |       |        |       |       |       |      |       |     |     |               |   |        |       |        |       |       |       |      |       |     |     |               |   |        |       |        |       |       |       |      |       |     |     |               |



Co-Location

| Mode      | 71  |             |        |        |        |        |        |             |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |           |       |       |        |       |       |       |       |      |  |  |  |  |  |  |  |     |             |  |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |           |       |       |       |       |       |       |       |      |  |  |  |  |  |  |  |     |             |
|-----------|---|-------------|--------|--------|--------|--------|--------|-------------|------|--------|------|-------|------|--------|-------|--------|------|--------|--------|-----|--------|--------|----|------|------|----|----|----|-----------|-------|-------|--------|-------|-------|-------|-------|------|--|--|--|--|--|--|--|-----|-------------|--|-------|------|-----|-------|--------|-----|------|------|--------|------|-------|------|--------|-------|--------|------|--------|--------|-----|--------|--------|----|------|------|----|----|----|-----------|-------|-------|-------|-------|-------|-------|-------|------|--|--|--|--|--|--|--|-----|-------------|
| Mode      | Band Edge - L   |             |        |        |        |        |        |             |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |           |       |       |        |       |       |       |       |      |  |  |  |  |  |  |  |     |             |  |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |           |       |       |       |       |       |       |       |      |  |  |  |  |  |  |  |     |             |
| Mode      | U-NII-5_5.925-6.425_802.11ax HE20_CH2_Full_5935MHz  |             |        |        |        |        |        |             |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |           |       |       |        |       |       |       |       |      |  |  |  |  |  |  |  |     |             |  |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |           |       |       |       |       |       |       |       |      |  |  |  |  |  |  |  |     |             |
| ANT       | CDD 5+4   |             |        |        |        |        |        |             |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |           |       |       |        |       |       |       |       |      |  |  |  |  |  |  |  |     |             |  |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |           |       |       |       |       |       |       |       |      |  |  |  |  |  |  |  |     |             |
| Pol.      | Horizontal  | Fundamental |        |        |        |        |        |             |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |           |       |       |        |       |       |       |       |      |  |  |  |  |  |  |  |     |             |  |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |           |       |       |       |       |       |       |       |      |  |  |  |  |  |  |  |     |             |
| Peak      | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5924.97</td> <td>73.54</td> <td>88.20</td> <td>-14.66</td> <td>67.03</td> <td>35.00</td> <td>11.40</td> <td>39.89</td> <td>0.00</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>300</td> <td>219 PEAK</td> </tr> </tbody> </table>   | Limit       | Read   | Ant    | Cable  | Preamp | Aux    | APos        | TPos | Remark | Freq | Level | Line | Margin | Level | Factor | Loss | Factor | Factor | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | dB | 1 5924.97 | 73.54 | 88.20 | -14.66 | 67.03 | 35.00 | 11.40 | 39.89 | 0.00 |  |  |  |  |  |  |  | 300 | 219 PEAK    | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5935.00</td> <td>85.98</td> <td>88.20</td> <td>-2.22</td> <td>79.48</td> <td>34.99</td> <td>11.40</td> <td>39.89</td> <td>0.00</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>300</td> <td>219 PEAK</td> </tr> </tbody> </table>   | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line | Margin | Level | Factor | Loss | Factor | Factor | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | dB | 1 5935.00 | 85.98 | 88.20 | -2.22 | 79.48 | 34.99 | 11.40 | 39.89 | 0.00 |  |  |  |  |  |  |  | 300 | 219 PEAK    |
| Limit     | Read  | Ant         | Cable  | Preamp | Aux    | APos   | TPos   | Remark      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |           |       |       |        |       |       |       |       |      |  |  |  |  |  |  |  |     |             |  |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |           |       |       |       |       |       |       |       |      |  |  |  |  |  |  |  |     |             |
| Freq      | Level   | Line        | Margin | Level  | Factor | Loss   | Factor | Factor      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |           |       |       |        |       |       |       |       |      |  |  |  |  |  |  |  |     |             |  |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |           |       |       |       |       |       |       |       |      |  |  |  |  |  |  |  |     |             |
| MHz       | dBuV/m  | dBuV/m      | dB     | dBuV   | dB/m   | dB     | dB     | dB          |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |           |       |       |        |       |       |       |       |      |  |  |  |  |  |  |  |     |             |  |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |           |       |       |       |       |       |       |       |      |  |  |  |  |  |  |  |     |             |
| 1 5924.97 | 73.54   | 88.20       | -14.66 | 67.03  | 35.00  | 11.40  | 39.89  | 0.00        |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |           |       |       |        |       |       |       |       |      |  |  |  |  |  |  |  |     |             |  |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |           |       |       |       |       |       |       |       |      |  |  |  |  |  |  |  |     |             |
|           |   |             |        |        |        |        | 300    | 219 PEAK    |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |           |       |       |        |       |       |       |       |      |  |  |  |  |  |  |  |     |             |  |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |           |       |       |       |       |       |       |       |      |  |  |  |  |  |  |  |     |             |
| Limit     | Read  | Ant         | Cable  | Preamp | Aux    | APos   | TPos   | Remark      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |           |       |       |        |       |       |       |       |      |  |  |  |  |  |  |  |     |             |  |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |           |       |       |       |       |       |       |       |      |  |  |  |  |  |  |  |     |             |
| Freq      | Level   | Line        | Margin | Level  | Factor | Loss   | Factor | Factor      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |           |       |       |        |       |       |       |       |      |  |  |  |  |  |  |  |     |             |  |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |           |       |       |       |       |       |       |       |      |  |  |  |  |  |  |  |     |             |
| MHz       | dBuV/m  | dBuV/m      | dB     | dBuV   | dB/m   | dB     | dB     | dB          |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |           |       |       |        |       |       |       |       |      |  |  |  |  |  |  |  |     |             |  |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |           |       |       |       |       |       |       |       |      |  |  |  |  |  |  |  |     |             |
| 1 5935.00 | 85.98   | 88.20       | -2.22  | 79.48  | 34.99  | 11.40  | 39.89  | 0.00        |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |           |       |       |        |       |       |       |       |      |  |  |  |  |  |  |  |     |             |  |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |           |       |       |       |       |       |       |       |      |  |  |  |  |  |  |  |     |             |
|           |   |             |        |        |        |        | 300    | 219 PEAK    |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |           |       |       |        |       |       |       |       |      |  |  |  |  |  |  |  |     |             |  |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |           |       |       |       |       |       |       |       |      |  |  |  |  |  |  |  |     |             |
| Avg       | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5924.97</td> <td>63.87</td> <td>68.20</td> <td>-4.33</td> <td>57.36</td> <td>35.00</td> <td>11.40</td> <td>39.89</td> <td>0.00</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>300</td> <td>219 AVERAGE</td> </tr> </tbody> </table> | Limit       | Read   | Ant    | Cable  | Preamp | Aux    | APos        | TPos | Remark | Freq | Level | Line | Margin | Level | Factor | Loss | Factor | Factor | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | dB | 1 5924.97 | 63.87 | 68.20 | -4.33  | 57.36 | 35.00 | 11.40 | 39.89 | 0.00 |  |  |  |  |  |  |  | 300 | 219 AVERAGE | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5935.00</td> <td>75.11</td> <td>68.20</td> <td>6.91</td> <td>68.54</td> <td>35.03</td> <td>11.41</td> <td>39.87</td> <td>0.00</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>300</td> <td>219 AVERAGE</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line | Margin | Level | Factor | Loss | Factor | Factor | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | dB | 1 5935.00 | 75.11 | 68.20 | 6.91  | 68.54 | 35.03 | 11.41 | 39.87 | 0.00 |  |  |  |  |  |  |  | 300 | 219 AVERAGE |
| Limit     | Read  | Ant         | Cable  | Preamp | Aux    | APos   | TPos   | Remark      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |           |       |       |        |       |       |       |       |      |  |  |  |  |  |  |  |     |             |  |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |           |       |       |       |       |       |       |       |      |  |  |  |  |  |  |  |     |             |
| Freq      | Level   | Line        | Margin | Level  | Factor | Loss   | Factor | Factor      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |           |       |       |        |       |       |       |       |      |  |  |  |  |  |  |  |     |             |  |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |           |       |       |       |       |       |       |       |      |  |  |  |  |  |  |  |     |             |
| MHz       | dBuV/m  | dBuV/m      | dB     | dBuV   | dB/m   | dB     | dB     | dB          |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |           |       |       |        |       |       |       |       |      |  |  |  |  |  |  |  |     |             |  |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |           |       |       |       |       |       |       |       |      |  |  |  |  |  |  |  |     |             |
| 1 5924.97 | 63.87   | 68.20       | -4.33  | 57.36  | 35.00  | 11.40  | 39.89  | 0.00        |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |           |       |       |        |       |       |       |       |      |  |  |  |  |  |  |  |     |             |  |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |           |       |       |       |       |       |       |       |      |  |  |  |  |  |  |  |     |             |
|           |   |             |        |        |        |        | 300    | 219 AVERAGE |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |           |       |       |        |       |       |       |       |      |  |  |  |  |  |  |  |     |             |  |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |           |       |       |       |       |       |       |       |      |  |  |  |  |  |  |  |     |             |
| Limit     | Read  | Ant         | Cable  | Preamp | Aux    | APos   | TPos   | Remark      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |           |       |       |        |       |       |       |       |      |  |  |  |  |  |  |  |     |             |  |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |           |       |       |       |       |       |       |       |      |  |  |  |  |  |  |  |     |             |
| Freq      | Level   | Line        | Margin | Level  | Factor | Loss   | Factor | Factor      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |           |       |       |        |       |       |       |       |      |  |  |  |  |  |  |  |     |             |  |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |           |       |       |       |       |       |       |       |      |  |  |  |  |  |  |  |     |             |
| MHz       | dBuV/m  | dBuV/m      | dB     | dBuV   | dB/m   | dB     | dB     | dB          |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |           |       |       |        |       |       |       |       |      |  |  |  |  |  |  |  |     |             |  |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |           |       |       |       |       |       |       |       |      |  |  |  |  |  |  |  |     |             |
| 1 5935.00 | 75.11   | 68.20       | 6.91   | 68.54  | 35.03  | 11.41  | 39.87  | 0.00        |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |           |       |       |        |       |       |       |       |      |  |  |  |  |  |  |  |     |             |  |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |           |       |       |       |       |       |       |       |      |  |  |  |  |  |  |  |     |             |
|           |   |             |        |        |        |        | 300    | 219 AVERAGE |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |           |       |       |        |       |       |       |       |      |  |  |  |  |  |  |  |     |             |  |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |           |       |       |       |       |       |       |       |      |  |  |  |  |  |  |  |     |             |



|       |   | 71          |        |        |        |        |        |        |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |     |    |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |      |       |       |       |       |      |     |    |         |
|-------|---|-------------|--------|--------|--------|--------|--------|--------|--------|--------|------|---------|------|--------|-------|--------|------|--------|--------|-----|--------|--------|----|------|------|----|----|----|---|---------|-------|-------|--------|-------|-------|-------|-------|------|-----|----|---------|---|-------|------|-----|-------|--------|-----|------|------|--------|------|-------|------|--------|-------|--------|------|--------|--------|-----|--------|--------|----|------|------|----|----|----|---|---------|-------|-------|------|-------|-------|-------|-------|------|-----|----|---------|
| Mode  | Band Edge - L   |             |        |        |        |        |        |        |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |     |    |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |      |       |       |       |       |      |     |    |         |
|       | U-NII-5_5.925-6.425_802.11ax HE20_CH2_Full_5935MHz  |             |        |        |        |        |        |        |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |     |    |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |      |       |       |       |       |      |     |    |         |
| ANT   | CDD 5+4   |             |        |        |        |        |        |        |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |     |    |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |      |       |       |       |       |      |     |    |         |
| Pol.  | Vertical  | Fundamental |        |        |        |        |        |        |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |     |    |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |      |       |       |       |       |      |     |    |         |
| Peak  |  <p>Level (dBuV/m)</p> <p>130</p> <p>113.8</p> <p>97.5</p> <p>81.3</p> <p>65.0</p> <p>48.8</p> <p>32.5</p> <p>16.3</p> <p>0</p> <p>5825 5851. 5877. 5903. 5929. 5955</p> <p>Frequency (MHz)</p> <p>WiFi 6E(Peak)</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5924.97</td> <td>63.09</td> <td>88.20</td> <td>-25.11</td> <td>56.58</td> <td>35.00</td> <td>11.40</td> <td>39.89</td> <td>0.00</td> <td>293</td> <td>90</td> <td>PEAK</td> </tr> </tbody> </table>    | Limit       | Read   | Ant    | Cable  | Preamp | Aux    | APos   | TPos   | Remark | Freq | Level   | Line | Margin | Level | Factor | Loss | Factor | Factor | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | dB | 1 | 5924.97 | 63.09 | 88.20 | -25.11 | 56.58 | 35.00 | 11.40 | 39.89 | 0.00 | 293 | 90 | PEAK    |  <p>Level (dBuV/m)</p> <p>130</p> <p>113.8</p> <p>97.5</p> <p>81.3</p> <p>65.0</p> <p>48.8</p> <p>32.5</p> <p>16.3</p> <p>0</p> <p>1000 2000. 4000. 6400. 8200. 10000</p> <p>Frequency (MHz)</p> <p>WiFi 6E(Peak)</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5935.00</td> <td>88.41</td> <td>88.20</td> <td>0.21</td> <td>81.84</td> <td>35.03</td> <td>11.41</td> <td>39.87</td> <td>0.00</td> <td>293</td> <td>90</td> <td>PEAK</td> </tr> </tbody> </table>    | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line | Margin | Level | Factor | Loss | Factor | Factor | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | dB | 1 | 5935.00 | 88.41 | 88.20 | 0.21 | 81.84 | 35.03 | 11.41 | 39.87 | 0.00 | 293 | 90 | PEAK    |
|       | Limit   | Read        | Ant    | Cable  | Preamp | Aux    | APos   | TPos   | Remark |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |     |    |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |      |       |       |       |       |      |     |    |         |
| Freq  | Level   | Line        | Margin | Level  | Factor | Loss   | Factor | Factor |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |     |    |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |      |       |       |       |       |      |     |    |         |
| MHz   | dBuV/m  | dBuV/m      | dB     | dBuV   | dB/m   | dB     | dB     | dB     |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |     |    |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |      |       |       |       |       |      |     |    |         |
| 1     | 5924.97   | 63.09       | 88.20  | -25.11 | 56.58  | 35.00  | 11.40  | 39.89  | 0.00   | 293    | 90   | PEAK    |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |     |    |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |      |       |       |       |       |      |     |    |         |
| Limit | Read  | Ant         | Cable  | Preamp | Aux    | APos   | TPos   | Remark |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |     |    |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |      |       |       |       |       |      |     |    |         |
| Freq  | Level   | Line        | Margin | Level  | Factor | Loss   | Factor | Factor |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |     |    |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |      |       |       |       |       |      |     |    |         |
| MHz   | dBuV/m  | dBuV/m      | dB     | dBuV   | dB/m   | dB     | dB     | dB     |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |     |    |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |      |       |       |       |       |      |     |    |         |
| 1     | 5935.00   | 88.41       | 88.20  | 0.21   | 81.84  | 35.03  | 11.41  | 39.87  | 0.00   | 293    | 90   | PEAK    |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |     |    |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |      |       |       |       |       |      |     |    |         |
| Avg   |  <p>Level (dBuV/m)</p> <p>130</p> <p>113.8</p> <p>97.5</p> <p>81.3</p> <p>65.0</p> <p>48.8</p> <p>32.5</p> <p>16.3</p> <p>0</p> <p>5825 5851. 5877. 5903. 5929. 5955</p> <p>Frequency (MHz)</p> <p>WiFi 6E(AVG)</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5924.97</td> <td>54.42</td> <td>68.20</td> <td>-13.78</td> <td>47.91</td> <td>35.00</td> <td>11.40</td> <td>39.89</td> <td>0.00</td> <td>293</td> <td>90</td> <td>AVERAGE</td> </tr> </tbody> </table> | Limit       | Read   | Ant    | Cable  | Preamp | Aux    | APos   | TPos   | Remark | Freq | Level   | Line | Margin | Level | Factor | Loss | Factor | Factor | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | dB | 1 | 5924.97 | 54.42 | 68.20 | -13.78 | 47.91 | 35.00 | 11.40 | 39.89 | 0.00 | 293 | 90 | AVERAGE |  <p>Level (dBuV/m)</p> <p>130</p> <p>113.8</p> <p>97.5</p> <p>81.3</p> <p>65.0</p> <p>48.8</p> <p>32.5</p> <p>16.3</p> <p>0</p> <p>1000 2000. 4000. 6400. 8200. 10000</p> <p>Frequency (MHz)</p> <p>WiFi 6E(AVG)</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5935.00</td> <td>78.17</td> <td>68.20</td> <td>9.97</td> <td>71.60</td> <td>35.03</td> <td>11.41</td> <td>39.87</td> <td>0.00</td> <td>293</td> <td>90</td> <td>AVERAGE</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line | Margin | Level | Factor | Loss | Factor | Factor | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | dB | 1 | 5935.00 | 78.17 | 68.20 | 9.97 | 71.60 | 35.03 | 11.41 | 39.87 | 0.00 | 293 | 90 | AVERAGE |
|       | Limit   | Read        | Ant    | Cable  | Preamp | Aux    | APos   | TPos   | Remark |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |     |    |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |      |       |       |       |       |      |     |    |         |
| Freq  | Level   | Line        | Margin | Level  | Factor | Loss   | Factor | Factor |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |     |    |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |      |       |       |       |       |      |     |    |         |
| MHz   | dBuV/m  | dBuV/m      | dB     | dBuV   | dB/m   | dB     | dB     | dB     |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |     |    |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |      |       |       |       |       |      |     |    |         |
| 1     | 5924.97   | 54.42       | 68.20  | -13.78 | 47.91  | 35.00  | 11.40  | 39.89  | 0.00   | 293    | 90   | AVERAGE |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |     |    |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |      |       |       |       |       |      |     |    |         |
| Limit | Read  | Ant         | Cable  | Preamp | Aux    | APos   | TPos   | Remark |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |     |    |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |      |       |       |       |       |      |     |    |         |
| Freq  | Level   | Line        | Margin | Level  | Factor | Loss   | Factor | Factor |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |     |    |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |      |       |       |       |       |      |     |    |         |
| MHz   | dBuV/m  | dBuV/m      | dB     | dBuV   | dB/m   | dB     | dB     | dB     |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |     |    |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |      |       |       |       |       |      |     |    |         |
| 1     | 5935.00   | 78.17       | 68.20  | 9.97   | 71.60  | 35.03  | 11.41  | 39.87  | 0.00   | 293    | 90   | AVERAGE |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |     |    |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |      |       |       |       |       |      |     |    |         |





| Mode       | 71   |             |              |             |        |        |       |        |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |      |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |      |
|------------|--|-------------|--------------|-------------|--------|--------|-------|--------|------|--------|------|-------|-------------|--------------|-------------|--------|--|--|--|-----|--------|--------|----|------|------|----|----|----|-----|------------|-------|-------|--------|-------|-------|-------|-------|------|-----|-----|------|--|-------|------|-----|-------|--------|-----|------|------|--------|------|-------|-------------|--------------|-------------|--------|--|--|--|-----|--------|--------|----|------|------|----|----|----|-----|------------|-------|-------|--------|-------|-------|-------|-------|------|-----|-----|------|
|            | Harmonic   |             |              |             |        |        |       |        |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |      |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |      |
|            | U-NII-5_5.925-6.425_802.11ax HE20_CH2_Full_5935MHz   |             |              |             |        |        |       |        |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |      |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |      |
| ANT        | CDD 5+4  |             |              |             |        |        |       |        |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |      |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |      |
| Pol.       | Horizontal   | Vertical    |              |             |        |        |       |        |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |      |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |      |
| Peak       |  |             |              |             |        |        |       |        |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |      |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |      |
| Avg        | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11870.00</td> <td>44.66</td> <td>74.00</td> <td>-29.34</td> <td>55.86</td> <td>38.50</td> <td>16.60</td> <td>66.30</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table> | Limit       | Read         | Ant         | Cable  | Preamp | Aux   | APos   | TPos | Remark | Freq | Level | Line Margin | Level Factor | Loss Factor | Factor |  |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 11870.00 | 44.66 | 74.00 | -29.34 | 55.86 | 38.50 | 16.60 | 66.30 | 0.00 | --- | --- | PEAK | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11870.00</td> <td>45.79</td> <td>74.00</td> <td>-28.21</td> <td>56.99</td> <td>38.50</td> <td>16.60</td> <td>66.30</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line Margin | Level Factor | Loss Factor | Factor |  |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 11870.00 | 45.79 | 74.00 | -28.21 | 56.99 | 38.50 | 16.60 | 66.30 | 0.00 | --- | --- | PEAK |
| Limit      | Read   | Ant         | Cable        | Preamp      | Aux    | APos   | TPos  | Remark |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |      |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |      |
| Freq       | Level  | Line Margin | Level Factor | Loss Factor | Factor |        |       |        |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |      |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |      |
| MHz        | dBuV/m   | dBuV/m      | dB           | dBuV        | dB/m   | dB     | dB    | cm     | deg  |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |      |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |      |
| 1 11870.00 | 44.66  | 74.00       | -29.34       | 55.86       | 38.50  | 16.60  | 66.30 | 0.00   | ---  | ---    | PEAK |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |      |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |      |
| Limit      | Read   | Ant         | Cable        | Preamp      | Aux    | APos   | TPos  | Remark |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |      |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |      |
| Freq       | Level  | Line Margin | Level Factor | Loss Factor | Factor |        |       |        |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |      |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |      |
| MHz        | dBuV/m   | dBuV/m      | dB           | dBuV        | dB/m   | dB     | dB    | cm     | deg  |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |      |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |      |
| 1 11870.00 | 45.79  | 74.00       | -28.21       | 56.99       | 38.50  | 16.60  | 66.30 | 0.00   | ---  | ---    | PEAK |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |      |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |      |



|             | 71  |             |              |             |        |        |       |        |      |            |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |        |       |       |      |       |      |     |            |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |       |       |       |      |       |      |     |            |
|-------------|---|-------------|--------------|-------------|--------|--------|-------|--------|------|------------|------|-------|-------------|--------------|-------------|--------|--|--|--|-----|--------|--------|----|------|------|----|----|----|-----|-----------|-------|-------|--------|-------|-------|------|-------|------|-----|------------|--|-------|------|-----|-------|--------|-----|------|------|--------|------|-------|-------------|--------------|-------------|--------|--|--|--|-----|--------|--------|----|------|------|----|----|----|-----|-----------|-------|-------|-------|-------|-------|------|-------|------|-----|------------|
| <b>Mode</b> | Band Edge   |             |              |             |        |        |       |        |      |            |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |        |       |       |      |       |      |     |            |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |       |       |       |      |       |      |     |            |
|             | 2400-2483.5_2400-2483.5_Bluetooth-LE_CH39_2480MHz   |             |              |             |        |        |       |        |      |            |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |        |       |       |      |       |      |     |            |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |       |       |       |      |       |      |     |            |
| <b>ANT</b>  | 4   |             |              |             |        |        |       |        |      |            |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |        |       |       |      |       |      |     |            |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |       |       |       |      |       |      |     |            |
| <b>Pol.</b> | Horizontal  | Fundamental |              |             |        |        |       |        |      |            |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |        |       |       |      |       |      |     |            |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |       |       |       |      |       |      |     |            |
| <b>Peak</b> | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 2483.50</td> <td>49.27</td> <td>74.00</td> <td>-24.73</td> <td>41.13</td> <td>31.93</td> <td>7.26</td> <td>37.05</td> <td>6.00</td> <td>145</td> <td>57 PEAK</td> </tr> </tbody> </table>    | Limit       | Read         | Ant         | Cable  | Preamp | Aux   | APos   | TPos | Remark     | Freq | Level | Line Margin | Level Factor | Loss Factor | Factor |  |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 2483.50 | 49.27 | 74.00 | -24.73 | 41.13 | 31.93 | 7.26 | 37.05 | 6.00 | 145 | 57 PEAK    | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 2480.00</td> <td>99.86</td> <td>-----</td> <td>-----</td> <td>91.72</td> <td>31.92</td> <td>7.25</td> <td>37.03</td> <td>6.00</td> <td>145</td> <td>57 PEAK</td> </tr> </tbody> </table>    | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line Margin | Level Factor | Loss Factor | Factor |  |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 2480.00 | 99.86 | ----- | ----- | 91.72 | 31.92 | 7.25 | 37.03 | 6.00 | 145 | 57 PEAK    |
| Limit       | Read  | Ant         | Cable        | Preamp      | Aux    | APos   | TPos  | Remark |      |            |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |        |       |       |      |       |      |     |            |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |       |       |       |      |       |      |     |            |
| Freq        | Level   | Line Margin | Level Factor | Loss Factor | Factor |        |       |        |      |            |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |        |       |       |      |       |      |     |            |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |       |       |       |      |       |      |     |            |
| MHz         | dBuV/m  | dBuV/m      | dB           | dBuV        | dB/m   | dB     | dB    | cm     | deg  |            |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |        |       |       |      |       |      |     |            |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |       |       |       |      |       |      |     |            |
| 1 2483.50   | 49.27   | 74.00       | -24.73       | 41.13       | 31.93  | 7.26   | 37.05 | 6.00   | 145  | 57 PEAK    |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |        |       |       |      |       |      |     |            |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |       |       |       |      |       |      |     |            |
| Limit       | Read  | Ant         | Cable        | Preamp      | Aux    | APos   | TPos  | Remark |      |            |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |        |       |       |      |       |      |     |            |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |       |       |       |      |       |      |     |            |
| Freq        | Level   | Line Margin | Level Factor | Loss Factor | Factor |        |       |        |      |            |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |        |       |       |      |       |      |     |            |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |       |       |       |      |       |      |     |            |
| MHz         | dBuV/m  | dBuV/m      | dB           | dBuV        | dB/m   | dB     | dB    | cm     | deg  |            |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |        |       |       |      |       |      |     |            |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |       |       |       |      |       |      |     |            |
| 1 2480.00   | 99.86   | -----       | -----        | 91.72       | 31.92  | 7.25   | 37.03 | 6.00   | 145  | 57 PEAK    |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |        |       |       |      |       |      |     |            |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |       |       |       |      |       |      |     |            |
| <b>Avg</b>  | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 2498.86</td> <td>38.97</td> <td>54.00</td> <td>-15.03</td> <td>30.83</td> <td>32.00</td> <td>7.28</td> <td>37.14</td> <td>6.00</td> <td>145</td> <td>57 AVERAGE</td> </tr> </tbody> </table> | Limit       | Read         | Ant         | Cable  | Preamp | Aux   | APos   | TPos | Remark     | Freq | Level | Line Margin | Level Factor | Loss Factor | Factor |  |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 2498.86 | 38.97 | 54.00 | -15.03 | 30.83 | 32.00 | 7.28 | 37.14 | 6.00 | 145 | 57 AVERAGE | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 2480.00</td> <td>97.66</td> <td>-----</td> <td>-----</td> <td>89.52</td> <td>31.92</td> <td>7.25</td> <td>37.03</td> <td>6.00</td> <td>145</td> <td>57 AVERAGE</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line Margin | Level Factor | Loss Factor | Factor |  |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 2480.00 | 97.66 | ----- | ----- | 89.52 | 31.92 | 7.25 | 37.03 | 6.00 | 145 | 57 AVERAGE |
| Limit       | Read  | Ant         | Cable        | Preamp      | Aux    | APos   | TPos  | Remark |      |            |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |        |       |       |      |       |      |     |            |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |       |       |       |      |       |      |     |            |
| Freq        | Level   | Line Margin | Level Factor | Loss Factor | Factor |        |       |        |      |            |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |        |       |       |      |       |      |     |            |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |       |       |       |      |       |      |     |            |
| MHz         | dBuV/m  | dBuV/m      | dB           | dBuV        | dB/m   | dB     | dB    | cm     | deg  |            |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |        |       |       |      |       |      |     |            |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |       |       |       |      |       |      |     |            |
| 1 2498.86   | 38.97   | 54.00       | -15.03       | 30.83       | 32.00  | 7.28   | 37.14 | 6.00   | 145  | 57 AVERAGE |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |        |       |       |      |       |      |     |            |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |       |       |       |      |       |      |     |            |
| Limit       | Read  | Ant         | Cable        | Preamp      | Aux    | APos   | TPos  | Remark |      |            |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |        |       |       |      |       |      |     |            |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |       |       |       |      |       |      |     |            |
| Freq        | Level   | Line Margin | Level Factor | Loss Factor | Factor |        |       |        |      |            |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |        |       |       |      |       |      |     |            |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |       |       |       |      |       |      |     |            |
| MHz         | dBuV/m  | dBuV/m      | dB           | dBuV        | dB/m   | dB     | dB    | cm     | deg  |            |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |        |       |       |      |       |      |     |            |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |       |       |       |      |       |      |     |            |
| 1 2480.00   | 97.66   | -----       | -----        | 89.52       | 31.92  | 7.25   | 37.03 | 6.00   | 145  | 57 AVERAGE |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |        |       |       |      |       |      |     |            |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |       |       |       |      |       |      |     |            |







|             | 71  |             |              |             |        |        |       |        |                 |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |        |       |       |      |       |      |                 |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |        |       |       |       |       |      |       |      |                 |
|-------------|---|-------------|--------------|-------------|--------|--------|-------|--------|-----------------|--------|------|-------|-------------|--------------|-------------|--------|--|--|--|-----|--------|--------|----|------|------|----|----|----|-----|-----------|-------|-------|--------|-------|-------|------|-------|------|-----------------|---|-------|------|-----|-------|--------|-----|------|------|--------|------|-------|-------------|--------------|-------------|--------|--|--|--|-----|--------|--------|----|------|------|----|----|----|-----|-----------|--------|-------|-------|-------|-------|------|-------|------|-----------------|
| <b>Mode</b> | Band Edge   |             |              |             |        |        |       |        |                 |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |        |       |       |      |       |      |                 |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |        |       |       |       |       |      |       |      |                 |
|             | 2400-2483.5_2400-2483.5_Bluetooth-LE_CH39_2480MHz   |             |              |             |        |        |       |        |                 |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |        |       |       |      |       |      |                 |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |        |       |       |       |       |      |       |      |                 |
| <b>ANT</b>  | 4   |             |              |             |        |        |       |        |                 |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |        |       |       |      |       |      |                 |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |        |       |       |       |       |      |       |      |                 |
| <b>Pol.</b> | Vertical  | Fundamental |              |             |        |        |       |        |                 |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |        |       |       |      |       |      |                 |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |        |       |       |       |       |      |       |      |                 |
| <b>Peak</b> | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 2483.56</td> <td>53.69</td> <td>74.00</td> <td>-20.31</td> <td>45.55</td> <td>31.93</td> <td>7.26</td> <td>37.05</td> <td>6.00</td> <td>341 116 PEAK</td> </tr> </tbody> </table>    | Limit       | Read         | Ant         | Cable  | Preamp | Aux   | APos   | TPos            | Remark | Freq | Level | Line Margin | Level Factor | Loss Factor | Factor |  |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 2483.56 | 53.69 | 74.00 | -20.31 | 45.55 | 31.93 | 7.26 | 37.05 | 6.00 | 341 116 PEAK    | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 2480.00</td> <td>104.88</td> <td>-----</td> <td>-----</td> <td>96.74</td> <td>31.92</td> <td>7.25</td> <td>37.03</td> <td>6.00</td> <td>341 116 PEAK</td> </tr> </tbody> </table>    | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line Margin | Level Factor | Loss Factor | Factor |  |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 2480.00 | 104.88 | ----- | ----- | 96.74 | 31.92 | 7.25 | 37.03 | 6.00 | 341 116 PEAK    |
| Limit       | Read  | Ant         | Cable        | Preamp      | Aux    | APos   | TPos  | Remark |                 |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |        |       |       |      |       |      |                 |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |        |       |       |       |       |      |       |      |                 |
| Freq        | Level   | Line Margin | Level Factor | Loss Factor | Factor |        |       |        |                 |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |        |       |       |      |       |      |                 |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |        |       |       |       |       |      |       |      |                 |
| MHz         | dBuV/m  | dBuV/m      | dB           | dBuV        | dB/m   | dB     | dB    | cm     | deg             |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |        |       |       |      |       |      |                 |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |        |       |       |       |       |      |       |      |                 |
| 1 2483.56   | 53.69   | 74.00       | -20.31       | 45.55       | 31.93  | 7.26   | 37.05 | 6.00   | 341 116 PEAK    |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |        |       |       |      |       |      |                 |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |        |       |       |       |       |      |       |      |                 |
| Limit       | Read  | Ant         | Cable        | Preamp      | Aux    | APos   | TPos  | Remark |                 |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |        |       |       |      |       |      |                 |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |        |       |       |       |       |      |       |      |                 |
| Freq        | Level   | Line Margin | Level Factor | Loss Factor | Factor |        |       |        |                 |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |        |       |       |      |       |      |                 |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |        |       |       |       |       |      |       |      |                 |
| MHz         | dBuV/m  | dBuV/m      | dB           | dBuV        | dB/m   | dB     | dB    | cm     | deg             |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |        |       |       |      |       |      |                 |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |        |       |       |       |       |      |       |      |                 |
| 1 2480.00   | 104.88  | -----       | -----        | 96.74       | 31.92  | 7.25   | 37.03 | 6.00   | 341 116 PEAK    |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |        |       |       |      |       |      |                 |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |        |       |       |       |       |      |       |      |                 |
| <b>Avg</b>  | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 2483.86</td> <td>40.00</td> <td>54.00</td> <td>-14.00</td> <td>31.85</td> <td>31.94</td> <td>7.26</td> <td>37.05</td> <td>6.00</td> <td>341 116 AVERAGE</td> </tr> </tbody> </table> | Limit       | Read         | Ant         | Cable  | Preamp | Aux   | APos   | TPos            | Remark | Freq | Level | Line Margin | Level Factor | Loss Factor | Factor |  |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 2483.86 | 40.00 | 54.00 | -14.00 | 31.85 | 31.94 | 7.26 | 37.05 | 6.00 | 341 116 AVERAGE | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 2480.00</td> <td>102.62</td> <td>-----</td> <td>-----</td> <td>94.48</td> <td>31.92</td> <td>7.25</td> <td>37.03</td> <td>6.00</td> <td>341 116 AVERAGE</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line Margin | Level Factor | Loss Factor | Factor |  |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 2480.00 | 102.62 | ----- | ----- | 94.48 | 31.92 | 7.25 | 37.03 | 6.00 | 341 116 AVERAGE |
| Limit       | Read  | Ant         | Cable        | Preamp      | Aux    | APos   | TPos  | Remark |                 |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |        |       |       |      |       |      |                 |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |        |       |       |       |       |      |       |      |                 |
| Freq        | Level   | Line Margin | Level Factor | Loss Factor | Factor |        |       |        |                 |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |        |       |       |      |       |      |                 |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |        |       |       |       |       |      |       |      |                 |
| MHz         | dBuV/m  | dBuV/m      | dB           | dBuV        | dB/m   | dB     | dB    | cm     | deg             |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |        |       |       |      |       |      |                 |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |        |       |       |       |       |      |       |      |                 |
| 1 2483.86   | 40.00   | 54.00       | -14.00       | 31.85       | 31.94  | 7.26   | 37.05 | 6.00   | 341 116 AVERAGE |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |        |       |       |      |       |      |                 |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |        |       |       |       |       |      |       |      |                 |
| Limit       | Read  | Ant         | Cable        | Preamp      | Aux    | APos   | TPos  | Remark |                 |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |        |       |       |      |       |      |                 |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |        |       |       |       |       |      |       |      |                 |
| Freq        | Level   | Line Margin | Level Factor | Loss Factor | Factor |        |       |        |                 |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |        |       |       |      |       |      |                 |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |        |       |       |       |       |      |       |      |                 |
| MHz         | dBuV/m  | dBuV/m      | dB           | dBuV        | dB/m   | dB     | dB    | cm     | deg             |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |        |       |       |      |       |      |                 |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |        |       |       |       |       |      |       |      |                 |
| 1 2480.00   | 102.62  | -----       | -----        | 94.48       | 31.92  | 7.25   | 37.03 | 6.00   | 341 116 AVERAGE |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |        |       |       |      |       |      |                 |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |        |       |       |       |       |      |       |      |                 |







| Mode        | 71  |          |       |        |        |        |        |        |        |        |        |      |      |       |      |        |       |        |      |        |        |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |  |       |      |     |       |        |     |      |      |        |      |      |       |      |        |       |        |      |        |        |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |
|-------------|---|----------|-------|--------|--------|--------|--------|--------|--------|--------|--------|------|------|-------|------|--------|-------|--------|------|--------|--------|----|-----|---|---------|-------|-------|--------|-------|-------|------|-------|------|-----|-----|------|---|---------|-------|-------|--------|-------|-------|-------|-------|------|-----|-----|------|---|---------|-------|-------|--------|-------|-------|-------|-------|------|-----|-----|------|---|---------|-------|-------|--------|-------|-------|-------|-------|------|-----|-----|------|---|--|-------|------|-----|-------|--------|-----|------|------|--------|------|------|-------|------|--------|-------|--------|------|--------|--------|----|-----|---|---------|-------|-------|--------|-------|-------|------|-------|------|-----|-----|------|---|---------|-------|-------|--------|-------|-------|-------|-------|------|-----|-----|------|---|---------|-------|-------|--------|-------|-------|-------|-------|------|-----|-----|------|---|---------|-------|-------|--------|-------|-------|-------|-------|------|-----|-----|------|
|             | Harmonic  |          |       |        |        |        |        |        |        |        |        |      |      |       |      |        |       |        |      |        |        |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |  |       |      |     |       |        |     |      |      |        |      |      |       |      |        |       |        |      |        |        |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |
|             | 2400-2483.5_2400-2483.5_Bluetooth-LE_CH39_2480MHz   |          |       |        |        |        |        |        |        |        |        |      |      |       |      |        |       |        |      |        |        |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |  |       |      |     |       |        |     |      |      |        |      |      |       |      |        |       |        |      |        |        |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |
| ANT         | 4   |          |       |        |        |        |        |        |        |        |        |      |      |       |      |        |       |        |      |        |        |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |  |       |      |     |       |        |     |      |      |        |      |      |       |      |        |       |        |      |        |        |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |
| Pol.        | Horizontal  | Vertical |       |        |        |        |        |        |        |        |        |      |      |       |      |        |       |        |      |        |        |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |  |       |      |     |       |        |     |      |      |        |      |      |       |      |        |       |        |      |        |        |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |
| Peak<br>Avg | <table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>3616.50</td> <td>44.36</td> <td>74.00</td> <td>-29.64</td> <td>68.47</td> <td>32.93</td> <td>8.78</td> <td>65.82</td> <td>0.00</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>4960.00</td> <td>40.11</td> <td>74.00</td> <td>-33.89</td> <td>61.23</td> <td>33.60</td> <td>10.40</td> <td>65.32</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5953.50</td> <td>48.87</td> <td>74.00</td> <td>-25.13</td> <td>67.65</td> <td>35.11</td> <td>11.43</td> <td>65.32</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>7440.00</td> <td>40.30</td> <td>74.00</td> <td>-33.70</td> <td>59.05</td> <td>35.60</td> <td>12.78</td> <td>67.13</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table> |          | Limit | Read   | Ant    | Cable  | Preamp | Aux    | APos   | TPos   | Remark | Peak | Freq | Level | Line | Margin | Level | Factor | Loss | Factor | Factor | cm | deg | 1 | 3616.50 | 44.36 | 74.00 | -29.64 | 68.47 | 32.93 | 8.78 | 65.82 | 0.00 | --- | --- | Peak | 2 | 4960.00 | 40.11 | 74.00 | -33.89 | 61.23 | 33.60 | 10.40 | 65.32 | 0.00 | --- | --- | PEAK | 3 | 5953.50 | 48.87 | 74.00 | -25.13 | 67.65 | 35.11 | 11.43 | 65.32 | 0.00 | --- | --- | PEAK | 4 | 7440.00 | 40.30 | 74.00 | -33.70 | 59.05 | 35.60 | 12.78 | 67.13 | 0.00 | --- | --- | PEAK | <table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>3615.00</td> <td>42.38</td> <td>74.00</td> <td>-31.62</td> <td>66.49</td> <td>32.93</td> <td>8.78</td> <td>65.82</td> <td>0.00</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>4960.00</td> <td>39.66</td> <td>74.00</td> <td>-34.34</td> <td>60.78</td> <td>33.80</td> <td>10.40</td> <td>65.32</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5922.00</td> <td>58.32</td> <td>74.00</td> <td>-15.68</td> <td>77.20</td> <td>34.99</td> <td>11.40</td> <td>65.27</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>7440.00</td> <td>40.71</td> <td>74.00</td> <td>-33.29</td> <td>59.46</td> <td>35.60</td> <td>12.78</td> <td>67.13</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table> |  | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Peak | Freq | Level | Line | Margin | Level | Factor | Loss | Factor | Factor | cm | deg | 1 | 3615.00 | 42.38 | 74.00 | -31.62 | 66.49 | 32.93 | 8.78 | 65.82 | 0.00 | --- | --- | Peak | 2 | 4960.00 | 39.66 | 74.00 | -34.34 | 60.78 | 33.80 | 10.40 | 65.32 | 0.00 | --- | --- | PEAK | 3 | 5922.00 | 58.32 | 74.00 | -15.68 | 77.20 | 34.99 | 11.40 | 65.27 | 0.00 | --- | --- | PEAK | 4 | 7440.00 | 40.71 | 74.00 | -33.29 | 59.46 | 35.60 | 12.78 | 67.13 | 0.00 | --- | --- | PEAK |
|             |   | Limit    | Read  | Ant    | Cable  | Preamp | Aux    | APos   | TPos   | Remark |        |      |      |       |      |        |       |        |      |        |        |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |  |       |      |     |       |        |     |      |      |        |      |      |       |      |        |       |        |      |        |        |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |
| Peak        | Freq  | Level    | Line  | Margin | Level  | Factor | Loss   | Factor | Factor | cm     | deg    |      |      |       |      |        |       |        |      |        |        |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |  |       |      |     |       |        |     |      |      |        |      |      |       |      |        |       |        |      |        |        |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |
| 1           | 3616.50   | 44.36    | 74.00 | -29.64 | 68.47  | 32.93  | 8.78   | 65.82  | 0.00   | ---    | ---    | Peak |      |       |      |        |       |        |      |        |        |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |  |       |      |     |       |        |     |      |      |        |      |      |       |      |        |       |        |      |        |        |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |
| 2           | 4960.00   | 40.11    | 74.00 | -33.89 | 61.23  | 33.60  | 10.40  | 65.32  | 0.00   | ---    | ---    | PEAK |      |       |      |        |       |        |      |        |        |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |  |       |      |     |       |        |     |      |      |        |      |      |       |      |        |       |        |      |        |        |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |
| 3           | 5953.50   | 48.87    | 74.00 | -25.13 | 67.65  | 35.11  | 11.43  | 65.32  | 0.00   | ---    | ---    | PEAK |      |       |      |        |       |        |      |        |        |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |  |       |      |     |       |        |     |      |      |        |      |      |       |      |        |       |        |      |        |        |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |
| 4           | 7440.00   | 40.30    | 74.00 | -33.70 | 59.05  | 35.60  | 12.78  | 67.13  | 0.00   | ---    | ---    | PEAK |      |       |      |        |       |        |      |        |        |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |  |       |      |     |       |        |     |      |      |        |      |      |       |      |        |       |        |      |        |        |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |
|             | Limit   | Read     | Ant   | Cable  | Preamp | Aux    | APos   | TPos   | Remark |        |        |      |      |       |      |        |       |        |      |        |        |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |  |       |      |     |       |        |     |      |      |        |      |      |       |      |        |       |        |      |        |        |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |
| Peak        | Freq  | Level    | Line  | Margin | Level  | Factor | Loss   | Factor | Factor | cm     | deg    |      |      |       |      |        |       |        |      |        |        |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |  |       |      |     |       |        |     |      |      |        |      |      |       |      |        |       |        |      |        |        |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |
| 1           | 3615.00   | 42.38    | 74.00 | -31.62 | 66.49  | 32.93  | 8.78   | 65.82  | 0.00   | ---    | ---    | Peak |      |       |      |        |       |        |      |        |        |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |  |       |      |     |       |        |     |      |      |        |      |      |       |      |        |       |        |      |        |        |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |
| 2           | 4960.00   | 39.66    | 74.00 | -34.34 | 60.78  | 33.80  | 10.40  | 65.32  | 0.00   | ---    | ---    | PEAK |      |       |      |        |       |        |      |        |        |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |  |       |      |     |       |        |     |      |      |        |      |      |       |      |        |       |        |      |        |        |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |
| 3           | 5922.00   | 58.32    | 74.00 | -15.68 | 77.20  | 34.99  | 11.40  | 65.27  | 0.00   | ---    | ---    | PEAK |      |       |      |        |       |        |      |        |        |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |  |       |      |     |       |        |     |      |      |        |      |      |       |      |        |       |        |      |        |        |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |
| 4           | 7440.00   | 40.71    | 74.00 | -33.29 | 59.46  | 35.60  | 12.78  | 67.13  | 0.00   | ---    | ---    | PEAK |      |       |      |        |       |        |      |        |        |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |  |       |      |     |       |        |     |      |      |        |      |      |       |      |        |       |        |      |        |        |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |

Note: #3 is WLAN 6G co-location fundamental signal.



|       |  | 72          |        |        |        |        |        |        |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |       |       |      |     |     |         |
|-------|--|-------------|--------|--------|--------|--------|--------|--------|--------|--------|------|---------|------|--------|-------|--------|------|--------|--------|-----|--------|--------|----|------|------|----|----|----|---|---------|-------|-------|--------|-------|-------|-------|-------|------|-----|-----|---------|---|-------|------|-----|-------|--------|-----|------|------|--------|------|-------|------|--------|-------|--------|------|--------|--------|-----|--------|--------|----|------|------|----|----|----|---|---------|-------|-------|-------|-------|-------|-------|-------|------|-----|-----|---------|
| Mode  | Band Edge  |             |        |        |        |        |        |        |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |       |       |      |     |     |         |
|       | U-NII-5_5.925-6.425_802.11ax HE20_CH2_Full_5935MHz   |             |        |        |        |        |        |        |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |       |       |      |     |     |         |
| ANT   | CDD 5+4  |             |        |        |        |        |        |        |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |       |       |      |     |     |         |
| Pol.  | Horizontal   | Fundamental |        |        |        |        |        |        |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |       |       |      |     |     |         |
| Peak  |  <p>Level (dBuV/m)</p> <p>130<br/>113.8<br/>97.5<br/>81.3<br/>65.0<br/>48.8<br/>32.5<br/>16.3<br/>0</p> <p>5825 5851. 5877. 5903. 5929. 5955</p> <p style="text-align: center;">Frequency (MHz)</p> <p style="text-align: right;">Wifi 6E(Peak)</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5924.97</td> <td>70.15</td> <td>88.20</td> <td>-18.05</td> <td>63.64</td> <td>35.00</td> <td>11.40</td> <td>39.89</td> <td>0.00</td> <td>272</td> <td>157</td> <td>PEAK</td> </tr> </tbody> </table>   | Limit       | Read   | Ant    | Cable  | Preamp | Aux    | APos   | TPos   | Remark | Freq | Level   | Line | Margin | Level | Factor | Loss | Factor | Factor | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | dB | 1 | 5924.97 | 70.15 | 88.20 | -18.05 | 63.64 | 35.00 | 11.40 | 39.89 | 0.00 | 272 | 157 | PEAK    |  <p>Level (dBuV/m)</p> <p>130<br/>113.8<br/>97.5<br/>81.3<br/>65.0<br/>48.8<br/>32.5<br/>16.3<br/>0</p> <p>1000 2800. 4600. 6400. 8200. 10000</p> <p style="text-align: center;">Frequency (MHz)</p> <p style="text-align: right;">Wifi 6E(Peak)</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5935.00</td> <td>86.31</td> <td>88.20</td> <td>-1.89</td> <td>79.74</td> <td>35.03</td> <td>11.41</td> <td>39.87</td> <td>0.00</td> <td>272</td> <td>157</td> <td>PEAK</td> </tr> </tbody> </table>   | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line | Margin | Level | Factor | Loss | Factor | Factor | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | dB | 1 | 5935.00 | 86.31 | 88.20 | -1.89 | 79.74 | 35.03 | 11.41 | 39.87 | 0.00 | 272 | 157 | PEAK    |
|       | Limit  | Read        | Ant    | Cable  | Preamp | Aux    | APos   | TPos   | Remark |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |       |       |      |     |     |         |
| Freq  | Level  | Line        | Margin | Level  | Factor | Loss   | Factor | Factor |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |       |       |      |     |     |         |
| MHz   | dBuV/m   | dBuV/m      | dB     | dBuV   | dB/m   | dB     | dB     | dB     |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |       |       |      |     |     |         |
| 1     | 5924.97  | 70.15       | 88.20  | -18.05 | 63.64  | 35.00  | 11.40  | 39.89  | 0.00   | 272    | 157  | PEAK    |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |       |       |      |     |     |         |
| Limit | Read   | Ant         | Cable  | Preamp | Aux    | APos   | TPos   | Remark |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |       |       |      |     |     |         |
| Freq  | Level  | Line        | Margin | Level  | Factor | Loss   | Factor | Factor |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |       |       |      |     |     |         |
| MHz   | dBuV/m   | dBuV/m      | dB     | dBuV   | dB/m   | dB     | dB     | dB     |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |       |       |      |     |     |         |
| 1     | 5935.00  | 86.31       | 88.20  | -1.89  | 79.74  | 35.03  | 11.41  | 39.87  | 0.00   | 272    | 157  | PEAK    |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |       |       |      |     |     |         |
| Avg   |  <p>Level (dBuV/m)</p> <p>130<br/>113.8<br/>97.5<br/>81.3<br/>65.0<br/>48.8<br/>32.5<br/>16.3<br/>0</p> <p>5825 5851. 5877. 5903. 5929. 5955</p> <p style="text-align: center;">Frequency (MHz)</p> <p style="text-align: right;">Wifi 6E(AVG)</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5924.97</td> <td>61.59</td> <td>68.20</td> <td>-6.61</td> <td>55.08</td> <td>35.00</td> <td>11.40</td> <td>39.89</td> <td>0.00</td> <td>272</td> <td>157</td> <td>AVERAGE</td> </tr> </tbody> </table> | Limit       | Read   | Ant    | Cable  | Preamp | Aux    | APos   | TPos   | Remark | Freq | Level   | Line | Margin | Level | Factor | Loss | Factor | Factor | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | dB | 1 | 5924.97 | 61.59 | 68.20 | -6.61  | 55.08 | 35.00 | 11.40 | 39.89 | 0.00 | 272 | 157 | AVERAGE |  <p>Level (dBuV/m)</p> <p>130<br/>113.8<br/>97.5<br/>81.3<br/>65.0<br/>48.8<br/>32.5<br/>16.3<br/>0</p> <p>1000 2800. 4600. 6400. 8200. 10000</p> <p style="text-align: center;">Frequency (MHz)</p> <p style="text-align: right;">Wifi 6E(AVG)</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5935.00</td> <td>76.16</td> <td>68.20</td> <td>7.96</td> <td>69.59</td> <td>35.03</td> <td>11.41</td> <td>39.87</td> <td>0.00</td> <td>272</td> <td>157</td> <td>AVERAGE</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line | Margin | Level | Factor | Loss | Factor | Factor | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | dB | 1 | 5935.00 | 76.16 | 68.20 | 7.96  | 69.59 | 35.03 | 11.41 | 39.87 | 0.00 | 272 | 157 | AVERAGE |
|       | Limit  | Read        | Ant    | Cable  | Preamp | Aux    | APos   | TPos   | Remark |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |       |       |      |     |     |         |
| Freq  | Level  | Line        | Margin | Level  | Factor | Loss   | Factor | Factor |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |       |       |      |     |     |         |
| MHz   | dBuV/m   | dBuV/m      | dB     | dBuV   | dB/m   | dB     | dB     | dB     |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |       |       |      |     |     |         |
| 1     | 5924.97  | 61.59       | 68.20  | -6.61  | 55.08  | 35.00  | 11.40  | 39.89  | 0.00   | 272    | 157  | AVERAGE |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |       |       |      |     |     |         |
| Limit | Read   | Ant         | Cable  | Preamp | Aux    | APos   | TPos   | Remark |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |       |       |      |     |     |         |
| Freq  | Level  | Line        | Margin | Level  | Factor | Loss   | Factor | Factor |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |       |       |      |     |     |         |
| MHz   | dBuV/m   | dBuV/m      | dB     | dBuV   | dB/m   | dB     | dB     | dB     |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |       |       |      |     |     |         |
| 1     | 5935.00  | 76.16       | 68.20  | 7.96   | 69.59  | 35.03  | 11.41  | 39.87  | 0.00   | 272    | 157  | AVERAGE |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |       |       |      |     |     |         |



|       |  | 72          |        |        |        |        |        |        |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |     |    |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |       |       |      |     |    |         |
|-------|--|-------------|--------|--------|--------|--------|--------|--------|--------|--------|------|---------|------|--------|-------|--------|------|--------|--------|-----|--------|--------|----|------|------|----|----|----|---|---------|-------|-------|--------|-------|-------|-------|-------|------|-----|----|---------|---|-------|------|-----|-------|--------|-----|------|------|--------|------|-------|------|--------|-------|--------|------|--------|--------|-----|--------|--------|----|------|------|----|----|----|---|---------|-------|-------|-------|-------|-------|-------|-------|------|-----|----|---------|
| Mode  | Band Edge  |             |        |        |        |        |        |        |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |     |    |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |       |       |      |     |    |         |
|       | U-NII-5_5.925-6.425_802.11ax HE20_CH2_Full_5935MHz   |             |        |        |        |        |        |        |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |     |    |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |       |       |      |     |    |         |
| ANT   | CDD 5+4  |             |        |        |        |        |        |        |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |     |    |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |       |       |      |     |    |         |
| Pol.  | Vertical   | Fundamental |        |        |        |        |        |        |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |     |    |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |       |       |      |     |    |         |
| Peak  |  <p>Level (dBuV/m)</p> <p>130</p> <p>113.8</p> <p>97.5</p> <p>81.3</p> <p>65.0</p> <p>48.8</p> <p>32.5</p> <p>16.3</p> <p>0</p> <p>5825 5851. 5877. 5903. 5929. 5955</p> <p>Frequency (MHz)</p> <p style="text-align: right;">Wifi 6E(Peak)</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5924.97</td> <td>66.50</td> <td>88.20</td> <td>-21.70</td> <td>59.99</td> <td>35.00</td> <td>11.40</td> <td>39.89</td> <td>0.00</td> <td>245</td> <td>82</td> <td>PEAK</td> </tr> </tbody> </table>    | Limit       | Read   | Ant    | Cable  | Preamp | Aux    | APos   | TPos   | Remark | Freq | Level   | Line | Margin | Level | Factor | Loss | Factor | Factor | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | dB | 1 | 5924.97 | 66.50 | 88.20 | -21.70 | 59.99 | 35.00 | 11.40 | 39.89 | 0.00 | 245 | 82 | PEAK    |  <p>Level (dBuV/m)</p> <p>130</p> <p>113.8</p> <p>97.5</p> <p>81.3</p> <p>65.0</p> <p>48.8</p> <p>32.5</p> <p>16.3</p> <p>0</p> <p>1000 2800. 4600. 6400. 8200. 10000</p> <p>Frequency (MHz)</p> <p style="text-align: right;">Wifi 6E(Peak)</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5935.00</td> <td>88.71</td> <td>88.20</td> <td>0.51</td> <td>82.14</td> <td>35.03</td> <td>11.41</td> <td>39.87</td> <td>0.00</td> <td>245</td> <td>82</td> <td>PEAK</td> </tr> </tbody> </table>     | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line | Margin | Level | Factor | Loss | Factor | Factor | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | dB | 1 | 5935.00 | 88.71 | 88.20 | 0.51  | 82.14 | 35.03 | 11.41 | 39.87 | 0.00 | 245 | 82 | PEAK    |
|       | Limit  | Read        | Ant    | Cable  | Preamp | Aux    | APos   | TPos   | Remark |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |     |    |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |       |       |      |     |    |         |
| Freq  | Level  | Line        | Margin | Level  | Factor | Loss   | Factor | Factor |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |     |    |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |       |       |      |     |    |         |
| MHz   | dBuV/m   | dBuV/m      | dB     | dBuV   | dB/m   | dB     | dB     | dB     |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |     |    |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |       |       |      |     |    |         |
| 1     | 5924.97  | 66.50       | 88.20  | -21.70 | 59.99  | 35.00  | 11.40  | 39.89  | 0.00   | 245    | 82   | PEAK    |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |     |    |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |       |       |      |     |    |         |
| Limit | Read   | Ant         | Cable  | Preamp | Aux    | APos   | TPos   | Remark |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |     |    |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |       |       |      |     |    |         |
| Freq  | Level  | Line        | Margin | Level  | Factor | Loss   | Factor | Factor |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |     |    |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |       |       |      |     |    |         |
| MHz   | dBuV/m   | dBuV/m      | dB     | dBuV   | dB/m   | dB     | dB     | dB     |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |     |    |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |       |       |      |     |    |         |
| 1     | 5935.00  | 88.71       | 88.20  | 0.51   | 82.14  | 35.03  | 11.41  | 39.87  | 0.00   | 245    | 82   | PEAK    |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |     |    |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |       |       |      |     |    |         |
| Avg   |  <p>Level (dBuV/m)</p> <p>130</p> <p>113.8</p> <p>97.5</p> <p>81.3</p> <p>65.0</p> <p>48.8</p> <p>32.5</p> <p>16.3</p> <p>0</p> <p>5825 5851. 5877. 5903. 5929. 5955</p> <p>Frequency (MHz)</p> <p style="text-align: right;">Wifi 6E(AVG)</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5924.97</td> <td>52.59</td> <td>68.20</td> <td>-15.61</td> <td>46.08</td> <td>35.00</td> <td>11.40</td> <td>39.89</td> <td>0.00</td> <td>245</td> <td>82</td> <td>AVERAGE</td> </tr> </tbody> </table> | Limit       | Read   | Ant    | Cable  | Preamp | Aux    | APos   | TPos   | Remark | Freq | Level   | Line | Margin | Level | Factor | Loss | Factor | Factor | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | dB | 1 | 5924.97 | 52.59 | 68.20 | -15.61 | 46.08 | 35.00 | 11.40 | 39.89 | 0.00 | 245 | 82 | AVERAGE |  <p>Level (dBuV/m)</p> <p>130</p> <p>113.8</p> <p>97.5</p> <p>81.3</p> <p>65.0</p> <p>48.8</p> <p>32.5</p> <p>16.3</p> <p>0</p> <p>1000 2800. 4600. 6400. 8200. 10000</p> <p>Frequency (MHz)</p> <p style="text-align: right;">Wifi 6E(AVG)</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5935.00</td> <td>78.27</td> <td>68.20</td> <td>10.07</td> <td>71.70</td> <td>35.03</td> <td>11.41</td> <td>39.87</td> <td>0.00</td> <td>245</td> <td>82</td> <td>AVERAGE</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line | Margin | Level | Factor | Loss | Factor | Factor | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | dB | 1 | 5935.00 | 78.27 | 68.20 | 10.07 | 71.70 | 35.03 | 11.41 | 39.87 | 0.00 | 245 | 82 | AVERAGE |
| Limit | Read   | Ant         | Cable  | Preamp | Aux    | APos   | TPos   | Remark |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |     |    |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |       |       |      |     |    |         |
| Freq  | Level  | Line        | Margin | Level  | Factor | Loss   | Factor | Factor |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |     |    |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |       |       |      |     |    |         |
| MHz   | dBuV/m   | dBuV/m      | dB     | dBuV   | dB/m   | dB     | dB     | dB     |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |     |    |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |       |       |      |     |    |         |
| 1     | 5924.97  | 52.59       | 68.20  | -15.61 | 46.08  | 35.00  | 11.40  | 39.89  | 0.00   | 245    | 82   | AVERAGE |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |     |    |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |       |       |      |     |    |         |
| Limit | Read   | Ant         | Cable  | Preamp | Aux    | APos   | TPos   | Remark |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |     |    |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |       |       |      |     |    |         |
| Freq  | Level  | Line        | Margin | Level  | Factor | Loss   | Factor | Factor |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |     |    |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |       |       |      |     |    |         |
| MHz   | dBuV/m   | dBuV/m      | dB     | dBuV   | dB/m   | dB     | dB     | dB     |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |     |    |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |       |       |      |     |    |         |
| 1     | 5935.00  | 78.27       | 68.20  | 10.07  | 71.70  | 35.03  | 11.41  | 39.87  | 0.00   | 245    | 82   | AVERAGE |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |     |    |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |       |       |      |     |    |         |



| Mode        | 72   |             |              |             |        |        |       |        |        |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |      |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |      |
|-------------|--|-------------|--------------|-------------|--------|--------|-------|--------|--------|--------|------|-------|-------------|--------------|-------------|--------|--|--|--|-----|--------|--------|----|------|------|----|----|----|-----|------------|-------|-------|--------|-------|-------|-------|-------|------|-----|-----|------|--|-------|------|-----|-------|--------|-----|------|------|--------|------|-------|-------------|--------------|-------------|--------|--|--|--|-----|--------|--------|----|------|------|----|----|----|-----|------------|-------|-------|--------|-------|-------|-------|-------|------|-----|-----|------|
|             | Harmonic   |             |              |             |        |        |       |        |        |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |      |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |      |
|             | U-NII-5_5.925-6.425_802.11ax HE20_CH2_Full_5935MHz   |             |              |             |        |        |       |        |        |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |      |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |      |
| ANT         | CDD 5+4  |             |              |             |        |        |       |        |        |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |      |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |      |
| Pol.        | Horizontal   | Vertical    |              |             |        |        |       |        |        |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |      |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |      |
| Peak<br>Avg | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11870.00</td> <td>44.44</td> <td>74.00</td> <td>-29.56</td> <td>55.64</td> <td>38.50</td> <td>16.60</td> <td>66.30</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table> | Limit       | Read         | Ant         | Cable  | Preamp | Aux   | APos   | TPos   | Remark | Freq | Level | Line Margin | Level Factor | Loss Factor | Factor |  |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 11870.00 | 44.44 | 74.00 | -29.56 | 55.64 | 38.50 | 16.60 | 66.30 | 0.00 | --- | --- | PEAK | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11870.00</td> <td>44.27</td> <td>74.00</td> <td>-29.73</td> <td>55.47</td> <td>38.50</td> <td>16.60</td> <td>66.30</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line Margin | Level Factor | Loss Factor | Factor |  |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 11870.00 | 44.27 | 74.00 | -29.73 | 55.47 | 38.50 | 16.60 | 66.30 | 0.00 | --- | --- | PEAK |
|             | Limit  | Read        | Ant          | Cable       | Preamp | Aux    | APos  | TPos   | Remark |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |      |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |      |
| Freq        | Level  | Line Margin | Level Factor | Loss Factor | Factor |        |       |        |        |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |      |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |      |
| MHz         | dBuV/m   | dBuV/m      | dB           | dBuV        | dB/m   | dB     | dB    | cm     | deg    |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |      |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |      |
| 1 11870.00  | 44.44  | 74.00       | -29.56       | 55.64       | 38.50  | 16.60  | 66.30 | 0.00   | ---    | ---    | PEAK |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |      |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |      |
| Limit       | Read   | Ant         | Cable        | Preamp      | Aux    | APos   | TPos  | Remark |        |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |      |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |      |
| Freq        | Level  | Line Margin | Level Factor | Loss Factor | Factor |        |       |        |        |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |      |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |      |
| MHz         | dBuV/m   | dBuV/m      | dB           | dBuV        | dB/m   | dB     | dB    | cm     | deg    |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |      |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |      |
| 1 11870.00  | 44.27  | 74.00       | -29.73       | 55.47       | 38.50  | 16.60  | 66.30 | 0.00   | ---    | ---    | PEAK |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |      |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |      |
|             |  |             |              |             |        |        |       |        |        |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |      |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |      |



|           |  | 72          |              |             |        |        |       |        |      |             |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |        |       |       |      |       |      |     |             |   |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |       |       |       |      |       |      |     |
|-----------|--|-------------|--------------|-------------|--------|--------|-------|--------|------|-------------|------|-------|-------------|--------------|-------------|--------|--|--|--|-----|--------|--------|----|------|------|----|----|----|-----|-----------|-------|-------|--------|-------|-------|------|-------|------|-----|-------------|---|--|-------|------|-----|-------|--------|-----|------|------|--------|------|-------|-------------|--------------|-------------|--------|--|--|--|-----|--------|--------|----|------|------|----|----|----|-----|-----------|-------|-------|-------|-------|-------|------|-------|------|-----|
| Mode      | Band Edge  |             |              |             |        |        |       |        |      |             |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |        |       |       |      |       |      |     |             |   |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |       |       |       |      |       |      |     |
|           | 2400-2483.5_2400-2483.5_Bluetooth-LE_CH39_2480MHz  |             |              |             |        |        |       |        |      |             |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |        |       |       |      |       |      |     |             |   |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |       |       |       |      |       |      |     |
| ANT       | 6  |             |              |             |        |        |       |        |      |             |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |        |       |       |      |       |      |     |             |   |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |       |       |       |      |       |      |     |
| Pol.      | Horizontal   | Fundamental |              |             |        |        |       |        |      |             |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |        |       |       |      |       |      |     |             |   |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |       |       |       |      |       |      |     |
| Peak      |  |             |              |             |        |        |       |        |      |             |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |        |       |       |      |       |      |     |             |   |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |       |       |       |      |       |      |     |
|           | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 2483.50</td> <td>51.44</td> <td>74.00</td> <td>-22.56</td> <td>43.30</td> <td>31.93</td> <td>7.26</td> <td>37.05</td> <td>6.00</td> <td>100</td> <td>249 PEAK</td> </tr> </tbody> </table>    | Limit       | Read         | Ant         | Cable  | Preamp | Aux   | APos   | TPos | Remark      | Freq | Level | Line Margin | Level Factor | Loss Factor | Factor |  |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 2483.50 | 51.44 | 74.00 | -22.56 | 43.30 | 31.93 | 7.26 | 37.05 | 6.00 | 100 | 249 PEAK    | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 2480.00</td> <td>98.70</td> <td>-----</td> <td>-----</td> <td>90.56</td> <td>31.92</td> <td>7.25</td> <td>37.03</td> <td>6.00</td> <td>100</td> <td>249 PEAK</td> </tr> </tbody> </table>    |  | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line Margin | Level Factor | Loss Factor | Factor |  |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 2480.00 | 98.70 | ----- | ----- | 90.56 | 31.92 | 7.25 | 37.03 | 6.00 | 100 |
| Limit     | Read   | Ant         | Cable        | Preamp      | Aux    | APos   | TPos  | Remark |      |             |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |        |       |       |      |       |      |     |             |   |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |       |       |       |      |       |      |     |
| Freq      | Level  | Line Margin | Level Factor | Loss Factor | Factor |        |       |        |      |             |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |        |       |       |      |       |      |     |             |   |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |       |       |       |      |       |      |     |
| MHz       | dBuV/m   | dBuV/m      | dB           | dBuV        | dB/m   | dB     | dB    | cm     | deg  |             |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |        |       |       |      |       |      |     |             |   |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |       |       |       |      |       |      |     |
| 1 2483.50 | 51.44  | 74.00       | -22.56       | 43.30       | 31.93  | 7.26   | 37.05 | 6.00   | 100  | 249 PEAK    |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |        |       |       |      |       |      |     |             |   |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |       |       |       |      |       |      |     |
| Limit     | Read   | Ant         | Cable        | Preamp      | Aux    | APos   | TPos  | Remark |      |             |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |        |       |       |      |       |      |     |             |   |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |       |       |       |      |       |      |     |
| Freq      | Level  | Line Margin | Level Factor | Loss Factor | Factor |        |       |        |      |             |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |        |       |       |      |       |      |     |             |   |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |       |       |       |      |       |      |     |
| MHz       | dBuV/m   | dBuV/m      | dB           | dBuV        | dB/m   | dB     | dB    | cm     | deg  |             |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |        |       |       |      |       |      |     |             |   |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |       |       |       |      |       |      |     |
| 1 2480.00 | 98.70  | -----       | -----        | 90.56       | 31.92  | 7.25   | 37.03 | 6.00   | 100  | 249 PEAK    |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |        |       |       |      |       |      |     |             |   |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |       |       |       |      |       |      |     |
| Avg       |  |             |              |             |        |        |       |        |      |             |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |        |       |       |      |       |      |     |             |   |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |       |       |       |      |       |      |     |
|           | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 2483.00</td> <td>39.10</td> <td>54.00</td> <td>-14.90</td> <td>30.95</td> <td>31.94</td> <td>7.26</td> <td>37.05</td> <td>6.00</td> <td>100</td> <td>249 AVERAGE</td> </tr> </tbody> </table> | Limit       | Read         | Ant         | Cable  | Preamp | Aux   | APos   | TPos | Remark      | Freq | Level | Line Margin | Level Factor | Loss Factor | Factor |  |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 2483.00 | 39.10 | 54.00 | -14.90 | 30.95 | 31.94 | 7.26 | 37.05 | 6.00 | 100 | 249 AVERAGE | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 2480.00</td> <td>96.31</td> <td>-----</td> <td>-----</td> <td>88.17</td> <td>31.92</td> <td>7.25</td> <td>37.03</td> <td>6.00</td> <td>100</td> <td>249 AVERAGE</td> </tr> </tbody> </table> |  | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line Margin | Level Factor | Loss Factor | Factor |  |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 2480.00 | 96.31 | ----- | ----- | 88.17 | 31.92 | 7.25 | 37.03 | 6.00 | 100 |
| Limit     | Read   | Ant         | Cable        | Preamp      | Aux    | APos   | TPos  | Remark |      |             |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |        |       |       |      |       |      |     |             |   |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |       |       |       |      |       |      |     |
| Freq      | Level  | Line Margin | Level Factor | Loss Factor | Factor |        |       |        |      |             |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |        |       |       |      |       |      |     |             |   |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |       |       |       |      |       |      |     |
| MHz       | dBuV/m   | dBuV/m      | dB           | dBuV        | dB/m   | dB     | dB    | cm     | deg  |             |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |        |       |       |      |       |      |     |             |   |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |       |       |       |      |       |      |     |
| 1 2483.00 | 39.10  | 54.00       | -14.90       | 30.95       | 31.94  | 7.26   | 37.05 | 6.00   | 100  | 249 AVERAGE |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |        |       |       |      |       |      |     |             |   |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |       |       |       |      |       |      |     |
| Limit     | Read   | Ant         | Cable        | Preamp      | Aux    | APos   | TPos  | Remark |      |             |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |        |       |       |      |       |      |     |             |   |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |       |       |       |      |       |      |     |
| Freq      | Level  | Line Margin | Level Factor | Loss Factor | Factor |        |       |        |      |             |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |        |       |       |      |       |      |     |             |   |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |       |       |       |      |       |      |     |
| MHz       | dBuV/m   | dBuV/m      | dB           | dBuV        | dB/m   | dB     | dB    | cm     | deg  |             |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |        |       |       |      |       |      |     |             |   |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |       |       |       |      |       |      |     |
| 1 2480.00 | 96.31  | -----       | -----        | 88.17       | 31.92  | 7.25   | 37.03 | 6.00   | 100  | 249 AVERAGE |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |        |       |       |      |       |      |     |             |   |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |       |       |       |      |       |      |     |









|             | 72  |             |              |             |        |        |       |        |      |            |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |        |       |       |      |       |      |     |            |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |       |       |       |      |       |      |     |            |
|-------------|---|-------------|--------------|-------------|--------|--------|-------|--------|------|------------|------|-------|-------------|--------------|-------------|--------|--|--|--|-----|--------|--------|----|------|------|----|----|----|-----|-----------|-------|-------|--------|-------|-------|------|-------|------|-----|------------|--|-------|------|-----|-------|--------|-----|------|------|--------|------|-------|-------------|--------------|-------------|--------|--|--|--|-----|--------|--------|----|------|------|----|----|----|-----|-----------|-------|-------|-------|-------|-------|------|-------|------|-----|------------|
| <b>Mode</b> | Band Edge   |             |              |             |        |        |       |        |      |            |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |        |       |       |      |       |      |     |            |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |       |       |       |      |       |      |     |            |
|             | 2400-2483.5_2400-2483.5_Bluetooth-LE_CH39_2480MHz   |             |              |             |        |        |       |        |      |            |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |        |       |       |      |       |      |     |            |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |       |       |       |      |       |      |     |            |
| <b>ANT</b>  | 6   |             |              |             |        |        |       |        |      |            |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |        |       |       |      |       |      |     |            |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |       |       |       |      |       |      |     |            |
| <b>Pol.</b> | Vertical  | Fundamental |              |             |        |        |       |        |      |            |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |        |       |       |      |       |      |     |            |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |       |       |       |      |       |      |     |            |
| <b>Peak</b> | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 2483.50</td> <td>49.55</td> <td>74.00</td> <td>-24.45</td> <td>41.41</td> <td>31.93</td> <td>7.26</td> <td>37.05</td> <td>6.00</td> <td>340</td> <td>69 PEAK</td> </tr> </tbody> </table>    | Limit       | Read         | Ant         | Cable  | Preamp | Aux   | APos   | TPos | Remark     | Freq | Level | Line Margin | Level Factor | Loss Factor | Factor |  |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 2483.50 | 49.55 | 74.00 | -24.45 | 41.41 | 31.93 | 7.26 | 37.05 | 6.00 | 340 | 69 PEAK    | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 2480.00</td> <td>99.15</td> <td>-----</td> <td>-----</td> <td>91.01</td> <td>31.92</td> <td>7.25</td> <td>37.03</td> <td>6.00</td> <td>340</td> <td>69 PEAK</td> </tr> </tbody> </table>    | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line Margin | Level Factor | Loss Factor | Factor |  |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 2480.00 | 99.15 | ----- | ----- | 91.01 | 31.92 | 7.25 | 37.03 | 6.00 | 340 | 69 PEAK    |
| Limit       | Read  | Ant         | Cable        | Preamp      | Aux    | APos   | TPos  | Remark |      |            |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |        |       |       |      |       |      |     |            |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |       |       |       |      |       |      |     |            |
| Freq        | Level   | Line Margin | Level Factor | Loss Factor | Factor |        |       |        |      |            |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |        |       |       |      |       |      |     |            |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |       |       |       |      |       |      |     |            |
| MHz         | dBuV/m  | dBuV/m      | dB           | dBuV        | dB/m   | dB     | dB    | cm     | deg  |            |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |        |       |       |      |       |      |     |            |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |       |       |       |      |       |      |     |            |
| 1 2483.50   | 49.55   | 74.00       | -24.45       | 41.41       | 31.93  | 7.26   | 37.05 | 6.00   | 340  | 69 PEAK    |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |        |       |       |      |       |      |     |            |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |       |       |       |      |       |      |     |            |
| Limit       | Read  | Ant         | Cable        | Preamp      | Aux    | APos   | TPos  | Remark |      |            |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |        |       |       |      |       |      |     |            |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |       |       |       |      |       |      |     |            |
| Freq        | Level   | Line Margin | Level Factor | Loss Factor | Factor |        |       |        |      |            |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |        |       |       |      |       |      |     |            |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |       |       |       |      |       |      |     |            |
| MHz         | dBuV/m  | dBuV/m      | dB           | dBuV        | dB/m   | dB     | dB    | cm     | deg  |            |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |        |       |       |      |       |      |     |            |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |       |       |       |      |       |      |     |            |
| 1 2480.00   | 99.15   | -----       | -----        | 91.01       | 31.92  | 7.25   | 37.03 | 6.00   | 340  | 69 PEAK    |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |        |       |       |      |       |      |     |            |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |       |       |       |      |       |      |     |            |
| <b>Avg</b>  | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 2484.46</td> <td>38.91</td> <td>54.00</td> <td>-15.09</td> <td>30.77</td> <td>31.94</td> <td>7.26</td> <td>37.06</td> <td>6.00</td> <td>340</td> <td>69 AVERAGE</td> </tr> </tbody> </table> | Limit       | Read         | Ant         | Cable  | Preamp | Aux   | APos   | TPos | Remark     | Freq | Level | Line Margin | Level Factor | Loss Factor | Factor |  |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 2484.46 | 38.91 | 54.00 | -15.09 | 30.77 | 31.94 | 7.26 | 37.06 | 6.00 | 340 | 69 AVERAGE | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 2480.00</td> <td>96.83</td> <td>-----</td> <td>-----</td> <td>88.69</td> <td>31.92</td> <td>7.25</td> <td>37.03</td> <td>6.00</td> <td>340</td> <td>69 AVERAGE</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line Margin | Level Factor | Loss Factor | Factor |  |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 2480.00 | 96.83 | ----- | ----- | 88.69 | 31.92 | 7.25 | 37.03 | 6.00 | 340 | 69 AVERAGE |
| Limit       | Read  | Ant         | Cable        | Preamp      | Aux    | APos   | TPos  | Remark |      |            |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |        |       |       |      |       |      |     |            |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |       |       |       |      |       |      |     |            |
| Freq        | Level   | Line Margin | Level Factor | Loss Factor | Factor |        |       |        |      |            |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |        |       |       |      |       |      |     |            |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |       |       |       |      |       |      |     |            |
| MHz         | dBuV/m  | dBuV/m      | dB           | dBuV        | dB/m   | dB     | dB    | cm     | deg  |            |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |        |       |       |      |       |      |     |            |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |       |       |       |      |       |      |     |            |
| 1 2484.46   | 38.91   | 54.00       | -15.09       | 30.77       | 31.94  | 7.26   | 37.06 | 6.00   | 340  | 69 AVERAGE |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |        |       |       |      |       |      |     |            |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |       |       |       |      |       |      |     |            |
| Limit       | Read  | Ant         | Cable        | Preamp      | Aux    | APos   | TPos  | Remark |      |            |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |        |       |       |      |       |      |     |            |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |       |       |       |      |       |      |     |            |
| Freq        | Level   | Line Margin | Level Factor | Loss Factor | Factor |        |       |        |      |            |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |        |       |       |      |       |      |     |            |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |       |       |       |      |       |      |     |            |
| MHz         | dBuV/m  | dBuV/m      | dB           | dBuV        | dB/m   | dB     | dB    | cm     | deg  |            |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |        |       |       |      |       |      |     |            |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |       |       |       |      |       |      |     |            |
| 1 2480.00   | 96.83   | -----       | -----        | 88.69       | 31.92  | 7.25   | 37.03 | 6.00   | 340  | 69 AVERAGE |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |        |       |       |      |       |      |     |            |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |       |       |       |      |       |      |     |            |



| Mode        | 72  |          |        |        |        |       |        |        |        |      |        |      |       |      |        |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |  |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |
|-------------|---|----------|--------|--------|--------|-------|--------|--------|--------|------|--------|------|-------|------|--------|-------|--------|------|--------|--------|--|-----|--------|--------|----|------|------|----|----|----|----|-----|---|---------|-------|-------|--------|-------|-------|------|-------|------|-----|-----|------|---|---------|-------|-------|--------|-------|-------|-------|-------|------|-----|-----|------|---|---------|-------|-------|--------|-------|-------|-------|-------|------|-----|-----|------|---|---------|-------|-------|--------|-------|-------|-------|-------|------|-----|-----|------|---|--|-------|------|-----|-------|--------|-----|------|------|--------|------|-------|------|--------|-------|--------|------|--------|--------|--|-----|--------|--------|----|------|------|----|----|----|----|-----|---|---------|-------|-------|--------|-------|-------|------|-------|------|-----|-----|------|---|---------|-------|-------|--------|-------|-------|-------|-------|------|-----|-----|------|---|---------|-------|-------|--------|-------|-------|-------|-------|------|-----|-----|------|---|---------|-------|-------|--------|-------|-------|-------|-------|------|-----|-----|
|             | Harmonic  |          |        |        |        |       |        |        |        |      |        |      |       |      |        |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |  |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |
|             | 2400-2483.5_2400-2483.5_Bluetooth-LE_CH39_2480MHz   |          |        |        |        |       |        |        |        |      |        |      |       |      |        |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |  |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |
| ANT         | 6   |          |        |        |        |       |        |        |        |      |        |      |       |      |        |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |  |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |
| Pol.        | Horizontal  | Vertical |        |        |        |       |        |        |        |      |        |      |       |      |        |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |  |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |
| Peak<br>Avg |   |          |        |        |        |       |        |        |        |      |        |      |       |      |        |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |  |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |
|             | <table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>3616.50</td> <td>44.36</td> <td>74.00</td> <td>-29.64</td> <td>68.47</td> <td>32.93</td> <td>8.78</td> <td>65.82</td> <td>0.00</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>4960.00</td> <td>41.11</td> <td>74.00</td> <td>-32.89</td> <td>62.23</td> <td>33.60</td> <td>10.40</td> <td>65.32</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5955.00</td> <td>49.27</td> <td>74.00</td> <td>-24.73</td> <td>68.06</td> <td>35.11</td> <td>11.43</td> <td>65.33</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>7440.00</td> <td>41.20</td> <td>74.00</td> <td>-32.80</td> <td>59.95</td> <td>35.60</td> <td>12.78</td> <td>67.13</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table> |          | Limit  | Read   | Ant    | Cable | Preamp | Aux    | APos   | TPos | Remark | Freq | Level | Line | Margin | Level | Factor | Loss | Factor | Factor |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | dB | cm | deg | 1 | 3616.50 | 44.36 | 74.00 | -29.64 | 68.47 | 32.93 | 8.78 | 65.82 | 0.00 | --- | --- | Peak | 2 | 4960.00 | 41.11 | 74.00 | -32.89 | 62.23 | 33.60 | 10.40 | 65.32 | 0.00 | --- | --- | PEAK | 3 | 5955.00 | 49.27 | 74.00 | -24.73 | 68.06 | 35.11 | 11.43 | 65.33 | 0.00 | --- | --- | PEAK | 4 | 7440.00 | 41.20 | 74.00 | -32.80 | 59.95 | 35.60 | 12.78 | 67.13 | 0.00 | --- | --- | PEAK | <table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>3615.00</td> <td>42.38</td> <td>74.00</td> <td>-31.62</td> <td>66.49</td> <td>32.93</td> <td>8.78</td> <td>65.82</td> <td>0.00</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>4960.00</td> <td>40.26</td> <td>74.00</td> <td>-33.74</td> <td>61.38</td> <td>33.80</td> <td>10.40</td> <td>65.32</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5922.00</td> <td>50.32</td> <td>74.00</td> <td>-23.68</td> <td>69.20</td> <td>34.99</td> <td>11.40</td> <td>65.27</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>7440.00</td> <td>41.71</td> <td>74.00</td> <td>-32.29</td> <td>60.46</td> <td>35.60</td> <td>12.78</td> <td>67.13</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table> |  | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line | Margin | Level | Factor | Loss | Factor | Factor |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | dB | cm | deg | 1 | 3615.00 | 42.38 | 74.00 | -31.62 | 66.49 | 32.93 | 8.78 | 65.82 | 0.00 | --- | --- | Peak | 2 | 4960.00 | 40.26 | 74.00 | -33.74 | 61.38 | 33.80 | 10.40 | 65.32 | 0.00 | --- | --- | PEAK | 3 | 5922.00 | 50.32 | 74.00 | -23.68 | 69.20 | 34.99 | 11.40 | 65.27 | 0.00 | --- | --- | PEAK | 4 | 7440.00 | 41.71 | 74.00 | -32.29 | 60.46 | 35.60 | 12.78 | 67.13 | 0.00 | --- | --- |
|             | Limit   | Read     | Ant    | Cable  | Preamp | Aux   | APos   | TPos   | Remark |      |        |      |       |      |        |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |  |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |
| Freq        | Level   | Line     | Margin | Level  | Factor | Loss  | Factor | Factor |        |      |        |      |       |      |        |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |  |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |
| MHz         | dBuV/m  | dBuV/m   | dB     | dBuV   | dB/m   | dB    | dB     | dB     | cm     | deg  |        |      |       |      |        |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |  |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |
| 1           | 3616.50   | 44.36    | 74.00  | -29.64 | 68.47  | 32.93 | 8.78   | 65.82  | 0.00   | ---  | ---    | Peak |       |      |        |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |  |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |
| 2           | 4960.00   | 41.11    | 74.00  | -32.89 | 62.23  | 33.60 | 10.40  | 65.32  | 0.00   | ---  | ---    | PEAK |       |      |        |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |  |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |
| 3           | 5955.00   | 49.27    | 74.00  | -24.73 | 68.06  | 35.11 | 11.43  | 65.33  | 0.00   | ---  | ---    | PEAK |       |      |        |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |  |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |
| 4           | 7440.00   | 41.20    | 74.00  | -32.80 | 59.95  | 35.60 | 12.78  | 67.13  | 0.00   | ---  | ---    | PEAK |       |      |        |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |  |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |
|             | Limit   | Read     | Ant    | Cable  | Preamp | Aux   | APos   | TPos   | Remark |      |        |      |       |      |        |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |  |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |
| Freq        | Level   | Line     | Margin | Level  | Factor | Loss  | Factor | Factor |        |      |        |      |       |      |        |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |  |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |
| MHz         | dBuV/m  | dBuV/m   | dB     | dBuV   | dB/m   | dB    | dB     | dB     | cm     | deg  |        |      |       |      |        |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |  |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |
| 1           | 3615.00   | 42.38    | 74.00  | -31.62 | 66.49  | 32.93 | 8.78   | 65.82  | 0.00   | ---  | ---    | Peak |       |      |        |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |  |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |
| 2           | 4960.00   | 40.26    | 74.00  | -33.74 | 61.38  | 33.80 | 10.40  | 65.32  | 0.00   | ---  | ---    | PEAK |       |      |        |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |  |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |
| 3           | 5922.00   | 50.32    | 74.00  | -23.68 | 69.20  | 34.99 | 11.40  | 65.27  | 0.00   | ---  | ---    | PEAK |       |      |        |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |  |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |
| 4           | 7440.00   | 41.71    | 74.00  | -32.29 | 60.46  | 35.60 | 12.78  | 67.13  | 0.00   | ---  | ---    | PEAK |       |      |        |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |  |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |



|       |   | 73          |        |        |        |        |        |        |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |       |       |      |     |     |         |
|-------|---|-------------|--------|--------|--------|--------|--------|--------|--------|--------|------|---------|------|--------|-------|--------|------|--------|--------|-----|--------|--------|----|------|------|----|----|----|---|---------|-------|-------|--------|-------|-------|-------|-------|------|-----|-----|---------|---|-------|------|-----|-------|--------|-----|------|------|--------|------|-------|------|--------|-------|--------|------|--------|--------|-----|--------|--------|----|------|------|----|----|----|---|---------|-------|-------|-------|-------|-------|-------|-------|------|-----|-----|---------|
| Mode  | Band Edge - L   |             |        |        |        |        |        |        |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |       |       |      |     |     |         |
|       | U-NII-5_5.925-6.425_802.11ax HE20_CH2_Full_5935MHz  |             |        |        |        |        |        |        |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |       |       |      |     |     |         |
| ANT   | CDD 5+4   |             |        |        |        |        |        |        |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |       |       |      |     |     |         |
| Pol.  | Horizontal  | Fundamental |        |        |        |        |        |        |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |       |       |      |     |     |         |
| Peak  |  <p>Level (dBuV/m)</p> <p>Frequency (MHz)</p> <p>WiFi 6E(Peak)</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5924.97</td> <td>74.78</td> <td>88.20</td> <td>-13.42</td> <td>68.27</td> <td>35.00</td> <td>11.40</td> <td>39.89</td> <td>0.00</td> <td>279</td> <td>227</td> <td>PEAK</td> </tr> </tbody> </table>   | Limit       | Read   | Ant    | Cable  | Preamp | Aux    | APos   | TPos   | Remark | Freq | Level   | Line | Margin | Level | Factor | Loss | Factor | Factor | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | dB | 1 | 5924.97 | 74.78 | 88.20 | -13.42 | 68.27 | 35.00 | 11.40 | 39.89 | 0.00 | 279 | 227 | PEAK    |  <p>Level (dBuV/m)</p> <p>Frequency (MHz)</p> <p>WiFi 6E(Peak)</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5935.00</td> <td>87.45</td> <td>88.20</td> <td>-0.75</td> <td>80.95</td> <td>34.99</td> <td>11.40</td> <td>39.89</td> <td>0.00</td> <td>279</td> <td>227</td> <td>PEAK</td> </tr> </tbody> </table>   | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line | Margin | Level | Factor | Loss | Factor | Factor | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | dB | 1 | 5935.00 | 87.45 | 88.20 | -0.75 | 80.95 | 34.99 | 11.40 | 39.89 | 0.00 | 279 | 227 | PEAK    |
|       | Limit   | Read        | Ant    | Cable  | Preamp | Aux    | APos   | TPos   | Remark |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |       |       |      |     |     |         |
| Freq  | Level   | Line        | Margin | Level  | Factor | Loss   | Factor | Factor |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |       |       |      |     |     |         |
| MHz   | dBuV/m  | dBuV/m      | dB     | dBuV   | dB/m   | dB     | dB     | dB     |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |       |       |      |     |     |         |
| 1     | 5924.97   | 74.78       | 88.20  | -13.42 | 68.27  | 35.00  | 11.40  | 39.89  | 0.00   | 279    | 227  | PEAK    |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |       |       |      |     |     |         |
| Limit | Read  | Ant         | Cable  | Preamp | Aux    | APos   | TPos   | Remark |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |       |       |      |     |     |         |
| Freq  | Level   | Line        | Margin | Level  | Factor | Loss   | Factor | Factor |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |       |       |      |     |     |         |
| MHz   | dBuV/m  | dBuV/m      | dB     | dBuV   | dB/m   | dB     | dB     | dB     |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |       |       |      |     |     |         |
| 1     | 5935.00   | 87.45       | 88.20  | -0.75  | 80.95  | 34.99  | 11.40  | 39.89  | 0.00   | 279    | 227  | PEAK    |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |       |       |      |     |     |         |
| Avg   |  <p>Level (dBuV/m)</p> <p>Frequency (MHz)</p> <p>WiFi 6E(AVG)</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5924.97</td> <td>64.91</td> <td>68.20</td> <td>-3.29</td> <td>58.40</td> <td>35.00</td> <td>11.40</td> <td>39.89</td> <td>0.00</td> <td>279</td> <td>227</td> <td>AVERAGE</td> </tr> </tbody> </table> | Limit       | Read   | Ant    | Cable  | Preamp | Aux    | APos   | TPos   | Remark | Freq | Level   | Line | Margin | Level | Factor | Loss | Factor | Factor | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | dB | 1 | 5924.97 | 64.91 | 68.20 | -3.29  | 58.40 | 35.00 | 11.40 | 39.89 | 0.00 | 279 | 227 | AVERAGE |  <p>Level (dBuV/m)</p> <p>Frequency (MHz)</p> <p>WiFi 6E(AVG)</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5935.00</td> <td>76.12</td> <td>68.20</td> <td>7.92</td> <td>69.55</td> <td>35.03</td> <td>11.41</td> <td>39.87</td> <td>0.00</td> <td>279</td> <td>227</td> <td>AVERAGE</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line | Margin | Level | Factor | Loss | Factor | Factor | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | dB | 1 | 5935.00 | 76.12 | 68.20 | 7.92  | 69.55 | 35.03 | 11.41 | 39.87 | 0.00 | 279 | 227 | AVERAGE |
|       | Limit   | Read        | Ant    | Cable  | Preamp | Aux    | APos   | TPos   | Remark |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |       |       |      |     |     |         |
| Freq  | Level   | Line        | Margin | Level  | Factor | Loss   | Factor | Factor |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |       |       |      |     |     |         |
| MHz   | dBuV/m  | dBuV/m      | dB     | dBuV   | dB/m   | dB     | dB     | dB     |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |       |       |      |     |     |         |
| 1     | 5924.97   | 64.91       | 68.20  | -3.29  | 58.40  | 35.00  | 11.40  | 39.89  | 0.00   | 279    | 227  | AVERAGE |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |       |       |      |     |     |         |
| Limit | Read  | Ant         | Cable  | Preamp | Aux    | APos   | TPos   | Remark |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |       |       |      |     |     |         |
| Freq  | Level   | Line        | Margin | Level  | Factor | Loss   | Factor | Factor |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |       |       |      |     |     |         |
| MHz   | dBuV/m  | dBuV/m      | dB     | dBuV   | dB/m   | dB     | dB     | dB     |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |       |       |      |     |     |         |
| 1     | 5935.00   | 76.12       | 68.20  | 7.92   | 69.55  | 35.03  | 11.41  | 39.87  | 0.00   | 279    | 227  | AVERAGE |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |       |       |      |     |     |         |



|       |  | 73          |        |        |        |        |        |        |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |     |    |         |  |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |       |       |      |     |    |         |
|-------|--|-------------|--------|--------|--------|--------|--------|--------|--------|--------|------|---------|------|--------|-------|--------|------|--------|--------|-----|--------|--------|----|------|------|----|----|----|---|---------|-------|-------|--------|-------|-------|-------|-------|------|-----|----|---------|--|-------|------|-----|-------|--------|-----|------|------|--------|------|-------|------|--------|-------|--------|------|--------|--------|-----|--------|--------|----|------|------|----|----|----|---|---------|-------|-------|-------|-------|-------|-------|-------|------|-----|----|---------|
| Mode  | Band Edge - L  |             |        |        |        |        |        |        |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |     |    |         |  |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |       |       |      |     |    |         |
|       | U-NII-5_5.925-6.425_802.11ax HE20_CH2_Full_5935MHz   |             |        |        |        |        |        |        |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |     |    |         |  |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |       |       |      |     |    |         |
| ANT   | CDD 5+4  |             |        |        |        |        |        |        |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |     |    |         |  |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |       |       |      |     |    |         |
| Pol.  | Vertical   | Fundamental |        |        |        |        |        |        |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |     |    |         |  |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |       |       |      |     |    |         |
| Peak  | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5924.97</td> <td>56.23</td> <td>88.20</td> <td>-31.97</td> <td>49.72</td> <td>35.00</td> <td>11.40</td> <td>39.89</td> <td>0.00</td> <td>329</td> <td>90</td> <td>PEAK</td> </tr> </tbody> </table>    | Limit       | Read   | Ant    | Cable  | Preamp | Aux    | APos   | TPos   | Remark | Freq | Level   | Line | Margin | Level | Factor | Loss | Factor | Factor | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | dB | 1 | 5924.97 | 56.23 | 88.20 | -31.97 | 49.72 | 35.00 | 11.40 | 39.89 | 0.00 | 329 | 90 | PEAK    | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5935.00</td> <td>86.20</td> <td>88.20</td> <td>-2.00</td> <td>79.63</td> <td>35.03</td> <td>11.41</td> <td>39.87</td> <td>0.00</td> <td>329</td> <td>90</td> <td>PEAK</td> </tr> </tbody> </table>   | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line | Margin | Level | Factor | Loss | Factor | Factor | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | dB | 1 | 5935.00 | 86.20 | 88.20 | -2.00 | 79.63 | 35.03 | 11.41 | 39.87 | 0.00 | 329 | 90 | PEAK    |
|       | Limit  | Read        | Ant    | Cable  | Preamp | Aux    | APos   | TPos   | Remark |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |     |    |         |  |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |       |       |      |     |    |         |
| Freq  | Level  | Line        | Margin | Level  | Factor | Loss   | Factor | Factor |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |     |    |         |  |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |       |       |      |     |    |         |
| MHz   | dBuV/m   | dBuV/m      | dB     | dBuV   | dB/m   | dB     | dB     | dB     |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |     |    |         |  |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |       |       |      |     |    |         |
| 1     | 5924.97  | 56.23       | 88.20  | -31.97 | 49.72  | 35.00  | 11.40  | 39.89  | 0.00   | 329    | 90   | PEAK    |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |     |    |         |  |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |       |       |      |     |    |         |
| Limit | Read   | Ant         | Cable  | Preamp | Aux    | APos   | TPos   | Remark |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |     |    |         |  |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |       |       |      |     |    |         |
| Freq  | Level  | Line        | Margin | Level  | Factor | Loss   | Factor | Factor |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |     |    |         |  |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |       |       |      |     |    |         |
| MHz   | dBuV/m   | dBuV/m      | dB     | dBuV   | dB/m   | dB     | dB     | dB     |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |     |    |         |  |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |       |       |      |     |    |         |
| 1     | 5935.00  | 86.20       | 88.20  | -2.00  | 79.63  | 35.03  | 11.41  | 39.87  | 0.00   | 329    | 90   | PEAK    |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |     |    |         |  |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |       |       |      |     |    |         |
| Avg   | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5924.97</td> <td>46.76</td> <td>68.20</td> <td>-21.44</td> <td>40.25</td> <td>35.00</td> <td>11.40</td> <td>39.89</td> <td>0.00</td> <td>329</td> <td>90</td> <td>AVERAGE</td> </tr> </tbody> </table> | Limit       | Read   | Ant    | Cable  | Preamp | Aux    | APos   | TPos   | Remark | Freq | Level   | Line | Margin | Level | Factor | Loss | Factor | Factor | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | dB | 1 | 5924.97 | 46.76 | 68.20 | -21.44 | 40.25 | 35.00 | 11.40 | 39.89 | 0.00 | 329 | 90 | AVERAGE | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5935.00</td> <td>76.34</td> <td>68.20</td> <td>8.14</td> <td>69.77</td> <td>35.03</td> <td>11.41</td> <td>39.87</td> <td>0.00</td> <td>329</td> <td>90</td> <td>AVERAGE</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line | Margin | Level | Factor | Loss | Factor | Factor | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | dB | 1 | 5935.00 | 76.34 | 68.20 | 8.14  | 69.77 | 35.03 | 11.41 | 39.87 | 0.00 | 329 | 90 | AVERAGE |
|       | Limit  | Read        | Ant    | Cable  | Preamp | Aux    | APos   | TPos   | Remark |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |     |    |         |  |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |       |       |      |     |    |         |
| Freq  | Level  | Line        | Margin | Level  | Factor | Loss   | Factor | Factor |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |     |    |         |  |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |       |       |      |     |    |         |
| MHz   | dBuV/m   | dBuV/m      | dB     | dBuV   | dB/m   | dB     | dB     | dB     |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |     |    |         |  |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |       |       |      |     |    |         |
| 1     | 5924.97  | 46.76       | 68.20  | -21.44 | 40.25  | 35.00  | 11.40  | 39.89  | 0.00   | 329    | 90   | AVERAGE |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |     |    |         |  |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |       |       |      |     |    |         |
| Limit | Read   | Ant         | Cable  | Preamp | Aux    | APos   | TPos   | Remark |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |     |    |         |  |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |       |       |      |     |    |         |
| Freq  | Level  | Line        | Margin | Level  | Factor | Loss   | Factor | Factor |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |     |    |         |  |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |       |       |      |     |    |         |
| MHz   | dBuV/m   | dBuV/m      | dB     | dBuV   | dB/m   | dB     | dB     | dB     |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |     |    |         |  |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |       |       |      |     |    |         |
| 1     | 5935.00  | 76.34       | 68.20  | 8.14   | 69.77  | 35.03  | 11.41  | 39.87  | 0.00   | 329    | 90   | AVERAGE |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |     |    |         |  |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |       |       |      |     |    |         |



| Mode        | 73   |             |              |             |        |        |       |        |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |      |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |      |
|-------------|--|-------------|--------------|-------------|--------|--------|-------|--------|------|--------|------|-------|-------------|--------------|-------------|--------|--|--|--|-----|--------|--------|----|------|------|----|----|----|-----|------------|-------|-------|--------|-------|-------|-------|-------|------|-----|-----|------|--|-------|------|-----|-------|--------|-----|------|------|--------|------|-------|-------------|--------------|-------------|--------|--|--|--|-----|--------|--------|----|------|------|----|----|----|-----|------------|-------|-------|--------|-------|-------|-------|-------|------|-----|-----|------|
|             | Harmonic   |             |              |             |        |        |       |        |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |      |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |      |
|             | U-NII-5_5.925-6.425_802.11ax HE20_CH2_Full_5935MHz   |             |              |             |        |        |       |        |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |      |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |      |
| ANT         | CDD 5+4  |             |              |             |        |        |       |        |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |      |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |      |
| Pol.        | Horizontal   | Vertical    |              |             |        |        |       |        |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |      |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |      |
| Peak<br>Avg | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11870.00</td> <td>45.57</td> <td>74.00</td> <td>-28.43</td> <td>56.77</td> <td>38.50</td> <td>16.60</td> <td>66.30</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table> | Limit       | Read         | Ant         | Cable  | Preamp | Aux   | APos   | TPos | Remark | Freq | Level | Line Margin | Level Factor | Loss Factor | Factor |  |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 11870.00 | 45.57 | 74.00 | -28.43 | 56.77 | 38.50 | 16.60 | 66.30 | 0.00 | --- | --- | PEAK | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11870.00</td> <td>44.17</td> <td>74.00</td> <td>-29.83</td> <td>55.37</td> <td>38.50</td> <td>16.60</td> <td>66.30</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line Margin | Level Factor | Loss Factor | Factor |  |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 11870.00 | 44.17 | 74.00 | -29.83 | 55.37 | 38.50 | 16.60 | 66.30 | 0.00 | --- | --- | PEAK |
| Limit       | Read   | Ant         | Cable        | Preamp      | Aux    | APos   | TPos  | Remark |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |      |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |      |
| Freq        | Level  | Line Margin | Level Factor | Loss Factor | Factor |        |       |        |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |      |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |      |
| MHz         | dBuV/m   | dBuV/m      | dB           | dBuV        | dB/m   | dB     | dB    | cm     | deg  |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |      |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |      |
| 1 11870.00  | 45.57  | 74.00       | -28.43       | 56.77       | 38.50  | 16.60  | 66.30 | 0.00   | ---  | ---    | PEAK |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |      |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |      |
| Limit       | Read   | Ant         | Cable        | Preamp      | Aux    | APos   | TPos  | Remark |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |      |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |      |
| Freq        | Level  | Line Margin | Level Factor | Loss Factor | Factor |        |       |        |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |      |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |      |
| MHz         | dBuV/m   | dBuV/m      | dB           | dBuV        | dB/m   | dB     | dB    | cm     | deg  |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |      |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |      |
| 1 11870.00  | 44.17  | 74.00       | -29.83       | 55.37       | 38.50  | 16.60  | 66.30 | 0.00   | ---  | ---    | PEAK |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |      |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |     |     |      |







|             |  | 73  |        |        |        |        |        |        |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |        |       |       |       |       |      |       |      |     |     |         |
|-------------|--|---|--------|--------|--------|--------|--------|--------|--------|--------|------|---------|------|--------|-------|--------|------|--------|--------|-----|--------|--------|----|------|------|----|----|----|---|---------|-------|-------|--------|-------|-------|------|-------|------|-----|-----|---------|---|-------|------|-----|-------|--------|-----|------|------|--------|------|-------|------|--------|-------|--------|------|--------|--------|-----|--------|--------|----|------|------|----|----|----|---|---------|--------|-------|-------|-------|-------|------|-------|------|-----|-----|---------|
| <b>Mode</b> |  | Band Edge - L                                     |        |        |        |        |        |        |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |        |       |       |       |       |      |       |      |     |     |         |
|             |  | 2400-2483.5_2400-2483.5_802.11ax HE40_CH9_2452MHz |        |        |        |        |        |        |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |        |       |       |       |       |      |       |      |     |     |         |
| <b>ANT</b>  |  | CDD 4+6   |        |        |        |        |        |        |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |        |       |       |       |       |      |       |      |     |     |         |
| <b>Pol.</b> | <b>Horizontal</b>  | <b>Fundamental</b>                                |        |        |        |        |        |        |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |        |       |       |       |       |      |       |      |     |     |         |
| <b>Peak</b> | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2378.90</td> <td>49.11</td> <td>74.00</td> <td>-24.89</td> <td>40.93</td> <td>31.63</td> <td>7.09</td> <td>36.54</td> <td>6.00</td> <td>301</td> <td>106</td> <td>PEAK</td> </tr> </tbody> </table>    | Limit   | Read   | Ant    | Cable  | Preamp | Aux    | APos   | TPos   | Remark | Freq | Level   | Line | Margin | Level | Factor | Loss | Factor | Factor | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | dB | 1 | 2378.90 | 49.11 | 74.00 | -24.89 | 40.93 | 31.63 | 7.09 | 36.54 | 6.00 | 301 | 106 | PEAK    | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2452.00</td> <td>103.07</td> <td>74.00</td> <td>29.07</td> <td>94.91</td> <td>31.82</td> <td>7.21</td> <td>36.87</td> <td>6.00</td> <td>301</td> <td>106</td> <td>PEAK</td> </tr> </tbody> </table>   | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line | Margin | Level | Factor | Loss | Factor | Factor | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | dB | 1 | 2452.00 | 103.07 | 74.00 | 29.07 | 94.91 | 31.82 | 7.21 | 36.87 | 6.00 | 301 | 106 | PEAK    |
|             | Limit  | Read  | Ant    | Cable  | Preamp | Aux    | APos   | TPos   | Remark |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |        |       |       |       |       |      |       |      |     |     |         |
| Freq        | Level  | Line  | Margin | Level  | Factor | Loss   | Factor | Factor |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |        |       |       |       |       |      |       |      |     |     |         |
| MHz         | dBuV/m   | dBuV/m  | dB     | dBuV   | dB/m   | dB     | dB     | dB     |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |        |       |       |       |       |      |       |      |     |     |         |
| 1           | 2378.90  | 49.11   | 74.00  | -24.89 | 40.93  | 31.63  | 7.09   | 36.54  | 6.00   | 301    | 106  | PEAK    |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |        |       |       |       |       |      |       |      |     |     |         |
| Limit       | Read   | Ant   | Cable  | Preamp | Aux    | APos   | TPos   | Remark |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |        |       |       |       |       |      |       |      |     |     |         |
| Freq        | Level  | Line  | Margin | Level  | Factor | Loss   | Factor | Factor |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |        |       |       |       |       |      |       |      |     |     |         |
| MHz         | dBuV/m   | dBuV/m  | dB     | dBuV   | dB/m   | dB     | dB     | dB     |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |        |       |       |       |       |      |       |      |     |     |         |
| 1           | 2452.00  | 103.07  | 74.00  | 29.07  | 94.91  | 31.82  | 7.21   | 36.87  | 6.00   | 301    | 106  | PEAK    |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |        |       |       |       |       |      |       |      |     |     |         |
| <b>Avg</b>  | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2389.95</td> <td>36.87</td> <td>54.00</td> <td>-17.13</td> <td>28.56</td> <td>31.72</td> <td>7.11</td> <td>36.52</td> <td>6.00</td> <td>301</td> <td>106</td> <td>AVERAGE</td> </tr> </tbody> </table> | Limit   | Read   | Ant    | Cable  | Preamp | Aux    | APos   | TPos   | Remark | Freq | Level   | Line | Margin | Level | Factor | Loss | Factor | Factor | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | dB | 1 | 2389.95 | 36.87 | 54.00 | -17.13 | 28.56 | 31.72 | 7.11 | 36.52 | 6.00 | 301 | 106 | AVERAGE | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2452.00</td> <td>93.35</td> <td>54.00</td> <td>39.35</td> <td>85.19</td> <td>31.82</td> <td>7.21</td> <td>36.87</td> <td>6.00</td> <td>301</td> <td>106</td> <td>AVERAGE</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line | Margin | Level | Factor | Loss | Factor | Factor | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | dB | 1 | 2452.00 | 93.35  | 54.00 | 39.35 | 85.19 | 31.82 | 7.21 | 36.87 | 6.00 | 301 | 106 | AVERAGE |
|             | Limit  | Read  | Ant    | Cable  | Preamp | Aux    | APos   | TPos   | Remark |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |        |       |       |       |       |      |       |      |     |     |         |
| Freq        | Level  | Line  | Margin | Level  | Factor | Loss   | Factor | Factor |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |        |       |       |       |       |      |       |      |     |     |         |
| MHz         | dBuV/m   | dBuV/m  | dB     | dBuV   | dB/m   | dB     | dB     | dB     |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |        |       |       |       |       |      |       |      |     |     |         |
| 1           | 2389.95  | 36.87   | 54.00  | -17.13 | 28.56  | 31.72  | 7.11   | 36.52  | 6.00   | 301    | 106  | AVERAGE |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |        |       |       |       |       |      |       |      |     |     |         |
| Limit       | Read   | Ant   | Cable  | Preamp | Aux    | APos   | TPos   | Remark |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |        |       |       |       |       |      |       |      |     |     |         |
| Freq        | Level  | Line  | Margin | Level  | Factor | Loss   | Factor | Factor |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |        |       |       |       |       |      |       |      |     |     |         |
| MHz         | dBuV/m   | dBuV/m  | dB     | dBuV   | dB/m   | dB     | dB     | dB     |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |        |       |       |       |       |      |       |      |     |     |         |
| 1           | 2452.00  | 93.35   | 54.00  | 39.35  | 85.19  | 31.82  | 7.21   | 36.87  | 6.00   | 301    | 106  | AVERAGE |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |        |       |       |       |       |      |       |      |     |     |         |



| Mode  | 73  |             |        |        |        |        |        |        |        |        |       |         |        |        |        |        |        |        |        |        |        |        |      |      |      |    |    |    |         |         |       |       |       |       |       |       |       |      |     |         |         |       |
|---|---|-------------|--------|--------|--------|--------|--------|--------|--------|--------|-------|---------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|------|------|------|----|----|----|---------|---------|-------|-------|-------|-------|-------|-------|-------|------|-----|---------|---------|-------|
|   | Band Edge - R   |             |        |        |        |        |        |        |        |        |       |         |        |        |        |        |        |        |        |        |        |        |      |      |      |    |    |    |         |         |       |       |       |       |       |       |       |      |     |         |         |       |
|   | 2400-2483.5_2400-2483.5_802.11ax HE40_CH9_2452MHz   |             |        |        |        |        |        |        |        |        |       |         |        |        |        |        |        |        |        |        |        |        |      |      |      |    |    |    |         |         |       |       |       |       |       |       |       |      |     |         |         |       |
| ANT   | CDD 4+6   |             |        |        |        |        |        |        |        |        |       |         |        |        |        |        |        |        |        |        |        |        |      |      |      |    |    |    |         |         |       |       |       |       |       |       |       |      |     |         |         |       |
| Pol.  | Horizontal  | Fundamental |        |        |        |        |        |        |        |        |       |         |        |        |        |        |        |        |        |        |        |        |      |      |      |    |    |    |         |         |       |       |       |       |       |       |       |      |     |         |         |       |
| Avg   | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.44</td> <td>66.82</td> <td>74.00</td> <td>-7.18</td> <td>58.68</td> <td>31.93</td> <td>7.26</td> <td>37.05</td> <td>6.00</td> <td>301</td> <td>106</td> <td>Average</td> </tr> </tbody> </table> | Limit       | Read   | Ant    | Cable  | Preamp | Aux    | APos   | TPos   | Remark | Freq  | Level   | Line   | Margin | Level  | Factor | Loss   | Factor | Factor | MHz    | dBuV/m | dBuV/m | dB   | dBuV | dB/m | dB | dB | dB | 1       | 2483.44 | 66.82 | 74.00 | -7.18 | 58.68 | 31.93 | 7.26  | 37.05 | 6.00 | 301 | 106     | Average | Blank |
|   | Limit   | Read        | Ant    | Cable  | Preamp | Aux    | APos   | TPos   | Remark |        |       |         |        |        |        |        |        |        |        |        |        |        |      |      |      |    |    |    |         |         |       |       |       |       |       |       |       |      |     |         |         |       |
| Freq  | Level   | Line        | Margin | Level  | Factor | Loss   | Factor | Factor |        |        |       |         |        |        |        |        |        |        |        |        |        |        |      |      |      |    |    |    |         |         |       |       |       |       |       |       |       |      |     |         |         |       |
| MHz   | dBuV/m  | dBuV/m      | dB     | dBuV   | dB/m   | dB     | dB     | dB     |        |        |       |         |        |        |        |        |        |        |        |        |        |        |      |      |      |    |    |    |         |         |       |       |       |       |       |       |       |      |     |         |         |       |
| 1   | 2483.44   | 66.82       | 74.00  | -7.18  | 58.68  | 31.93  | 7.26   | 37.05  | 6.00   | 301    | 106   | Average |        |        |        |        |        |        |        |        |        |        |      |      |      |    |    |    |         |         |       |       |       |       |       |       |       |      |     |         |         |       |
| <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.44</td> <td>49.76</td> <td>54.00</td> <td>-4.24</td> <td>41.62</td> <td>31.93</td> <td>7.26</td> <td>37.05</td> <td>6.00</td> <td>301</td> <td>106</td> <td>Average</td> </tr> </tbody> </table> | Limit   | Read        | Ant    | Cable  | Preamp | Aux    | APos   | TPos   | Remark | Freq   | Level | Line    | Margin | Level  | Factor | Loss   | Factor | Factor | MHz    | dBuV/m | dBuV/m | dB     | dBuV | dB/m | dB   | dB | dB | 1  | 2483.44 | 49.76   | 54.00 | -4.24 | 41.62 | 31.93 | 7.26  | 37.05 | 6.00  | 301  | 106 | Average | Blank   |       |
| Limit   | Read  | Ant         | Cable  | Preamp | Aux    | APos   | TPos   | Remark |        |        |       |         |        |        |        |        |        |        |        |        |        |        |      |      |      |    |    |    |         |         |       |       |       |       |       |       |       |      |     |         |         |       |
| Freq  | Level   | Line        | Margin | Level  | Factor | Loss   | Factor | Factor |        |        |       |         |        |        |        |        |        |        |        |        |        |        |      |      |      |    |    |    |         |         |       |       |       |       |       |       |       |      |     |         |         |       |
| MHz   | dBuV/m  | dBuV/m      | dB     | dBuV   | dB/m   | dB     | dB     | dB     |        |        |       |         |        |        |        |        |        |        |        |        |        |        |      |      |      |    |    |    |         |         |       |       |       |       |       |       |       |      |     |         |         |       |
| 1   | 2483.44   | 49.76       | 54.00  | -4.24  | 41.62  | 31.93  | 7.26   | 37.05  | 6.00   | 301    | 106   | Average |        |        |        |        |        |        |        |        |        |        |      |      |      |    |    |    |         |         |       |       |       |       |       |       |       |      |     |         |         |       |



|       |  | 73          |        |        |        |        |        |        |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |    |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |      |       |      |     |    |         |
|-------|--|-------------|--------|--------|--------|--------|--------|--------|--------|--------|------|---------|------|--------|-------|--------|------|--------|--------|-----|--------|--------|----|------|------|----|----|----|-----|---|---------|-------|-------|--------|-------|-------|------|-------|------|-----|----|---------|---|-------|------|-----|-------|--------|-----|------|------|--------|------|-------|------|--------|-------|--------|------|--------|--------|-----|--------|--------|----|------|------|----|----|----|-----|---|---------|--------|-------|-------|-------|-------|------|-------|------|-----|----|---------|
| Mode  | Band Edge - L  |             |        |        |        |        |        |        |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |    |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |      |       |      |     |    |         |
|       | 2400-2483.5_2400-2483.5_802.11ax HE40_CH9_2452MHz  |             |        |        |        |        |        |        |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |    |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |      |       |      |     |    |         |
| ANT   | CDD 4+6  |             |        |        |        |        |        |        |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |    |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |      |       |      |     |    |         |
| Pol.  | Vertical   | Fundamental |        |        |        |        |        |        |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |    |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |      |       |      |     |    |         |
| Peak  |  <table border="1" data-bbox="263 1108 774 1243"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2388.65</td> <td>51.69</td> <td>74.00</td> <td>-22.31</td> <td>43.40</td> <td>31.71</td> <td>7.10</td> <td>36.52</td> <td>6.00</td> <td>341</td> <td>92</td> <td>PEAK</td> </tr> </tbody> </table>     | Limit       | Read   | Ant    | Cable  | Preamp | Aux    | APos   | TPos   | Remark | Freq | Level   | Line | Margin | Level | Factor | Loss | Factor | Factor | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 | 2388.65 | 51.69 | 74.00 | -22.31 | 43.40 | 31.71 | 7.10 | 36.52 | 6.00 | 341 | 92 | PEAK    |  <table border="1" data-bbox="901 1108 1412 1243"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2452.00</td> <td>105.85</td> <td>74.00</td> <td>31.85</td> <td>97.70</td> <td>31.80</td> <td>7.20</td> <td>36.85</td> <td>6.00</td> <td>341</td> <td>92</td> <td>PEAK</td> </tr> </tbody> </table>    | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line | Margin | Level | Factor | Loss | Factor | Factor | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 | 2452.00 | 105.85 | 74.00 | 31.85 | 97.70 | 31.80 | 7.20 | 36.85 | 6.00 | 341 | 92 | PEAK    |
|       | Limit  | Read        | Ant    | Cable  | Preamp | Aux    | APos   | TPos   | Remark |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |    |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |      |       |      |     |    |         |
| Freq  | Level  | Line        | Margin | Level  | Factor | Loss   | Factor | Factor |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |    |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |      |       |      |     |    |         |
| MHz   | dBuV/m   | dBuV/m      | dB     | dBuV   | dB/m   | dB     | dB     | cm     | deg    |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |    |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |      |       |      |     |    |         |
| 1     | 2388.65  | 51.69       | 74.00  | -22.31 | 43.40  | 31.71  | 7.10   | 36.52  | 6.00   | 341    | 92   | PEAK    |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |    |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |      |       |      |     |    |         |
| Limit | Read   | Ant         | Cable  | Preamp | Aux    | APos   | TPos   | Remark |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |    |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |      |       |      |     |    |         |
| Freq  | Level  | Line        | Margin | Level  | Factor | Loss   | Factor | Factor |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |    |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |      |       |      |     |    |         |
| MHz   | dBuV/m   | dBuV/m      | dB     | dBuV   | dB/m   | dB     | dB     | cm     | deg    |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |    |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |      |       |      |     |    |         |
| 1     | 2452.00  | 105.85      | 74.00  | 31.85  | 97.70  | 31.80  | 7.20   | 36.85  | 6.00   | 341    | 92   | PEAK    |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |    |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |      |       |      |     |    |         |
| Avg   |  <table border="1" data-bbox="263 1792 774 1926"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2388.78</td> <td>38.01</td> <td>54.00</td> <td>-15.99</td> <td>29.72</td> <td>31.71</td> <td>7.10</td> <td>36.52</td> <td>6.00</td> <td>341</td> <td>92</td> <td>AVERAGE</td> </tr> </tbody> </table> | Limit       | Read   | Ant    | Cable  | Preamp | Aux    | APos   | TPos   | Remark | Freq | Level   | Line | Margin | Level | Factor | Loss | Factor | Factor | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 | 2388.78 | 38.01 | 54.00 | -15.99 | 29.72 | 31.71 | 7.10 | 36.52 | 6.00 | 341 | 92 | AVERAGE |  <table border="1" data-bbox="901 1792 1412 1926"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2452.00</td> <td>95.64</td> <td>54.00</td> <td>41.64</td> <td>87.49</td> <td>31.84</td> <td>7.22</td> <td>36.91</td> <td>6.00</td> <td>341</td> <td>92</td> <td>AVERAGE</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line | Margin | Level | Factor | Loss | Factor | Factor | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 | 2452.00 | 95.64  | 54.00 | 41.64 | 87.49 | 31.84 | 7.22 | 36.91 | 6.00 | 341 | 92 | AVERAGE |
|       | Limit  | Read        | Ant    | Cable  | Preamp | Aux    | APos   | TPos   | Remark |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |    |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |      |       |      |     |    |         |
| Freq  | Level  | Line        | Margin | Level  | Factor | Loss   | Factor | Factor |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |    |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |      |       |      |     |    |         |
| MHz   | dBuV/m   | dBuV/m      | dB     | dBuV   | dB/m   | dB     | dB     | cm     | deg    |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |    |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |      |       |      |     |    |         |
| 1     | 2388.78  | 38.01       | 54.00  | -15.99 | 29.72  | 31.71  | 7.10   | 36.52  | 6.00   | 341    | 92   | AVERAGE |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |    |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |      |       |      |     |    |         |
| Limit | Read   | Ant         | Cable  | Preamp | Aux    | APos   | TPos   | Remark |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |    |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |      |       |      |     |    |         |
| Freq  | Level  | Line        | Margin | Level  | Factor | Loss   | Factor | Factor |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |    |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |      |       |      |     |    |         |
| MHz   | dBuV/m   | dBuV/m      | dB     | dBuV   | dB/m   | dB     | dB     | cm     | deg    |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |    |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |      |       |      |     |    |         |
| 1     | 2452.00  | 95.64       | 54.00  | 41.64  | 87.49  | 31.84  | 7.22   | 36.91  | 6.00   | 341    | 92   | AVERAGE |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |    |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |      |       |      |     |    |         |





|      | 73  |             |        |       |        |       |        |        |        |      |            |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |      |       |      |     |            |
|------|---|-------------|--------|-------|--------|-------|--------|--------|--------|------|------------|------|-------|------|--------|-------|--------|------|--------|--------|-----|--------|--------|----|------|------|----|----|----|---|---------|-------|-------|-------|-------|-------|------|-------|------|-----|------------|
| Mode | Band Edge - R   |             |        |       |        |       |        |        |        |      |            |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |      |       |      |     |            |
|      | 2400-2483.5_2400-2483.5_802.11ax HE40_CH9_2452MHz   |             |        |       |        |       |        |        |        |      |            |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |      |       |      |     |            |
| ANT  | CDD 4+6   |             |        |       |        |       |        |        |        |      |            |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |      |       |      |     |            |
| Pol. | Vertical  | Fundamental |        |       |        |       |        |        |        |      |            |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |      |       |      |     |            |
| Peak | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2484.46</td> <td>67.54</td> <td>74.00</td> <td>-6.46</td> <td>59.40</td> <td>31.94</td> <td>7.26</td> <td>37.06</td> <td>6.00</td> <td>341</td> <td>92 Peak</td> </tr> </tbody> </table>    |             | Limit  | Read  | Ant    | Cable | Preamp | Aux    | APos   | TPos | Remark     | Freq | Level | Line | Margin | Level | Factor | Loss | Factor | Factor | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | dB | 1 | 2484.46 | 67.54 | 74.00 | -6.46 | 59.40 | 31.94 | 7.26 | 37.06 | 6.00 | 341 | 92 Peak    |
|      | Limit   | Read        | Ant    | Cable | Preamp | Aux   | APos   | TPos   | Remark |      |            |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |      |       |      |     |            |
| Freq | Level   | Line        | Margin | Level | Factor | Loss  | Factor | Factor |        |      |            |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |      |       |      |     |            |
| MHz  | dBuV/m  | dBuV/m      | dB     | dBuV  | dB/m   | dB    | dB     | dB     |        |      |            |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |      |       |      |     |            |
| 1    | 2484.46   | 67.54       | 74.00  | -6.46 | 59.40  | 31.94 | 7.26   | 37.06  | 6.00   | 341  | 92 Peak    |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |      |       |      |     |            |
| Avg  | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2487.88</td> <td>50.76</td> <td>54.00</td> <td>-3.24</td> <td>42.63</td> <td>31.95</td> <td>7.26</td> <td>37.08</td> <td>6.00</td> <td>341</td> <td>92 AVERAGE</td> </tr> </tbody> </table> |             | Limit  | Read  | Ant    | Cable | Preamp | Aux    | APos   | TPos | Remark     | Freq | Level | Line | Margin | Level | Factor | Loss | Factor | Factor | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | dB | 1 | 2487.88 | 50.76 | 54.00 | -3.24 | 42.63 | 31.95 | 7.26 | 37.08 | 6.00 | 341 | 92 AVERAGE |
|      | Limit   | Read        | Ant    | Cable | Preamp | Aux   | APos   | TPos   | Remark |      |            |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |      |       |      |     |            |
| Freq | Level   | Line        | Margin | Level | Factor | Loss  | Factor | Factor |        |      |            |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |      |       |      |     |            |
| MHz  | dBuV/m  | dBuV/m      | dB     | dBuV  | dB/m   | dB    | dB     | dB     |        |      |            |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |      |       |      |     |            |
| 1    | 2487.88   | 50.76       | 54.00  | -3.24 | 42.63  | 31.95 | 7.26   | 37.08  | 6.00   | 341  | 92 AVERAGE |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |      |       |      |     |            |




| Mode        | 73  |          |        |        |        |       |        |        |        |      |        |      |       |      |        |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |      |   |         |       |       |        |       |       |       |       |      |     |      |   |         |       |       |        |       |       |       |       |      |     |      |   |         |       |       |        |       |       |       |       |      |     |      |   |  |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |      |   |         |       |       |        |       |       |       |       |      |     |      |   |         |       |       |        |       |       |       |       |      |     |      |   |         |       |       |        |       |       |       |       |      |     |      |
|-------------|---|----------|--------|--------|--------|-------|--------|--------|--------|------|--------|------|-------|------|--------|-------|--------|------|--------|--------|--|-----|--------|--------|----|------|------|----|----|----|----|-----|---|---------|-------|-------|--------|-------|-------|------|-------|------|-----|------|---|---------|-------|-------|--------|-------|-------|-------|-------|------|-----|------|---|---------|-------|-------|--------|-------|-------|-------|-------|------|-----|------|---|---------|-------|-------|--------|-------|-------|-------|-------|------|-----|------|---|--|-------|------|-----|-------|--------|-----|------|------|--------|------|-------|------|--------|-------|--------|------|--------|--------|--|-----|--------|--------|----|------|------|----|----|----|----|-----|---|---------|-------|-------|--------|-------|-------|------|-------|------|-----|------|---|---------|-------|-------|--------|-------|-------|-------|-------|------|-----|------|---|---------|-------|-------|--------|-------|-------|-------|-------|------|-----|------|---|---------|-------|-------|--------|-------|-------|-------|-------|------|-----|------|
|             | Harmonic  |          |        |        |        |       |        |        |        |      |        |      |       |      |        |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |      |   |         |       |       |        |       |       |       |       |      |     |      |   |         |       |       |        |       |       |       |       |      |     |      |   |         |       |       |        |       |       |       |       |      |     |      |   |  |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |      |   |         |       |       |        |       |       |       |       |      |     |      |   |         |       |       |        |       |       |       |       |      |     |      |   |         |       |       |        |       |       |       |       |      |     |      |
|             | 2400-2483.5_2400-2483.5_802.11ax HE40_CH9_2452MHz   |          |        |        |        |       |        |        |        |      |        |      |       |      |        |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |      |   |         |       |       |        |       |       |       |       |      |     |      |   |         |       |       |        |       |       |       |       |      |     |      |   |         |       |       |        |       |       |       |       |      |     |      |   |  |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |      |   |         |       |       |        |       |       |       |       |      |     |      |   |         |       |       |        |       |       |       |       |      |     |      |   |         |       |       |        |       |       |       |       |      |     |      |
| ANT         | CDD 4+6   |          |        |        |        |       |        |        |        |      |        |      |       |      |        |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |      |   |         |       |       |        |       |       |       |       |      |     |      |   |         |       |       |        |       |       |       |       |      |     |      |   |         |       |       |        |       |       |       |       |      |     |      |   |  |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |      |   |         |       |       |        |       |       |       |       |      |     |      |   |         |       |       |        |       |       |       |       |      |     |      |   |         |       |       |        |       |       |       |       |      |     |      |
| Pol.        | Horizontal  | Vertical |        |        |        |       |        |        |        |      |        |      |       |      |        |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |      |   |         |       |       |        |       |       |       |       |      |     |      |   |         |       |       |        |       |       |       |       |      |     |      |   |         |       |       |        |       |       |       |       |      |     |      |   |  |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |      |   |         |       |       |        |       |       |       |       |      |     |      |   |         |       |       |        |       |       |       |       |      |     |      |   |         |       |       |        |       |       |       |       |      |     |      |
| Peak<br>Avg | <table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>3616.50</td> <td>44.36</td> <td>74.00</td> <td>-29.64</td> <td>68.47</td> <td>32.93</td> <td>8.78</td> <td>65.82</td> <td>0.00</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>4903.50</td> <td>39.63</td> <td>74.00</td> <td>-34.37</td> <td>60.79</td> <td>33.60</td> <td>10.33</td> <td>65.29</td> <td>0.00</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>3</td> <td>5955.00</td> <td>50.27</td> <td>74.00</td> <td>-23.73</td> <td>69.06</td> <td>35.11</td> <td>11.43</td> <td>65.33</td> <td>0.00</td> <td>---</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>7356.00</td> <td>39.31</td> <td>74.00</td> <td>-34.69</td> <td>57.91</td> <td>35.51</td> <td>12.73</td> <td>66.84</td> <td>0.00</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table> |          | Limit  | Read   | Ant    | Cable | Preamp | Aux    | APos   | TPos | Remark | Freq | Level | Line | Margin | Level | Factor | Loss | Factor | Factor |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | dB | cm | deg | 1 | 3616.50 | 44.36 | 74.00 | -29.64 | 68.47 | 32.93 | 8.78 | 65.82 | 0.00 | --- | Peak | 2 | 4903.50 | 39.63 | 74.00 | -34.37 | 60.79 | 33.60 | 10.33 | 65.29 | 0.00 | --- | Peak | 3 | 5955.00 | 50.27 | 74.00 | -23.73 | 69.06 | 35.11 | 11.43 | 65.33 | 0.00 | --- | PEAK | 4 | 7356.00 | 39.31 | 74.00 | -34.69 | 57.91 | 35.51 | 12.73 | 66.84 | 0.00 | --- | Peak | <table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>3615.00</td> <td>42.38</td> <td>74.00</td> <td>-31.62</td> <td>66.49</td> <td>32.93</td> <td>8.78</td> <td>65.82</td> <td>0.00</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>4904.00</td> <td>38.33</td> <td>74.00</td> <td>-35.67</td> <td>59.49</td> <td>33.80</td> <td>10.33</td> <td>65.29</td> <td>0.00</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>3</td> <td>5922.00</td> <td>49.32</td> <td>74.00</td> <td>-24.68</td> <td>68.20</td> <td>34.99</td> <td>11.40</td> <td>65.27</td> <td>0.00</td> <td>---</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>7356.00</td> <td>39.66</td> <td>74.00</td> <td>-34.34</td> <td>58.26</td> <td>35.51</td> <td>12.73</td> <td>66.84</td> <td>0.00</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table> |  | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line | Margin | Level | Factor | Loss | Factor | Factor |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | dB | cm | deg | 1 | 3615.00 | 42.38 | 74.00 | -31.62 | 66.49 | 32.93 | 8.78 | 65.82 | 0.00 | --- | Peak | 2 | 4904.00 | 38.33 | 74.00 | -35.67 | 59.49 | 33.80 | 10.33 | 65.29 | 0.00 | --- | Peak | 3 | 5922.00 | 49.32 | 74.00 | -24.68 | 68.20 | 34.99 | 11.40 | 65.27 | 0.00 | --- | PEAK | 4 | 7356.00 | 39.66 | 74.00 | -34.34 | 58.26 | 35.51 | 12.73 | 66.84 | 0.00 | --- | Peak |
|             | Limit   | Read     | Ant    | Cable  | Preamp | Aux   | APos   | TPos   | Remark |      |        |      |       |      |        |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |      |   |         |       |       |        |       |       |       |       |      |     |      |   |         |       |       |        |       |       |       |       |      |     |      |   |         |       |       |        |       |       |       |       |      |     |      |   |  |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |      |   |         |       |       |        |       |       |       |       |      |     |      |   |         |       |       |        |       |       |       |       |      |     |      |   |         |       |       |        |       |       |       |       |      |     |      |
| Freq        | Level   | Line     | Margin | Level  | Factor | Loss  | Factor | Factor |        |      |        |      |       |      |        |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |      |   |         |       |       |        |       |       |       |       |      |     |      |   |         |       |       |        |       |       |       |       |      |     |      |   |         |       |       |        |       |       |       |       |      |     |      |   |  |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |      |   |         |       |       |        |       |       |       |       |      |     |      |   |         |       |       |        |       |       |       |       |      |     |      |   |         |       |       |        |       |       |       |       |      |     |      |
| MHz         | dBuV/m  | dBuV/m   | dB     | dBuV   | dB/m   | dB    | dB     | dB     | cm     | deg  |        |      |       |      |        |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |      |   |         |       |       |        |       |       |       |       |      |     |      |   |         |       |       |        |       |       |       |       |      |     |      |   |         |       |       |        |       |       |       |       |      |     |      |   |  |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |      |   |         |       |       |        |       |       |       |       |      |     |      |   |         |       |       |        |       |       |       |       |      |     |      |   |         |       |       |        |       |       |       |       |      |     |      |
| 1           | 3616.50   | 44.36    | 74.00  | -29.64 | 68.47  | 32.93 | 8.78   | 65.82  | 0.00   | ---  | Peak   |      |       |      |        |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |      |   |         |       |       |        |       |       |       |       |      |     |      |   |         |       |       |        |       |       |       |       |      |     |      |   |         |       |       |        |       |       |       |       |      |     |      |   |  |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |      |   |         |       |       |        |       |       |       |       |      |     |      |   |         |       |       |        |       |       |       |       |      |     |      |   |         |       |       |        |       |       |       |       |      |     |      |
| 2           | 4903.50   | 39.63    | 74.00  | -34.37 | 60.79  | 33.60 | 10.33  | 65.29  | 0.00   | ---  | Peak   |      |       |      |        |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |      |   |         |       |       |        |       |       |       |       |      |     |      |   |         |       |       |        |       |       |       |       |      |     |      |   |         |       |       |        |       |       |       |       |      |     |      |   |  |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |      |   |         |       |       |        |       |       |       |       |      |     |      |   |         |       |       |        |       |       |       |       |      |     |      |   |         |       |       |        |       |       |       |       |      |     |      |
| 3           | 5955.00   | 50.27    | 74.00  | -23.73 | 69.06  | 35.11 | 11.43  | 65.33  | 0.00   | ---  | PEAK   |      |       |      |        |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |      |   |         |       |       |        |       |       |       |       |      |     |      |   |         |       |       |        |       |       |       |       |      |     |      |   |         |       |       |        |       |       |       |       |      |     |      |   |  |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |      |   |         |       |       |        |       |       |       |       |      |     |      |   |         |       |       |        |       |       |       |       |      |     |      |   |         |       |       |        |       |       |       |       |      |     |      |
| 4           | 7356.00   | 39.31    | 74.00  | -34.69 | 57.91  | 35.51 | 12.73  | 66.84  | 0.00   | ---  | Peak   |      |       |      |        |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |      |   |         |       |       |        |       |       |       |       |      |     |      |   |         |       |       |        |       |       |       |       |      |     |      |   |         |       |       |        |       |       |       |       |      |     |      |   |  |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |      |   |         |       |       |        |       |       |       |       |      |     |      |   |         |       |       |        |       |       |       |       |      |     |      |   |         |       |       |        |       |       |       |       |      |     |      |
|             | Limit   | Read     | Ant    | Cable  | Preamp | Aux   | APos   | TPos   | Remark |      |        |      |       |      |        |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |      |   |         |       |       |        |       |       |       |       |      |     |      |   |         |       |       |        |       |       |       |       |      |     |      |   |         |       |       |        |       |       |       |       |      |     |      |   |  |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |      |   |         |       |       |        |       |       |       |       |      |     |      |   |         |       |       |        |       |       |       |       |      |     |      |   |         |       |       |        |       |       |       |       |      |     |      |
| Freq        | Level   | Line     | Margin | Level  | Factor | Loss  | Factor | Factor |        |      |        |      |       |      |        |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |      |   |         |       |       |        |       |       |       |       |      |     |      |   |         |       |       |        |       |       |       |       |      |     |      |   |         |       |       |        |       |       |       |       |      |     |      |   |  |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |      |   |         |       |       |        |       |       |       |       |      |     |      |   |         |       |       |        |       |       |       |       |      |     |      |   |         |       |       |        |       |       |       |       |      |     |      |
| MHz         | dBuV/m  | dBuV/m   | dB     | dBuV   | dB/m   | dB    | dB     | dB     | cm     | deg  |        |      |       |      |        |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |      |   |         |       |       |        |       |       |       |       |      |     |      |   |         |       |       |        |       |       |       |       |      |     |      |   |         |       |       |        |       |       |       |       |      |     |      |   |  |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |      |   |         |       |       |        |       |       |       |       |      |     |      |   |         |       |       |        |       |       |       |       |      |     |      |   |         |       |       |        |       |       |       |       |      |     |      |
| 1           | 3615.00   | 42.38    | 74.00  | -31.62 | 66.49  | 32.93 | 8.78   | 65.82  | 0.00   | ---  | Peak   |      |       |      |        |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |      |   |         |       |       |        |       |       |       |       |      |     |      |   |         |       |       |        |       |       |       |       |      |     |      |   |         |       |       |        |       |       |       |       |      |     |      |   |  |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |      |   |         |       |       |        |       |       |       |       |      |     |      |   |         |       |       |        |       |       |       |       |      |     |      |   |         |       |       |        |       |       |       |       |      |     |      |
| 2           | 4904.00   | 38.33    | 74.00  | -35.67 | 59.49  | 33.80 | 10.33  | 65.29  | 0.00   | ---  | Peak   |      |       |      |        |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |      |   |         |       |       |        |       |       |       |       |      |     |      |   |         |       |       |        |       |       |       |       |      |     |      |   |         |       |       |        |       |       |       |       |      |     |      |   |  |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |      |   |         |       |       |        |       |       |       |       |      |     |      |   |         |       |       |        |       |       |       |       |      |     |      |   |         |       |       |        |       |       |       |       |      |     |      |
| 3           | 5922.00   | 49.32    | 74.00  | -24.68 | 68.20  | 34.99 | 11.40  | 65.27  | 0.00   | ---  | PEAK   |      |       |      |        |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |      |   |         |       |       |        |       |       |       |       |      |     |      |   |         |       |       |        |       |       |       |       |      |     |      |   |         |       |       |        |       |       |       |       |      |     |      |   |  |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |      |   |         |       |       |        |       |       |       |       |      |     |      |   |         |       |       |        |       |       |       |       |      |     |      |   |         |       |       |        |       |       |       |       |      |     |      |
| 4           | 7356.00   | 39.66    | 74.00  | -34.34 | 58.26  | 35.51 | 12.73  | 66.84  | 0.00   | ---  | Peak   |      |       |      |        |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |      |   |         |       |       |        |       |       |       |       |      |     |      |   |         |       |       |        |       |       |       |       |      |     |      |   |         |       |       |        |       |       |       |       |      |     |      |   |  |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |      |   |         |       |       |        |       |       |       |       |      |     |      |   |         |       |       |        |       |       |       |       |      |     |      |   |         |       |       |        |       |       |       |       |      |     |      |



### Appendix D. Duty Cycle Plots


| Antenna | Band                | Duty Cycle(%) | T(ms) | 1/T(kHz) | VBW Setting |
|---------|---------------------|---------------|-------|----------|-------------|
| 5+4     | 802.11a             | 99.32         | -     | -        | 10Hz        |
| 5+4     | 802.11ax HE20       | 100           | -     | -        | 10Hz        |
| 5+4     | 802.11ax HE40       | 100           | -     | -        | 10Hz        |
| 5+4     | 802.11ax HE80       | 100           | -     | -        | 10Hz        |
| 5+4     | 802.11ax HE160      | 100           | -     | -        | 10Hz        |
| 5+4     | 802.11ax HE20 RU26  | 100           | -     | -        | 10Hz        |
| 5+4     | 802.11ax HE20 RU52  | 100           | -     | -        | 10Hz        |
| 5+4     | 802.11ax HE20 RU106 | 100           | -     | -        | 10Hz        |

#### 802.11a






802.11ax HE20




802.11ax HE40






### 802.11ax HE80




Date: 10.APR.2023 14:48:59

### 802.11ax HE160






802.11ax HE20 RU26



802.11ax HE20 RU52





802.11ax HE20 RU106

