







Mode	31																																								
	Band Edge - R																																								
	U-NII-1_5.15-5.25_802.11ax HE40_CH38_Full_5190MHz																																								
ANT	CDD 5+4																																								
Pol.	Vertical	Fundamental																																							
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5439.75</td> <td>53.42</td> <td>74.00</td> <td>-20.58</td> <td>40.90</td> <td>34.50</td> <td>10.00</td> <td>31.98</td> <td>0.00</td> <td>101</td> <td>76 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5439.75	53.42	74.00	-20.58	40.90	34.50	10.00	31.98	0.00	101	76 PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																
1 5439.75	53.42	74.00	-20.58	40.90	34.50	10.00	31.98	0.00	101	76 PEAK																															
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5350.11</td> <td>41.96</td> <td>54.00</td> <td>-12.04</td> <td>29.47</td> <td>34.50</td> <td>9.91</td> <td>31.92</td> <td>0.00</td> <td>101</td> <td>76 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5350.11	41.96	54.00	-12.04	29.47	34.50	9.91	31.92	0.00	101	76 AVERAGE	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																
1 5350.11	41.96	54.00	-12.04	29.47	34.50	9.91	31.92	0.00	101	76 AVERAGE																															



Mode	31																																																																																	
	Harmonic																																																																																	
	U-NII-1_5.15-5.25_802.11ax HE40_CH38_Full_5190MHz																																																																																	
ANT	CDD 5+4																																																																																	
Pol.	Horizontal	Vertical																																																																																
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 10380.00</td> <td>45.37</td> <td>68.30</td> <td>-22.93</td> <td>55.79</td> <td>37.28</td> <td>14.14</td> <td>61.84</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 10380.00	45.37	68.30	-22.93	55.79	37.28	14.14	61.84	0.00	---	---	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 10380.00</td> <td>45.50</td> <td>68.30</td> <td>-22.80</td> <td>55.92</td> <td>37.28</td> <td>14.14</td> <td>61.84</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 10380.00	45.50	68.30	-22.80	55.92	37.28	14.14	61.84	0.00	---	---	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1 10380.00	45.37	68.30	-22.93	55.79	37.28	14.14	61.84	0.00	---	---	PEAK																																																																							
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1 10380.00	45.50	68.30	-22.80	55.92	37.28	14.14	61.84	0.00	---	---	PEAK																																																																							



Mode	32																																																																											
	Band Edge - L																																																																											
	U-NII-1_5.15-5.25_802.11ax HE40_CH46_Full_5230MHz																																																																											
ANT	CDD 5+4																																																																											
Pol.	Horizontal	Fundamental																																																																										
Peak	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5136.62</td> <td>56.46</td> <td>74.00</td> <td>-17.54</td> <td>44.22</td> <td>34.27</td> <td>9.77</td> <td>31.00</td> <td>0.00</td> <td>100</td> <td>62</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5136.62	56.46	74.00	-17.54	44.22	34.27	9.77	31.00	0.00	100	62	PEAK	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5230.00</td> <td>105.56</td> <td>-----</td> <td>-----</td> <td>93.09</td> <td>34.48</td> <td>9.85</td> <td>31.86</td> <td>0.00</td> <td>100</td> <td>62</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5230.00	105.56	-----	-----	93.09	34.48	9.85	31.86	0.00	100	62	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																					
1	5136.62	56.46	74.00	-17.54	44.22	34.27	9.77	31.00	0.00	100	62	PEAK																																																																
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																					
1	5230.00	105.56	-----	-----	93.09	34.48	9.85	31.86	0.00	100	62	PEAK																																																																
Avg	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5149.96</td> <td>44.16</td> <td>54.00</td> <td>-9.84</td> <td>31.87</td> <td>34.30</td> <td>9.79</td> <td>31.00</td> <td>0.00</td> <td>100</td> <td>62</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5149.96	44.16	54.00	-9.84	31.87	34.30	9.79	31.00	0.00	100	62	AVERAGE	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5230.00</td> <td>96.70</td> <td>-----</td> <td>-----</td> <td>84.24</td> <td>34.46</td> <td>9.85</td> <td>31.85</td> <td>0.00</td> <td>100</td> <td>62</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5230.00	96.70	-----	-----	84.24	34.46	9.85	31.85	0.00	100	62	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																					
1	5149.96	44.16	54.00	-9.84	31.87	34.30	9.79	31.00	0.00	100	62	AVERAGE																																																																
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																					
1	5230.00	96.70	-----	-----	84.24	34.46	9.85	31.85	0.00	100	62	AVERAGE																																																																



Mode	32																																					
	Band Edge - R																																					
	U-NII-1_5.15-5.25_802.11ax HE40_CH46_Full_5230MHz																																					
ANT	CDD 5+4																																					
Pol.	Horizontal	Fundamental																																				
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5454.48</td> <td>53.89</td> <td>74.00</td> <td>-20.11</td> <td>41.36</td> <td>34.50</td> <td>10.02</td> <td>31.99</td> <td>0.00</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 5454.48	53.89	74.00	-20.11	41.36	34.50	10.02	31.99	0.00	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																														
1 5454.48	53.89	74.00	-20.11	41.36	34.50	10.02	31.99	0.00																														
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5351.90</td> <td>42.32</td> <td>54.00</td> <td>-11.68</td> <td>29.84</td> <td>34.50</td> <td>9.91</td> <td>31.93</td> <td>0.00</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 5351.90	42.32	54.00	-11.68	29.84	34.50	9.91	31.93	0.00	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																														
1 5351.90	42.32	54.00	-11.68	29.84	34.50	9.91	31.93	0.00																														



Mode	32																																																																											
	Band Edge - L																																																																											
	U-NII-1_5.15-5.25_802.11ax HE40_CH46_Full_5230MHz																																																																											
ANT	CDD 5+4																																																																											
Pol.	Vertical	Fundamental																																																																										
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5145.36</td> <td>55.84</td> <td>74.00</td> <td>-18.16</td> <td>43.57</td> <td>34.29</td> <td>9.78</td> <td>31.00</td> <td>0.00</td> <td>297</td> <td>73</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5145.36	55.84	74.00	-18.16	43.57	34.29	9.78	31.00	0.00	297	73	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5230.00</td> <td>106.89</td> <td>-----</td> <td>-----</td> <td>94.43</td> <td>34.46</td> <td>9.85</td> <td>31.85</td> <td>0.00</td> <td>297</td> <td>73</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5230.00	106.89	-----	-----	94.43	34.46	9.85	31.85	0.00	297	73	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																					
1	5145.36	55.84	74.00	-18.16	43.57	34.29	9.78	31.00	0.00	297	73	PEAK																																																																
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																					
1	5230.00	106.89	-----	-----	94.43	34.46	9.85	31.85	0.00	297	73	PEAK																																																																
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5144.67</td> <td>43.78</td> <td>54.00</td> <td>-10.22</td> <td>31.51</td> <td>34.29</td> <td>9.78</td> <td>31.00</td> <td>0.00</td> <td>297</td> <td>73</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5144.67	43.78	54.00	-10.22	31.51	34.29	9.78	31.00	0.00	297	73	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5230.00</td> <td>98.19</td> <td>-----</td> <td>-----</td> <td>85.73</td> <td>34.46</td> <td>9.85</td> <td>31.85</td> <td>0.00</td> <td>297</td> <td>73</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5230.00	98.19	-----	-----	85.73	34.46	9.85	31.85	0.00	297	73	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																					
1	5144.67	43.78	54.00	-10.22	31.51	34.29	9.78	31.00	0.00	297	73	AVERAGE																																																																
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																					
1	5230.00	98.19	-----	-----	85.73	34.46	9.85	31.85	0.00	297	73	AVERAGE																																																																



Mode	32																																												
	Band Edge - R																																												
	U-NII-1_5.15-5.25_802.11ax HE40_CH46_Full_5230MHz																																												
ANT	CDD 5+4																																												
Pol.	Vertical	Fundamental																																											
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5373.06</td> <td>54.45</td> <td>74.00</td> <td>-19.55</td> <td>41.97</td> <td>34.50</td> <td>9.92</td> <td>31.94</td> <td>0.00</td> <td>297</td> <td>73</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5373.06	54.45	74.00	-19.55	41.97	34.50	9.92	31.94	0.00	297	73	PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																			
1 5373.06	54.45	74.00	-19.55	41.97	34.50	9.92	31.94	0.00	297	73	PEAK																																		
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5350.52</td> <td>42.27</td> <td>54.00</td> <td>-11.73</td> <td>29.78</td> <td>34.50</td> <td>9.91</td> <td>31.92</td> <td>0.00</td> <td>297</td> <td>73</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5350.52	42.27	54.00	-11.73	29.78	34.50	9.91	31.92	0.00	297	73	AVERAGE	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																			
1 5350.52	42.27	54.00	-11.73	29.78	34.50	9.91	31.92	0.00	297	73	AVERAGE																																		



Mode	32																																																																											
	Harmonic																																																																											
	U-NII-1_5.15-5.25_802.11ax HE40_CH46_Full_5230MHz																																																																											
ANT	CDD 5+4																																																																											
Pol.	Horizontal	Vertical																																																																										
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 10460.00</td> <td>45.11</td> <td>68.30</td> <td>-23.19</td> <td>55.19</td> <td>37.42</td> <td>14.20</td> <td>61.70</td> <td>0.00</td> <td>--- --- PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 10460.00	45.11	68.30	-23.19	55.19	37.42	14.20	61.70	0.00	--- --- PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 10460.00</td> <td>45.87</td> <td>68.30</td> <td>-22.43</td> <td>55.95</td> <td>37.42</td> <td>14.20</td> <td>61.70</td> <td>0.00</td> <td>--- --- PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 10460.00	45.87	68.30	-22.43	55.95	37.42	14.20	61.70	0.00	--- --- PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																				
1 10460.00	45.11	68.30	-23.19	55.19	37.42	14.20	61.70	0.00	--- --- PEAK																																																																			
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																				
1 10460.00	45.87	68.30	-22.43	55.95	37.42	14.20	61.70	0.00	--- --- PEAK																																																																			



Mode	33																																																																									
	Band Edge - L																																																																									
	U-NII-2A_5.25-5.35_802.11ax HE40_CH54_Full_5270MHz																																																																									
ANT	CDD 5+4																																																																									
Pol.	Horizontal	Fundamental																																																																								
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5085.86</td> <td>54.77</td> <td>74.00</td> <td>-19.23</td> <td>42.66</td> <td>34.14</td> <td>9.73</td> <td>31.76</td> <td>0.00</td> <td>100</td> <td>66</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 5085.86	54.77	74.00	-19.23	42.66	34.14	9.73	31.76	0.00	100	66	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5270.00</td> <td>106.21</td> <td>-----</td> <td>-----</td> <td>93.71</td> <td>34.50</td> <td>9.87</td> <td>31.87</td> <td>0.00</td> <td>100</td> <td>66</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 5270.00	106.21	-----	-----	93.71	34.50	9.87	31.87	0.00	100	66	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																		
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																			
1 5085.86	54.77	74.00	-19.23	42.66	34.14	9.73	31.76	0.00	100	66	PEAK																																																															
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																			
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																			
1 5270.00	106.21	-----	-----	93.71	34.50	9.87	31.87	0.00	100	66	PEAK																																																															
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5149.58</td> <td>42.93</td> <td>54.00</td> <td>-11.07</td> <td>30.64</td> <td>34.30</td> <td>9.79</td> <td>31.00</td> <td>0.00</td> <td>100</td> <td>66</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 5149.58	42.93	54.00	-11.07	30.64	34.30	9.79	31.00	0.00	100	66	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5270.00</td> <td>97.15</td> <td>-----</td> <td>-----</td> <td>84.65</td> <td>34.50</td> <td>9.87</td> <td>31.87</td> <td>0.00</td> <td>100</td> <td>66</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 5270.00	97.15	-----	-----	84.65	34.50	9.87	31.87	0.00	100	66	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																			
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																			
1 5149.58	42.93	54.00	-11.07	30.64	34.30	9.79	31.00	0.00	100	66	AVERAGE																																																															
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																			
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																			
1 5270.00	97.15	-----	-----	84.65	34.50	9.87	31.87	0.00	100	66	AVERAGE																																																															





Mode	33																																											
	Band Edge - R																																											
	U-NII-2A_5.25-5.35_802.11ax HE40_CH54_Full_5270MHz																																											
ANT	CDD 5+4																																											
Pol.	Horizontal	Fundamental																																										
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5365.76</td> <td>56.21</td> <td>74.00</td> <td>-17.79</td> <td>43.72</td> <td>34.50</td> <td>9.92</td> <td>31.93</td> <td>0.00</td> <td>100</td> <td>66 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5365.76	56.21	74.00	-17.79	43.72	34.50	9.92	31.93	0.00	100	66 PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																		
1 5365.76	56.21	74.00	-17.79	43.72	34.50	9.92	31.93	0.00	100	66 PEAK																																		
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5350.18</td> <td>43.75</td> <td>54.00</td> <td>-10.25</td> <td>31.26</td> <td>34.50</td> <td>9.91</td> <td>31.92</td> <td>0.00</td> <td>100</td> <td>66 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5350.18	43.75	54.00	-10.25	31.26	34.50	9.91	31.92	0.00	100	66 AVERAGE	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																		
1 5350.18	43.75	54.00	-10.25	31.26	34.50	9.91	31.92	0.00	100	66 AVERAGE																																		



Mode	33																																																																											
	Band Edge - L																																																																											
	U-NII-2A_5.25-5.35_802.11ax HE40_CH54_Full_5270MHz																																																																											
ANT	CDD 5+4																																																																											
Pol.	Vertical	Fundamental																																																																										
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5114.48</td> <td>54.01</td> <td>74.00</td> <td>-19.99</td> <td>41.80</td> <td>34.23</td> <td>9.76</td> <td>31.78</td> <td>0.00</td> <td>100</td> <td>78</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5114.48	54.01	74.00	-19.99	41.80	34.23	9.76	31.78	0.00	100	78	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5270.00</td> <td>105.70</td> <td>-----</td> <td>-----</td> <td>93.20</td> <td>34.50</td> <td>9.87</td> <td>31.87</td> <td>0.00</td> <td>100</td> <td>78</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5270.00	105.70	-----	-----	93.20	34.50	9.87	31.87	0.00	100	78	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																					
1	5114.48	54.01	74.00	-19.99	41.80	34.23	9.76	31.78	0.00	100	78	PEAK																																																																
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																					
1	5270.00	105.70	-----	-----	93.20	34.50	9.87	31.87	0.00	100	78	PEAK																																																																
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5136.62</td> <td>42.76</td> <td>54.00</td> <td>-11.24</td> <td>30.52</td> <td>34.27</td> <td>9.77</td> <td>31.80</td> <td>0.00</td> <td>100</td> <td>78</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5136.62	42.76	54.00	-11.24	30.52	34.27	9.77	31.80	0.00	100	78	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5270.00</td> <td>97.53</td> <td>-----</td> <td>-----</td> <td>85.03</td> <td>34.50</td> <td>9.87</td> <td>31.87</td> <td>0.00</td> <td>100</td> <td>78</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5270.00	97.53	-----	-----	85.03	34.50	9.87	31.87	0.00	100	78	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																					
1	5136.62	42.76	54.00	-11.24	30.52	34.27	9.77	31.80	0.00	100	78	AVERAGE																																																																
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																					
1	5270.00	97.53	-----	-----	85.03	34.50	9.87	31.87	0.00	100	78	AVERAGE																																																																



Mode	33																																									
	Band Edge - R																																									
	U-NII-2A_5.25-5.35_802.11ax HE40_CH54_Full_5270MHz																																									
ANT	CDD 5+4																																									
Pol.	Vertical	Fundamental																																								
Peak	 <table border="1" data-bbox="268 1133 775 1256"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5351.13</td> <td>54.75</td> <td>74.00</td> <td>-19.25</td> <td>42.26</td> <td>34.50</td> <td>9.91</td> <td>31.92</td> <td>0.00</td> <td>100</td> <td>78 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5351.13	54.75	74.00	-19.25	42.26	34.50	9.91	31.92	0.00	100	78 PEAK	Blank	
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																	
1 5351.13	54.75	74.00	-19.25	42.26	34.50	9.91	31.92	0.00	100	78 PEAK																																
Avg	 <table border="1" data-bbox="268 1816 775 1939"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5355.12</td> <td>43.81</td> <td>54.00</td> <td>-10.19</td> <td>31.33</td> <td>34.50</td> <td>9.91</td> <td>31.93</td> <td>0.00</td> <td>100</td> <td>78 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5355.12	43.81	54.00	-10.19	31.33	34.50	9.91	31.93	0.00	100	78 AVERAGE	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																
1 5355.12	43.81	54.00	-10.19	31.33	34.50	9.91	31.93	0.00	100	78 AVERAGE																																



Mode	33																																																																																	
	Harmonic																																																																																	
	U-NII-2A_5.25-5.35_802.11ax HE40_CH54_Full_5270MHz																																																																																	
ANT	CDD 5+4																																																																																	
Pol.	Horizontal	Vertical																																																																																
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 10540.00</td> <td>46.07</td> <td>68.30</td> <td>-22.23</td> <td>55.95</td> <td>37.50</td> <td>14.25</td> <td>61.63</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 10540.00	46.07	68.30	-22.23	55.95	37.50	14.25	61.63	0.00	---	---	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 10540.00</td> <td>46.36</td> <td>68.30</td> <td>-21.94</td> <td>56.24</td> <td>37.50</td> <td>14.25</td> <td>61.63</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 10540.00	46.36	68.30	-21.94	56.24	37.50	14.25	61.63	0.00	---	---	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1 10540.00	46.07	68.30	-22.23	55.95	37.50	14.25	61.63	0.00	---	---	PEAK																																																																							
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1 10540.00	46.36	68.30	-21.94	56.24	37.50	14.25	61.63	0.00	---	---	PEAK																																																																							



Mode	34																																																																																	
	Band Edge - L																																																																																	
	U-NII-2A_5.25-5.35_802.11ax HE40_CH62_Full_5310MHz																																																																																	
ANT	CDD 5+4																																																																																	
Pol.	Horizontal	Fundamental																																																																																
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5129.27</td> <td>55.90</td> <td>74.00</td> <td>-18.10</td> <td>43.66</td> <td>34.26</td> <td>9.77</td> <td>31.79</td> <td>0.00</td> <td>100</td> <td>65</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5129.27	55.90	74.00	-18.10	43.66	34.26	9.77	31.79	0.00	100	65	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5310.00</td> <td>105.39</td> <td>-----</td> <td>-----</td> <td>92.90</td> <td>34.50</td> <td>9.89</td> <td>31.90</td> <td>0.00</td> <td>100</td> <td>65</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5310.00	105.39	-----	-----	92.90	34.50	9.89	31.90	0.00	100	65	Peak
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																										
1	5129.27	55.90	74.00	-18.10	43.66	34.26	9.77	31.79	0.00	100	65	PEAK																																																																						
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																										
1	5310.00	105.39	-----	-----	92.90	34.50	9.89	31.90	0.00	100	65	Peak																																																																						
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5138.88</td> <td>42.71</td> <td>54.00</td> <td>-11.29</td> <td>30.45</td> <td>34.28</td> <td>9.78</td> <td>31.80</td> <td>0.00</td> <td>100</td> <td>65</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5138.88	42.71	54.00	-11.29	30.45	34.28	9.78	31.80	0.00	100	65	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5310.00</td> <td>96.71</td> <td>-----</td> <td>-----</td> <td>84.22</td> <td>34.50</td> <td>9.89</td> <td>31.90</td> <td>0.00</td> <td>100</td> <td>65</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5310.00	96.71	-----	-----	84.22	34.50	9.89	31.90	0.00	100	65	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																										
1	5138.88	42.71	54.00	-11.29	30.45	34.28	9.78	31.80	0.00	100	65	AVERAGE																																																																						
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																										
1	5310.00	96.71	-----	-----	84.22	34.50	9.89	31.90	0.00	100	65	AVERAGE																																																																						



Mode	34																																								
	Band Edge - R																																								
	U-NII-2A_5.25-5.35_802.11ax HE40_CH62_Full_5310MHz																																								
ANT	CDD 5+4																																								
Pol.	Horizontal	Fundamental																																							
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5350.20</td> <td>60.32</td> <td>74.00</td> <td>-13.68</td> <td>47.83</td> <td>34.50</td> <td>9.91</td> <td>31.92</td> <td>0.00</td> <td>100</td> <td>65 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5350.20	60.32	74.00	-13.68	47.83	34.50	9.91	31.92	0.00	100	65 PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																
1 5350.20	60.32	74.00	-13.68	47.83	34.50	9.91	31.92	0.00	100	65 PEAK																															
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5350.05</td> <td>50.59</td> <td>54.00</td> <td>-3.41</td> <td>38.10</td> <td>34.50</td> <td>9.91</td> <td>31.92</td> <td>0.00</td> <td>100</td> <td>65 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5350.05	50.59	54.00	-3.41	38.10	34.50	9.91	31.92	0.00	100	65 AVERAGE	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																
1 5350.05	50.59	54.00	-3.41	38.10	34.50	9.91	31.92	0.00	100	65 AVERAGE																															



Mode	34																																																																																	
	Band Edge - L																																																																																	
	U-NII-2A_5.25-5.35_802.11ax HE40_CH62_Full_5310MHz																																																																																	
ANT	CDD 5+4																																																																																	
Pol.	Vertical	Fundamental																																																																																
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5059.52</td> <td>54.54</td> <td>74.00</td> <td>-19.46</td> <td>42.54</td> <td>34.04</td> <td>9.71</td> <td>31.75</td> <td>0.00</td> <td>104</td> <td>77</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5059.52	54.54	74.00	-19.46	42.54	34.04	9.71	31.75	0.00	104	77	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5310.00</td> <td>107.58</td> <td>-----</td> <td>-----</td> <td>95.09</td> <td>34.50</td> <td>9.90</td> <td>31.91</td> <td>0.00</td> <td>104</td> <td>77</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5310.00	107.58	-----	-----	95.09	34.50	9.90	31.91	0.00	104	77	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																										
1	5059.52	54.54	74.00	-19.46	42.54	34.04	9.71	31.75	0.00	104	77	PEAK																																																																						
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																										
1	5310.00	107.58	-----	-----	95.09	34.50	9.90	31.91	0.00	104	77	PEAK																																																																						
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5136.40</td> <td>42.64</td> <td>54.00</td> <td>-11.36</td> <td>30.39</td> <td>34.27</td> <td>9.77</td> <td>31.79</td> <td>0.00</td> <td>104</td> <td>77</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5136.40	42.64	54.00	-11.36	30.39	34.27	9.77	31.79	0.00	104	77	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5310.00</td> <td>97.98</td> <td>-----</td> <td>-----</td> <td>85.49</td> <td>34.50</td> <td>9.89</td> <td>31.90</td> <td>0.00</td> <td>104</td> <td>77</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5310.00	97.98	-----	-----	85.49	34.50	9.89	31.90	0.00	104	77	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																										
1	5136.40	42.64	54.00	-11.36	30.39	34.27	9.77	31.79	0.00	104	77	AVERAGE																																																																						
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																										
1	5310.00	97.98	-----	-----	85.49	34.50	9.89	31.90	0.00	104	77	AVERAGE																																																																						



Mode	34																																											
	Band Edge - R																																											
	U-NII-2A_5.25-5.35_802.11ax HE40_CH62_Full_5310MHz																																											
ANT	CDD 5+4																																											
Pol.	Vertical	Fundamental																																										
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5355.60</td> <td>66.32</td> <td>74.00</td> <td>-7.68</td> <td>53.84</td> <td>34.50</td> <td>9.91</td> <td>31.93</td> <td>0.00</td> <td>104</td> <td>77 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5355.60	66.32	74.00	-7.68	53.84	34.50	9.91	31.93	0.00	104	77 PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																		
1 5355.60	66.32	74.00	-7.68	53.84	34.50	9.91	31.93	0.00	104	77 PEAK																																		
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5355.30</td> <td>50.62</td> <td>54.00</td> <td>-3.38</td> <td>38.14</td> <td>34.50</td> <td>9.91</td> <td>31.93</td> <td>0.00</td> <td>104</td> <td>77 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5355.30	50.62	54.00	-3.38	38.14	34.50	9.91	31.93	0.00	104	77 AVERAGE	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																		
1 5355.30	50.62	54.00	-3.38	38.14	34.50	9.91	31.93	0.00	104	77 AVERAGE																																		



Mode	34																																																																																	
	Harmonic																																																																																	
	U-NII-2A_5.25-5.35_802.11ax HE40_CH62_Full_5310MHz																																																																																	
ANT	CDD 5+4																																																																																	
Pol.	Horizontal	Vertical																																																																																
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 10620.00</td> <td>45.23</td> <td>74.00</td> <td>-28.77</td> <td>55.02</td> <td>37.54</td> <td>14.31</td> <td>61.64</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 10620.00	45.23	74.00	-28.77	55.02	37.54	14.31	61.64	0.00	---	---	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 10620.00</td> <td>45.85</td> <td>74.00</td> <td>-28.15</td> <td>55.64</td> <td>37.54</td> <td>14.31</td> <td>61.64</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 10620.00	45.85	74.00	-28.15	55.64	37.54	14.31	61.64	0.00	---	---	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1 10620.00	45.23	74.00	-28.77	55.02	37.54	14.31	61.64	0.00	---	---	PEAK																																																																							
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1 10620.00	45.85	74.00	-28.15	55.64	37.54	14.31	61.64	0.00	---	---	PEAK																																																																							



Mode	35																																																																																																
	Band Edge - L																																																																																																
	U-NII-2C_5.47-5.725_802.11ax HE40_CH102_Full_5510MHz																																																																																																
ANT	CDD 5+4																																																																																																
Pol.	Horizontal	Fundamental																																																																																															
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5450.32</td> <td>58.41</td> <td>74.00</td> <td>-15.59</td> <td>45.88</td> <td>34.50</td> <td>10.01</td> <td>31.98</td> <td>0.00</td> <td>100</td> <td>72</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5463.28</td> <td>65.10</td> <td>68.30</td> <td>-3.20</td> <td>52.56</td> <td>34.50</td> <td>10.03</td> <td>31.99</td> <td>0.00</td> <td>100</td> <td>72</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5450.32	58.41	74.00	-15.59	45.88	34.50	10.01	31.98	0.00	100	72	PEAK	2	5463.28	65.10	68.30	-3.20	52.56	34.50	10.03	31.99	0.00	100	72	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5510.00</td> <td>105.67</td> <td>-----</td> <td>-----</td> <td>93.09</td> <td>34.50</td> <td>10.09</td> <td>32.01</td> <td>0.00</td> <td>100</td> <td>72</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5510.00	105.67	-----	-----	93.09	34.50	10.09	32.01	0.00	100	72	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5450.32	58.41	74.00	-15.59	45.88	34.50	10.01	31.98	0.00	100	72	PEAK																																																																																					
2	5463.28	65.10	68.30	-3.20	52.56	34.50	10.03	31.99	0.00	100	72	PEAK																																																																																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5510.00	105.67	-----	-----	93.09	34.50	10.09	32.01	0.00	100	72	PEAK																																																																																					
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5459.44</td> <td>45.35</td> <td>54.00</td> <td>-8.65</td> <td>32.81</td> <td>34.50</td> <td>10.03</td> <td>31.99</td> <td>0.00</td> <td>100</td> <td>72</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.44	45.35	54.00	-8.65	32.81	34.50	10.03	31.99	0.00	100	72	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5510.00</td> <td>96.21</td> <td>-----</td> <td>-----</td> <td>83.63</td> <td>34.50</td> <td>10.11</td> <td>32.03</td> <td>0.00</td> <td>100</td> <td>72</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5510.00	96.21	-----	-----	83.63	34.50	10.11	32.03	0.00	100	72	AVERAGE													
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5459.44	45.35	54.00	-8.65	32.81	34.50	10.03	31.99	0.00	100	72	AVERAGE																																																																																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5510.00	96.21	-----	-----	83.63	34.50	10.11	32.03	0.00	100	72	AVERAGE																																																																																					




Mode	35																																								
	Band Edge - R																																								
	U-NII-2C_5.47-5.725_802.11ax HE40_CH102_Full_5510MHz																																								
ANT	CDD 5+4																																								
Pol.	Horizontal	Fundamental																																							
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5738.99</td> <td>53.80</td> <td>68.30</td> <td>-14.50</td> <td>40.68</td> <td>34.78</td> <td>10.36</td> <td>32.02</td> <td>0.00</td> <td>100</td> <td>72 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5738.99	53.80	68.30	-14.50	40.68	34.78	10.36	32.02	0.00	100	72 PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																
1 5738.99	53.80	68.30	-14.50	40.68	34.78	10.36	32.02	0.00	100	72 PEAK																															



Mode	35																																																																																																
	Band Edge - L																																																																																																
	U-NII-2C_5.47-5.725_802.11ax HE40_CH102_Full_5510MHz																																																																																																
ANT	CDD 5+4																																																																																																
Pol.	Vertical	Fundamental																																																																																															
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5456.88</td> <td>55.13</td> <td>74.00</td> <td>-18.87</td> <td>42.60</td> <td>34.50</td> <td>10.02</td> <td>31.99</td> <td>0.00</td> <td>100</td> <td>80</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5467.28</td> <td>61.94</td> <td>68.30</td> <td>-6.36</td> <td>49.39</td> <td>34.50</td> <td>10.04</td> <td>31.99</td> <td>0.00</td> <td>100</td> <td>80</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5456.88	55.13	74.00	-18.87	42.60	34.50	10.02	31.99	0.00	100	80	PEAK	2	5467.28	61.94	68.30	-6.36	49.39	34.50	10.04	31.99	0.00	100	80	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5510.00</td> <td>105.50</td> <td>-----</td> <td>-----</td> <td>92.92</td> <td>34.50</td> <td>10.11</td> <td>32.03</td> <td>0.00</td> <td>100</td> <td>80</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5510.00	105.50	-----	-----	92.92	34.50	10.11	32.03	0.00	100	80	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5456.88	55.13	74.00	-18.87	42.60	34.50	10.02	31.99	0.00	100	80	PEAK																																																																																					
2	5467.28	61.94	68.30	-6.36	49.39	34.50	10.04	31.99	0.00	100	80	PEAK																																																																																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5510.00	105.50	-----	-----	92.92	34.50	10.11	32.03	0.00	100	80	PEAK																																																																																					
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5457.36</td> <td>44.21</td> <td>54.00</td> <td>-9.79</td> <td>31.68</td> <td>34.50</td> <td>10.02</td> <td>31.99</td> <td>0.00</td> <td>100</td> <td>80</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5457.36	44.21	54.00	-9.79	31.68	34.50	10.02	31.99	0.00	100	80	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5510.00</td> <td>96.06</td> <td>-----</td> <td>-----</td> <td>83.48</td> <td>34.50</td> <td>10.11</td> <td>32.03</td> <td>0.00</td> <td>100</td> <td>80</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5510.00	96.06	-----	-----	83.48	34.50	10.11	32.03	0.00	100	80	AVERAGE													
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5457.36	44.21	54.00	-9.79	31.68	34.50	10.02	31.99	0.00	100	80	AVERAGE																																																																																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5510.00	96.06	-----	-----	83.48	34.50	10.11	32.03	0.00	100	80	AVERAGE																																																																																					



Mode	35																																								
	Band Edge - R																																								
	U-NII-2C_5.47-5.725_802.11ax HE40_CH102_Full_5510MHz																																								
ANT	CDD 5+4																																								
Pol.	Vertical	Fundamental																																							
Peak	<p>Level (dBuV/m)</p> <p>Frequency (MHz)</p> <p>5G BAND 1---3</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5731.85</td> <td>53.89</td> <td>68.30</td> <td>-14.41</td> <td>40.80</td> <td>34.76</td> <td>10.35</td> <td>32.02</td> <td>0.00</td> <td>100</td> <td>80 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5731.85	53.89	68.30	-14.41	40.80	34.76	10.35	32.02	0.00	100	80 PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																
1 5731.85	53.89	68.30	-14.41	40.80	34.76	10.35	32.02	0.00	100	80 PEAK																															





Mode	36																																																																																																
	Band Edge - L																																																																																																
	U-NII-2C_5.47-5.725_802.11ax HE40_CH110_Full_5550MHz																																																																																																
ANT	CDD 5+4																																																																																																
Pol.	Horizontal	Fundamental																																																																																															
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5456.20</td> <td>54.28</td> <td>74.00</td> <td>-19.72</td> <td>41.75</td> <td>34.50</td> <td>10.02</td> <td>31.99</td> <td>0.00</td> <td>100</td> <td>73</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5466.00</td> <td>53.18</td> <td>68.30</td> <td>-15.12</td> <td>40.63</td> <td>34.50</td> <td>10.04</td> <td>31.99</td> <td>0.00</td> <td>100</td> <td>73</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5456.20	54.28	74.00	-19.72	41.75	34.50	10.02	31.99	0.00	100	73	PEAK	2	5466.00	53.18	68.30	-15.12	40.63	34.50	10.04	31.99	0.00	100	73	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5550.00</td> <td>107.01</td> <td>-----</td> <td>-----</td> <td>94.38</td> <td>34.50</td> <td>10.18</td> <td>32.05</td> <td>0.00</td> <td>100</td> <td>73</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5550.00	107.01	-----	-----	94.38	34.50	10.18	32.05	0.00	100	73	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5456.20	54.28	74.00	-19.72	41.75	34.50	10.02	31.99	0.00	100	73	PEAK																																																																																					
2	5466.00	53.18	68.30	-15.12	40.63	34.50	10.04	31.99	0.00	100	73	PEAK																																																																																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5550.00	107.01	-----	-----	94.38	34.50	10.18	32.05	0.00	100	73	PEAK																																																																																					
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5459.00</td> <td>42.55</td> <td>54.00</td> <td>-11.45</td> <td>30.01</td> <td>34.50</td> <td>10.03</td> <td>31.99</td> <td>0.00</td> <td>100</td> <td>73</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.00	42.55	54.00	-11.45	30.01	34.50	10.03	31.99	0.00	100	73	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5550.00</td> <td>97.94</td> <td>-----</td> <td>-----</td> <td>85.31</td> <td>34.50</td> <td>10.18</td> <td>32.05</td> <td>0.00</td> <td>100</td> <td>73</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5550.00	97.94	-----	-----	85.31	34.50	10.18	32.05	0.00	100	73	AVERAGE													
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5459.00	42.55	54.00	-11.45	30.01	34.50	10.03	31.99	0.00	100	73	AVERAGE																																																																																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5550.00	97.94	-----	-----	85.31	34.50	10.18	32.05	0.00	100	73	AVERAGE																																																																																					



Mode	36																																								
	Band Edge - R																																								
	U-NII-2C_5.47-5.725_802.11ax HE40_CH110_Full_5550MHz																																								
ANT	CDD 5+4																																								
Pol.	Horizontal	Fundamental																																							
Peak	<p>Level (dBuV/m)</p> <p>Frequency (MHz)</p> <p>56 BAND 1---3</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5747.80</td> <td>54.42</td> <td>68.30</td> <td>-13.88</td> <td>41.27</td> <td>34.80</td> <td>10.36</td> <td>32.01</td> <td>0.00</td> <td>100</td> <td>73 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5747.80	54.42	68.30	-13.88	41.27	34.80	10.36	32.01	0.00	100	73 PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																
1 5747.80	54.42	68.30	-13.88	41.27	34.80	10.36	32.01	0.00	100	73 PEAK																															



Mode	36																																																																																																
	Band Edge - L																																																																																																
	U-NII-2C_5.47-5.725_802.11ax HE40_CH110_Full_5550MHz																																																																																																
ANT	CDD 5+4																																																																																																
Pol.	Vertical	Fundamental																																																																																															
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5456.20</td> <td>53.66</td> <td>74.00</td> <td>-20.34</td> <td>41.13</td> <td>34.50</td> <td>10.02</td> <td>31.99</td> <td>0.00</td> <td>100</td> <td>79</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5465.40</td> <td>53.95</td> <td>68.30</td> <td>-14.35</td> <td>41.41</td> <td>34.50</td> <td>10.03</td> <td>31.99</td> <td>0.00</td> <td>100</td> <td>79</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5456.20	53.66	74.00	-20.34	41.13	34.50	10.02	31.99	0.00	100	79	PEAK	2	5465.40	53.95	68.30	-14.35	41.41	34.50	10.03	31.99	0.00	100	79	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5550.00</td> <td>107.49</td> <td>-----</td> <td>-----</td> <td>94.87</td> <td>34.50</td> <td>10.17</td> <td>32.05</td> <td>0.00</td> <td>100</td> <td>79</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5550.00	107.49	-----	-----	94.87	34.50	10.17	32.05	0.00	100	79	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5456.20	53.66	74.00	-20.34	41.13	34.50	10.02	31.99	0.00	100	79	PEAK																																																																																					
2	5465.40	53.95	68.30	-14.35	41.41	34.50	10.03	31.99	0.00	100	79	PEAK																																																																																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5550.00	107.49	-----	-----	94.87	34.50	10.17	32.05	0.00	100	79	PEAK																																																																																					
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5457.60</td> <td>42.59</td> <td>54.00</td> <td>-11.41</td> <td>30.06</td> <td>34.50</td> <td>10.02</td> <td>31.99</td> <td>0.00</td> <td>100</td> <td>79</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5457.60	42.59	54.00	-11.41	30.06	34.50	10.02	31.99	0.00	100	79	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5550.00</td> <td>98.70</td> <td>-----</td> <td>-----</td> <td>86.08</td> <td>34.50</td> <td>10.17</td> <td>32.05</td> <td>0.00</td> <td>100</td> <td>79</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5550.00	98.70	-----	-----	86.08	34.50	10.17	32.05	0.00	100	79	AVERAGE													
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5457.60	42.59	54.00	-11.41	30.06	34.50	10.02	31.99	0.00	100	79	AVERAGE																																																																																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5550.00	98.70	-----	-----	86.08	34.50	10.17	32.05	0.00	100	79	AVERAGE																																																																																					



Mode	36																																																									
	Band Edge - R																																																									
	U-NII-2C_5.47-5.725_802.11ax HE40_CH110_Full_5550MHz																																																									
ANT	CDD 5+4																																																									
Pol.	Vertical	Fundamental																																																								
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5762.42</td> <td>53.76</td> <td>68.30</td> <td>-14.54</td> <td>40.57</td> <td>34.82</td> <td>10.37</td> <td>32.00</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>0.00</td> <td>100</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>79</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 5762.42	53.76	68.30	-14.54	40.57	34.82	10.37	32.00							0.00	100								79								PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																			
1 5762.42	53.76	68.30	-14.54	40.57	34.82	10.37	32.00																																																			
						0.00	100																																																			
							79																																																			
							PEAK																																																			



Mode	36																																																																																
	Harmonic																																																																																
	U-NII-2C_5.47-5.725_802.11ax HE40_CH110_Full_5550MHz																																																																																
ANT	CDD 5+4																																																																																
Pol.	Horizontal	Vertical																																																																															
Peak Avg																																																																																	
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11100.00</td> <td>45.94</td> <td>74.00</td> <td>-28.06</td> <td>54.78</td> <td>38.20</td> <td>14.63</td> <td>61.67</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11100.00	45.94	74.00	-28.06	54.78	38.20	14.63	61.67	0.00	---	---	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11100.00</td> <td>46.45</td> <td>74.00</td> <td>-27.55</td> <td>55.29</td> <td>38.20</td> <td>14.63</td> <td>61.67</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11100.00	46.45	74.00	-27.55	55.29	38.20	14.63	61.67	0.00	---	---
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																								
1 11100.00	45.94	74.00	-28.06	54.78	38.20	14.63	61.67	0.00	---	---	PEAK																																																																						
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																								
1 11100.00	46.45	74.00	-27.55	55.29	38.20	14.63	61.67	0.00	---	---	PEAK																																																																						



Mode	37																																																																																														
	Band Edge - L																																																																																														
	U-NII-2C_5.47-5.725_802.11ax HE40_CH134_Full_5670MHz																																																																																														
ANT	CDD 5+4																																																																																														
Pol.	Horizontal	Fundamental																																																																																													
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5409.52</td> <td>52.53</td> <td>74.00</td> <td>-21.47</td> <td>40.04</td> <td>34.50</td> <td>9.95</td> <td>31.96</td> <td>0.00</td> <td>100</td> <td>74</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5468.08</td> <td>52.27</td> <td>68.30</td> <td>-16.03</td> <td>39.73</td> <td>34.50</td> <td>10.04</td> <td>32.00</td> <td>0.00</td> <td>100</td> <td>74</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5409.52	52.53	74.00	-21.47	40.04	34.50	9.95	31.96	0.00	100	74	PEAK	2	5468.08	52.27	68.30	-16.03	39.73	34.50	10.04	32.00	0.00	100	74	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5670.00</td> <td>109.26</td> <td>-----</td> <td>-----</td> <td>96.40</td> <td>34.64</td> <td>10.30</td> <td>32.08</td> <td>0.00</td> <td>100</td> <td>74</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5670.00	109.26	-----	-----	96.40	34.64	10.30	32.08	0.00	100	74	Peak
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																							
1	5409.52	52.53	74.00	-21.47	40.04	34.50	9.95	31.96	0.00	100	74	PEAK																																																																																			
2	5468.08	52.27	68.30	-16.03	39.73	34.50	10.04	32.00	0.00	100	74	PEAK																																																																																			
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																							
1	5670.00	109.26	-----	-----	96.40	34.64	10.30	32.08	0.00	100	74	Peak																																																																																			
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5459.44</td> <td>41.91</td> <td>54.00</td> <td>-12.09</td> <td>29.37</td> <td>34.50</td> <td>10.03</td> <td>31.99</td> <td>0.00</td> <td>100</td> <td>74</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5459.44	41.91	54.00	-12.09	29.37	34.50	10.03	31.99	0.00	100	74	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5670.00</td> <td>99.32</td> <td>-----</td> <td>-----</td> <td>86.46</td> <td>34.64</td> <td>10.30</td> <td>32.08</td> <td>0.00</td> <td>100</td> <td>74</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5670.00	99.32	-----	-----	86.46	34.64	10.30	32.08	0.00	100	74	AVERAGE													
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																							
1	5459.44	41.91	54.00	-12.09	29.37	34.50	10.03	31.99	0.00	100	74	AVERAGE																																																																																			
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																							
1	5670.00	99.32	-----	-----	86.46	34.64	10.30	32.08	0.00	100	74	AVERAGE																																																																																			



Mode	37																																								
	Band Edge - R																																								
	U-NII-2C_5.47-5.725_802.11ax HE40_CH134_Full_5670MHz																																								
ANT	CDD 5+4																																								
Pol.	Horizontal	Fundamental																																							
Peak	<p>Level (dBuV/m)</p> <p>Frequency (MHz)</p> <p>5G BAND 1---3</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5725.67</td> <td>64.07</td> <td>68.30</td> <td>-4.23</td> <td>51.00</td> <td>34.75</td> <td>10.35</td> <td>32.03</td> <td>0.00</td> <td>100</td> <td>74 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5725.67	64.07	68.30	-4.23	51.00	34.75	10.35	32.03	0.00	100	74 PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																
1 5725.67	64.07	68.30	-4.23	51.00	34.75	10.35	32.03	0.00	100	74 PEAK																															



Mode	37																																																																									
	Band Edge - L																																																																									
	U-NII-2C_5.47-5.725_802.11ax HE40_CH134_Full_5670MHz																																																																									
ANT	CDD 5+4																																																																									
Pol.	Vertical	Fundamental																																																																								
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5415.92</td> <td>53.36</td> <td>74.00</td> <td>-20.64</td> <td>40.86</td> <td>34.50</td> <td>9.96</td> <td>31.96</td> <td>0.00</td> <td>125</td> <td>81</td> <td>PEAK</td> </tr> <tr> <td>2 5468.72</td> <td>52.10</td> <td>68.30</td> <td>-16.20</td> <td>39.56</td> <td>34.50</td> <td>10.04</td> <td>32.00</td> <td>0.00</td> <td>125</td> <td>81</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor	Factor	cm	deg	1 5415.92	53.36	74.00	-20.64	40.86	34.50	9.96	31.96	0.00	125	81	PEAK	2 5468.72	52.10	68.30	-16.20	39.56	34.50	10.04	32.00	0.00	125	81	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5670.00</td> <td>107.32</td> <td>-----</td> <td>-----</td> <td>94.40</td> <td>34.67</td> <td>10.31</td> <td>32.06</td> <td>0.00</td> <td>125</td> <td>81</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor	Factor	cm	deg	1 5670.00	107.32	-----	-----	94.40	34.67	10.31	32.06	0.00	125	81	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																	
Freq Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor	Factor	cm	deg																																																																		
1 5415.92	53.36	74.00	-20.64	40.86	34.50	9.96	31.96	0.00	125	81	PEAK																																																															
2 5468.72	52.10	68.30	-16.20	39.56	34.50	10.04	32.00	0.00	125	81	PEAK																																																															
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																		
Freq Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor	Factor	cm	deg																																																																		
1 5670.00	107.32	-----	-----	94.40	34.67	10.31	32.06	0.00	125	81	PEAK																																																															
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5453.68</td> <td>41.89</td> <td>54.00</td> <td>-12.11</td> <td>29.36</td> <td>34.50</td> <td>10.02</td> <td>31.99</td> <td>0.00</td> <td>125</td> <td>81</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor	Factor	cm	deg	1 5453.68	41.89	54.00	-12.11	29.36	34.50	10.02	31.99	0.00	125	81	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5670.00</td> <td>98.36</td> <td>-----</td> <td>-----</td> <td>85.50</td> <td>34.64</td> <td>10.30</td> <td>32.00</td> <td>0.00</td> <td>125</td> <td>81</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor	Factor	cm	deg	1 5670.00	98.36	-----	-----	85.50	34.64	10.30	32.00	0.00	125	81	AVERAGE												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																	
Freq Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor	Factor	cm	deg																																																																		
1 5453.68	41.89	54.00	-12.11	29.36	34.50	10.02	31.99	0.00	125	81	AVERAGE																																																															
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																		
Freq Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor	Factor	cm	deg																																																																		
1 5670.00	98.36	-----	-----	85.50	34.64	10.30	32.00	0.00	125	81	AVERAGE																																																															







Mode	37																																								
	Band Edge - R																																								
	U-NII-2C_5.47-5.725_802.11ax HE40_CH134_Full_5670MHz																																								
ANT	CDD 5+4																																								
Pol.	Vertical	Fundamental																																							
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5728.05</td> <td>60.54</td> <td>68.30</td> <td>-7.76</td> <td>47.46</td> <td>34.76</td> <td>10.35</td> <td>32.03</td> <td>0.00</td> <td>125</td> <td>81 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5728.05	60.54	68.30	-7.76	47.46	34.76	10.35	32.03	0.00	125	81 PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																
1 5728.05	60.54	68.30	-7.76	47.46	34.76	10.35	32.03	0.00	125	81 PEAK																															



Mode	37																																																																																
	Harmonic																																																																																
	U-NII-2C_5.47-5.725_802.11ax HE40_CH134_Full_5670MHz																																																																																
ANT	CDD 5+4																																																																																
Pol.	Horizontal	Vertical																																																																															
Peak Avg																																																																																	
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11340.00</td> <td>45.84</td> <td>74.00</td> <td>-28.16</td> <td>54.34</td> <td>38.28</td> <td>14.80</td> <td>61.58</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11340.00	45.84	74.00	-28.16	54.34	38.28	14.80	61.58	0.00	---	---	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11340.00</td> <td>45.91</td> <td>74.00</td> <td>-28.09</td> <td>54.41</td> <td>38.28</td> <td>14.80</td> <td>61.58</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11340.00	45.91	74.00	-28.09	54.41	38.28	14.80	61.58	0.00	---	---
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																								
1 11340.00	45.84	74.00	-28.16	54.34	38.28	14.80	61.58	0.00	---	---	PEAK																																																																						
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																								
1 11340.00	45.91	74.00	-28.09	54.41	38.28	14.80	61.58	0.00	---	---	PEAK																																																																						



Mode	38																																																																															
	Band Edge - L																																																																															
	U-NII-1_5.15-5.25_802.11ax HE80_CH42_Full_5210MHz																																																																															
ANT	CDD 5+4																																																																															
Pol.	Horizontal	Fundamental																																																																														
Peak	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5149.94</td> <td>60.92</td> <td>74.00</td> <td>-13.08</td> <td>48.63</td> <td>34.30</td> <td>9.79</td> <td>31.00</td> <td>0.00</td> <td>100</td> <td>68</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5149.94	60.92	74.00	-13.08	48.63	34.30	9.79	31.00	0.00	100	68	PEAK	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5210.00</td> <td>101.72</td> <td>-----</td> <td>-----</td> <td>89.30</td> <td>34.42</td> <td>9.84</td> <td>31.84</td> <td>0.00</td> <td>100</td> <td>68</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5210.00	101.72	-----	-----	89.30	34.42	9.84	31.84	0.00	100	68	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1	5149.94	60.92	74.00	-13.08	48.63	34.30	9.79	31.00	0.00	100	68	PEAK																																																																				
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1	5210.00	101.72	-----	-----	89.30	34.42	9.84	31.84	0.00	100	68	PEAK																																																																				
Avg	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5149.94</td> <td>49.36</td> <td>54.00</td> <td>-4.64</td> <td>37.07</td> <td>34.30</td> <td>9.79</td> <td>31.00</td> <td>0.00</td> <td>100</td> <td>68</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5149.94	49.36	54.00	-4.64	37.07	34.30	9.79	31.00	0.00	100	68	AVERAGE	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5210.00</td> <td>92.22</td> <td>-----</td> <td>-----</td> <td>79.76</td> <td>34.46</td> <td>9.85</td> <td>31.85</td> <td>0.00</td> <td>100</td> <td>68</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5210.00	92.22	-----	-----	79.76	34.46	9.85	31.85	0.00	100	68	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1	5149.94	49.36	54.00	-4.64	37.07	34.30	9.79	31.00	0.00	100	68	AVERAGE																																																																				
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1	5210.00	92.22	-----	-----	79.76	34.46	9.85	31.85	0.00	100	68	AVERAGE																																																																				





Mode	38																																								
	Band Edge - R																																								
	U-NII-1_5.15-5.25_802.11ax HE80_CH42_Full_5210MHz																																								
ANT	CDD 5+4																																								
Pol.	Horizontal	Fundamental																																							
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5354.50</td> <td>53.43</td> <td>74.00</td> <td>-20.57</td> <td>40.95</td> <td>34.50</td> <td>9.91</td> <td>31.93</td> <td>0.00</td> <td>100</td> <td>68 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5354.50	53.43	74.00	-20.57	40.95	34.50	9.91	31.93	0.00	100	68 PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																
1 5354.50	53.43	74.00	-20.57	40.95	34.50	9.91	31.93	0.00	100	68 PEAK																															
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5350.25</td> <td>42.88</td> <td>54.00</td> <td>-11.12</td> <td>30.39</td> <td>34.50</td> <td>9.91</td> <td>31.92</td> <td>0.00</td> <td>100</td> <td>68 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5350.25	42.88	54.00	-11.12	30.39	34.50	9.91	31.92	0.00	100	68 AVERAGE	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																
1 5350.25	42.88	54.00	-11.12	30.39	34.50	9.91	31.92	0.00	100	68 AVERAGE																															



Mode	38																																																																	
	Band Edge - L																																																																	
	U-NII-1_5.15-5.25_802.11ax HE80_CH42_Full_5210MHz																																																																	
ANT	CDD 5+4																																																																	
Pol.	Vertical	Fundamental																																																																
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq Level Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz dBuV/m dBuV/m dB</th> <th>dBuV dB/m dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5147.00 62.30 74.00 -11.70</td> <td>50.03 34.29 9.78 31.00 0.00</td> <td>100</td> <td>79</td> <td>PEAK</td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq Level Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	cm	deg	MHz dBuV/m dBuV/m dB	dBuV dB/m dB	dB	dB	dB	dB	cm	deg	1 5147.00 62.30 74.00 -11.70	50.03 34.29 9.78 31.00 0.00	100	79	PEAK				<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq Level Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz dBuV/m dBuV/m dB</th> <th>dBuV dB/m dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5210.00 99.68</td> <td>87.24 34.45 9.84 31.85 0.00</td> <td>100</td> <td>79</td> <td>PEAK</td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq Level Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	cm	deg	MHz dBuV/m dBuV/m dB	dBuV dB/m dB	dB	dB	dB	dB	cm	deg	1 5210.00 99.68	87.24 34.45 9.84 31.85 0.00	100	79	PEAK			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq Level Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	cm	deg																																																											
MHz dBuV/m dBuV/m dB	dBuV dB/m dB	dB	dB	dB	dB	cm	deg																																																											
1 5147.00 62.30 74.00 -11.70	50.03 34.29 9.78 31.00 0.00	100	79	PEAK																																																														
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																											
Freq Level Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	cm	deg																																																											
MHz dBuV/m dBuV/m dB	dBuV dB/m dB	dB	dB	dB	dB	cm	deg																																																											
1 5210.00 99.68	87.24 34.45 9.84 31.85 0.00	100	79	PEAK																																																														
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq Level Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz dBuV/m dBuV/m dB</th> <th>dBuV dB/m dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5146.37 47.37 54.00 -6.63</td> <td>35.10 34.29 9.78 31.00 0.00</td> <td>100</td> <td>79</td> <td>AVERAGE</td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq Level Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	cm	deg	MHz dBuV/m dBuV/m dB	dBuV dB/m dB	dB	dB	dB	dB	cm	deg	1 5146.37 47.37 54.00 -6.63	35.10 34.29 9.78 31.00 0.00	100	79	AVERAGE				<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq Level Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz dBuV/m dBuV/m dB</th> <th>dBuV dB/m dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5210.00 91.45</td> <td>79.01 34.45 9.84 31.85 0.00</td> <td>100</td> <td>79</td> <td>AVERAGE</td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq Level Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	cm	deg	MHz dBuV/m dBuV/m dB	dBuV dB/m dB	dB	dB	dB	dB	cm	deg	1 5210.00 91.45	79.01 34.45 9.84 31.85 0.00	100	79	AVERAGE			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq Level Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	cm	deg																																																											
MHz dBuV/m dBuV/m dB	dBuV dB/m dB	dB	dB	dB	dB	cm	deg																																																											
1 5146.37 47.37 54.00 -6.63	35.10 34.29 9.78 31.00 0.00	100	79	AVERAGE																																																														
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																											
Freq Level Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	cm	deg																																																											
MHz dBuV/m dBuV/m dB	dBuV dB/m dB	dB	dB	dB	dB	cm	deg																																																											
1 5210.00 91.45	79.01 34.45 9.84 31.85 0.00	100	79	AVERAGE																																																														



Mode	38																																												
	Band Edge - R																																												
	U-NII-1_5.15-5.25_802.11ax HE80_CH42_Full_5210MHz																																												
ANT	CDD 5+4																																												
Pol.	Vertical	Fundamental																																											
Peak	 <table border="1" data-bbox="268 1131 794 1254"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5449.25</td> <td>54.04</td> <td>74.00</td> <td>-19.96</td> <td>41.51</td> <td>34.50</td> <td>10.01</td> <td>31.98</td> <td>0.00</td> <td>100</td> <td>79 PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5449.25	54.04	74.00	-19.96	41.51	34.50	10.01	31.98	0.00	100	79 PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																					
Freq	Level	Line	Level	Factor	Loss	Factor	Factor		Remark																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																			
1	5449.25	54.04	74.00	-19.96	41.51	34.50	10.01	31.98	0.00	100	79 PEAK																																		
Avg	 <table border="1" data-bbox="268 1812 794 1935"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5350.25</td> <td>43.00</td> <td>54.00</td> <td>-11.00</td> <td>30.51</td> <td>34.50</td> <td>9.91</td> <td>31.92</td> <td>0.00</td> <td>100</td> <td>79 AVERAGE</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5350.25	43.00	54.00	-11.00	30.51	34.50	9.91	31.92	0.00	100	79 AVERAGE	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																					
Freq	Level	Line	Level	Factor	Loss	Factor	Factor		Remark																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																			
1	5350.25	43.00	54.00	-11.00	30.51	34.50	9.91	31.92	0.00	100	79 AVERAGE																																		



Mode	38																																																																																	
	Harmonic																																																																																	
	U-NII-1_5.15-5.25_802.11ax HE80_CH42_Full_5210MHz																																																																																	
ANT	CDD 5+4																																																																																	
Pol.	Horizontal	Vertical																																																																																
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 10420.00</td> <td>46.02</td> <td>68.30</td> <td>-22.28</td> <td>56.28</td> <td>37.34</td> <td>14.17</td> <td>61.77</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 10420.00	46.02	68.30	-22.28	56.28	37.34	14.17	61.77	0.00	---	---	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 10420.00</td> <td>45.50</td> <td>68.30</td> <td>-22.80</td> <td>55.76</td> <td>37.34</td> <td>14.17</td> <td>61.77</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 10420.00	45.50	68.30	-22.80	55.76	37.34	14.17	61.77	0.00	---	---	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1 10420.00	46.02	68.30	-22.28	56.28	37.34	14.17	61.77	0.00	---	---	PEAK																																																																							
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1 10420.00	45.50	68.30	-22.80	55.76	37.34	14.17	61.77	0.00	---	---	PEAK																																																																							



		39																																																																										
Mode		Band Edge - L																																																																										
		U-NII-2A_5.25-5.35_802.11ax HE80_CH58_Full_5290MHz																																																																										
ANT		CDD 5+4																																																																										
Pol.	Horizontal	Fundamental																																																																										
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5112.81</td> <td>55.71</td> <td>74.00</td> <td>-18.29</td> <td>43.51</td> <td>34.23</td> <td>9.75</td> <td>31.78</td> <td>0.00</td> <td>100</td> <td>72</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5112.81	55.71	74.00	-18.29	43.51	34.23	9.75	31.78	0.00	100	72	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5290.00</td> <td>102.32</td> <td>-----</td> <td>-----</td> <td>89.83</td> <td>34.50</td> <td>9.89</td> <td>31.90</td> <td>0.00</td> <td>100</td> <td>72</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5290.00	102.32	-----	-----	89.83	34.50	9.89	31.90	0.00	100	72	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																					
1	5112.81	55.71	74.00	-18.29	43.51	34.23	9.75	31.78	0.00	100	72	PEAK																																																																
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																					
1	5290.00	102.32	-----	-----	89.83	34.50	9.89	31.90	0.00	100	72	PEAK																																																																
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5148.77</td> <td>43.90</td> <td>54.00</td> <td>-10.10</td> <td>31.61</td> <td>34.30</td> <td>9.79</td> <td>31.80</td> <td>0.00</td> <td>100</td> <td>72</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5148.77	43.90	54.00	-10.10	31.61	34.30	9.79	31.80	0.00	100	72	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5290.00</td> <td>93.41</td> <td>-----</td> <td>-----</td> <td>80.92</td> <td>34.50</td> <td>9.87</td> <td>31.80</td> <td>0.00</td> <td>100</td> <td>72</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5290.00	93.41	-----	-----	80.92	34.50	9.87	31.80	0.00	100	72	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																					
1	5148.77	43.90	54.00	-10.10	31.61	34.30	9.79	31.80	0.00	100	72	AVERAGE																																																																
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																					
1	5290.00	93.41	-----	-----	80.92	34.50	9.87	31.80	0.00	100	72	AVERAGE																																																																



Mode	39																																													
	Band Edge - R																																													
	U-NII-2A_5.25-5.35_802.11ax HE80_CH58_Full_5290MHz																																													
ANT	CDD 5+4																																													
Pol.	Horizontal	Fundamental																																												
Peak	<table border="1" data-bbox="268 1131 778 1254"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5356.47</td> <td>60.38</td> <td>74.00</td> <td>-13.62</td> <td>47.90</td> <td>34.50</td> <td>9.91</td> <td>31.93</td> <td>0.00</td> <td>100</td> <td>72</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Level	Factor	Loss	Factor	Factor	cm	deg		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5356.47	60.38	74.00	-13.62	47.90	34.50	9.91	31.93	0.00	100	72	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																						
Freq	Level	Line	Level	Factor	Loss	Factor	Factor	cm	deg																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																				
1	5356.47	60.38	74.00	-13.62	47.90	34.50	9.91	31.93	0.00	100	72	PEAK																																		
Avg	<table border="1" data-bbox="268 1803 778 1926"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5350.01</td> <td>49.82</td> <td>54.00</td> <td>-4.18</td> <td>37.33</td> <td>34.50</td> <td>9.91</td> <td>31.92</td> <td>0.00</td> <td>100</td> <td>72</td> <td>AVERAGE</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Level	Factor	Loss	Factor	Factor	cm	deg		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5350.01	49.82	54.00	-4.18	37.33	34.50	9.91	31.92	0.00	100	72	AVERAGE	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																						
Freq	Level	Line	Level	Factor	Loss	Factor	Factor	cm	deg																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																				
1	5350.01	49.82	54.00	-4.18	37.33	34.50	9.91	31.92	0.00	100	72	AVERAGE																																		



		39																																																																										
Mode		Band Edge - L																																																																										
		U-NII-2A_5.25-5.35_802.11ax HE80_CH58_Full_5290MHz																																																																										
ANT		CDD 5+4																																																																										
Pol.	Vertical	Fundamental																																																																										
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5099.47</td> <td>54.76</td> <td>74.00</td> <td>-19.24</td> <td>42.59</td> <td>34.20</td> <td>9.74</td> <td>31.77</td> <td>0.00</td> <td>100</td> <td>77</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5099.47	54.76	74.00	-19.24	42.59	34.20	9.74	31.77	0.00	100	77	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5290.00</td> <td>101.99</td> <td>-----</td> <td>-----</td> <td>89.49</td> <td>34.50</td> <td>9.88</td> <td>31.88</td> <td>0.00</td> <td>100</td> <td>77</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5290.00	101.99	-----	-----	89.49	34.50	9.88	31.88	0.00	100	77	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																					
1	5099.47	54.76	74.00	-19.24	42.59	34.20	9.74	31.77	0.00	100	77	PEAK																																																																
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																					
1	5290.00	101.99	-----	-----	89.49	34.50	9.88	31.88	0.00	100	77	PEAK																																																																
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5145.29</td> <td>43.55</td> <td>54.00</td> <td>-10.45</td> <td>31.28</td> <td>34.29</td> <td>9.78</td> <td>31.00</td> <td>0.00</td> <td>100</td> <td>77</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5145.29	43.55	54.00	-10.45	31.28	34.29	9.78	31.00	0.00	100	77	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5290.00</td> <td>92.69</td> <td>-----</td> <td>-----</td> <td>80.20</td> <td>34.50</td> <td>9.89</td> <td>31.90</td> <td>0.00</td> <td>100</td> <td>77</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5290.00	92.69	-----	-----	80.20	34.50	9.89	31.90	0.00	100	77	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																					
1	5145.29	43.55	54.00	-10.45	31.28	34.29	9.78	31.00	0.00	100	77	AVERAGE																																																																
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																					
1	5290.00	92.69	-----	-----	80.20	34.50	9.89	31.90	0.00	100	77	AVERAGE																																																																



Mode	39																																					
	Band Edge - R																																					
	U-NII-2A_5.25-5.35_802.11ax HE80_CH58_Full_5290MHz																																					
ANT	CDD 5+4																																					
Pol.	Vertical	Fundamental																																				
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5366.33</td> <td>64.38</td> <td>74.00</td> <td>-9.62</td> <td>51.89</td> <td>34.50</td> <td>9.92</td> <td>31.93</td> <td>0.00</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 5366.33	64.38	74.00	-9.62	51.89	34.50	9.92	31.93	0.00	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																														
1 5366.33	64.38	74.00	-9.62	51.89	34.50	9.92	31.93	0.00																														
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5355.79</td> <td>49.37</td> <td>54.00</td> <td>-4.63</td> <td>36.89</td> <td>34.50</td> <td>9.91</td> <td>31.93</td> <td>0.00</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 5355.79	49.37	54.00	-4.63	36.89	34.50	9.91	31.93	0.00	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																														
1 5355.79	49.37	54.00	-4.63	36.89	34.50	9.91	31.93	0.00																														



Mode	39																																																																																	
	Harmonic																																																																																	
	U-NII-2A_5.25-5.35_802.11ax HE80_CH58_Full_5290MHz																																																																																	
ANT	CDD 5+4																																																																																	
Pol.	Horizontal	Vertical																																																																																
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 10580.00</td> <td>45.70</td> <td>68.30</td> <td>-22.60</td> <td>55.55</td> <td>37.50</td> <td>14.28</td> <td>61.63</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 10580.00	45.70	68.30	-22.60	55.55	37.50	14.28	61.63	0.00	---	---	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 10580.00</td> <td>45.60</td> <td>68.30</td> <td>-22.70</td> <td>55.45</td> <td>37.50</td> <td>14.28</td> <td>61.63</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 10580.00	45.60	68.30	-22.70	55.45	37.50	14.28	61.63	0.00	---	---	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1 10580.00	45.70	68.30	-22.60	55.55	37.50	14.28	61.63	0.00	---	---	PEAK																																																																							
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1 10580.00	45.60	68.30	-22.70	55.45	37.50	14.28	61.63	0.00	---	---	PEAK																																																																							



Mode	40																																																																																																
	Band Edge - L																																																																																																
	U-NII-2C_5.47-5.725_802.11ax HE80_CH106_Full_5530MHz																																																																																																
ANT	CDD 5+4																																																																																																
Pol.	Horizontal	Fundamental																																																																																															
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5458.54</td> <td>61.81</td> <td>74.00</td> <td>-12.19</td> <td>49.28</td> <td>34.50</td> <td>10.02</td> <td>31.99</td> <td>0.00</td> <td>100</td> <td>72</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5468.08</td> <td>64.75</td> <td>68.30</td> <td>-3.55</td> <td>52.21</td> <td>34.50</td> <td>10.04</td> <td>32.00</td> <td>0.00</td> <td>100</td> <td>72</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5458.54	61.81	74.00	-12.19	49.28	34.50	10.02	31.99	0.00	100	72	PEAK	2	5468.08	64.75	68.30	-3.55	52.21	34.50	10.04	32.00	0.00	100	72	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5530.00</td> <td>103.44</td> <td>-----</td> <td>-----</td> <td>90.81</td> <td>34.50</td> <td>10.18</td> <td>32.05</td> <td>0.00</td> <td>100</td> <td>72</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5530.00	103.44	-----	-----	90.81	34.50	10.18	32.05	0.00	100	72	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5458.54	61.81	74.00	-12.19	49.28	34.50	10.02	31.99	0.00	100	72	PEAK																																																																																					
2	5468.08	64.75	68.30	-3.55	52.21	34.50	10.04	32.00	0.00	100	72	PEAK																																																																																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5530.00	103.44	-----	-----	90.81	34.50	10.18	32.05	0.00	100	72	PEAK																																																																																					
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5459.08</td> <td>48.31</td> <td>54.00</td> <td>-5.69</td> <td>35.77</td> <td>34.50</td> <td>10.03</td> <td>31.99</td> <td>0.00</td> <td>100</td> <td>72</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.08	48.31	54.00	-5.69	35.77	34.50	10.03	31.99	0.00	100	72	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5530.00</td> <td>93.52</td> <td>-----</td> <td>-----</td> <td>80.89</td> <td>34.50</td> <td>10.18</td> <td>32.05</td> <td>0.00</td> <td>100</td> <td>72</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5530.00	93.52	-----	-----	80.89	34.50	10.18	32.05	0.00	100	72	AVERAGE													
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5459.08	48.31	54.00	-5.69	35.77	34.50	10.03	31.99	0.00	100	72	AVERAGE																																																																																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5530.00	93.52	-----	-----	80.89	34.50	10.18	32.05	0.00	100	72	AVERAGE																																																																																					



Mode	40																																																									
	Band Edge - R																																																									
	U-NII-2C_5.47-5.725_802.11ax HE80_CH106_Full_5530MHz																																																									
ANT	CDD 5+4																																																									
Pol.	Horizontal	Fundamental																																																								
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5753.96</td> <td>54.59</td> <td>68.30</td> <td>-13.71</td> <td>41.42</td> <td>34.81</td> <td>10.37</td> <td>32.01</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>0.00</td> <td>100</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>72</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 5753.96	54.59	68.30	-13.71	41.42	34.81	10.37	32.01							0.00	100								72								PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																			
1 5753.96	54.59	68.30	-13.71	41.42	34.81	10.37	32.01																																																			
						0.00	100																																																			
							72																																																			
							PEAK																																																			



Mode	40																																																																																																
	Band Edge - L																																																																																																
	U-NII-2C_5.47-5.725_802.11ax HE80_CH106_Full_5530MHz																																																																																																
ANT	CDD 5+4																																																																																																
Pol.	Vertical	Fundamental																																																																																															
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5457.64</td> <td>59.90</td> <td>74.00</td> <td>-14.10</td> <td>47.37</td> <td>34.50</td> <td>10.02</td> <td>31.99</td> <td>0.00</td> <td>111</td> <td>98</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5467.18</td> <td>61.33</td> <td>68.30</td> <td>-6.97</td> <td>48.78</td> <td>34.50</td> <td>10.04</td> <td>31.99</td> <td>0.00</td> <td>111</td> <td>98</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5457.64	59.90	74.00	-14.10	47.37	34.50	10.02	31.99	0.00	111	98	PEAK	2	5467.18	61.33	68.30	-6.97	48.78	34.50	10.04	31.99	0.00	111	98	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5530.00</td> <td>105.10</td> <td>-----</td> <td>-----</td> <td>92.50</td> <td>34.50</td> <td>10.13</td> <td>32.03</td> <td>0.00</td> <td>111</td> <td>98</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5530.00	105.10	-----	-----	92.50	34.50	10.13	32.03	0.00	111	98	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5457.64	59.90	74.00	-14.10	47.37	34.50	10.02	31.99	0.00	111	98	PEAK																																																																																					
2	5467.18	61.33	68.30	-6.97	48.78	34.50	10.04	31.99	0.00	111	98	PEAK																																																																																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5530.00	105.10	-----	-----	92.50	34.50	10.13	32.03	0.00	111	98	PEAK																																																																																					
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5458.36</td> <td>47.18</td> <td>54.00</td> <td>-6.82</td> <td>34.65</td> <td>34.50</td> <td>10.02</td> <td>31.99</td> <td>0.00</td> <td>111</td> <td>98</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5458.36	47.18	54.00	-6.82	34.65	34.50	10.02	31.99	0.00	111	98	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5530.00</td> <td>94.01</td> <td>-----</td> <td>-----</td> <td>81.41</td> <td>34.50</td> <td>10.14</td> <td>32.04</td> <td>0.00</td> <td>111</td> <td>98</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5530.00	94.01	-----	-----	81.41	34.50	10.14	32.04	0.00	111	98	AVERAGE													
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5458.36	47.18	54.00	-6.82	34.65	34.50	10.02	31.99	0.00	111	98	AVERAGE																																																																																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5530.00	94.01	-----	-----	81.41	34.50	10.14	32.04	0.00	111	98	AVERAGE																																																																																					



Mode	40																																																																	
	Band Edge - R																																																																	
	U-NII-2C_5.47-5.725_802.11ax HE80_CH106_Full_5530MHz																																																																	
ANT	CDD 5+4																																																																	
Pol.	Vertical	Fundamental																																																																
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5762.89</td> <td>55.02</td> <td>68.30</td> <td>-13.28</td> <td>41.81</td> <td>34.83</td> <td>10.38</td> <td>32.00</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>0.00</td> <td></td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>111</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>98</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 5762.89	55.02	68.30	-13.28	41.81	34.83	10.38	32.00							0.00									111								98								PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																											
1 5762.89	55.02	68.30	-13.28	41.81	34.83	10.38	32.00																																																											
						0.00																																																												
							111																																																											
							98																																																											
							PEAK																																																											



Mode	40																																																																																	
	Harmonic																																																																																	
	U-NII-2C_5.47-5.725_802.11ax HE80_CH106_Full_5530MHz																																																																																	
ANT	CDD 5+4																																																																																	
Pol.	Horizontal	Vertical																																																																																
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11060.00</td> <td>46.12</td> <td>74.00</td> <td>-27.88</td> <td>55.00</td> <td>38.20</td> <td>14.61</td> <td>61.69</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11060.00	46.12	74.00	-27.88	55.00	38.20	14.61	61.69	0.00	---	---	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11060.00</td> <td>46.25</td> <td>74.00</td> <td>-27.75</td> <td>55.13</td> <td>38.20</td> <td>14.61</td> <td>61.69</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11060.00	46.25	74.00	-27.75	55.13	38.20	14.61	61.69	0.00	---	---	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1 11060.00	46.12	74.00	-27.88	55.00	38.20	14.61	61.69	0.00	---	---	PEAK																																																																							
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1 11060.00	46.25	74.00	-27.75	55.13	38.20	14.61	61.69	0.00	---	---	PEAK																																																																							



Mode	41																																																																																																
	Band Edge - L																																																																																																
	U-NII-2C_5.47-5.725_802.11ax HE80_CH122_Full_5610MHz																																																																																																
ANT	CDD 5+4																																																																																																
Pol.	Horizontal	Fundamental																																																																																															
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5457.64</td> <td>54.83</td> <td>74.00</td> <td>-19.17</td> <td>42.30</td> <td>34.50</td> <td>10.02</td> <td>31.99</td> <td>0.00</td> <td>100</td> <td>71</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5469.16</td> <td>55.91</td> <td>68.30</td> <td>-12.39</td> <td>43.37</td> <td>34.50</td> <td>10.04</td> <td>32.00</td> <td>0.00</td> <td>100</td> <td>71</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5457.64	54.83	74.00	-19.17	42.30	34.50	10.02	31.99	0.00	100	71	PEAK	2	5469.16	55.91	68.30	-12.39	43.37	34.50	10.04	32.00	0.00	100	71	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5610.00</td> <td>106.49</td> <td>-----</td> <td>-----</td> <td>93.78</td> <td>34.54</td> <td>10.26</td> <td>32.09</td> <td>0.00</td> <td>100</td> <td>71</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5610.00	106.49	-----	-----	93.78	34.54	10.26	32.09	0.00	100	71	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5457.64	54.83	74.00	-19.17	42.30	34.50	10.02	31.99	0.00	100	71	PEAK																																																																																					
2	5469.16	55.91	68.30	-12.39	43.37	34.50	10.04	32.00	0.00	100	71	PEAK																																																																																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5610.00	106.49	-----	-----	93.78	34.54	10.26	32.09	0.00	100	71	PEAK																																																																																					
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5459.26</td> <td>44.95</td> <td>54.00</td> <td>-9.05</td> <td>32.41</td> <td>34.50</td> <td>10.03</td> <td>31.99</td> <td>0.00</td> <td>100</td> <td>71</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.26	44.95	54.00	-9.05	32.41	34.50	10.03	31.99	0.00	100	71	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5610.00</td> <td>96.73</td> <td>-----</td> <td>-----</td> <td>84.04</td> <td>34.52</td> <td>10.25</td> <td>32.00</td> <td>0.00</td> <td>100</td> <td>71</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5610.00	96.73	-----	-----	84.04	34.52	10.25	32.00	0.00	100	71	AVERAGE													
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5459.26	44.95	54.00	-9.05	32.41	34.50	10.03	31.99	0.00	100	71	AVERAGE																																																																																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5610.00	96.73	-----	-----	84.04	34.52	10.25	32.00	0.00	100	71	AVERAGE																																																																																					



Mode	41																																								
	Band Edge - R																																								
	U-NII-2C_5.47-5.725_802.11ax HE80_CH122_Full_5610MHz																																								
ANT	CDD 5+4																																								
Pol.	Horizontal	Fundamental																																							
Peak	<p>Level (dBuV/m)</p> <p>Frequency (MHz)</p> <p>5G BAND 1---3</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5737.98</td> <td>61.61</td> <td>68.30</td> <td>-6.69</td> <td>48.49</td> <td>34.78</td> <td>10.36</td> <td>32.02</td> <td>0.00</td> <td>100</td> <td>71 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5737.98	61.61	68.30	-6.69	48.49	34.78	10.36	32.02	0.00	100	71 PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																
1 5737.98	61.61	68.30	-6.69	48.49	34.78	10.36	32.02	0.00	100	71 PEAK																															



Mode	41																																																																									
	Band Edge - L																																																																									
	U-NII-2C_5.47-5.725_802.11ax HE80_CH122_Full_5610MHz																																																																									
ANT	CDD 5+4																																																																									
Pol.	Vertical	Fundamental																																																																								
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq Level Line Margin Level Factor Loss Factor Factor</th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg</th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5458.36 55.38 74.00 -18.62 42.85 34.50 10.02 31.99 0.00 100 79 PEAK</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>2 5467.00 56.60 68.30 -11.70 44.05 34.50 10.04 31.99 0.00 100 79 PEAK</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq Level Line Margin Level Factor Loss Factor Factor							Remark	MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg								1 5458.36 55.38 74.00 -18.62 42.85 34.50 10.02 31.99 0.00 100 79 PEAK								2 5467.00 56.60 68.30 -11.70 44.05 34.50 10.04 31.99 0.00 100 79 PEAK								<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq Level Line Margin Level Factor Loss Factor Factor</th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg</th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5610.00 104.80 ----- 92.14 34.50 10.24 32.08 0.00 100 79 PEAK</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq Level Line Margin Level Factor Loss Factor Factor							Remark	MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg								1 5610.00 104.80 ----- 92.14 34.50 10.24 32.08 0.00 100 79 PEAK							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																		
Freq Level Line Margin Level Factor Loss Factor Factor							Remark																																																																			
MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg																																																																										
1 5458.36 55.38 74.00 -18.62 42.85 34.50 10.02 31.99 0.00 100 79 PEAK																																																																										
2 5467.00 56.60 68.30 -11.70 44.05 34.50 10.04 31.99 0.00 100 79 PEAK																																																																										
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																			
Freq Level Line Margin Level Factor Loss Factor Factor							Remark																																																																			
MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg																																																																										
1 5610.00 104.80 ----- 92.14 34.50 10.24 32.08 0.00 100 79 PEAK																																																																										
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq Level Line Margin Level Factor Loss Factor Factor</th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg</th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5456.38 44.02 54.00 -9.98 31.49 34.50 10.02 31.99 0.00 100 79 AVERAGE</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq Level Line Margin Level Factor Loss Factor Factor							Remark	MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg								1 5456.38 44.02 54.00 -9.98 31.49 34.50 10.02 31.99 0.00 100 79 AVERAGE								<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq Level Line Margin Level Factor Loss Factor Factor</th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg</th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5610.00 95.27 ----- 82.58 34.52 10.25 32.08 0.00 100 79 AVERAGE</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq Level Line Margin Level Factor Loss Factor Factor							Remark	MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg								1 5610.00 95.27 ----- 82.58 34.52 10.25 32.08 0.00 100 79 AVERAGE															
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																			
Freq Level Line Margin Level Factor Loss Factor Factor							Remark																																																																			
MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg																																																																										
1 5456.38 44.02 54.00 -9.98 31.49 34.50 10.02 31.99 0.00 100 79 AVERAGE																																																																										
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																			
Freq Level Line Margin Level Factor Loss Factor Factor							Remark																																																																			
MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg																																																																										
1 5610.00 95.27 ----- 82.58 34.52 10.25 32.08 0.00 100 79 AVERAGE																																																																										







Mode	41																																								
	Band Edge - R																																								
	U-NII-2C_5.47-5.725_802.11ax HE80_CH122_Full_5610MHz																																								
ANT	CDD 5+4																																								
Pol.	Vertical	Fundamental																																							
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5725.76</td> <td>57.62</td> <td>68.30</td> <td>-10.68</td> <td>44.55</td> <td>34.75</td> <td>10.35</td> <td>32.03</td> <td>0.00</td> <td>100</td> <td>79 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5725.76	57.62	68.30	-10.68	44.55	34.75	10.35	32.03	0.00	100	79 PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																	
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																
1 5725.76	57.62	68.30	-10.68	44.55	34.75	10.35	32.03	0.00	100	79 PEAK																															



Mode	41																																																																																											
	Harmonic																																																																																											
	U-NII-2C_5.47-5.725_802.11ax HE80_CH122_Full_5610MHz																																																																																											
ANT	CDD 5+4																																																																																											
Pol.	Horizontal	Vertical																																																																																										
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 11228.00</td> <td>46.24</td> <td>74.00</td> <td>-27.76</td> <td>55.83</td> <td>38.12</td> <td>14.72</td> <td>61.63</td> <td>0.00</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>--- --- PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 11228.00	46.24	74.00	-27.76	55.83	38.12	14.72	61.63	0.00									--- --- PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 11228.00</td> <td>46.49</td> <td>74.00</td> <td>-27.51</td> <td>55.28</td> <td>38.12</td> <td>14.72</td> <td>61.63</td> <td>0.00</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>--- --- PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 11228.00	46.49	74.00	-27.51	55.28	38.12	14.72	61.63	0.00									--- --- PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																				
1 11228.00	46.24	74.00	-27.76	55.83	38.12	14.72	61.63	0.00																																																																																				
								--- --- PEAK																																																																																				
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																				
1 11228.00	46.49	74.00	-27.51	55.28	38.12	14.72	61.63	0.00																																																																																				
								--- --- PEAK																																																																																				



Mode	42																																																																											
	Band Edge - L																																																																											
	U-NII-2A_5.15-5.35_802.11ax HE160_CH50_Full_5250MHz																																																																											
ANT	CDD 5+4																																																																											
Pol.	Horizontal	Fundamental																																																																										
Peak	 <p>Level (dBuV/m)</p> <p>Frequency (MHz)</p> <p>5G BAND 1-3</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5131.50</td> <td>60.06</td> <td>74.00</td> <td>-13.94</td> <td>47.82</td> <td>34.26</td> <td>9.77</td> <td>31.79</td> <td>0.00</td> <td>100</td> <td>71</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5131.50	60.06	74.00	-13.94	47.82	34.26	9.77	31.79	0.00	100	71	PEAK	 <p>Level (dBuV/m)</p> <p>Frequency (MHz)</p> <p>5G BAND 1-3</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5250.00</td> <td>99.78</td> <td>-----</td> <td>-----</td> <td>87.31</td> <td>34.48</td> <td>9.85</td> <td>31.86</td> <td>0.00</td> <td>100</td> <td>71</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5250.00	99.78	-----	-----	87.31	34.48	9.85	31.86	0.00	100	71	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																					
1	5131.50	60.06	74.00	-13.94	47.82	34.26	9.77	31.79	0.00	100	71	PEAK																																																																
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																					
1	5250.00	99.78	-----	-----	87.31	34.48	9.85	31.86	0.00	100	71	PEAK																																																																
Avg	 <p>Level (dBuV/m)</p> <p>Frequency (MHz)</p> <p>5G BAND 1-3 (AVG)</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5129.75</td> <td>48.57</td> <td>54.00</td> <td>-5.43</td> <td>36.33</td> <td>34.26</td> <td>9.77</td> <td>31.79</td> <td>0.00</td> <td>100</td> <td>71</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5129.75	48.57	54.00	-5.43	36.33	34.26	9.77	31.79	0.00	100	71	AVERAGE	 <p>Level (dBuV/m)</p> <p>Frequency (MHz)</p> <p>5G BAND 1-3 (AVG)</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5250.00</td> <td>90.00</td> <td>-----</td> <td>-----</td> <td>77.61</td> <td>34.48</td> <td>9.85</td> <td>31.86</td> <td>0.00</td> <td>100</td> <td>71</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5250.00	90.00	-----	-----	77.61	34.48	9.85	31.86	0.00	100	71	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																					
1	5129.75	48.57	54.00	-5.43	36.33	34.26	9.77	31.79	0.00	100	71	AVERAGE																																																																
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																					
1	5250.00	90.00	-----	-----	77.61	34.48	9.85	31.86	0.00	100	71	AVERAGE																																																																



Mode	42																																					
	Band Edge - R																																					
	U-NII-2A_5.15-5.35_802.11ax HE160_CH50_Full_5250MHz																																					
ANT	CDD 5+4																																					
Pol.	Horizontal	Fundamental																																				
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5351.01</td> <td>60.80</td> <td>74.00</td> <td>-13.20</td> <td>48.31</td> <td>34.50</td> <td>9.91</td> <td>31.92</td> <td>0.00</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 5351.01	60.80	74.00	-13.20	48.31	34.50	9.91	31.92	0.00	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																														
1 5351.01	60.80	74.00	-13.20	48.31	34.50	9.91	31.92	0.00																														
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5350.17</td> <td>50.52</td> <td>54.00</td> <td>-3.48</td> <td>38.03</td> <td>34.50</td> <td>9.91</td> <td>31.92</td> <td>0.00</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 5350.17	50.52	54.00	-3.48	38.03	34.50	9.91	31.92	0.00	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																														
1 5350.17	50.52	54.00	-3.48	38.03	34.50	9.91	31.92	0.00																														



Mode	42																																																																											
	Band Edge - L																																																																											
	U-NII-2A_5.15-5.35_802.11ax HE160_CH50_Full_5250MHz																																																																											
ANT	CDD 5+4																																																																											
Pol.	Vertical	Fundamental																																																																										
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5114.50</td> <td>57.46</td> <td>74.00</td> <td>-16.54</td> <td>45.25</td> <td>34.23</td> <td>9.76</td> <td>31.78</td> <td>0.00</td> <td>100</td> <td>68</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5114.50	57.46	74.00	-16.54	45.25	34.23	9.76	31.78	0.00	100	68	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5250.00</td> <td>99.55</td> <td>-----</td> <td>-----</td> <td>87.05</td> <td>34.50</td> <td>9.87</td> <td>31.87</td> <td>0.00</td> <td>100</td> <td>68</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5250.00	99.55	-----	-----	87.05	34.50	9.87	31.87	0.00	100	68	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																					
1	5114.50	57.46	74.00	-16.54	45.25	34.23	9.76	31.78	0.00	100	68	PEAK																																																																
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																					
1	5250.00	99.55	-----	-----	87.05	34.50	9.87	31.87	0.00	100	68	PEAK																																																																
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5136.00</td> <td>47.00</td> <td>54.00</td> <td>-7.00</td> <td>34.75</td> <td>34.27</td> <td>9.77</td> <td>31.79</td> <td>0.00</td> <td>100</td> <td>68</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5136.00	47.00	54.00	-7.00	34.75	34.27	9.77	31.79	0.00	100	68	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5250.00</td> <td>89.25</td> <td>-----</td> <td>-----</td> <td>76.75</td> <td>34.50</td> <td>9.87</td> <td>31.87</td> <td>0.00</td> <td>100</td> <td>68</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5250.00	89.25	-----	-----	76.75	34.50	9.87	31.87	0.00	100	68	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																					
1	5136.00	47.00	54.00	-7.00	34.75	34.27	9.77	31.79	0.00	100	68	AVERAGE																																																																
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																					
1	5250.00	89.25	-----	-----	76.75	34.50	9.87	31.87	0.00	100	68	AVERAGE																																																																



Mode	42																																					
	Band Edge - R																																					
	U-NII-2A_5.15-5.35_802.11ax HE160_CH50_Full_5250MHz																																					
ANT	CDD 5+4																																					
Pol.	Vertical	Fundamental																																				
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5402.67</td> <td>60.96</td> <td>74.00</td> <td>-13.04</td> <td>48.48</td> <td>34.50</td> <td>9.94</td> <td>31.96</td> <td>0.00</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 5402.67	60.96	74.00	-13.04	48.48	34.50	9.94	31.96	0.00	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																														
1 5402.67	60.96	74.00	-13.04	48.48	34.50	9.94	31.96	0.00																														
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5376.00</td> <td>49.53</td> <td>54.00</td> <td>-4.47</td> <td>37.04</td> <td>34.50</td> <td>9.93</td> <td>31.94</td> <td>0.00</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 5376.00	49.53	54.00	-4.47	37.04	34.50	9.93	31.94	0.00	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																														
1 5376.00	49.53	54.00	-4.47	37.04	34.50	9.93	31.94	0.00																														



Mode	42																																																																									
	Harmonic																																																																									
	U-NII-2A_5.15-5.35_802.11ax HE160_CH50_Full_5250MHz																																																																									
ANT	CDD 5+4																																																																									
Pol.	Horizontal	Vertical																																																																								
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 10500.00</td> <td>45.70</td> <td>68.30</td> <td>-22.60</td> <td>55.60</td> <td>37.50</td> <td>14.22</td> <td>61.62</td> <td>0.00</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 10500.00	45.70	68.30	-22.60	55.60	37.50	14.22	61.62	0.00	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 10500.00</td> <td>46.01</td> <td>68.30</td> <td>-22.29</td> <td>55.91</td> <td>37.50</td> <td>14.22</td> <td>61.62</td> <td>0.00</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 10500.00	46.01	68.30	-22.29	55.91	37.50	14.22	61.62	0.00
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																		
1 10500.00	45.70	68.30	-22.60	55.60	37.50	14.22	61.62	0.00																																																																		
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																		
1 10500.00	46.01	68.30	-22.29	55.91	37.50	14.22	61.62	0.00																																																																		



Mode	43																																																																																								
	Band Edge - L																																																																																								
	U-NII-2C_5.47-5.725_802.11ax HE160_CH114_Full_5570MHz																																																																																								
ANT	CDD 5+4																																																																																								
Pol.	Horizontal	Fundamental																																																																																							
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5458.46</td> <td>62.11</td> <td>74.00</td> <td>-11.89</td> <td>49.58</td> <td>34.50</td> <td>10.02</td> <td>31.99</td> <td>0.00</td> <td>100</td> <td>72 PEAK</td> </tr> <tr> <td>2</td> <td>5467.92</td> <td>60.15</td> <td>68.30</td> <td>-8.15</td> <td>47.61</td> <td>34.50</td> <td>10.04</td> <td>32.00</td> <td>0.00</td> <td>100</td> <td>72 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5458.46	62.11	74.00	-11.89	49.58	34.50	10.02	31.99	0.00	100	72 PEAK	2	5467.92	60.15	68.30	-8.15	47.61	34.50	10.04	32.00	0.00	100	72 PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5570.00</td> <td>102.47</td> <td>-----</td> <td>89.78</td> <td>34.52</td> <td>10.25</td> <td>32.08</td> <td>0.00</td> <td>100</td> <td>72 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5570.00	102.47	-----	89.78	34.52	10.25	32.08	0.00	100	72 PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Remark																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	5458.46	62.11	74.00	-11.89	49.58	34.50	10.02	31.99	0.00	100	72 PEAK																																																																														
2	5467.92	60.15	68.30	-8.15	47.61	34.50	10.04	32.00	0.00	100	72 PEAK																																																																														
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																		
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Remark																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	5570.00	102.47	-----	89.78	34.52	10.25	32.08	0.00	100	72 PEAK																																																																															
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5458.90</td> <td>50.40</td> <td>54.00</td> <td>-3.60</td> <td>37.87</td> <td>34.50</td> <td>10.02</td> <td>31.99</td> <td>0.00</td> <td>100</td> <td>72 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5458.90	50.40	54.00	-3.60	37.87	34.50	10.02	31.99	0.00	100	72 AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5570.00</td> <td>91.27</td> <td>-----</td> <td>78.61</td> <td>34.50</td> <td>10.23</td> <td>32.07</td> <td>0.00</td> <td>100</td> <td>72 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5570.00	91.27	-----	78.61	34.50	10.23	32.07	0.00	100	72 AVERAGE												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Remark																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	5458.90	50.40	54.00	-3.60	37.87	34.50	10.02	31.99	0.00	100	72 AVERAGE																																																																														
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																		
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Remark																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	5570.00	91.27	-----	78.61	34.50	10.23	32.07	0.00	100	72 AVERAGE																																																																															



Mode	43																																						
	Band Edge - R																																						
	U-NII-2C_5.47-5.725_802.11ax HE160_CH114_Full_5570MHz																																						
ANT	CDD 5+4																																						
Pol.	Horizontal	Fundamental																																					
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5726.59</td> <td>62.87</td> <td>68.30</td> <td>-5.43</td> <td>49.80</td> <td>34.75</td> <td>10.35</td> <td>32.03</td> <td>0.00</td> <td>100</td> <td>72 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5726.59	62.87	68.30	-5.43	49.80	34.75	10.35	32.03	0.00	100	72 PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Remark																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																														
1 5726.59	62.87	68.30	-5.43	49.80	34.75	10.35	32.03	0.00	100	72 PEAK																													



Mode	43																																																																																																
	Band Edge - L																																																																																																
	U-NII-2C_5.47-5.725_802.11ax HE160_CH114_Full_5570MHz																																																																																																
ANT	CDD 5+4																																																																																																
Pol.	Vertical	Fundamental																																																																																															
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5426.12</td> <td>60.76</td> <td>74.00</td> <td>-13.24</td> <td>48.25</td> <td>34.50</td> <td>9.98</td> <td>31.97</td> <td>0.00</td> <td>100</td> <td>92</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5467.26</td> <td>59.01</td> <td>68.30</td> <td>-9.29</td> <td>46.46</td> <td>34.50</td> <td>10.04</td> <td>31.99</td> <td>0.00</td> <td>100</td> <td>92</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5426.12	60.76	74.00	-13.24	48.25	34.50	9.98	31.97	0.00	100	92	PEAK	2	5467.26	59.01	68.30	-9.29	46.46	34.50	10.04	31.99	0.00	100	92	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5570.00</td> <td>99.90</td> <td>-----</td> <td>-----</td> <td>87.25</td> <td>34.50</td> <td>10.21</td> <td>32.06</td> <td>0.00</td> <td>100</td> <td>92</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5570.00	99.90	-----	-----	87.25	34.50	10.21	32.06	0.00	100	92	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5426.12	60.76	74.00	-13.24	48.25	34.50	9.98	31.97	0.00	100	92	PEAK																																																																																					
2	5467.26	59.01	68.30	-9.29	46.46	34.50	10.04	31.99	0.00	100	92	PEAK																																																																																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5570.00	99.90	-----	-----	87.25	34.50	10.21	32.06	0.00	100	92	PEAK																																																																																					
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5456.48</td> <td>48.72</td> <td>54.00</td> <td>-5.28</td> <td>36.19</td> <td>34.50</td> <td>10.02</td> <td>31.99</td> <td>0.00</td> <td>100</td> <td>92</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5456.48	48.72	54.00	-5.28	36.19	34.50	10.02	31.99	0.00	100	92	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5570.00</td> <td>90.04</td> <td>-----</td> <td>-----</td> <td>77.39</td> <td>34.50</td> <td>10.21</td> <td>32.06</td> <td>0.00</td> <td>100</td> <td>92</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5570.00	90.04	-----	-----	77.39	34.50	10.21	32.06	0.00	100	92	AVERAGE													
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5456.48	48.72	54.00	-5.28	36.19	34.50	10.02	31.99	0.00	100	92	AVERAGE																																																																																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5570.00	90.04	-----	-----	77.39	34.50	10.21	32.06	0.00	100	92	AVERAGE																																																																																					



Mode	43																																						
	Band Edge - R																																						
	U-NII-2C_5.47-5.725_802.11ax HE160_CH114_Full_5570MHz																																						
ANT	CDD 5+4																																						
Pol.	Vertical	Fundamental																																					
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5725.42</td> <td>59.07</td> <td>68.30</td> <td>-9.23</td> <td>46.01</td> <td>34.75</td> <td>10.34</td> <td>32.03</td> <td>0.00</td> <td>100</td> <td>92</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5725.42	59.07	68.30	-9.23	46.01	34.75	10.34	32.03	0.00	100	92	PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																
1	5725.42	59.07	68.30	-9.23	46.01	34.75	10.34	32.03	0.00	100	92	PEAK																											



Mode	43																																																																																	
	Harmonic																																																																																	
	U-NII-2C_5.47-5.725_802.11ax HE160_CH114_Full_5570MHz																																																																																	
ANT	CDD 5+4																																																																																	
Pol.	Horizontal	Vertical																																																																																
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11140.00</td> <td>47.30</td> <td>74.00</td> <td>-26.70</td> <td>56.14</td> <td>38.16</td> <td>14.66</td> <td>61.66</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11140.00	47.30	74.00	-26.70	56.14	38.16	14.66	61.66	0.00	---	---	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11140.00</td> <td>46.37</td> <td>74.00</td> <td>-27.63</td> <td>55.21</td> <td>38.16</td> <td>14.66</td> <td>61.66</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11140.00	46.37	74.00	-27.63	55.21	38.16	14.66	61.66	0.00	---	---	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1 11140.00	47.30	74.00	-26.70	56.14	38.16	14.66	61.66	0.00	---	---	PEAK																																																																							
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1 11140.00	46.37	74.00	-27.63	55.21	38.16	14.66	61.66	0.00	---	---	PEAK																																																																							



Mode	59																																																																																	
	Harmonic																																																																																	
	U-NII-2C_5.47-5.85_802.11a_CH144_Full_5720MHz																																																																																	
ANT	CDD 5+4																																																																																	
Pol.	Horizontal	Vertical																																																																																
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11440.00</td> <td>47.48</td> <td>74.00</td> <td>-26.52</td> <td>55.63</td> <td>38.52</td> <td>14.87</td> <td>61.54</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11440.00	47.48	74.00	-26.52	55.63	38.52	14.87	61.54	0.00	---	---	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11440.00</td> <td>47.24</td> <td>74.00</td> <td>-26.76</td> <td>55.39</td> <td>38.52</td> <td>14.87</td> <td>61.54</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11440.00	47.24	74.00	-26.76	55.39	38.52	14.87	61.54	0.00	---	---	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1 11440.00	47.48	74.00	-26.52	55.63	38.52	14.87	61.54	0.00	---	---	PEAK																																																																							
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1 11440.00	47.24	74.00	-26.76	55.39	38.52	14.87	61.54	0.00	---	---	PEAK																																																																							



Mode	60																																																																																	
	Harmonic																																																																																	
	U-NII-2C_5.47-5.85_802.11ax HE20_CH144_Full_5720MHz																																																																																	
ANT	CDD 5+4																																																																																	
Pol.	Horizontal	Vertical																																																																																
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11440.00</td> <td>46.63</td> <td>74.00</td> <td>-27.37</td> <td>54.78</td> <td>38.52</td> <td>14.87</td> <td>61.54</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11440.00	46.63	74.00	-27.37	54.78	38.52	14.87	61.54	0.00	---	---	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11440.00</td> <td>47.14</td> <td>74.00</td> <td>-26.86</td> <td>55.29</td> <td>38.52</td> <td>14.87</td> <td>61.54</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11440.00	47.14	74.00	-26.86	55.29	38.52	14.87	61.54	0.00	---	---	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1 11440.00	46.63	74.00	-27.37	54.78	38.52	14.87	61.54	0.00	---	---	PEAK																																																																							
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1 11440.00	47.14	74.00	-26.86	55.29	38.52	14.87	61.54	0.00	---	---	PEAK																																																																							



Mode	61																																																																																	
	Harmonic																																																																																	
	U-NII-2C_5.47-5.85_802.11ax HE40_CH142_Full_5710MHz																																																																																	
ANT	CDD 5+4																																																																																	
Pol.	Horizontal	Vertical																																																																																
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11420.00</td> <td>46.92</td> <td>74.00</td> <td>-27.08</td> <td>55.14</td> <td>38.46</td> <td>14.86</td> <td>61.54</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11420.00	46.92	74.00	-27.08	55.14	38.46	14.86	61.54	0.00	---	---	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11420.00</td> <td>46.05</td> <td>74.00</td> <td>-27.95</td> <td>54.27</td> <td>38.46</td> <td>14.86</td> <td>61.54</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11420.00	46.05	74.00	-27.95	54.27	38.46	14.86	61.54	0.00	---	---	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1 11420.00	46.92	74.00	-27.08	55.14	38.46	14.86	61.54	0.00	---	---	PEAK																																																																							
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1 11420.00	46.05	74.00	-27.95	54.27	38.46	14.86	61.54	0.00	---	---	PEAK																																																																							






Mode	62																																																																																									
	Harmonic																																																																																									
	U-NII-2C_5.47-5.85_802.11ax HE80_CH138_Full_5690MHz																																																																																									
ANT	CDD 5+4																																																																																									
Pol.	Horizontal	Vertical																																																																																								
Peak Avg	<table border="1"> <thead> <tr> <th colspan="2">Limit</th> <th colspan="2">Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 11380.00</td> <td>46.66</td> <td>74.00</td> <td>-27.34</td> <td>55.03</td> <td>38.36</td> <td>14.83</td> <td>61.56</td> <td>0.00</td> <td>---</td> <td>--- PEAK</td> </tr> </tbody> </table>	Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Factor	cm	deg		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1 11380.00	46.66	74.00	-27.34	55.03	38.36	14.83	61.56	0.00	---	--- PEAK	<table border="1"> <thead> <tr> <th colspan="2">Limit</th> <th colspan="2">Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 11380.00</td> <td>46.88</td> <td>74.00</td> <td>-27.12</td> <td>55.25</td> <td>38.36</td> <td>14.83</td> <td>61.56</td> <td>0.00</td> <td>---</td> <td>--- PEAK</td> </tr> </tbody> </table>	Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Factor	cm	deg		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1 11380.00	46.88	74.00	-27.12	55.25	38.36	14.83	61.56	0.00	---	--- PEAK
Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Factor	cm	deg																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1 11380.00	46.66	74.00	-27.34	55.03	38.36	14.83	61.56	0.00	---	--- PEAK																																																																																
Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Factor	cm	deg																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1 11380.00	46.88	74.00	-27.12	55.25	38.36	14.83	61.56	0.00	---	--- PEAK																																																																																



Mode	63																																																																																																																																																											
	LF																																																																																																																																																											
	U-NII-2C_5.47-5.725_802.11ax HE40_CH102_Full_5510MHz																																																																																																																																																											
ANT	CDD 5+4																																																																																																																																																											
Pol.	Horizontal	Vertical																																																																																																																																																										
Peak Avg	<table border="1"> <thead> <tr> <th>Peak</th> <th>Freq (MHz)</th> <th>Level (dBuV/m)</th> <th>Over Limit (dB)</th> <th>Limit (dBuV/m)</th> <th>ReadAntenna (dBuV)</th> <th>Cable Loss (dB/m)</th> <th>Preamp Loss (dB)</th> <th>A/Pos (cm)</th> <th>T/Pos (deg)</th> <th>Remark</th> </tr> </thead> <tbody> <tr><td>1</td><td>114.39</td><td>23.51</td><td>-19.99</td><td>43.50</td><td>36.98</td><td>17.27</td><td>1.43</td><td>32.17</td><td>---</td><td>Peak</td></tr> <tr><td>2</td><td>223.03</td><td>25.85</td><td>-20.15</td><td>46.00</td><td>40.37</td><td>15.63</td><td>2.02</td><td>32.17</td><td>---</td><td>Peak</td></tr> <tr><td>3</td><td>346.22</td><td>20.00</td><td>-26.00</td><td>46.00</td><td>29.32</td><td>20.38</td><td>2.51</td><td>32.21</td><td>---</td><td>Peak</td></tr> <tr><td>4</td><td>601.33</td><td>24.97</td><td>-21.03</td><td>46.00</td><td>28.23</td><td>25.81</td><td>3.31</td><td>32.38</td><td>---</td><td>Peak</td></tr> <tr><td>5</td><td>780.78</td><td>28.46</td><td>-17.54</td><td>46.00</td><td>28.59</td><td>28.20</td><td>3.78</td><td>32.11</td><td>---</td><td>Peak</td></tr> <tr><td>6</td><td>827.34</td><td>30.11</td><td>-15.89</td><td>46.00</td><td>29.35</td><td>28.80</td><td>3.88</td><td>31.92</td><td>---</td><td>Peak</td></tr> </tbody> </table>	Peak	Freq (MHz)	Level (dBuV/m)	Over Limit (dB)	Limit (dBuV/m)	ReadAntenna (dBuV)	Cable Loss (dB/m)	Preamp Loss (dB)	A/Pos (cm)	T/Pos (deg)	Remark	1	114.39	23.51	-19.99	43.50	36.98	17.27	1.43	32.17	---	Peak	2	223.03	25.85	-20.15	46.00	40.37	15.63	2.02	32.17	---	Peak	3	346.22	20.00	-26.00	46.00	29.32	20.38	2.51	32.21	---	Peak	4	601.33	24.97	-21.03	46.00	28.23	25.81	3.31	32.38	---	Peak	5	780.78	28.46	-17.54	46.00	28.59	28.20	3.78	32.11	---	Peak	6	827.34	30.11	-15.89	46.00	29.35	28.80	3.88	31.92	---	Peak	<table border="1"> <thead> <tr> <th>Peak</th> <th>Freq (MHz)</th> <th>Level (dBuV/m)</th> <th>Over Limit (dB)</th> <th>Limit (dBuV/m)</th> <th>ReadAntenna (dBuV)</th> <th>Cable Loss (dB/m)</th> <th>Preamp Loss (dB)</th> <th>A/Pos (cm)</th> <th>T/Pos (deg)</th> <th>Remark</th> </tr> </thead> <tbody> <tr><td>1</td><td>53.28</td><td>29.37</td><td>-10.63</td><td>40.00</td><td>47.48</td><td>13.65</td><td>0.76</td><td>32.52</td><td>---</td><td>Peak</td></tr> <tr><td>2</td><td>222.06</td><td>23.11</td><td>-22.89</td><td>46.00</td><td>37.75</td><td>15.52</td><td>2.01</td><td>32.17</td><td>---</td><td>Peak</td></tr> <tr><td>3</td><td>324.88</td><td>20.16</td><td>-25.84</td><td>46.00</td><td>30.18</td><td>19.74</td><td>2.43</td><td>32.19</td><td>---</td><td>Peak</td></tr> <tr><td>4</td><td>482.02</td><td>23.11</td><td>-22.89</td><td>46.00</td><td>29.13</td><td>23.67</td><td>2.96</td><td>32.65</td><td>---</td><td>Peak</td></tr> <tr><td>5</td><td>711.91</td><td>27.47</td><td>-18.53</td><td>46.00</td><td>29.05</td><td>27.05</td><td>3.61</td><td>32.24</td><td>---</td><td>Peak</td></tr> <tr><td>6</td><td>862.26</td><td>30.68</td><td>-15.32</td><td>46.00</td><td>29.19</td><td>29.25</td><td>3.96</td><td>31.72</td><td>---</td><td>Peak</td></tr> </tbody> </table>	Peak	Freq (MHz)	Level (dBuV/m)	Over Limit (dB)	Limit (dBuV/m)	ReadAntenna (dBuV)	Cable Loss (dB/m)	Preamp Loss (dB)	A/Pos (cm)	T/Pos (deg)	Remark	1	53.28	29.37	-10.63	40.00	47.48	13.65	0.76	32.52	---	Peak	2	222.06	23.11	-22.89	46.00	37.75	15.52	2.01	32.17	---	Peak	3	324.88	20.16	-25.84	46.00	30.18	19.74	2.43	32.19	---	Peak	4	482.02	23.11	-22.89	46.00	29.13	23.67	2.96	32.65	---	Peak	5	711.91	27.47	-18.53	46.00	29.05	27.05	3.61	32.24	---	Peak	6	862.26	30.68	-15.32	46.00	29.19	29.25	3.96	31.72	---	Peak
	Peak	Freq (MHz)	Level (dBuV/m)	Over Limit (dB)	Limit (dBuV/m)	ReadAntenna (dBuV)	Cable Loss (dB/m)	Preamp Loss (dB)	A/Pos (cm)	T/Pos (deg)	Remark																																																																																																																																																	
1	114.39	23.51	-19.99	43.50	36.98	17.27	1.43	32.17	---	Peak																																																																																																																																																		
2	223.03	25.85	-20.15	46.00	40.37	15.63	2.02	32.17	---	Peak																																																																																																																																																		
3	346.22	20.00	-26.00	46.00	29.32	20.38	2.51	32.21	---	Peak																																																																																																																																																		
4	601.33	24.97	-21.03	46.00	28.23	25.81	3.31	32.38	---	Peak																																																																																																																																																		
5	780.78	28.46	-17.54	46.00	28.59	28.20	3.78	32.11	---	Peak																																																																																																																																																		
6	827.34	30.11	-15.89	46.00	29.35	28.80	3.88	31.92	---	Peak																																																																																																																																																		
Peak	Freq (MHz)	Level (dBuV/m)	Over Limit (dB)	Limit (dBuV/m)	ReadAntenna (dBuV)	Cable Loss (dB/m)	Preamp Loss (dB)	A/Pos (cm)	T/Pos (deg)	Remark																																																																																																																																																		
1	53.28	29.37	-10.63	40.00	47.48	13.65	0.76	32.52	---	Peak																																																																																																																																																		
2	222.06	23.11	-22.89	46.00	37.75	15.52	2.01	32.17	---	Peak																																																																																																																																																		
3	324.88	20.16	-25.84	46.00	30.18	19.74	2.43	32.19	---	Peak																																																																																																																																																		
4	482.02	23.11	-22.89	46.00	29.13	23.67	2.96	32.65	---	Peak																																																																																																																																																		
5	711.91	27.47	-18.53	46.00	29.05	27.05	3.61	32.24	---	Peak																																																																																																																																																		
6	862.26	30.68	-15.32	46.00	29.19	29.25	3.96	31.72	---	Peak																																																																																																																																																		



Mode	44																																																																																																																						
	Band Edge																																																																																																																						
	U-NII-3_5.725-5.85_802.11a_CH149_5745MHz																																																																																																																						
ANT	CDD 5+4																																																																																																																						
Pol.	Horizontal	Fundamental																																																																																																																					
Peak	 <table border="1" data-bbox="263 1075 774 1254"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5630.16</td> <td>54.94</td> <td>68.30</td> <td>-13.36</td> <td>42.20</td> <td>34.56</td> <td>10.27</td> <td>32.09</td> <td>0.00</td> <td>100</td> <td>71</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5650.61</td> <td>53.31</td> <td>68.75</td> <td>-15.44</td> <td>40.52</td> <td>34.60</td> <td>10.28</td> <td>32.09</td> <td>0.00</td> <td>100</td> <td>71</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5718.90</td> <td>76.58</td> <td>110.59</td> <td>-34.01</td> <td>63.54</td> <td>34.74</td> <td>10.34</td> <td>32.04</td> <td>0.00</td> <td>100</td> <td>71</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5720.50</td> <td>72.49</td> <td>112.03</td> <td>-39.54</td> <td>59.44</td> <td>34.74</td> <td>10.34</td> <td>32.03</td> <td>0.00</td> <td>100</td> <td>71</td> <td>PEAK</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	5630.16	54.94	68.30	-13.36	42.20	34.56	10.27	32.09	0.00	100	71	PEAK	2	5650.61	53.31	68.75	-15.44	40.52	34.60	10.28	32.09	0.00	100	71	PEAK	3	5718.90	76.58	110.59	-34.01	63.54	34.74	10.34	32.04	0.00	100	71	PEAK	4	5720.50	72.49	112.03	-39.54	59.44	34.74	10.34	32.03	0.00	100	71	PEAK	 <table border="1" data-bbox="909 1131 1420 1254"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>113.52</td> <td>-----</td> <td>-----</td> <td>100.38</td> <td>34.79</td> <td>10.36</td> <td>32.01</td> <td>0.00</td> <td>100</td> <td>71</td> <td>PEAK</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	5745.00	113.52	-----	-----	100.38	34.79	10.36	32.01	0.00	100	71	PEAK
Peak	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																											
1	5630.16	54.94	68.30	-13.36	42.20	34.56	10.27	32.09	0.00	100	71	PEAK																																																																																																											
2	5650.61	53.31	68.75	-15.44	40.52	34.60	10.28	32.09	0.00	100	71	PEAK																																																																																																											
3	5718.90	76.58	110.59	-34.01	63.54	34.74	10.34	32.04	0.00	100	71	PEAK																																																																																																											
4	5720.50	72.49	112.03	-39.54	59.44	34.74	10.34	32.03	0.00	100	71	PEAK																																																																																																											
Peak	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																											
1	5745.00	113.52	-----	-----	100.38	34.79	10.36	32.01	0.00	100	71	PEAK																																																																																																											
Avg	Blank																																																																																																																						
		 <table border="1" data-bbox="909 1814 1420 1937"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>105.51</td> <td>-----</td> <td>-----</td> <td>92.37</td> <td>34.79</td> <td>10.36</td> <td>32.01</td> <td>0.00</td> <td>100</td> <td>71</td> <td>AVERAGE</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	5745.00	105.51	-----	-----	92.37	34.79	10.36	32.01	0.00	100	71	AVERAGE																																																																														
Peak	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																											
1	5745.00	105.51	-----	-----	92.37	34.79	10.36	32.01	0.00	100	71	AVERAGE																																																																																																											



Mode	44																																																																																																																										
	Band Edge																																																																																																																										
	U-NII-3_5.725-5.85_802.11a_CH149_5745MHz																																																																																																																										
ANT	CDD 5+4																																																																																																																										
Pol.	Vertical	Fundamental																																																																																																																									
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5641.18</td> <td>54.92</td> <td>68.30</td> <td>-13.38</td> <td>42.16</td> <td>34.58</td> <td>10.28</td> <td>32.10</td> <td>0.00</td> <td>316</td> <td>101</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5650.32</td> <td>53.13</td> <td>68.53</td> <td>-15.40</td> <td>40.34</td> <td>34.60</td> <td>10.28</td> <td>32.09</td> <td>0.00</td> <td>316</td> <td>101</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5719.92</td> <td>69.69</td> <td>110.88</td> <td>-41.19</td> <td>56.64</td> <td>34.74</td> <td>10.34</td> <td>32.03</td> <td>0.00</td> <td>316</td> <td>101</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5720.21</td> <td>68.84</td> <td>111.37</td> <td>-42.53</td> <td>55.79</td> <td>34.74</td> <td>10.34</td> <td>32.03</td> <td>0.00</td> <td>316</td> <td>101</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5641.18	54.92	68.30	-13.38	42.16	34.58	10.28	32.10	0.00	316	101	PEAK	2	5650.32	53.13	68.53	-15.40	40.34	34.60	10.28	32.09	0.00	316	101	PEAK	3	5719.92	69.69	110.88	-41.19	56.64	34.74	10.34	32.03	0.00	316	101	PEAK	4	5720.21	68.84	111.37	-42.53	55.79	34.74	10.34	32.03	0.00	316	101	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>110.75</td> <td>-----</td> <td>-----</td> <td>97.61</td> <td>34.79</td> <td>10.36</td> <td>32.01</td> <td>0.00</td> <td>316</td> <td>101</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5745.00	110.75	-----	-----	97.61	34.79	10.36	32.01	0.00	316	101	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	5641.18	54.92	68.30	-13.38	42.16	34.58	10.28	32.10	0.00	316	101	PEAK																																																																																																															
2	5650.32	53.13	68.53	-15.40	40.34	34.60	10.28	32.09	0.00	316	101	PEAK																																																																																																															
3	5719.92	69.69	110.88	-41.19	56.64	34.74	10.34	32.03	0.00	316	101	PEAK																																																																																																															
4	5720.21	68.84	111.37	-42.53	55.79	34.74	10.34	32.03	0.00	316	101	PEAK																																																																																																															
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	5745.00	110.75	-----	-----	97.61	34.79	10.36	32.01	0.00	316	101	PEAK																																																																																																															
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>102.96</td> <td>-----</td> <td>-----</td> <td>89.82</td> <td>34.79</td> <td>10.36</td> <td>32.01</td> <td>0.00</td> <td>316</td> <td>101</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5745.00	102.96	-----	-----	89.82	34.79	10.36	32.01	0.00	316	101	AVERAGE																																																																																
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	5745.00	102.96	-----	-----	89.82	34.79	10.36	32.01	0.00	316	101	AVERAGE																																																																																																															






Mode	44																																																																																											
	Harmonic																																																																																											
	U-NII-3_5.725-5.85_802.11a_CH149_5745MHz																																																																																											
ANT	CDD 5+4																																																																																											
Pol.	Horizontal	Vertical																																																																																										
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 11490.00</td> <td>47.78</td> <td>74.00</td> <td>-26.22</td> <td>55.72</td> <td>38.67</td> <td>14.91</td> <td>61.52</td> <td>0.00</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>--- PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 11490.00	47.78	74.00	-26.22	55.72	38.67	14.91	61.52	0.00									--- PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 11490.00</td> <td>47.09</td> <td>74.00</td> <td>-26.91</td> <td>55.03</td> <td>38.67</td> <td>14.91</td> <td>61.52</td> <td>0.00</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>--- PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 11490.00	47.09	74.00	-26.91	55.03	38.67	14.91	61.52	0.00									--- PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																				
1 11490.00	47.78	74.00	-26.22	55.72	38.67	14.91	61.52	0.00																																																																																				
								--- PEAK																																																																																				
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																				
1 11490.00	47.09	74.00	-26.91	55.03	38.67	14.91	61.52	0.00																																																																																				
								--- PEAK																																																																																				






Mode	45																																																																																											
	Harmonic																																																																																											
	U-NII-3_5.725-5.85_802.11a_CH157_5785MHz																																																																																											
ANT	CDD 5+4																																																																																											
Pol.	Horizontal	Vertical																																																																																										
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 11570.00</td> <td>46.71</td> <td>74.00</td> <td>-27.29</td> <td>54.53</td> <td>38.70</td> <td>14.97</td> <td>61.49</td> <td>0.00</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>--- --- PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 11570.00	46.71	74.00	-27.29	54.53	38.70	14.97	61.49	0.00									--- --- PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 11570.00</td> <td>47.48</td> <td>74.00</td> <td>-26.52</td> <td>55.30</td> <td>38.70</td> <td>14.97</td> <td>61.49</td> <td>0.00</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>--- --- PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 11570.00	47.48	74.00	-26.52	55.30	38.70	14.97	61.49	0.00									--- --- PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																				
1 11570.00	46.71	74.00	-27.29	54.53	38.70	14.97	61.49	0.00																																																																																				
								--- --- PEAK																																																																																				
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																				
1 11570.00	47.48	74.00	-26.52	55.30	38.70	14.97	61.49	0.00																																																																																				
								--- --- PEAK																																																																																				



Mode	46																																																																																												
	Band Edge																																																																																												
	U-NII-3_5.725-5.85_802.11a_CH165_5825MHz																																																																																												
ANT	CDD 5+4																																																																																												
Pol.	Horizontal	Fundamental																																																																																											
Peak	 <table border="1" data-bbox="263 1075 774 1254"> <thead> <tr> <th>Peak</th> <th>Freq (MHz)</th> <th>Level (dBuV/m)</th> <th>Limit (dBuV/m)</th> <th>Line Margin (dB)</th> <th>Read (dBuV)</th> <th>Ant (dB/m)</th> <th>Cable Loss (dB)</th> <th>Preamp Loss (dB)</th> <th>Aux Loss (dB)</th> <th>APos (cm)</th> <th>TPos (deg)</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5853.63</td> <td>65.28</td> <td>114.03</td> <td>-48.75</td> <td>51.76</td> <td>35.01</td> <td>10.45</td> <td>31.94</td> <td>0.00</td> <td>110</td> <td>72</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5871.13</td> <td>58.40</td> <td>106.30</td> <td>-47.90</td> <td>44.84</td> <td>35.04</td> <td>10.47</td> <td>31.95</td> <td>0.00</td> <td>110</td> <td>72</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5922.88</td> <td>54.58</td> <td>69.87</td> <td>-15.29</td> <td>40.96</td> <td>35.10</td> <td>10.51</td> <td>31.99</td> <td>0.00</td> <td>110</td> <td>72</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5945.13</td> <td>55.19</td> <td>68.30</td> <td>-13.11</td> <td>41.57</td> <td>35.10</td> <td>10.53</td> <td>32.01</td> <td>0.00</td> <td>110</td> <td>72</td> <td>PEAK</td> </tr> </tbody> </table>	Peak	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Line Margin (dB)	Read (dBuV)	Ant (dB/m)	Cable Loss (dB)	Preamp Loss (dB)	Aux Loss (dB)	APos (cm)	TPos (deg)	Remark	1	5853.63	65.28	114.03	-48.75	51.76	35.01	10.45	31.94	0.00	110	72	PEAK	2	5871.13	58.40	106.30	-47.90	44.84	35.04	10.47	31.95	0.00	110	72	PEAK	3	5922.88	54.58	69.87	-15.29	40.96	35.10	10.51	31.99	0.00	110	72	PEAK	4	5945.13	55.19	68.30	-13.11	41.57	35.10	10.53	32.01	0.00	110	72	PEAK	 <table border="1" data-bbox="904 1120 1415 1254"> <thead> <tr> <th>Peak</th> <th>Freq (MHz)</th> <th>Level (dBuV/m)</th> <th>Limit (dBuV/m)</th> <th>Line Margin (dB)</th> <th>Read (dBuV)</th> <th>Ant (dB/m)</th> <th>Cable Loss (dB)</th> <th>Preamp Loss (dB)</th> <th>Aux Loss (dB)</th> <th>APos (cm)</th> <th>TPos (deg)</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>112.52</td> <td>-----</td> <td>-----</td> <td>99.07</td> <td>34.96</td> <td>10.43</td> <td>31.94</td> <td>0.00</td> <td>110</td> <td>72</td> <td>PEAK</td> </tr> </tbody> </table>	Peak	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Line Margin (dB)	Read (dBuV)	Ant (dB/m)	Cable Loss (dB)	Preamp Loss (dB)	Aux Loss (dB)	APos (cm)	TPos (deg)	Remark	1	5825.00	112.52	-----	-----	99.07	34.96	10.43	31.94	0.00	110	72	PEAK
Peak	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Line Margin (dB)	Read (dBuV)	Ant (dB/m)	Cable Loss (dB)	Preamp Loss (dB)	Aux Loss (dB)	APos (cm)	TPos (deg)	Remark																																																																																	
1	5853.63	65.28	114.03	-48.75	51.76	35.01	10.45	31.94	0.00	110	72	PEAK																																																																																	
2	5871.13	58.40	106.30	-47.90	44.84	35.04	10.47	31.95	0.00	110	72	PEAK																																																																																	
3	5922.88	54.58	69.87	-15.29	40.96	35.10	10.51	31.99	0.00	110	72	PEAK																																																																																	
4	5945.13	55.19	68.30	-13.11	41.57	35.10	10.53	32.01	0.00	110	72	PEAK																																																																																	
Peak	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Line Margin (dB)	Read (dBuV)	Ant (dB/m)	Cable Loss (dB)	Preamp Loss (dB)	Aux Loss (dB)	APos (cm)	TPos (deg)	Remark																																																																																	
1	5825.00	112.52	-----	-----	99.07	34.96	10.43	31.94	0.00	110	72	PEAK																																																																																	
Avg	Blank																																																																																												
		 <table border="1" data-bbox="904 1792 1415 1926"> <thead> <tr> <th>Peak</th> <th>Freq (MHz)</th> <th>Level (dBuV/m)</th> <th>Limit (dBuV/m)</th> <th>Line Margin (dB)</th> <th>Read (dBuV)</th> <th>Ant (dB/m)</th> <th>Cable Loss (dB)</th> <th>Preamp Loss (dB)</th> <th>Aux Loss (dB)</th> <th>APos (cm)</th> <th>TPos (deg)</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>105.01</td> <td>-----</td> <td>-----</td> <td>91.56</td> <td>34.96</td> <td>10.43</td> <td>31.94</td> <td>0.00</td> <td>110</td> <td>72</td> <td>AVERAGE</td> </tr> </tbody> </table>	Peak	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Line Margin (dB)	Read (dBuV)	Ant (dB/m)	Cable Loss (dB)	Preamp Loss (dB)	Aux Loss (dB)	APos (cm)	TPos (deg)	Remark	1	5825.00	105.01	-----	-----	91.56	34.96	10.43	31.94	0.00	110	72	AVERAGE																																																																	
Peak	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Line Margin (dB)	Read (dBuV)	Ant (dB/m)	Cable Loss (dB)	Preamp Loss (dB)	Aux Loss (dB)	APos (cm)	TPos (deg)	Remark																																																																																	
1	5825.00	105.01	-----	-----	91.56	34.96	10.43	31.94	0.00	110	72	AVERAGE																																																																																	






Mode	46																																																																																																																		
	Band Edge																																																																																																																		
	U-NII-3_5.725-5.85_802.11a_CH165_5825MHz																																																																																																																		
ANT	CDD 5+4																																																																																																																		
Pol.	Vertical	Fundamental																																																																																																																	
Peak	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5854.38</td> <td>60.04</td> <td>112.32</td> <td>-52.28</td> <td>46.52</td> <td>35.01</td> <td>10.45</td> <td>31.94</td> <td>0.00</td> <td>283</td> <td>80</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5874.75</td> <td>53.94</td> <td>105.37</td> <td>-51.43</td> <td>40.37</td> <td>35.05</td> <td>10.47</td> <td>31.95</td> <td>0.00</td> <td>283</td> <td>80</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5924.63</td> <td>53.63</td> <td>68.58</td> <td>-14.95</td> <td>40.00</td> <td>35.10</td> <td>10.52</td> <td>31.99</td> <td>0.00</td> <td>283</td> <td>80</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5940.50</td> <td>54.75</td> <td>68.30</td> <td>-13.55</td> <td>41.12</td> <td>35.10</td> <td>10.53</td> <td>32.00</td> <td>0.00</td> <td>283</td> <td>80</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Aux	APos	TPos	Remark	Freq	Level	Line	Level	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5854.38	60.04	112.32	-52.28	46.52	35.01	10.45	31.94	0.00	283	80	PEAK	2	5874.75	53.94	105.37	-51.43	40.37	35.05	10.47	31.95	0.00	283	80	PEAK	3	5924.63	53.63	68.58	-14.95	40.00	35.10	10.52	31.99	0.00	283	80	PEAK	4	5940.50	54.75	68.30	-13.55	41.12	35.10	10.53	32.00	0.00	283	80	PEAK	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>110.24</td> <td>-----</td> <td>-----</td> <td>96.83</td> <td>34.94</td> <td>10.42</td> <td>31.95</td> <td>0.00</td> <td>283</td> <td>80</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Aux	APos	TPos	Remark	Freq	Level	Line	Level	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5825.00	110.24	-----	-----	96.83	34.94	10.42	31.95	0.00	283	80	PEAK
	Limit	Read	Ant	Cable	Aux	APos	TPos	Remark																																																																																																											
Freq	Level	Line	Level	Loss	Factor	Factor																																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																												
1	5854.38	60.04	112.32	-52.28	46.52	35.01	10.45	31.94	0.00	283	80	PEAK																																																																																																							
2	5874.75	53.94	105.37	-51.43	40.37	35.05	10.47	31.95	0.00	283	80	PEAK																																																																																																							
3	5924.63	53.63	68.58	-14.95	40.00	35.10	10.52	31.99	0.00	283	80	PEAK																																																																																																							
4	5940.50	54.75	68.30	-13.55	41.12	35.10	10.53	32.00	0.00	283	80	PEAK																																																																																																							
Limit	Read	Ant	Cable	Aux	APos	TPos	Remark																																																																																																												
Freq	Level	Line	Level	Loss	Factor	Factor																																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																												
1	5825.00	110.24	-----	-----	96.83	34.94	10.42	31.95	0.00	283	80	PEAK																																																																																																							
Avg	Blank	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>102.09</td> <td>-----</td> <td>-----</td> <td>88.68</td> <td>34.94</td> <td>10.42</td> <td>31.95</td> <td>0.00</td> <td>283</td> <td>80</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Aux	APos	TPos	Remark	Freq	Level	Line	Level	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5825.00	102.09	-----	-----	88.68	34.94	10.42	31.95	0.00	283	80	AVERAGE																																																																												
Limit	Read	Ant	Cable	Aux	APos	TPos	Remark																																																																																																												
Freq	Level	Line	Level	Loss	Factor	Factor																																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																												
1	5825.00	102.09	-----	-----	88.68	34.94	10.42	31.95	0.00	283	80	AVERAGE																																																																																																							






Mode	46																																																																																	
	Harmonic																																																																																	
	U-NII-3_5.725-5.85_802.11a_CH165_5825MHz																																																																																	
ANT	CDD 5+4																																																																																	
Pol.	Horizontal	Vertical																																																																																
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11650.00</td> <td>47.08</td> <td>74.00</td> <td>-26.92</td> <td>54.88</td> <td>38.65</td> <td>15.02</td> <td>61.47</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11650.00	47.08	74.00	-26.92	54.88	38.65	15.02	61.47	0.00	---	---	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11650.00</td> <td>47.21</td> <td>74.00</td> <td>-26.79</td> <td>55.01</td> <td>38.65</td> <td>15.02</td> <td>61.47</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11650.00	47.21	74.00	-26.79	55.01	38.65	15.02	61.47	0.00	---	---	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1 11650.00	47.08	74.00	-26.92	54.88	38.65	15.02	61.47	0.00	---	---	PEAK																																																																							
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1 11650.00	47.21	74.00	-26.79	55.01	38.65	15.02	61.47	0.00	---	---	PEAK																																																																							



Mode	47																																																																																												
	Band Edge																																																																																												
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_Full_5745MHz																																																																																												
ANT	CDD 5+4																																																																																												
Pol.	Horizontal	Fundamental																																																																																											
Peak	 <table border="1" data-bbox="263 1075 774 1254"> <thead> <tr> <th>Peak</th> <th>Freq (MHz)</th> <th>Level (dBuV/m)</th> <th>Limit (dBuV/m)</th> <th>Line Margin (dB)</th> <th>Read (dBuV)</th> <th>Ant (dB/m)</th> <th>Cable Loss (dB)</th> <th>Preamp (dB)</th> <th>Aux (dB)</th> <th>APos (dB)</th> <th>TPos (cm)</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5639.01</td> <td>54.18</td> <td>68.30</td> <td>-14.12</td> <td>41.42</td> <td>34.58</td> <td>10.28</td> <td>32.10</td> <td>0.00</td> <td>100</td> <td>69</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5650.46</td> <td>53.10</td> <td>68.64</td> <td>-15.54</td> <td>40.31</td> <td>34.60</td> <td>10.28</td> <td>32.09</td> <td>0.00</td> <td>100</td> <td>69</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5719.19</td> <td>70.90</td> <td>110.67</td> <td>-39.77</td> <td>57.85</td> <td>34.74</td> <td>10.34</td> <td>32.03</td> <td>0.00</td> <td>100</td> <td>69</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5721.08</td> <td>76.86</td> <td>113.35</td> <td>-36.49</td> <td>63.81</td> <td>34.74</td> <td>10.34</td> <td>32.03</td> <td>0.00</td> <td>100</td> <td>69</td> <td>PEAK</td> </tr> </tbody> </table>	Peak	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Line Margin (dB)	Read (dBuV)	Ant (dB/m)	Cable Loss (dB)	Preamp (dB)	Aux (dB)	APos (dB)	TPos (cm)	Remark	1	5639.01	54.18	68.30	-14.12	41.42	34.58	10.28	32.10	0.00	100	69	PEAK	2	5650.46	53.10	68.64	-15.54	40.31	34.60	10.28	32.09	0.00	100	69	PEAK	3	5719.19	70.90	110.67	-39.77	57.85	34.74	10.34	32.03	0.00	100	69	PEAK	4	5721.08	76.86	113.35	-36.49	63.81	34.74	10.34	32.03	0.00	100	69	PEAK	 <table border="1" data-bbox="901 1120 1412 1254"> <thead> <tr> <th>Peak</th> <th>Freq (MHz)</th> <th>Level (dBuV/m)</th> <th>Limit (dBuV/m)</th> <th>Line Margin (dB)</th> <th>Read (dBuV)</th> <th>Ant (dB/m)</th> <th>Cable Loss (dB)</th> <th>Preamp (dB)</th> <th>Aux (dB)</th> <th>APos (dB)</th> <th>TPos (cm)</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>112.46</td> <td>-----</td> <td>-----</td> <td>99.30</td> <td>34.80</td> <td>10.37</td> <td>32.01</td> <td>0.00</td> <td>100</td> <td>69</td> <td>PEAK</td> </tr> </tbody> </table>	Peak	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Line Margin (dB)	Read (dBuV)	Ant (dB/m)	Cable Loss (dB)	Preamp (dB)	Aux (dB)	APos (dB)	TPos (cm)	Remark	1	5745.00	112.46	-----	-----	99.30	34.80	10.37	32.01	0.00	100	69	PEAK
Peak	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Line Margin (dB)	Read (dBuV)	Ant (dB/m)	Cable Loss (dB)	Preamp (dB)	Aux (dB)	APos (dB)	TPos (cm)	Remark																																																																																	
1	5639.01	54.18	68.30	-14.12	41.42	34.58	10.28	32.10	0.00	100	69	PEAK																																																																																	
2	5650.46	53.10	68.64	-15.54	40.31	34.60	10.28	32.09	0.00	100	69	PEAK																																																																																	
3	5719.19	70.90	110.67	-39.77	57.85	34.74	10.34	32.03	0.00	100	69	PEAK																																																																																	
4	5721.08	76.86	113.35	-36.49	63.81	34.74	10.34	32.03	0.00	100	69	PEAK																																																																																	
Peak	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Line Margin (dB)	Read (dBuV)	Ant (dB/m)	Cable Loss (dB)	Preamp (dB)	Aux (dB)	APos (dB)	TPos (cm)	Remark																																																																																	
1	5745.00	112.46	-----	-----	99.30	34.80	10.37	32.01	0.00	100	69	PEAK																																																																																	
Avg	Blank	 <table border="1" data-bbox="901 1803 1412 1937"> <thead> <tr> <th>Peak</th> <th>Freq (MHz)</th> <th>Level (dBuV/m)</th> <th>Limit (dBuV/m)</th> <th>Line Margin (dB)</th> <th>Read (dBuV)</th> <th>Ant (dB/m)</th> <th>Cable Loss (dB)</th> <th>Preamp (dB)</th> <th>Aux (dB)</th> <th>APos (dB)</th> <th>TPos (cm)</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>103.81</td> <td>-----</td> <td>-----</td> <td>90.69</td> <td>34.78</td> <td>10.36</td> <td>32.02</td> <td>0.00</td> <td>100</td> <td>69</td> <td>AVERAGE</td> </tr> </tbody> </table>	Peak	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Line Margin (dB)	Read (dBuV)	Ant (dB/m)	Cable Loss (dB)	Preamp (dB)	Aux (dB)	APos (dB)	TPos (cm)	Remark	1	5745.00	103.81	-----	-----	90.69	34.78	10.36	32.02	0.00	100	69	AVERAGE																																																																	
Peak	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Line Margin (dB)	Read (dBuV)	Ant (dB/m)	Cable Loss (dB)	Preamp (dB)	Aux (dB)	APos (dB)	TPos (cm)	Remark																																																																																	
1	5745.00	103.81	-----	-----	90.69	34.78	10.36	32.02	0.00	100	69	AVERAGE																																																																																	



Mode	47																																																																																																														
	Band Edge																																																																																																														
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_Full_5745MHz																																																																																																														
ANT	CDD 5+4																																																																																																														
Pol.	Vertical	Fundamental																																																																																																													
Peak	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5608.70</td> <td>53.75</td> <td>68.30</td> <td>-14.55</td> <td>41.06</td> <td>34.52</td> <td>10.25</td> <td>32.08</td> <td>0.00</td> <td>316</td> <td>103</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5653.51</td> <td>53.87</td> <td>70.90</td> <td>-17.03</td> <td>41.06</td> <td>34.61</td> <td>10.29</td> <td>32.08</td> <td>0.00</td> <td>316</td> <td>103</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5711.80</td> <td>65.73</td> <td>108.60</td> <td>-42.87</td> <td>52.72</td> <td>34.72</td> <td>10.33</td> <td>32.04</td> <td>0.00</td> <td>316</td> <td>103</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5721.51</td> <td>73.83</td> <td>114.34</td> <td>-40.51</td> <td>60.78</td> <td>34.74</td> <td>10.34</td> <td>32.03</td> <td>0.00</td> <td>316</td> <td>103</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Factor	cm	deg	Remark	1	5608.70	53.75	68.30	-14.55	41.06	34.52	10.25	32.08	0.00	316	103	PEAK	2	5653.51	53.87	70.90	-17.03	41.06	34.61	10.29	32.08	0.00	316	103	PEAK	3	5711.80	65.73	108.60	-42.87	52.72	34.72	10.33	32.04	0.00	316	103	PEAK	4	5721.51	73.83	114.34	-40.51	60.78	34.74	10.34	32.03	0.00	316	103	PEAK	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>110.97</td> <td>-----</td> <td>-----</td> <td>97.83</td> <td>34.79</td> <td>10.36</td> <td>32.01</td> <td>0.00</td> <td>316</td> <td>103</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Factor	cm	deg	Remark	1	5745.00	110.97	-----	-----	97.83	34.79	10.36	32.01	0.00	316	103	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Factor	cm	deg	Remark																																																																																																			
1	5608.70	53.75	68.30	-14.55	41.06	34.52	10.25	32.08	0.00	316	103	PEAK																																																																																																			
2	5653.51	53.87	70.90	-17.03	41.06	34.61	10.29	32.08	0.00	316	103	PEAK																																																																																																			
3	5711.80	65.73	108.60	-42.87	52.72	34.72	10.33	32.04	0.00	316	103	PEAK																																																																																																			
4	5721.51	73.83	114.34	-40.51	60.78	34.74	10.34	32.03	0.00	316	103	PEAK																																																																																																			
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Factor	cm	deg	Remark																																																																																																			
1	5745.00	110.97	-----	-----	97.83	34.79	10.36	32.01	0.00	316	103	PEAK																																																																																																			
Avg	Blank	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>102.37</td> <td>-----</td> <td>-----</td> <td>89.23</td> <td>34.79</td> <td>10.36</td> <td>32.01</td> <td>0.00</td> <td>316</td> <td>103</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Factor	cm	deg	Remark	1	5745.00	102.37	-----	-----	89.23	34.79	10.36	32.01	0.00	316	103	AVERAGE																																																																										
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Factor	cm	deg	Remark																																																																																																			
1	5745.00	102.37	-----	-----	89.23	34.79	10.36	32.01	0.00	316	103	AVERAGE																																																																																																			






Mode	47																																																																													
	Harmonic																																																																													
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_Full_5745MHz																																																																													
ANT	CDD 5+4																																																																													
Pol.	Horizontal	Vertical																																																																												
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11490.00</td> <td>47.45</td> <td>74.00</td> <td>-26.55</td> <td>55.39</td> <td>38.67</td> <td>14.91</td> <td>61.52</td> <td>0.00</td> <td>--- --- PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11490.00	47.45	74.00	-26.55	55.39	38.67	14.91	61.52	0.00	--- --- PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11490.00</td> <td>47.07</td> <td>74.00</td> <td>-26.93</td> <td>55.01</td> <td>38.67</td> <td>14.91</td> <td>61.52</td> <td>0.00</td> <td>--- --- PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11490.00	47.07	74.00	-26.93	55.01	38.67	14.91	61.52	0.00	--- --- PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																					
1 11490.00	47.45	74.00	-26.55	55.39	38.67	14.91	61.52	0.00	--- --- PEAK																																																																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																					
1 11490.00	47.07	74.00	-26.93	55.01	38.67	14.91	61.52	0.00	--- --- PEAK																																																																					






Mode	48																																																																																	
	Harmonic																																																																																	
	U-NII-3_5.725-5.85_802.11ax HE20_CH157_Full_5785MHz																																																																																	
ANT	CDD 5+4																																																																																	
Pol.	Horizontal	Vertical																																																																																
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11570.00</td> <td>46.64</td> <td>74.00</td> <td>-27.36</td> <td>54.46</td> <td>38.70</td> <td>14.97</td> <td>61.49</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11570.00	46.64	74.00	-27.36	54.46	38.70	14.97	61.49	0.00	---	---	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11570.00</td> <td>47.12</td> <td>74.00</td> <td>-26.88</td> <td>54.94</td> <td>38.70</td> <td>14.97</td> <td>61.49</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11570.00	47.12	74.00	-26.88	54.94	38.70	14.97	61.49	0.00	---	---	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1 11570.00	46.64	74.00	-27.36	54.46	38.70	14.97	61.49	0.00	---	---	PEAK																																																																							
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1 11570.00	47.12	74.00	-26.88	54.94	38.70	14.97	61.49	0.00	---	---	PEAK																																																																							



Mode	49																																																																																												
	Band Edge																																																																																												
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_Full_5825MHz																																																																																												
ANT	CDD 5+4																																																																																												
Pol.	Horizontal	Fundamental																																																																																											
Peak	 <table border="1" data-bbox="263 1075 798 1254"> <thead> <tr> <th>Peak</th> <th>Freq (MHz)</th> <th>Level (dBuV/m)</th> <th>Limit (dBuV/m)</th> <th>Line Margin (dB)</th> <th>Read Level (dBuV)</th> <th>Ant Loss (dB/m)</th> <th>Cable Loss (dB)</th> <th>Preamp Loss (dB)</th> <th>Aux Loss (dB)</th> <th>APos (dB)</th> <th>TPos (cm)</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5850.88</td> <td>74.14</td> <td>120.30</td> <td>-46.16</td> <td>60.62</td> <td>35.00</td> <td>10.45</td> <td>31.93</td> <td>0.00</td> <td>100</td> <td>72</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5859.88</td> <td>63.54</td> <td>109.53</td> <td>-45.99</td> <td>50.00</td> <td>35.02</td> <td>10.46</td> <td>31.94</td> <td>0.00</td> <td>100</td> <td>72</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5924.88</td> <td>55.68</td> <td>68.39</td> <td>-12.71</td> <td>42.05</td> <td>35.10</td> <td>10.52</td> <td>31.99</td> <td>0.00</td> <td>100</td> <td>72</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5940.13</td> <td>55.69</td> <td>68.30</td> <td>-12.61</td> <td>42.06</td> <td>35.10</td> <td>10.53</td> <td>32.00</td> <td>0.00</td> <td>100</td> <td>72</td> <td>PEAK</td> </tr> </tbody> </table>	Peak	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Line Margin (dB)	Read Level (dBuV)	Ant Loss (dB/m)	Cable Loss (dB)	Preamp Loss (dB)	Aux Loss (dB)	APos (dB)	TPos (cm)	Remark	1	5850.88	74.14	120.30	-46.16	60.62	35.00	10.45	31.93	0.00	100	72	PEAK	2	5859.88	63.54	109.53	-45.99	50.00	35.02	10.46	31.94	0.00	100	72	PEAK	3	5924.88	55.68	68.39	-12.71	42.05	35.10	10.52	31.99	0.00	100	72	PEAK	4	5940.13	55.69	68.30	-12.61	42.06	35.10	10.53	32.00	0.00	100	72	PEAK	 <table border="1" data-bbox="901 1120 1436 1254"> <thead> <tr> <th>Peak</th> <th>Freq (MHz)</th> <th>Level (dBuV/m)</th> <th>Limit (dBuV/m)</th> <th>Line Margin (dB)</th> <th>Read Level (dBuV)</th> <th>Ant Loss (dB/m)</th> <th>Cable Loss (dB)</th> <th>Preamp Loss (dB)</th> <th>Aux Loss (dB)</th> <th>APos (dB)</th> <th>TPos (cm)</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>113.33</td> <td>-----</td> <td>-----</td> <td>99.88</td> <td>34.96</td> <td>10.43</td> <td>31.94</td> <td>0.00</td> <td>100</td> <td>72</td> <td>PEAK</td> </tr> </tbody> </table>	Peak	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Line Margin (dB)	Read Level (dBuV)	Ant Loss (dB/m)	Cable Loss (dB)	Preamp Loss (dB)	Aux Loss (dB)	APos (dB)	TPos (cm)	Remark	1	5825.00	113.33	-----	-----	99.88	34.96	10.43	31.94	0.00	100	72	PEAK
Peak	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Line Margin (dB)	Read Level (dBuV)	Ant Loss (dB/m)	Cable Loss (dB)	Preamp Loss (dB)	Aux Loss (dB)	APos (dB)	TPos (cm)	Remark																																																																																	
1	5850.88	74.14	120.30	-46.16	60.62	35.00	10.45	31.93	0.00	100	72	PEAK																																																																																	
2	5859.88	63.54	109.53	-45.99	50.00	35.02	10.46	31.94	0.00	100	72	PEAK																																																																																	
3	5924.88	55.68	68.39	-12.71	42.05	35.10	10.52	31.99	0.00	100	72	PEAK																																																																																	
4	5940.13	55.69	68.30	-12.61	42.06	35.10	10.53	32.00	0.00	100	72	PEAK																																																																																	
Peak	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Line Margin (dB)	Read Level (dBuV)	Ant Loss (dB/m)	Cable Loss (dB)	Preamp Loss (dB)	Aux Loss (dB)	APos (dB)	TPos (cm)	Remark																																																																																	
1	5825.00	113.33	-----	-----	99.88	34.96	10.43	31.94	0.00	100	72	PEAK																																																																																	
Avg	Blank	 <table border="1" data-bbox="901 1803 1436 1937"> <thead> <tr> <th>Peak</th> <th>Freq (MHz)</th> <th>Level (dBuV/m)</th> <th>Limit (dBuV/m)</th> <th>Line Margin (dB)</th> <th>Read Level (dBuV)</th> <th>Ant Loss (dB/m)</th> <th>Cable Loss (dB)</th> <th>Preamp Loss (dB)</th> <th>Aux Loss (dB)</th> <th>APos (dB)</th> <th>TPos (cm)</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>104.15</td> <td>-----</td> <td>-----</td> <td>90.72</td> <td>34.95</td> <td>10.43</td> <td>31.95</td> <td>0.00</td> <td>100</td> <td>72</td> <td>AVERAGE</td> </tr> </tbody> </table>	Peak	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Line Margin (dB)	Read Level (dBuV)	Ant Loss (dB/m)	Cable Loss (dB)	Preamp Loss (dB)	Aux Loss (dB)	APos (dB)	TPos (cm)	Remark	1	5825.00	104.15	-----	-----	90.72	34.95	10.43	31.95	0.00	100	72	AVERAGE																																																																	
Peak	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Line Margin (dB)	Read Level (dBuV)	Ant Loss (dB/m)	Cable Loss (dB)	Preamp Loss (dB)	Aux Loss (dB)	APos (dB)	TPos (cm)	Remark																																																																																	
1	5825.00	104.15	-----	-----	90.72	34.95	10.43	31.95	0.00	100	72	AVERAGE																																																																																	



Mode	49																																																																																																																		
	Band Edge																																																																																																																		
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_Full_5825MHz																																																																																																																		
ANT	CDD 5+4																																																																																																																		
Pol.	Vertical	Fundamental																																																																																																																	
Peak	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5853.38</td> <td>63.09</td> <td>114.60</td> <td>-51.51</td> <td>49.57</td> <td>35.01</td> <td>10.45</td> <td>31.94</td> <td>0.00</td> <td>268</td> <td>83</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5855.75</td> <td>59.91</td> <td>110.60</td> <td>-50.78</td> <td>46.39</td> <td>35.01</td> <td>10.45</td> <td>31.94</td> <td>0.00</td> <td>268</td> <td>83</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5925.00</td> <td>54.48</td> <td>68.30</td> <td>-13.82</td> <td>40.85</td> <td>35.10</td> <td>10.52</td> <td>31.99</td> <td>0.00</td> <td>268</td> <td>83</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5925.00</td> <td>54.48</td> <td>68.30</td> <td>-13.82</td> <td>40.85</td> <td>35.10</td> <td>10.52</td> <td>31.99</td> <td>0.00</td> <td>268</td> <td>83</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Aux	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5853.38	63.09	114.60	-51.51	49.57	35.01	10.45	31.94	0.00	268	83	PEAK	2	5855.75	59.91	110.60	-50.78	46.39	35.01	10.45	31.94	0.00	268	83	PEAK	3	5925.00	54.48	68.30	-13.82	40.85	35.10	10.52	31.99	0.00	268	83	PEAK	4	5925.00	54.48	68.30	-13.82	40.85	35.10	10.52	31.99	0.00	268	83	PEAK	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>111.24</td> <td>-----</td> <td>-----</td> <td>97.81</td> <td>34.95</td> <td>10.43</td> <td>31.95</td> <td>0.00</td> <td>268</td> <td>83</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Aux	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5825.00	111.24	-----	-----	97.81	34.95	10.43	31.95	0.00	268	83	PEAK
	Limit	Read	Ant	Cable	Aux	APos	TPos	Remark																																																																																																											
Freq	Level	Line	Level	Factor	Loss	Factor	Factor																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																												
1	5853.38	63.09	114.60	-51.51	49.57	35.01	10.45	31.94	0.00	268	83	PEAK																																																																																																							
2	5855.75	59.91	110.60	-50.78	46.39	35.01	10.45	31.94	0.00	268	83	PEAK																																																																																																							
3	5925.00	54.48	68.30	-13.82	40.85	35.10	10.52	31.99	0.00	268	83	PEAK																																																																																																							
4	5925.00	54.48	68.30	-13.82	40.85	35.10	10.52	31.99	0.00	268	83	PEAK																																																																																																							
Limit	Read	Ant	Cable	Aux	APos	TPos	Remark																																																																																																												
Freq	Level	Line	Level	Factor	Loss	Factor	Factor																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																												
1	5825.00	111.24	-----	-----	97.81	34.95	10.43	31.95	0.00	268	83	PEAK																																																																																																							
Avg	Blank	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>101.24</td> <td>-----</td> <td>-----</td> <td>87.81</td> <td>34.95</td> <td>10.43</td> <td>31.95</td> <td>0.00</td> <td>268</td> <td>83</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Aux	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5825.00	101.24	-----	-----	87.81	34.95	10.43	31.95	0.00	268	83	AVERAGE																																																																												
Limit	Read	Ant	Cable	Aux	APos	TPos	Remark																																																																																																												
Freq	Level	Line	Level	Factor	Loss	Factor	Factor																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																												
1	5825.00	101.24	-----	-----	87.81	34.95	10.43	31.95	0.00	268	83	AVERAGE																																																																																																							



Mode	49																																																																																	
	Harmonic																																																																																	
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_Full_5825MHz																																																																																	
ANT	CDD 5+4																																																																																	
Pol.	Horizontal	Vertical																																																																																
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11650.00</td> <td>47.21</td> <td>74.00</td> <td>-26.79</td> <td>55.01</td> <td>38.65</td> <td>15.02</td> <td>61.47</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11650.00	47.21	74.00	-26.79	55.01	38.65	15.02	61.47	0.00	---	---	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11650.00</td> <td>47.31</td> <td>74.00</td> <td>-26.69</td> <td>55.11</td> <td>38.65</td> <td>15.02</td> <td>61.47</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11650.00	47.31	74.00	-26.69	55.11	38.65	15.02	61.47	0.00	---	---	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1 11650.00	47.21	74.00	-26.79	55.01	38.65	15.02	61.47	0.00	---	---	PEAK																																																																							
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1 11650.00	47.31	74.00	-26.69	55.11	38.65	15.02	61.47	0.00	---	---	PEAK																																																																							



Mode	50																																																																																																														
	Band Edge - L																																																																																																														
	U-NII-3_5.725-5.85_802.11ax HE40_CH151_Full_5755MHz																																																																																																														
ANT	CDD 5+4																																																																																																														
Pol.	Horizontal	Fundamental																																																																																																													
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5624.18</td> <td>54.70</td> <td>68.30</td> <td>-13.60</td> <td>41.98</td> <td>34.55</td> <td>10.26</td> <td>32.09</td> <td>0.00</td> <td>100</td> <td>69 PEAK</td> </tr> <tr> <td>2 5650.53</td> <td>53.23</td> <td>68.69</td> <td>-15.46</td> <td>40.44</td> <td>34.60</td> <td>10.28</td> <td>32.09</td> <td>0.00</td> <td>100</td> <td>69 PEAK</td> </tr> <tr> <td>3 5719.04</td> <td>76.78</td> <td>110.63</td> <td>-33.85</td> <td>63.73</td> <td>34.74</td> <td>10.34</td> <td>32.03</td> <td>0.00</td> <td>100</td> <td>69 PEAK</td> </tr> <tr> <td>4 5720.44</td> <td>76.41</td> <td>111.89</td> <td>-35.48</td> <td>63.36</td> <td>34.74</td> <td>10.34</td> <td>32.03</td> <td>0.00</td> <td>100</td> <td>69 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 5624.18	54.70	68.30	-13.60	41.98	34.55	10.26	32.09	0.00	100	69 PEAK	2 5650.53	53.23	68.69	-15.46	40.44	34.60	10.28	32.09	0.00	100	69 PEAK	3 5719.04	76.78	110.63	-33.85	63.73	34.74	10.34	32.03	0.00	100	69 PEAK	4 5720.44	76.41	111.89	-35.48	63.36	34.74	10.34	32.03	0.00	100	69 PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5755.00</td> <td>109.67</td> <td>-----</td> <td>-----</td> <td>96.48</td> <td>34.82</td> <td>10.37</td> <td>32.00</td> <td>0.00</td> <td>100</td> <td>69 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 5755.00	109.67	-----	-----	96.48	34.82	10.37	32.00	0.00	100	69 PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																							
1 5624.18	54.70	68.30	-13.60	41.98	34.55	10.26	32.09	0.00	100	69 PEAK																																																																																																					
2 5650.53	53.23	68.69	-15.46	40.44	34.60	10.28	32.09	0.00	100	69 PEAK																																																																																																					
3 5719.04	76.78	110.63	-33.85	63.73	34.74	10.34	32.03	0.00	100	69 PEAK																																																																																																					
4 5720.44	76.41	111.89	-35.48	63.36	34.74	10.34	32.03	0.00	100	69 PEAK																																																																																																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																							
1 5755.00	109.67	-----	-----	96.48	34.82	10.37	32.00	0.00	100	69 PEAK																																																																																																					
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5755.00</td> <td>100.97</td> <td>-----</td> <td>-----</td> <td>87.81</td> <td>34.80</td> <td>10.37</td> <td>32.01</td> <td>0.00</td> <td>100</td> <td>69 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 5755.00	100.97	-----	-----	87.81	34.80	10.37	32.01	0.00	100	69 AVERAGE																																																																							
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																							
1 5755.00	100.97	-----	-----	87.81	34.80	10.37	32.01	0.00	100	69 AVERAGE																																																																																																					



Mode	50																																																																																	
	Band Edge - R																																																																																	
	U-NII-3_5.725-5.85_802.11ax HE40_CH151_Full_5755MHz																																																																																	
ANT	CDD 5+4																																																																																	
Pol.	Horizontal	Fundamental																																																																																
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5854.26</td> <td>55.94</td> <td>112.60</td> <td>-56.66</td> <td>42.42</td> <td>35.01</td> <td>10.45</td> <td>31.94</td> <td>0.00</td> <td>100</td> <td>69</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5871.42</td> <td>55.02</td> <td>106.30</td> <td>-51.28</td> <td>41.46</td> <td>35.04</td> <td>10.47</td> <td>31.95</td> <td>0.00</td> <td>100</td> <td>69</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5924.46</td> <td>52.95</td> <td>68.70</td> <td>-15.75</td> <td>39.32</td> <td>35.10</td> <td>10.52</td> <td>31.99</td> <td>0.00</td> <td>100</td> <td>69</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5948.25</td> <td>54.07</td> <td>68.30</td> <td>-14.23</td> <td>40.44</td> <td>35.10</td> <td>10.54</td> <td>32.01</td> <td>0.00</td> <td>100</td> <td>69</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.26	55.94	112.60	-56.66	42.42	35.01	10.45	31.94	0.00	100	69	PEAK	2	5871.42	55.02	106.30	-51.28	41.46	35.04	10.47	31.95	0.00	100	69	PEAK	3	5924.46	52.95	68.70	-15.75	39.32	35.10	10.52	31.99	0.00	100	69	PEAK	4	5948.25	54.07	68.30	-14.23	40.44	35.10	10.54	32.01	0.00	100	69	PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	5854.26	55.94	112.60	-56.66	42.42	35.01	10.45	31.94	0.00	100	69	PEAK																																																																						
2	5871.42	55.02	106.30	-51.28	41.46	35.04	10.47	31.95	0.00	100	69	PEAK																																																																						
3	5924.46	52.95	68.70	-15.75	39.32	35.10	10.52	31.99	0.00	100	69	PEAK																																																																						
4	5948.25	54.07	68.30	-14.23	40.44	35.10	10.54	32.01	0.00	100	69	PEAK																																																																						



Mode	50																																																																																																																						
	Band Edge - L																																																																																																																						
	U-NII-3_5.725-5.85_802.11ax HE40_CH151_Full_5755MHz																																																																																																																						
ANT	CDD 5+4																																																																																																																						
Pol.	Vertical	Fundamental																																																																																																																					
Peak	<table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5642.94</td> <td>54.38</td> <td>68.30</td> <td>-13.92</td> <td>41.61</td> <td>34.59</td> <td>10.28</td> <td>32.10</td> <td>0.00</td> <td>300</td> <td>104</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5651.00</td> <td>53.16</td> <td>69.04</td> <td>-15.88</td> <td>40.36</td> <td>34.60</td> <td>10.29</td> <td>32.09</td> <td>0.00</td> <td>300</td> <td>104</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5710.52</td> <td>70.73</td> <td>108.25</td> <td>-37.52</td> <td>57.72</td> <td>34.72</td> <td>10.33</td> <td>32.04</td> <td>0.00</td> <td>300</td> <td>104</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5720.13</td> <td>72.32</td> <td>111.19</td> <td>-38.87</td> <td>59.27</td> <td>34.74</td> <td>10.34</td> <td>32.03</td> <td>0.00</td> <td>300</td> <td>104</td> <td>PEAK</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5642.94	54.38	68.30	-13.92	41.61	34.59	10.28	32.10	0.00	300	104	PEAK	2	5651.00	53.16	69.04	-15.88	40.36	34.60	10.29	32.09	0.00	300	104	PEAK	3	5710.52	70.73	108.25	-37.52	57.72	34.72	10.33	32.04	0.00	300	104	PEAK	4	5720.13	72.32	111.19	-38.87	59.27	34.74	10.34	32.03	0.00	300	104	PEAK	<table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5755.00</td> <td>108.12</td> <td>-----</td> <td>-----</td> <td>94.96</td> <td>34.80</td> <td>10.37</td> <td>32.01</td> <td>0.00</td> <td>300</td> <td>104</td> <td>PEAK</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5755.00	108.12	-----	-----	94.96	34.80	10.37	32.01	0.00	300	104	PEAK
	Peak	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																												
1	5642.94	54.38	68.30	-13.92	41.61	34.59	10.28	32.10	0.00	300	104	PEAK																																																																																																											
2	5651.00	53.16	69.04	-15.88	40.36	34.60	10.29	32.09	0.00	300	104	PEAK																																																																																																											
3	5710.52	70.73	108.25	-37.52	57.72	34.72	10.33	32.04	0.00	300	104	PEAK																																																																																																											
4	5720.13	72.32	111.19	-38.87	59.27	34.74	10.34	32.03	0.00	300	104	PEAK																																																																																																											
Peak	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																												
1	5755.00	108.12	-----	-----	94.96	34.80	10.37	32.01	0.00	300	104	PEAK																																																																																																											
Avg	Blank	<table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5755.00</td> <td>99.37</td> <td>-----</td> <td>-----</td> <td>86.21</td> <td>34.80</td> <td>10.37</td> <td>32.01</td> <td>0.00</td> <td>300</td> <td>104</td> <td>AVERAGE</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5755.00	99.37	-----	-----	86.21	34.80	10.37	32.01	0.00	300	104	AVERAGE																																																																														
Peak	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																												
1	5755.00	99.37	-----	-----	86.21	34.80	10.37	32.01	0.00	300	104	AVERAGE																																																																																																											






Mode	50																																																																									
	Band Edge - R																																																																									
	U-NII-3_5.725-5.85_802.11ax HE40_CH151_Full_5755MHz																																																																									
ANT	CDD 5+4																																																																									
Pol.	Vertical	Fundamental																																																																								
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5854.84</td> <td>52.30</td> <td>111.26</td> <td>-58.96</td> <td>38.78</td> <td>35.01</td> <td>10.45</td> <td>31.94</td> <td>0.00</td> <td>300</td> <td>104</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5874.54</td> <td>55.11</td> <td>105.43</td> <td>-50.32</td> <td>41.54</td> <td>35.05</td> <td>10.47</td> <td>31.95</td> <td>0.00</td> <td>300</td> <td>104</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5923.68</td> <td>53.45</td> <td>69.28</td> <td>-15.83</td> <td>39.83</td> <td>35.10</td> <td>10.51</td> <td>31.99</td> <td>0.00</td> <td>300</td> <td>104</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5932.26</td> <td>54.57</td> <td>68.30</td> <td>-13.73</td> <td>40.95</td> <td>35.10</td> <td>10.52</td> <td>32.00</td> <td>0.00</td> <td>300</td> <td>104</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	1	5854.84	52.30	111.26	-58.96	38.78	35.01	10.45	31.94	0.00	300	104	PEAK	2	5874.54	55.11	105.43	-50.32	41.54	35.05	10.47	31.95	0.00	300	104	PEAK	3	5923.68	53.45	69.28	-15.83	39.83	35.10	10.51	31.99	0.00	300	104	PEAK	4	5932.26	54.57	68.30	-13.73	40.95	35.10	10.52	32.00	0.00	300	104	PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																
1	5854.84	52.30	111.26	-58.96	38.78	35.01	10.45	31.94	0.00	300	104	PEAK																																																														
2	5874.54	55.11	105.43	-50.32	41.54	35.05	10.47	31.95	0.00	300	104	PEAK																																																														
3	5923.68	53.45	69.28	-15.83	39.83	35.10	10.51	31.99	0.00	300	104	PEAK																																																														
4	5932.26	54.57	68.30	-13.73	40.95	35.10	10.52	32.00	0.00	300	104	PEAK																																																														



Mode	50																																																																													
	Harmonic																																																																													
	U-NII-3_5.725-5.85_802.11ax HE40_CH151_Full_5755MHz																																																																													
ANT	CDD 5+4																																																																													
Pol.	Horizontal	Vertical																																																																												
Peak																																																																														
Avg																																																																														
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11510.00</td> <td>46.69</td> <td>74.00</td> <td>-27.31</td> <td>54.58</td> <td>38.70</td> <td>14.92</td> <td>61.51</td> <td>0.00</td> <td>---</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11510.00	46.69	74.00	-27.31	54.58	38.70	14.92	61.51	0.00	---	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11510.00</td> <td>47.40</td> <td>74.00</td> <td>-26.60</td> <td>55.29</td> <td>38.70</td> <td>14.92</td> <td>61.51</td> <td>0.00</td> <td>---</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11510.00	47.40	74.00	-26.60	55.29	38.70	14.92	61.51	0.00	---
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																					
1 11510.00	46.69	74.00	-27.31	54.58	38.70	14.92	61.51	0.00	---																																																																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																					
1 11510.00	47.40	74.00	-26.60	55.29	38.70	14.92	61.51	0.00	---																																																																					






Mode	51																																																																																																																														
	Band Edge - L																																																																																																																														
	U-NII-3_5.725-5.85_802.11ax HE40_CH159_Full_5795MHz																																																																																																																														
ANT	CDD 5+4																																																																																																																														
Pol.	Horizontal	Fundamental																																																																																																																													
Peak	 <table border="1" data-bbox="271 1075 774 1254"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Loss</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5646.02</td> <td>55.14</td> <td>68.30</td> <td>-13.16</td> <td>42.37</td> <td>34.59</td> <td>10.28</td> <td>32.10</td> <td>0.00</td> <td>100</td> <td>69</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5650.31</td> <td>52.16</td> <td>68.53</td> <td>-16.37</td> <td>39.37</td> <td>34.60</td> <td>10.28</td> <td>32.09</td> <td>0.00</td> <td>100</td> <td>69</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5703.55</td> <td>55.39</td> <td>106.29</td> <td>-50.90</td> <td>42.40</td> <td>34.71</td> <td>10.33</td> <td>32.05</td> <td>0.00</td> <td>100</td> <td>69</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5720.12</td> <td>56.12</td> <td>111.17</td> <td>-55.05</td> <td>43.07</td> <td>34.74</td> <td>10.34</td> <td>32.03</td> <td>0.00</td> <td>100</td> <td>69</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Level	Loss	Loss	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5646.02	55.14	68.30	-13.16	42.37	34.59	10.28	32.10	0.00	100	69	PEAK	2	5650.31	52.16	68.53	-16.37	39.37	34.60	10.28	32.09	0.00	100	69	PEAK	3	5703.55	55.39	106.29	-50.90	42.40	34.71	10.33	32.05	0.00	100	69	PEAK	4	5720.12	56.12	111.17	-55.05	43.07	34.74	10.34	32.03	0.00	100	69	PEAK	 <table border="1" data-bbox="909 1120 1412 1254"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Loss</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5795.00</td> <td>109.99</td> <td>-----</td> <td>-----</td> <td>96.69</td> <td>34.88</td> <td>10.40</td> <td>31.98</td> <td>0.00</td> <td>100</td> <td>69</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Level	Loss	Loss	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5795.00	109.99	-----	-----	96.69	34.88	10.40	31.98	0.00	100	69	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																						
Freq	Level	Line	Level	Loss	Loss	Factor	Factor	Factor																																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																						
1	5646.02	55.14	68.30	-13.16	42.37	34.59	10.28	32.10	0.00	100	69	PEAK																																																																																																																			
2	5650.31	52.16	68.53	-16.37	39.37	34.60	10.28	32.09	0.00	100	69	PEAK																																																																																																																			
3	5703.55	55.39	106.29	-50.90	42.40	34.71	10.33	32.05	0.00	100	69	PEAK																																																																																																																			
4	5720.12	56.12	111.17	-55.05	43.07	34.74	10.34	32.03	0.00	100	69	PEAK																																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																						
Freq	Level	Line	Level	Loss	Loss	Factor	Factor	Factor																																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																						
1	5795.00	109.99	-----	-----	96.69	34.88	10.40	31.98	0.00	100	69	PEAK																																																																																																																			
Avg	Blank																																																																																																																														
		 <table border="1" data-bbox="909 1792 1412 1926"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Loss</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5795.00</td> <td>100.90</td> <td>-----</td> <td>-----</td> <td>87.66</td> <td>34.89</td> <td>10.40</td> <td>31.97</td> <td>0.00</td> <td>100</td> <td>69</td> <td>AVERAGE</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Level	Loss	Loss	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5795.00	100.90	-----	-----	87.66	34.89	10.40	31.97	0.00	100	69	AVERAGE																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																						
Freq	Level	Line	Level	Loss	Loss	Factor	Factor	Factor																																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																						
1	5795.00	100.90	-----	-----	87.66	34.89	10.40	31.97	0.00	100	69	AVERAGE																																																																																																																			



Mode	51																																																																									
	Band Edge - R																																																																									
	U-NII-3_5.725-5.85_802.11ax HE40_CH159_Full_5795MHz																																																																									
ANT	CDD 5+4																																																																									
Pol.	Horizontal	Fundamental																																																																								
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5854.99</td> <td>57.99</td> <td>110.93</td> <td>-52.94</td> <td>44.47</td> <td>35.01</td> <td>10.45</td> <td>31.94</td> <td>0.00</td> <td>100</td> <td>69</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5872.66</td> <td>57.89</td> <td>105.96</td> <td>-48.07</td> <td>44.32</td> <td>35.05</td> <td>10.47</td> <td>31.95</td> <td>0.00</td> <td>100</td> <td>69</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5924.43</td> <td>55.25</td> <td>68.72</td> <td>-13.47</td> <td>41.62</td> <td>35.10</td> <td>10.52</td> <td>31.99</td> <td>0.00</td> <td>100</td> <td>69</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5940.08</td> <td>55.28</td> <td>68.30</td> <td>-13.02</td> <td>41.65</td> <td>35.10</td> <td>10.53</td> <td>32.00</td> <td>0.00</td> <td>100</td> <td>69</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	1	5854.99	57.99	110.93	-52.94	44.47	35.01	10.45	31.94	0.00	100	69	PEAK	2	5872.66	57.89	105.96	-48.07	44.32	35.05	10.47	31.95	0.00	100	69	PEAK	3	5924.43	55.25	68.72	-13.47	41.62	35.10	10.52	31.99	0.00	100	69	PEAK	4	5940.08	55.28	68.30	-13.02	41.65	35.10	10.53	32.00	0.00	100	69	PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																
1	5854.99	57.99	110.93	-52.94	44.47	35.01	10.45	31.94	0.00	100	69	PEAK																																																														
2	5872.66	57.89	105.96	-48.07	44.32	35.05	10.47	31.95	0.00	100	69	PEAK																																																														
3	5924.43	55.25	68.72	-13.47	41.62	35.10	10.52	31.99	0.00	100	69	PEAK																																																														
4	5940.08	55.28	68.30	-13.02	41.65	35.10	10.53	32.00	0.00	100	69	PEAK																																																														



Mode	51																																																																																						
	Band Edge - L																																																																																						
	U-NII-3_5.725-5.85_802.11ax HE40_CH159_Full_5795MHz																																																																																						
ANT	CDD 5+4																																																																																						
Pol.	Vertical	Fundamental																																																																																					
Peak	 <table border="1" data-bbox="274 1077 775 1254"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>1</th> <th>5642.32</th> <th>55.30</th> <th>68.30</th> <th>-13.00</th> <th>42.54</th> <th>34.58</th> <th>10.28</th> <th>32.10</th> <th>0.00</th> <th>300</th> <th>90</th> <th>PEAK</th> </tr> <tr> <th>2</th> <th>5650.31</th> <th>54.93</th> <th>68.53</th> <th>-13.60</th> <th>42.14</th> <th>34.60</th> <th>10.28</th> <th>32.09</th> <th>0.00</th> <th>300</th> <th>90</th> <th>PEAK</th> </tr> <tr> <th>3</th> <th>5700.62</th> <th>52.38</th> <th>105.47</th> <th>-53.09</th> <th>39.40</th> <th>34.70</th> <th>10.33</th> <th>32.05</th> <th>0.00</th> <th>300</th> <th>90</th> <th>PEAK</th> </tr> <tr> <th>4</th> <th>5720.32</th> <th>56.83</th> <th>111.62</th> <th>-54.79</th> <th>43.78</th> <th>34.74</th> <th>10.34</th> <th>32.03</th> <th>0.00</th> <th>300</th> <th>90</th> <th>PEAK</th> </tr> </thead></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	1	5642.32	55.30	68.30	-13.00	42.54	34.58	10.28	32.10	0.00	300	90	PEAK	2	5650.31	54.93	68.53	-13.60	42.14	34.60	10.28	32.09	0.00	300	90	PEAK	3	5700.62	52.38	105.47	-53.09	39.40	34.70	10.33	32.05	0.00	300	90	PEAK	4	5720.32	56.83	111.62	-54.79	43.78	34.74	10.34	32.03	0.00	300	90	PEAK	 <table border="1" data-bbox="916 1133 1417 1254"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>1</th> <th>5795.00</th> <th>108.02</th> <th>-----</th> <th>-----</th> <th>94.70</th> <th>34.89</th> <th>10.40</th> <th>31.97</th> <th>0.00</th> <th>300</th> <th>90</th> <th>PEAK</th> </tr> </thead></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	1	5795.00	108.02	-----	-----	94.70	34.89	10.40	31.97	0.00	300	90	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																														
1	5642.32	55.30	68.30	-13.00	42.54	34.58	10.28	32.10	0.00	300	90	PEAK																																																																											
2	5650.31	54.93	68.53	-13.60	42.14	34.60	10.28	32.09	0.00	300	90	PEAK																																																																											
3	5700.62	52.38	105.47	-53.09	39.40	34.70	10.33	32.05	0.00	300	90	PEAK																																																																											
4	5720.32	56.83	111.62	-54.79	43.78	34.74	10.34	32.03	0.00	300	90	PEAK																																																																											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																														
1	5795.00	108.02	-----	-----	94.70	34.89	10.40	31.97	0.00	300	90	PEAK																																																																											
Avg	Blank																																																																																						
		 <table border="1" data-bbox="916 1805 1417 1926"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>1</th> <th>5795.00</th> <th>99.03</th> <th>-----</th> <th>-----</th> <th>85.71</th> <th>34.89</th> <th>10.40</th> <th>31.97</th> <th>0.00</th> <th>300</th> <th>90</th> <th>AVERAGE</th> </tr> </thead></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	1	5795.00	99.03	-----	-----	85.71	34.89	10.40	31.97	0.00	300	90	AVERAGE																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																														
1	5795.00	99.03	-----	-----	85.71	34.89	10.40	31.97	0.00	300	90	AVERAGE																																																																											



Mode	51																																																																									
	Band Edge - R																																																																									
	U-NII-3_5.725-5.85_802.11ax HE40_CH159_Full_5795MHz																																																																									
ANT	CDD 5+4																																																																									
Pol.	Vertical	Fundamental																																																																								
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5854.99</td> <td>58.40</td> <td>110.93</td> <td>-52.53</td> <td>44.88</td> <td>35.01</td> <td>10.45</td> <td>31.94</td> <td>0.00</td> <td>300</td> <td>90</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5874.21</td> <td>54.91</td> <td>105.52</td> <td>-50.61</td> <td>41.34</td> <td>35.05</td> <td>10.47</td> <td>31.95</td> <td>0.00</td> <td>300</td> <td>90</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5923.96</td> <td>54.46</td> <td>69.07</td> <td>-14.61</td> <td>40.84</td> <td>35.10</td> <td>10.51</td> <td>31.99</td> <td>0.00</td> <td>300</td> <td>90</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5929.54</td> <td>55.38</td> <td>68.30</td> <td>-12.92</td> <td>41.76</td> <td>35.10</td> <td>10.52</td> <td>32.00</td> <td>0.00</td> <td>300</td> <td>90</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	1	5854.99	58.40	110.93	-52.53	44.88	35.01	10.45	31.94	0.00	300	90	PEAK	2	5874.21	54.91	105.52	-50.61	41.34	35.05	10.47	31.95	0.00	300	90	PEAK	3	5923.96	54.46	69.07	-14.61	40.84	35.10	10.51	31.99	0.00	300	90	PEAK	4	5929.54	55.38	68.30	-12.92	41.76	35.10	10.52	32.00	0.00	300	90	PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																
1	5854.99	58.40	110.93	-52.53	44.88	35.01	10.45	31.94	0.00	300	90	PEAK																																																														
2	5874.21	54.91	105.52	-50.61	41.34	35.05	10.47	31.95	0.00	300	90	PEAK																																																														
3	5923.96	54.46	69.07	-14.61	40.84	35.10	10.51	31.99	0.00	300	90	PEAK																																																														
4	5929.54	55.38	68.30	-12.92	41.76	35.10	10.52	32.00	0.00	300	90	PEAK																																																														



Mode	51																																																																																											
	Harmonic																																																																																											
	U-NII-3_5.725-5.85_802.11ax HE40_CH159_Full_5795MHz																																																																																											
ANT	CDD 5+4																																																																																											
Pol.	Horizontal	Vertical																																																																																										
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 11590.00</td> <td>47.33</td> <td>74.00</td> <td>-26.67</td> <td>55.14</td> <td>38.70</td> <td>14.98</td> <td>61.49</td> <td>0.00</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>--- --- PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 11590.00	47.33	74.00	-26.67	55.14	38.70	14.98	61.49	0.00									--- --- PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 11590.00</td> <td>46.56</td> <td>74.00</td> <td>-27.44</td> <td>54.37</td> <td>38.70</td> <td>14.98</td> <td>61.49</td> <td>0.00</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>--- --- PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 11590.00	46.56	74.00	-27.44	54.37	38.70	14.98	61.49	0.00									--- --- PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																				
1 11590.00	47.33	74.00	-26.67	55.14	38.70	14.98	61.49	0.00																																																																																				
								--- --- PEAK																																																																																				
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																				
1 11590.00	46.56	74.00	-27.44	54.37	38.70	14.98	61.49	0.00																																																																																				
								--- --- PEAK																																																																																				






Mode	52																																																																																																																								
	Band Edge - L																																																																																																																								
	U-NII-3_5.725-5.85_802.11ax HE80_CH155_Full_5775MHz																																																																																																																								
ANT	CDD 5+4																																																																																																																								
Pol.	Horizontal	Fundamental																																																																																																																							
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5642.53</td> <td>61.04</td> <td>68.30</td> <td>-7.26</td> <td>48.27</td> <td>34.59</td> <td>10.28</td> <td>32.10</td> <td>0.00</td> <td>100</td> <td>72</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5650.75</td> <td>59.17</td> <td>68.86</td> <td>-9.69</td> <td>46.37</td> <td>34.60</td> <td>10.29</td> <td>32.09</td> <td>0.00</td> <td>100</td> <td>72</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5701.68</td> <td>73.68</td> <td>105.77</td> <td>-32.09</td> <td>60.70</td> <td>34.70</td> <td>10.33</td> <td>32.05</td> <td>0.00</td> <td>100</td> <td>72</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5721.10</td> <td>76.24</td> <td>113.41</td> <td>-37.17</td> <td>63.19</td> <td>34.74</td> <td>10.34</td> <td>32.03</td> <td>0.00</td> <td>100</td> <td>72</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	5642.53	61.04	68.30	-7.26	48.27	34.59	10.28	32.10	0.00	100	72	PEAK	2	5650.75	59.17	68.86	-9.69	46.37	34.60	10.29	32.09	0.00	100	72	PEAK	3	5701.68	73.68	105.77	-32.09	60.70	34.70	10.33	32.05	0.00	100	72	PEAK	4	5721.10	76.24	113.41	-37.17	63.19	34.74	10.34	32.03	0.00	100	72	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5775.00</td> <td>107.54</td> <td>-----</td> <td>-----</td> <td>94.29</td> <td>34.85</td> <td>10.39</td> <td>31.99</td> <td>0.00</td> <td>100</td> <td>72</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	5775.00	107.54	-----	-----	94.29	34.85	10.39	31.99	0.00	100	72	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																																																	
1	5642.53	61.04	68.30	-7.26	48.27	34.59	10.28	32.10	0.00	100	72	PEAK																																																																																																													
2	5650.75	59.17	68.86	-9.69	46.37	34.60	10.29	32.09	0.00	100	72	PEAK																																																																																																													
3	5701.68	73.68	105.77	-32.09	60.70	34.70	10.33	32.05	0.00	100	72	PEAK																																																																																																													
4	5721.10	76.24	113.41	-37.17	63.19	34.74	10.34	32.03	0.00	100	72	PEAK																																																																																																													
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																																																	
1	5775.00	107.54	-----	-----	94.29	34.85	10.39	31.99	0.00	100	72	PEAK																																																																																																													
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5775.00</td> <td>98.06</td> <td>-----</td> <td>-----</td> <td>84.79</td> <td>34.86</td> <td>10.39</td> <td>31.98</td> <td>0.00</td> <td>100</td> <td>72</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	5775.00	98.06	-----	-----	84.79	34.86	10.39	31.98	0.00	100	72	AVERAGE																																																																															
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																																																	
1	5775.00	98.06	-----	-----	84.79	34.86	10.39	31.98	0.00	100	72	AVERAGE																																																																																																													




Mode	52																																																																																	
	Band Edge - R																																																																																	
	U-NII-3_5.725-5.85_802.11ax HE80_CH155_Full_5775MHz																																																																																	
ANT	CDD 5+4																																																																																	
Pol.	Horizontal	Fundamental																																																																																
Peak	<p>The spectrum plot shows a blue signal line with several peaks. A red line represents the 5G BAND4 limit. The y-axis is Level (dBuV/m) from 0 to 130. The x-axis is Frequency (MHz) from 5775 to 5950. Peaks are labeled 1, 2, 3, and 4. Peak 1 is at 5853.93 MHz, peak 2 at 5860.40 MHz, peak 3 at 5924.80 MHz, and peak 4 at 5930.23 MHz.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5853.93</td> <td>67.49</td> <td>113.35</td> <td>-45.86</td> <td>53.97</td> <td>35.01</td> <td>10.45</td> <td>31.94</td> <td>0.00</td> <td>100</td> <td>72</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5860.40</td> <td>70.16</td> <td>109.39</td> <td>-39.23</td> <td>56.62</td> <td>35.02</td> <td>10.46</td> <td>31.94</td> <td>0.00</td> <td>100</td> <td>72</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5924.80</td> <td>55.37</td> <td>68.45</td> <td>-13.08</td> <td>41.74</td> <td>35.10</td> <td>10.52</td> <td>31.99</td> <td>0.00</td> <td>100</td> <td>72</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5930.23</td> <td>56.02</td> <td>68.30</td> <td>-12.28</td> <td>42.40</td> <td>35.10</td> <td>10.52</td> <td>32.00</td> <td>0.00</td> <td>100</td> <td>72</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5853.93	67.49	113.35	-45.86	53.97	35.01	10.45	31.94	0.00	100	72	PEAK	2	5860.40	70.16	109.39	-39.23	56.62	35.02	10.46	31.94	0.00	100	72	PEAK	3	5924.80	55.37	68.45	-13.08	41.74	35.10	10.52	31.99	0.00	100	72	PEAK	4	5930.23	56.02	68.30	-12.28	42.40	35.10	10.52	32.00	0.00	100	72	PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	5853.93	67.49	113.35	-45.86	53.97	35.01	10.45	31.94	0.00	100	72	PEAK																																																																						
2	5860.40	70.16	109.39	-39.23	56.62	35.02	10.46	31.94	0.00	100	72	PEAK																																																																						
3	5924.80	55.37	68.45	-13.08	41.74	35.10	10.52	31.99	0.00	100	72	PEAK																																																																						
4	5930.23	56.02	68.30	-12.28	42.40	35.10	10.52	32.00	0.00	100	72	PEAK																																																																						






Mode	52																																																																																																												
	Band Edge - L																																																																																																												
	U-NII-3_5.725-5.85_802.11ax HE80_CH155_Full_5775MHz																																																																																																												
ANT	CDD 5+4																																																																																																												
Pol.	Vertical	Fundamental																																																																																																											
Peak	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5646.55</td> <td>57.96</td> <td>68.30</td> <td>-10.34</td> <td>45.19</td> <td>34.59</td> <td>10.28</td> <td>32.10</td> <td>0.00</td> <td>300</td> <td>102</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5650.93</td> <td>55.75</td> <td>68.99</td> <td>-13.24</td> <td>42.95</td> <td>34.60</td> <td>10.29</td> <td>32.09</td> <td>0.00</td> <td>300</td> <td>102</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5700.63</td> <td>68.26</td> <td>105.48</td> <td>-37.22</td> <td>55.28</td> <td>34.70</td> <td>10.33</td> <td>32.05</td> <td>0.00</td> <td>300</td> <td>102</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5720.05</td> <td>70.83</td> <td>111.01</td> <td>-40.18</td> <td>57.78</td> <td>34.74</td> <td>10.34</td> <td>32.03</td> <td>0.00</td> <td>300</td> <td>102</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Factor	cm	deg	1	5646.55	57.96	68.30	-10.34	45.19	34.59	10.28	32.10	0.00	300	102	PEAK	2	5650.93	55.75	68.99	-13.24	42.95	34.60	10.29	32.09	0.00	300	102	PEAK	3	5700.63	68.26	105.48	-37.22	55.28	34.70	10.33	32.05	0.00	300	102	PEAK	4	5720.05	70.83	111.01	-40.18	57.78	34.74	10.34	32.03	0.00	300	102	PEAK	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5775.00</td> <td>103.80</td> <td>-----</td> <td>-----</td> <td>90.64</td> <td>34.80</td> <td>10.37</td> <td>32.01</td> <td>0.00</td> <td>300</td> <td>102</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Factor	cm	deg	1	5775.00	103.80	-----	-----	90.64	34.80	10.37	32.01	0.00	300	102	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Factor	cm	deg																																																																																																		
1	5646.55	57.96	68.30	-10.34	45.19	34.59	10.28	32.10	0.00	300	102	PEAK																																																																																																	
2	5650.93	55.75	68.99	-13.24	42.95	34.60	10.29	32.09	0.00	300	102	PEAK																																																																																																	
3	5700.63	68.26	105.48	-37.22	55.28	34.70	10.33	32.05	0.00	300	102	PEAK																																																																																																	
4	5720.05	70.83	111.01	-40.18	57.78	34.74	10.34	32.03	0.00	300	102	PEAK																																																																																																	
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Factor	cm	deg																																																																																																		
1	5775.00	103.80	-----	-----	90.64	34.80	10.37	32.01	0.00	300	102	PEAK																																																																																																	
Avg	Blank	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5775.00</td> <td>95.81</td> <td>-----</td> <td>-----</td> <td>82.60</td> <td>34.83</td> <td>10.38</td> <td>32.00</td> <td>0.00</td> <td>300</td> <td>102</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Factor	cm	deg	1	5775.00	95.81	-----	-----	82.60	34.83	10.38	32.00	0.00	300	102	AVERAGE																																																																									
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Factor	cm	deg																																																																																																		
1	5775.00	95.81	-----	-----	82.60	34.83	10.38	32.00	0.00	300	102	AVERAGE																																																																																																	



Mode	52																																																																									
	Band Edge - R																																																																									
	U-NII-3_5.725-5.85_802.11ax HE80_CH155_Full_5775MHz																																																																									
ANT	CDD 5+4																																																																									
Pol.	Vertical	Fundamental																																																																								
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5854.63</td> <td>64.30</td> <td>111.75</td> <td>-47.45</td> <td>50.78</td> <td>35.01</td> <td>10.45</td> <td>31.94</td> <td>0.00</td> <td>300</td> <td>102</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5865.65</td> <td>65.10</td> <td>107.92</td> <td>-42.82</td> <td>51.56</td> <td>35.03</td> <td>10.46</td> <td>31.95</td> <td>0.00</td> <td>300</td> <td>102</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5924.45</td> <td>53.59</td> <td>68.71</td> <td>-15.12</td> <td>39.96</td> <td>35.10</td> <td>10.52</td> <td>31.99</td> <td>0.00</td> <td>300</td> <td>102</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5932.68</td> <td>55.71</td> <td>68.30</td> <td>-12.59</td> <td>42.09</td> <td>35.10</td> <td>10.52</td> <td>32.00</td> <td>0.00</td> <td>300</td> <td>102</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	1	5854.63	64.30	111.75	-47.45	50.78	35.01	10.45	31.94	0.00	300	102	PEAK	2	5865.65	65.10	107.92	-42.82	51.56	35.03	10.46	31.95	0.00	300	102	PEAK	3	5924.45	53.59	68.71	-15.12	39.96	35.10	10.52	31.99	0.00	300	102	PEAK	4	5932.68	55.71	68.30	-12.59	42.09	35.10	10.52	32.00	0.00	300	102	PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																
1	5854.63	64.30	111.75	-47.45	50.78	35.01	10.45	31.94	0.00	300	102	PEAK																																																														
2	5865.65	65.10	107.92	-42.82	51.56	35.03	10.46	31.95	0.00	300	102	PEAK																																																														
3	5924.45	53.59	68.71	-15.12	39.96	35.10	10.52	31.99	0.00	300	102	PEAK																																																														
4	5932.68	55.71	68.30	-12.59	42.09	35.10	10.52	32.00	0.00	300	102	PEAK																																																														











	53																																																																																																													
Mode	Band Edge																																																																																																													
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_Partial RU26/0_5745MHz																																																																																																													
ANT	CDD 5+4																																																																																																													
Pol.	Horizontal	Fundamental																																																																																																												
Peak	 <table border="1" data-bbox="263 1120 782 1310"> <thead> <tr> <th></th> <th>Limit Freq</th> <th>Level</th> <th>Line Margin</th> <th>Read Level</th> <th>Ant Factor</th> <th>Cable Loss</th> <th>Preamp Loss</th> <th>Aux Factor</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5614.36</td> <td>54.09</td> <td>68.30</td> <td>-14.21</td> <td>41.38</td> <td>34.53</td> <td>10.26</td> <td>32.08</td> <td>0.00</td> <td>102</td> <td>333 PEAK</td> </tr> <tr> <td>2</td> <td>5650.03</td> <td>53.60</td> <td>68.32</td> <td>-14.72</td> <td>40.81</td> <td>34.60</td> <td>10.28</td> <td>32.09</td> <td>0.00</td> <td>102</td> <td>333 PEAK</td> </tr> <tr> <td>3</td> <td>5700.92</td> <td>53.43</td> <td>105.56</td> <td>-52.13</td> <td>40.45</td> <td>34.70</td> <td>10.33</td> <td>32.05</td> <td>0.00</td> <td>102</td> <td>333 PEAK</td> </tr> <tr> <td>4</td> <td>5720.50</td> <td>51.92</td> <td>112.03</td> <td>-60.11</td> <td>38.87</td> <td>34.74</td> <td>10.34</td> <td>32.03</td> <td>0.00</td> <td>102</td> <td>333 PEAK</td> </tr> </tbody> </table>		Limit Freq	Level	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Loss	Aux Factor	APos	TPos	Remark		MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5614.36	54.09	68.30	-14.21	41.38	34.53	10.26	32.08	0.00	102	333 PEAK	2	5650.03	53.60	68.32	-14.72	40.81	34.60	10.28	32.09	0.00	102	333 PEAK	3	5700.92	53.43	105.56	-52.13	40.45	34.70	10.33	32.05	0.00	102	333 PEAK	4	5720.50	51.92	112.03	-60.11	38.87	34.74	10.34	32.03	0.00	102	333 PEAK	 <table border="1" data-bbox="901 1176 1420 1310"> <thead> <tr> <th></th> <th>Limit Freq</th> <th>Level</th> <th>Line Margin</th> <th>Read Level</th> <th>Ant Factor</th> <th>Cable Loss</th> <th>Preamp Loss</th> <th>Aux Factor</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>108.07</td> <td>-----</td> <td>94.97</td> <td>34.77</td> <td>10.35</td> <td>32.02</td> <td>0.00</td> <td>102</td> <td>333</td> <td>PEAK</td> </tr> </tbody> </table>		Limit Freq	Level	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Loss	Aux Factor	APos	TPos	Remark		MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5745.00	108.07	-----	94.97	34.77	10.35	32.02	0.00	102	333	PEAK
	Limit Freq	Level	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Loss	Aux Factor	APos	TPos	Remark																																																																																																			
	MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																				
1	5614.36	54.09	68.30	-14.21	41.38	34.53	10.26	32.08	0.00	102	333 PEAK																																																																																																			
2	5650.03	53.60	68.32	-14.72	40.81	34.60	10.28	32.09	0.00	102	333 PEAK																																																																																																			
3	5700.92	53.43	105.56	-52.13	40.45	34.70	10.33	32.05	0.00	102	333 PEAK																																																																																																			
4	5720.50	51.92	112.03	-60.11	38.87	34.74	10.34	32.03	0.00	102	333 PEAK																																																																																																			
	Limit Freq	Level	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Loss	Aux Factor	APos	TPos	Remark																																																																																																			
	MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																				
1	5745.00	108.07	-----	94.97	34.77	10.35	32.02	0.00	102	333	PEAK																																																																																																			
Avg	Blank	 <table border="1" data-bbox="901 1859 1420 1982"> <thead> <tr> <th></th> <th>Limit Freq</th> <th>Level</th> <th>Line Margin</th> <th>Read Level</th> <th>Ant Factor</th> <th>Cable Loss</th> <th>Preamp Loss</th> <th>Aux Factor</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>99.67</td> <td>-----</td> <td>86.57</td> <td>34.77</td> <td>10.35</td> <td>32.02</td> <td>0.00</td> <td>102</td> <td>333</td> <td>AVERAGE</td> </tr> </tbody> </table>		Limit Freq	Level	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Loss	Aux Factor	APos	TPos	Remark		MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5745.00	99.67	-----	86.57	34.77	10.35	32.02	0.00	102	333	AVERAGE																																																																								
	Limit Freq	Level	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Loss	Aux Factor	APos	TPos	Remark																																																																																																			
	MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																				
1	5745.00	99.67	-----	86.57	34.77	10.35	32.02	0.00	102	333	AVERAGE																																																																																																			








Mode	53																																																																																																																						
	Band Edge																																																																																																																						
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_Partial RU26/0_5745MHz																																																																																																																						
ANT	CDD 5+4																																																																																																																						
Pol.	Vertical	Fundamental																																																																																																																					
Peak	 <table border="1" data-bbox="271 1075 774 1254"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5608.70</td> <td>53.39</td> <td>68.30</td> <td>-14.91</td> <td>40.70</td> <td>34.52</td> <td>10.25</td> <td>32.08</td> <td>0.00</td> <td>300</td> <td>109</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5650.90</td> <td>51.73</td> <td>68.97</td> <td>-17.24</td> <td>38.93</td> <td>34.60</td> <td>10.29</td> <td>32.09</td> <td>0.00</td> <td>300</td> <td>109</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5703.10</td> <td>54.94</td> <td>106.17</td> <td>-51.23</td> <td>41.95</td> <td>34.71</td> <td>10.33</td> <td>32.05</td> <td>0.00</td> <td>300</td> <td>109</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5720.35</td> <td>52.64</td> <td>111.70</td> <td>-59.06</td> <td>39.59</td> <td>34.74</td> <td>10.34</td> <td>32.03</td> <td>0.00</td> <td>300</td> <td>109</td> <td>PEAK</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5608.70	53.39	68.30	-14.91	40.70	34.52	10.25	32.08	0.00	300	109	PEAK	2	5650.90	51.73	68.97	-17.24	38.93	34.60	10.29	32.09	0.00	300	109	PEAK	3	5703.10	54.94	106.17	-51.23	41.95	34.71	10.33	32.05	0.00	300	109	PEAK	4	5720.35	52.64	111.70	-59.06	39.59	34.74	10.34	32.03	0.00	300	109	PEAK	 <table border="1" data-bbox="909 1120 1412 1254"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>107.52</td> <td>-----</td> <td>-----</td> <td>94.40</td> <td>34.78</td> <td>10.36</td> <td>32.02</td> <td>0.00</td> <td>300</td> <td>109</td> <td>PEAK</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5745.00	107.52	-----	-----	94.40	34.78	10.36	32.02	0.00	300	109	PEAK
Peak	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																												
1	5608.70	53.39	68.30	-14.91	40.70	34.52	10.25	32.08	0.00	300	109	PEAK																																																																																																											
2	5650.90	51.73	68.97	-17.24	38.93	34.60	10.29	32.09	0.00	300	109	PEAK																																																																																																											
3	5703.10	54.94	106.17	-51.23	41.95	34.71	10.33	32.05	0.00	300	109	PEAK																																																																																																											
4	5720.35	52.64	111.70	-59.06	39.59	34.74	10.34	32.03	0.00	300	109	PEAK																																																																																																											
Peak	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																												
1	5745.00	107.52	-----	-----	94.40	34.78	10.36	32.02	0.00	300	109	PEAK																																																																																																											
Avg	Blank																																																																																																																						
		 <table border="1" data-bbox="909 1792 1412 1926"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>99.95</td> <td>-----</td> <td>-----</td> <td>86.85</td> <td>34.77</td> <td>10.35</td> <td>32.02</td> <td>0.00</td> <td>300</td> <td>109</td> <td>AVERAGE</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5745.00	99.95	-----	-----	86.85	34.77	10.35	32.02	0.00	300	109	AVERAGE																																																																														
Peak	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																												
1	5745.00	99.95	-----	-----	86.85	34.77	10.35	32.02	0.00	300	109	AVERAGE																																																																																																											






Mode	54																																																																																																				
	Band Edge																																																																																																				
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_Partial RU26/8_5825MHz																																																																																																				
ANT	CDD 5+4																																																																																																				
Pol.	Horizontal	Fundamental																																																																																																			
Peak	 <table border="1" data-bbox="263 1075 790 1254"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 5854.88</td> <td>54.91</td> <td>111.18</td> <td>-56.27</td> <td>41.39</td> <td>35.01</td> <td>10.45</td> <td>31.94</td> <td>0.00</td> </tr> <tr> <td>2 5874.50</td> <td>53.35</td> <td>105.44</td> <td>-52.09</td> <td>39.78</td> <td>35.05</td> <td>10.47</td> <td>31.95</td> <td>0.00</td> </tr> <tr> <td>3 5924.63</td> <td>52.84</td> <td>68.58</td> <td>-15.74</td> <td>39.21</td> <td>35.10</td> <td>10.52</td> <td>31.99</td> <td>0.00</td> </tr> <tr> <td>4 5940.50</td> <td>54.50</td> <td>68.30</td> <td>-13.80</td> <td>40.87</td> <td>35.10</td> <td>10.53</td> <td>32.00</td> <td>0.00</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1 5854.88	54.91	111.18	-56.27	41.39	35.01	10.45	31.94	0.00	2 5874.50	53.35	105.44	-52.09	39.78	35.05	10.47	31.95	0.00	3 5924.63	52.84	68.58	-15.74	39.21	35.10	10.52	31.99	0.00	4 5940.50	54.50	68.30	-13.80	40.87	35.10	10.53	32.00	0.00	 <table border="1" data-bbox="909 1120 1436 1254"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 5825.00</td> <td>108.50</td> <td>-----</td> <td>-----</td> <td>95.03</td> <td>34.97</td> <td>10.44</td> <td>31.94</td> <td>0.00</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1 5825.00	108.50	-----	-----	95.03	34.97	10.44	31.94	0.00
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																													
1 5854.88	54.91	111.18	-56.27	41.39	35.01	10.45	31.94	0.00																																																																																													
2 5874.50	53.35	105.44	-52.09	39.78	35.05	10.47	31.95	0.00																																																																																													
3 5924.63	52.84	68.58	-15.74	39.21	35.10	10.52	31.99	0.00																																																																																													
4 5940.50	54.50	68.30	-13.80	40.87	35.10	10.53	32.00	0.00																																																																																													
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																													
1 5825.00	108.50	-----	-----	95.03	34.97	10.44	31.94	0.00																																																																																													
Avg	Blank																																																																																																				
		 <table border="1" data-bbox="909 1792 1436 1926"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 5825.00</td> <td>102.18</td> <td>-----</td> <td>-----</td> <td>88.71</td> <td>34.97</td> <td>10.44</td> <td>31.94</td> <td>0.00</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1 5825.00	102.18	-----	-----	88.71	34.97	10.44	31.94	0.00																																																															
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																													
1 5825.00	102.18	-----	-----	88.71	34.97	10.44	31.94	0.00																																																																																													






Mode	54																																																																																																										
	Band Edge																																																																																																										
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_Partial RU26/8_5825MHz																																																																																																										
ANT	CDD 5+4																																																																																																										
Pol.	Vertical	Fundamental																																																																																																									
Peak	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5855.00</td> <td>52.00</td> <td>110.90</td> <td>-58.90</td> <td>38.48</td> <td>35.01</td> <td>10.45</td> <td>31.94</td> <td>0.00</td> <td>281</td> <td>81</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5874.25</td> <td>54.76</td> <td>105.51</td> <td>-50.75</td> <td>41.19</td> <td>35.05</td> <td>10.47</td> <td>31.95</td> <td>0.00</td> <td>281</td> <td>81</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5923.63</td> <td>53.47</td> <td>69.31</td> <td>-15.84</td> <td>39.85</td> <td>35.10</td> <td>10.51</td> <td>31.99</td> <td>0.00</td> <td>281</td> <td>81</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5927.75</td> <td>53.98</td> <td>68.30</td> <td>-14.32</td> <td>40.35</td> <td>35.10</td> <td>10.52</td> <td>31.99</td> <td>0.00</td> <td>281</td> <td>81</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	1	5855.00	52.00	110.90	-58.90	38.48	35.01	10.45	31.94	0.00	281	81	PEAK	2	5874.25	54.76	105.51	-50.75	41.19	35.05	10.47	31.95	0.00	281	81	PEAK	3	5923.63	53.47	69.31	-15.84	39.85	35.10	10.51	31.99	0.00	281	81	PEAK	4	5927.75	53.98	68.30	-14.32	40.35	35.10	10.52	31.99	0.00	281	81	PEAK	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>109.03</td> <td>-----</td> <td>-----</td> <td>95.56</td> <td>34.97</td> <td>10.44</td> <td>31.94</td> <td>0.00</td> <td>281</td> <td>81</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	1	5825.00	109.03	-----	-----	95.56	34.97	10.44	31.94	0.00	281	81	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																																	
1	5855.00	52.00	110.90	-58.90	38.48	35.01	10.45	31.94	0.00	281	81	PEAK																																																																																															
2	5874.25	54.76	105.51	-50.75	41.19	35.05	10.47	31.95	0.00	281	81	PEAK																																																																																															
3	5923.63	53.47	69.31	-15.84	39.85	35.10	10.51	31.99	0.00	281	81	PEAK																																																																																															
4	5927.75	53.98	68.30	-14.32	40.35	35.10	10.52	31.99	0.00	281	81	PEAK																																																																																															
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																																	
1	5825.00	109.03	-----	-----	95.56	34.97	10.44	31.94	0.00	281	81	PEAK																																																																																															
Avg	Blank	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>101.04</td> <td>-----</td> <td>-----</td> <td>87.57</td> <td>34.97</td> <td>10.44</td> <td>31.94</td> <td>0.00</td> <td>281</td> <td>81</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	1	5825.00	101.04	-----	-----	87.57	34.97	10.44	31.94	0.00	281	81	AVERAGE																																																																								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																																	
1	5825.00	101.04	-----	-----	87.57	34.97	10.44	31.94	0.00	281	81	AVERAGE																																																																																															



Mode	55																																																																																																										
	Band Edge																																																																																																										
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_Partial RU52/37_5745MHz																																																																																																										
ANT	CDD 5+4																																																																																																										
Pol.	Horizontal	Fundamental																																																																																																									
Peak	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5642.49</td> <td>54.20</td> <td>68.30</td> <td>-14.10</td> <td>41.44</td> <td>34.58</td> <td>10.28</td> <td>32.10</td> <td>0.00</td> <td>100</td> <td>68</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5650.17</td> <td>52.16</td> <td>68.43</td> <td>-16.27</td> <td>39.37</td> <td>34.60</td> <td>10.28</td> <td>32.09</td> <td>0.00</td> <td>100</td> <td>68</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5783.97</td> <td>55.09</td> <td>106.41</td> <td>-51.32</td> <td>42.10</td> <td>34.71</td> <td>10.33</td> <td>32.05</td> <td>0.00</td> <td>100</td> <td>68</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5720.21</td> <td>52.34</td> <td>111.37</td> <td>-59.03</td> <td>39.29</td> <td>34.74</td> <td>10.34</td> <td>32.03</td> <td>0.00</td> <td>100</td> <td>68</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	1	5642.49	54.20	68.30	-14.10	41.44	34.58	10.28	32.10	0.00	100	68	PEAK	2	5650.17	52.16	68.43	-16.27	39.37	34.60	10.28	32.09	0.00	100	68	PEAK	3	5783.97	55.09	106.41	-51.32	42.10	34.71	10.33	32.05	0.00	100	68	PEAK	4	5720.21	52.34	111.37	-59.03	39.29	34.74	10.34	32.03	0.00	100	68	PEAK	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>107.82</td> <td>-----</td> <td>-----</td> <td>94.70</td> <td>34.78</td> <td>10.36</td> <td>32.02</td> <td>0.00</td> <td>100</td> <td>68</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	1	5745.00	107.82	-----	-----	94.70	34.78	10.36	32.02	0.00	100	68	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																																	
1	5642.49	54.20	68.30	-14.10	41.44	34.58	10.28	32.10	0.00	100	68	PEAK																																																																																															
2	5650.17	52.16	68.43	-16.27	39.37	34.60	10.28	32.09	0.00	100	68	PEAK																																																																																															
3	5783.97	55.09	106.41	-51.32	42.10	34.71	10.33	32.05	0.00	100	68	PEAK																																																																																															
4	5720.21	52.34	111.37	-59.03	39.29	34.74	10.34	32.03	0.00	100	68	PEAK																																																																																															
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																																	
1	5745.00	107.82	-----	-----	94.70	34.78	10.36	32.02	0.00	100	68	PEAK																																																																																															
Avg	Blank	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>101.06</td> <td>-----</td> <td>-----</td> <td>87.94</td> <td>34.78</td> <td>10.36</td> <td>32.02</td> <td>0.00</td> <td>100</td> <td>68</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	1	5745.00	101.06	-----	-----	87.94	34.78	10.36	32.02	0.00	100	68	AVERAGE																																																																								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																																	
1	5745.00	101.06	-----	-----	87.94	34.78	10.36	32.02	0.00	100	68	AVERAGE																																																																																															



Mode	55																																																																																																										
	Band Edge																																																																																																										
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_Partial RU52/37_5745MHz																																																																																																										
ANT	CDD 5+4																																																																																																										
Pol.	Vertical	Fundamental																																																																																																									
Peak	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5611.02</td> <td>54.29</td> <td>68.30</td> <td>-14.01</td> <td>41.60</td> <td>34.52</td> <td>10.25</td> <td>32.08</td> <td>0.00</td> <td>302</td> <td>89</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5650.03</td> <td>51.46</td> <td>68.32</td> <td>-16.86</td> <td>38.67</td> <td>34.60</td> <td>10.28</td> <td>32.09</td> <td>0.00</td> <td>302</td> <td>89</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5701.36</td> <td>53.35</td> <td>105.68</td> <td>-52.33</td> <td>40.37</td> <td>34.70</td> <td>10.33</td> <td>32.05</td> <td>0.00</td> <td>302</td> <td>89</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5720.64</td> <td>55.15</td> <td>112.36</td> <td>-57.21</td> <td>42.10</td> <td>34.74</td> <td>10.34</td> <td>32.03</td> <td>0.00</td> <td>302</td> <td>89</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	1	5611.02	54.29	68.30	-14.01	41.60	34.52	10.25	32.08	0.00	302	89	PEAK	2	5650.03	51.46	68.32	-16.86	38.67	34.60	10.28	32.09	0.00	302	89	PEAK	3	5701.36	53.35	105.68	-52.33	40.37	34.70	10.33	32.05	0.00	302	89	PEAK	4	5720.64	55.15	112.36	-57.21	42.10	34.74	10.34	32.03	0.00	302	89	PEAK	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>109.74</td> <td>-----</td> <td>-----</td> <td>96.64</td> <td>34.77</td> <td>10.35</td> <td>32.02</td> <td>0.00</td> <td>302</td> <td>89</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	1	5745.00	109.74	-----	-----	96.64	34.77	10.35	32.02	0.00	302	89	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																																	
1	5611.02	54.29	68.30	-14.01	41.60	34.52	10.25	32.08	0.00	302	89	PEAK																																																																																															
2	5650.03	51.46	68.32	-16.86	38.67	34.60	10.28	32.09	0.00	302	89	PEAK																																																																																															
3	5701.36	53.35	105.68	-52.33	40.37	34.70	10.33	32.05	0.00	302	89	PEAK																																																																																															
4	5720.64	55.15	112.36	-57.21	42.10	34.74	10.34	32.03	0.00	302	89	PEAK																																																																																															
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																																	
1	5745.00	109.74	-----	-----	96.64	34.77	10.35	32.02	0.00	302	89	PEAK																																																																																															
Avg	Blank	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>100.81</td> <td>-----</td> <td>-----</td> <td>87.71</td> <td>34.77</td> <td>10.35</td> <td>32.02</td> <td>0.00</td> <td>302</td> <td>89</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	1	5745.00	100.81	-----	-----	87.71	34.77	10.35	32.02	0.00	302	89	AVERAGE																																																																								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																																	
1	5745.00	100.81	-----	-----	87.71	34.77	10.35	32.02	0.00	302	89	AVERAGE																																																																																															






Mode	56																																																																																																																								
	Band Edge																																																																																																																								
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_Partial RU52/40_5825MHz																																																																																																																								
ANT	CDD 5+4																																																																																																																								
Pol.	Horizontal	Fundamental																																																																																																																							
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5854.88</td> <td>52.98</td> <td>111.18</td> <td>-58.20</td> <td>39.46</td> <td>35.01</td> <td>10.45</td> <td>31.94</td> <td>0.00</td> <td>100</td> <td>69</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5874.13</td> <td>54.26</td> <td>105.54</td> <td>-51.28</td> <td>40.69</td> <td>35.05</td> <td>10.47</td> <td>31.95</td> <td>0.00</td> <td>100</td> <td>69</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5924.13</td> <td>53.67</td> <td>68.94</td> <td>-15.27</td> <td>40.05</td> <td>35.10</td> <td>10.51</td> <td>31.99</td> <td>0.00</td> <td>100</td> <td>69</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5939.38</td> <td>55.19</td> <td>68.30</td> <td>-13.11</td> <td>41.56</td> <td>35.10</td> <td>10.53</td> <td>32.00</td> <td>0.00</td> <td>100</td> <td>69</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5854.88	52.98	111.18	-58.20	39.46	35.01	10.45	31.94	0.00	100	69	PEAK	2	5874.13	54.26	105.54	-51.28	40.69	35.05	10.47	31.95	0.00	100	69	PEAK	3	5924.13	53.67	68.94	-15.27	40.05	35.10	10.51	31.99	0.00	100	69	PEAK	4	5939.38	55.19	68.30	-13.11	41.56	35.10	10.53	32.00	0.00	100	69	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>112.63</td> <td>-----</td> <td>-----</td> <td>99.18</td> <td>34.96</td> <td>10.43</td> <td>31.94</td> <td>0.00</td> <td>100</td> <td>69</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5825.00	112.63	-----	-----	99.18	34.96	10.43	31.94	0.00	100	69	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																																	
1	5854.88	52.98	111.18	-58.20	39.46	35.01	10.45	31.94	0.00	100	69	PEAK																																																																																																													
2	5874.13	54.26	105.54	-51.28	40.69	35.05	10.47	31.95	0.00	100	69	PEAK																																																																																																													
3	5924.13	53.67	68.94	-15.27	40.05	35.10	10.51	31.99	0.00	100	69	PEAK																																																																																																													
4	5939.38	55.19	68.30	-13.11	41.56	35.10	10.53	32.00	0.00	100	69	PEAK																																																																																																													
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																																	
1	5825.00	112.63	-----	-----	99.18	34.96	10.43	31.94	0.00	100	69	PEAK																																																																																																													
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>103.18</td> <td>-----</td> <td>-----</td> <td>89.73</td> <td>34.96</td> <td>10.43</td> <td>31.94</td> <td>0.00</td> <td>100</td> <td>69</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5825.00	103.18	-----	-----	89.73	34.96	10.43	31.94	0.00	100	69	AVERAGE																																																																															
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																																	
1	5825.00	103.18	-----	-----	89.73	34.96	10.43	31.94	0.00	100	69	AVERAGE																																																																																																													






Mode	56																																																																																								
	Band Edge																																																																																								
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_Partial RU52/40_5825MHz																																																																																								
ANT	CDD 5+4																																																																																								
Pol.	Vertical	Fundamental																																																																																							
Peak	<table border="1"> <thead> <tr> <th>Peak</th> <th>Freq (MHz)</th> <th>Level (dBuV/m)</th> <th>Limit (dBuV/m)</th> <th>Line Margin (dB)</th> <th>Read Level (dBuV)</th> <th>Ant Loss (dB/m)</th> <th>Cable Loss (dB)</th> <th>Preamp Loss (dB)</th> <th>Aux Loss (dB)</th> <th>APos (dB)</th> <th>TPos (cm/deg)</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5855.00</td> <td>113.8</td> <td>51.24</td> <td>110.90</td> <td>-59.66</td> <td>37.72</td> <td>35.01</td> <td>10.45</td> <td>31.94</td> <td>0.00</td> <td>293</td> <td>92 PEAK</td> </tr> <tr> <td>2</td> <td>5874.75</td> <td>53.77</td> <td>105.37</td> <td>-51.60</td> <td>40.20</td> <td>35.05</td> <td>10.47</td> <td>31.95</td> <td>0.00</td> <td>293</td> <td>92 PEAK</td> </tr> <tr> <td>3</td> <td>5923.25</td> <td>53.79</td> <td>69.59</td> <td>-15.80</td> <td>40.17</td> <td>35.10</td> <td>10.51</td> <td>31.99</td> <td>0.00</td> <td>293</td> <td>92 PEAK</td> </tr> <tr> <td>4</td> <td>5947.13</td> <td>54.96</td> <td>68.30</td> <td>-13.34</td> <td>41.33</td> <td>35.10</td> <td>10.54</td> <td>32.01</td> <td>0.00</td> <td>293</td> <td>92 PEAK</td> </tr> </tbody> </table>	Peak	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Line Margin (dB)	Read Level (dBuV)	Ant Loss (dB/m)	Cable Loss (dB)	Preamp Loss (dB)	Aux Loss (dB)	APos (dB)	TPos (cm/deg)	Remark	1	5855.00	113.8	51.24	110.90	-59.66	37.72	35.01	10.45	31.94	0.00	293	92 PEAK	2	5874.75	53.77	105.37	-51.60	40.20	35.05	10.47	31.95	0.00	293	92 PEAK	3	5923.25	53.79	69.59	-15.80	40.17	35.10	10.51	31.99	0.00	293	92 PEAK	4	5947.13	54.96	68.30	-13.34	41.33	35.10	10.54	32.01	0.00	293	92 PEAK	<table border="1"> <thead> <tr> <th>Peak</th> <th>Freq (MHz)</th> <th>Level (dBuV/m)</th> <th>Limit (dBuV/m)</th> <th>Line Margin (dB)</th> <th>Read Level (dBuV)</th> <th>Ant Loss (dB/m)</th> <th>Cable Loss (dB)</th> <th>Preamp Loss (dB)</th> <th>Aux Loss (dB)</th> <th>APos (dB)</th> <th>TPos (cm/deg)</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>108.56</td> <td>108.56</td> <td>0.00</td> <td>95.11</td> <td>34.96</td> <td>10.43</td> <td>31.94</td> <td>0.00</td> <td>293</td> <td>92 PEAK</td> </tr> </tbody> </table>	Peak	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Line Margin (dB)	Read Level (dBuV)	Ant Loss (dB/m)	Cable Loss (dB)	Preamp Loss (dB)	Aux Loss (dB)	APos (dB)	TPos (cm/deg)	Remark	1	5825.00	108.56	108.56	0.00	95.11	34.96	10.43	31.94	0.00	293	92 PEAK
Peak	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Line Margin (dB)	Read Level (dBuV)	Ant Loss (dB/m)	Cable Loss (dB)	Preamp Loss (dB)	Aux Loss (dB)	APos (dB)	TPos (cm/deg)	Remark																																																																													
1	5855.00	113.8	51.24	110.90	-59.66	37.72	35.01	10.45	31.94	0.00	293	92 PEAK																																																																													
2	5874.75	53.77	105.37	-51.60	40.20	35.05	10.47	31.95	0.00	293	92 PEAK																																																																														
3	5923.25	53.79	69.59	-15.80	40.17	35.10	10.51	31.99	0.00	293	92 PEAK																																																																														
4	5947.13	54.96	68.30	-13.34	41.33	35.10	10.54	32.01	0.00	293	92 PEAK																																																																														
Peak	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Line Margin (dB)	Read Level (dBuV)	Ant Loss (dB/m)	Cable Loss (dB)	Preamp Loss (dB)	Aux Loss (dB)	APos (dB)	TPos (cm/deg)	Remark																																																																													
1	5825.00	108.56	108.56	0.00	95.11	34.96	10.43	31.94	0.00	293	92 PEAK																																																																														
Avg	Blank	<table border="1"> <thead> <tr> <th>Peak</th> <th>Freq (MHz)</th> <th>Level (dBuV/m)</th> <th>Limit (dBuV/m)</th> <th>Line Margin (dB)</th> <th>Read Level (dBuV)</th> <th>Ant Loss (dB/m)</th> <th>Cable Loss (dB)</th> <th>Preamp Loss (dB)</th> <th>Aux Loss (dB)</th> <th>APos (dB)</th> <th>TPos (cm/deg)</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>100.45</td> <td>100.45</td> <td>0.00</td> <td>86.98</td> <td>34.97</td> <td>10.44</td> <td>31.94</td> <td>0.00</td> <td>293</td> <td>92 AVERAGE</td> </tr> </tbody> </table>	Peak	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Line Margin (dB)	Read Level (dBuV)	Ant Loss (dB/m)	Cable Loss (dB)	Preamp Loss (dB)	Aux Loss (dB)	APos (dB)	TPos (cm/deg)	Remark	1	5825.00	100.45	100.45	0.00	86.98	34.97	10.44	31.94	0.00	293	92 AVERAGE																																																														
Peak	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Line Margin (dB)	Read Level (dBuV)	Ant Loss (dB/m)	Cable Loss (dB)	Preamp Loss (dB)	Aux Loss (dB)	APos (dB)	TPos (cm/deg)	Remark																																																																													
1	5825.00	100.45	100.45	0.00	86.98	34.97	10.44	31.94	0.00	293	92 AVERAGE																																																																														






Mode	57																																																																																																														
	Band Edge																																																																																																														
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_Partial RU106/53_5745MHz																																																																																																														
ANT	CDD 5+4																																																																																																														
Pol.	Horizontal	Fundamental																																																																																																													
Peak	 <table border="1" data-bbox="271 1075 774 1254"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5628.71</td> <td>53.79</td> <td>68.30</td> <td>-14.51</td> <td>41.05</td> <td>34.56</td> <td>10.27</td> <td>32.09</td> <td>0.00</td> <td>100</td> <td>70</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5651.48</td> <td>53.71</td> <td>69.40</td> <td>-15.69</td> <td>40.91</td> <td>34.60</td> <td>10.29</td> <td>32.09</td> <td>0.00</td> <td>100</td> <td>70</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5702.08</td> <td>57.79</td> <td>105.88</td> <td>-48.09</td> <td>44.81</td> <td>34.70</td> <td>10.33</td> <td>32.05</td> <td>0.00</td> <td>100</td> <td>70</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5720.79</td> <td>54.47</td> <td>112.69</td> <td>-58.22</td> <td>41.42</td> <td>34.74</td> <td>10.34</td> <td>32.03</td> <td>0.00</td> <td>100</td> <td>70</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Factor	cm	deg	Remark	1	5628.71	53.79	68.30	-14.51	41.05	34.56	10.27	32.09	0.00	100	70	PEAK	2	5651.48	53.71	69.40	-15.69	40.91	34.60	10.29	32.09	0.00	100	70	PEAK	3	5702.08	57.79	105.88	-48.09	44.81	34.70	10.33	32.05	0.00	100	70	PEAK	4	5720.79	54.47	112.69	-58.22	41.42	34.74	10.34	32.03	0.00	100	70	PEAK	 <table border="1" data-bbox="909 1131 1420 1254"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>111.61</td> <td>-----</td> <td>-----</td> <td>98.49</td> <td>34.78</td> <td>10.36</td> <td>32.02</td> <td>0.00</td> <td>100</td> <td>70</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Factor	cm	deg	Remark	1	5745.00	111.61	-----	-----	98.49	34.78	10.36	32.02	0.00	100	70	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Factor	cm	deg	Remark																																																																																																			
1	5628.71	53.79	68.30	-14.51	41.05	34.56	10.27	32.09	0.00	100	70	PEAK																																																																																																			
2	5651.48	53.71	69.40	-15.69	40.91	34.60	10.29	32.09	0.00	100	70	PEAK																																																																																																			
3	5702.08	57.79	105.88	-48.09	44.81	34.70	10.33	32.05	0.00	100	70	PEAK																																																																																																			
4	5720.79	54.47	112.69	-58.22	41.42	34.74	10.34	32.03	0.00	100	70	PEAK																																																																																																			
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Factor	cm	deg	Remark																																																																																																			
1	5745.00	111.61	-----	-----	98.49	34.78	10.36	32.02	0.00	100	70	PEAK																																																																																																			
Avg	Blank																																																																																																														
		 <table border="1" data-bbox="909 1803 1420 1926"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>104.12</td> <td>-----</td> <td>-----</td> <td>91.00</td> <td>34.78</td> <td>10.36</td> <td>32.02</td> <td>0.00</td> <td>100</td> <td>70</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Factor	cm	deg	Remark	1	5745.00	104.12	-----	-----	91.00	34.78	10.36	32.02	0.00	100	70	AVERAGE																																																																										
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Factor	cm	deg	Remark																																																																																																			
1	5745.00	104.12	-----	-----	91.00	34.78	10.36	32.02	0.00	100	70	AVERAGE																																																																																																			






Mode	57																																																																																																																		
	Band Edge																																																																																																																		
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_Partial RU106/53_5745MHz																																																																																																																		
ANT	CDD 5+4																																																																																																																		
Pol.	Vertical	Fundamental																																																																																																																	
Peak	 <table border="1" data-bbox="274 1077 778 1249"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Level</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5600.29</td> <td>53.70</td> <td>68.30</td> <td>-14.60</td> <td>41.04</td> <td>34.50</td> <td>10.24</td> <td>32.08</td> <td>0.00</td> <td>316</td> <td>104</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5650.03</td> <td>52.17</td> <td>68.32</td> <td>-16.15</td> <td>39.38</td> <td>34.60</td> <td>10.28</td> <td>32.09</td> <td>0.00</td> <td>316</td> <td>104</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5700.34</td> <td>53.71</td> <td>105.40</td> <td>-51.69</td> <td>40.74</td> <td>34.70</td> <td>10.32</td> <td>32.05</td> <td>0.00</td> <td>316</td> <td>104</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5720.21</td> <td>53.31</td> <td>111.37</td> <td>-58.06</td> <td>40.26</td> <td>34.74</td> <td>10.34</td> <td>32.03</td> <td>0.00</td> <td>316</td> <td>104</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Aux	APos	TPos	Remark	Freq	Level	Line	Level	Level	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5600.29	53.70	68.30	-14.60	41.04	34.50	10.24	32.08	0.00	316	104	PEAK	2	5650.03	52.17	68.32	-16.15	39.38	34.60	10.28	32.09	0.00	316	104	PEAK	3	5700.34	53.71	105.40	-51.69	40.74	34.70	10.32	32.05	0.00	316	104	PEAK	4	5720.21	53.31	111.37	-58.06	40.26	34.74	10.34	32.03	0.00	316	104	PEAK	 <table border="1" data-bbox="917 1077 1422 1249"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Level</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>109.13</td> <td>-----</td> <td>-----</td> <td>96.03</td> <td>34.77</td> <td>10.35</td> <td>32.02</td> <td>0.00</td> <td>316</td> <td>104</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Aux	APos	TPos	Remark	Freq	Level	Line	Level	Level	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5745.00	109.13	-----	-----	96.03	34.77	10.35	32.02	0.00	316	104	PEAK
Limit	Read	Ant	Cable	Aux	APos	TPos	Remark																																																																																																												
Freq	Level	Line	Level	Level	Loss	Factor	Factor																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																												
1	5600.29	53.70	68.30	-14.60	41.04	34.50	10.24	32.08	0.00	316	104	PEAK																																																																																																							
2	5650.03	52.17	68.32	-16.15	39.38	34.60	10.28	32.09	0.00	316	104	PEAK																																																																																																							
3	5700.34	53.71	105.40	-51.69	40.74	34.70	10.32	32.05	0.00	316	104	PEAK																																																																																																							
4	5720.21	53.31	111.37	-58.06	40.26	34.74	10.34	32.03	0.00	316	104	PEAK																																																																																																							
Limit	Read	Ant	Cable	Aux	APos	TPos	Remark																																																																																																												
Freq	Level	Line	Level	Level	Loss	Factor	Factor																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																												
1	5745.00	109.13	-----	-----	96.03	34.77	10.35	32.02	0.00	316	104	PEAK																																																																																																							
Avg	Blank																																																																																																																		
		 <table border="1" data-bbox="917 1756 1422 1928"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Level</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>101.64</td> <td>-----</td> <td>-----</td> <td>88.50</td> <td>34.79</td> <td>10.36</td> <td>32.01</td> <td>0.00</td> <td>316</td> <td>104</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Aux	APos	TPos	Remark	Freq	Level	Line	Level	Level	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5745.00	101.64	-----	-----	88.50	34.79	10.36	32.01	0.00	316	104	AVERAGE																																																																												
Limit	Read	Ant	Cable	Aux	APos	TPos	Remark																																																																																																												
Freq	Level	Line	Level	Level	Loss	Factor	Factor																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																												
1	5745.00	101.64	-----	-----	88.50	34.79	10.36	32.01	0.00	316	104	AVERAGE																																																																																																							



Mode	58																																																																																																																						
	Band Edge																																																																																																																						
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_Partial RU106/54_5825MHz																																																																																																																						
ANT	CDD 5+4																																																																																																																						
Pol.	Horizontal	Fundamental																																																																																																																					
Peak	 <table border="1" data-bbox="263 1075 790 1254"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5855.00</td> <td>55.36</td> <td>110.90</td> <td>-55.54</td> <td>41.84</td> <td>35.01</td> <td>10.45</td> <td>31.94</td> <td>0.00</td> <td>100</td> <td>72</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5870.63</td> <td>55.99</td> <td>106.52</td> <td>-50.53</td> <td>42.43</td> <td>35.04</td> <td>10.47</td> <td>31.95</td> <td>0.00</td> <td>100</td> <td>72</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5925.00</td> <td>53.91</td> <td>68.30</td> <td>-14.39</td> <td>40.28</td> <td>35.10</td> <td>10.52</td> <td>31.99</td> <td>0.00</td> <td>100</td> <td>72</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5945.88</td> <td>54.78</td> <td>68.30</td> <td>-13.52</td> <td>41.16</td> <td>35.10</td> <td>10.53</td> <td>32.01</td> <td>0.00</td> <td>100</td> <td>72</td> <td>PEAK</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5855.00	55.36	110.90	-55.54	41.84	35.01	10.45	31.94	0.00	100	72	PEAK	2	5870.63	55.99	106.52	-50.53	42.43	35.04	10.47	31.95	0.00	100	72	PEAK	3	5925.00	53.91	68.30	-14.39	40.28	35.10	10.52	31.99	0.00	100	72	PEAK	4	5945.88	54.78	68.30	-13.52	41.16	35.10	10.53	32.01	0.00	100	72	PEAK	 <table border="1" data-bbox="909 1120 1436 1254"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>112.71</td> <td>-----</td> <td>-----</td> <td>99.26</td> <td>34.96</td> <td>10.43</td> <td>31.94</td> <td>0.00</td> <td>100</td> <td>72</td> <td>PEAK</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5825.00	112.71	-----	-----	99.26	34.96	10.43	31.94	0.00	100	72	PEAK
Peak	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																												
1	5855.00	55.36	110.90	-55.54	41.84	35.01	10.45	31.94	0.00	100	72	PEAK																																																																																																											
2	5870.63	55.99	106.52	-50.53	42.43	35.04	10.47	31.95	0.00	100	72	PEAK																																																																																																											
3	5925.00	53.91	68.30	-14.39	40.28	35.10	10.52	31.99	0.00	100	72	PEAK																																																																																																											
4	5945.88	54.78	68.30	-13.52	41.16	35.10	10.53	32.01	0.00	100	72	PEAK																																																																																																											
Peak	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																												
1	5825.00	112.71	-----	-----	99.26	34.96	10.43	31.94	0.00	100	72	PEAK																																																																																																											
Avg	Blank																																																																																																																						
		 <table border="1" data-bbox="909 1792 1436 1926"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>103.53</td> <td>-----</td> <td>-----</td> <td>90.00</td> <td>34.96</td> <td>10.43</td> <td>31.94</td> <td>0.00</td> <td>100</td> <td>72</td> <td>AVERAGE</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5825.00	103.53	-----	-----	90.00	34.96	10.43	31.94	0.00	100	72	AVERAGE																																																																														
Peak	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																												
1	5825.00	103.53	-----	-----	90.00	34.96	10.43	31.94	0.00	100	72	AVERAGE																																																																																																											



Mode	58																																																																																																				
	Band Edge																																																																																																				
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_Partial RU106/54_5825MHz																																																																																																				
ANT	CDD 5+4																																																																																																				
Pol.	Vertical	Fundamental																																																																																																			
Peak	 <table border="1" data-bbox="268 1077 783 1256"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 5850.25</td> <td>71.08</td> <td>121.73</td> <td>-50.65</td> <td>57.56</td> <td>35.00</td> <td>10.45</td> <td>31.93</td> <td>0.00</td> </tr> <tr> <td>2 5870.75</td> <td>55.28</td> <td>106.40</td> <td>-51.21</td> <td>41.72</td> <td>35.04</td> <td>10.47</td> <td>31.95</td> <td>0.00</td> </tr> <tr> <td>3 5924.88</td> <td>53.67</td> <td>68.39</td> <td>-14.72</td> <td>40.04</td> <td>35.10</td> <td>10.52</td> <td>31.99</td> <td>0.00</td> </tr> <tr> <td>4 5928.50</td> <td>54.78</td> <td>68.30</td> <td>-13.52</td> <td>41.15</td> <td>35.10</td> <td>10.52</td> <td>31.99</td> <td>0.00</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1 5850.25	71.08	121.73	-50.65	57.56	35.00	10.45	31.93	0.00	2 5870.75	55.28	106.40	-51.21	41.72	35.04	10.47	31.95	0.00	3 5924.88	53.67	68.39	-14.72	40.04	35.10	10.52	31.99	0.00	4 5928.50	54.78	68.30	-13.52	41.15	35.10	10.52	31.99	0.00	 <table border="1" data-bbox="911 1128 1426 1256"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 5825.00</td> <td>108.40</td> <td>-----</td> <td>-----</td> <td>94.95</td> <td>34.96</td> <td>10.43</td> <td>31.94</td> <td>0.00</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1 5825.00	108.40	-----	-----	94.95	34.96	10.43	31.94	0.00
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																													
1 5850.25	71.08	121.73	-50.65	57.56	35.00	10.45	31.93	0.00																																																																																													
2 5870.75	55.28	106.40	-51.21	41.72	35.04	10.47	31.95	0.00																																																																																													
3 5924.88	53.67	68.39	-14.72	40.04	35.10	10.52	31.99	0.00																																																																																													
4 5928.50	54.78	68.30	-13.52	41.15	35.10	10.52	31.99	0.00																																																																																													
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																													
1 5825.00	108.40	-----	-----	94.95	34.96	10.43	31.94	0.00																																																																																													
Avg	Blank																																																																																																				
		 <table border="1" data-bbox="911 1800 1426 1928"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 5825.00</td> <td>100.03</td> <td>-----</td> <td>-----</td> <td>86.58</td> <td>34.96</td> <td>10.43</td> <td>31.94</td> <td>0.00</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1 5825.00	100.03	-----	-----	86.58	34.96	10.43	31.94	0.00																																																															
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																													
1 5825.00	100.03	-----	-----	86.58	34.96	10.43	31.94	0.00																																																																																													







Mode	64																																																																																																																																																											
	LF																																																																																																																																																											
	U-NII-3_5.725-5.85_802.11ax HE80_CH155_Full_5775MHz																																																																																																																																																											
ANT	CDD 5+4																																																																																																																																																											
Pol.	Horizontal	Vertical																																																																																																																																																										
Peak Avg	<table border="1"> <thead> <tr> <th>Peak</th> <th>Freq (MHz)</th> <th>Level (dBuV/m)</th> <th>Over Limit (dB)</th> <th>Limit (dBuV/m)</th> <th>ReadAntenna Level (dBuV)</th> <th>Cable Factor (dB/m)</th> <th>Preamp Loss Factor (dB)</th> <th>A/Pos (cm)</th> <th>T/Pos (deg)</th> <th>Remark</th> </tr> </thead> <tbody> <tr><td>1</td><td>114.39</td><td>23.89</td><td>-19.61</td><td>43.50</td><td>37.36</td><td>17.27</td><td>1.43</td><td>32.17</td><td>---</td><td>Peak</td></tr> <tr><td>2</td><td>221.09</td><td>25.17</td><td>-20.83</td><td>46.00</td><td>39.92</td><td>15.41</td><td>2.01</td><td>32.17</td><td>---</td><td>Peak</td></tr> <tr><td>3</td><td>346.22</td><td>22.85</td><td>-23.15</td><td>46.00</td><td>32.17</td><td>20.38</td><td>2.51</td><td>32.21</td><td>---</td><td>Peak</td></tr> <tr><td>4</td><td>607.15</td><td>26.27</td><td>-19.73</td><td>46.00</td><td>29.41</td><td>25.90</td><td>3.33</td><td>32.37</td><td>---</td><td>Peak</td></tr> <tr><td>5</td><td>773.02</td><td>28.51</td><td>-17.49</td><td>46.00</td><td>28.67</td><td>28.20</td><td>3.76</td><td>32.12</td><td>---</td><td>Peak</td></tr> <tr><td>6</td><td>967.99</td><td>31.57</td><td>-22.43</td><td>54.00</td><td>27.33</td><td>30.85</td><td>4.19</td><td>30.80</td><td>---</td><td>Peak</td></tr> </tbody> </table>	Peak	Freq (MHz)	Level (dBuV/m)	Over Limit (dB)	Limit (dBuV/m)	ReadAntenna Level (dBuV)	Cable Factor (dB/m)	Preamp Loss Factor (dB)	A/Pos (cm)	T/Pos (deg)	Remark	1	114.39	23.89	-19.61	43.50	37.36	17.27	1.43	32.17	---	Peak	2	221.09	25.17	-20.83	46.00	39.92	15.41	2.01	32.17	---	Peak	3	346.22	22.85	-23.15	46.00	32.17	20.38	2.51	32.21	---	Peak	4	607.15	26.27	-19.73	46.00	29.41	25.90	3.33	32.37	---	Peak	5	773.02	28.51	-17.49	46.00	28.67	28.20	3.76	32.12	---	Peak	6	967.99	31.57	-22.43	54.00	27.33	30.85	4.19	30.80	---	Peak	<table border="1"> <thead> <tr> <th>Peak</th> <th>Freq (MHz)</th> <th>Level (dBuV/m)</th> <th>Over Limit (dB)</th> <th>Limit (dBuV/m)</th> <th>ReadAntenna Level (dBuV)</th> <th>Cable Factor (dB/m)</th> <th>Preamp Loss Factor (dB)</th> <th>A/Pos (cm)</th> <th>T/Pos (deg)</th> <th>Remark</th> </tr> </thead> <tbody> <tr><td>1</td><td>53.28</td><td>29.40</td><td>-10.60</td><td>40.00</td><td>47.51</td><td>13.65</td><td>0.76</td><td>32.52</td><td>---</td><td>Peak</td></tr> <tr><td>2</td><td>104.69</td><td>29.71</td><td>-13.79</td><td>43.50</td><td>43.95</td><td>16.55</td><td>1.38</td><td>32.17</td><td>---</td><td>Peak</td></tr> <tr><td>3</td><td>222.06</td><td>22.63</td><td>-23.37</td><td>46.00</td><td>37.27</td><td>15.52</td><td>2.01</td><td>32.17</td><td>---</td><td>Peak</td></tr> <tr><td>4</td><td>416.06</td><td>22.57</td><td>-23.43</td><td>46.00</td><td>29.86</td><td>22.29</td><td>2.75</td><td>32.33</td><td>---</td><td>Peak</td></tr> <tr><td>5</td><td>661.47</td><td>27.03</td><td>-18.97</td><td>46.00</td><td>29.31</td><td>26.55</td><td>3.48</td><td>32.31</td><td>---</td><td>Peak</td></tr> <tr><td>6</td><td>898.15</td><td>30.87</td><td>-15.13</td><td>46.00</td><td>29.24</td><td>29.11</td><td>4.04</td><td>31.52</td><td>---</td><td>Peak</td></tr> </tbody> </table>	Peak	Freq (MHz)	Level (dBuV/m)	Over Limit (dB)	Limit (dBuV/m)	ReadAntenna Level (dBuV)	Cable Factor (dB/m)	Preamp Loss Factor (dB)	A/Pos (cm)	T/Pos (deg)	Remark	1	53.28	29.40	-10.60	40.00	47.51	13.65	0.76	32.52	---	Peak	2	104.69	29.71	-13.79	43.50	43.95	16.55	1.38	32.17	---	Peak	3	222.06	22.63	-23.37	46.00	37.27	15.52	2.01	32.17	---	Peak	4	416.06	22.57	-23.43	46.00	29.86	22.29	2.75	32.33	---	Peak	5	661.47	27.03	-18.97	46.00	29.31	26.55	3.48	32.31	---	Peak	6	898.15	30.87	-15.13	46.00	29.24	29.11	4.04	31.52	---	Peak
	Peak	Freq (MHz)	Level (dBuV/m)	Over Limit (dB)	Limit (dBuV/m)	ReadAntenna Level (dBuV)	Cable Factor (dB/m)	Preamp Loss Factor (dB)	A/Pos (cm)	T/Pos (deg)	Remark																																																																																																																																																	
1	114.39	23.89	-19.61	43.50	37.36	17.27	1.43	32.17	---	Peak																																																																																																																																																		
2	221.09	25.17	-20.83	46.00	39.92	15.41	2.01	32.17	---	Peak																																																																																																																																																		
3	346.22	22.85	-23.15	46.00	32.17	20.38	2.51	32.21	---	Peak																																																																																																																																																		
4	607.15	26.27	-19.73	46.00	29.41	25.90	3.33	32.37	---	Peak																																																																																																																																																		
5	773.02	28.51	-17.49	46.00	28.67	28.20	3.76	32.12	---	Peak																																																																																																																																																		
6	967.99	31.57	-22.43	54.00	27.33	30.85	4.19	30.80	---	Peak																																																																																																																																																		
Peak	Freq (MHz)	Level (dBuV/m)	Over Limit (dB)	Limit (dBuV/m)	ReadAntenna Level (dBuV)	Cable Factor (dB/m)	Preamp Loss Factor (dB)	A/Pos (cm)	T/Pos (deg)	Remark																																																																																																																																																		
1	53.28	29.40	-10.60	40.00	47.51	13.65	0.76	32.52	---	Peak																																																																																																																																																		
2	104.69	29.71	-13.79	43.50	43.95	16.55	1.38	32.17	---	Peak																																																																																																																																																		
3	222.06	22.63	-23.37	46.00	37.27	15.52	2.01	32.17	---	Peak																																																																																																																																																		
4	416.06	22.57	-23.43	46.00	29.86	22.29	2.75	32.33	---	Peak																																																																																																																																																		
5	661.47	27.03	-18.97	46.00	29.31	26.55	3.48	32.31	---	Peak																																																																																																																																																		
6	898.15	30.87	-15.13	46.00	29.24	29.11	4.04	31.52	---	Peak																																																																																																																																																		



Mode	65																																																																													
	Band Edge																																																																													
	2400-2483.5_Bluetooth-LE_GSKF_CH39_2480MHz																																																																													
ANT	4																																																																													
Pol.	Horizontal	Fundamental																																																																												
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 2488.60</td> <td>55.79</td> <td>74.00</td> <td>-18.21</td> <td>43.34</td> <td>32.32</td> <td>6.74</td> <td>32.61</td> <td>6.00</td> <td>100</td> <td>136 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 2488.60	55.79	74.00	-18.21	43.34	32.32	6.74	32.61	6.00	100	136 PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 2480.00</td> <td>105.59</td> <td>-----</td> <td>-----</td> <td>93.15</td> <td>32.34</td> <td>6.73</td> <td>32.63</td> <td>6.00</td> <td>100</td> <td>136 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 2480.00	105.59	-----	-----	93.15	32.34	6.73	32.63	6.00	100	136 PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																						
1 2488.60	55.79	74.00	-18.21	43.34	32.32	6.74	32.61	6.00	100	136 PEAK																																																																				
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																						
1 2480.00	105.59	-----	-----	93.15	32.34	6.73	32.63	6.00	100	136 PEAK																																																																				
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 2492.00</td> <td>46.00</td> <td>54.00</td> <td>-8.00</td> <td>33.54</td> <td>32.31</td> <td>6.75</td> <td>32.60</td> <td>6.00</td> <td>100</td> <td>136 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 2492.00	46.00	54.00	-8.00	33.54	32.31	6.75	32.60	6.00	100	136 AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 2480.00</td> <td>103.31</td> <td>-----</td> <td>-----</td> <td>90.87</td> <td>32.34</td> <td>6.73</td> <td>32.63</td> <td>6.00</td> <td>100</td> <td>136 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 2480.00	103.31	-----	-----	90.87	32.34	6.73	32.63	6.00	100	136 AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																						
1 2492.00	46.00	54.00	-8.00	33.54	32.31	6.75	32.60	6.00	100	136 AVERAGE																																																																				
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																						
1 2480.00	103.31	-----	-----	90.87	32.34	6.73	32.63	6.00	100	136 AVERAGE																																																																				







Mode	65																																																																																	
	Band Edge																																																																																	
	2400-2483.5_Bluetooth-LE_GSKF_CH39_2480MHz																																																																																	
ANT	4																																																																																	
Pol.	Vertical	Fundamental																																																																																
Peak	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.62</td> <td>56.67</td> <td>74.00</td> <td>-17.33</td> <td>44.24</td> <td>32.33</td> <td>6.73</td> <td>32.63</td> <td>6.00</td> <td>100</td> <td>112</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	2483.62	56.67	74.00	-17.33	44.24	32.33	6.73	32.63	6.00	100	112	PEAK	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2480.00</td> <td>107.78</td> <td>-----</td> <td>-----</td> <td>95.34</td> <td>32.34</td> <td>6.73</td> <td>32.63</td> <td>6.00</td> <td>100</td> <td>112</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	2480.00	107.78	-----	-----	95.34	32.34	6.73	32.63	6.00	100	112	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																										
1	2483.62	56.67	74.00	-17.33	44.24	32.33	6.73	32.63	6.00	100	112	PEAK																																																																						
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																										
1	2480.00	107.78	-----	-----	95.34	32.34	6.73	32.63	6.00	100	112	PEAK																																																																						
Avg	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2484.76</td> <td>45.82</td> <td>54.00</td> <td>-8.18</td> <td>33.38</td> <td>32.33</td> <td>6.73</td> <td>32.62</td> <td>6.00</td> <td>100</td> <td>112</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	2484.76	45.82	54.00	-8.18	33.38	32.33	6.73	32.62	6.00	100	112	AVERAGE	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2484.76</td> <td>45.82</td> <td>54.00</td> <td>-8.18</td> <td>33.38</td> <td>32.33</td> <td>6.73</td> <td>32.62</td> <td>6.00</td> <td>100</td> <td>112</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	2484.76	45.82	54.00	-8.18	33.38	32.33	6.73	32.62	6.00	100	112	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																										
1	2484.76	45.82	54.00	-8.18	33.38	32.33	6.73	32.62	6.00	100	112	AVERAGE																																																																						
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																										
1	2484.76	45.82	54.00	-8.18	33.38	32.33	6.73	32.62	6.00	100	112	AVERAGE																																																																						



Mode	65																																																																																																																																																																	
	Harmonic																																																																																																																																																																	
	2400-2483.5_Bluetooth-LE_GSKF_CH39_2480MHz																																																																																																																																																																	
ANT	4																																																																																																																																																																	
Pol.	Horizontal	Vertical																																																																																																																																																																
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>3630.00</td> <td>48.70</td> <td>74.00</td> <td>-25.30</td> <td>68.37</td> <td>33.06</td> <td>8.27</td> <td>61.00</td> <td>0.00</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>4960.00</td> <td>43.35</td> <td>74.00</td> <td>-30.65</td> <td>60.52</td> <td>34.02</td> <td>9.61</td> <td>60.00</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5520.00</td> <td>49.61</td> <td>74.00</td> <td>-24.39</td> <td>65.29</td> <td>34.40</td> <td>10.12</td> <td>60.20</td> <td>0.00</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>4</td> <td>7440.00</td> <td>46.03</td> <td>74.00</td> <td>-27.97</td> <td>59.18</td> <td>35.70</td> <td>11.77</td> <td>60.62</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	3630.00	48.70	74.00	-25.30	68.37	33.06	8.27	61.00	0.00	---	---	Peak	2	4960.00	43.35	74.00	-30.65	60.52	34.02	9.61	60.00	0.00	---	---	PEAK	3	5520.00	49.61	74.00	-24.39	65.29	34.40	10.12	60.20	0.00	---	---	Peak	4	7440.00	46.03	74.00	-27.97	59.18	35.70	11.77	60.62	0.00	---	---	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>3630.00</td> <td>48.89</td> <td>74.00</td> <td>-25.11</td> <td>68.56</td> <td>33.06</td> <td>8.27</td> <td>61.00</td> <td>0.00</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>4960.00</td> <td>43.94</td> <td>74.00</td> <td>-30.06</td> <td>61.11</td> <td>34.02</td> <td>9.61</td> <td>60.00</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5520.00</td> <td>49.98</td> <td>74.00</td> <td>-24.02</td> <td>65.66</td> <td>34.40</td> <td>10.12</td> <td>60.20</td> <td>0.00</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>4</td> <td>7440.00</td> <td>45.10</td> <td>74.00</td> <td>-28.90</td> <td>58.25</td> <td>35.70</td> <td>11.77</td> <td>60.62</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	3630.00	48.89	74.00	-25.11	68.56	33.06	8.27	61.00	0.00	---	---	Peak	2	4960.00	43.94	74.00	-30.06	61.11	34.02	9.61	60.00	0.00	---	---	PEAK	3	5520.00	49.98	74.00	-24.02	65.66	34.40	10.12	60.20	0.00	---	---	Peak	4	7440.00	45.10	74.00	-28.90	58.25	35.70	11.77	60.62	0.00	---	---	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																									
1	3630.00	48.70	74.00	-25.30	68.37	33.06	8.27	61.00	0.00	---	---	Peak																																																																																																																																																						
2	4960.00	43.35	74.00	-30.65	60.52	34.02	9.61	60.00	0.00	---	---	PEAK																																																																																																																																																						
3	5520.00	49.61	74.00	-24.39	65.29	34.40	10.12	60.20	0.00	---	---	Peak																																																																																																																																																						
4	7440.00	46.03	74.00	-27.97	59.18	35.70	11.77	60.62	0.00	---	---	PEAK																																																																																																																																																						
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																									
1	3630.00	48.89	74.00	-25.11	68.56	33.06	8.27	61.00	0.00	---	---	Peak																																																																																																																																																						
2	4960.00	43.94	74.00	-30.06	61.11	34.02	9.61	60.00	0.00	---	---	PEAK																																																																																																																																																						
3	5520.00	49.98	74.00	-24.02	65.66	34.40	10.12	60.20	0.00	---	---	Peak																																																																																																																																																						
4	7440.00	45.10	74.00	-28.90	58.25	35.70	11.77	60.62	0.00	---	---	PEAK																																																																																																																																																						







Mode	65																																																																																																																											
	Band Edge - L																																																																																																																											
	U-NII-2C_5.47-5.725_802.11ax HE40_CH102_Full_5510MHz																																																																																																																											
ANT	CDD 5+4																																																																																																																											
Pol.	Horizontal	Fundamental																																																																																																																										
Peak	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5453.36</td> <td>59.54</td> <td>74.00</td> <td>-14.46</td> <td>47.11</td> <td>34.40</td> <td>10.02</td> <td>31.99</td> <td>0.00</td> <td>100</td> <td>71 PEAK</td> </tr> <tr> <td>2</td> <td>5466.80</td> <td>61.06</td> <td>68.30</td> <td>-7.24</td> <td>48.61</td> <td>34.40</td> <td>10.04</td> <td>31.99</td> <td>0.00</td> <td>100</td> <td>71 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5453.36	59.54	74.00	-14.46	47.11	34.40	10.02	31.99	0.00	100	71 PEAK	2	5466.80	61.06	68.30	-7.24	48.61	34.40	10.04	31.99	0.00	100	71 PEAK	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2480.00</td> <td>102.18</td> <td>-----</td> <td>-----</td> <td>95.74</td> <td>32.34</td> <td>6.73</td> <td>32.63</td> <td>0.00</td> <td>100</td> <td>71 Peak</td> </tr> <tr> <td>2</td> <td>3625.00</td> <td>96.14</td> <td>-----</td> <td>-----</td> <td>86.88</td> <td>33.05</td> <td>8.26</td> <td>32.05</td> <td>0.00</td> <td>100</td> <td>71 Peak</td> </tr> <tr> <td>3</td> <td>5510.00</td> <td>105.05</td> <td>-----</td> <td>-----</td> <td>92.57</td> <td>34.40</td> <td>10.10</td> <td>32.02</td> <td>0.00</td> <td>100</td> <td>71 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2480.00	102.18	-----	-----	95.74	32.34	6.73	32.63	0.00	100	71 Peak	2	3625.00	96.14	-----	-----	86.88	33.05	8.26	32.05	0.00	100	71 Peak	3	5510.00	105.05	-----	-----	92.57	34.40	10.10	32.02	0.00	100	71 PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																		
1	5453.36	59.54	74.00	-14.46	47.11	34.40	10.02	31.99	0.00	100	71 PEAK																																																																																																																	
2	5466.80	61.06	68.30	-7.24	48.61	34.40	10.04	31.99	0.00	100	71 PEAK																																																																																																																	
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																		
1	2480.00	102.18	-----	-----	95.74	32.34	6.73	32.63	0.00	100	71 Peak																																																																																																																	
2	3625.00	96.14	-----	-----	86.88	33.05	8.26	32.05	0.00	100	71 Peak																																																																																																																	
3	5510.00	105.05	-----	-----	92.57	34.40	10.10	32.02	0.00	100	71 PEAK																																																																																																																	
Avg	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5459.92</td> <td>45.00</td> <td>54.00</td> <td>-9.00</td> <td>32.56</td> <td>34.40</td> <td>10.03</td> <td>31.99</td> <td>0.00</td> <td>100</td> <td>71 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5459.92	45.00	54.00	-9.00	32.56	34.40	10.03	31.99	0.00	100	71 AVERAGE	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2480.00</td> <td>98.12</td> <td>-----</td> <td>-----</td> <td>91.68</td> <td>32.34</td> <td>6.73</td> <td>32.63</td> <td>0.00</td> <td>100</td> <td>71 Average</td> </tr> <tr> <td>2</td> <td>3625.00</td> <td>89.21</td> <td>-----</td> <td>-----</td> <td>79.95</td> <td>33.05</td> <td>8.26</td> <td>32.05</td> <td>0.00</td> <td>100</td> <td>71 Average</td> </tr> <tr> <td>3</td> <td>5510.00</td> <td>95.71</td> <td>-----</td> <td>-----</td> <td>83.23</td> <td>34.40</td> <td>10.10</td> <td>32.02</td> <td>0.00</td> <td>100</td> <td>71 Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2480.00	98.12	-----	-----	91.68	32.34	6.73	32.63	0.00	100	71 Average	2	3625.00	89.21	-----	-----	79.95	33.05	8.26	32.05	0.00	100	71 Average	3	5510.00	95.71	-----	-----	83.23	34.40	10.10	32.02	0.00	100	71 Average												
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																		
1	5459.92	45.00	54.00	-9.00	32.56	34.40	10.03	31.99	0.00	100	71 AVERAGE																																																																																																																	
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																		
1	2480.00	98.12	-----	-----	91.68	32.34	6.73	32.63	0.00	100	71 Average																																																																																																																	
2	3625.00	89.21	-----	-----	79.95	33.05	8.26	32.05	0.00	100	71 Average																																																																																																																	
3	5510.00	95.71	-----	-----	83.23	34.40	10.10	32.02	0.00	100	71 Average																																																																																																																	



Mode	65																																																	
	Band Edge - R																																																	
	U-NII-2C_5.47-5.725_802.11ax HE40_CH102_Full_5510MHz																																																	
ANT	CDD 5+4																																																	
Pol.	Horizontal	Fundamental																																																
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5751.74</td> <td>53.80</td> <td>68.30</td> <td>-14.50</td> <td>40.84</td> <td>34.60</td> <td>10.37</td> <td>32.01</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>0.00</td> <td>100</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>71 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 5751.74	53.80	68.30	-14.50	40.84	34.60	10.37	32.01							0.00	100								71 PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																											
1 5751.74	53.80	68.30	-14.50	40.84	34.60	10.37	32.01																																											
						0.00	100																																											
							71 PEAK																																											



		65																																																																																																																															
Mode		Band Edge - L																																																																																																																															
		U-NII-2C_5.47-5.725_802.11ax HE40_CH102_Full_5510MHz																																																																																																																															
ANT		CDD 5+4																																																																																																																															
Pol.		Vertical					Fundamental																																																																																																																										
Peak	 <p>Level (dBuV/m)</p> <p>Frequency (MHz)</p> <p>5G BAND 1---3</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5459.44</td> <td>58.00</td> <td>74.00</td> <td>-16.00</td> <td>45.56</td> <td>34.40</td> <td>10.03</td> <td>31.99</td> <td>0.00</td> <td>136</td> <td>79</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5466.96</td> <td>62.45</td> <td>68.30</td> <td>-5.85</td> <td>50.00</td> <td>34.40</td> <td>10.04</td> <td>31.99</td> <td>0.00</td> <td>136</td> <td>79</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5459.44	58.00	74.00	-16.00	45.56	34.40	10.03	31.99	0.00	136	79	PEAK	2	5466.96	62.45	68.30	-5.85	50.00	34.40	10.04	31.99	0.00	136	79	PEAK	 <p>Level (dBuV/m)</p> <p>Frequency (MHz)</p> <p>5G BAND 1---3</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2480.00</td> <td>105.70</td> <td>-----</td> <td>-----</td> <td>99.34</td> <td>32.34</td> <td>6.73</td> <td>32.63</td> <td>0.00</td> <td>136</td> <td>79</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>3625.00</td> <td>104.11</td> <td>-----</td> <td>-----</td> <td>94.85</td> <td>33.05</td> <td>8.26</td> <td>32.05</td> <td>0.00</td> <td>136</td> <td>79</td> <td>Peak</td> </tr> <tr> <td>3</td> <td>5510.00</td> <td>106.04</td> <td>-----</td> <td>-----</td> <td>93.56</td> <td>34.40</td> <td>10.10</td> <td>32.02</td> <td>0.00</td> <td>136</td> <td>79</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2480.00	105.70	-----	-----	99.34	32.34	6.73	32.63	0.00	136	79	Peak	2	3625.00	104.11	-----	-----	94.85	33.05	8.26	32.05	0.00	136	79	Peak	3	5510.00	106.04	-----	-----	93.56	34.40	10.10	32.02	0.00	136	79	Peak
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																							
1	5459.44	58.00	74.00	-16.00	45.56	34.40	10.03	31.99	0.00	136	79	PEAK																																																																																																																					
2	5466.96	62.45	68.30	-5.85	50.00	34.40	10.04	31.99	0.00	136	79	PEAK																																																																																																																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																							
1	2480.00	105.70	-----	-----	99.34	32.34	6.73	32.63	0.00	136	79	Peak																																																																																																																					
2	3625.00	104.11	-----	-----	94.85	33.05	8.26	32.05	0.00	136	79	Peak																																																																																																																					
3	5510.00	106.04	-----	-----	93.56	34.40	10.10	32.02	0.00	136	79	Peak																																																																																																																					
Avg	 <p>Level (dBuV/m)</p> <p>Frequency (MHz)</p> <p>5G BAND 1---3 (AVG)</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5458.48</td> <td>44.70</td> <td>54.00</td> <td>-9.30</td> <td>32.27</td> <td>34.40</td> <td>10.02</td> <td>31.99</td> <td>0.00</td> <td>136</td> <td>79</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5458.48	44.70	54.00	-9.30	32.27	34.40	10.02	31.99	0.00	136	79	AVERAGE	 <p>Level (dBuV/m)</p> <p>Frequency (MHz)</p> <p>5G BAND 1---3 (AVG)</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2480.00</td> <td>101.41</td> <td>-----</td> <td>-----</td> <td>94.97</td> <td>32.34</td> <td>6.73</td> <td>32.63</td> <td>0.00</td> <td>136</td> <td>79</td> <td>Average</td> </tr> <tr> <td>2</td> <td>3625.00</td> <td>97.01</td> <td>-----</td> <td>-----</td> <td>87.75</td> <td>33.05</td> <td>8.26</td> <td>32.05</td> <td>0.00</td> <td>136</td> <td>79</td> <td>Average</td> </tr> <tr> <td>3</td> <td>5510.00</td> <td>96.15</td> <td>-----</td> <td>-----</td> <td>83.67</td> <td>34.40</td> <td>10.10</td> <td>32.02</td> <td>0.00</td> <td>136</td> <td>79</td> <td>Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2480.00	101.41	-----	-----	94.97	32.34	6.73	32.63	0.00	136	79	Average	2	3625.00	97.01	-----	-----	87.75	33.05	8.26	32.05	0.00	136	79	Average	3	5510.00	96.15	-----	-----	83.67	34.40	10.10	32.02	0.00	136	79	Average													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																							
1	5458.48	44.70	54.00	-9.30	32.27	34.40	10.02	31.99	0.00	136	79	AVERAGE																																																																																																																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																							
1	2480.00	101.41	-----	-----	94.97	32.34	6.73	32.63	0.00	136	79	Average																																																																																																																					
2	3625.00	97.01	-----	-----	87.75	33.05	8.26	32.05	0.00	136	79	Average																																																																																																																					
3	5510.00	96.15	-----	-----	83.67	34.40	10.10	32.02	0.00	136	79	Average																																																																																																																					



Mode	65																																										
	Band Edge - R																																										
	U-NII-2C_5.47-5.725_802.11ax HE40_CH102_Full_5510MHz																																										
ANT	CDD 5+4																																										
Pol.	Vertical	Fundamental																																									
Peak	<p>Level (dBuV/m)</p> <p>Frequency (MHz)</p> <p>5G BAND 1---3</p>	Blank																																									
<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5737.72</td> <td>53.61</td> <td>68.30</td> <td>-14.69</td> <td>40.70</td> <td>34.58</td> <td>10.35</td> <td>32.02</td> <td>0.00</td> <td>136</td> <td>79</td> <td>PEAK</td> </tr> </tbody> </table>			Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5737.72	53.61	68.30	-14.69	40.70	34.58	10.35	32.02	0.00	136	79	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																		
1	5737.72	53.61	68.30	-14.69	40.70	34.58	10.35	32.02	0.00	136	79	PEAK																															







Mode	65																																																																															
	Harmonic																																																																															
	U-NII-2C_5.47-5.725_802.11ax HE40_CH102_Full_5510MHz																																																																															
ANT	CDD 5+4																																																																															
Pol.	Horizontal	Vertical																																																																														
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 11020.00</td> <td>46.32</td> <td>74.00</td> <td>-27.68</td> <td>54.80</td> <td>37.82</td> <td>14.58</td> <td>60.88</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 11020.00	46.32	74.00	-27.68	54.80	37.82	14.58	60.88	0.00	---	---	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 11020.00</td> <td>46.79</td> <td>74.00</td> <td>-27.21</td> <td>55.27</td> <td>37.82</td> <td>14.58</td> <td>60.88</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 11020.00	46.79	74.00	-27.21	55.27	37.82	14.58	60.88	0.00	---	---	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																								
1 11020.00	46.32	74.00	-27.68	54.80	37.82	14.58	60.88	0.00	---	---	PEAK																																																																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																								
1 11020.00	46.79	74.00	-27.21	55.27	37.82	14.58	60.88	0.00	---	---	PEAK																																																																					



Mode	66																																																																											
	Band Edge																																																																											
	2400-2483.5_Bluetooth-LE_GSKF_CH39_2480MHz																																																																											
ANT	6																																																																											
Pol.	Horizontal	Fundamental																																																																										
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 2483.50</td> <td>49.97</td> <td>74.00</td> <td>-24.03</td> <td>43.54</td> <td>32.33</td> <td>6.73</td> <td>32.63</td> <td>0.00</td> <td>100 136 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 2483.50	49.97	74.00	-24.03	43.54	32.33	6.73	32.63	0.00	100 136 PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 2480.00</td> <td>97.69</td> <td>-----</td> <td>-----</td> <td>91.25</td> <td>32.34</td> <td>6.73</td> <td>32.63</td> <td>0.00</td> <td>100 136 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 2480.00	97.69	-----	-----	91.25	32.34	6.73	32.63	0.00	100 136 PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																				
1 2483.50	49.97	74.00	-24.03	43.54	32.33	6.73	32.63	0.00	100 136 PEAK																																																																			
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																				
1 2480.00	97.69	-----	-----	91.25	32.34	6.73	32.63	0.00	100 136 PEAK																																																																			
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 2486.62</td> <td>39.28</td> <td>54.00</td> <td>-14.72</td> <td>32.83</td> <td>32.33</td> <td>6.74</td> <td>32.62</td> <td>0.00</td> <td>100 136 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 2486.62	39.28	54.00	-14.72	32.83	32.33	6.74	32.62	0.00	100 136 AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 2480.00</td> <td>95.39</td> <td>-----</td> <td>-----</td> <td>88.95</td> <td>32.34</td> <td>6.73</td> <td>32.63</td> <td>0.00</td> <td>100 136 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 2480.00	95.39	-----	-----	88.95	32.34	6.73	32.63	0.00	100 136 AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																				
1 2486.62	39.28	54.00	-14.72	32.83	32.33	6.74	32.62	0.00	100 136 AVERAGE																																																																			
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																				
1 2480.00	95.39	-----	-----	88.95	32.34	6.73	32.63	0.00	100 136 AVERAGE																																																																			







Mode	66																																																																																	
	Band Edge																																																																																	
	2400-2483.5_Bluetooth-LE_GSKF_CH39_2480MHz																																																																																	
ANT	6																																																																																	
Pol.	Vertical	Fundamental																																																																																
Peak	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.50</td> <td>50.60</td> <td>74.00</td> <td>-23.40</td> <td>44.17</td> <td>32.33</td> <td>6.73</td> <td>32.63</td> <td>0.00</td> <td>100</td> <td>114</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	2483.50	50.60	74.00	-23.40	44.17	32.33	6.73	32.63	0.00	100	114	PEAK	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2480.00</td> <td>100.32</td> <td>-----</td> <td>-----</td> <td>93.88</td> <td>32.34</td> <td>6.73</td> <td>32.63</td> <td>0.00</td> <td>100</td> <td>114</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	2480.00	100.32	-----	-----	93.88	32.34	6.73	32.63	0.00	100	114	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																										
1	2483.50	50.60	74.00	-23.40	44.17	32.33	6.73	32.63	0.00	100	114	PEAK																																																																						
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																										
1	2480.00	100.32	-----	-----	93.88	32.34	6.73	32.63	0.00	100	114	PEAK																																																																						
Avg	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.56</td> <td>39.39</td> <td>54.00</td> <td>-14.61</td> <td>32.96</td> <td>32.33</td> <td>6.73</td> <td>32.63</td> <td>0.00</td> <td>100</td> <td>114</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	2483.56	39.39	54.00	-14.61	32.96	32.33	6.73	32.63	0.00	100	114	AVERAGE	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.56</td> <td>39.39</td> <td>54.00</td> <td>-14.61</td> <td>32.96</td> <td>32.33</td> <td>6.73</td> <td>32.63</td> <td>0.00</td> <td>100</td> <td>114</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	2483.56	39.39	54.00	-14.61	32.96	32.33	6.73	32.63	0.00	100	114	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																										
1	2483.56	39.39	54.00	-14.61	32.96	32.33	6.73	32.63	0.00	100	114	AVERAGE																																																																						
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																										
1	2483.56	39.39	54.00	-14.61	32.96	32.33	6.73	32.63	0.00	100	114	AVERAGE																																																																						



Mode	66																																																																																																																																																														
	Harmonic																																																																																																																																																														
	2400-2483.5_Bluetooth-LE_GSKF_CH39_2480MHz																																																																																																																																																														
ANT	6																																																																																																																																																														
Pol.	Horizontal	Vertical																																																																																																																																																													
Peak Avg																																																																																																																																																															
	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>3630.00</td> <td>48.56</td> <td>74.00</td> <td>-25.44</td> <td>68.23</td> <td>33.06</td> <td>8.27</td> <td>61.00</td> <td>0.00</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>4960.00</td> <td>42.69</td> <td>74.00</td> <td>-31.31</td> <td>59.86</td> <td>34.02</td> <td>9.61</td> <td>60.00</td> <td>0.00</td> <td>---</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5520.00</td> <td>49.86</td> <td>74.00</td> <td>-24.14</td> <td>65.54</td> <td>34.40</td> <td>10.12</td> <td>60.20</td> <td>0.00</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>4</td> <td>7440.00</td> <td>44.45</td> <td>74.00</td> <td>-29.55</td> <td>57.60</td> <td>35.70</td> <td>11.77</td> <td>60.62</td> <td>0.00</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	3630.00	48.56	74.00	-25.44	68.23	33.06	8.27	61.00	0.00	---	Peak	2	4960.00	42.69	74.00	-31.31	59.86	34.02	9.61	60.00	0.00	---	PEAK	3	5520.00	49.86	74.00	-24.14	65.54	34.40	10.12	60.20	0.00	---	Peak	4	7440.00	44.45	74.00	-29.55	57.60	35.70	11.77	60.62	0.00	---	PEAK	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>3615.00</td> <td>47.98</td> <td>74.00</td> <td>-26.02</td> <td>67.63</td> <td>33.03</td> <td>8.26</td> <td>60.94</td> <td>0.00</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>4960.00</td> <td>42.88</td> <td>74.00</td> <td>-31.12</td> <td>60.05</td> <td>34.02</td> <td>9.61</td> <td>60.00</td> <td>0.00</td> <td>---</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5520.00</td> <td>49.95</td> <td>74.00</td> <td>-24.05</td> <td>65.63</td> <td>34.40</td> <td>10.12</td> <td>60.20</td> <td>0.00</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>4</td> <td>7440.00</td> <td>44.71</td> <td>74.00</td> <td>-29.29</td> <td>57.86</td> <td>35.70</td> <td>11.77</td> <td>60.62</td> <td>0.00</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	3615.00	47.98	74.00	-26.02	67.63	33.03	8.26	60.94	0.00	---	Peak	2	4960.00	42.88	74.00	-31.12	60.05	34.02	9.61	60.00	0.00	---	PEAK	3	5520.00	49.95	74.00	-24.05	65.63	34.40	10.12	60.20	0.00	---	Peak	4	7440.00	44.71	74.00	-29.29	57.86	35.70	11.77	60.62	0.00	---
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																					
1	3630.00	48.56	74.00	-25.44	68.23	33.06	8.27	61.00	0.00	---	Peak																																																																																																																																																				
2	4960.00	42.69	74.00	-31.31	59.86	34.02	9.61	60.00	0.00	---	PEAK																																																																																																																																																				
3	5520.00	49.86	74.00	-24.14	65.54	34.40	10.12	60.20	0.00	---	Peak																																																																																																																																																				
4	7440.00	44.45	74.00	-29.55	57.60	35.70	11.77	60.62	0.00	---	PEAK																																																																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																					
1	3615.00	47.98	74.00	-26.02	67.63	33.03	8.26	60.94	0.00	---	Peak																																																																																																																																																				
2	4960.00	42.88	74.00	-31.12	60.05	34.02	9.61	60.00	0.00	---	PEAK																																																																																																																																																				
3	5520.00	49.95	74.00	-24.05	65.63	34.40	10.12	60.20	0.00	---	Peak																																																																																																																																																				
4	7440.00	44.71	74.00	-29.29	57.86	35.70	11.77	60.62	0.00	---	PEAK																																																																																																																																																				



Mode	66																																																																																																																												
	Band Edge - L																																																																																																																												
	U-NII-2C_5.47-5.725_802.11ax HE40_CH102_Full_5510MHz																																																																																																																												
ANT	CDD 5+4																																																																																																																												
Pol.	Horizontal	Fundamental																																																																																																																											
Peak	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5452.08</td> <td>60.00</td> <td>74.00</td> <td>-14.00</td> <td>47.58</td> <td>34.40</td> <td>10.01</td> <td>31.99</td> <td>0.00</td> <td>100</td> <td>70</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5467.12</td> <td>63.06</td> <td>68.30</td> <td>-5.24</td> <td>50.61</td> <td>34.40</td> <td>10.04</td> <td>31.99</td> <td>0.00</td> <td>100</td> <td>70</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5452.08	60.00	74.00	-14.00	47.58	34.40	10.01	31.99	0.00	100	70	PEAK	2	5467.12	63.06	68.30	-5.24	50.61	34.40	10.04	31.99	0.00	100	70	PEAK	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2480.00</td> <td>101.27</td> <td>-----</td> <td>-----</td> <td>94.83</td> <td>32.34</td> <td>6.73</td> <td>32.63</td> <td>0.00</td> <td>100</td> <td>70</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>3625.00</td> <td>94.60</td> <td>-----</td> <td>-----</td> <td>85.34</td> <td>33.05</td> <td>8.26</td> <td>32.05</td> <td>0.00</td> <td>100</td> <td>70</td> <td>Peak</td> </tr> <tr> <td>3</td> <td>5510.00</td> <td>104.57</td> <td>-----</td> <td>-----</td> <td>92.09</td> <td>34.40</td> <td>10.11</td> <td>32.03</td> <td>0.00</td> <td>100</td> <td>70</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2480.00	101.27	-----	-----	94.83	32.34	6.73	32.63	0.00	100	70	Peak	2	3625.00	94.60	-----	-----	85.34	33.05	8.26	32.05	0.00	100	70	Peak	3	5510.00	104.57	-----	-----	92.09	34.40	10.11	32.03	0.00	100	70	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																			
1	5452.08	60.00	74.00	-14.00	47.58	34.40	10.01	31.99	0.00	100	70	PEAK																																																																																																																	
2	5467.12	63.06	68.30	-5.24	50.61	34.40	10.04	31.99	0.00	100	70	PEAK																																																																																																																	
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																			
1	2480.00	101.27	-----	-----	94.83	32.34	6.73	32.63	0.00	100	70	Peak																																																																																																																	
2	3625.00	94.60	-----	-----	85.34	33.05	8.26	32.05	0.00	100	70	Peak																																																																																																																	
3	5510.00	104.57	-----	-----	92.09	34.40	10.11	32.03	0.00	100	70	PEAK																																																																																																																	
Avg	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5459.92</td> <td>46.75</td> <td>54.00</td> <td>-7.25</td> <td>34.31</td> <td>34.40</td> <td>10.03</td> <td>31.99</td> <td>0.00</td> <td>100</td> <td>70</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5459.92	46.75	54.00	-7.25	34.31	34.40	10.03	31.99	0.00	100	70	AVERAGE	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2480.00</td> <td>97.41</td> <td>-----</td> <td>-----</td> <td>90.97</td> <td>32.34</td> <td>6.73</td> <td>32.63</td> <td>0.00</td> <td>100</td> <td>70</td> <td>Average</td> </tr> <tr> <td>2</td> <td>3625.00</td> <td>88.86</td> <td>-----</td> <td>-----</td> <td>79.60</td> <td>33.05</td> <td>8.26</td> <td>32.05</td> <td>0.00</td> <td>100</td> <td>70</td> <td>Average</td> </tr> <tr> <td>3</td> <td>5510.00</td> <td>95.37</td> <td>-----</td> <td>-----</td> <td>82.89</td> <td>34.40</td> <td>10.10</td> <td>32.02</td> <td>0.00</td> <td>100</td> <td>70</td> <td>Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2480.00	97.41	-----	-----	90.97	32.34	6.73	32.63	0.00	100	70	Average	2	3625.00	88.86	-----	-----	79.60	33.05	8.26	32.05	0.00	100	70	Average	3	5510.00	95.37	-----	-----	82.89	34.40	10.10	32.02	0.00	100	70	Average													
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																			
1	5459.92	46.75	54.00	-7.25	34.31	34.40	10.03	31.99	0.00	100	70	AVERAGE																																																																																																																	
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																			
1	2480.00	97.41	-----	-----	90.97	32.34	6.73	32.63	0.00	100	70	Average																																																																																																																	
2	3625.00	88.86	-----	-----	79.60	33.05	8.26	32.05	0.00	100	70	Average																																																																																																																	
3	5510.00	95.37	-----	-----	82.89	34.40	10.10	32.02	0.00	100	70	Average																																																																																																																	



Mode	66																																								
	Band Edge - R																																								
	U-NII-2C_5.47-5.725_802.11ax HE40_CH102_Full_5510MHz																																								
ANT	CDD 5+4																																								
Pol.	Horizontal	Fundamental																																							
Peak	<p>The plot shows a blue signal line starting at approximately 100 dBuV/m at 5510 MHz and dropping to a noise floor of about 48 dBuV/m by 5600 MHz. A red horizontal line represents the 5G BAND 1 limit at 65.0 dBuV/m. A vertical blue line marks a peak at 5749.96 MHz.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5749.96</td> <td>54.96</td> <td>68.30</td> <td>-13.34</td> <td>42.01</td> <td>34.60</td> <td>10.36</td> <td>32.01</td> <td>0.00</td> <td>100</td> <td>70 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5749.96	54.96	68.30	-13.34	42.01	34.60	10.36	32.01	0.00	100	70 PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																
1 5749.96	54.96	68.30	-13.34	42.01	34.60	10.36	32.01	0.00	100	70 PEAK																															



Mode	66																																																																																																																									
	Band Edge - L																																																																																																																									
	U-NII-2C_5.47-5.725_802.11ax HE40_CH102_Full_5510MHz																																																																																																																									
ANT	CDD 5+4																																																																																																																									
Pol.	Vertical	Fundamental																																																																																																																								
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5456.24</td> <td>58.21</td> <td>74.00</td> <td>-15.79</td> <td>45.78</td> <td>34.40</td> <td>10.02</td> <td>31.99</td> <td>0.00</td> <td>134</td> <td>80</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5467.76</td> <td>63.01</td> <td>68.30</td> <td>-5.29</td> <td>50.57</td> <td>34.40</td> <td>10.04</td> <td>32.00</td> <td>0.00</td> <td>134</td> <td>80</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5456.24	58.21	74.00	-15.79	45.78	34.40	10.02	31.99	0.00	134	80	PEAK	2	5467.76	63.01	68.30	-5.29	50.57	34.40	10.04	32.00	0.00	134	80	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2480.00</td> <td>105.56</td> <td>-----</td> <td>99.12</td> <td>32.34</td> <td>6.73</td> <td>32.63</td> <td>0.00</td> <td>134</td> <td>80</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>3625.00</td> <td>102.73</td> <td>-----</td> <td>93.47</td> <td>33.05</td> <td>8.26</td> <td>32.05</td> <td>0.00</td> <td>134</td> <td>80</td> <td>Peak</td> </tr> <tr> <td>3</td> <td>5510.00</td> <td>104.40</td> <td>-----</td> <td>91.92</td> <td>34.40</td> <td>10.10</td> <td>32.02</td> <td>0.00</td> <td>134</td> <td>80</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2480.00	105.56	-----	99.12	32.34	6.73	32.63	0.00	134	80	Peak	2	3625.00	102.73	-----	93.47	33.05	8.26	32.05	0.00	134	80	Peak	3	5510.00	104.40	-----	91.92	34.40	10.10	32.02	0.00	134	80	Peak
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																
1	5456.24	58.21	74.00	-15.79	45.78	34.40	10.02	31.99	0.00	134	80	PEAK																																																																																																														
2	5467.76	63.01	68.30	-5.29	50.57	34.40	10.04	32.00	0.00	134	80	PEAK																																																																																																														
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																
1	2480.00	105.56	-----	99.12	32.34	6.73	32.63	0.00	134	80	Peak																																																																																																															
2	3625.00	102.73	-----	93.47	33.05	8.26	32.05	0.00	134	80	Peak																																																																																																															
3	5510.00	104.40	-----	91.92	34.40	10.10	32.02	0.00	134	80	Peak																																																																																																															
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5457.52</td> <td>45.67</td> <td>54.00</td> <td>-8.33</td> <td>33.24</td> <td>34.40</td> <td>10.02</td> <td>31.99</td> <td>0.00</td> <td>134</td> <td>80</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5457.52	45.67	54.00	-8.33	33.24	34.40	10.02	31.99	0.00	134	80	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2480.00</td> <td>101.59</td> <td>-----</td> <td>95.15</td> <td>32.34</td> <td>6.73</td> <td>32.63</td> <td>0.00</td> <td>134</td> <td>80</td> <td>Average</td> </tr> <tr> <td>2</td> <td>3625.00</td> <td>95.80</td> <td>-----</td> <td>86.54</td> <td>33.05</td> <td>8.26</td> <td>32.05</td> <td>0.00</td> <td>134</td> <td>80</td> <td>Average</td> </tr> <tr> <td>3</td> <td>5510.00</td> <td>95.84</td> <td>-----</td> <td>83.36</td> <td>34.40</td> <td>10.10</td> <td>32.02</td> <td>0.00</td> <td>134</td> <td>80</td> <td>Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2480.00	101.59	-----	95.15	32.34	6.73	32.63	0.00	134	80	Average	2	3625.00	95.80	-----	86.54	33.05	8.26	32.05	0.00	134	80	Average	3	5510.00	95.84	-----	83.36	34.40	10.10	32.02	0.00	134	80	Average													
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																
1	5457.52	45.67	54.00	-8.33	33.24	34.40	10.02	31.99	0.00	134	80	AVERAGE																																																																																																														
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																
1	2480.00	101.59	-----	95.15	32.34	6.73	32.63	0.00	134	80	Average																																																																																																															
2	3625.00	95.80	-----	86.54	33.05	8.26	32.05	0.00	134	80	Average																																																																																																															
3	5510.00	95.84	-----	83.36	34.40	10.10	32.02	0.00	134	80	Average																																																																																																															



Mode	66																																								
	Band Edge - R																																								
	U-NII-2C_5.47-5.725_802.11ax HE40_CH102_Full_5510MHz																																								
ANT	CDD 5+4																																								
Pol.	Vertical	Fundamental																																							
Peak	<p>Level (dBuV/m)</p> <p>Frequency (MHz)</p> <p>5G BAND 1---3</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5737.97</td> <td>54.03</td> <td>68.30</td> <td>-14.27</td> <td>41.11</td> <td>34.58</td> <td>10.36</td> <td>32.02</td> <td>0.00</td> <td>134</td> <td>80 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5737.97	54.03	68.30	-14.27	41.11	34.58	10.36	32.02	0.00	134	80 PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																
1 5737.97	54.03	68.30	-14.27	41.11	34.58	10.36	32.02	0.00	134	80 PEAK																															



Mode	66																																																																																											
	Harmonic																																																																																											
	U-NII-2C_5.47-5.725_802.11ax HE40_CH102_Full_5510MHz																																																																																											
ANT	CDD 5+4																																																																																											
Pol.	Horizontal	Vertical																																																																																										
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 11020.00</td> <td>46.70</td> <td>74.00</td> <td>-27.30</td> <td>55.18</td> <td>37.82</td> <td>14.58</td> <td>60.88</td> <td>0.00</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>--- PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 11020.00	46.70	74.00	-27.30	55.18	37.82	14.58	60.88	0.00									--- PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 11020.00</td> <td>46.14</td> <td>74.00</td> <td>-27.86</td> <td>54.62</td> <td>37.82</td> <td>14.58</td> <td>60.88</td> <td>0.00</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>--- PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 11020.00	46.14	74.00	-27.86	54.62	37.82	14.58	60.88	0.00									--- PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																				
1 11020.00	46.70	74.00	-27.30	55.18	37.82	14.58	60.88	0.00																																																																																				
								--- PEAK																																																																																				
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																				
1 11020.00	46.14	74.00	-27.86	54.62	37.82	14.58	60.88	0.00																																																																																				
								--- PEAK																																																																																				







Mode	67																																																																																	
	Band Edge - L																																																																																	
	2400-2483.5_802.11ax HE40_CH09_2452MHz																																																																																	
ANT	CDD 4+6																																																																																	
Pol.	Horizontal	Fundamental																																																																																
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2369.07</td> <td>54.63</td> <td>74.00</td> <td>-19.37</td> <td>43.32</td> <td>31.63</td> <td>6.57</td> <td>32.89</td> <td>6.00</td> <td>100</td> <td>65</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	2369.07	54.63	74.00	-19.37	43.32	31.63	6.57	32.89	6.00	100	65	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2452.00</td> <td>108.57</td> <td>-----</td> <td>-----</td> <td>96.18</td> <td>32.38</td> <td>6.70</td> <td>32.69</td> <td>6.00</td> <td>100</td> <td>65</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	2452.00	108.57	-----	-----	96.18	32.38	6.70	32.69	6.00	100	65	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																										
1	2369.07	54.63	74.00	-19.37	43.32	31.63	6.57	32.89	6.00	100	65	PEAK																																																																						
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																										
1	2452.00	108.57	-----	-----	96.18	32.38	6.70	32.69	6.00	100	65	PEAK																																																																						
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2309.95</td> <td>42.44</td> <td>54.00</td> <td>-11.56</td> <td>30.82</td> <td>31.88</td> <td>6.60</td> <td>32.86</td> <td>6.00</td> <td>100</td> <td>65</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	2309.95	42.44	54.00	-11.56	30.82	31.88	6.60	32.86	6.00	100	65	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2452.00</td> <td>98.04</td> <td>-----</td> <td>-----</td> <td>85.65</td> <td>32.38</td> <td>6.70</td> <td>32.69</td> <td>6.00</td> <td>100</td> <td>65</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	2452.00	98.04	-----	-----	85.65	32.38	6.70	32.69	6.00	100	65	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																										
1	2309.95	42.44	54.00	-11.56	30.82	31.88	6.60	32.86	6.00	100	65	AVERAGE																																																																						
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																										
1	2452.00	98.04	-----	-----	85.65	32.38	6.70	32.69	6.00	100	65	AVERAGE																																																																						



Mode	67																																								
	Band Edge - R																																								
	2400-2483.5_802.11ax HE40_CH09_2452MHz																																								
ANT	CDD 4+6																																								
Pol.	Horizontal	Fundamental																																							
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 2487.09</td> <td>64.95</td> <td>74.00</td> <td>-9.05</td> <td>52.50</td> <td>32.33</td> <td>6.74</td> <td>32.62</td> <td>6.00</td> <td>100</td> <td>65 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 2487.09	64.95	74.00	-9.05	52.50	32.33	6.74	32.62	6.00	100	65 PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																
1 2487.09	64.95	74.00	-9.05	52.50	32.33	6.74	32.62	6.00	100	65 PEAK																															
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 2483.54</td> <td>47.24</td> <td>54.00</td> <td>-6.76</td> <td>34.81</td> <td>32.33</td> <td>6.73</td> <td>32.63</td> <td>6.00</td> <td>100</td> <td>65 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 2483.54	47.24	54.00	-6.76	34.81	32.33	6.73	32.63	6.00	100	65 AVERAGE	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																
1 2483.54	47.24	54.00	-6.76	34.81	32.33	6.73	32.63	6.00	100	65 AVERAGE																															



		67																																																																																		
Mode		Band Edge - L																																																																																		
		2400-2483.5_802.11ax HE40_CH09_2452MHz																																																																																		
ANT		CDD 4+6																																																																																		
Pol.		Vertical	Fundamental																																																																																	
Peak	 <p>Level (dBuV/m) vs Frequency (MHz) for Vertical polarization. The plot shows a signal level rising from approximately 48 dBuV/m at 2310 MHz to about 110 dBuV/m at 2452 MHz. A red horizontal line indicates the FCC PART 15C limit at approximately 74 dBuV/m.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2341.52</td> <td>56.10</td> <td>74.00</td> <td>-17.90</td> <td>45.09</td> <td>31.42</td> <td>6.53</td> <td>32.94</td> <td>6.00</td> <td>100</td> <td>94</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2341.52	56.10	74.00	-17.90	45.09	31.42	6.53	32.94	6.00	100	94	PEAK	 <p>Level (dBuV/m) vs Frequency (MHz) for Fundamental polarization. The plot shows a sharp peak at approximately 2452 MHz with a level of about 110 dBuV/m. A red horizontal line indicates the FCC PART 15C limit at approximately 74 dBuV/m.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2454.00</td> <td>109.04</td> <td>-----</td> <td>-----</td> <td>96.66</td> <td>32.39</td> <td>6.69</td> <td>32.70</td> <td>6.00</td> <td>100</td> <td>94</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2454.00	109.04	-----	-----	96.66	32.39	6.69	32.70	6.00	100	94	Peak
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	2341.52	56.10	74.00	-17.90	45.09	31.42	6.53	32.94	6.00	100	94	PEAK																																																																								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	2454.00	109.04	-----	-----	96.66	32.39	6.69	32.70	6.00	100	94	Peak																																																																								
Avg	 <p>Level (dBuV/m) vs Frequency (MHz) for Vertical polarization, Average. The plot shows a signal level rising from approximately 48 dBuV/m at 2310 MHz to about 95 dBuV/m at 2452 MHz. A red horizontal line indicates the FCC PART 15C (AVG) limit at approximately 54 dBuV/m.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2309.00</td> <td>42.84</td> <td>54.00</td> <td>-11.16</td> <td>31.22</td> <td>31.88</td> <td>6.60</td> <td>32.86</td> <td>6.00</td> <td>100</td> <td>94</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2309.00	42.84	54.00	-11.16	31.22	31.88	6.60	32.86	6.00	100	94	AVERAGE	 <p>Level (dBuV/m) vs Frequency (MHz) for Fundamental polarization, Average. The plot shows a sharp peak at approximately 2452 MHz with a level of about 95 dBuV/m. A red horizontal line indicates the FCC PART 15C (AVG) limit at approximately 54 dBuV/m.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2452.00</td> <td>99.65</td> <td>-----</td> <td>-----</td> <td>87.27</td> <td>32.39</td> <td>6.69</td> <td>32.70</td> <td>6.00</td> <td>100</td> <td>94</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2452.00	99.65	-----	-----	87.27	32.39	6.69	32.70	6.00	100	94	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	2309.00	42.84	54.00	-11.16	31.22	31.88	6.60	32.86	6.00	100	94	AVERAGE																																																																								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	2452.00	99.65	-----	-----	87.27	32.39	6.69	32.70	6.00	100	94	AVERAGE																																																																								



Mode	67																																								
	Band Edge - R																																								
	2400-2483.5_802.11ax HE40_CH09_2452MHz																																								
ANT	CDD 4+6																																								
Pol.	Vertical	Fundamental																																							
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 2483.87</td> <td>66.29</td> <td>74.00</td> <td>-7.71</td> <td>53.85</td> <td>32.33</td> <td>6.73</td> <td>32.62</td> <td>6.00</td> <td>100</td> <td>94 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 2483.87	66.29	74.00	-7.71	53.85	32.33	6.73	32.62	6.00	100	94 PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																
1 2483.87	66.29	74.00	-7.71	53.85	32.33	6.73	32.62	6.00	100	94 PEAK																															
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 2484.54</td> <td>50.77</td> <td>54.00</td> <td>-3.23</td> <td>38.33</td> <td>32.33</td> <td>6.73</td> <td>32.62</td> <td>6.00</td> <td>100</td> <td>94 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 2484.54	50.77	54.00	-3.23	38.33	32.33	6.73	32.62	6.00	100	94 AVERAGE	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																
1 2484.54	50.77	54.00	-3.23	38.33	32.33	6.73	32.62	6.00	100	94 AVERAGE																															



Mode	67																																																																																																																																																															
	Harmonic																																																																																																																																																															
	2400-2483.5_802.11ax HE40_CH09_2452MHz																																																																																																																																																															
ANT	CDD 4+6																																																																																																																																																															
Pol.	Horizontal	Vertical																																																																																																																																																														
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>3645.00</td> <td>47.96</td> <td>74.00</td> <td>-26.04</td> <td>67.67</td> <td>33.09</td> <td>8.27</td> <td>61.07</td> <td>0.00</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>4904.00</td> <td>43.73</td> <td>74.00</td> <td>-30.27</td> <td>60.94</td> <td>34.09</td> <td>9.55</td> <td>60.85</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5520.00</td> <td>48.53</td> <td>74.00</td> <td>-25.47</td> <td>64.21</td> <td>34.40</td> <td>10.12</td> <td>60.20</td> <td>0.00</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>4</td> <td>7356.00</td> <td>45.56</td> <td>74.00</td> <td>-28.44</td> <td>58.58</td> <td>35.70</td> <td>11.71</td> <td>60.43</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	3645.00	47.96	74.00	-26.04	67.67	33.09	8.27	61.07	0.00	---	---	Peak	2	4904.00	43.73	74.00	-30.27	60.94	34.09	9.55	60.85	0.00	---	---	PEAK	3	5520.00	48.53	74.00	-25.47	64.21	34.40	10.12	60.20	0.00	---	---	Peak	4	7356.00	45.56	74.00	-28.44	58.58	35.70	11.71	60.43	0.00	---	---	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>3645.00</td> <td>48.22</td> <td>74.00</td> <td>-25.78</td> <td>67.93</td> <td>33.09</td> <td>8.27</td> <td>61.07</td> <td>0.00</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>4904.00</td> <td>44.55</td> <td>74.00</td> <td>-29.45</td> <td>61.76</td> <td>34.09</td> <td>9.55</td> <td>60.85</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5520.00</td> <td>49.31</td> <td>74.00</td> <td>-24.69</td> <td>64.99</td> <td>34.40</td> <td>10.12</td> <td>60.20</td> <td>0.00</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>4</td> <td>7356.00</td> <td>45.11</td> <td>74.00</td> <td>-28.89</td> <td>58.13</td> <td>35.70</td> <td>11.71</td> <td>60.43</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	3645.00	48.22	74.00	-25.78	67.93	33.09	8.27	61.07	0.00	---	---	Peak	2	4904.00	44.55	74.00	-29.45	61.76	34.09	9.55	60.85	0.00	---	---	PEAK	3	5520.00	49.31	74.00	-24.69	64.99	34.40	10.12	60.20	0.00	---	---	Peak	4	7356.00	45.11	74.00	-28.89	58.13	35.70	11.71	60.43	0.00	---	---	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																																																																								
1	3645.00	47.96	74.00	-26.04	67.67	33.09	8.27	61.07	0.00	---	---	Peak																																																																																																																																																				
2	4904.00	43.73	74.00	-30.27	60.94	34.09	9.55	60.85	0.00	---	---	PEAK																																																																																																																																																				
3	5520.00	48.53	74.00	-25.47	64.21	34.40	10.12	60.20	0.00	---	---	Peak																																																																																																																																																				
4	7356.00	45.56	74.00	-28.44	58.58	35.70	11.71	60.43	0.00	---	---	PEAK																																																																																																																																																				
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																																																																								
1	3645.00	48.22	74.00	-25.78	67.93	33.09	8.27	61.07	0.00	---	---	Peak																																																																																																																																																				
2	4904.00	44.55	74.00	-29.45	61.76	34.09	9.55	60.85	0.00	---	---	PEAK																																																																																																																																																				
3	5520.00	49.31	74.00	-24.69	64.99	34.40	10.12	60.20	0.00	---	---	Peak																																																																																																																																																				
4	7356.00	45.11	74.00	-28.89	58.13	35.70	11.71	60.43	0.00	---	---	PEAK																																																																																																																																																				



		67																																																																																																																																						
Mode		Band Edge - L																																																																																																																																						
		U-NII-2C_5.47-5.725_802.11ax HE40_CH102_Full_5510MHz																																																																																																																																						
ANT		CDD 5+4																																																																																																																																						
Pol.		Horizontal					Fundamental																																																																																																																																	
Peak																																																																																																																																								
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5459.92</td> <td>58.68</td> <td>74.00</td> <td>-15.32</td> <td>46.24</td> <td>34.40</td> <td>10.03</td> <td>31.99</td> <td>0.00</td> <td>100</td> <td>73</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5469.52</td> <td>65.19</td> <td>68.30</td> <td>-3.11</td> <td>52.75</td> <td>34.40</td> <td>10.04</td> <td>32.00</td> <td>0.00</td> <td>100</td> <td>73</td> <td>PEAK</td> </tr> </tbody> </table>					Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5459.92	58.68	74.00	-15.32	46.24	34.40	10.03	31.99	0.00	100	73	PEAK	2	5469.52	65.19	68.30	-3.11	52.75	34.40	10.04	32.00	0.00	100	73	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2452.00</td> <td>105.31</td> <td>-----</td> <td>-----</td> <td>98.93</td> <td>32.40</td> <td>6.69</td> <td>32.71</td> <td>0.00</td> <td>100</td> <td>73</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>3625.00</td> <td>90.24</td> <td>-----</td> <td>-----</td> <td>80.98</td> <td>33.05</td> <td>8.26</td> <td>32.05</td> <td>0.00</td> <td>100</td> <td>73</td> <td>Peak</td> </tr> <tr> <td>3</td> <td>5510.00</td> <td>105.25</td> <td>-----</td> <td>-----</td> <td>92.77</td> <td>34.40</td> <td>10.10</td> <td>32.02</td> <td>0.00</td> <td>100</td> <td>73</td> <td>Peak</td> </tr> </tbody> </table>					Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2452.00	105.31	-----	-----	98.93	32.40	6.69	32.71	0.00	100	73	Peak	2	3625.00	90.24	-----	-----	80.98	33.05	8.26	32.05	0.00	100	73	Peak	3	5510.00	105.25	-----	-----	92.77	34.40	10.10	32.02	0.00	100	73
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																														
1	5459.92	58.68	74.00	-15.32	46.24	34.40	10.03	31.99	0.00	100	73	PEAK																																																																																																																												
2	5469.52	65.19	68.30	-3.11	52.75	34.40	10.04	32.00	0.00	100	73	PEAK																																																																																																																												
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																														
1	2452.00	105.31	-----	-----	98.93	32.40	6.69	32.71	0.00	100	73	Peak																																																																																																																												
2	3625.00	90.24	-----	-----	80.98	33.05	8.26	32.05	0.00	100	73	Peak																																																																																																																												
3	5510.00	105.25	-----	-----	92.77	34.40	10.10	32.02	0.00	100	73	Peak																																																																																																																												
Avg																																																																																																																																								
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5459.92</td> <td>47.74</td> <td>54.00</td> <td>-6.26</td> <td>35.30</td> <td>34.40</td> <td>10.03</td> <td>31.99</td> <td>0.00</td> <td>100</td> <td>73</td> <td>AVERAGE</td> </tr> </tbody> </table>					Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5459.92	47.74	54.00	-6.26	35.30	34.40	10.03	31.99	0.00	100	73	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2452.00</td> <td>95.79</td> <td>-----</td> <td>-----</td> <td>89.40</td> <td>32.38</td> <td>6.70</td> <td>32.69</td> <td>0.00</td> <td>100</td> <td>73</td> <td>Average</td> </tr> <tr> <td>2</td> <td>3625.00</td> <td>84.95</td> <td>-----</td> <td>-----</td> <td>75.69</td> <td>33.05</td> <td>8.26</td> <td>32.05</td> <td>0.00</td> <td>100</td> <td>73</td> <td>Average</td> </tr> <tr> <td>3</td> <td>5510.00</td> <td>95.78</td> <td>-----</td> <td>-----</td> <td>83.30</td> <td>34.40</td> <td>10.10</td> <td>32.02</td> <td>0.00</td> <td>100</td> <td>73</td> <td>Average</td> </tr> </tbody> </table>					Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2452.00	95.79	-----	-----	89.40	32.38	6.70	32.69	0.00	100	73	Average	2	3625.00	84.95	-----	-----	75.69	33.05	8.26	32.05	0.00	100	73	Average	3	5510.00	95.78	-----	-----	83.30	34.40	10.10	32.02	0.00	100	73	Average												
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																														
1	5459.92	47.74	54.00	-6.26	35.30	34.40	10.03	31.99	0.00	100	73	AVERAGE																																																																																																																												
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																														
1	2452.00	95.79	-----	-----	89.40	32.38	6.70	32.69	0.00	100	73	Average																																																																																																																												
2	3625.00	84.95	-----	-----	75.69	33.05	8.26	32.05	0.00	100	73	Average																																																																																																																												
3	5510.00	95.78	-----	-----	83.30	34.40	10.10	32.02	0.00	100	73	Average																																																																																																																												



Mode	67																																										
	Band Edge - R																																										
	U-NII-2C_5.47-5.725_802.11ax HE40_CH102_Full_5510MHz																																										
ANT	CDD 5+4																																										
Pol.	Horizontal	Fundamental																																									
Peak	<p>Level (dBuV/m)</p> <p>Frequency (MHz)</p> <p>5G BAND 1---3</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5735.68</td> <td>54.64</td> <td>68.30</td> <td>-13.66</td> <td>41.74</td> <td>34.57</td> <td>10.35</td> <td>32.02</td> <td>0.00</td> <td>100</td> <td>73</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5735.68	54.64	68.30	-13.66	41.74	34.57	10.35	32.02	0.00	100	73	PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																		
1	5735.68	54.64	68.30	-13.66	41.74	34.57	10.35	32.02	0.00	100	73	PEAK																															



		67																																																																																																																												
Mode		Band Edge - L																																																																																																																												
		U-NII-2C_5.47-5.725_802.11ax HE40_CH102_Full_5510MHz																																																																																																																												
ANT		CDD 5+4																																																																																																																												
Pol.	Vertical	Fundamental																																																																																																																												
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5458.32</td> <td>58.30</td> <td>74.00</td> <td>-15.70</td> <td>45.87</td> <td>34.40</td> <td>10.02</td> <td>31.99</td> <td>0.00</td> <td>188</td> <td>95</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5470.00</td> <td>65.22</td> <td>68.30</td> <td>-3.08</td> <td>52.78</td> <td>34.40</td> <td>10.04</td> <td>32.00</td> <td>0.00</td> <td>188</td> <td>95</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5458.32	58.30	74.00	-15.70	45.87	34.40	10.02	31.99	0.00	188	95	PEAK	2	5470.00	65.22	68.30	-3.08	52.78	34.40	10.04	32.00	0.00	188	95	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2452.00</td> <td>106.35</td> <td>-----</td> <td>99.97</td> <td>32.40</td> <td>6.69</td> <td>32.71</td> <td>0.00</td> <td>188</td> <td>95</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>3625.00</td> <td>99.86</td> <td>-----</td> <td>90.60</td> <td>33.05</td> <td>8.26</td> <td>32.05</td> <td>0.00</td> <td>188</td> <td>95</td> <td>Peak</td> </tr> <tr> <td>3</td> <td>5510.00</td> <td>105.20</td> <td>-----</td> <td>92.72</td> <td>34.40</td> <td>10.10</td> <td>32.02</td> <td>0.00</td> <td>188</td> <td>95</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2452.00	106.35	-----	99.97	32.40	6.69	32.71	0.00	188	95	Peak	2	3625.00	99.86	-----	90.60	33.05	8.26	32.05	0.00	188	95	Peak	3	5510.00	105.20	-----	92.72	34.40	10.10	32.02	0.00	188	95	Peak
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																				
1	5458.32	58.30	74.00	-15.70	45.87	34.40	10.02	31.99	0.00	188	95	PEAK																																																																																																																		
2	5470.00	65.22	68.30	-3.08	52.78	34.40	10.04	32.00	0.00	188	95	PEAK																																																																																																																		
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																				
1	2452.00	106.35	-----	99.97	32.40	6.69	32.71	0.00	188	95	Peak																																																																																																																			
2	3625.00	99.86	-----	90.60	33.05	8.26	32.05	0.00	188	95	Peak																																																																																																																			
3	5510.00	105.20	-----	92.72	34.40	10.10	32.02	0.00	188	95	Peak																																																																																																																			
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5459.60</td> <td>48.74</td> <td>54.00</td> <td>-5.26</td> <td>36.30</td> <td>34.40</td> <td>10.03</td> <td>31.99</td> <td>0.00</td> <td>188</td> <td>95</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5459.60	48.74	54.00	-5.26	36.30	34.40	10.03	31.99	0.00	188	95	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2452.00</td> <td>97.07</td> <td>-----</td> <td>90.69</td> <td>32.40</td> <td>6.69</td> <td>32.71</td> <td>0.00</td> <td>188</td> <td>95</td> <td>Average</td> </tr> <tr> <td>2</td> <td>3625.00</td> <td>91.81</td> <td>-----</td> <td>82.55</td> <td>33.05</td> <td>8.26</td> <td>32.05</td> <td>0.00</td> <td>188</td> <td>95</td> <td>Average</td> </tr> <tr> <td>3</td> <td>5510.00</td> <td>96.05</td> <td>-----</td> <td>83.57</td> <td>34.40</td> <td>10.10</td> <td>32.02</td> <td>0.00</td> <td>188</td> <td>95</td> <td>Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2452.00	97.07	-----	90.69	32.40	6.69	32.71	0.00	188	95	Average	2	3625.00	91.81	-----	82.55	33.05	8.26	32.05	0.00	188	95	Average	3	5510.00	96.05	-----	83.57	34.40	10.10	32.02	0.00	188	95	Average													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																				
1	5459.60	48.74	54.00	-5.26	36.30	34.40	10.03	31.99	0.00	188	95	AVERAGE																																																																																																																		
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																				
1	2452.00	97.07	-----	90.69	32.40	6.69	32.71	0.00	188	95	Average																																																																																																																			
2	3625.00	91.81	-----	82.55	33.05	8.26	32.05	0.00	188	95	Average																																																																																																																			
3	5510.00	96.05	-----	83.57	34.40	10.10	32.02	0.00	188	95	Average																																																																																																																			



Mode	67																																																	
	Band Edge - R																																																	
	U-NII-2C_5.47-5.725_802.11ax HE40_CH102_Full_5510MHz																																																	
ANT	CDD 5+4																																																	
Pol.	Vertical	Fundamental																																																
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5758.63</td> <td>54.18</td> <td>68.30</td> <td>-14.12</td> <td>41.19</td> <td>34.62</td> <td>10.37</td> <td>32.00</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>0.00</td> <td>188</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>95 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 5758.63	54.18	68.30	-14.12	41.19	34.62	10.37	32.00							0.00	188								95 PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																											
1 5758.63	54.18	68.30	-14.12	41.19	34.62	10.37	32.00																																											
						0.00	188																																											
							95 PEAK																																											




Mode	67																																																																											
	Harmonic																																																																											
	U-NII-2C_5.47-5.725_802.11ax HE40_CH102_Full_5510MHz																																																																											
ANT	CDD 5+4																																																																											
Pol.	Horizontal	Vertical																																																																										
Peak																																																																												
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 11020.00</td> <td>46.62</td> <td>74.00</td> <td>-27.38</td> <td>55.10</td> <td>37.82</td> <td>14.58</td> <td>60.88</td> <td>0.00</td> <td>--- --- PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 11020.00	46.62	74.00	-27.38	55.10	37.82	14.58	60.88	0.00	--- --- PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 11020.00</td> <td>46.85</td> <td>74.00</td> <td>-27.15</td> <td>55.33</td> <td>37.82</td> <td>14.58</td> <td>60.88</td> <td>0.00</td> <td>--- --- PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 11020.00	46.85	74.00	-27.15	55.33	37.82	14.58	60.88	0.00	--- --- PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																				
1 11020.00	46.62	74.00	-27.38	55.10	37.82	14.58	60.88	0.00	--- --- PEAK																																																																			
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																				
1 11020.00	46.85	74.00	-27.15	55.33	37.82	14.58	60.88	0.00	--- --- PEAK																																																																			



Appendix D. Duty Cycle Plots


Antenna	Band	Duty Cycle(%)	T(ms)	1/T(kHz)	VBW Setting
5+4	802.11a	99.32	-	-	10Hz
5+4	802.11ax HE20	100	-	-	10Hz
5+4	802.11ax HE20-RU26	100	-	-	10Hz
5+4	802.11ax HE20-RU52	100	-	-	10Hz
5+4	802.11ax HE20-RU106	100	-	-	10Hz
5+4	802.11ax HE40	100	-	-	10Hz
5+4	802.11ax HE80	100	-	-	10Hz
5+4	802.11ax HE160	100	-	-	10Hz

802.11a






802.11ax HE20




802.11ax HE20-RU26






802.11ax HE20-RU52




802.11ax HE20-RU106






802.11ax HE40



802.11ax HE80





802.11ax HE160

