




Mode	40																																																																																																
	Band Edge - L																																																																																																
	U-NII-2C_5.47-5.725_802.11ax HE80_CH106_Full_5530MHz																																																																																																
ANT	3+8																																																																																																
Pol.	Vertical	Fundamental																																																																																															
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5421.38</td> <td>58.71</td> <td>74.00</td> <td>-15.29</td> <td>40.71</td> <td>34.51</td> <td>13.08</td> <td>29.59</td> <td>0.00</td> <td>355</td> <td>69</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5466.56</td> <td>58.70</td> <td>68.30</td> <td>-9.60</td> <td>40.60</td> <td>34.53</td> <td>13.19</td> <td>29.62</td> <td>0.00</td> <td>355</td> <td>69</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5421.38	58.71	74.00	-15.29	40.71	34.51	13.08	29.59	0.00	355	69	PEAK	2	5466.56	58.70	68.30	-9.60	40.60	34.53	13.19	29.62	0.00	355	69	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5530.00</td> <td>94.28</td> <td>-----</td> <td>-----</td> <td>76.18</td> <td>34.57</td> <td>13.22</td> <td>29.69</td> <td>0.00</td> <td>355</td> <td>69</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5530.00	94.28	-----	-----	76.18	34.57	13.22	29.69	0.00	355	69	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5421.38	58.71	74.00	-15.29	40.71	34.51	13.08	29.59	0.00	355	69	PEAK																																																																																					
2	5466.56	58.70	68.30	-9.60	40.60	34.53	13.19	29.62	0.00	355	69	PEAK																																																																																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5530.00	94.28	-----	-----	76.18	34.57	13.22	29.69	0.00	355	69	PEAK																																																																																					
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5455.94</td> <td>49.22</td> <td>54.00</td> <td>-4.78</td> <td>31.14</td> <td>34.53</td> <td>13.16</td> <td>29.61</td> <td>0.00</td> <td>355</td> <td>69</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5455.94	49.22	54.00	-4.78	31.14	34.53	13.16	29.61	0.00	355	69	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5530.00</td> <td>85.34</td> <td>-----</td> <td>-----</td> <td>67.19</td> <td>34.55</td> <td>13.26</td> <td>29.66</td> <td>0.00</td> <td>355</td> <td>69</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5530.00	85.34	-----	-----	67.19	34.55	13.26	29.66	0.00	355	69	AVERAGE													
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5455.94	49.22	54.00	-4.78	31.14	34.53	13.16	29.61	0.00	355	69	AVERAGE																																																																																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5530.00	85.34	-----	-----	67.19	34.55	13.26	29.66	0.00	355	69	AVERAGE																																																																																					



Mode	40																																								
	Band Edge - R																																								
	U-NII-2C_5.47-5.725_802.11ax HE80_CH106_Full_5530MHz																																								
ANT	3+8																																								
Pol.	Vertical	Fundamental																																							
Peak	<p>Level (dBuV/m)</p> <p>Frequency (MHz)</p> <p>56 BAND 1---3</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5728.47</td> <td>58.38</td> <td>68.30</td> <td>-9.92</td> <td>39.60</td> <td>34.84</td> <td>13.73</td> <td>29.79</td> <td>0.00</td> <td>355</td> <td>69 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5728.47	58.38	68.30	-9.92	39.60	34.84	13.73	29.79	0.00	355	69 PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																	
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																
1 5728.47	58.38	68.30	-9.92	39.60	34.84	13.73	29.79	0.00	355	69 PEAK																															






Mode	40																																																																											
	Harmonic																																																																											
	U-NII-2C_5.47-5.725_802.11ax HE80_CH106_Full_5530MHz																																																																											
ANT	3+8																																																																											
Pol.	Horizontal	Vertical																																																																										
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 11060.00</td> <td>44.74</td> <td>74.00</td> <td>-29.26</td> <td>54.17</td> <td>38.14</td> <td>18.13</td> <td>65.70</td> <td>0.00</td> <td>--- --- PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 11060.00	44.74	74.00	-29.26	54.17	38.14	18.13	65.70	0.00	--- --- PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 11060.00</td> <td>44.90</td> <td>74.00</td> <td>-29.10</td> <td>54.33</td> <td>38.14</td> <td>18.13</td> <td>65.70</td> <td>0.00</td> <td>--- --- PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 11060.00	44.90	74.00	-29.10	54.33	38.14	18.13	65.70	0.00	--- --- PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																				
1 11060.00	44.74	74.00	-29.26	54.17	38.14	18.13	65.70	0.00	--- --- PEAK																																																																			
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																				
1 11060.00	44.90	74.00	-29.10	54.33	38.14	18.13	65.70	0.00	--- --- PEAK																																																																			







Mode	41																																																																																																																										
	Band Edge																																																																																																																										
	U-NII-3_5.725-5.85_802.11a_CH149_5745MHz																																																																																																																										
ANT	3+8																																																																																																																										
Pol.	Horizontal	Fundamental																																																																																																																									
Peak	<table border="1" data-bbox="271 1075 774 1254"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5637.12</td> <td>57.71</td> <td>68.30</td> <td>-10.59</td> <td>39.54</td> <td>34.67</td> <td>13.27</td> <td>29.77</td> <td>0.00</td> <td>111</td> <td>119</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5650.46</td> <td>56.58</td> <td>68.64</td> <td>-12.06</td> <td>38.35</td> <td>34.69</td> <td>13.32</td> <td>29.78</td> <td>0.00</td> <td>111</td> <td>119</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5700.92</td> <td>58.00</td> <td>105.56</td> <td>-46.76</td> <td>40.33</td> <td>34.78</td> <td>13.49</td> <td>29.80</td> <td>0.00</td> <td>111</td> <td>119</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5723.54</td> <td>71.25</td> <td>118.97</td> <td>-47.72</td> <td>52.52</td> <td>34.83</td> <td>13.69</td> <td>29.79</td> <td>0.00</td> <td>111</td> <td>119</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5637.12	57.71	68.30	-10.59	39.54	34.67	13.27	29.77	0.00	111	119	PEAK	2	5650.46	56.58	68.64	-12.06	38.35	34.69	13.32	29.78	0.00	111	119	PEAK	3	5700.92	58.00	105.56	-46.76	40.33	34.78	13.49	29.80	0.00	111	119	PEAK	4	5723.54	71.25	118.97	-47.72	52.52	34.83	13.69	29.79	0.00	111	119	PEAK	<table border="1" data-bbox="909 1075 1412 1254"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>112.09</td> <td>-----</td> <td>-----</td> <td>93.11</td> <td>34.88</td> <td>13.89</td> <td>29.79</td> <td>0.00</td> <td>111</td> <td>119</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5745.00	112.09	-----	-----	93.11	34.88	13.89	29.79	0.00	111	119	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																		
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	5637.12	57.71	68.30	-10.59	39.54	34.67	13.27	29.77	0.00	111	119	PEAK																																																																																																															
2	5650.46	56.58	68.64	-12.06	38.35	34.69	13.32	29.78	0.00	111	119	PEAK																																																																																																															
3	5700.92	58.00	105.56	-46.76	40.33	34.78	13.49	29.80	0.00	111	119	PEAK																																																																																																															
4	5723.54	71.25	118.97	-47.72	52.52	34.83	13.69	29.79	0.00	111	119	PEAK																																																																																																															
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																			
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	5745.00	112.09	-----	-----	93.11	34.88	13.89	29.79	0.00	111	119	PEAK																																																																																																															
Avg	Blank	<table border="1" data-bbox="909 1747 1412 1926"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>102.89</td> <td>-----</td> <td>-----</td> <td>83.91</td> <td>34.88</td> <td>13.89</td> <td>29.79</td> <td>0.00</td> <td>111</td> <td>119</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5745.00	102.89	-----	-----	83.91	34.88	13.89	29.79	0.00	111	119	AVERAGE																																																																																
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																		
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	5745.00	102.89	-----	-----	83.91	34.88	13.89	29.79	0.00	111	119	AVERAGE																																																																																																															





Mode	41																																																																																												
	Band Edge																																																																																												
	U-NII-3_5.725-5.85_802.11a_CH149_5745MHz																																																																																												
ANT	3+8																																																																																												
Pol.	Vertical	Fundamental																																																																																											
Peak	 <table border="1" data-bbox="263 1075 798 1254"> <thead> <tr> <th>Peak</th> <th>Freq (MHz)</th> <th>Level (dBuV/m)</th> <th>Limit (dBuV/m)</th> <th>Line Margin (dB)</th> <th>Read (dBuV)</th> <th>Ant (dB/m)</th> <th>Cable Loss (dB)</th> <th>Preamp (dB)</th> <th>Aux (dB)</th> <th>APos (cm)</th> <th>TPos (deg)</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5606.82</td> <td>58.93</td> <td>68.30</td> <td>-9.37</td> <td>40.91</td> <td>34.61</td> <td>13.17</td> <td>29.76</td> <td>0.00</td> <td>378</td> <td>74</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5650.90</td> <td>56.78</td> <td>68.97</td> <td>-12.19</td> <td>38.55</td> <td>34.69</td> <td>13.32</td> <td>29.78</td> <td>0.00</td> <td>378</td> <td>74</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5701.94</td> <td>57.07</td> <td>105.84</td> <td>-48.77</td> <td>38.59</td> <td>34.78</td> <td>13.50</td> <td>29.80</td> <td>0.00</td> <td>378</td> <td>74</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5720.64</td> <td>58.98</td> <td>112.36</td> <td>-53.38</td> <td>40.28</td> <td>34.83</td> <td>13.66</td> <td>29.79</td> <td>0.00</td> <td>378</td> <td>74</td> <td>PEAK</td> </tr> </tbody> </table>	Peak	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Line Margin (dB)	Read (dBuV)	Ant (dB/m)	Cable Loss (dB)	Preamp (dB)	Aux (dB)	APos (cm)	TPos (deg)	Remark	1	5606.82	58.93	68.30	-9.37	40.91	34.61	13.17	29.76	0.00	378	74	PEAK	2	5650.90	56.78	68.97	-12.19	38.55	34.69	13.32	29.78	0.00	378	74	PEAK	3	5701.94	57.07	105.84	-48.77	38.59	34.78	13.50	29.80	0.00	378	74	PEAK	4	5720.64	58.98	112.36	-53.38	40.28	34.83	13.66	29.79	0.00	378	74	PEAK	 <table border="1" data-bbox="901 1120 1436 1254"> <thead> <tr> <th>Peak</th> <th>Freq (MHz)</th> <th>Level (dBuV/m)</th> <th>Limit (dBuV/m)</th> <th>Line Margin (dB)</th> <th>Read (dBuV)</th> <th>Ant (dB/m)</th> <th>Cable Loss (dB)</th> <th>Preamp (dB)</th> <th>Aux (dB)</th> <th>APos (cm)</th> <th>TPos (deg)</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>107.24</td> <td>-----</td> <td>-----</td> <td>88.26</td> <td>34.88</td> <td>13.89</td> <td>29.79</td> <td>0.00</td> <td>378</td> <td>74</td> <td>PEAK</td> </tr> </tbody> </table>	Peak	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Line Margin (dB)	Read (dBuV)	Ant (dB/m)	Cable Loss (dB)	Preamp (dB)	Aux (dB)	APos (cm)	TPos (deg)	Remark	1	5745.00	107.24	-----	-----	88.26	34.88	13.89	29.79	0.00	378	74	PEAK
Peak	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Line Margin (dB)	Read (dBuV)	Ant (dB/m)	Cable Loss (dB)	Preamp (dB)	Aux (dB)	APos (cm)	TPos (deg)	Remark																																																																																	
1	5606.82	58.93	68.30	-9.37	40.91	34.61	13.17	29.76	0.00	378	74	PEAK																																																																																	
2	5650.90	56.78	68.97	-12.19	38.55	34.69	13.32	29.78	0.00	378	74	PEAK																																																																																	
3	5701.94	57.07	105.84	-48.77	38.59	34.78	13.50	29.80	0.00	378	74	PEAK																																																																																	
4	5720.64	58.98	112.36	-53.38	40.28	34.83	13.66	29.79	0.00	378	74	PEAK																																																																																	
Peak	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Line Margin (dB)	Read (dBuV)	Ant (dB/m)	Cable Loss (dB)	Preamp (dB)	Aux (dB)	APos (cm)	TPos (deg)	Remark																																																																																	
1	5745.00	107.24	-----	-----	88.26	34.88	13.89	29.79	0.00	378	74	PEAK																																																																																	
Avg	Blank	 <table border="1" data-bbox="901 1803 1436 1937"> <thead> <tr> <th>Peak</th> <th>Freq (MHz)</th> <th>Level (dBuV/m)</th> <th>Limit (dBuV/m)</th> <th>Line Margin (dB)</th> <th>Read (dBuV)</th> <th>Ant (dB/m)</th> <th>Cable Loss (dB)</th> <th>Preamp (dB)</th> <th>Aux (dB)</th> <th>APos (cm)</th> <th>TPos (deg)</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>98.90</td> <td>-----</td> <td>-----</td> <td>79.92</td> <td>34.88</td> <td>13.89</td> <td>29.79</td> <td>0.00</td> <td>378</td> <td>74</td> <td>AVERAGE</td> </tr> </tbody> </table>	Peak	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Line Margin (dB)	Read (dBuV)	Ant (dB/m)	Cable Loss (dB)	Preamp (dB)	Aux (dB)	APos (cm)	TPos (deg)	Remark	1	5745.00	98.90	-----	-----	79.92	34.88	13.89	29.79	0.00	378	74	AVERAGE																																																																	
Peak	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Line Margin (dB)	Read (dBuV)	Ant (dB/m)	Cable Loss (dB)	Preamp (dB)	Aux (dB)	APos (cm)	TPos (deg)	Remark																																																																																	
1	5745.00	98.90	-----	-----	79.92	34.88	13.89	29.79	0.00	378	74	AVERAGE																																																																																	






Mode	41																																																																											
	Harmonic																																																																											
	U-NII-3_5.725-5.85_802.11a_CH149_5745MHz																																																																											
ANT	3+8																																																																											
Pol.	Horizontal	Vertical																																																																										
Peak																																																																												
Avg																																																																												
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 11490.00</td> <td>44.29</td> <td>74.00</td> <td>-29.71</td> <td>52.90</td> <td>38.39</td> <td>18.46</td> <td>65.46</td> <td>0.00</td> <td>--- --- PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 11490.00	44.29	74.00	-29.71	52.90	38.39	18.46	65.46	0.00	--- --- PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 11490.00</td> <td>45.68</td> <td>74.00</td> <td>-28.32</td> <td>54.29</td> <td>38.39</td> <td>18.46</td> <td>65.46</td> <td>0.00</td> <td>--- --- PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 11490.00	45.68	74.00	-28.32	54.29	38.39	18.46	65.46	0.00	--- --- PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																				
1 11490.00	44.29	74.00	-29.71	52.90	38.39	18.46	65.46	0.00	--- --- PEAK																																																																			
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																				
1 11490.00	45.68	74.00	-28.32	54.29	38.39	18.46	65.46	0.00	--- --- PEAK																																																																			






Mode	42																																																																											
	Harmonic																																																																											
	U-NII-3_5.725-5.85_802.11a_CH157_5785MHz																																																																											
ANT	3+8																																																																											
Pol.	Horizontal	Vertical																																																																										
Peak																																																																												
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 11570.00</td> <td>44.90</td> <td>74.00</td> <td>-29.10</td> <td>53.35</td> <td>38.44</td> <td>18.52</td> <td>65.41</td> <td>0.00</td> <td>--- --- PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 11570.00	44.90	74.00	-29.10	53.35	38.44	18.52	65.41	0.00	--- --- PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 11570.00</td> <td>45.54</td> <td>74.00</td> <td>-28.46</td> <td>53.99</td> <td>38.44</td> <td>18.52</td> <td>65.41</td> <td>0.00</td> <td>--- --- PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 11570.00	45.54	74.00	-28.46	53.99	38.44	18.52	65.41	0.00	--- --- PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																				
1 11570.00	44.90	74.00	-29.10	53.35	38.44	18.52	65.41	0.00	--- --- PEAK																																																																			
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																				
1 11570.00	45.54	74.00	-28.46	53.99	38.44	18.52	65.41	0.00	--- --- PEAK																																																																			



Mode	43																																																																																																																								
	Band Edge																																																																																																																								
	U-NII-3_5.725-5.85_802.11a_CH165_5825MHz																																																																																																																								
ANT	3+8																																																																																																																								
Pol.	Horizontal	Fundamental																																																																																																																							
Peak	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5855.00</td> <td>61.76</td> <td>110.90</td> <td>-49.14</td> <td>42.45</td> <td>35.00</td> <td>14.02</td> <td>29.79</td> <td>0.00</td> <td>100</td> <td>116</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5859.50</td> <td>64.80</td> <td>109.64</td> <td>-44.76</td> <td>45.58</td> <td>35.00</td> <td>14.00</td> <td>29.79</td> <td>0.00</td> <td>100</td> <td>116</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5924.38</td> <td>56.13</td> <td>68.76</td> <td>-12.63</td> <td>37.07</td> <td>35.19</td> <td>13.69</td> <td>29.82</td> <td>0.00</td> <td>100</td> <td>116</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5933.50</td> <td>58.56</td> <td>68.30</td> <td>-9.74</td> <td>39.51</td> <td>35.20</td> <td>13.68</td> <td>29.83</td> <td>0.00</td> <td>100</td> <td>116</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5855.00	61.76	110.90	-49.14	42.45	35.00	14.02	29.79	0.00	100	116	PEAK	2	5859.50	64.80	109.64	-44.76	45.58	35.00	14.00	29.79	0.00	100	116	PEAK	3	5924.38	56.13	68.76	-12.63	37.07	35.19	13.69	29.82	0.00	100	116	PEAK	4	5933.50	58.56	68.30	-9.74	39.51	35.20	13.68	29.83	0.00	100	116	PEAK	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>110.42</td> <td>-----</td> <td>-----</td> <td>90.94</td> <td>35.04</td> <td>14.22</td> <td>29.78</td> <td>0.00</td> <td>100</td> <td>116</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5825.00	110.42	-----	-----	90.94	35.04	14.22	29.78	0.00	100	116	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																																	
1	5855.00	61.76	110.90	-49.14	42.45	35.00	14.02	29.79	0.00	100	116	PEAK																																																																																																													
2	5859.50	64.80	109.64	-44.76	45.58	35.00	14.00	29.79	0.00	100	116	PEAK																																																																																																													
3	5924.38	56.13	68.76	-12.63	37.07	35.19	13.69	29.82	0.00	100	116	PEAK																																																																																																													
4	5933.50	58.56	68.30	-9.74	39.51	35.20	13.68	29.83	0.00	100	116	PEAK																																																																																																													
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																																	
1	5825.00	110.42	-----	-----	90.94	35.04	14.22	29.78	0.00	100	116	PEAK																																																																																																													
Avg	Blank	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>102.22</td> <td>-----</td> <td>-----</td> <td>82.74</td> <td>35.04</td> <td>14.22</td> <td>29.78</td> <td>0.00</td> <td>100</td> <td>116</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5825.00	102.22	-----	-----	82.74	35.04	14.22	29.78	0.00	100	116	AVERAGE																																																																															
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																																	
1	5825.00	102.22	-----	-----	82.74	35.04	14.22	29.78	0.00	100	116	AVERAGE																																																																																																													






Mode	43																																																																																																										
	Band Edge																																																																																																										
	U-NII-3_5.725-5.85_802.11a_CH165_5825MHz																																																																																																										
ANT	3+8																																																																																																										
Pol.	Vertical	Fundamental																																																																																																									
Peak	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5854.25</td> <td>60.85</td> <td>112.61</td> <td>-51.76</td> <td>41.53</td> <td>35.08</td> <td>14.03</td> <td>29.79</td> <td>0.00</td> <td>366</td> <td>69</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5870.63</td> <td>59.60</td> <td>106.52</td> <td>-46.92</td> <td>40.35</td> <td>35.11</td> <td>13.93</td> <td>29.79</td> <td>0.00</td> <td>366</td> <td>69</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5924.63</td> <td>57.95</td> <td>68.58</td> <td>-10.63</td> <td>38.89</td> <td>35.19</td> <td>13.69</td> <td>29.82</td> <td>0.00</td> <td>366</td> <td>69</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5946.63</td> <td>59.08</td> <td>68.30</td> <td>-9.22</td> <td>40.05</td> <td>35.22</td> <td>13.65</td> <td>29.84</td> <td>0.00</td> <td>366</td> <td>69</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	1	5854.25	60.85	112.61	-51.76	41.53	35.08	14.03	29.79	0.00	366	69	PEAK	2	5870.63	59.60	106.52	-46.92	40.35	35.11	13.93	29.79	0.00	366	69	PEAK	3	5924.63	57.95	68.58	-10.63	38.89	35.19	13.69	29.82	0.00	366	69	PEAK	4	5946.63	59.08	68.30	-9.22	40.05	35.22	13.65	29.84	0.00	366	69	PEAK	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>106.81</td> <td>-----</td> <td>-----</td> <td>87.33</td> <td>35.04</td> <td>14.22</td> <td>29.78</td> <td>0.00</td> <td>366</td> <td>69</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	1	5825.00	106.81	-----	-----	87.33	35.04	14.22	29.78	0.00	366	69	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																																	
1	5854.25	60.85	112.61	-51.76	41.53	35.08	14.03	29.79	0.00	366	69	PEAK																																																																																															
2	5870.63	59.60	106.52	-46.92	40.35	35.11	13.93	29.79	0.00	366	69	PEAK																																																																																															
3	5924.63	57.95	68.58	-10.63	38.89	35.19	13.69	29.82	0.00	366	69	PEAK																																																																																															
4	5946.63	59.08	68.30	-9.22	40.05	35.22	13.65	29.84	0.00	366	69	PEAK																																																																																															
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																																	
1	5825.00	106.81	-----	-----	87.33	35.04	14.22	29.78	0.00	366	69	PEAK																																																																																															
Avg	Blank	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>98.53</td> <td>-----</td> <td>-----</td> <td>79.05</td> <td>35.04</td> <td>14.22</td> <td>29.78</td> <td>0.00</td> <td>366</td> <td>69</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	1	5825.00	98.53	-----	-----	79.05	35.04	14.22	29.78	0.00	366	69	AVERAGE																																																																								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																																	
1	5825.00	98.53	-----	-----	79.05	35.04	14.22	29.78	0.00	366	69	AVERAGE																																																																																															



Mode	43																																																																																											
	Harmonic																																																																																											
	U-NII-3_5.725-5.85_802.11a_CH165_5825MHz																																																																																											
ANT	3+8																																																																																											
Pol.	Horizontal	Vertical																																																																																										
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 11650.00</td> <td>45.20</td> <td>74.00</td> <td>-28.80</td> <td>53.50</td> <td>38.49</td> <td>18.58</td> <td>65.37</td> <td>0.00</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>--- PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 11650.00	45.20	74.00	-28.80	53.50	38.49	18.58	65.37	0.00									--- PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 11650.00</td> <td>45.01</td> <td>74.00</td> <td>-28.99</td> <td>53.31</td> <td>38.49</td> <td>18.58</td> <td>65.37</td> <td>0.00</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>--- PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 11650.00	45.01	74.00	-28.99	53.31	38.49	18.58	65.37	0.00									--- PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																				
1 11650.00	45.20	74.00	-28.80	53.50	38.49	18.58	65.37	0.00																																																																																				
								--- PEAK																																																																																				
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																				
1 11650.00	45.01	74.00	-28.99	53.31	38.49	18.58	65.37	0.00																																																																																				
								--- PEAK																																																																																				





Mode	44																																																																																																							
	Band Edge																																																																																																							
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_5745MHz																																																																																																							
ANT	3+8																																																																																																							
Pol.	Horizontal	Fundamental																																																																																																						
Peak	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5626.68</td> <td>58.45</td> <td>68.30</td> <td>-9.85</td> <td>40.33</td> <td>34.65</td> <td>13.24</td> <td>29.77</td> <td>0.00</td> <td>100</td> <td>115</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5650.32</td> <td>56.43</td> <td>68.53</td> <td>-12.10</td> <td>38.20</td> <td>34.69</td> <td>13.32</td> <td>29.78</td> <td>0.00</td> <td>100</td> <td>115</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5719.19</td> <td>65.99</td> <td>110.67</td> <td>-44.68</td> <td>47.31</td> <td>34.82</td> <td>13.65</td> <td>29.79</td> <td>0.00</td> <td>100</td> <td>115</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5720.35</td> <td>68.37</td> <td>111.70</td> <td>-43.33</td> <td>49.68</td> <td>34.82</td> <td>13.66</td> <td>29.79</td> <td>0.00</td> <td>100</td> <td>115</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	dB/m	dB	dB	cm	deg	1	5626.68	58.45	68.30	-9.85	40.33	34.65	13.24	29.77	0.00	100	115	PEAK	2	5650.32	56.43	68.53	-12.10	38.20	34.69	13.32	29.78	0.00	100	115	PEAK	3	5719.19	65.99	110.67	-44.68	47.31	34.82	13.65	29.79	0.00	100	115	PEAK	4	5720.35	68.37	111.70	-43.33	49.68	34.82	13.66	29.79	0.00	100	115	PEAK	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>112.31</td> <td>-----</td> <td>-----</td> <td>93.33</td> <td>34.88</td> <td>13.89</td> <td>29.79</td> <td>0.00</td> <td>100</td> <td>115</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Factor	Factor	1	5745.00	112.31	-----	-----	93.33	34.88	13.89	29.79	0.00	100	115	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																															
Freq	Level	Line Margin	Level	Factor	dB/m	dB	dB	cm	deg																																																																																															
1	5626.68	58.45	68.30	-9.85	40.33	34.65	13.24	29.77	0.00	100	115	PEAK																																																																																												
2	5650.32	56.43	68.53	-12.10	38.20	34.69	13.32	29.78	0.00	100	115	PEAK																																																																																												
3	5719.19	65.99	110.67	-44.68	47.31	34.82	13.65	29.79	0.00	100	115	PEAK																																																																																												
4	5720.35	68.37	111.70	-43.33	49.68	34.82	13.66	29.79	0.00	100	115	PEAK																																																																																												
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Factor	Factor																																																																																																
1	5745.00	112.31	-----	-----	93.33	34.88	13.89	29.79	0.00	100	115	PEAK																																																																																												
Avg	Blank	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>102.61</td> <td>-----</td> <td>-----</td> <td>83.63</td> <td>34.88</td> <td>13.89</td> <td>29.79</td> <td>0.00</td> <td>100</td> <td>115</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Factor	Factor	1	5745.00	102.61	-----	-----	83.63	34.88	13.89	29.79	0.00	100	115	AVERAGE																																																																							
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Factor	Factor																																																																																																
1	5745.00	102.61	-----	-----	83.63	34.88	13.89	29.79	0.00	100	115	AVERAGE																																																																																												



Mode	44																																																																																																																										
	Band Edge																																																																																																																										
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_5745MHz																																																																																																																										
ANT	3+8																																																																																																																										
Pol.	Vertical	Fundamental																																																																																																																									
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5635.96</td> <td>58.12</td> <td>68.30</td> <td>-10.18</td> <td>39.96</td> <td>34.66</td> <td>13.27</td> <td>29.77</td> <td>0.00</td> <td>360</td> <td>66</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5650.61</td> <td>57.50</td> <td>68.75</td> <td>-11.25</td> <td>39.27</td> <td>34.69</td> <td>13.32</td> <td>29.78</td> <td>0.00</td> <td>360</td> <td>66</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5700.05</td> <td>57.15</td> <td>105.31</td> <td>-48.16</td> <td>38.69</td> <td>34.78</td> <td>13.48</td> <td>29.80</td> <td>0.00</td> <td>360</td> <td>66</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5721.66</td> <td>65.26</td> <td>114.67</td> <td>-49.41</td> <td>46.55</td> <td>34.83</td> <td>13.67</td> <td>29.79</td> <td>0.00</td> <td>360</td> <td>66</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5635.96	58.12	68.30	-10.18	39.96	34.66	13.27	29.77	0.00	360	66	PEAK	2	5650.61	57.50	68.75	-11.25	39.27	34.69	13.32	29.78	0.00	360	66	PEAK	3	5700.05	57.15	105.31	-48.16	38.69	34.78	13.48	29.80	0.00	360	66	PEAK	4	5721.66	65.26	114.67	-49.41	46.55	34.83	13.67	29.79	0.00	360	66	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>107.16</td> <td>-----</td> <td>-----</td> <td>88.18</td> <td>34.88</td> <td>13.89</td> <td>29.79</td> <td>0.00</td> <td>360</td> <td>66</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5745.00	107.16	-----	-----	88.18	34.88	13.89	29.79	0.00	360	66	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	5635.96	58.12	68.30	-10.18	39.96	34.66	13.27	29.77	0.00	360	66	PEAK																																																																																																															
2	5650.61	57.50	68.75	-11.25	39.27	34.69	13.32	29.78	0.00	360	66	PEAK																																																																																																															
3	5700.05	57.15	105.31	-48.16	38.69	34.78	13.48	29.80	0.00	360	66	PEAK																																																																																																															
4	5721.66	65.26	114.67	-49.41	46.55	34.83	13.67	29.79	0.00	360	66	PEAK																																																																																																															
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	5745.00	107.16	-----	-----	88.18	34.88	13.89	29.79	0.00	360	66	PEAK																																																																																																															
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>99.00</td> <td>-----</td> <td>-----</td> <td>80.10</td> <td>34.80</td> <td>13.89</td> <td>29.79</td> <td>0.00</td> <td>360</td> <td>66</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5745.00	99.00	-----	-----	80.10	34.80	13.89	29.79	0.00	360	66	AVERAGE																																																																																
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	5745.00	99.00	-----	-----	80.10	34.80	13.89	29.79	0.00	360	66	AVERAGE																																																																																																															



Mode	44																																																																											
	Harmonic																																																																											
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_5745MHz																																																																											
ANT	3+8																																																																											
Pol.	Horizontal	Vertical																																																																										
Peak																																																																												
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 11490.00</td> <td>44.87</td> <td>74.00</td> <td>-29.13</td> <td>53.48</td> <td>38.39</td> <td>18.46</td> <td>65.46</td> <td>0.00</td> <td>--- --- PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 11490.00	44.87	74.00	-29.13	53.48	38.39	18.46	65.46	0.00	--- --- PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 11490.00</td> <td>45.24</td> <td>74.00</td> <td>-28.76</td> <td>53.85</td> <td>38.39</td> <td>18.46</td> <td>65.46</td> <td>0.00</td> <td>--- --- PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 11490.00	45.24	74.00	-28.76	53.85	38.39	18.46	65.46	0.00	--- --- PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																				
1 11490.00	44.87	74.00	-29.13	53.48	38.39	18.46	65.46	0.00	--- --- PEAK																																																																			
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																				
1 11490.00	45.24	74.00	-28.76	53.85	38.39	18.46	65.46	0.00	--- --- PEAK																																																																			






Mode	45																																																																											
	Harmonic																																																																											
	U-NII-3_5.725-5.85_802.11ax HE20_CH157_5785MHz																																																																											
ANT	3+8																																																																											
Pol.	Horizontal	Vertical																																																																										
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 11570.00</td> <td>45.22</td> <td>74.00</td> <td>-28.78</td> <td>53.67</td> <td>38.44</td> <td>18.52</td> <td>65.41</td> <td>0.00</td> <td>--- --- PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 11570.00	45.22	74.00	-28.78	53.67	38.44	18.52	65.41	0.00	--- --- PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 11570.00</td> <td>44.33</td> <td>74.00</td> <td>-29.67</td> <td>52.78</td> <td>38.44</td> <td>18.52</td> <td>65.41</td> <td>0.00</td> <td>--- --- PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 11570.00	44.33	74.00	-29.67	52.78	38.44	18.52	65.41	0.00	--- --- PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																				
1 11570.00	45.22	74.00	-28.78	53.67	38.44	18.52	65.41	0.00	--- --- PEAK																																																																			
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																				
1 11570.00	44.33	74.00	-29.67	52.78	38.44	18.52	65.41	0.00	--- --- PEAK																																																																			



Mode	46																																																																																												
	Band Edge																																																																																												
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_5825MHz																																																																																												
ANT	3+8																																																																																												
Pol.	Horizontal	Fundamental																																																																																											
Peak	<table border="1"> <thead> <tr> <th>Peak</th> <th>Freq (MHz)</th> <th>Level (dBuV/m)</th> <th>Limit (dBuV/m)</th> <th>Line Margin (dB)</th> <th>Read (dBuV)</th> <th>Ant (dB/m)</th> <th>Cable Loss (dB)</th> <th>Preamp (dB)</th> <th>Aux (dB)</th> <th>APos (dB)</th> <th>TPos (cm)</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5854.88</td> <td>63.08</td> <td>111.18</td> <td>-48.10</td> <td>43.77</td> <td>35.08</td> <td>14.02</td> <td>29.79</td> <td>0.00</td> <td>100</td> <td>114</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5871.13</td> <td>62.03</td> <td>106.38</td> <td>-44.35</td> <td>42.79</td> <td>35.11</td> <td>13.92</td> <td>29.79</td> <td>0.00</td> <td>100</td> <td>114</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5924.75</td> <td>56.63</td> <td>68.48</td> <td>-11.85</td> <td>37.57</td> <td>35.19</td> <td>13.69</td> <td>29.82</td> <td>0.00</td> <td>100</td> <td>114</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5930.88</td> <td>58.92</td> <td>68.30</td> <td>-9.38</td> <td>39.87</td> <td>35.20</td> <td>13.68</td> <td>29.83</td> <td>0.00</td> <td>100</td> <td>114</td> <td>PEAK</td> </tr> </tbody> </table>	Peak	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Line Margin (dB)	Read (dBuV)	Ant (dB/m)	Cable Loss (dB)	Preamp (dB)	Aux (dB)	APos (dB)	TPos (cm)	Remark	1	5854.88	63.08	111.18	-48.10	43.77	35.08	14.02	29.79	0.00	100	114	PEAK	2	5871.13	62.03	106.38	-44.35	42.79	35.11	13.92	29.79	0.00	100	114	PEAK	3	5924.75	56.63	68.48	-11.85	37.57	35.19	13.69	29.82	0.00	100	114	PEAK	4	5930.88	58.92	68.30	-9.38	39.87	35.20	13.68	29.83	0.00	100	114	PEAK	<table border="1"> <thead> <tr> <th>Peak</th> <th>Freq (MHz)</th> <th>Level (dBuV/m)</th> <th>Limit (dBuV/m)</th> <th>Line Margin (dB)</th> <th>Read (dBuV)</th> <th>Ant (dB/m)</th> <th>Cable Loss (dB)</th> <th>Preamp (dB)</th> <th>Aux (dB)</th> <th>APos (dB)</th> <th>TPos (cm)</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>110.15</td> <td>-----</td> <td>-----</td> <td>90.67</td> <td>35.04</td> <td>14.22</td> <td>29.78</td> <td>0.00</td> <td>100</td> <td>114</td> <td>PEAK</td> </tr> </tbody> </table>	Peak	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Line Margin (dB)	Read (dBuV)	Ant (dB/m)	Cable Loss (dB)	Preamp (dB)	Aux (dB)	APos (dB)	TPos (cm)	Remark	1	5825.00	110.15	-----	-----	90.67	35.04	14.22	29.78	0.00	100	114	PEAK
Peak	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Line Margin (dB)	Read (dBuV)	Ant (dB/m)	Cable Loss (dB)	Preamp (dB)	Aux (dB)	APos (dB)	TPos (cm)	Remark																																																																																	
1	5854.88	63.08	111.18	-48.10	43.77	35.08	14.02	29.79	0.00	100	114	PEAK																																																																																	
2	5871.13	62.03	106.38	-44.35	42.79	35.11	13.92	29.79	0.00	100	114	PEAK																																																																																	
3	5924.75	56.63	68.48	-11.85	37.57	35.19	13.69	29.82	0.00	100	114	PEAK																																																																																	
4	5930.88	58.92	68.30	-9.38	39.87	35.20	13.68	29.83	0.00	100	114	PEAK																																																																																	
Peak	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Line Margin (dB)	Read (dBuV)	Ant (dB/m)	Cable Loss (dB)	Preamp (dB)	Aux (dB)	APos (dB)	TPos (cm)	Remark																																																																																	
1	5825.00	110.15	-----	-----	90.67	35.04	14.22	29.78	0.00	100	114	PEAK																																																																																	
Avg	Blank	<table border="1"> <thead> <tr> <th>Peak</th> <th>Freq (MHz)</th> <th>Level (dBuV/m)</th> <th>Limit (dBuV/m)</th> <th>Line Margin (dB)</th> <th>Read (dBuV)</th> <th>Ant (dB/m)</th> <th>Cable Loss (dB)</th> <th>Preamp (dB)</th> <th>Aux (dB)</th> <th>APos (dB)</th> <th>TPos (cm)</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>100.85</td> <td>-----</td> <td>-----</td> <td>81.37</td> <td>35.04</td> <td>14.22</td> <td>29.78</td> <td>0.00</td> <td>100</td> <td>114</td> <td>AVERAGE</td> </tr> </tbody> </table>	Peak	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Line Margin (dB)	Read (dBuV)	Ant (dB/m)	Cable Loss (dB)	Preamp (dB)	Aux (dB)	APos (dB)	TPos (cm)	Remark	1	5825.00	100.85	-----	-----	81.37	35.04	14.22	29.78	0.00	100	114	AVERAGE																																																																	
Peak	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Line Margin (dB)	Read (dBuV)	Ant (dB/m)	Cable Loss (dB)	Preamp (dB)	Aux (dB)	APos (dB)	TPos (cm)	Remark																																																																																	
1	5825.00	100.85	-----	-----	81.37	35.04	14.22	29.78	0.00	100	114	AVERAGE																																																																																	






Mode	46																																																																																												
	Band Edge																																																																																												
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_5825MHz																																																																																												
ANT	3+8																																																																																												
Pol.	Vertical	Fundamental																																																																																											
Peak	 <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq (MHz)</th> <th>Level (dBuV/m)</th> <th>Limit (dBuV/m)</th> <th>Line Margin (dB)</th> <th>Read (dBuV)</th> <th>Ant (dB/m)</th> <th>Cable Loss (dB)</th> <th>Preamp (dB)</th> <th>Aux (dB)</th> <th>APos (cm)</th> <th>TPos (deg)</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5855.00</td> <td>59.45</td> <td>110.90</td> <td>-51.45</td> <td>40.14</td> <td>35.00</td> <td>14.02</td> <td>29.79</td> <td>0.00</td> <td>365</td> <td>67</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5867.38</td> <td>61.07</td> <td>107.43</td> <td>-46.36</td> <td>41.81</td> <td>35.10</td> <td>13.95</td> <td>29.79</td> <td>0.00</td> <td>365</td> <td>67</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5924.50</td> <td>56.53</td> <td>68.67</td> <td>-12.14</td> <td>37.47</td> <td>35.19</td> <td>13.69</td> <td>29.82</td> <td>0.00</td> <td>365</td> <td>67</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5937.00</td> <td>59.49</td> <td>68.30</td> <td>-8.81</td> <td>40.44</td> <td>35.21</td> <td>13.67</td> <td>29.83</td> <td>0.00</td> <td>365</td> <td>67</td> <td>PEAK</td> </tr> </tbody> </table>	Peak	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Line Margin (dB)	Read (dBuV)	Ant (dB/m)	Cable Loss (dB)	Preamp (dB)	Aux (dB)	APos (cm)	TPos (deg)	Remark	1	5855.00	59.45	110.90	-51.45	40.14	35.00	14.02	29.79	0.00	365	67	PEAK	2	5867.38	61.07	107.43	-46.36	41.81	35.10	13.95	29.79	0.00	365	67	PEAK	3	5924.50	56.53	68.67	-12.14	37.47	35.19	13.69	29.82	0.00	365	67	PEAK	4	5937.00	59.49	68.30	-8.81	40.44	35.21	13.67	29.83	0.00	365	67	PEAK	 <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq (MHz)</th> <th>Level (dBuV/m)</th> <th>Limit (dBuV/m)</th> <th>Line Margin (dB)</th> <th>Read (dBuV)</th> <th>Ant (dB/m)</th> <th>Cable Loss (dB)</th> <th>Preamp (dB)</th> <th>Aux (dB)</th> <th>APos (cm)</th> <th>TPos (deg)</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>106.41</td> <td>-----</td> <td>-----</td> <td>86.97</td> <td>35.04</td> <td>14.18</td> <td>29.78</td> <td>0.00</td> <td>365</td> <td>67</td> <td>PEAK</td> </tr> </tbody> </table>	Peak	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Line Margin (dB)	Read (dBuV)	Ant (dB/m)	Cable Loss (dB)	Preamp (dB)	Aux (dB)	APos (cm)	TPos (deg)	Remark	1	5825.00	106.41	-----	-----	86.97	35.04	14.18	29.78	0.00	365	67	PEAK
Peak	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Line Margin (dB)	Read (dBuV)	Ant (dB/m)	Cable Loss (dB)	Preamp (dB)	Aux (dB)	APos (cm)	TPos (deg)	Remark																																																																																	
1	5855.00	59.45	110.90	-51.45	40.14	35.00	14.02	29.79	0.00	365	67	PEAK																																																																																	
2	5867.38	61.07	107.43	-46.36	41.81	35.10	13.95	29.79	0.00	365	67	PEAK																																																																																	
3	5924.50	56.53	68.67	-12.14	37.47	35.19	13.69	29.82	0.00	365	67	PEAK																																																																																	
4	5937.00	59.49	68.30	-8.81	40.44	35.21	13.67	29.83	0.00	365	67	PEAK																																																																																	
Peak	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Line Margin (dB)	Read (dBuV)	Ant (dB/m)	Cable Loss (dB)	Preamp (dB)	Aux (dB)	APos (cm)	TPos (deg)	Remark																																																																																	
1	5825.00	106.41	-----	-----	86.97	35.04	14.18	29.78	0.00	365	67	PEAK																																																																																	
Avg	Blank	 <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq (MHz)</th> <th>Level (dBuV/m)</th> <th>Limit (dBuV/m)</th> <th>Line Margin (dB)</th> <th>Read (dBuV)</th> <th>Ant (dB/m)</th> <th>Cable Loss (dB)</th> <th>Preamp (dB)</th> <th>Aux (dB)</th> <th>APos (cm)</th> <th>TPos (deg)</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>97.58</td> <td>-----</td> <td>-----</td> <td>78.14</td> <td>35.04</td> <td>14.18</td> <td>29.78</td> <td>0.00</td> <td>365</td> <td>67</td> <td>AVERAGE</td> </tr> </tbody> </table>	Peak	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Line Margin (dB)	Read (dBuV)	Ant (dB/m)	Cable Loss (dB)	Preamp (dB)	Aux (dB)	APos (cm)	TPos (deg)	Remark	1	5825.00	97.58	-----	-----	78.14	35.04	14.18	29.78	0.00	365	67	AVERAGE																																																																	
Peak	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Line Margin (dB)	Read (dBuV)	Ant (dB/m)	Cable Loss (dB)	Preamp (dB)	Aux (dB)	APos (cm)	TPos (deg)	Remark																																																																																	
1	5825.00	97.58	-----	-----	78.14	35.04	14.18	29.78	0.00	365	67	AVERAGE																																																																																	



Mode	46																																																																											
	Harmonic																																																																											
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_5825MHz																																																																											
ANT	3+8																																																																											
Pol.	Horizontal	Vertical																																																																										
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 11650.00</td> <td>45.34</td> <td>74.00</td> <td>-28.66</td> <td>53.64</td> <td>38.49</td> <td>18.58</td> <td>65.37</td> <td>0.00</td> <td>--- --- PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 11650.00	45.34	74.00	-28.66	53.64	38.49	18.58	65.37	0.00	--- --- PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 11650.00</td> <td>44.86</td> <td>74.00</td> <td>-29.14</td> <td>53.16</td> <td>38.49</td> <td>18.58</td> <td>65.37</td> <td>0.00</td> <td>--- --- PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 11650.00	44.86	74.00	-29.14	53.16	38.49	18.58	65.37	0.00	--- --- PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																				
1 11650.00	45.34	74.00	-28.66	53.64	38.49	18.58	65.37	0.00	--- --- PEAK																																																																			
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																				
1 11650.00	44.86	74.00	-29.14	53.16	38.49	18.58	65.37	0.00	--- --- PEAK																																																																			






Mode	47																																																																																																																										
	Band Edge - L																																																																																																																										
	U-NII-3_5.725-5.85_802.11ax HE40_CH151_Full_5755MHz																																																																																																																										
ANT	3+8																																																																																																																										
Pol.	Horizontal	Fundamental																																																																																																																									
Peak	 <table border="1" data-bbox="271 1075 774 1254"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5611.94</td> <td>58.22</td> <td>68.30</td> <td>-10.08</td> <td>40.17</td> <td>34.62</td> <td>13.19</td> <td>29.76</td> <td>0.00</td> <td>100</td> <td>115</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5651.00</td> <td>56.10</td> <td>69.04</td> <td>-12.94</td> <td>37.87</td> <td>34.69</td> <td>13.32</td> <td>29.78</td> <td>0.00</td> <td>100</td> <td>115</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5719.35</td> <td>75.39</td> <td>110.72</td> <td>-35.33</td> <td>56.71</td> <td>34.82</td> <td>13.65</td> <td>29.79</td> <td>0.00</td> <td>100</td> <td>115</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5720.28</td> <td>74.62</td> <td>111.54</td> <td>-36.92</td> <td>55.93</td> <td>34.82</td> <td>13.66</td> <td>29.79</td> <td>0.00</td> <td>100</td> <td>115</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5611.94	58.22	68.30	-10.08	40.17	34.62	13.19	29.76	0.00	100	115	PEAK	2	5651.00	56.10	69.04	-12.94	37.87	34.69	13.32	29.78	0.00	100	115	PEAK	3	5719.35	75.39	110.72	-35.33	56.71	34.82	13.65	29.79	0.00	100	115	PEAK	4	5720.28	74.62	111.54	-36.92	55.93	34.82	13.66	29.79	0.00	100	115	PEAK	 <table border="1" data-bbox="909 1120 1412 1254"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5755.00</td> <td>109.40</td> <td>-----</td> <td>-----</td> <td>90.35</td> <td>34.89</td> <td>13.94</td> <td>29.78</td> <td>0.00</td> <td>100</td> <td>115</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5755.00	109.40	-----	-----	90.35	34.89	13.94	29.78	0.00	100	115	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	5611.94	58.22	68.30	-10.08	40.17	34.62	13.19	29.76	0.00	100	115	PEAK																																																																																																															
2	5651.00	56.10	69.04	-12.94	37.87	34.69	13.32	29.78	0.00	100	115	PEAK																																																																																																															
3	5719.35	75.39	110.72	-35.33	56.71	34.82	13.65	29.79	0.00	100	115	PEAK																																																																																																															
4	5720.28	74.62	111.54	-36.92	55.93	34.82	13.66	29.79	0.00	100	115	PEAK																																																																																																															
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	5755.00	109.40	-----	-----	90.35	34.89	13.94	29.78	0.00	100	115	PEAK																																																																																																															
Avg	Blank	 <table border="1" data-bbox="909 1792 1412 1926"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5755.00</td> <td>99.91</td> <td>-----</td> <td>-----</td> <td>80.78</td> <td>34.91</td> <td>14.00</td> <td>29.78</td> <td>0.00</td> <td>100</td> <td>115</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5755.00	99.91	-----	-----	80.78	34.91	14.00	29.78	0.00	100	115	AVERAGE																																																																																
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	5755.00	99.91	-----	-----	80.78	34.91	14.00	29.78	0.00	100	115	AVERAGE																																																																																																															



Mode	47																																																																									
	Band Edge - R																																																																									
	U-NII-3_5.725-5.85_802.11ax HE40_CH151_Full_5755MHz																																																																									
ANT	3+8																																																																									
Pol.	Horizontal	Fundamental																																																																								
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5854.84</td> <td>55.87</td> <td>111.26</td> <td>-55.39</td> <td>36.56</td> <td>35.08</td> <td>14.02</td> <td>29.79</td> <td>0.00</td> <td>100</td> <td>115</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5872.98</td> <td>58.46</td> <td>105.87</td> <td>-47.41</td> <td>39.23</td> <td>35.11</td> <td>13.91</td> <td>29.79</td> <td>0.00</td> <td>100</td> <td>115</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5924.85</td> <td>57.82</td> <td>68.41</td> <td>-10.59</td> <td>38.76</td> <td>35.19</td> <td>13.69</td> <td>29.82</td> <td>0.00</td> <td>100</td> <td>115</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5928.94</td> <td>58.01</td> <td>68.30</td> <td>-10.29</td> <td>38.96</td> <td>35.19</td> <td>13.69</td> <td>29.83</td> <td>0.00</td> <td>100</td> <td>115</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	1	5854.84	55.87	111.26	-55.39	36.56	35.08	14.02	29.79	0.00	100	115	PEAK	2	5872.98	58.46	105.87	-47.41	39.23	35.11	13.91	29.79	0.00	100	115	PEAK	3	5924.85	57.82	68.41	-10.59	38.76	35.19	13.69	29.82	0.00	100	115	PEAK	4	5928.94	58.01	68.30	-10.29	38.96	35.19	13.69	29.83	0.00	100	115	PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																
1	5854.84	55.87	111.26	-55.39	36.56	35.08	14.02	29.79	0.00	100	115	PEAK																																																														
2	5872.98	58.46	105.87	-47.41	39.23	35.11	13.91	29.79	0.00	100	115	PEAK																																																														
3	5924.85	57.82	68.41	-10.59	38.76	35.19	13.69	29.82	0.00	100	115	PEAK																																																														
4	5928.94	58.01	68.30	-10.29	38.96	35.19	13.69	29.83	0.00	100	115	PEAK																																																														



Mode	47																																																																																																																										
	Band Edge - L																																																																																																																										
	U-NII-3_5.725-5.85_802.11ax HE40_CH151_Full_5755MHz																																																																																																																										
ANT	3+8																																																																																																																										
Pol.	Vertical	Fundamental																																																																																																																									
Peak	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5644.33</td> <td>58.17</td> <td>68.30</td> <td>-10.13</td> <td>39.97</td> <td>34.68</td> <td>13.30</td> <td>29.78</td> <td>0.00</td> <td>359</td> <td>73</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5650.22</td> <td>55.98</td> <td>68.46</td> <td>-12.48</td> <td>37.75</td> <td>34.69</td> <td>13.32</td> <td>29.78</td> <td>0.00</td> <td>359</td> <td>73</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5717.65</td> <td>69.61</td> <td>110.24</td> <td>-40.63</td> <td>50.94</td> <td>34.82</td> <td>13.64</td> <td>29.79</td> <td>0.00</td> <td>359</td> <td>73</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5721.68</td> <td>70.33</td> <td>114.72</td> <td>-44.39</td> <td>51.62</td> <td>34.83</td> <td>13.67</td> <td>29.79</td> <td>0.00</td> <td>359</td> <td>73</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5644.33	58.17	68.30	-10.13	39.97	34.68	13.30	29.78	0.00	359	73	PEAK	2	5650.22	55.98	68.46	-12.48	37.75	34.69	13.32	29.78	0.00	359	73	PEAK	3	5717.65	69.61	110.24	-40.63	50.94	34.82	13.64	29.79	0.00	359	73	PEAK	4	5721.68	70.33	114.72	-44.39	51.62	34.83	13.67	29.79	0.00	359	73	PEAK	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5755.00</td> <td>106.96</td> <td>-----</td> <td>-----</td> <td>87.91</td> <td>34.89</td> <td>13.94</td> <td>29.78</td> <td>0.00</td> <td>359</td> <td>73</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5755.00	106.96	-----	-----	87.91	34.89	13.94	29.78	0.00	359	73	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																			
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	5644.33	58.17	68.30	-10.13	39.97	34.68	13.30	29.78	0.00	359	73	PEAK																																																																																																															
2	5650.22	55.98	68.46	-12.48	37.75	34.69	13.32	29.78	0.00	359	73	PEAK																																																																																																															
3	5717.65	69.61	110.24	-40.63	50.94	34.82	13.64	29.79	0.00	359	73	PEAK																																																																																																															
4	5721.68	70.33	114.72	-44.39	51.62	34.83	13.67	29.79	0.00	359	73	PEAK																																																																																																															
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																			
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	5755.00	106.96	-----	-----	87.91	34.89	13.94	29.78	0.00	359	73	PEAK																																																																																																															
Avg	Blank	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5755.00</td> <td>96.20</td> <td>-----</td> <td>-----</td> <td>77.07</td> <td>34.91</td> <td>14.00</td> <td>29.78</td> <td>0.00</td> <td>359</td> <td>73</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5755.00	96.20	-----	-----	77.07	34.91	14.00	29.78	0.00	359	73	AVERAGE																																																																																
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																			
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	5755.00	96.20	-----	-----	77.07	34.91	14.00	29.78	0.00	359	73	AVERAGE																																																																																																															



Mode	47																																																																																	
	Band Edge - R																																																																																	
	U-NII-3_5.725-5.85_802.11ax HE40_CH151_Full_5755MHz																																																																																	
ANT	3+8																																																																																	
Pol.	Vertical	Fundamental																																																																																
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5854.84</td> <td>55.93</td> <td>111.26</td> <td>-55.33</td> <td>36.62</td> <td>35.08</td> <td>14.02</td> <td>29.79</td> <td>0.00</td> <td>359</td> <td>73</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5873.76</td> <td>57.88</td> <td>105.65</td> <td>-47.77</td> <td>38.65</td> <td>35.11</td> <td>13.91</td> <td>29.79</td> <td>0.00</td> <td>359</td> <td>73</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5921.53</td> <td>58.79</td> <td>70.86</td> <td>-12.07</td> <td>39.73</td> <td>35.18</td> <td>13.70</td> <td>29.82</td> <td>0.00</td> <td>359</td> <td>73</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5948.05</td> <td>59.82</td> <td>68.30</td> <td>-8.48</td> <td>40.79</td> <td>35.22</td> <td>13.65</td> <td>29.84</td> <td>0.00</td> <td>359</td> <td>73</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.84	55.93	111.26	-55.33	36.62	35.08	14.02	29.79	0.00	359	73	PEAK	2	5873.76	57.88	105.65	-47.77	38.65	35.11	13.91	29.79	0.00	359	73	PEAK	3	5921.53	58.79	70.86	-12.07	39.73	35.18	13.70	29.82	0.00	359	73	PEAK	4	5948.05	59.82	68.30	-8.48	40.79	35.22	13.65	29.84	0.00	359	73	PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	5854.84	55.93	111.26	-55.33	36.62	35.08	14.02	29.79	0.00	359	73	PEAK																																																																						
2	5873.76	57.88	105.65	-47.77	38.65	35.11	13.91	29.79	0.00	359	73	PEAK																																																																						
3	5921.53	58.79	70.86	-12.07	39.73	35.18	13.70	29.82	0.00	359	73	PEAK																																																																						
4	5948.05	59.82	68.30	-8.48	40.79	35.22	13.65	29.84	0.00	359	73	PEAK																																																																						



Mode	47																																																																											
	Harmonic																																																																											
	U-NII-3_5.725-5.85_802.11ax HE40_CH151_Full_5755MHz																																																																											
ANT	3+8																																																																											
Pol.	Horizontal	Vertical																																																																										
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 11510.00</td> <td>44.87</td> <td>74.00</td> <td>-29.13</td> <td>53.43</td> <td>38.41</td> <td>18.47</td> <td>65.44</td> <td>0.00</td> <td>--- --- PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 11510.00	44.87	74.00	-29.13	53.43	38.41	18.47	65.44	0.00	--- --- PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 11510.00</td> <td>44.64</td> <td>74.00</td> <td>-29.36</td> <td>53.20</td> <td>38.41</td> <td>18.47</td> <td>65.44</td> <td>0.00</td> <td>--- --- PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 11510.00	44.64	74.00	-29.36	53.20	38.41	18.47	65.44	0.00	--- --- PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																				
1 11510.00	44.87	74.00	-29.13	53.43	38.41	18.47	65.44	0.00	--- --- PEAK																																																																			
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																				
1 11510.00	44.64	74.00	-29.36	53.20	38.41	18.47	65.44	0.00	--- --- PEAK																																																																			



Mode	48																																																																																																																										
	Band Edge - L																																																																																																																										
	U-NII-3_5.725-5.85_802.11ax HE40_CH159_Full_5795MHz																																																																																																																										
ANT	3+8																																																																																																																										
Pol.	Horizontal	Fundamental																																																																																																																									
Peak	<table border="1" data-bbox="272 1077 775 1256"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5622.23</td> <td>59.27</td> <td>68.30</td> <td>-9.03</td> <td>41.18</td> <td>34.64</td> <td>13.22</td> <td>29.77</td> <td>0.00</td> <td>100</td> <td>115</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5651.68</td> <td>57.78</td> <td>69.54</td> <td>-11.76</td> <td>39.55</td> <td>34.69</td> <td>13.32</td> <td>29.78</td> <td>0.00</td> <td>100</td> <td>115</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5701.01</td> <td>57.14</td> <td>105.58</td> <td>-48.44</td> <td>38.67</td> <td>34.78</td> <td>13.49</td> <td>29.80</td> <td>0.00</td> <td>100</td> <td>115</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5720.90</td> <td>59.45</td> <td>112.95</td> <td>-53.50</td> <td>40.74</td> <td>34.83</td> <td>13.67</td> <td>29.79</td> <td>0.00</td> <td>100</td> <td>115</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5622.23	59.27	68.30	-9.03	41.18	34.64	13.22	29.77	0.00	100	115	PEAK	2	5651.68	57.78	69.54	-11.76	39.55	34.69	13.32	29.78	0.00	100	115	PEAK	3	5701.01	57.14	105.58	-48.44	38.67	34.78	13.49	29.80	0.00	100	115	PEAK	4	5720.90	59.45	112.95	-53.50	40.74	34.83	13.67	29.79	0.00	100	115	PEAK	<table border="1" data-bbox="914 1133 1417 1256"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5795.00</td> <td>108.71</td> <td>-----</td> <td>-----</td> <td>89.11</td> <td>35.00</td> <td>14.37</td> <td>29.77</td> <td>0.00</td> <td>100</td> <td>115</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5795.00	108.71	-----	-----	89.11	35.00	14.37	29.77	0.00	100	115	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	5622.23	59.27	68.30	-9.03	41.18	34.64	13.22	29.77	0.00	100	115	PEAK																																																																																																															
2	5651.68	57.78	69.54	-11.76	39.55	34.69	13.32	29.78	0.00	100	115	PEAK																																																																																																															
3	5701.01	57.14	105.58	-48.44	38.67	34.78	13.49	29.80	0.00	100	115	PEAK																																																																																																															
4	5720.90	59.45	112.95	-53.50	40.74	34.83	13.67	29.79	0.00	100	115	PEAK																																																																																																															
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	5795.00	108.71	-----	-----	89.11	35.00	14.37	29.77	0.00	100	115	PEAK																																																																																																															
Avg	Blank	<table border="1" data-bbox="914 1809 1417 1933"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5795.00</td> <td>99.22</td> <td>-----</td> <td>-----</td> <td>79.62</td> <td>35.00</td> <td>14.37</td> <td>29.77</td> <td>0.00</td> <td>100</td> <td>115</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5795.00	99.22	-----	-----	79.62	35.00	14.37	29.77	0.00	100	115	AVERAGE																																																																																
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	5795.00	99.22	-----	-----	79.62	35.00	14.37	29.77	0.00	100	115	AVERAGE																																																																																																															



Mode	48																																																																									
	Band Edge - R																																																																									
	U-NII-3_5.725-5.85_802.11ax HE40_CH159_Full_5795MHz																																																																									
ANT	3+8																																																																									
Pol.	Horizontal	Fundamental																																																																								
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5854.52</td> <td>64.49</td> <td>111.99</td> <td>-47.50</td> <td>45.17</td> <td>35.08</td> <td>14.03</td> <td>29.79</td> <td>0.00</td> <td>100</td> <td>115</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5869.56</td> <td>62.62</td> <td>106.82</td> <td>-44.20</td> <td>43.38</td> <td>35.10</td> <td>13.93</td> <td>29.79</td> <td>0.00</td> <td>100</td> <td>115</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5924.27</td> <td>57.28</td> <td>68.84</td> <td>-11.56</td> <td>38.22</td> <td>35.19</td> <td>13.69</td> <td>29.82</td> <td>0.00</td> <td>100</td> <td>115</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5933.73</td> <td>58.32</td> <td>68.30</td> <td>-9.98</td> <td>39.27</td> <td>35.20</td> <td>13.68</td> <td>29.83</td> <td>0.00</td> <td>100</td> <td>115</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	1	5854.52	64.49	111.99	-47.50	45.17	35.08	14.03	29.79	0.00	100	115	PEAK	2	5869.56	62.62	106.82	-44.20	43.38	35.10	13.93	29.79	0.00	100	115	PEAK	3	5924.27	57.28	68.84	-11.56	38.22	35.19	13.69	29.82	0.00	100	115	PEAK	4	5933.73	58.32	68.30	-9.98	39.27	35.20	13.68	29.83	0.00	100	115	PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																
1	5854.52	64.49	111.99	-47.50	45.17	35.08	14.03	29.79	0.00	100	115	PEAK																																																														
2	5869.56	62.62	106.82	-44.20	43.38	35.10	13.93	29.79	0.00	100	115	PEAK																																																														
3	5924.27	57.28	68.84	-11.56	38.22	35.19	13.69	29.82	0.00	100	115	PEAK																																																														
4	5933.73	58.32	68.30	-9.98	39.27	35.20	13.68	29.83	0.00	100	115	PEAK																																																														



Mode	48																																																																																																				
	Band Edge - L																																																																																																				
	U-NII-3_5.725-5.85_802.11ax HE40_CH159_Full_5795MHz																																																																																																				
ANT	3+8																																																																																																				
Pol.	Vertical	Fundamental																																																																																																			
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 5634.91</td> <td>58.29</td> <td>68.30</td> <td>-10.01</td> <td>40.13</td> <td>34.66</td> <td>13.27</td> <td>29.77</td> <td>0.00</td> </tr> <tr> <td>2 5653.43</td> <td>59.04</td> <td>70.85</td> <td>-11.81</td> <td>40.79</td> <td>34.70</td> <td>13.33</td> <td>29.78</td> <td>0.00</td> </tr> <tr> <td>3 5701.99</td> <td>57.75</td> <td>105.86</td> <td>-48.11</td> <td>39.27</td> <td>34.78</td> <td>13.50</td> <td>29.80</td> <td>0.00</td> </tr> <tr> <td>4 5720.32</td> <td>54.86</td> <td>111.62</td> <td>-56.76</td> <td>36.17</td> <td>34.82</td> <td>13.66</td> <td>29.79</td> <td>0.00</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1 5634.91	58.29	68.30	-10.01	40.13	34.66	13.27	29.77	0.00	2 5653.43	59.04	70.85	-11.81	40.79	34.70	13.33	29.78	0.00	3 5701.99	57.75	105.86	-48.11	39.27	34.78	13.50	29.80	0.00	4 5720.32	54.86	111.62	-56.76	36.17	34.82	13.66	29.79	0.00	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 5795.00</td> <td>105.45</td> <td>-----</td> <td>-----</td> <td>85.85</td> <td>35.00</td> <td>14.37</td> <td>29.77</td> <td>0.00</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1 5795.00	105.45	-----	-----	85.85	35.00	14.37	29.77	0.00
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																													
1 5634.91	58.29	68.30	-10.01	40.13	34.66	13.27	29.77	0.00																																																																																													
2 5653.43	59.04	70.85	-11.81	40.79	34.70	13.33	29.78	0.00																																																																																													
3 5701.99	57.75	105.86	-48.11	39.27	34.78	13.50	29.80	0.00																																																																																													
4 5720.32	54.86	111.62	-56.76	36.17	34.82	13.66	29.79	0.00																																																																																													
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																													
1 5795.00	105.45	-----	-----	85.85	35.00	14.37	29.77	0.00																																																																																													
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 5795.00</td> <td>96.37</td> <td>-----</td> <td>-----</td> <td>76.77</td> <td>35.00</td> <td>14.37</td> <td>29.77</td> <td>0.00</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1 5795.00	96.37	-----	-----	76.77	35.00	14.37	29.77	0.00																																																															
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																													
1 5795.00	96.37	-----	-----	76.77	35.00	14.37	29.77	0.00																																																																																													



Mode	48																																																																					
	Band Edge - R																																																																					
	U-NII-3_5.725-5.85_802.11ax HE40_CH159_Full_5795MHz																																																																					
ANT	3+8																																																																					
Pol.	Vertical	Fundamental																																																																				
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5854.52</td> <td>62.18</td> <td>111.99</td> <td>-49.81</td> <td>42.86</td> <td>35.08</td> <td>14.03</td> <td>29.79</td> <td>0.00</td> <td>306</td> <td>70 PEAK</td> </tr> <tr> <td>2</td> <td>5874.21</td> <td>58.23</td> <td>105.52</td> <td>-47.29</td> <td>39.01</td> <td>35.11</td> <td>13.90</td> <td>29.79</td> <td>0.00</td> <td>306</td> <td>70 PEAK</td> </tr> <tr> <td>3</td> <td>5924.43</td> <td>57.31</td> <td>68.72</td> <td>-11.41</td> <td>38.25</td> <td>35.19</td> <td>13.69</td> <td>29.82</td> <td>0.00</td> <td>306</td> <td>70 PEAK</td> </tr> <tr> <td>4</td> <td>5931.09</td> <td>58.81</td> <td>68.30</td> <td>-9.49</td> <td>39.76</td> <td>35.20</td> <td>13.68</td> <td>29.83</td> <td>0.00</td> <td>306</td> <td>70 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	1	5854.52	62.18	111.99	-49.81	42.86	35.08	14.03	29.79	0.00	306	70 PEAK	2	5874.21	58.23	105.52	-47.29	39.01	35.11	13.90	29.79	0.00	306	70 PEAK	3	5924.43	57.31	68.72	-11.41	38.25	35.19	13.69	29.82	0.00	306	70 PEAK	4	5931.09	58.81	68.30	-9.49	39.76	35.20	13.68	29.83	0.00	306	70 PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																												
1	5854.52	62.18	111.99	-49.81	42.86	35.08	14.03	29.79	0.00	306	70 PEAK																																																											
2	5874.21	58.23	105.52	-47.29	39.01	35.11	13.90	29.79	0.00	306	70 PEAK																																																											
3	5924.43	57.31	68.72	-11.41	38.25	35.19	13.69	29.82	0.00	306	70 PEAK																																																											
4	5931.09	58.81	68.30	-9.49	39.76	35.20	13.68	29.83	0.00	306	70 PEAK																																																											



Mode	48																																																																																					
	Harmonic																																																																																					
	U-NII-3_5.725-5.85_802.11ax HE40_CH159_Full_5795MHz																																																																																					
ANT	3+8																																																																																					
Pol.	Horizontal	Vertical																																																																																				
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1 11590.00</td> <td>45.57</td> <td>74.00</td> <td>-28.43</td> <td>53.99</td> <td>38.45</td> <td>18.53</td> <td>65.40</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	Remark	1 11590.00	45.57	74.00	-28.43	53.99	38.45	18.53	65.40	0.00	---	---	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1 11590.00</td> <td>44.76</td> <td>74.00</td> <td>-29.24</td> <td>53.18</td> <td>38.45</td> <td>18.53</td> <td>65.40</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	Remark	1 11590.00	44.76	74.00	-29.24	53.18	38.45	18.53	65.40	0.00	---	---	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																														
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	Remark																																																																											
1 11590.00	45.57	74.00	-28.43	53.99	38.45	18.53	65.40	0.00	---	---	PEAK																																																																											
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																														
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	Remark																																																																											
1 11590.00	44.76	74.00	-29.24	53.18	38.45	18.53	65.40	0.00	---	---	PEAK																																																																											






Mode	49																																																																																																																						
	Band Edge - L																																																																																																																						
	U-NII-3_5.725-5.85_802.11ax HE80_CH155_Full_5775MHz																																																																																																																						
ANT	3+8																																																																																																																						
Pol.	Horizontal	Fundamental																																																																																																																					
Peak	<table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5649.35</td> <td>62.02</td> <td>68.30</td> <td>-6.28</td> <td>43.80</td> <td>34.69</td> <td>13.31</td> <td>29.78</td> <td>0.00</td> <td>100</td> <td>116</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5651.45</td> <td>61.51</td> <td>69.38</td> <td>-7.87</td> <td>43.28</td> <td>34.69</td> <td>13.32</td> <td>29.78</td> <td>0.00</td> <td>100</td> <td>116</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5717.43</td> <td>78.03</td> <td>110.18</td> <td>-32.15</td> <td>59.36</td> <td>34.82</td> <td>13.64</td> <td>29.79</td> <td>0.00</td> <td>100</td> <td>116</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5720.23</td> <td>73.84</td> <td>111.41</td> <td>-37.57</td> <td>55.15</td> <td>34.82</td> <td>13.66</td> <td>29.79</td> <td>0.00</td> <td>100</td> <td>116</td> <td>PEAK</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5649.35	62.02	68.30	-6.28	43.80	34.69	13.31	29.78	0.00	100	116	PEAK	2	5651.45	61.51	69.38	-7.87	43.28	34.69	13.32	29.78	0.00	100	116	PEAK	3	5717.43	78.03	110.18	-32.15	59.36	34.82	13.64	29.79	0.00	100	116	PEAK	4	5720.23	73.84	111.41	-37.57	55.15	34.82	13.66	29.79	0.00	100	116	PEAK	<table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5775.00</td> <td>105.61</td> <td>-----</td> <td>-----</td> <td>86.69</td> <td>34.87</td> <td>13.84</td> <td>29.79</td> <td>0.00</td> <td>100</td> <td>116</td> <td>PEAK</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5775.00	105.61	-----	-----	86.69	34.87	13.84	29.79	0.00	100	116	PEAK
Peak	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																												
1	5649.35	62.02	68.30	-6.28	43.80	34.69	13.31	29.78	0.00	100	116	PEAK																																																																																																											
2	5651.45	61.51	69.38	-7.87	43.28	34.69	13.32	29.78	0.00	100	116	PEAK																																																																																																											
3	5717.43	78.03	110.18	-32.15	59.36	34.82	13.64	29.79	0.00	100	116	PEAK																																																																																																											
4	5720.23	73.84	111.41	-37.57	55.15	34.82	13.66	29.79	0.00	100	116	PEAK																																																																																																											
Peak	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																												
1	5775.00	105.61	-----	-----	86.69	34.87	13.84	29.79	0.00	100	116	PEAK																																																																																																											
Avg	Blank	<table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5775.00</td> <td>96.23</td> <td>-----</td> <td>-----</td> <td>77.04</td> <td>34.92</td> <td>14.05</td> <td>29.78</td> <td>0.00</td> <td>100</td> <td>116</td> <td>AVERAGE</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5775.00	96.23	-----	-----	77.04	34.92	14.05	29.78	0.00	100	116	AVERAGE																																																																														
Peak	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																												
1	5775.00	96.23	-----	-----	77.04	34.92	14.05	29.78	0.00	100	116	AVERAGE																																																																																																											



Mode	49																																																																									
	Band Edge - R																																																																									
	U-NII-3_5.725-5.85_802.11ax HE80_CH155_Full_5775MHz																																																																									
ANT	3+8																																																																									
Pol.	Horizontal	Fundamental																																																																								
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5854.45</td> <td>73.10</td> <td>112.15</td> <td>-39.05</td> <td>53.78</td> <td>35.00</td> <td>14.03</td> <td>29.79</td> <td>0.00</td> <td>100</td> <td>116</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5871.25</td> <td>71.57</td> <td>106.35</td> <td>-34.78</td> <td>52.33</td> <td>35.11</td> <td>13.92</td> <td>29.79</td> <td>0.00</td> <td>100</td> <td>116</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5924.63</td> <td>59.22</td> <td>68.58</td> <td>-9.36</td> <td>40.16</td> <td>35.19</td> <td>13.69</td> <td>29.82</td> <td>0.00</td> <td>100</td> <td>116</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5939.68</td> <td>59.77</td> <td>68.30</td> <td>-8.53</td> <td>40.74</td> <td>35.21</td> <td>13.66</td> <td>29.84</td> <td>0.00</td> <td>100</td> <td>116</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	1	5854.45	73.10	112.15	-39.05	53.78	35.00	14.03	29.79	0.00	100	116	PEAK	2	5871.25	71.57	106.35	-34.78	52.33	35.11	13.92	29.79	0.00	100	116	PEAK	3	5924.63	59.22	68.58	-9.36	40.16	35.19	13.69	29.82	0.00	100	116	PEAK	4	5939.68	59.77	68.30	-8.53	40.74	35.21	13.66	29.84	0.00	100	116	PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																
1	5854.45	73.10	112.15	-39.05	53.78	35.00	14.03	29.79	0.00	100	116	PEAK																																																														
2	5871.25	71.57	106.35	-34.78	52.33	35.11	13.92	29.79	0.00	100	116	PEAK																																																														
3	5924.63	59.22	68.58	-9.36	40.16	35.19	13.69	29.82	0.00	100	116	PEAK																																																														
4	5939.68	59.77	68.30	-8.53	40.74	35.21	13.66	29.84	0.00	100	116	PEAK																																																														



Mode	49																																																																																																						
	Band Edge - L																																																																																																						
	U-NII-3_5.725-5.85_802.11ax HE80_CH155_Full_5775MHz																																																																																																						
ANT	3+8																																																																																																						
Pol.	Vertical	Fundamental																																																																																																					
Peak	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5646.03</td> <td>58.04</td> <td>68.30</td> <td>-9.46</td> <td>40.64</td> <td>34.68</td> <td>13.30</td> <td>29.78</td> <td>0.00</td> <td>362</td> <td>70</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5650.40</td> <td>56.64</td> <td>68.60</td> <td>-11.96</td> <td>38.41</td> <td>34.69</td> <td>13.32</td> <td>29.78</td> <td>0.00</td> <td>362</td> <td>70</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5700.45</td> <td>66.97</td> <td>105.43</td> <td>-38.46</td> <td>48.51</td> <td>34.78</td> <td>13.48</td> <td>29.80</td> <td>0.00</td> <td>362</td> <td>70</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5720.05</td> <td>71.00</td> <td>111.01</td> <td>-40.01</td> <td>52.31</td> <td>34.82</td> <td>13.66</td> <td>29.79</td> <td>0.00</td> <td>362</td> <td>70</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	cm	deg	1	5646.03	58.04	68.30	-9.46	40.64	34.68	13.30	29.78	0.00	362	70	PEAK	2	5650.40	56.64	68.60	-11.96	38.41	34.69	13.32	29.78	0.00	362	70	PEAK	3	5700.45	66.97	105.43	-38.46	48.51	34.78	13.48	29.80	0.00	362	70	PEAK	4	5720.05	71.00	111.01	-40.01	52.31	34.82	13.66	29.79	0.00	362	70	PEAK	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5775.00</td> <td>101.18</td> <td>-----</td> <td>-----</td> <td>82.20</td> <td>34.88</td> <td>13.89</td> <td>29.79</td> <td>0.00</td> <td>362</td> <td>70</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	cm	deg	1	5775.00	101.18	-----	-----	82.20	34.88	13.89	29.79	0.00	362	70	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	cm	deg																																																																																															
1	5646.03	58.04	68.30	-9.46	40.64	34.68	13.30	29.78	0.00	362	70	PEAK																																																																																											
2	5650.40	56.64	68.60	-11.96	38.41	34.69	13.32	29.78	0.00	362	70	PEAK																																																																																											
3	5700.45	66.97	105.43	-38.46	48.51	34.78	13.48	29.80	0.00	362	70	PEAK																																																																																											
4	5720.05	71.00	111.01	-40.01	52.31	34.82	13.66	29.79	0.00	362	70	PEAK																																																																																											
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	cm	deg																																																																																															
1	5775.00	101.18	-----	-----	82.20	34.88	13.89	29.79	0.00	362	70	PEAK																																																																																											
Avg	Blank	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5775.00</td> <td>91.47</td> <td>-----</td> <td>-----</td> <td>72.42</td> <td>34.89</td> <td>13.94</td> <td>29.78</td> <td>0.00</td> <td>362</td> <td>70</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	cm	deg	1	5775.00	91.47	-----	-----	72.42	34.89	13.94	29.78	0.00	362	70	AVERAGE																																																																						
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	cm	deg																																																																																															
1	5775.00	91.47	-----	-----	72.42	34.89	13.94	29.78	0.00	362	70	AVERAGE																																																																																											






Mode	49																																																																																	
	Band Edge - R																																																																																	
	U-NII-3_5.725-5.85_802.11ax HE80_CH155_Full_5775MHz																																																																																	
ANT	3+8																																																																																	
Pol.	Vertical	Fundamental																																																																																
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5854.28</td> <td>65.58</td> <td>112.55</td> <td>-46.97</td> <td>46.26</td> <td>35.08</td> <td>14.03</td> <td>29.79</td> <td>0.00</td> <td>362</td> <td>70</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5871.25</td> <td>68.87</td> <td>106.35</td> <td>-37.48</td> <td>49.63</td> <td>35.11</td> <td>13.92</td> <td>29.79</td> <td>0.00</td> <td>362</td> <td>70</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5924.80</td> <td>55.85</td> <td>68.45</td> <td>-12.60</td> <td>36.79</td> <td>35.19</td> <td>13.69</td> <td>29.82</td> <td>0.00</td> <td>362</td> <td>70</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5929.18</td> <td>58.29</td> <td>68.30</td> <td>-10.01</td> <td>39.25</td> <td>35.19</td> <td>13.68</td> <td>29.83</td> <td>0.00</td> <td>362</td> <td>70</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.28	65.58	112.55	-46.97	46.26	35.08	14.03	29.79	0.00	362	70	PEAK	2	5871.25	68.87	106.35	-37.48	49.63	35.11	13.92	29.79	0.00	362	70	PEAK	3	5924.80	55.85	68.45	-12.60	36.79	35.19	13.69	29.82	0.00	362	70	PEAK	4	5929.18	58.29	68.30	-10.01	39.25	35.19	13.68	29.83	0.00	362	70	PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	5854.28	65.58	112.55	-46.97	46.26	35.08	14.03	29.79	0.00	362	70	PEAK																																																																						
2	5871.25	68.87	106.35	-37.48	49.63	35.11	13.92	29.79	0.00	362	70	PEAK																																																																						
3	5924.80	55.85	68.45	-12.60	36.79	35.19	13.69	29.82	0.00	362	70	PEAK																																																																						
4	5929.18	58.29	68.30	-10.01	39.25	35.19	13.68	29.83	0.00	362	70	PEAK																																																																						



Mode	49																																																																											
	Harmonic																																																																											
	U-NII-3_5.725-5.85_802.11ax HE80_CH155_Full_5775MHz																																																																											
ANT	3+8																																																																											
Pol.	Horizontal	Vertical																																																																										
Peak																																																																												
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 11550.00</td> <td>43.76</td> <td>74.00</td> <td>-30.24</td> <td>52.25</td> <td>38.43</td> <td>18.50</td> <td>65.42</td> <td>0.00</td> <td>--- --- PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 11550.00	43.76	74.00	-30.24	52.25	38.43	18.50	65.42	0.00	--- --- PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 11550.00</td> <td>44.18</td> <td>74.00</td> <td>-29.82</td> <td>52.67</td> <td>38.43</td> <td>18.50</td> <td>65.42</td> <td>0.00</td> <td>--- --- PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 11550.00	44.18	74.00	-29.82	52.67	38.43	18.50	65.42	0.00	--- --- PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																				
1 11550.00	43.76	74.00	-30.24	52.25	38.43	18.50	65.42	0.00	--- --- PEAK																																																																			
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																				
1 11550.00	44.18	74.00	-29.82	52.67	38.43	18.50	65.42	0.00	--- --- PEAK																																																																			






Mode	50																																																																																																								
	Band Edge																																																																																																								
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_RU26/0_5745MHZ																																																																																																								
ANT	3+8																																																																																																								
Pol.	Horizontal	Fundamental																																																																																																							
Peak	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5614.65</td> <td>57.80</td> <td>68.30</td> <td>-10.50</td> <td>39.74</td> <td>34.63</td> <td>13.20</td> <td>29.77</td> <td>0.00</td> <td>100</td> <td>294</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5650.46</td> <td>55.84</td> <td>68.64</td> <td>-12.80</td> <td>37.61</td> <td>34.69</td> <td>13.32</td> <td>29.78</td> <td>0.00</td> <td>100</td> <td>294</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5701.21</td> <td>56.62</td> <td>105.64</td> <td>-49.02</td> <td>38.15</td> <td>34.78</td> <td>13.49</td> <td>29.80</td> <td>0.00</td> <td>100</td> <td>294</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5720.21</td> <td>54.61</td> <td>111.37</td> <td>-56.76</td> <td>35.92</td> <td>34.82</td> <td>13.66</td> <td>29.79</td> <td>0.00</td> <td>100</td> <td>294</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	cm	deg	1	5614.65	57.80	68.30	-10.50	39.74	34.63	13.20	29.77	0.00	100	294	PEAK	2	5650.46	55.84	68.64	-12.80	37.61	34.69	13.32	29.78	0.00	100	294	PEAK	3	5701.21	56.62	105.64	-49.02	38.15	34.78	13.49	29.80	0.00	100	294	PEAK	4	5720.21	54.61	111.37	-56.76	35.92	34.82	13.66	29.79	0.00	100	294	PEAK	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>110.35</td> <td>-----</td> <td>-----</td> <td>91.51</td> <td>34.85</td> <td>13.78</td> <td>29.79</td> <td>0.00</td> <td>100</td> <td>294</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	cm	deg	1	5745.00	110.35	-----	-----	91.51	34.85	13.78	29.79	0.00	100	294	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	cm	deg																																																																																																
1	5614.65	57.80	68.30	-10.50	39.74	34.63	13.20	29.77	0.00	100	294	PEAK																																																																																													
2	5650.46	55.84	68.64	-12.80	37.61	34.69	13.32	29.78	0.00	100	294	PEAK																																																																																													
3	5701.21	56.62	105.64	-49.02	38.15	34.78	13.49	29.80	0.00	100	294	PEAK																																																																																													
4	5720.21	54.61	111.37	-56.76	35.92	34.82	13.66	29.79	0.00	100	294	PEAK																																																																																													
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	cm	deg																																																																																																
1	5745.00	110.35	-----	-----	91.51	34.85	13.78	29.79	0.00	100	294	PEAK																																																																																													
Avg	Blank	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>101.67</td> <td>-----</td> <td>-----</td> <td>82.83</td> <td>34.85</td> <td>13.78</td> <td>29.79</td> <td>0.00</td> <td>100</td> <td>294</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	cm	deg	1	5745.00	101.67	-----	-----	82.83	34.85	13.78	29.79	0.00	100	294	AVERAGE																																																																							
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	cm	deg																																																																																																
1	5745.00	101.67	-----	-----	82.83	34.85	13.78	29.79	0.00	100	294	AVERAGE																																																																																													






Mode	50																																																																																																										
	Band Edge																																																																																																										
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_RU26/0_5745MHz																																																																																																										
ANT	3+8																																																																																																										
Pol.	Vertical	Fundamental																																																																																																									
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5624.36</td> <td>57.90</td> <td>68.30</td> <td>-10.40</td> <td>39.80</td> <td>34.64</td> <td>13.23</td> <td>29.77</td> <td>0.00</td> <td>340</td> <td>249</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5651.19</td> <td>58.31</td> <td>69.18</td> <td>-10.87</td> <td>40.08</td> <td>34.69</td> <td>13.32</td> <td>29.78</td> <td>0.00</td> <td>340</td> <td>249</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5784.84</td> <td>56.89</td> <td>106.66</td> <td>-49.77</td> <td>38.38</td> <td>34.79</td> <td>13.52</td> <td>29.80</td> <td>0.00</td> <td>340</td> <td>249</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5728.21</td> <td>55.99</td> <td>111.37</td> <td>-55.38</td> <td>37.30</td> <td>34.82</td> <td>13.66</td> <td>29.79</td> <td>0.00</td> <td>340</td> <td>249</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	1	5624.36	57.90	68.30	-10.40	39.80	34.64	13.23	29.77	0.00	340	249	PEAK	2	5651.19	58.31	69.18	-10.87	40.08	34.69	13.32	29.78	0.00	340	249	PEAK	3	5784.84	56.89	106.66	-49.77	38.38	34.79	13.52	29.80	0.00	340	249	PEAK	4	5728.21	55.99	111.37	-55.38	37.30	34.82	13.66	29.79	0.00	340	249	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>107.63</td> <td>-----</td> <td>-----</td> <td>88.79</td> <td>34.85</td> <td>13.78</td> <td>29.79</td> <td>0.00</td> <td>340</td> <td>249</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	1	5745.00	107.63	-----	-----	88.79	34.85	13.78	29.79	0.00	340	249	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																																	
1	5624.36	57.90	68.30	-10.40	39.80	34.64	13.23	29.77	0.00	340	249	PEAK																																																																																															
2	5651.19	58.31	69.18	-10.87	40.08	34.69	13.32	29.78	0.00	340	249	PEAK																																																																																															
3	5784.84	56.89	106.66	-49.77	38.38	34.79	13.52	29.80	0.00	340	249	PEAK																																																																																															
4	5728.21	55.99	111.37	-55.38	37.30	34.82	13.66	29.79	0.00	340	249	PEAK																																																																																															
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																																	
1	5745.00	107.63	-----	-----	88.79	34.85	13.78	29.79	0.00	340	249	PEAK																																																																																															
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>98.86</td> <td>-----</td> <td>-----</td> <td>88.82</td> <td>34.85</td> <td>13.78</td> <td>29.79</td> <td>0.00</td> <td>340</td> <td>249</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	1	5745.00	98.86	-----	-----	88.82	34.85	13.78	29.79	0.00	340	249	AVERAGE																																																																								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																																	
1	5745.00	98.86	-----	-----	88.82	34.85	13.78	29.79	0.00	340	249	AVERAGE																																																																																															






Mode	51																																																																																																														
	Band Edge																																																																																																														
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_RU26/8_5825MHZ																																																																																																														
ANT	3+8																																																																																																														
Pol.	Horizontal	Fundamental																																																																																																													
Peak	 <table border="1" data-bbox="268 1077 783 1256"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5854.63</td> <td>58.20</td> <td>111.75</td> <td>-53.55</td> <td>38.88</td> <td>35.08</td> <td>14.03</td> <td>29.79</td> <td>0.00</td> <td>100</td> <td>303</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5873.13</td> <td>58.27</td> <td>105.82</td> <td>-47.55</td> <td>39.04</td> <td>35.11</td> <td>13.91</td> <td>29.79</td> <td>0.00</td> <td>100</td> <td>303</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5924.63</td> <td>57.59</td> <td>68.58</td> <td>-10.99</td> <td>38.53</td> <td>35.19</td> <td>13.69</td> <td>29.82</td> <td>0.00</td> <td>100</td> <td>303</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5938.25</td> <td>58.67</td> <td>68.30</td> <td>-9.63</td> <td>39.62</td> <td>35.21</td> <td>13.67</td> <td>29.83</td> <td>0.00</td> <td>100</td> <td>303</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Factor	cm	deg	Remark	1	5854.63	58.20	111.75	-53.55	38.88	35.08	14.03	29.79	0.00	100	303	PEAK	2	5873.13	58.27	105.82	-47.55	39.04	35.11	13.91	29.79	0.00	100	303	PEAK	3	5924.63	57.59	68.58	-10.99	38.53	35.19	13.69	29.82	0.00	100	303	PEAK	4	5938.25	58.67	68.30	-9.63	39.62	35.21	13.67	29.83	0.00	100	303	PEAK	 <table border="1" data-bbox="911 1128 1426 1256"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>108.64</td> <td>-----</td> <td>-----</td> <td>89.23</td> <td>35.05</td> <td>14.14</td> <td>29.78</td> <td>0.00</td> <td>100</td> <td>303</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Factor	cm	deg	Remark	1	5825.00	108.64	-----	-----	89.23	35.05	14.14	29.78	0.00	100	303	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Factor	cm	deg	Remark																																																																																																			
1	5854.63	58.20	111.75	-53.55	38.88	35.08	14.03	29.79	0.00	100	303	PEAK																																																																																																			
2	5873.13	58.27	105.82	-47.55	39.04	35.11	13.91	29.79	0.00	100	303	PEAK																																																																																																			
3	5924.63	57.59	68.58	-10.99	38.53	35.19	13.69	29.82	0.00	100	303	PEAK																																																																																																			
4	5938.25	58.67	68.30	-9.63	39.62	35.21	13.67	29.83	0.00	100	303	PEAK																																																																																																			
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Factor	cm	deg	Remark																																																																																																			
1	5825.00	108.64	-----	-----	89.23	35.05	14.14	29.78	0.00	100	303	PEAK																																																																																																			
Avg	Blank	 <table border="1" data-bbox="911 1807 1426 1935"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>101.76</td> <td>-----</td> <td>-----</td> <td>82.35</td> <td>35.05</td> <td>14.14</td> <td>29.78</td> <td>0.00</td> <td>100</td> <td>303</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Factor	cm	deg	Remark	1	5825.00	101.76	-----	-----	82.35	35.05	14.14	29.78	0.00	100	303	AVERAGE																																																																										
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Factor	cm	deg	Remark																																																																																																			
1	5825.00	101.76	-----	-----	82.35	35.05	14.14	29.78	0.00	100	303	AVERAGE																																																																																																			



Mode	51																																																																																																														
	Band Edge																																																																																																														
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_RU26/8_5825MHz																																																																																																														
ANT	3+8																																																																																																														
Pol.	Vertical	Fundamental																																																																																																													
Peak	 <table border="1" data-bbox="268 1075 766 1254"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 5854.25</td> <td>57.83</td> <td>112.61</td> <td>-54.78</td> <td>38.51</td> <td>35.08</td> <td>14.03</td> <td>29.79</td> <td>0.00</td> <td>300</td> <td>267 PEAK</td> </tr> <tr> <td>2 5875.00</td> <td>57.20</td> <td>105.30</td> <td>-48.10</td> <td>37.98</td> <td>35.11</td> <td>13.90</td> <td>29.79</td> <td>0.00</td> <td>300</td> <td>267 PEAK</td> </tr> <tr> <td>3 5923.75</td> <td>58.05</td> <td>69.22</td> <td>-11.17</td> <td>38.99</td> <td>35.19</td> <td>13.69</td> <td>29.82</td> <td>0.00</td> <td>300</td> <td>267 PEAK</td> </tr> <tr> <td>4 5943.13</td> <td>58.09</td> <td>68.30</td> <td>-10.21</td> <td>39.06</td> <td>35.21</td> <td>13.66</td> <td>29.84</td> <td>0.00</td> <td>300</td> <td>267 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1 5854.25	57.83	112.61	-54.78	38.51	35.08	14.03	29.79	0.00	300	267 PEAK	2 5875.00	57.20	105.30	-48.10	37.98	35.11	13.90	29.79	0.00	300	267 PEAK	3 5923.75	58.05	69.22	-11.17	38.99	35.19	13.69	29.82	0.00	300	267 PEAK	4 5943.13	58.09	68.30	-10.21	39.06	35.21	13.66	29.84	0.00	300	267 PEAK	 <table border="1" data-bbox="906 1120 1404 1254"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 5825.00</td> <td>107.22</td> <td>-----</td> <td>-----</td> <td>87.81</td> <td>35.05</td> <td>14.14</td> <td>29.78</td> <td>0.00</td> <td>300</td> <td>267 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1 5825.00	107.22	-----	-----	87.81	35.05	14.14	29.78	0.00	300	267 PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																																							
1 5854.25	57.83	112.61	-54.78	38.51	35.08	14.03	29.79	0.00	300	267 PEAK																																																																																																					
2 5875.00	57.20	105.30	-48.10	37.98	35.11	13.90	29.79	0.00	300	267 PEAK																																																																																																					
3 5923.75	58.05	69.22	-11.17	38.99	35.19	13.69	29.82	0.00	300	267 PEAK																																																																																																					
4 5943.13	58.09	68.30	-10.21	39.06	35.21	13.66	29.84	0.00	300	267 PEAK																																																																																																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																																							
1 5825.00	107.22	-----	-----	87.81	35.05	14.14	29.78	0.00	300	267 PEAK																																																																																																					
Avg	Blank	 <table border="1" data-bbox="906 1792 1404 1926"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 5825.00</td> <td>98.78</td> <td>-----</td> <td>-----</td> <td>79.37</td> <td>35.05</td> <td>14.14</td> <td>29.78</td> <td>0.00</td> <td>300</td> <td>267 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1 5825.00	98.78	-----	-----	79.37	35.05	14.14	29.78	0.00	300	267 AVERAGE																																																																							
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																																							
1 5825.00	98.78	-----	-----	79.37	35.05	14.14	29.78	0.00	300	267 AVERAGE																																																																																																					






Mode	52																																																																																																															
	Band Edge																																																																																																															
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_RU52/37_5745MHz																																																																																																															
ANT	3+8																																																																																																															
Pol.	Horizontal	Fundamental																																																																																																														
Peak	 <table border="1" data-bbox="263 1075 774 1254"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5648.58</td> <td>58.11</td> <td>68.30</td> <td>-10.19</td> <td>39.89</td> <td>34.69</td> <td>13.31</td> <td>29.78</td> <td>0.00</td> <td>100 301 PEAK</td> </tr> <tr> <td>2 5650.17</td> <td>55.67</td> <td>68.43</td> <td>-12.76</td> <td>37.44</td> <td>34.69</td> <td>13.32</td> <td>29.78</td> <td>0.00</td> <td>100 301 PEAK</td> </tr> <tr> <td>3 5701.50</td> <td>56.65</td> <td>105.72</td> <td>-49.07</td> <td>38.18</td> <td>34.78</td> <td>13.49</td> <td>29.80</td> <td>0.00</td> <td>100 301 PEAK</td> </tr> <tr> <td>4 5720.64</td> <td>57.24</td> <td>112.36</td> <td>-55.12</td> <td>38.54</td> <td>34.83</td> <td>13.66</td> <td>29.79</td> <td>0.00</td> <td>100 301 PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Level	Loss	Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5648.58	58.11	68.30	-10.19	39.89	34.69	13.31	29.78	0.00	100 301 PEAK	2 5650.17	55.67	68.43	-12.76	37.44	34.69	13.32	29.78	0.00	100 301 PEAK	3 5701.50	56.65	105.72	-49.07	38.18	34.78	13.49	29.80	0.00	100 301 PEAK	4 5720.64	57.24	112.36	-55.12	38.54	34.83	13.66	29.79	0.00	100 301 PEAK	 <table border="1" data-bbox="904 1131 1415 1254"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5745.00</td> <td>108.56</td> <td>-----</td> <td>-----</td> <td>89.64</td> <td>34.87</td> <td>13.84</td> <td>29.79</td> <td>0.00</td> <td>100 301 PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Level	Loss	Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5745.00	108.56	-----	-----	89.64	34.87	13.84	29.79	0.00	100 301 PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Level	Loss	Factor	Factor	Factor	Factor																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1 5648.58	58.11	68.30	-10.19	39.89	34.69	13.31	29.78	0.00	100 301 PEAK																																																																																																							
2 5650.17	55.67	68.43	-12.76	37.44	34.69	13.32	29.78	0.00	100 301 PEAK																																																																																																							
3 5701.50	56.65	105.72	-49.07	38.18	34.78	13.49	29.80	0.00	100 301 PEAK																																																																																																							
4 5720.64	57.24	112.36	-55.12	38.54	34.83	13.66	29.79	0.00	100 301 PEAK																																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Level	Loss	Factor	Factor	Factor	Factor																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1 5745.00	108.56	-----	-----	89.64	34.87	13.84	29.79	0.00	100 301 PEAK																																																																																																							
Avg	Blank																																																																																																															
		 <table border="1" data-bbox="904 1803 1415 1926"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5745.00</td> <td>100.72</td> <td>-----</td> <td>-----</td> <td>81.80</td> <td>34.87</td> <td>13.84</td> <td>29.79</td> <td>0.00</td> <td>100 301 AVERAGE</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Level	Loss	Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5745.00	100.72	-----	-----	81.80	34.87	13.84	29.79	0.00	100 301 AVERAGE																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Level	Loss	Factor	Factor	Factor	Factor																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1 5745.00	100.72	-----	-----	81.80	34.87	13.84	29.79	0.00	100 301 AVERAGE																																																																																																							






Mode	52																																																																																																																										
	Band Edge																																																																																																																										
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_RU52/37_5745MHz																																																																																																																										
ANT	3+8																																																																																																																										
Pol.	Vertical	Fundamental																																																																																																																									
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5640.02</td> <td>59.09</td> <td>68.30</td> <td>-9.21</td> <td>40.92</td> <td>34.67</td> <td>13.28</td> <td>29.78</td> <td>0.00</td> <td>101</td> <td>239</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5650.03</td> <td>56.45</td> <td>68.32</td> <td>-11.87</td> <td>38.22</td> <td>34.69</td> <td>13.32</td> <td>29.78</td> <td>0.00</td> <td>101</td> <td>239</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5700.05</td> <td>56.38</td> <td>105.31</td> <td>-48.93</td> <td>37.92</td> <td>34.78</td> <td>13.48</td> <td>29.80</td> <td>0.00</td> <td>101</td> <td>239</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5720.06</td> <td>56.24</td> <td>111.04</td> <td>-54.80</td> <td>37.55</td> <td>34.82</td> <td>13.66</td> <td>29.79</td> <td>0.00</td> <td>101</td> <td>239</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5640.02	59.09	68.30	-9.21	40.92	34.67	13.28	29.78	0.00	101	239	PEAK	2	5650.03	56.45	68.32	-11.87	38.22	34.69	13.32	29.78	0.00	101	239	PEAK	3	5700.05	56.38	105.31	-48.93	37.92	34.78	13.48	29.80	0.00	101	239	PEAK	4	5720.06	56.24	111.04	-54.80	37.55	34.82	13.66	29.79	0.00	101	239	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>104.00</td> <td>-----</td> <td>-----</td> <td>85.08</td> <td>34.87</td> <td>13.84</td> <td>29.79</td> <td>0.00</td> <td>101</td> <td>239</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5745.00	104.00	-----	-----	85.08	34.87	13.84	29.79	0.00	101	239	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	5640.02	59.09	68.30	-9.21	40.92	34.67	13.28	29.78	0.00	101	239	PEAK																																																																																																															
2	5650.03	56.45	68.32	-11.87	38.22	34.69	13.32	29.78	0.00	101	239	PEAK																																																																																																															
3	5700.05	56.38	105.31	-48.93	37.92	34.78	13.48	29.80	0.00	101	239	PEAK																																																																																																															
4	5720.06	56.24	111.04	-54.80	37.55	34.82	13.66	29.79	0.00	101	239	PEAK																																																																																																															
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	5745.00	104.00	-----	-----	85.08	34.87	13.84	29.79	0.00	101	239	PEAK																																																																																																															
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>96.09</td> <td>-----</td> <td>-----</td> <td>78.05</td> <td>34.85</td> <td>13.78</td> <td>29.79</td> <td>0.00</td> <td>101</td> <td>239</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5745.00	96.09	-----	-----	78.05	34.85	13.78	29.79	0.00	101	239	AVERAGE																																																																																
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	5745.00	96.09	-----	-----	78.05	34.85	13.78	29.79	0.00	101	239	AVERAGE																																																																																																															



Mode	53																																																																																																																												
	Band Edge																																																																																																																												
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_RU52/40_5825MHz																																																																																																																												
ANT	3+8																																																																																																																												
Pol.	Horizontal	Fundamental																																																																																																																											
Peak	 <table border="1" data-bbox="263 1075 774 1254"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5855.00</td> <td>56.05</td> <td>110.90</td> <td>-54.85</td> <td>36.74</td> <td>35.00</td> <td>14.02</td> <td>29.79</td> <td>0.00</td> <td>100</td> <td>292</td> <td>PEAK</td> <td></td> <td></td> </tr> <tr> <td>2</td> <td>5873.50</td> <td>59.83</td> <td>105.72</td> <td>-45.89</td> <td>40.60</td> <td>35.11</td> <td>13.91</td> <td>29.79</td> <td>0.00</td> <td>100</td> <td>292</td> <td>PEAK</td> <td></td> <td></td> </tr> <tr> <td>3</td> <td>5924.38</td> <td>57.34</td> <td>68.76</td> <td>-11.42</td> <td>38.28</td> <td>35.19</td> <td>13.69</td> <td>29.82</td> <td>0.00</td> <td>100</td> <td>292</td> <td>PEAK</td> <td></td> <td></td> </tr> <tr> <td>4</td> <td>5935.25</td> <td>59.36</td> <td>68.30</td> <td>-8.94</td> <td>40.32</td> <td>35.20</td> <td>13.67</td> <td>29.83</td> <td>0.00</td> <td>100</td> <td>292</td> <td>PEAK</td> <td></td> <td></td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Factor	Factor	Factor	cm	deg	Remark	1	5855.00	56.05	110.90	-54.85	36.74	35.00	14.02	29.79	0.00	100	292	PEAK			2	5873.50	59.83	105.72	-45.89	40.60	35.11	13.91	29.79	0.00	100	292	PEAK			3	5924.38	57.34	68.76	-11.42	38.28	35.19	13.69	29.82	0.00	100	292	PEAK			4	5935.25	59.36	68.30	-8.94	40.32	35.20	13.67	29.83	0.00	100	292	PEAK			 <table border="1" data-bbox="901 1120 1412 1254"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>110.02</td> <td>-----</td> <td>-----</td> <td>90.61</td> <td>35.05</td> <td>14.14</td> <td>29.78</td> <td>0.00</td> <td>100</td> <td>292</td> <td>PEAK</td> <td></td> <td></td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Factor	Factor	Factor	cm	deg	Remark	1	5825.00	110.02	-----	-----	90.61	35.05	14.14	29.78	0.00	100	292	PEAK		
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Factor	Factor	Factor	cm	deg	Remark																																																																																																															
1	5855.00	56.05	110.90	-54.85	36.74	35.00	14.02	29.79	0.00	100	292	PEAK																																																																																																																	
2	5873.50	59.83	105.72	-45.89	40.60	35.11	13.91	29.79	0.00	100	292	PEAK																																																																																																																	
3	5924.38	57.34	68.76	-11.42	38.28	35.19	13.69	29.82	0.00	100	292	PEAK																																																																																																																	
4	5935.25	59.36	68.30	-8.94	40.32	35.20	13.67	29.83	0.00	100	292	PEAK																																																																																																																	
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Factor	Factor	Factor	cm	deg	Remark																																																																																																															
1	5825.00	110.02	-----	-----	90.61	35.05	14.14	29.78	0.00	100	292	PEAK																																																																																																																	
Avg	Blank	 <table border="1" data-bbox="901 1803 1412 1937"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>101.00</td> <td>-----</td> <td>-----</td> <td>81.56</td> <td>35.04</td> <td>14.18</td> <td>29.78</td> <td>0.00</td> <td>100</td> <td>292</td> <td>AVERAGE</td> <td></td> <td></td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Factor	Factor	Factor	cm	deg	Remark	1	5825.00	101.00	-----	-----	81.56	35.04	14.18	29.78	0.00	100	292	AVERAGE																																																																																						
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Factor	Factor	Factor	cm	deg	Remark																																																																																																															
1	5825.00	101.00	-----	-----	81.56	35.04	14.18	29.78	0.00	100	292	AVERAGE																																																																																																																	






Mode	53																																																																																																										
	Band Edge																																																																																																										
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_RU52/40_5825MHz																																																																																																										
ANT	3+8																																																																																																										
Pol.	Vertical	Fundamental																																																																																																									
Peak	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5855.00</td> <td>58.02</td> <td>110.90</td> <td>-52.88</td> <td>38.71</td> <td>35.00</td> <td>14.02</td> <td>29.79</td> <td>0.00</td> <td>360</td> <td>272</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5874.25</td> <td>58.73</td> <td>105.51</td> <td>-46.78</td> <td>39.51</td> <td>35.11</td> <td>13.90</td> <td>29.79</td> <td>0.00</td> <td>360</td> <td>272</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5923.88</td> <td>57.99</td> <td>69.13</td> <td>-11.14</td> <td>38.93</td> <td>35.19</td> <td>13.69</td> <td>29.82</td> <td>0.00</td> <td>360</td> <td>272</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5945.63</td> <td>58.26</td> <td>68.30</td> <td>-10.04</td> <td>39.23</td> <td>35.22</td> <td>13.65</td> <td>29.84</td> <td>0.00</td> <td>360</td> <td>272</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	1	5855.00	58.02	110.90	-52.88	38.71	35.00	14.02	29.79	0.00	360	272	PEAK	2	5874.25	58.73	105.51	-46.78	39.51	35.11	13.90	29.79	0.00	360	272	PEAK	3	5923.88	57.99	69.13	-11.14	38.93	35.19	13.69	29.82	0.00	360	272	PEAK	4	5945.63	58.26	68.30	-10.04	39.23	35.22	13.65	29.84	0.00	360	272	PEAK	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>107.27</td> <td>-----</td> <td>-----</td> <td>87.86</td> <td>35.05</td> <td>14.14</td> <td>29.78</td> <td>0.00</td> <td>360</td> <td>272</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	1	5825.00	107.27	-----	-----	87.86	35.05	14.14	29.78	0.00	360	272	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																																	
1	5855.00	58.02	110.90	-52.88	38.71	35.00	14.02	29.79	0.00	360	272	PEAK																																																																																															
2	5874.25	58.73	105.51	-46.78	39.51	35.11	13.90	29.79	0.00	360	272	PEAK																																																																																															
3	5923.88	57.99	69.13	-11.14	38.93	35.19	13.69	29.82	0.00	360	272	PEAK																																																																																															
4	5945.63	58.26	68.30	-10.04	39.23	35.22	13.65	29.84	0.00	360	272	PEAK																																																																																															
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																																	
1	5825.00	107.27	-----	-----	87.86	35.05	14.14	29.78	0.00	360	272	PEAK																																																																																															
Avg	Blank	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>97.90</td> <td>-----</td> <td>-----</td> <td>78.49</td> <td>35.05</td> <td>14.14</td> <td>29.78</td> <td>0.00</td> <td>360</td> <td>272</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	1	5825.00	97.90	-----	-----	78.49	35.05	14.14	29.78	0.00	360	272	AVERAGE																																																																								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																																	
1	5825.00	97.90	-----	-----	78.49	35.05	14.14	29.78	0.00	360	272	AVERAGE																																																																																															



Mode	54																																																																																																																								
	Band Edge																																																																																																																								
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_RU106/53_5745MHz																																																																																																																								
ANT	3+8																																																																																																																								
Pol.	Horizontal	Fundamental																																																																																																																							
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5627.99</td> <td>58.29</td> <td>68.30</td> <td>-10.01</td> <td>40.17</td> <td>34.65</td> <td>13.24</td> <td>29.77</td> <td>0.00</td> <td>100</td> <td>302</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5651.04</td> <td>57.33</td> <td>69.07</td> <td>-11.74</td> <td>39.10</td> <td>34.69</td> <td>13.32</td> <td>29.78</td> <td>0.00</td> <td>100</td> <td>302</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5700.34</td> <td>56.63</td> <td>105.40</td> <td>-48.77</td> <td>38.17</td> <td>34.78</td> <td>13.48</td> <td>29.80</td> <td>0.00</td> <td>100</td> <td>302</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5720.50</td> <td>60.66</td> <td>112.03</td> <td>-51.37</td> <td>41.96</td> <td>34.83</td> <td>13.66</td> <td>29.79</td> <td>0.00</td> <td>100</td> <td>302</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5627.99	58.29	68.30	-10.01	40.17	34.65	13.24	29.77	0.00	100	302	PEAK	2	5651.04	57.33	69.07	-11.74	39.10	34.69	13.32	29.78	0.00	100	302	PEAK	3	5700.34	56.63	105.40	-48.77	38.17	34.78	13.48	29.80	0.00	100	302	PEAK	4	5720.50	60.66	112.03	-51.37	41.96	34.83	13.66	29.79	0.00	100	302	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>110.09</td> <td>-----</td> <td>-----</td> <td>91.17</td> <td>34.87</td> <td>13.84</td> <td>29.79</td> <td>0.00</td> <td>100</td> <td>302</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5745.00	110.09	-----	-----	91.17	34.87	13.84	29.79	0.00	100	302	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																																	
1	5627.99	58.29	68.30	-10.01	40.17	34.65	13.24	29.77	0.00	100	302	PEAK																																																																																																													
2	5651.04	57.33	69.07	-11.74	39.10	34.69	13.32	29.78	0.00	100	302	PEAK																																																																																																													
3	5700.34	56.63	105.40	-48.77	38.17	34.78	13.48	29.80	0.00	100	302	PEAK																																																																																																													
4	5720.50	60.66	112.03	-51.37	41.96	34.83	13.66	29.79	0.00	100	302	PEAK																																																																																																													
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																																	
1	5745.00	110.09	-----	-----	91.17	34.87	13.84	29.79	0.00	100	302	PEAK																																																																																																													
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>100.95</td> <td>-----</td> <td>-----</td> <td>82.03</td> <td>34.87</td> <td>13.84</td> <td>29.79</td> <td>0.00</td> <td>100</td> <td>302</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5745.00	100.95	-----	-----	82.03	34.87	13.84	29.79	0.00	100	302	AVERAGE																																																																															
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																																	
1	5745.00	100.95	-----	-----	82.03	34.87	13.84	29.79	0.00	100	302	AVERAGE																																																																																																													



Mode	54																																																																																																														
	Band Edge																																																																																																														
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_RU106/53_5745MHz																																																																																																														
ANT	3+8																																																																																																														
Pol.	Vertical	Fundamental																																																																																																													
Peak	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5612.04</td> <td>57.76</td> <td>68.30</td> <td>-10.54</td> <td>39.71</td> <td>34.62</td> <td>13.19</td> <td>29.76</td> <td>0.00</td> <td>340</td> <td>251</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5650.32</td> <td>56.09</td> <td>68.53</td> <td>-12.44</td> <td>37.86</td> <td>34.69</td> <td>13.32</td> <td>29.78</td> <td>0.00</td> <td>340</td> <td>251</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5702.95</td> <td>57.24</td> <td>106.13</td> <td>-48.89</td> <td>38.74</td> <td>34.79</td> <td>13.51</td> <td>29.80</td> <td>0.00</td> <td>340</td> <td>251</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5720.06</td> <td>57.84</td> <td>111.04</td> <td>-53.20</td> <td>39.15</td> <td>34.82</td> <td>13.66</td> <td>29.79</td> <td>0.00</td> <td>340</td> <td>251</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Factor	cm	deg	Remark	1	5612.04	57.76	68.30	-10.54	39.71	34.62	13.19	29.76	0.00	340	251	PEAK	2	5650.32	56.09	68.53	-12.44	37.86	34.69	13.32	29.78	0.00	340	251	PEAK	3	5702.95	57.24	106.13	-48.89	38.74	34.79	13.51	29.80	0.00	340	251	PEAK	4	5720.06	57.84	111.04	-53.20	39.15	34.82	13.66	29.79	0.00	340	251	PEAK	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>107.21</td> <td>-----</td> <td>-----</td> <td>88.29</td> <td>34.87</td> <td>13.84</td> <td>29.79</td> <td>0.00</td> <td>340</td> <td>251</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Factor	cm	deg	Remark	1	5745.00	107.21	-----	-----	88.29	34.87	13.84	29.79	0.00	340	251	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Factor	cm	deg	Remark																																																																																																			
1	5612.04	57.76	68.30	-10.54	39.71	34.62	13.19	29.76	0.00	340	251	PEAK																																																																																																			
2	5650.32	56.09	68.53	-12.44	37.86	34.69	13.32	29.78	0.00	340	251	PEAK																																																																																																			
3	5702.95	57.24	106.13	-48.89	38.74	34.79	13.51	29.80	0.00	340	251	PEAK																																																																																																			
4	5720.06	57.84	111.04	-53.20	39.15	34.82	13.66	29.79	0.00	340	251	PEAK																																																																																																			
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Factor	cm	deg	Remark																																																																																																			
1	5745.00	107.21	-----	-----	88.29	34.87	13.84	29.79	0.00	340	251	PEAK																																																																																																			
Avg	Blank	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>97.93</td> <td>-----</td> <td>-----</td> <td>79.01</td> <td>34.87</td> <td>13.84</td> <td>29.79</td> <td>0.00</td> <td>340</td> <td>251</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Factor	cm	deg	Remark	1	5745.00	97.93	-----	-----	79.01	34.87	13.84	29.79	0.00	340	251	AVERAGE																																																																										
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Factor	cm	deg	Remark																																																																																																			
1	5745.00	97.93	-----	-----	79.01	34.87	13.84	29.79	0.00	340	251	AVERAGE																																																																																																			







Mode	55																																																																																																														
	Band Edge																																																																																																														
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_RU106/54_5825MHz																																																																																																														
ANT	3+8																																																																																																														
Pol.	Horizontal	Fundamental																																																																																																													
Peak	<table border="1" data-bbox="272 1077 775 1256"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>dB</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5854.50</td> <td>61.55</td> <td>112.04</td> <td>-50.49</td> <td>42.23</td> <td>35.00</td> <td>14.03</td> <td>29.79</td> <td>0.00</td> <td>104</td> <td>303</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5872.88</td> <td>57.89</td> <td>105.89</td> <td>-48.00</td> <td>38.66</td> <td>35.11</td> <td>13.91</td> <td>29.79</td> <td>0.00</td> <td>104</td> <td>303</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5924.88</td> <td>57.22</td> <td>68.39</td> <td>-11.17</td> <td>38.16</td> <td>35.19</td> <td>13.69</td> <td>29.82</td> <td>0.00</td> <td>104</td> <td>303</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5944.13</td> <td>58.52</td> <td>68.30</td> <td>-9.78</td> <td>39.48</td> <td>35.22</td> <td>13.66</td> <td>29.84</td> <td>0.00</td> <td>104</td> <td>303</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	dB	dB/m	dB	dB	cm	deg	Remark	1	5854.50	61.55	112.04	-50.49	42.23	35.00	14.03	29.79	0.00	104	303	PEAK	2	5872.88	57.89	105.89	-48.00	38.66	35.11	13.91	29.79	0.00	104	303	PEAK	3	5924.88	57.22	68.39	-11.17	38.16	35.19	13.69	29.82	0.00	104	303	PEAK	4	5944.13	58.52	68.30	-9.78	39.48	35.22	13.66	29.84	0.00	104	303	PEAK	<table border="1" data-bbox="911 1133 1414 1256"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>dB</th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>109.28</td> <td>-----</td> <td>-----</td> <td>89.84</td> <td>35.04</td> <td>14.18</td> <td>29.78</td> <td>0.00</td> <td>104</td> <td>303</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	dB	cm	deg	Remark	1	5825.00	109.28	-----	-----	89.84	35.04	14.18	29.78	0.00	104	303	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	dB	dB/m	dB	dB	cm	deg	Remark																																																																																																			
1	5854.50	61.55	112.04	-50.49	42.23	35.00	14.03	29.79	0.00	104	303	PEAK																																																																																																			
2	5872.88	57.89	105.89	-48.00	38.66	35.11	13.91	29.79	0.00	104	303	PEAK																																																																																																			
3	5924.88	57.22	68.39	-11.17	38.16	35.19	13.69	29.82	0.00	104	303	PEAK																																																																																																			
4	5944.13	58.52	68.30	-9.78	39.48	35.22	13.66	29.84	0.00	104	303	PEAK																																																																																																			
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	dB	cm	deg	Remark																																																																																																			
1	5825.00	109.28	-----	-----	89.84	35.04	14.18	29.78	0.00	104	303	PEAK																																																																																																			
Avg	Blank																																																																																																														
		<table border="1" data-bbox="911 1805 1414 1928"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>dB</th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>100.48</td> <td>-----</td> <td>-----</td> <td>81.04</td> <td>35.04</td> <td>14.18</td> <td>29.78</td> <td>0.00</td> <td>104</td> <td>303</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	dB	cm	deg	Remark	1	5825.00	100.48	-----	-----	81.04	35.04	14.18	29.78	0.00	104	303	AVERAGE																																																																										
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	dB	cm	deg	Remark																																																																																																			
1	5825.00	100.48	-----	-----	81.04	35.04	14.18	29.78	0.00	104	303	AVERAGE																																																																																																			



Mode	55																																																																																																														
	Band Edge																																																																																																														
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_RU106/54_5825MHz																																																																																																														
ANT	3+8																																																																																																														
Pol.	Vertical	Fundamental																																																																																																													
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5854.88</td> <td>58.19</td> <td>111.18</td> <td>-52.99</td> <td>38.88</td> <td>35.08</td> <td>14.02</td> <td>29.79</td> <td>0.00</td> <td>330</td> <td>257 PEAK</td> </tr> <tr> <td>2 5873.25</td> <td>58.65</td> <td>105.79</td> <td>-47.14</td> <td>39.42</td> <td>35.11</td> <td>13.91</td> <td>29.79</td> <td>0.00</td> <td>330</td> <td>257 PEAK</td> </tr> <tr> <td>3 5923.63</td> <td>58.00</td> <td>69.31</td> <td>-11.31</td> <td>38.93</td> <td>35.19</td> <td>13.70</td> <td>29.82</td> <td>0.00</td> <td>330</td> <td>257 PEAK</td> </tr> <tr> <td>4 5944.38</td> <td>58.32</td> <td>68.30</td> <td>-9.98</td> <td>39.28</td> <td>35.22</td> <td>13.66</td> <td>29.84</td> <td>0.00</td> <td>330</td> <td>257 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 5854.88	58.19	111.18	-52.99	38.88	35.08	14.02	29.79	0.00	330	257 PEAK	2 5873.25	58.65	105.79	-47.14	39.42	35.11	13.91	29.79	0.00	330	257 PEAK	3 5923.63	58.00	69.31	-11.31	38.93	35.19	13.70	29.82	0.00	330	257 PEAK	4 5944.38	58.32	68.30	-9.98	39.28	35.22	13.66	29.84	0.00	330	257 PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5825.00</td> <td>109.15</td> <td>-----</td> <td>-----</td> <td>89.71</td> <td>35.04</td> <td>14.18</td> <td>29.78</td> <td>0.00</td> <td>330</td> <td>257 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 5825.00	109.15	-----	-----	89.71	35.04	14.18	29.78	0.00	330	257 PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																							
1 5854.88	58.19	111.18	-52.99	38.88	35.08	14.02	29.79	0.00	330	257 PEAK																																																																																																					
2 5873.25	58.65	105.79	-47.14	39.42	35.11	13.91	29.79	0.00	330	257 PEAK																																																																																																					
3 5923.63	58.00	69.31	-11.31	38.93	35.19	13.70	29.82	0.00	330	257 PEAK																																																																																																					
4 5944.38	58.32	68.30	-9.98	39.28	35.22	13.66	29.84	0.00	330	257 PEAK																																																																																																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																							
1 5825.00	109.15	-----	-----	89.71	35.04	14.18	29.78	0.00	330	257 PEAK																																																																																																					
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5825.00</td> <td>98.91</td> <td>-----</td> <td>-----</td> <td>79.47</td> <td>35.04</td> <td>14.18</td> <td>29.78</td> <td>0.00</td> <td>330</td> <td>257 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 5825.00	98.91	-----	-----	79.47	35.04	14.18	29.78	0.00	330	257 AVERAGE																																																																							
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																							
1 5825.00	98.91	-----	-----	79.47	35.04	14.18	29.78	0.00	330	257 AVERAGE																																																																																																					



Emission above 18GHz	
Mode	U-NII-3_5.725-5.85_802.11ax HE80_CH155_Full_5775MHz
ANT	3+8
Pol.	Horizontal Vertical
Peak	 
Avg	 



		56																																																																																																																																																																															
Mode		Emission below 1GHz																																																																																																																																																																															
		U-NII-2A_5.25-5.35_802.11a_CH64_5320MHz																																																																																																																																																																															
ANT		3+8																																																																																																																																																																															
Pol.		Horizontal	Vertical																																																																																																																																																																														
Peak QP																																																																																																																																																																																	
		<table border="1"> <thead> <tr> <th></th> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>54.25</td> <td>26.01</td> <td>-13.99</td> <td>40.00</td> <td>44.55</td> <td>13.55</td> <td>0.83</td> <td>32.92</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>93.05</td> <td>27.27</td> <td>-16.23</td> <td>43.50</td> <td>43.61</td> <td>15.20</td> <td>1.37</td> <td>32.91</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>3</td> <td>177.44</td> <td>27.57</td> <td>-15.93</td> <td>43.50</td> <td>43.30</td> <td>15.29</td> <td>1.93</td> <td>32.95</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>4</td> <td>223.03</td> <td>29.04</td> <td>-16.96</td> <td>46.00</td> <td>44.20</td> <td>15.66</td> <td>2.18</td> <td>33.00</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>5</td> <td>643.04</td> <td>25.47</td> <td>-20.53</td> <td>46.00</td> <td>28.65</td> <td>26.42</td> <td>3.70</td> <td>33.30</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>6</td> <td>930.16</td> <td>29.31</td> <td>-16.69</td> <td>46.00</td> <td>27.40</td> <td>29.54</td> <td>4.44</td> <td>32.07</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>		Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark		MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg		1	54.25	26.01	-13.99	40.00	44.55	13.55	0.83	32.92	---	Peak	2	93.05	27.27	-16.23	43.50	43.61	15.20	1.37	32.91	---	Peak	3	177.44	27.57	-15.93	43.50	43.30	15.29	1.93	32.95	---	Peak	4	223.03	29.04	-16.96	46.00	44.20	15.66	2.18	33.00	---	Peak	5	643.04	25.47	-20.53	46.00	28.65	26.42	3.70	33.30	---	Peak	6	930.16	29.31	-16.69	46.00	27.40	29.54	4.44	32.07	---	Peak	<table border="1"> <thead> <tr> <th></th> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>51.34</td> <td>33.86</td> <td>-6.14</td> <td>40.00</td> <td>52.38</td> <td>13.60</td> <td>0.79</td> <td>32.91</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>92.08</td> <td>25.78</td> <td>-17.72</td> <td>43.50</td> <td>42.63</td> <td>14.70</td> <td>1.35</td> <td>32.90</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>3</td> <td>178.41</td> <td>21.29</td> <td>-22.21</td> <td>43.50</td> <td>37.50</td> <td>14.00</td> <td>1.94</td> <td>32.95</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>4</td> <td>327.79</td> <td>19.61</td> <td>-26.39</td> <td>46.00</td> <td>30.39</td> <td>19.52</td> <td>2.65</td> <td>32.95</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>5</td> <td>758.47</td> <td>26.70</td> <td>-19.30</td> <td>46.00</td> <td>27.64</td> <td>28.17</td> <td>4.01</td> <td>33.12</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>6</td> <td>933.07</td> <td>29.84</td> <td>-16.16</td> <td>46.00</td> <td>27.70</td> <td>29.74</td> <td>4.44</td> <td>32.04</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>		Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark		MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg		1	51.34	33.86	-6.14	40.00	52.38	13.60	0.79	32.91	---	Peak	2	92.08	25.78	-17.72	43.50	42.63	14.70	1.35	32.90	---	Peak	3	178.41	21.29	-22.21	43.50	37.50	14.00	1.94	32.95	---	Peak	4	327.79	19.61	-26.39	46.00	30.39	19.52	2.65	32.95	---	Peak	5	758.47	26.70	-19.30	46.00	27.64	28.17	4.01	33.12	---	Peak	6	933.07	29.84	-16.16	46.00	27.70	29.74	4.44	32.04
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																																																																																																							
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg																																																																																																																																																																								
1	54.25	26.01	-13.99	40.00	44.55	13.55	0.83	32.92	---	Peak																																																																																																																																																																							
2	93.05	27.27	-16.23	43.50	43.61	15.20	1.37	32.91	---	Peak																																																																																																																																																																							
3	177.44	27.57	-15.93	43.50	43.30	15.29	1.93	32.95	---	Peak																																																																																																																																																																							
4	223.03	29.04	-16.96	46.00	44.20	15.66	2.18	33.00	---	Peak																																																																																																																																																																							
5	643.04	25.47	-20.53	46.00	28.65	26.42	3.70	33.30	---	Peak																																																																																																																																																																							
6	930.16	29.31	-16.69	46.00	27.40	29.54	4.44	32.07	---	Peak																																																																																																																																																																							
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																																																																																																							
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg																																																																																																																																																																								
1	51.34	33.86	-6.14	40.00	52.38	13.60	0.79	32.91	---	Peak																																																																																																																																																																							
2	92.08	25.78	-17.72	43.50	42.63	14.70	1.35	32.90	---	Peak																																																																																																																																																																							
3	178.41	21.29	-22.21	43.50	37.50	14.00	1.94	32.95	---	Peak																																																																																																																																																																							
4	327.79	19.61	-26.39	46.00	30.39	19.52	2.65	32.95	---	Peak																																																																																																																																																																							
5	758.47	26.70	-19.30	46.00	27.64	28.17	4.01	33.12	---	Peak																																																																																																																																																																							
6	933.07	29.84	-16.16	46.00	27.70	29.74	4.44	32.04	---	Peak																																																																																																																																																																							







57																																																																																					
Mode	Emission below 1GHz																																																																																				
	U-NII-3_5.725-5.85_802.11ax HE80_CH155_Full_5775MHz																																																																																				
ANT	3+8																																																																																				
Pol.	Horizontal																																																																																				
Peak QP																																																																																					
	<table border="1"> <thead> <tr> <th>Peak</th> <th>Freq (MHz)</th> <th>Level (dBuV/m)</th> <th>Over Limit (dB)</th> <th>Limit Line (dBuV/m)</th> <th>ReadAntenna Level (dBuV)</th> <th>Antenna Factor (dB/m)</th> <th>Cable Loss (dB)</th> <th>Preamp Loss (dB)</th> <th>A/Pos (cm)</th> <th>T/Pos (deg)</th> <th>Remark</th> </tr> </thead> <tbody> <tr><td>1</td><td>50.37</td><td>24.39</td><td>-15.61</td><td>40.00</td><td>42.04</td><td>14.49</td><td>0.77</td><td>32.91</td><td>---</td><td>---</td><td>Peak</td></tr> <tr><td>2</td><td>93.05</td><td>26.67</td><td>-16.83</td><td>43.50</td><td>43.01</td><td>15.20</td><td>1.37</td><td>32.91</td><td>---</td><td>---</td><td>Peak</td></tr> <tr><td>3</td><td>167.74</td><td>25.79</td><td>-17.71</td><td>43.50</td><td>40.86</td><td>15.98</td><td>1.88</td><td>32.93</td><td>---</td><td>---</td><td>Peak</td></tr> <tr><td>4</td><td>214.30</td><td>30.43</td><td>-13.07</td><td>43.50</td><td>46.03</td><td>15.26</td><td>2.14</td><td>33.00</td><td>---</td><td>---</td><td>Peak</td></tr> <tr><td>5</td><td>732.28</td><td>26.66</td><td>-19.34</td><td>46.00</td><td>28.76</td><td>27.19</td><td>3.95</td><td>33.24</td><td>---</td><td>---</td><td>Peak</td></tr> <tr><td>6</td><td>917.55</td><td>29.76</td><td>-16.24</td><td>46.00</td><td>28.20</td><td>29.35</td><td>4.41</td><td>32.20</td><td>---</td><td>---</td><td>Peak</td></tr> </tbody> </table>	Peak	Freq (MHz)	Level (dBuV/m)	Over Limit (dB)	Limit Line (dBuV/m)	ReadAntenna Level (dBuV)	Antenna Factor (dB/m)	Cable Loss (dB)	Preamp Loss (dB)	A/Pos (cm)	T/Pos (deg)	Remark	1	50.37	24.39	-15.61	40.00	42.04	14.49	0.77	32.91	---	---	Peak	2	93.05	26.67	-16.83	43.50	43.01	15.20	1.37	32.91	---	---	Peak	3	167.74	25.79	-17.71	43.50	40.86	15.98	1.88	32.93	---	---	Peak	4	214.30	30.43	-13.07	43.50	46.03	15.26	2.14	33.00	---	---	Peak	5	732.28	26.66	-19.34	46.00	28.76	27.19	3.95	33.24	---	---	Peak	6	917.55	29.76	-16.24	46.00	28.20	29.35	4.41	32.20	---	---	Peak
Peak	Freq (MHz)	Level (dBuV/m)	Over Limit (dB)	Limit Line (dBuV/m)	ReadAntenna Level (dBuV)	Antenna Factor (dB/m)	Cable Loss (dB)	Preamp Loss (dB)	A/Pos (cm)	T/Pos (deg)	Remark																																																																										
1	50.37	24.39	-15.61	40.00	42.04	14.49	0.77	32.91	---	---	Peak																																																																										
2	93.05	26.67	-16.83	43.50	43.01	15.20	1.37	32.91	---	---	Peak																																																																										
3	167.74	25.79	-17.71	43.50	40.86	15.98	1.88	32.93	---	---	Peak																																																																										
4	214.30	30.43	-13.07	43.50	46.03	15.26	2.14	33.00	---	---	Peak																																																																										
5	732.28	26.66	-19.34	46.00	28.76	27.19	3.95	33.24	---	---	Peak																																																																										
6	917.55	29.76	-16.24	46.00	28.20	29.35	4.41	32.20	---	---	Peak																																																																										
Vertical																																																																																					
	<table border="1"> <thead> <tr> <th>Peak</th> <th>Freq (MHz)</th> <th>Level (dBuV/m)</th> <th>Over Limit (dB)</th> <th>Limit Line (dBuV/m)</th> <th>ReadAntenna Level (dBuV)</th> <th>Antenna Factor (dB/m)</th> <th>Cable Loss (dB)</th> <th>Preamp Loss (dB)</th> <th>A/Pos (cm)</th> <th>T/Pos (deg)</th> <th>Remark</th> </tr> </thead> <tbody> <tr><td>1</td><td>52.31</td><td>33.30</td><td>-6.70</td><td>40.00</td><td>51.39</td><td>14.02</td><td>0.80</td><td>32.91</td><td>---</td><td>---</td><td>Peak</td></tr> <tr><td>2</td><td>92.08</td><td>24.09</td><td>-19.41</td><td>43.50</td><td>40.56</td><td>15.08</td><td>1.35</td><td>32.90</td><td>---</td><td>---</td><td>Peak</td></tr> <tr><td>3</td><td>185.20</td><td>19.02</td><td>-24.48</td><td>43.50</td><td>34.93</td><td>15.07</td><td>1.90</td><td>32.96</td><td>---</td><td>---</td><td>Peak</td></tr> <tr><td>4</td><td>324.88</td><td>19.03</td><td>-26.97</td><td>46.00</td><td>29.39</td><td>19.97</td><td>2.63</td><td>32.96</td><td>---</td><td>---</td><td>Peak</td></tr> <tr><td>5</td><td>606.18</td><td>24.90</td><td>-21.10</td><td>46.00</td><td>28.37</td><td>26.22</td><td>3.59</td><td>33.28</td><td>---</td><td>---</td><td>Peak</td></tr> <tr><td>6</td><td>917.55</td><td>29.16</td><td>-16.84</td><td>46.00</td><td>27.60</td><td>29.35</td><td>4.41</td><td>32.20</td><td>---</td><td>---</td><td>Peak</td></tr> </tbody> </table>	Peak	Freq (MHz)	Level (dBuV/m)	Over Limit (dB)	Limit Line (dBuV/m)	ReadAntenna Level (dBuV)	Antenna Factor (dB/m)	Cable Loss (dB)	Preamp Loss (dB)	A/Pos (cm)	T/Pos (deg)	Remark	1	52.31	33.30	-6.70	40.00	51.39	14.02	0.80	32.91	---	---	Peak	2	92.08	24.09	-19.41	43.50	40.56	15.08	1.35	32.90	---	---	Peak	3	185.20	19.02	-24.48	43.50	34.93	15.07	1.90	32.96	---	---	Peak	4	324.88	19.03	-26.97	46.00	29.39	19.97	2.63	32.96	---	---	Peak	5	606.18	24.90	-21.10	46.00	28.37	26.22	3.59	33.28	---	---	Peak	6	917.55	29.16	-16.84	46.00	27.60	29.35	4.41	32.20	---	---	Peak
Peak	Freq (MHz)	Level (dBuV/m)	Over Limit (dB)	Limit Line (dBuV/m)	ReadAntenna Level (dBuV)	Antenna Factor (dB/m)	Cable Loss (dB)	Preamp Loss (dB)	A/Pos (cm)	T/Pos (deg)	Remark																																																																										
1	52.31	33.30	-6.70	40.00	51.39	14.02	0.80	32.91	---	---	Peak																																																																										
2	92.08	24.09	-19.41	43.50	40.56	15.08	1.35	32.90	---	---	Peak																																																																										
3	185.20	19.02	-24.48	43.50	34.93	15.07	1.90	32.96	---	---	Peak																																																																										
4	324.88	19.03	-26.97	46.00	29.39	19.97	2.63	32.96	---	---	Peak																																																																										
5	606.18	24.90	-21.10	46.00	28.37	26.22	3.59	33.28	---	---	Peak																																																																										
6	917.55	29.16	-16.84	46.00	27.60	29.35	4.41	32.20	---	---	Peak																																																																										



58																																																																		
Mode																																																																		
Band Edge - L																																																																		
U-NII-2A_5.25-5.35_802.11a_CH64_5320MHz																																																																		
ANT																																																																		
3+8																																																																		
Pol.	Horizontal																																																																	
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5361.52</td> <td>61.17</td> <td>74.00</td> <td>-12.83</td> <td>43.29</td> <td>34.50</td> <td>12.91</td> <td>29.53</td> <td>0.00</td> <td>104</td> <td>116</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5361.52	61.17	74.00	-12.83	43.29	34.50	12.91	29.53	0.00	104	116	PEAK																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																										
1	5361.52	61.17	74.00	-12.83	43.29	34.50	12.91	29.53	0.00	104	116	PEAK																																																						
<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2400.00</td> <td>96.25</td> <td>74.00</td> <td>22.25</td> <td>85.75</td> <td>32.12</td> <td>9.04</td> <td>30.66</td> <td>0.00</td> <td>104</td> <td>116</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>3574.99</td> <td>97.25</td> <td>74.00</td> <td>23.25</td> <td>83.18</td> <td>33.07</td> <td>10.60</td> <td>29.60</td> <td>0.00</td> <td>104</td> <td>116</td> <td>Peak</td> </tr> <tr> <td>3</td> <td>5320.00</td> <td>108.73</td> <td>74.00</td> <td>34.73</td> <td>90.95</td> <td>34.50</td> <td>12.77</td> <td>29.49</td> <td>0.00</td> <td>104</td> <td>116</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	2400.00	96.25	74.00	22.25	85.75	32.12	9.04	30.66	0.00	104	116	Peak	2	3574.99	97.25	74.00	23.25	83.18	33.07	10.60	29.60	0.00	104	116	Peak	3	5320.00	108.73	74.00	34.73	90.95	34.50	12.77	29.49	0.00	104	116	Peak
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																										
1	2400.00	96.25	74.00	22.25	85.75	32.12	9.04	30.66	0.00	104	116	Peak																																																						
2	3574.99	97.25	74.00	23.25	83.18	33.07	10.60	29.60	0.00	104	116	Peak																																																						
3	5320.00	108.73	74.00	34.73	90.95	34.50	12.77	29.49	0.00	104	116	Peak																																																						
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5350.16</td> <td>50.74</td> <td>54.00</td> <td>-3.26</td> <td>32.89</td> <td>34.50</td> <td>12.87</td> <td>29.52</td> <td>0.00</td> <td>104</td> <td>116</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5350.16	50.74	54.00	-3.26	32.89	34.50	12.87	29.52	0.00	104	116	AVERAGE																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																										
1	5350.16	50.74	54.00	-3.26	32.89	34.50	12.87	29.52	0.00	104	116	AVERAGE																																																						
<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2400.00</td> <td>94.08</td> <td>54.00</td> <td>40.08</td> <td>83.58</td> <td>32.12</td> <td>9.04</td> <td>30.66</td> <td>0.00</td> <td>104</td> <td>116</td> <td>Average</td> </tr> <tr> <td>2</td> <td>3574.99</td> <td>89.57</td> <td>54.00</td> <td>35.57</td> <td>75.51</td> <td>33.07</td> <td>10.60</td> <td>29.61</td> <td>0.00</td> <td>104</td> <td>116</td> <td>Average</td> </tr> <tr> <td>3</td> <td>5320.00</td> <td>100.24</td> <td>54.00</td> <td>46.24</td> <td>82.46</td> <td>34.50</td> <td>12.77</td> <td>29.49</td> <td>0.00</td> <td>104</td> <td>116</td> <td>Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	2400.00	94.08	54.00	40.08	83.58	32.12	9.04	30.66	0.00	104	116	Average	2	3574.99	89.57	54.00	35.57	75.51	33.07	10.60	29.61	0.00	104	116	Average	3	5320.00	100.24	54.00	46.24	82.46	34.50	12.77	29.49	0.00	104	116	Average
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																										
1	2400.00	94.08	54.00	40.08	83.58	32.12	9.04	30.66	0.00	104	116	Average																																																						
2	3574.99	89.57	54.00	35.57	75.51	33.07	10.60	29.61	0.00	104	116	Average																																																						
3	5320.00	100.24	54.00	46.24	82.46	34.50	12.77	29.49	0.00	104	116	Average																																																						

Note: The highest signals over limit are BT/WLAN/WWAN co-location fundamental signals.



		58																																																																																																										
Mode	Band Edge - L																																																																																																											
	U-NII-2A_5.25-5.35_802.11a_CH64_5320MHz																																																																																																											
ANT	3+8																																																																																																											
Pol.	Vertical	Fundamental																																																																																																										
Peak	 <table border="1" data-bbox="263 1108 774 1232"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5404.64</td> <td>57.38</td> <td>74.00</td> <td>-16.62</td> <td>39.41</td> <td>34.50</td> <td>13.04</td> <td>29.57</td> <td>0.00</td> <td>100</td> <td>61 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5404.64	57.38	74.00	-16.62	39.41	34.50	13.04	29.57	0.00	100	61 PEAK	 <table border="1" data-bbox="901 1108 1412 1232"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2480.00</td> <td>71.25</td> <td>74.00</td> <td>-2.75</td> <td>60.75</td> <td>32.12</td> <td>9.04</td> <td>30.66</td> <td>0.00</td> <td>100</td> <td>61 Peak</td> </tr> <tr> <td>2</td> <td>3574.99</td> <td>100.02</td> <td>74.00</td> <td>26.02</td> <td>85.96</td> <td>33.07</td> <td>10.60</td> <td>29.61</td> <td>0.00</td> <td>100</td> <td>61 Peak</td> </tr> <tr> <td>3</td> <td>5320.00</td> <td>103.49</td> <td>74.00</td> <td>29.49</td> <td>85.71</td> <td>34.50</td> <td>12.77</td> <td>29.49</td> <td>0.00</td> <td>100</td> <td>61 Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2480.00	71.25	74.00	-2.75	60.75	32.12	9.04	30.66	0.00	100	61 Peak	2	3574.99	100.02	74.00	26.02	85.96	33.07	10.60	29.61	0.00	100	61 Peak	3	5320.00	103.49	74.00	29.49	85.71	34.50	12.77	29.49	0.00	100	61 Peak
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																		
1	5404.64	57.38	74.00	-16.62	39.41	34.50	13.04	29.57	0.00	100	61 PEAK																																																																																																	
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																		
1	2480.00	71.25	74.00	-2.75	60.75	32.12	9.04	30.66	0.00	100	61 Peak																																																																																																	
2	3574.99	100.02	74.00	26.02	85.96	33.07	10.60	29.61	0.00	100	61 Peak																																																																																																	
3	5320.00	103.49	74.00	29.49	85.71	34.50	12.77	29.49	0.00	100	61 Peak																																																																																																	
Avg	 <table border="1" data-bbox="263 1803 774 1915"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5350.46</td> <td>48.39</td> <td>54.00</td> <td>-5.61</td> <td>30.54</td> <td>34.50</td> <td>12.87</td> <td>29.52</td> <td>0.00</td> <td>100</td> <td>61 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5350.46	48.39	54.00	-5.61	30.54	34.50	12.87	29.52	0.00	100	61 AVERAGE	 <table border="1" data-bbox="901 1803 1412 1915"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2480.00</td> <td>68.90</td> <td>54.00</td> <td>14.90</td> <td>58.40</td> <td>32.12</td> <td>9.04</td> <td>30.66</td> <td>0.00</td> <td>100</td> <td>61 Average</td> </tr> <tr> <td>2</td> <td>3574.99</td> <td>94.09</td> <td>54.00</td> <td>40.09</td> <td>80.03</td> <td>33.07</td> <td>10.60</td> <td>29.61</td> <td>0.00</td> <td>100</td> <td>61 Average</td> </tr> <tr> <td>3</td> <td>5320.00</td> <td>97.05</td> <td>54.00</td> <td>43.05</td> <td>79.27</td> <td>34.50</td> <td>12.77</td> <td>29.49</td> <td>0.00</td> <td>100</td> <td>61 Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2480.00	68.90	54.00	14.90	58.40	32.12	9.04	30.66	0.00	100	61 Average	2	3574.99	94.09	54.00	40.09	80.03	33.07	10.60	29.61	0.00	100	61 Average	3	5320.00	97.05	54.00	43.05	79.27	34.50	12.77	29.49	0.00	100	61 Average
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																		
1	5350.46	48.39	54.00	-5.61	30.54	34.50	12.87	29.52	0.00	100	61 AVERAGE																																																																																																	
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																		
1	2480.00	68.90	54.00	14.90	58.40	32.12	9.04	30.66	0.00	100	61 Average																																																																																																	
2	3574.99	94.09	54.00	40.09	80.03	33.07	10.60	29.61	0.00	100	61 Average																																																																																																	
3	5320.00	97.05	54.00	43.05	79.27	34.50	12.77	29.49	0.00	100	61 Average																																																																																																	

Note: The highest signals over limit are BT/WLAN/WWAN co-location fundamental signals.



Mode	58																																																																											
	Harmonic																																																																											
	U-NII-2A_5.25-5.35_802.11a_CH64_5320MHz																																																																											
ANT	3+8																																																																											
Pol.	Horizontal	Vertical																																																																										
Peak																																																																												
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 10640.00</td> <td>44.12</td> <td>74.00</td> <td>-29.88</td> <td>54.79</td> <td>37.70</td> <td>17.78</td> <td>66.15</td> <td>0.00</td> <td>--- --- PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 10640.00	44.12	74.00	-29.88	54.79	37.70	17.78	66.15	0.00	--- --- PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 10640.00</td> <td>44.19</td> <td>74.00</td> <td>-29.81</td> <td>54.86</td> <td>37.70</td> <td>17.78</td> <td>66.15</td> <td>0.00</td> <td>--- --- PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 10640.00	44.19	74.00	-29.81	54.86	37.70	17.78	66.15	0.00	--- --- PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																				
1 10640.00	44.12	74.00	-29.88	54.79	37.70	17.78	66.15	0.00	--- --- PEAK																																																																			
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																				
1 10640.00	44.19	74.00	-29.81	54.86	37.70	17.78	66.15	0.00	--- --- PEAK																																																																			



Mode	58																																																																													
	Band Edge																																																																													
	2400-2483.5_2400-2483.5_Bluetooth-LE_CH39_2480MHz																																																																													
ANT	3																																																																													
Pol.	Horizontal	Fundamental																																																																												
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 2483.92</td> <td>60.92</td> <td>74.00</td> <td>-13.08</td> <td>44.39</td> <td>32.13</td> <td>9.05</td> <td>30.65</td> <td>6.00</td> <td>164</td> <td>256 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 2483.92	60.92	74.00	-13.08	44.39	32.13	9.05	30.65	6.00	164	256 PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 2480.00</td> <td>101.70</td> <td>-----</td> <td>-----</td> <td>85.20</td> <td>32.12</td> <td>9.04</td> <td>30.66</td> <td>6.00</td> <td>164</td> <td>256 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 2480.00	101.70	-----	-----	85.20	32.12	9.04	30.66	6.00	164	256 PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																						
1 2483.92	60.92	74.00	-13.08	44.39	32.13	9.05	30.65	6.00	164	256 PEAK																																																																				
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																						
1 2480.00	101.70	-----	-----	85.20	32.12	9.04	30.66	6.00	164	256 PEAK																																																																				
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 2483.50</td> <td>48.05</td> <td>54.00</td> <td>-5.95</td> <td>31.52</td> <td>32.13</td> <td>9.05</td> <td>30.65</td> <td>6.00</td> <td>164</td> <td>256 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 2483.50	48.05	54.00	-5.95	31.52	32.13	9.05	30.65	6.00	164	256 AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 2480.00</td> <td>99.52</td> <td>-----</td> <td>-----</td> <td>83.02</td> <td>32.12</td> <td>9.04</td> <td>30.66</td> <td>6.00</td> <td>164</td> <td>256 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 2480.00	99.52	-----	-----	83.02	32.12	9.04	30.66	6.00	164	256 AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																						
1 2483.50	48.05	54.00	-5.95	31.52	32.13	9.05	30.65	6.00	164	256 AVERAGE																																																																				
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																						
1 2480.00	99.52	-----	-----	83.02	32.12	9.04	30.66	6.00	164	256 AVERAGE																																																																				



Mode	58																																																																													
	Band Edge																																																																													
	2400-2483.5_2400-2483.5_Bluetooth-LE_CH39_2480MHz																																																																													
ANT	3																																																																													
Pol.	Vertical	Fundamental																																																																												
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 2494.24</td> <td>57.27</td> <td>74.00</td> <td>-16.73</td> <td>40.67</td> <td>32.14</td> <td>9.08</td> <td>30.62</td> <td>6.00</td> <td>323 100 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 2494.24	57.27	74.00	-16.73	40.67	32.14	9.08	30.62	6.00	323 100 PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 2480.00</td> <td>97.58</td> <td>-----</td> <td>-----</td> <td>81.08</td> <td>32.12</td> <td>9.04</td> <td>30.66</td> <td>6.00</td> <td>323 100 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 2480.00	97.58	-----	-----	81.08	32.12	9.04	30.66	6.00	323 100 PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																					
1 2494.24	57.27	74.00	-16.73	40.67	32.14	9.08	30.62	6.00	323 100 PEAK																																																																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																					
1 2480.00	97.58	-----	-----	81.08	32.12	9.04	30.66	6.00	323 100 PEAK																																																																					
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 2483.50</td> <td>47.35</td> <td>54.00</td> <td>-6.65</td> <td>30.82</td> <td>32.13</td> <td>9.05</td> <td>30.65</td> <td>6.00</td> <td>323 100 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 2483.50	47.35	54.00	-6.65	30.82	32.13	9.05	30.65	6.00	323 100 AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 2480.00</td> <td>95.40</td> <td>-----</td> <td>-----</td> <td>78.90</td> <td>32.12</td> <td>9.04</td> <td>30.66</td> <td>6.00</td> <td>323 100 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 2480.00	95.40	-----	-----	78.90	32.12	9.04	30.66	6.00	323 100 AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																					
1 2483.50	47.35	54.00	-6.65	30.82	32.13	9.05	30.65	6.00	323 100 AVERAGE																																																																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																					
1 2480.00	95.40	-----	-----	78.90	32.12	9.04	30.66	6.00	323 100 AVERAGE																																																																					



Mode	58																																																																																																																																																																	
	Harmonic																																																																																																																																																																	
	2400-2483.5_2400-2483.5_Bluetooth-LE_CH39_2480MHz																																																																																																																																																																	
ANT	3																																																																																																																																																																	
Pol.	Horizontal	Vertical																																																																																																																																																																
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>3574.99</td> <td>57.65</td> <td>74.00</td> <td>-16.35</td> <td>79.09</td> <td>33.07</td> <td>10.60</td> <td>65.11</td> <td>0.00</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>4960.00</td> <td>41.05</td> <td>74.00</td> <td>-32.95</td> <td>60.13</td> <td>34.10</td> <td>12.27</td> <td>65.45</td> <td>0.00</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>3</td> <td>5320.00</td> <td>58.20</td> <td>74.00</td> <td>-15.80</td> <td>76.55</td> <td>34.50</td> <td>12.77</td> <td>65.62</td> <td>0.00</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>4</td> <td>7440.00</td> <td>42.06</td> <td>74.00</td> <td>-31.94</td> <td>56.67</td> <td>35.80</td> <td>14.92</td> <td>65.33</td> <td>0.00</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	3574.99	57.65	74.00	-16.35	79.09	33.07	10.60	65.11	0.00	---	---	Peak	2	4960.00	41.05	74.00	-32.95	60.13	34.10	12.27	65.45	0.00	---	---	Peak	3	5320.00	58.20	74.00	-15.80	76.55	34.50	12.77	65.62	0.00	---	---	Peak	4	7440.00	42.06	74.00	-31.94	56.67	35.80	14.92	65.33	0.00	---	---	Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>3574.99</td> <td>55.34</td> <td>74.00</td> <td>-18.66</td> <td>76.78</td> <td>33.07</td> <td>10.60</td> <td>65.11</td> <td>0.00</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>4960.00</td> <td>40.94</td> <td>74.00</td> <td>-33.06</td> <td>60.02</td> <td>34.10</td> <td>12.27</td> <td>65.45</td> <td>0.00</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>3</td> <td>5320.00</td> <td>54.81</td> <td>74.00</td> <td>-19.19</td> <td>73.16</td> <td>34.50</td> <td>12.77</td> <td>65.62</td> <td>0.00</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>4</td> <td>7440.00</td> <td>42.37</td> <td>74.00</td> <td>-31.63</td> <td>56.98</td> <td>35.80</td> <td>14.92</td> <td>65.33</td> <td>0.00</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	3574.99	55.34	74.00	-18.66	76.78	33.07	10.60	65.11	0.00	---	---	Peak	2	4960.00	40.94	74.00	-33.06	60.02	34.10	12.27	65.45	0.00	---	---	Peak	3	5320.00	54.81	74.00	-19.19	73.16	34.50	12.77	65.62	0.00	---	---	Peak	4	7440.00	42.37	74.00	-31.63	56.98	35.80	14.92	65.33	0.00	---	---	Peak
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																									
1	3574.99	57.65	74.00	-16.35	79.09	33.07	10.60	65.11	0.00	---	---	Peak																																																																																																																																																						
2	4960.00	41.05	74.00	-32.95	60.13	34.10	12.27	65.45	0.00	---	---	Peak																																																																																																																																																						
3	5320.00	58.20	74.00	-15.80	76.55	34.50	12.77	65.62	0.00	---	---	Peak																																																																																																																																																						
4	7440.00	42.06	74.00	-31.94	56.67	35.80	14.92	65.33	0.00	---	---	Peak																																																																																																																																																						
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																									
1	3574.99	55.34	74.00	-18.66	76.78	33.07	10.60	65.11	0.00	---	---	Peak																																																																																																																																																						
2	4960.00	40.94	74.00	-33.06	60.02	34.10	12.27	65.45	0.00	---	---	Peak																																																																																																																																																						
3	5320.00	54.81	74.00	-19.19	73.16	34.50	12.77	65.62	0.00	---	---	Peak																																																																																																																																																						
4	7440.00	42.37	74.00	-31.63	56.98	35.80	14.92	65.33	0.00	---	---	Peak																																																																																																																																																						


Note: The highest signals over limit are BT/WWAN co-location fundamental signals.



Appendix D. Duty Cycle Plots


Antenna	Band	Duty Cycle(%)	T(ms)	1/T(kHz)	VBW Setting
3+8	802.11a	96.97	1.391	0.719	0.75KHz
3+8	802.11ax HE20 Full RU	95.88	1.013	0.987	1KHz
3+8	802.11ax HE20 Partial_RU26	99.16	-	-	10Hz
3+8	802.11ax HE20 Partial_RU52	99.22	-	-	10Hz
3+8	802.11ax HE20 Partial_RU106	98.37	-	-	10Hz
3+8	802.11ax HE40	92.46	0.533	1.875	2KHz
3+8	802.11ax HE80	86.84	0.287	3.485	3.6KHz

802.11a






802.11ax HE20 Full RU




802.11ax HE20 Partial_RU26






802.11ax HE20 Partial_RU52




802.11ax HE20 Partial_RU106





802.11ax HE40



802.11ax HE80

