





11B-MIMO_Ant3_2462_30~1000




11B-MIMO_Ant3_2462_1000~26500






11B-MIMO_Ant8_2462_30~1000



Date: 13.MAR.2023 15:31:07


11B-MIMO_Ant8_2462_1000~26500



Date: 13.MAR.2023 15:31:22




11G-MIMO_Ant3_2412_30~1000



Date: 13.MAR.2023 15:33:57


11G-MIMO_Ant3_2412_1000~26500



Date: 13.MAR.2023 15:34:13




11G-MIMO_Ant8_2412_30~1000



Date: 13.MAR.2023 15:35:44


11G-MIMO_Ant8_2412_1000~26500



Date: 13.MAR.2023 15:36:00




11G-MIMO_Ant3_2437_30~1000



Date: 13.MAR.2023 15:37:46


11G-MIMO_Ant3_2437_1000~26500



Date: 13.MAR.2023 15:38:01




11G-MIMO_Ant8_2437_30~1000



Date: 13.MAR.2023 15:39:20


11G-MIMO_Ant8_2437_1000~26500




Date: 13.MAR.2023 15:39:35



11G-MIMO_Ant3_2457_30~1000




11G-MIMO_Ant3_2457_1000~26500






11G-MIMO_Ant8_2457_30~1000



Date: 29.MAR.2023 12:09:19


11G-MIMO_Ant8_2457_1000~26500



Date: 29.MAR.2023 12:09:34




11G-MIMO_Ant3_2462_30~1000



Date: 13.MAR.2023 15:41:31


11G-MIMO_Ant3_2462_1000~26500



Date: 13.MAR.2023 15:41:47




11G-MIMO_Ant8_2462_30~1000



Date: 13.MAR.2023 15:43:21


11G-MIMO_Ant8_2462_1000~26500



Date: 13.MAR.2023 15:43:37




11AX20MIMO_Ant3_2412_30~1000



Date: 13.MAR.2023 15:47:06


11AX20MIMO_Ant3_2412_1000~26500



Date: 13.MAR.2023 15:47:21




11AX20MIMO_Ant8_2412_30~1000



Date: 13.MAR.2023 15:48:56


11AX20MIMO_Ant8_2412_1000~26500



Date: 13.MAR.2023 15:49:11




11AX20MIMO_Ant3_2437_30~1000



Date: 13.MAR.2023 15:50:49


11AX20MIMO_Ant3_2437_1000~26500



Date: 13.MAR.2023 15:51:05




11AX20MIMO_Ant8_2437_30~1000



Date: 13.MAR.2023 15:52:20


11AX20MIMO_Ant8_2437_1000~26500




Date: 13.MAR.2023 15:52:36



11AX20MIMO_Ant3_2452_30~1000




11AX20MIMO_Ant3_2452_1000~26500






11AX20MIMO_Ant8_2452_30~1000



Date: 29.MAR.2023 12:15:12


11AX20MIMO_Ant8_2452_1000~26500




Date: 29.MAR.2023 12:15:27



11AX20MIMO_Ant3_2457_30~1000




11AX20MIMO_Ant3_2457_1000~26500






11AX20MIMO_Ant8_2457_30~1000



Date: 29.MAR.2023 12:33:12


11AX20MIMO_Ant8_2457_1000~26500



Date: 29.MAR.2023 12:33:28




11AX20MIMO_Ant3_2462_30~1000



Date: 13.MAR.2023 15:59:33


11AX20MIMO_Ant3_2462_1000~26500



Date: 13.MAR.2023 15:59:49




11AX20MIMO_Ant8_2462_30~1000



Date: 13.MAR.2023 16:18:49


11AX20MIMO_Ant8_2462_1000~26500



Date: 13.MAR.2023 16:19:04




11AX40MIMO_Ant3_2422_30~1000



Date: 13.MAR.2023 16:04:24


11AX40MIMO_Ant3_2422_1000~26500



Date: 13.MAR.2023 16:04:40




11AX40MIMO_Ant8_2422_30~1000



Date: 13.MAR.2023 16:06:15


11AX40MIMO_Ant8_2422_1000~26500



Date: 13.MAR.2023 16:06:30




11AX40MIMO_Ant3_2437_30~1000



Date: 13.MAR.2023 16:08:03


11AX40MIMO_Ant3_2437_1000~26500



Date: 13.MAR.2023 16:08:19




11AX40MIMO_Ant8_2437_30~1000



Date: 13.MAR.2023 16:09:31


11AX40MIMO_Ant8_2437_1000~26500



Date: 13.MAR.2023 16:09:47




11AX40MIMO_Ant3_2442_30~1000



Date: 29.MAR.2023 12:36:45


11AX40MIMO_Ant3_2442_1000~26500



Date: 29.MAR.2023 12:37:00




11AX40MIMO_Ant8_2442_30~1000



Date: 29.MAR.2023 12:38:33


11AX40MIMO_Ant8_2442_1000~26500



Date: 29.MAR.2023 12:38:48




11AX40MIMO_Ant3_2447_30~1000



Date: 29.MAR.2023 12:40:56


11AX40MIMO_Ant3_2447_1000~26500



Date: 29.MAR.2023 12:41:12




11AX40MIMO_Ant8_2447_30~1000



Date: 29.MAR.2023 12:42:46


11AX40MIMO_Ant8_2447_1000~26500



Date: 29.MAR.2023 12:43:02




11AX40MIMO_Ant3_2452_30~1000



Date: 13.MAR.2023 16:13:16


11AX40MIMO_Ant3_2452_1000~26500



Date: 13.MAR.2023 16:13:32




11AX40MIMO_Ant8_2452_30~1000



Date: 13.MAR.2023 16:17:05

11AX40MIMO_Ant8_2452_1000~26500



Date: 13.MAR.2023 16:17:20



< Power Spectral Density for 802.11ax HE20 partial RU>



Maximum power spectral density

Test Result

TestMode	Antenna	Freq(MHz)	RuSize	RuIndex	Result [dBm/3kHz]	Limit [dBm/3kHz]	Verdict
11AX20MIMO	Ant3	2412	26Tone	RU0	-9.83	≤8.00	PASS
			52Tone	RU37	-9.8	≤8.00	PASS
			106Tone	RU53	-9.54	≤8.00	PASS
	Ant8	2412	26Tone	RU0	-9.14	≤8.00	PASS
			52Tone	RU37	-9.88	≤8.00	PASS
			106Tone	RU53	-9.31	≤8.00	PASS
	total	2412	26Tone	RU0	-6.46	≤8.00	PASS
			52Tone	RU37	-6.83	≤8.00	PASS
			106Tone	RU53	-6.41	≤8.00	PASS
	Ant3	2437	26Tone	RU0	-6.63	≤8.00	PASS
			52Tone	RU37	-6.86	≤8.00	PASS
			106Tone	RU53	-6.54	≤8.00	PASS
	Ant8	2437	26Tone	RU0	-7.61	≤8.00	PASS
			52Tone	RU37	-7.81	≤8.00	PASS
			106Tone	RU53	-7.71	≤8.00	PASS
	total	2437	26Tone	RU0	-4.08	≤8.00	PASS
			52Tone	RU37	-4.30	≤8.00	PASS
			106Tone	RU53	-4.08	≤8.00	PASS
	Ant3	2462	26Tone	RU8	-11.84	≤8.00	PASS
			52Tone	RU40	-11.76	≤8.00	PASS
			106Tone	RU54	-12.25	≤8.00	PASS
	Ant8	2462	26Tone	RU8	-12.43	≤8.00	PASS
			52Tone	RU40	-12.46	≤8.00	PASS
			106Tone	RU54	-12.26	≤8.00	PASS
total	2462	26Tone	RU8	-9.11	≤8.00	PASS	
		52Tone	RU40	-9.09	≤8.00	PASS	
		106Tone	RU54	-9.24	≤8.00	PASS	




Test Graphs






11AX20MIMO_Ant3_2412_106Tone_RU53




11AX20MIMO_Ant8_2412_26Tone_RU0






11AX20MIMO_Ant8_2412_52Tone_RU37




11AX20MIMO_Ant8_2412_106Tone_RU53






11AX20MIMO_Ant3_2437_26Tone_RU0




11AX20MIMO_Ant3_2437_52Tone_RU37






11AX20MIMO_Ant3_2437_106Tone_RU53



Date: 22.MAR.2023 02:28:42


11AX20MIMO_Ant8_2437_26Tone_RU0




Date: 22.MAR.2023 02:26:36



11AX20MIMO_Ant8_2437_52Tone_RU37




11AX20MIMO_Ant8_2437_106Tone_RU53






11AX20MIMO_Ant3_2462_26Tone_RU8



Date: 22.MAR.2023 03:32:43


11AX20MIMO_Ant3_2462_52Tone_RU40



Date: 22.MAR.2023 03:34:39




11AX20MIMO_Ant3_2462_106Tone_RU54



Date: 22.MAR.2023 03:36:00


11AX20MIMO_Ant8_2462_26Tone_RU8




Date: 22.MAR.2023 03:33:23



11AX20MIMO_Ant8_2462_52Tone_RU40




11AX20MIMO_Ant8_2462_106Tone_RU54





Appendix B. AC Conducted Emission Test Results

Test Engineer :	Amos Zhang	Temperature :	25.3~26.2°C
		Relative Humidity :	38~40%
Test Voltage :	120Vac / 60Hz	Phase :	Line
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		




Site : CO01-KS
 Condition : 15C RSS247-QP LISN-060105-LINE LINE

	Freq	Level	Over	Limit	Read	LISN	Cable	Remark
	MHz	dBuV	Limit	Line	Level	Factor	Loss	
			dB	dBuV	dBuV	dB	dB	
1 *	0.150	57.40	-8.60	66.00	46.90	0.07	10.43	QP
2	0.150	37.70	-18.30	56.00	27.20	0.07	10.43	Average
3	0.183	52.36	-11.97	64.33	41.91	0.03	10.42	QP
4	0.183	32.36	-21.97	54.33	21.91	0.03	10.42	Average
5	0.248	46.02	-15.80	61.82	35.60	0.04	10.38	QP
6	0.248	29.72	-22.10	51.82	19.30	0.04	10.38	Average
7	0.426	38.77	-18.56	57.33	28.50	0.00	10.27	QP
8	0.426	27.57	-19.76	47.33	17.30	0.00	10.27	Average
9	0.614	40.71	-15.29	56.00	30.60	-0.07	10.18	QP
10	0.614	26.41	-19.59	46.00	16.30	-0.07	10.18	Average
11	0.862	38.23	-17.77	56.00	28.20	-0.10	10.13	QP
12	0.862	24.23	-21.77	46.00	14.20	-0.10	10.13	Average



Test Engineer :	Amos Zhang	Temperature :	25.3~26.2°C
		Relative Humidity :	38~40%
Test Voltage :	120Vac / 60Hz	Phase :	Neutral
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		



Site : CO01-KS
 Condition : 15C RSS247-QP LISN-060105-NEUTRAL NEUTRAL

	Freq	Level	Over	Limit	Read	LISN	Cable	Remark
	MHz	dBuV	Limit	Line	Level	Factor	Loss	
			dB	dBuV	dBuV	dB	dB	
1	0.194	51.97	-11.87	63.84	41.50	0.05	10.42	QP
2	0.194	31.07	-22.77	53.84	20.60	0.05	10.42	Average
3 *	0.242	52.59	-9.45	62.04	42.20	0.00	10.39	QP
4	0.242	34.29	-17.75	52.04	23.90	0.00	10.39	Average
5	0.320	46.88	-12.83	59.71	36.59	-0.05	10.34	QP
6	0.320	27.18	-22.53	49.71	16.89	-0.05	10.34	Average
7	0.415	46.82	-10.73	57.55	36.61	-0.07	10.28	QP
8	0.415	31.42	-16.13	47.55	21.21	-0.07	10.28	Average
9	0.598	42.30	-13.70	56.00	32.21	-0.09	10.18	QP
10	0.598	29.00	-17.00	46.00	18.91	-0.09	10.18	Average
11	0.890	38.92	-17.08	56.00	28.90	-0.10	10.12	QP
12	0.890	27.22	-18.78	46.00	17.20	-0.10	10.12	Average
13	1.216	40.88	-15.12	56.00	30.90	-0.11	10.09	QP
14	1.216	28.48	-17.52	46.00	18.50	-0.11	10.09	Average
15	1.716	38.45	-17.55	56.00	28.50	-0.12	10.07	QP
16	1.716	28.25	-17.75	46.00	18.30	-0.12	10.07	Average

Note:

1. Level(dBμV) = Read Level(dBμV) + LISN Factor(dB) + Cable Loss(dB)
2. Over Limit(dB) = Level(dBμV) – Limit Line(dBμV)



Appendix C. Radiated Spurious Emission

Radiated Spurious Emission Test Modes

Mode	Band (MHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 1	2400-2483.5	MIMO 3+8	802.11b	01	2412	1Mbps	-	-
Mode 2	2400-2483.5	MIMO 3+8	802.11b	06	2437	1Mbps	-	-
Mode 3	2400-2483.5	MIMO 3+8	802.11b	11	2462	1Mbps	-	-
Mode 4	2400-2483.5	MIMO 3+8	802.11g	01	2412	6Mbps	-	-
Mode 5	2400-2483.5	MIMO 3+8	802.11g	06	2437	6Mbps	-	-
Mode 6	2400-2483.5	MIMO 3+8	802.11g	10	2457	6Mbps	-	-
Mode 7	2400-2483.5	MIMO 3+8	802.11g	11	2462	6Mbps	-	-
Mode 8	2400-2483.5	MIMO 3+8	802.11ax HE20	01	2412	MCS0	-	-
Mode 9	2400-2483.5	MIMO 3+8	802.11ax HE20	06	2437	MCS0	-	-
Mode 10	2400-2483.5	MIMO 3+8	802.11ax HE20	09	2452	MCS0	-	-
Mode 11	2400-2483.5	MIMO 3+8	802.11ax HE20	10	2457	MCS0	-	-
Mode 12	2400-2483.5	MIMO 3+8	802.11ax HE20	11	2462	MCS0	-	-
Mode 13	2400-2483.5	MIMO 3+8	802.11ax HE20	01	2412	MCS0	RU26/0	-
Mode 14	2400-2483.5	MIMO 3+8	802.11ax HE20	01	2412	MCS0	RU52/37	-
Mode 15	2400-2483.5	MIMO 3+8	802.11ax HE20	01	2412	MCS0	RU106/53	-
Mode 16	2400-2483.5	MIMO 3+8	802.11ax HE20	11	2462	MCS0	RU26/8	-
Mode 17	2400-2483.5	MIMO 3+8	802.11ax HE20	11	2462	MCS0	RU52/40	-
Mode 18	2400-2483.5	MIMO 3+8	802.11ax HE20	11	2462	MCS0	RU106/54	-
Mode 19	2400-2483.5	MIMO 3+8	802.11ax HE40	03	2422	MCS0	-	-
Mode 20	2400-2483.5	MIMO 3+8	802.11ax HE40	06	2437	MCS0	-	-
Mode 21	2400-2483.5	MIMO 3+8	802.11ax HE40	07	2442	MCS0	-	-
Mode 22	2400-2483.5	MIMO 3+8	802.11ax HE40	08	2447	MCS0	-	-



Mode 23	2400-2483.5	MIMO 3+8	802.11ax HE40	09	2452	MCS0	-	-
Mode 24	2400-2483.5	MIMO 3+8	802.11ax HE20	11	2462	MCS0		LF

Summary of each worse mode

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
1	802.11b	01	2389.99	42.37	54.00	-11.63	H	AVERAGE	Pass	Band Edge
1	802.11b	01	4824.00	42.36	74.00	-31.64	V	PEAK	Pass	Harmonic
2	802.11b	06	-	-	-	-	-	-	-	Band Edge
2	802.11b	06	7311.00	50.42	54.00	-3.58	V	AVERAGE	Pass	Harmonic
3	802.11b	11	2487.71	45.62	54.00	-8.38	H	AVERAGE	Pass	Band Edge
3	802.11b	11	7386.00	43.98	74.00	-30.02	H	PEAK	Pass	Harmonic
4	802.11g	01	2389.99	49.65	54.00	-4.35	V	AVERAGE	Pass	Band Edge
4	802.11g	01	4824.00	42.40	74.00	-31.60	V	PEAK	Pass	Harmonic
5	802.11g	06	-	-	-	-	-	-	-	Band Edge
5	802.11g	06	4874.00	42.61	74.00	-31.39	V	PEAK	Pass	Harmonic
6	802.11g	10	2485.12	49.58	54.00	-4.42	H	AVERAGE	Pass	Band Edge



Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
6	802.11g	10	7371.00	45.38	74.00	-28.62	V	PEAK	Pass	Harmonic
7	802.11g	11	2485.20	50.67	54.00	-3.33	H	AVERAGE	Pass	Band Edge
7	802.11g	11	4924.00	42.55	74.00	-31.45	V	PEAK	Pass	Harmonic
8	802.11ax HE20	01	2389.99	49.53	54.00	-4.47	H	AVERAGE	Pass	Band Edge
8	802.11ax HE20	01	4824.00	43.18	74.00	-30.82	H	PEAK	Pass	Harmonic
9	802.11ax HE20	06	-	-	-	-	-	-	-	Band Edge
9	802.11ax HE20	06	7311.00	48.54	74.00	-25.46	V	PEAK	Pass	Harmonic
10	802.11ax HE20	09	2483.92	49.85	54.00	-4.15	H	AVERAGE	Pass	Band Edge
10	802.11ax HE20	09	7357.50	49.31	74.00	-24.69	V	PEAK	Pass	Harmonic
11	802.11ax HE20	10	2483.74	50.75	54.00	-3.25	H	AVERAGE	Pass	Band Edge
11	802.11ax HE20	10	7371.00	42.22	74.00	-31.78	V	PEAK	Pass	Harmonic
12	802.11ax HE20	11	2484.63	50.96	54.00	-3.04	H	AVERAGE	Pass	Band Edge
12	802.11ax HE20	11	7386.00	46.49	74.00	-27.51	H	PEAK	Pass	Harmonic
13	802.11ax HE20	01	2384.95	41.38	54.00	-12.62	V	AVERAGE	Pass	Band Edge
13	802.11ax HE20	01	-	-	-	-	-	-	-	Harmonic
14	802.11ax HE20	01	2383.91	41.54	54.00	-12.46	V	AVERAGE	Pass	Band Edge
14	802.11ax HE20	01	-	-	-	-	-	-	-	Harmonic
15	802.11ax HE20	01	2389.99	41.71	54.00	-12.29	H	AVERAGE	Pass	Band Edge
15	802.11ax HE20	01	-	-	-	-	-	-	-	Harmonic
16	802.11ax HE20	11	2483.56	37.23	54.00	-16.77	H	AVERAGE	Pass	Band Edge
16	802.11ax HE20	11	-	-	-	-	-	-	-	Harmonic
17	802.11ax HE20	11	2483.50	38.04	54.00	-15.96	V	AVERAGE	Pass	Band Edge



Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
17	802.11ax HE20	11	-	-	-	-	-	-	-	Harmonic
18	802.11ax HE20	11	2483.50	38.92	54.00	-15.08	H	AVERAGE	Pass	Band Edge
18	802.11ax HE20	11	-	-	-	-	-	-	-	Harmonic
19	802.11ax HE40	03	2390.00	50.12	54.00	-3.88	H	AVERAGE	Pass	Band Edge
19	802.11ax HE40	03	7266.00	46.77	74.00	-27.23	H	PEAK	Pass	Harmonic
20	802.11ax HE40	06	2483.50	50.28	54.00	-3.72	H	AVERAGE	Pass	Band Edge
20	802.11ax HE40	06	7311.00	41.37	74.00	-32.63	H	PEAK	Pass	Harmonic
21	802.11ax HE40	07	2483.59	50.38	54.00	-3.62	H	AVERAGE	Pass	Band Edge
21	802.11ax HE40	07	7326.00	41.30	74.00	-32.70	H	PEAK	Pass	Harmonic
22	802.11ax HE40	08	2483.78	50.06	54.00	-3.94	H	AVERAGE	Pass	Band Edge
22	802.11ax HE40	08	7341.00	41.73	74.00	-32.27	V	PEAK	Pass	Harmonic
23	802.11ax HE40	09	2483.80	50.20	54.00	-3.80	V	AVERAGE	Pass	Band Edge
23	802.11ax HE40	09	7356.00	49.11	74.00	-24.89	H	PEAK	Pass	Harmonic
24	802.11ax HE20	11	955.38	32.24	46.00	-13.76	H	PEAK	Pass	LF



Mode	1																																																																																			
	Band Edge																																																																																			
	2400-2483.5_802.11b_CH01_2412MHz																																																																																			
ANT	MIMO 3+8																																																																																			
Pol.	Horizontal	Fundamental																																																																																		
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2389.99</td> <td>51.11</td> <td>74.00</td> <td>-22.89</td> <td>41.27</td> <td>32.44</td> <td>7.11</td> <td>35.71</td> <td>6.00</td> <td>144</td> <td>282</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.99	51.11	74.00	-22.89	41.27	32.44	7.11	35.71	6.00	144	282	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2412.00</td> <td>114.09</td> <td>-----</td> <td>-----</td> <td>104.17</td> <td>32.48</td> <td>7.15</td> <td>35.71</td> <td>6.00</td> <td>144</td> <td>282</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	114.09	-----	-----	104.17	32.48	7.15	35.71	6.00	144	282	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	2389.99	51.11	74.00	-22.89	41.27	32.44	7.11	35.71	6.00	144	282	PEAK																																																																								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	2412.00	114.09	-----	-----	104.17	32.48	7.15	35.71	6.00	144	282	PEAK																																																																								
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2389.99</td> <td>42.37</td> <td>54.00</td> <td>-11.63</td> <td>32.53</td> <td>32.44</td> <td>7.11</td> <td>35.71</td> <td>6.00</td> <td>144</td> <td>282</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.99	42.37	54.00	-11.63	32.53	32.44	7.11	35.71	6.00	144	282	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2412.00</td> <td>109.79</td> <td>-----</td> <td>-----</td> <td>99.87</td> <td>32.48</td> <td>7.15</td> <td>35.71</td> <td>6.00</td> <td>144</td> <td>282</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	109.79	-----	-----	99.87	32.48	7.15	35.71	6.00	144	282	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	2389.99	42.37	54.00	-11.63	32.53	32.44	7.11	35.71	6.00	144	282	AVERAGE																																																																								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	2412.00	109.79	-----	-----	99.87	32.48	7.15	35.71	6.00	144	282	AVERAGE																																																																								



Mode	1																																																																																			
	Band Edge																																																																																			
	2400-2483.5_802.11b_CH01_2412MHz																																																																																			
ANT	MIMO 3+8																																																																																			
Pol.	Vertical	Fundamental																																																																																		
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2389.99</td> <td>50.73</td> <td>74.00</td> <td>-23.27</td> <td>40.89</td> <td>32.44</td> <td>7.11</td> <td>35.71</td> <td>6.00</td> <td>332</td> <td>74</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.99	50.73	74.00	-23.27	40.89	32.44	7.11	35.71	6.00	332	74	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2412.00</td> <td>106.40</td> <td>-----</td> <td>-----</td> <td>96.48</td> <td>32.48</td> <td>7.15</td> <td>35.71</td> <td>6.00</td> <td>332</td> <td>74</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	106.40	-----	-----	96.48	32.48	7.15	35.71	6.00	332	74	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	2389.99	50.73	74.00	-23.27	40.89	32.44	7.11	35.71	6.00	332	74	PEAK																																																																								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	2412.00	106.40	-----	-----	96.48	32.48	7.15	35.71	6.00	332	74	PEAK																																																																								
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2389.99</td> <td>40.80</td> <td>54.00</td> <td>-13.20</td> <td>30.96</td> <td>32.44</td> <td>7.11</td> <td>35.71</td> <td>6.00</td> <td>332</td> <td>74</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.99	40.80	54.00	-13.20	30.96	32.44	7.11	35.71	6.00	332	74	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2412.00</td> <td>102.04</td> <td>-----</td> <td>-----</td> <td>92.13</td> <td>32.47</td> <td>7.15</td> <td>35.71</td> <td>6.00</td> <td>332</td> <td>74</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	102.04	-----	-----	92.13	32.47	7.15	35.71	6.00	332	74	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	2389.99	40.80	54.00	-13.20	30.96	32.44	7.11	35.71	6.00	332	74	AVERAGE																																																																								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	2412.00	102.04	-----	-----	92.13	32.47	7.15	35.71	6.00	332	74	AVERAGE																																																																								



Mode	1																																																																											
	Harmonic																																																																											
	2400-2483.5_802.11b_CH01_2412MHz																																																																											
ANT	MIMO 3+8																																																																											
Pol.	Horizontal	Vertical																																																																										
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4824.00</td> <td>42.08</td> <td>74.00</td> <td>-31.92</td> <td>60.61</td> <td>34.63</td> <td>10.32</td> <td>63.48</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	4824.00	42.08	74.00	-31.92	60.61	34.63	10.32	63.48	0.00	---	---	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4824.00</td> <td>42.36</td> <td>74.00</td> <td>-31.64</td> <td>60.89</td> <td>34.63</td> <td>10.32</td> <td>63.48</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	4824.00	42.36	74.00	-31.64	60.89	34.63	10.32	63.48	0.00	---	---	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																					
1	4824.00	42.08	74.00	-31.92	60.61	34.63	10.32	63.48	0.00	---	---	PEAK																																																																
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																					
1	4824.00	42.36	74.00	-31.64	60.89	34.63	10.32	63.48	0.00	---	---	PEAK																																																																



Mode	2																																																																																																																																						
	Harmonic																																																																																																																																						
	2400-2483.5_802.11b_CH06_2437MHz																																																																																																																																						
ANT	MIMO 3+8																																																																																																																																						
Pol.	Horizontal	Vertical																																																																																																																																					
Peak Avg																																																																																																																																							
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4874.00</td> <td>42.61</td> <td>74.00</td> <td>-31.39</td> <td>61.11</td> <td>34.60</td> <td>10.38</td> <td>63.48</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>7311.00</td> <td>53.97</td> <td>74.00</td> <td>-20.03</td> <td>68.92</td> <td>35.90</td> <td>12.82</td> <td>63.67</td> <td>0.00</td> <td>319</td> <td>139</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>7311.00</td> <td>50.00</td> <td>54.00</td> <td>-4.00</td> <td>64.95</td> <td>35.90</td> <td>12.82</td> <td>63.67</td> <td>0.00</td> <td>319</td> <td>139</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4874.00	42.61	74.00	-31.39	61.11	34.60	10.38	63.48	0.00	---	---	PEAK	2	7311.00	53.97	74.00	-20.03	68.92	35.90	12.82	63.67	0.00	319	139	PEAK	3	7311.00	50.00	54.00	-4.00	64.95	35.90	12.82	63.67	0.00	319	139	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4874.00</td> <td>42.44</td> <td>74.00</td> <td>-31.56</td> <td>60.94</td> <td>34.60</td> <td>10.38</td> <td>63.48</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>7311.00</td> <td>54.34</td> <td>74.00</td> <td>-19.66</td> <td>69.29</td> <td>35.90</td> <td>12.82</td> <td>63.67</td> <td>0.00</td> <td>112</td> <td>173</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>7311.00</td> <td>50.42</td> <td>54.00</td> <td>-3.58</td> <td>65.37</td> <td>35.90</td> <td>12.82</td> <td>63.67</td> <td>0.00</td> <td>112</td> <td>173</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4874.00	42.44	74.00	-31.56	60.94	34.60	10.38	63.48	0.00	---	---	PEAK	2	7311.00	54.34	74.00	-19.66	69.29	35.90	12.82	63.67	0.00	112	173	PEAK	3	7311.00	50.42	54.00	-3.58	65.37	35.90	12.82	63.67	0.00	112	173
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																														
1	4874.00	42.61	74.00	-31.39	61.11	34.60	10.38	63.48	0.00	---	---	PEAK																																																																																																																											
2	7311.00	53.97	74.00	-20.03	68.92	35.90	12.82	63.67	0.00	319	139	PEAK																																																																																																																											
3	7311.00	50.00	54.00	-4.00	64.95	35.90	12.82	63.67	0.00	319	139	AVERAGE																																																																																																																											
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																														
1	4874.00	42.44	74.00	-31.56	60.94	34.60	10.38	63.48	0.00	---	---	PEAK																																																																																																																											
2	7311.00	54.34	74.00	-19.66	69.29	35.90	12.82	63.67	0.00	112	173	PEAK																																																																																																																											
3	7311.00	50.42	54.00	-3.58	65.37	35.90	12.82	63.67	0.00	112	173	AVERAGE																																																																																																																											



Mode	3																																																																																			
	Band Edge																																																																																			
	2400-2483.5_802.11b_CH11_2462MHz																																																																																			
ANT	MIMO 3+8																																																																																			
Pol.	Horizontal	Fundamental																																																																																		
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2487.63</td> <td>55.06</td> <td>74.00</td> <td>-18.94</td> <td>44.87</td> <td>32.58</td> <td>7.30</td> <td>35.69</td> <td>6.00</td> <td>110</td> <td>243</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2487.63	55.06	74.00	-18.94	44.87	32.58	7.30	35.69	6.00	110	243	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2462.00</td> <td>112.02</td> <td>-----</td> <td>-----</td> <td>101.92</td> <td>32.55</td> <td>7.25</td> <td>35.70</td> <td>6.00</td> <td>110</td> <td>243</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	112.02	-----	-----	101.92	32.55	7.25	35.70	6.00	110	243	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	2487.63	55.06	74.00	-18.94	44.87	32.58	7.30	35.69	6.00	110	243	PEAK																																																																								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	2462.00	112.02	-----	-----	101.92	32.55	7.25	35.70	6.00	110	243	PEAK																																																																								
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2487.71</td> <td>45.62</td> <td>54.00</td> <td>-8.38</td> <td>35.43</td> <td>32.58</td> <td>7.30</td> <td>35.69</td> <td>6.00</td> <td>110</td> <td>243</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2487.71	45.62	54.00	-8.38	35.43	32.58	7.30	35.69	6.00	110	243	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2462.00</td> <td>107.52</td> <td>-----</td> <td>-----</td> <td>97.44</td> <td>32.54</td> <td>7.24</td> <td>35.70</td> <td>6.00</td> <td>110</td> <td>243</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	107.52	-----	-----	97.44	32.54	7.24	35.70	6.00	110	243	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	2487.71	45.62	54.00	-8.38	35.43	32.58	7.30	35.69	6.00	110	243	AVERAGE																																																																								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	2462.00	107.52	-----	-----	97.44	32.54	7.24	35.70	6.00	110	243	AVERAGE																																																																								



Mode	3																																																																																			
	Band Edge																																																																																			
	2400-2483.5_802.11b_CH11_2462MHz																																																																																			
ANT	MIMO 3+8																																																																																			
Pol.	Vertical	Fundamental																																																																																		
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2486.07</td> <td>52.81</td> <td>74.00</td> <td>-21.19</td> <td>42.63</td> <td>32.58</td> <td>7.29</td> <td>35.69</td> <td>6.00</td> <td>327</td> <td>82</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2486.07	52.81	74.00	-21.19	42.63	32.58	7.29	35.69	6.00	327	82	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2462.00</td> <td>107.80</td> <td>-----</td> <td>-----</td> <td>97.70</td> <td>32.55</td> <td>7.25</td> <td>35.70</td> <td>6.00</td> <td>327</td> <td>82</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	107.80	-----	-----	97.70	32.55	7.25	35.70	6.00	327	82	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	2486.07	52.81	74.00	-21.19	42.63	32.58	7.29	35.69	6.00	327	82	PEAK																																																																								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	2462.00	107.80	-----	-----	97.70	32.55	7.25	35.70	6.00	327	82	PEAK																																																																								
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2487.55</td> <td>43.29</td> <td>54.00</td> <td>-10.71</td> <td>33.10</td> <td>32.58</td> <td>7.30</td> <td>35.69</td> <td>6.00</td> <td>327</td> <td>82</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2487.55	43.29	54.00	-10.71	33.10	32.58	7.30	35.69	6.00	327	82	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2462.00</td> <td>103.52</td> <td>-----</td> <td>-----</td> <td>93.42</td> <td>32.55</td> <td>7.25</td> <td>35.70</td> <td>6.00</td> <td>327</td> <td>82</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	103.52	-----	-----	93.42	32.55	7.25	35.70	6.00	327	82	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	2487.55	43.29	54.00	-10.71	33.10	32.58	7.30	35.69	6.00	327	82	AVERAGE																																																																								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	2462.00	103.52	-----	-----	93.42	32.55	7.25	35.70	6.00	327	82	AVERAGE																																																																								



Mode	3																																																																																																																		
	Harmonic																																																																																																																		
	2400-2483.5_802.11b_CH11_2462MHz																																																																																																																		
ANT	MIMO 3+8																																																																																																																		
Pol.	Horizontal	Vertical																																																																																																																	
Peak Avg																																																																																																																			
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4924.00</td> <td>42.36</td> <td>74.00</td> <td>-31.64</td> <td>60.83</td> <td>34.56</td> <td>10.45</td> <td>63.48</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>7306.00</td> <td>43.98</td> <td>74.00</td> <td>-30.02</td> <td>58.96</td> <td>35.90</td> <td>12.84</td> <td>63.72</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor		cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4924.00	42.36	74.00	-31.64	60.83	34.56	10.45	63.48	0.00	---	---	PEAK	2	7306.00	43.98	74.00	-30.02	58.96	35.90	12.84	63.72	0.00	---	---	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4924.00</td> <td>43.58</td> <td>74.00</td> <td>-30.42</td> <td>62.05</td> <td>34.56</td> <td>10.45</td> <td>63.48</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>7306.00</td> <td>43.54</td> <td>74.00</td> <td>-30.46</td> <td>58.52</td> <td>35.90</td> <td>12.84</td> <td>63.72</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor		cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4924.00	43.58	74.00	-30.42	62.05	34.56	10.45	63.48	0.00	---	---	PEAK	2	7306.00	43.54	74.00	-30.46	58.52	35.90	12.84	63.72	0.00	---	---
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																												
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor		cm	deg																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																									
1	4924.00	42.36	74.00	-31.64	60.83	34.56	10.45	63.48	0.00	---	---	PEAK																																																																																																							
2	7306.00	43.98	74.00	-30.02	58.96	35.90	12.84	63.72	0.00	---	---	PEAK																																																																																																							
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																												
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor		cm	deg																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																									
1	4924.00	43.58	74.00	-30.42	62.05	34.56	10.45	63.48	0.00	---	---	PEAK																																																																																																							
2	7306.00	43.54	74.00	-30.46	58.52	35.90	12.84	63.72	0.00	---	---	PEAK																																																																																																							



		4																																																																																		
Mode	Band Edge																																																																																			
	2400-2483.5_802.11g_CH01_2412MHz																																																																																			
ANT	MIMO 3+8																																																																																			
Pol.	Horizontal	Fundamental																																																																																		
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2389.99</td> <td>64.07</td> <td>74.00</td> <td>-9.93</td> <td>54.23</td> <td>32.44</td> <td>7.11</td> <td>35.71</td> <td>6.00</td> <td>124</td> <td>258</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.99	64.07	74.00	-9.93	54.23	32.44	7.11	35.71	6.00	124	258	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2412.00</td> <td>113.00</td> <td>-----</td> <td>-----</td> <td>103.08</td> <td>32.48</td> <td>7.15</td> <td>35.71</td> <td>6.00</td> <td>124</td> <td>258</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	113.00	-----	-----	103.08	32.48	7.15	35.71	6.00	124	258	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	2389.99	64.07	74.00	-9.93	54.23	32.44	7.11	35.71	6.00	124	258	PEAK																																																																								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	2412.00	113.00	-----	-----	103.08	32.48	7.15	35.71	6.00	124	258	PEAK																																																																								
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2389.99</td> <td>48.78</td> <td>54.00</td> <td>-5.22</td> <td>38.94</td> <td>32.44</td> <td>7.11</td> <td>35.71</td> <td>6.00</td> <td>124</td> <td>258</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.99	48.78	54.00	-5.22	38.94	32.44	7.11	35.71	6.00	124	258	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2412.00</td> <td>104.81</td> <td>-----</td> <td>-----</td> <td>94.89</td> <td>32.48</td> <td>7.15</td> <td>35.71</td> <td>6.00</td> <td>124</td> <td>258</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	104.81	-----	-----	94.89	32.48	7.15	35.71	6.00	124	258	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	2389.99	48.78	54.00	-5.22	38.94	32.44	7.11	35.71	6.00	124	258	AVERAGE																																																																								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	2412.00	104.81	-----	-----	94.89	32.48	7.15	35.71	6.00	124	258	AVERAGE																																																																								



Mode	4																																																																																	
	Band Edge																																																																																	
	2400-2483.5_802.11g_CH01_2412MHz																																																																																	
ANT	MIMO 3+8																																																																																	
Pol.	Vertical	Fundamental																																																																																
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2389.76</td> <td>64.93</td> <td>74.00</td> <td>-9.07</td> <td>55.09</td> <td>32.44</td> <td>7.11</td> <td>35.71</td> <td>6.00</td> <td>342</td> <td>70 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.76	64.93	74.00	-9.07	55.09	32.44	7.11	35.71	6.00	342	70 PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2412.00</td> <td>110.94</td> <td>-----</td> <td>-----</td> <td>101.02</td> <td>32.48</td> <td>7.15</td> <td>35.71</td> <td>6.00</td> <td>342</td> <td>70 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	110.94	-----	-----	101.02	32.48	7.15	35.71	6.00	342	70 PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	2389.76	64.93	74.00	-9.07	55.09	32.44	7.11	35.71	6.00	342	70 PEAK																																																																							
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	2412.00	110.94	-----	-----	101.02	32.48	7.15	35.71	6.00	342	70 PEAK																																																																							
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2389.99</td> <td>49.65</td> <td>54.00</td> <td>-4.35</td> <td>39.81</td> <td>32.44</td> <td>7.11</td> <td>35.71</td> <td>6.00</td> <td>342</td> <td>70 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.99	49.65	54.00	-4.35	39.81	32.44	7.11	35.71	6.00	342	70 AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2412.00</td> <td>102.18</td> <td>-----</td> <td>-----</td> <td>92.26</td> <td>32.48</td> <td>7.15</td> <td>35.71</td> <td>6.00</td> <td>342</td> <td>70 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	102.18	-----	-----	92.26	32.48	7.15	35.71	6.00	342	70 AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	2389.99	49.65	54.00	-4.35	39.81	32.44	7.11	35.71	6.00	342	70 AVERAGE																																																																							
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	2412.00	102.18	-----	-----	92.26	32.48	7.15	35.71	6.00	342	70 AVERAGE																																																																							







Mode	4																																																																																																					
	Harmonic																																																																																																					
	2400-2483.5_802.11g_CH01_2412MHz																																																																																																					
ANT	MIMO 3+8																																																																																																					
Pol.	Horizontal	Vertical																																																																																																				
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4824.00</td> <td>42.33</td> <td>74.00</td> <td>-31.67</td> <td>60.86</td> <td>34.63</td> <td>10.32</td> <td>63.48</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>7239.00</td> <td>50.45</td> <td>97.00</td> <td>-46.55</td> <td>65.38</td> <td>35.90</td> <td>12.00</td> <td>63.63</td> <td>0.00</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	4824.00	42.33	74.00	-31.67	60.86	34.63	10.32	63.48	0.00	---	---	PEAK	2	7239.00	50.45	97.00	-46.55	65.38	35.90	12.00	63.63	0.00	---	---	Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4824.00</td> <td>42.40</td> <td>74.00</td> <td>-31.60</td> <td>60.93</td> <td>34.63</td> <td>10.32</td> <td>63.48</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>7246.00</td> <td>52.58</td> <td>90.00</td> <td>-37.42</td> <td>67.51</td> <td>35.90</td> <td>12.00</td> <td>63.63</td> <td>0.00</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	4824.00	42.40	74.00	-31.60	60.93	34.63	10.32	63.48	0.00	---	---	PEAK	2	7246.00	52.58	90.00	-37.42	67.51	35.90	12.00	63.63	0.00	---	---	Peak
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																															
1	4824.00	42.33	74.00	-31.67	60.86	34.63	10.32	63.48	0.00	---	---	PEAK																																																																																										
2	7239.00	50.45	97.00	-46.55	65.38	35.90	12.00	63.63	0.00	---	---	Peak																																																																																										
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																															
1	4824.00	42.40	74.00	-31.60	60.93	34.63	10.32	63.48	0.00	---	---	PEAK																																																																																										
2	7246.00	52.58	90.00	-37.42	67.51	35.90	12.00	63.63	0.00	---	---	Peak																																																																																										



Mode	5																																																																																													
	Harmonic																																																																																													
	2400-2483.5_802.11g_CH06_2437MHz																																																																																													
ANT	MIMO 3+8																																																																																													
Pol.	Horizontal	Vertical																																																																																												
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4874.00</td> <td>42.40</td> <td>74.00</td> <td>-31.60</td> <td>60.90</td> <td>34.60</td> <td>10.38</td> <td>63.48</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>7314.00</td> <td>50.44</td> <td>74.00</td> <td>-23.56</td> <td>65.39</td> <td>35.90</td> <td>12.82</td> <td>63.67</td> <td>0.00</td> <td>300</td> <td>135</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	Remark	1	4874.00	42.40	74.00	-31.60	60.90	34.60	10.38	63.48	0.00	---	---	PEAK	2	7314.00	50.44	74.00	-23.56	65.39	35.90	12.82	63.67	0.00	300	135	Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4874.00</td> <td>42.61</td> <td>74.00</td> <td>-31.39</td> <td>61.11</td> <td>34.60</td> <td>10.38</td> <td>63.48</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>7309.00</td> <td>48.86</td> <td>74.00</td> <td>-25.14</td> <td>63.81</td> <td>35.90</td> <td>12.82</td> <td>63.67</td> <td>0.00</td> <td>100</td> <td>138</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	Remark	1	4874.00	42.61	74.00	-31.39	61.11	34.60	10.38	63.48	0.00	---	---	PEAK	2	7309.00	48.86	74.00	-25.14	63.81	35.90	12.82	63.67	0.00	100	138	Peak
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	Remark																																																																																			
1	4874.00	42.40	74.00	-31.60	60.90	34.60	10.38	63.48	0.00	---	---	PEAK																																																																																		
2	7314.00	50.44	74.00	-23.56	65.39	35.90	12.82	63.67	0.00	300	135	Peak																																																																																		
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	Remark																																																																																			
1	4874.00	42.61	74.00	-31.39	61.11	34.60	10.38	63.48	0.00	---	---	PEAK																																																																																		
2	7309.00	48.86	74.00	-25.14	63.81	35.90	12.82	63.67	0.00	100	138	Peak																																																																																		



Mode	6																																																																															
	Band Edge																																																																															
	2400-2483.5_802.11g_CH10_2457MHz																																																																															
ANT	MIMO 3+8																																																																															
Pol.	Horizontal	Fundamental																																																																														
Peak	 <p>Level (dBuV/m)</p> <p>Frequency (MHz)</p> <p>FCC PART 15C</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2485.12</td> <td>61.65</td> <td>74.00</td> <td>-12.35</td> <td>52.87</td> <td>32.58</td> <td>7.26</td> <td>37.06</td> <td>6.00</td> <td>123</td> <td>3 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	2485.12	61.65	74.00	-12.35	52.87	32.58	7.26	37.06	6.00	123	3 PEAK	 <p>Level (dBuV/m)</p> <p>Frequency (MHz)</p> <p>FCC PART 15C</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2457.00</td> <td>113.82</td> <td>-----</td> <td>-----</td> <td>104.96</td> <td>32.54</td> <td>7.21</td> <td>36.89</td> <td>6.00</td> <td>123</td> <td>3 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	2457.00	113.82	-----	-----	104.96	32.54	7.21	36.89	6.00	123	3 PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																								
1	2485.12	61.65	74.00	-12.35	52.87	32.58	7.26	37.06	6.00	123	3 PEAK																																																																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																								
1	2457.00	113.82	-----	-----	104.96	32.54	7.21	36.89	6.00	123	3 PEAK																																																																					
Avg	 <p>Level (dBuV/m)</p> <p>Frequency (MHz)</p> <p>FCC PART 15C (AVG)</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2485.12</td> <td>49.58</td> <td>54.00</td> <td>-4.42</td> <td>40.80</td> <td>32.58</td> <td>7.26</td> <td>37.06</td> <td>6.00</td> <td>123</td> <td>3 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	2485.12	49.58	54.00	-4.42	40.80	32.58	7.26	37.06	6.00	123	3 AVERAGE	 <p>Level (dBuV/m)</p> <p>Frequency (MHz)</p> <p>FCC PART 15C (AVG)</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2457.00</td> <td>105.25</td> <td>-----</td> <td>-----</td> <td>96.39</td> <td>32.54</td> <td>7.21</td> <td>36.89</td> <td>6.00</td> <td>123</td> <td>3 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	2457.00	105.25	-----	-----	96.39	32.54	7.21	36.89	6.00	123	3 AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																								
1	2485.12	49.58	54.00	-4.42	40.80	32.58	7.26	37.06	6.00	123	3 AVERAGE																																																																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																								
1	2457.00	105.25	-----	-----	96.39	32.54	7.21	36.89	6.00	123	3 AVERAGE																																																																					







Mode	6																																																																																	
	Band Edge																																																																																	
	2400-2483.5_802.11g_CH10_2457MHz																																																																																	
ANT	MIMO 3+8																																																																																	
Pol.	Vertical	Fundamental																																																																																
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2486.32</td> <td>60.38</td> <td>74.00</td> <td>-13.62</td> <td>51.61</td> <td>32.58</td> <td>7.26</td> <td>37.07</td> <td>6.00</td> <td>363</td> <td>223</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	2486.32	60.38	74.00	-13.62	51.61	32.58	7.26	37.07	6.00	363	223	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2457.00</td> <td>111.44</td> <td>-----</td> <td>-----</td> <td>102.58</td> <td>32.54</td> <td>7.21</td> <td>36.89</td> <td>6.00</td> <td>363</td> <td>223</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	2457.00	111.44	-----	-----	102.58	32.54	7.21	36.89	6.00	363	223	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																										
1	2486.32	60.38	74.00	-13.62	51.61	32.58	7.26	37.07	6.00	363	223	PEAK																																																																						
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																										
1	2457.00	111.44	-----	-----	102.58	32.54	7.21	36.89	6.00	363	223	PEAK																																																																						
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2485.18</td> <td>46.85</td> <td>54.00</td> <td>-7.15</td> <td>38.07</td> <td>32.58</td> <td>7.26</td> <td>37.06</td> <td>6.00</td> <td>363</td> <td>223</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	2485.18	46.85	54.00	-7.15	38.07	32.58	7.26	37.06	6.00	363	223	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2457.00</td> <td>103.31</td> <td>-----</td> <td>-----</td> <td>94.45</td> <td>32.54</td> <td>7.21</td> <td>36.89</td> <td>6.00</td> <td>363</td> <td>223</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	2457.00	103.31	-----	-----	94.45	32.54	7.21	36.89	6.00	363	223	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																										
1	2485.18	46.85	54.00	-7.15	38.07	32.58	7.26	37.06	6.00	363	223	AVERAGE																																																																						
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																										
1	2457.00	103.31	-----	-----	94.45	32.54	7.21	36.89	6.00	363	223	AVERAGE																																																																						



Mode	6																																																																																																									
	Harmonic																																																																																																									
	2400-2483.5_802.11g_CH10_2457MHz																																																																																																									
ANT	MIMO 3+8																																																																																																									
Pol.	Horizontal	Vertical																																																																																																								
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4914.00</td> <td>41.73</td> <td>74.00</td> <td>-32.27</td> <td>62.12</td> <td>34.57</td> <td>10.34</td> <td>65.30</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>7371.00</td> <td>44.06</td> <td>74.00</td> <td>-29.94</td> <td>62.32</td> <td>35.90</td> <td>12.73</td> <td>66.89</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4914.00	41.73	74.00	-32.27	62.12	34.57	10.34	65.30	0.00	---	---	PEAK	2	7371.00	44.06	74.00	-29.94	62.32	35.90	12.73	66.89	0.00	---	---	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4914.00</td> <td>41.36</td> <td>74.00</td> <td>-32.64</td> <td>61.75</td> <td>34.57</td> <td>10.34</td> <td>65.30</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>7371.00</td> <td>45.38</td> <td>74.00</td> <td>-28.62</td> <td>63.64</td> <td>35.90</td> <td>12.73</td> <td>66.89</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4914.00	41.36	74.00	-32.64	61.75	34.57	10.34	65.30	0.00	---	---	PEAK	2	7371.00	45.38	74.00	-28.62	63.64	35.90	12.73	66.89	0.00	---	---	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																			
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Remark																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																	
1	4914.00	41.73	74.00	-32.27	62.12	34.57	10.34	65.30	0.00	---	---	PEAK																																																																																														
2	7371.00	44.06	74.00	-29.94	62.32	35.90	12.73	66.89	0.00	---	---	PEAK																																																																																														
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																			
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Remark																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																	
1	4914.00	41.36	74.00	-32.64	61.75	34.57	10.34	65.30	0.00	---	---	PEAK																																																																																														
2	7371.00	45.38	74.00	-28.62	63.64	35.90	12.73	66.89	0.00	---	---	PEAK																																																																																														



Mode	7																																																																			
	Band Edge																																																																			
	2400-2483.5_802.11g_CH11_2462MHz																																																																			
ANT	MIMO 3+8																																																																			
Pol.	Horizontal	Fundamental																																																																		
Peak	 <table border="1" data-bbox="263 1120 798 1243"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2485.35</td> <td>63.17</td> <td>74.00</td> <td>-10.83</td> <td>52.99</td> <td>32.58</td> <td>7.29</td> <td>35.69</td> <td>6.00</td> <td>124</td> <td>149</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor			cm	deg	1	2485.35	63.17	74.00	-10.83	52.99	32.58	7.29	35.69	6.00	124	149	PEAK	 <table border="1" data-bbox="901 1120 1436 1243"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2462.00</td> <td>109.55</td> <td>-----</td> <td>-----</td> <td>99.45</td> <td>32.55</td> <td>7.25</td> <td>35.70</td> <td>6.00</td> <td>124</td> <td>149</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor			cm	deg	1	2462.00	109.55	-----	-----	99.45	32.55	7.25	35.70	6.00	124	149	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor			cm	deg																																																											
1	2485.35	63.17	74.00	-10.83	52.99	32.58	7.29	35.69	6.00	124	149	PEAK																																																								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor			cm	deg																																																											
1	2462.00	109.55	-----	-----	99.45	32.55	7.25	35.70	6.00	124	149	PEAK																																																								
Avg	 <table border="1" data-bbox="263 1792 798 1915"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2485.20</td> <td>50.67</td> <td>54.00</td> <td>-3.33</td> <td>40.49</td> <td>32.58</td> <td>7.29</td> <td>35.69</td> <td>6.00</td> <td>124</td> <td>149</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor			cm	deg	1	2485.20	50.67	54.00	-3.33	40.49	32.58	7.29	35.69	6.00	124	149	AVERAGE	 <table border="1" data-bbox="901 1792 1436 1915"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2462.00</td> <td>100.81</td> <td>-----</td> <td>-----</td> <td>90.72</td> <td>32.54</td> <td>7.25</td> <td>35.70</td> <td>6.00</td> <td>124</td> <td>149</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor			cm	deg	1	2462.00	100.81	-----	-----	90.72	32.54	7.25	35.70	6.00	124	149	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor			cm	deg																																																											
1	2485.20	50.67	54.00	-3.33	40.49	32.58	7.29	35.69	6.00	124	149	AVERAGE																																																								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor			cm	deg																																																											
1	2462.00	100.81	-----	-----	90.72	32.54	7.25	35.70	6.00	124	149	AVERAGE																																																								



7																																										
Mode	Band Edge																																									
	2400-2483.5_802.11g_CH11_2462MHz																																									
ANT	MIMO 3+8																																									
Pol.	Vertical																																									
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.91</td> <td>60.65</td> <td>74.00</td> <td>-13.35</td> <td>50.47</td> <td>32.58</td> <td>7.29</td> <td>35.69</td> <td>6.00</td> <td>370</td> <td>78</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.91	60.65	74.00	-13.35	50.47	32.58	7.29	35.69	6.00	370	78	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																	
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																	
1	2483.91	60.65	74.00	-13.35	50.47	32.58	7.29	35.69	6.00	370	78	PEAK																														
<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2462.00</td> <td>106.49</td> <td>-----</td> <td>-----</td> <td>96.41</td> <td>32.54</td> <td>7.24</td> <td>35.70</td> <td>6.00</td> <td>370</td> <td>78</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	106.49	-----	-----	96.41	32.54	7.24	35.70	6.00	370	78	PEAK	
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																		
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																	
1	2462.00	106.49	-----	-----	96.41	32.54	7.24	35.70	6.00	370	78	PEAK																														
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2485.76</td> <td>47.57</td> <td>54.00</td> <td>-6.43</td> <td>37.39</td> <td>32.58</td> <td>7.29</td> <td>35.69</td> <td>6.00</td> <td>370</td> <td>78</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2485.76	47.57	54.00	-6.43	37.39	32.58	7.29	35.69	6.00	370	78	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																	
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																	
1	2485.76	47.57	54.00	-6.43	37.39	32.58	7.29	35.69	6.00	370	78	AVERAGE																														
<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2462.00</td> <td>97.74</td> <td>-----</td> <td>-----</td> <td>87.66</td> <td>32.54</td> <td>7.24</td> <td>35.70</td> <td>6.00</td> <td>370</td> <td>78</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	97.74	-----	-----	87.66	32.54	7.24	35.70	6.00	370	78	AVERAGE	
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																		
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																	
1	2462.00	97.74	-----	-----	87.66	32.54	7.24	35.70	6.00	370	78	AVERAGE																														



Mode	7																																																																																																																									
	Harmonic																																																																																																																									
	2400-2483.5_802.11g_CH11_2462MHz																																																																																																																									
ANT	MIMO 3+8																																																																																																																									
Pol.	Horizontal	Vertical																																																																																																																								
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4924.00</td> <td>42.10</td> <td>74.00</td> <td>-31.90</td> <td>60.57</td> <td>34.56</td> <td>10.45</td> <td>63.48</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>7304.00</td> <td>48.80</td> <td>74.00</td> <td>-25.20</td> <td>63.78</td> <td>35.90</td> <td>12.84</td> <td>63.72</td> <td>0.00</td> <td>300</td> <td>126</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Factor	cm	deg	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1	4924.00	42.10	74.00	-31.90	60.57	34.56	10.45	63.48	0.00	---	---	PEAK	2	7304.00	48.80	74.00	-25.20	63.78	35.90	12.84	63.72	0.00	300	126	Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4924.00</td> <td>42.55</td> <td>74.00</td> <td>-31.45</td> <td>61.02</td> <td>34.56</td> <td>10.45</td> <td>63.48</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>7392.00</td> <td>48.10</td> <td>74.00</td> <td>-25.90</td> <td>63.08</td> <td>35.90</td> <td>12.84</td> <td>63.72</td> <td>0.00</td> <td>100</td> <td>149</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Factor	cm	deg	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1	4924.00	42.55	74.00	-31.45	61.02	34.56	10.45	63.48	0.00	---	---	PEAK	2	7392.00	48.10	74.00	-25.90	63.08	35.90	12.84	63.72	0.00	100	149	Peak
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Factor	cm	deg	Remark																																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																															
1	4924.00	42.10	74.00	-31.90	60.57	34.56	10.45	63.48	0.00	---	---	PEAK																																																																																																														
2	7304.00	48.80	74.00	-25.20	63.78	35.90	12.84	63.72	0.00	300	126	Peak																																																																																																														
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Factor	cm	deg	Remark																																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																															
1	4924.00	42.55	74.00	-31.45	61.02	34.56	10.45	63.48	0.00	---	---	PEAK																																																																																																														
2	7392.00	48.10	74.00	-25.90	63.08	35.90	12.84	63.72	0.00	100	149	Peak																																																																																																														



Mode	8																																																																																			
	Band Edge																																																																																			
	2400-2483.5_802.11ax HE20_CH01_2412MHz																																																																																			
ANT	MIMO 3+8																																																																																			
Pol.	Horizontal	Fundamental																																																																																		
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2389.89</td> <td>62.59</td> <td>74.00</td> <td>-11.41</td> <td>52.75</td> <td>32.44</td> <td>7.11</td> <td>35.71</td> <td>6.00</td> <td>124</td> <td>255</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.89	62.59	74.00	-11.41	52.75	32.44	7.11	35.71	6.00	124	255	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2412.00</td> <td>110.36</td> <td>-----</td> <td>-----</td> <td>100.44</td> <td>32.48</td> <td>7.15</td> <td>35.71</td> <td>6.00</td> <td>124</td> <td>255</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	110.36	-----	-----	100.44	32.48	7.15	35.71	6.00	124	255	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	2389.89	62.59	74.00	-11.41	52.75	32.44	7.11	35.71	6.00	124	255	PEAK																																																																								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	2412.00	110.36	-----	-----	100.44	32.48	7.15	35.71	6.00	124	255	PEAK																																																																								
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2389.99</td> <td>49.53</td> <td>54.00</td> <td>-4.47</td> <td>39.69</td> <td>32.44</td> <td>7.11</td> <td>35.71</td> <td>6.00</td> <td>124</td> <td>255</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.99	49.53	54.00	-4.47	39.69	32.44	7.11	35.71	6.00	124	255	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2412.00</td> <td>101.18</td> <td>-----</td> <td>-----</td> <td>91.26</td> <td>32.48</td> <td>7.15</td> <td>35.71</td> <td>6.00</td> <td>124</td> <td>255</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	101.18	-----	-----	91.26	32.48	7.15	35.71	6.00	124	255	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	2389.99	49.53	54.00	-4.47	39.69	32.44	7.11	35.71	6.00	124	255	AVERAGE																																																																								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	2412.00	101.18	-----	-----	91.26	32.48	7.15	35.71	6.00	124	255	AVERAGE																																																																								



Mode	8																																																																																	
	Band Edge																																																																																	
	2400-2483.5_802.11ax HE20_CH01_2412MHz																																																																																	
ANT	MIMO 3+8																																																																																	
Pol.	Vertical	Fundamental																																																																																
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2389.99</td> <td>59.14</td> <td>74.00</td> <td>-14.86</td> <td>49.30</td> <td>32.44</td> <td>7.11</td> <td>35.71</td> <td>6.00</td> <td>381</td> <td>71 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.99	59.14	74.00	-14.86	49.30	32.44	7.11	35.71	6.00	381	71 PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2412.00</td> <td>108.86</td> <td>-----</td> <td>-----</td> <td>98.93</td> <td>32.48</td> <td>7.16</td> <td>35.71</td> <td>6.00</td> <td>381</td> <td>71 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	108.86	-----	-----	98.93	32.48	7.16	35.71	6.00	381	71 PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	2389.99	59.14	74.00	-14.86	49.30	32.44	7.11	35.71	6.00	381	71 PEAK																																																																							
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	2412.00	108.86	-----	-----	98.93	32.48	7.16	35.71	6.00	381	71 PEAK																																																																							
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2389.99</td> <td>47.02</td> <td>54.00</td> <td>-6.98</td> <td>37.18</td> <td>32.44</td> <td>7.11</td> <td>35.71</td> <td>6.00</td> <td>381</td> <td>71 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.99	47.02	54.00	-6.98	37.18	32.44	7.11	35.71	6.00	381	71 AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2412.00</td> <td>99.10</td> <td>-----</td> <td>-----</td> <td>89.17</td> <td>32.48</td> <td>7.16</td> <td>35.71</td> <td>6.00</td> <td>381</td> <td>71 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	99.10	-----	-----	89.17	32.48	7.16	35.71	6.00	381	71 AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	2389.99	47.02	54.00	-6.98	37.18	32.44	7.11	35.71	6.00	381	71 AVERAGE																																																																							
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	2412.00	99.10	-----	-----	89.17	32.48	7.16	35.71	6.00	381	71 AVERAGE																																																																							







Mode	8																																																																																																					
	Harmonic																																																																																																					
	2400-2483.5_802.11ax HE20_CH01_2412MHz																																																																																																					
ANT	MIMO 3+8																																																																																																					
Pol.	Horizontal	Vertical																																																																																																				
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4824.00</td> <td>43.18</td> <td>74.00</td> <td>-30.82</td> <td>61.71</td> <td>34.63</td> <td>10.32</td> <td>63.48</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>7236.00</td> <td>49.74</td> <td>90.00</td> <td>-40.26</td> <td>64.67</td> <td>35.90</td> <td>12.00</td> <td>63.63</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	4824.00	43.18	74.00	-30.82	61.71	34.63	10.32	63.48	0.00	---	---	PEAK	2	7236.00	49.74	90.00	-40.26	64.67	35.90	12.00	63.63	0.00	---	---	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4824.00</td> <td>42.76</td> <td>74.00</td> <td>-31.24</td> <td>61.29</td> <td>34.63</td> <td>10.32</td> <td>63.48</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>7236.00</td> <td>49.46</td> <td>88.00</td> <td>-38.54</td> <td>64.39</td> <td>35.90</td> <td>12.00</td> <td>63.63</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	4824.00	42.76	74.00	-31.24	61.29	34.63	10.32	63.48	0.00	---	---	PEAK	2	7236.00	49.46	88.00	-38.54	64.39	35.90	12.00	63.63	0.00	---	---	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																															
1	4824.00	43.18	74.00	-30.82	61.71	34.63	10.32	63.48	0.00	---	---	PEAK																																																																																										
2	7236.00	49.74	90.00	-40.26	64.67	35.90	12.00	63.63	0.00	---	---	PEAK																																																																																										
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																															
1	4824.00	42.76	74.00	-31.24	61.29	34.63	10.32	63.48	0.00	---	---	PEAK																																																																																										
2	7236.00	49.46	88.00	-38.54	64.39	35.90	12.00	63.63	0.00	---	---	PEAK																																																																																										



Mode	9																																																																																																									
	Harmonic																																																																																																									
	2400-2483.5_802.11ax HE20_CH06_2437MHz																																																																																																									
ANT	MIMO 3+8																																																																																																									
Pol.	Horizontal	Vertical																																																																																																								
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4874.00</td> <td>43.59</td> <td>74.00</td> <td>-30.41</td> <td>62.09</td> <td>34.60</td> <td>10.38</td> <td>63.48</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>7311.00</td> <td>48.16</td> <td>74.00</td> <td>-25.84</td> <td>63.11</td> <td>35.90</td> <td>12.82</td> <td>63.67</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4874.00	43.59	74.00	-30.41	62.09	34.60	10.38	63.48	0.00	---	---	PEAK	2	7311.00	48.16	74.00	-25.84	63.11	35.90	12.82	63.67	0.00	---	---	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4874.00</td> <td>42.42</td> <td>74.00</td> <td>-31.58</td> <td>60.92</td> <td>34.60</td> <td>10.38</td> <td>63.48</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>7311.00</td> <td>48.54</td> <td>74.00</td> <td>-25.46</td> <td>63.49</td> <td>35.90</td> <td>12.82</td> <td>63.67</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4874.00	42.42	74.00	-31.58	60.92	34.60	10.38	63.48	0.00	---	---	PEAK	2	7311.00	48.54	74.00	-25.46	63.49	35.90	12.82	63.67	0.00	---	---	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																			
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																	
1	4874.00	43.59	74.00	-30.41	62.09	34.60	10.38	63.48	0.00	---	---	PEAK																																																																																														
2	7311.00	48.16	74.00	-25.84	63.11	35.90	12.82	63.67	0.00	---	---	PEAK																																																																																														
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																			
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																	
1	4874.00	42.42	74.00	-31.58	60.92	34.60	10.38	63.48	0.00	---	---	PEAK																																																																																														
2	7311.00	48.54	74.00	-25.46	63.49	35.90	12.82	63.67	0.00	---	---	PEAK																																																																																														



Mode	10																																																																																	
	Band Edge																																																																																	
	2400-2483.5_802.11ax HE20_CH09_2452MHz																																																																																	
ANT	MIMO 3+8																																																																																	
Pol.	Horizontal	Fundamental																																																																																
Peak	 <p>Level (dBuV/m) vs Frequency (MHz) plot for Horizontal polarization. The plot shows a signal level starting at approximately 81.3 dBuV/m at 2440 MHz, peaking around 113.8 dBuV/m near 2452 MHz, and then gradually decreasing to about 48.8 dBuV/m at 2500 MHz. A red horizontal line labeled 'FCC PART 15C' is drawn at approximately 74.00 dBuV/m.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.62</td> <td>61.77</td> <td>74.00</td> <td>-12.23</td> <td>52.98</td> <td>32.58</td> <td>7.26</td> <td>37.05</td> <td>6.00</td> <td>122</td> <td>2 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.62	61.77	74.00	-12.23	52.98	32.58	7.26	37.05	6.00	122	2 PEAK	 <p>Level (dBuV/m) vs Frequency (MHz) plot for Fundamental polarization. The plot shows a signal level that is relatively flat around 48.8 dBuV/m from 1000 MHz to 2400 MHz, then rises sharply to a peak of approximately 113.8 dBuV/m at 2452 MHz, before falling back to the noise floor. A red horizontal line labeled 'FCC PART 15C' is drawn at approximately 74.00 dBuV/m.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2452.00</td> <td>115.30</td> <td>-----</td> <td>-----</td> <td>106.42</td> <td>32.53</td> <td>7.21</td> <td>36.86</td> <td>6.00</td> <td>122</td> <td>2 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2452.00	115.30	-----	-----	106.42	32.53	7.21	36.86	6.00	122	2 PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	2483.62	61.77	74.00	-12.23	52.98	32.58	7.26	37.05	6.00	122	2 PEAK																																																																							
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	2452.00	115.30	-----	-----	106.42	32.53	7.21	36.86	6.00	122	2 PEAK																																																																							
Avg	 <p>Level (dBuV/m) vs Frequency (MHz) plot for Horizontal polarization (Average). The plot shows a smoothed signal level starting at approximately 81.3 dBuV/m at 2440 MHz, peaking around 113.8 dBuV/m near 2452 MHz, and then gradually decreasing to about 48.8 dBuV/m at 2500 MHz. A red horizontal line labeled 'FCC PART 15C (AVG)' is drawn at approximately 74.00 dBuV/m.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.92</td> <td>49.85</td> <td>54.00</td> <td>-4.15</td> <td>41.06</td> <td>32.58</td> <td>7.26</td> <td>37.05</td> <td>6.00</td> <td>122</td> <td>2 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.92	49.85	54.00	-4.15	41.06	32.58	7.26	37.05	6.00	122	2 AVERAGE	 <p>Level (dBuV/m) vs Frequency (MHz) plot for Fundamental polarization (Average). The plot shows a smoothed signal level that is relatively flat around 48.8 dBuV/m from 1000 MHz to 2400 MHz, then rises to a peak of approximately 113.8 dBuV/m at 2452 MHz, before falling back to the noise floor. A red horizontal line labeled 'FCC PART 15C (AVG)' is drawn at approximately 74.00 dBuV/m.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2452.00</td> <td>104.71</td> <td>-----</td> <td>-----</td> <td>95.83</td> <td>32.54</td> <td>7.21</td> <td>36.87</td> <td>6.00</td> <td>122</td> <td>2 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2452.00	104.71	-----	-----	95.83	32.54	7.21	36.87	6.00	122	2 AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	2483.92	49.85	54.00	-4.15	41.06	32.58	7.26	37.05	6.00	122	2 AVERAGE																																																																							
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	2452.00	104.71	-----	-----	95.83	32.54	7.21	36.87	6.00	122	2 AVERAGE																																																																							







		10																																																																																																																																																																
Mode		Band Edge																																																																																																																																																																
		2400-2483.5_802.11ax HE20_CH09_2452MHz																																																																																																																																																																
ANT		MIMO 3+8																																																																																																																																																																
Pol.		Vertical	Fundamental																																																																																																																																																															
Peak	<table border="1" style="width: 100%; border-collapse: collapse; font-size: small;"> <thead> <tr> <th colspan="2"></th> <th colspan="2">Limit</th> <th colspan="2">Read</th> <th colspan="2">Ant</th> <th colspan="2">Cable</th> <th colspan="2">Preamp</th> <th colspan="2">Aux</th> <th colspan="2">APos</th> <th colspan="2">TPos</th> <th colspan="2">Remark</th> </tr> <tr> <th>1</th> <th>2</th> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th></th> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td></td> <td>2483.92</td> <td>59.22</td> <td>74.00</td> <td>-14.78</td> <td>50.43</td> <td>32.58</td> <td>7.26</td> <td>37.05</td> <td>6.00</td> <td></td> <td></td> <td></td> <td>360</td> <td>222</td> <td>PEAK</td> <td></td> <td></td> <td></td> </tr> </tbody> </table>			Limit		Read		Ant		Cable		Preamp		Aux		APos		TPos		Remark		1	2	Freq	Level	Line Margin	Level	Factor	Loss Factor	Loss Factor	Factor	Factor	Factor	Factor	Factor	Factor	Factor	Factor	Factor	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	dB	dB	dB	cm	deg				1		2483.92	59.22	74.00	-14.78	50.43	32.58	7.26	37.05	6.00				360	222	PEAK				<table border="1" style="width: 100%; border-collapse: collapse; font-size: small;"> <thead> <tr> <th colspan="2"></th> <th colspan="2">Limit</th> <th colspan="2">Read</th> <th colspan="2">Ant</th> <th colspan="2">Cable</th> <th colspan="2">Preamp</th> <th colspan="2">Aux</th> <th colspan="2">APos</th> <th colspan="2">TPos</th> <th colspan="2">Remark</th> </tr> <tr> <th>1</th> <th>2</th> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th></th> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td></td> <td>2452.00</td> <td>111.80</td> <td>-----</td> <td>-----</td> <td>102.92</td> <td>32.54</td> <td>7.21</td> <td>36.87</td> <td>6.00</td> <td></td> <td></td> <td></td> <td>360</td> <td>222</td> <td>PEAK</td> <td></td> <td></td> <td></td> </tr> </tbody> </table>			Limit		Read		Ant		Cable		Preamp		Aux		APos		TPos		Remark		1	2	Freq	Level	Line Margin	Level	Factor	Loss Factor	Loss Factor	Factor	Factor	Factor	Factor	Factor	Factor	Factor	Factor	Factor	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	dB	dB	cm	deg					1		2452.00	111.80	-----	-----	102.92	32.54	7.21	36.87	6.00				360	222	PEAK			
			Limit		Read		Ant		Cable		Preamp		Aux		APos		TPos		Remark																																																																																																																																															
1	2	Freq	Level	Line Margin	Level	Factor	Loss Factor	Loss Factor	Factor	Factor	Factor	Factor	Factor	Factor	Factor	Factor	Factor	Factor	Factor																																																																																																																																															
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	dB	dB	dB	cm	deg																																																																																																																																																		
1		2483.92	59.22	74.00	-14.78	50.43	32.58	7.26	37.05	6.00				360	222	PEAK																																																																																																																																																		
		Limit		Read		Ant		Cable		Preamp		Aux		APos		TPos		Remark																																																																																																																																																
1	2	Freq	Level	Line Margin	Level	Factor	Loss Factor	Loss Factor	Factor	Factor	Factor	Factor	Factor	Factor	Factor	Factor	Factor	Factor	Factor																																																																																																																																															
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	dB	dB	cm	deg																																																																																																																																																			
1		2452.00	111.80	-----	-----	102.92	32.54	7.21	36.87	6.00				360	222	PEAK																																																																																																																																																		
Avg	<table border="1" style="width: 100%; border-collapse: collapse; font-size: small;"> <thead> <tr> <th colspan="2"></th> <th colspan="2">Limit</th> <th colspan="2">Read</th> <th colspan="2">Ant</th> <th colspan="2">Cable</th> <th colspan="2">Preamp</th> <th colspan="2">Aux</th> <th colspan="2">APos</th> <th colspan="2">TPos</th> <th colspan="2">Remark</th> </tr> <tr> <th>1</th> <th>2</th> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th></th> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td></td> <td>2483.98</td> <td>47.81</td> <td>54.00</td> <td>-6.19</td> <td>39.02</td> <td>32.58</td> <td>7.26</td> <td>37.05</td> <td>6.00</td> <td></td> <td></td> <td></td> <td>360</td> <td>222</td> <td>AVERAGE</td> <td></td> <td></td> <td></td> </tr> </tbody> </table>			Limit		Read		Ant		Cable		Preamp		Aux		APos		TPos		Remark		1	2	Freq	Level	Line Margin	Level	Factor	Loss Factor	Loss Factor	Factor	Factor	Factor	Factor	Factor	Factor	Factor	Factor	Factor	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	dB	dB	cm	deg					1		2483.98	47.81	54.00	-6.19	39.02	32.58	7.26	37.05	6.00				360	222	AVERAGE				<table border="1" style="width: 100%; border-collapse: collapse; font-size: small;"> <thead> <tr> <th colspan="2"></th> <th colspan="2">Limit</th> <th colspan="2">Read</th> <th colspan="2">Ant</th> <th colspan="2">Cable</th> <th colspan="2">Preamp</th> <th colspan="2">Aux</th> <th colspan="2">APos</th> <th colspan="2">TPos</th> <th colspan="2">Remark</th> </tr> <tr> <th>1</th> <th>2</th> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th></th> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td></td> <td>2452.00</td> <td>103.03</td> <td>-----</td> <td>-----</td> <td>94.15</td> <td>32.53</td> <td>7.21</td> <td>36.86</td> <td>6.00</td> <td></td> <td></td> <td></td> <td>360</td> <td>222</td> <td>AVERAGE</td> <td></td> <td></td> <td></td> </tr> </tbody> </table>			Limit		Read		Ant		Cable		Preamp		Aux		APos		TPos		Remark		1	2	Freq	Level	Line Margin	Level	Factor	Loss Factor	Loss Factor	Factor	Factor	Factor	Factor	Factor	Factor	Factor	Factor	Factor	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	dB	dB	cm	deg					1		2452.00	103.03	-----	-----	94.15	32.53	7.21	36.86	6.00				360	222	AVERAGE			
			Limit		Read		Ant		Cable		Preamp		Aux		APos		TPos		Remark																																																																																																																																															
1	2	Freq	Level	Line Margin	Level	Factor	Loss Factor	Loss Factor	Factor	Factor	Factor	Factor	Factor	Factor	Factor	Factor	Factor	Factor	Factor																																																																																																																																															
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	dB	dB	cm	deg																																																																																																																																																			
1		2483.98	47.81	54.00	-6.19	39.02	32.58	7.26	37.05	6.00				360	222	AVERAGE																																																																																																																																																		
		Limit		Read		Ant		Cable		Preamp		Aux		APos		TPos		Remark																																																																																																																																																
1	2	Freq	Level	Line Margin	Level	Factor	Loss Factor	Loss Factor	Factor	Factor	Factor	Factor	Factor	Factor	Factor	Factor	Factor	Factor	Factor																																																																																																																																															
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	dB	dB	cm	deg																																																																																																																																																			
1		2452.00	103.03	-----	-----	94.15	32.53	7.21	36.86	6.00				360	222	AVERAGE																																																																																																																																																		



Mode	10																																																																																																					
	Harmonic																																																																																																					
	2400-2483.5_802.11ax HE20_CH09_2452MHz																																																																																																					
ANT	MIMO 3+8																																																																																																					
Pol.	Horizontal	Vertical																																																																																																				
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4904.00</td> <td>41.05</td> <td>74.00</td> <td>-32.95</td> <td>61.43</td> <td>34.58</td> <td>10.33</td> <td>65.29</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>7347.00</td> <td>46.56</td> <td>74.00</td> <td>-27.44</td> <td>64.75</td> <td>35.90</td> <td>12.72</td> <td>66.81</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	4904.00	41.05	74.00	-32.95	61.43	34.58	10.33	65.29	0.00	---	---	PEAK	2	7347.00	46.56	74.00	-27.44	64.75	35.90	12.72	66.81	0.00	---	---	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4904.00</td> <td>41.08</td> <td>74.00</td> <td>-32.92</td> <td>61.46</td> <td>34.58</td> <td>10.33</td> <td>65.29</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>7357.50</td> <td>49.31</td> <td>74.00</td> <td>-24.69</td> <td>67.53</td> <td>35.90</td> <td>12.73</td> <td>66.85</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	4904.00	41.08	74.00	-32.92	61.46	34.58	10.33	65.29	0.00	---	---	PEAK	2	7357.50	49.31	74.00	-24.69	67.53	35.90	12.73	66.85	0.00	---	---	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																															
1	4904.00	41.05	74.00	-32.95	61.43	34.58	10.33	65.29	0.00	---	---	PEAK																																																																																										
2	7347.00	46.56	74.00	-27.44	64.75	35.90	12.72	66.81	0.00	---	---	PEAK																																																																																										
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																															
1	4904.00	41.08	74.00	-32.92	61.46	34.58	10.33	65.29	0.00	---	---	PEAK																																																																																										
2	7357.50	49.31	74.00	-24.69	67.53	35.90	12.73	66.85	0.00	---	---	PEAK																																																																																										



		11																																																																																		
Mode	Band Edge																																																																																			
	2400-2483.5_802.11ax HE20_CH10_2457MHz																																																																																			
ANT	MIMO 3+8																																																																																			
Pol.	Horizontal	Fundamental																																																																																		
Peak	 <p>Level (dBuV/m)</p> <p>Frequency (MHz)</p> <p>FCC PART 15C</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2484.22</td> <td>62.21</td> <td>74.00</td> <td>-11.79</td> <td>53.43</td> <td>32.58</td> <td>7.26</td> <td>37.06</td> <td>6.00</td> <td>145</td> <td>5 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2484.22	62.21	74.00	-11.79	53.43	32.58	7.26	37.06	6.00	145	5 PEAK	 <p>Level (dBuV/m)</p> <p>Frequency (MHz)</p> <p>FCC PART 15C</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2457.00</td> <td>110.58</td> <td>-----</td> <td>-----</td> <td>101.72</td> <td>32.54</td> <td>7.21</td> <td>36.89</td> <td>6.00</td> <td>145</td> <td>5 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2457.00	110.58	-----	-----	101.72	32.54	7.21	36.89	6.00	145	5 PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																										
1	2484.22	62.21	74.00	-11.79	53.43	32.58	7.26	37.06	6.00	145	5 PEAK																																																																									
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																										
1	2457.00	110.58	-----	-----	101.72	32.54	7.21	36.89	6.00	145	5 PEAK																																																																									
Avg	 <p>Level (dBuV/m)</p> <p>Frequency (MHz)</p> <p>FCC PART 15C (AVG)</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.74</td> <td>50.75</td> <td>54.00</td> <td>-3.25</td> <td>41.96</td> <td>32.58</td> <td>7.26</td> <td>37.05</td> <td>6.00</td> <td>145</td> <td>5 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2483.74	50.75	54.00	-3.25	41.96	32.58	7.26	37.05	6.00	145	5 AVERAGE	 <p>Level (dBuV/m)</p> <p>Frequency (MHz)</p> <p>FCC PART 15C (AVG)</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2457.00</td> <td>100.45</td> <td>-----</td> <td>-----</td> <td>91.57</td> <td>32.54</td> <td>7.21</td> <td>36.87</td> <td>6.00</td> <td>145</td> <td>5 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2457.00	100.45	-----	-----	91.57	32.54	7.21	36.87	6.00	145	5 AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																										
1	2483.74	50.75	54.00	-3.25	41.96	32.58	7.26	37.05	6.00	145	5 AVERAGE																																																																									
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																										
1	2457.00	100.45	-----	-----	91.57	32.54	7.21	36.87	6.00	145	5 AVERAGE																																																																									



		11																																																																																						
Mode	Band Edge																																																																																							
	2400-2483.5_802.11ax HE20_CH10_2457MHz																																																																																							
ANT	MIMO 3+8																																																																																							
Pol.	Vertical	Fundamental																																																																																						
Peak																																																																																								
	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2484.28</td> <td>57.75</td> <td>74.00</td> <td>-16.25</td> <td>48.97</td> <td>32.58</td> <td>7.26</td> <td>37.06</td> <td>6.00</td> <td>362</td> <td>221 PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2484.28	57.75	74.00	-16.25	48.97	32.58	7.26	37.06	6.00	362	221 PEAK	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2457.00</td> <td>106.49</td> <td>-----</td> <td>-----</td> <td>97.61</td> <td>32.54</td> <td>7.21</td> <td>36.87</td> <td>6.00</td> <td>362</td> <td>221 PEAK</td> </tr> </tbody> </table>			Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2457.00	106.49	-----	-----	97.61	32.54	7.21	36.87	6.00	362
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																														
1	2484.28	57.75	74.00	-16.25	48.97	32.58	7.26	37.06	6.00	362	221 PEAK																																																																													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																														
1	2457.00	106.49	-----	-----	97.61	32.54	7.21	36.87	6.00	362	221 PEAK																																																																													
Avg																																																																																								
	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.80</td> <td>45.72</td> <td>54.00</td> <td>-8.28</td> <td>36.93</td> <td>32.58</td> <td>7.26</td> <td>37.05</td> <td>6.00</td> <td>362</td> <td>221 AVERAGE</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.80	45.72	54.00	-8.28	36.93	32.58	7.26	37.05	6.00	362	221 AVERAGE	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2457.00</td> <td>97.80</td> <td>-----</td> <td>-----</td> <td>88.94</td> <td>32.54</td> <td>7.21</td> <td>36.89</td> <td>6.00</td> <td>362</td> <td>221 AVERAGE</td> </tr> </tbody> </table>			Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2457.00	97.80	-----	-----	88.94	32.54	7.21	36.89	6.00	362
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																														
1	2483.80	45.72	54.00	-8.28	36.93	32.58	7.26	37.05	6.00	362	221 AVERAGE																																																																													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																														
1	2457.00	97.80	-----	-----	88.94	32.54	7.21	36.89	6.00	362	221 AVERAGE																																																																													



Mode	11																																																																																																									
	Harmonic																																																																																																									
	2400-2483.5_802.11ax HE20_CH10_2457MHz																																																																																																									
ANT	MIMO 3+8																																																																																																									
Pol.	Horizontal	Vertical																																																																																																								
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4914.00</td> <td>40.88</td> <td>74.00</td> <td>-33.12</td> <td>61.27</td> <td>34.57</td> <td>10.34</td> <td>65.30</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>7371.00</td> <td>41.50</td> <td>74.00</td> <td>-32.50</td> <td>59.76</td> <td>35.90</td> <td>12.73</td> <td>66.89</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4914.00	40.88	74.00	-33.12	61.27	34.57	10.34	65.30	0.00	---	---	PEAK	2	7371.00	41.50	74.00	-32.50	59.76	35.90	12.73	66.89	0.00	---	---	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4914.00</td> <td>41.39</td> <td>74.00</td> <td>-32.61</td> <td>61.78</td> <td>34.57</td> <td>10.34</td> <td>65.30</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>7371.00</td> <td>42.22</td> <td>74.00</td> <td>-31.78</td> <td>60.48</td> <td>35.90</td> <td>12.73</td> <td>66.89</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4914.00	41.39	74.00	-32.61	61.78	34.57	10.34	65.30	0.00	---	---	PEAK	2	7371.00	42.22	74.00	-31.78	60.48	35.90	12.73	66.89	0.00	---	---	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																		
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Remark																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																	
1	4914.00	40.88	74.00	-33.12	61.27	34.57	10.34	65.30	0.00	---	---	PEAK																																																																																														
2	7371.00	41.50	74.00	-32.50	59.76	35.90	12.73	66.89	0.00	---	---	PEAK																																																																																														
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																			
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Remark																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																	
1	4914.00	41.39	74.00	-32.61	61.78	34.57	10.34	65.30	0.00	---	---	PEAK																																																																																														
2	7371.00	42.22	74.00	-31.78	60.48	35.90	12.73	66.89	0.00	---	---	PEAK																																																																																														



12																																													
Mode	Band Edge																																												
	2400-2483.5_802.11ax HE20_CH11_2462MHz																																												
ANT	MIMO 3+8																																												
Pol.	Horizontal																																												
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2484.97</td> <td>63.88</td> <td>74.00</td> <td>-10.12</td> <td>53.70</td> <td>32.58</td> <td>7.29</td> <td>35.69</td> <td>6.00</td> <td>122</td> <td>148</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2484.97	63.88	74.00	-10.12	53.70	32.58	7.29	35.69	6.00	122	148	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																			
1	2484.97	63.88	74.00	-10.12	53.70	32.58	7.29	35.69	6.00	122	148	PEAK																																	
<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2462.00</td> <td>108.17</td> <td>-----</td> <td>-----</td> <td>98.09</td> <td>32.54</td> <td>7.24</td> <td>35.70</td> <td>6.00</td> <td>122</td> <td>148</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2462.00	108.17	-----	-----	98.09	32.54	7.24	35.70	6.00	122	148	PEAK	
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																			
1	2462.00	108.17	-----	-----	98.09	32.54	7.24	35.70	6.00	122	148	PEAK																																	
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2484.63</td> <td>50.96</td> <td>54.00</td> <td>-3.04</td> <td>40.78</td> <td>32.58</td> <td>7.29</td> <td>35.69</td> <td>6.00</td> <td>122</td> <td>148</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2484.63	50.96	54.00	-3.04	40.78	32.58	7.29	35.69	6.00	122	148	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																			
1	2484.63	50.96	54.00	-3.04	40.78	32.58	7.29	35.69	6.00	122	148	AVERAGE																																	
<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2462.00</td> <td>98.14</td> <td>-----</td> <td>-----</td> <td>88.06</td> <td>32.54</td> <td>7.24</td> <td>35.70</td> <td>6.00</td> <td>122</td> <td>148</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2462.00	98.14	-----	-----	88.06	32.54	7.24	35.70	6.00	122	148	AVERAGE	
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																			
1	2462.00	98.14	-----	-----	88.06	32.54	7.24	35.70	6.00	122	148	AVERAGE																																	