



### N7(50M)\_DFT-s-OFDM\_BPSK\_Outer\_Full\_High\_CH



### N7(50M)\_DFT-s-OFDM\_QPSK\_Outer\_Full\_High\_CH



# FR1 N38-Ant 0

## Transmitter Conducted Output Power And EIRP, (G<sub>T</sub> - L<sub>C</sub>)=-3.5dBi

NR Band	SCS (kHz)	Bandwidth (MHz)	Arfcn	Freq (MHz)	Modulation	RB	Conducted Power(dBm)	EIRP (dBm)	EIRP (W)
38	30	10	515000	2575	DFT-s-OFDM QPSK	1@1	23.1	19.6	0.0912
38	30	10	515000	2575	DFT-s-OFDM 16 QAM	1@1	22.15	18.65	0.0733
38	30	10	519000	2595	DFT-s-OFDM QPSK	1@1	22.97	19.47	0.0885
38	30	10	519000	2595	DFT-s-OFDM 16 QAM	1@1	21.95	18.45	0.0700
38	30	10	523000	2615	DFT-s-OFDM QPSK	1@1	22.95	19.45	0.0881
38	30	10	523000	2615	DFT-s-OFDM 16 QAM	1@1	21.97	18.47	0.0703
38	30	15	515500	2577.5	DFT-s-OFDM QPSK	1@1	23.07	19.57	0.0906
38	30	15	515500	2577.5	DFT-s-OFDM 16 QAM	1@1	22.08	18.58	0.0721
38	30	15	519000	2595	DFT-s-OFDM QPSK	1@1	22.95	19.45	0.0881
38	30	15	519000	2595	DFT-s-OFDM 16 QAM	1@1	21.94	18.44	0.0698
38	30	15	522500	2612.5	DFT-s-OFDM QPSK	1@1	22.89	19.39	0.0869
38	30	15	522500	2612.5	DFT-s-OFDM 16 QAM	1@1	21.93	18.43	0.0697
38	30	20	516000	2580	DFT-s-OFDM QPSK	1@1	23.05	19.55	0.0902
38	30	20	516000	2580	DFT-s-OFDM 16 QAM	1@1	22.04	18.54	0.0714
38	30	20	519000	2595	DFT-s-OFDM QPSK	1@1	22.95	19.45	0.0881
38	30	20	519000	2595	DFT-s-OFDM 16 QAM	1@1	21.82	18.32	0.0679
38	30	20	522000	2610	DFT-s-OFDM QPSK	1@1	22.98	19.48	0.0887
38	30	20	522000	2610	DFT-s-OFDM 16 QAM	1@1	21.87	18.37	0.0687
38	30	25	516500	2582.5	DFT-s-OFDM QPSK	1@1	23.09	19.59	0.0910
38	30	25	516500	2582.5	DFT-s-OFDM 16 QAM	1@1	21.98	18.48	0.0705
38	30	25	519000	2595	DFT-s-OFDM QPSK	1@1	22.96	19.46	0.0883
38	30	25	519000	2595	DFT-s-OFDM 16 QAM	1@1	21.83	18.33	0.0681
38	30	25	521500	2607.5	DFT-s-OFDM QPSK	1@1	22.78	19.28	0.0847
38	30	25	521500	2607.5	DFT-s-OFDM 16 QAM	1@1	21.56	18.06	0.0640
38	30	30	517000	2585	DFT-s-OFDM QPSK	1@1	22.94	19.44	0.0879
38	30	30	517000	2585	DFT-s-OFDM 16 QAM	1@1	21.7	18.2	0.0661
38	30	30	519000	2595	DFT-s-OFDM QPSK	1@1	22.77	19.27	0.0845
38	30	30	519000	2595	DFT-s-OFDM 16 QAM	1@1	21.58	18.08	0.0643
38	30	30	521000	2605	DFT-s-OFDM QPSK	1@1	22.63	19.13	0.0818

38	30	30	521000	2605	DFT-s-OFDM 16 QAM	1@1	21.49	17.99	0.0630
38	30	40	518000	2590	DFT-s-OFDM PI/2 BPSK	50@25	23.04	19.54	0.0899
38	30	40	518000	2590	DFT-s-OFDM PI/2 BPSK	1@1	22.67	19.17	0.0826
38	30	40	518000	2590	DFT-s-OFDM PI/2 BPSK	1@104	22.82	19.32	0.0855
38	30	40	518000	2590	DFT-s-OFDM QPSK	50@25	23.05	19.55	0.0902
38	30	40	518000	2590	DFT-s-OFDM QPSK	1@1	22.64	19.14	0.0820
38	30	40	518000	2590	DFT-s-OFDM QPSK	1@104	22.8	19.3	0.0851
38	30	40	518000	2590	DFT-s-OFDM 16 QAM	50@25	22.05	18.55	0.0716
38	30	40	518000	2590	DFT-s-OFDM 16 QAM	1@1	21.7	18.2	0.0661
38	30	40	518000	2590	DFT-s-OFDM 16 QAM	1@104	21.78	18.28	0.0673
38	30	40	518000	2590	DFT-s-OFDM 64 QAM	50@25	20.57	17.07	0.0509
38	30	40	518000	2590	DFT-s-OFDM 64 QAM	1@1	20.27	16.77	0.0475
38	30	40	518000	2590	DFT-s-OFDM 64 QAM	1@104	20.33	16.83	0.0482
38	30	40	518000	2590	DFT-s-OFDM 256 QAM	50@25	18.52	15.02	0.0318
38	30	40	518000	2590	DFT-s-OFDM 256 QAM	1@1	18.12	14.62	0.0290
38	30	40	518000	2590	DFT-s-OFDM 256 QAM	1@104	18.13	14.63	0.0290
38	30	40	518000	2590	CP-OFDM QPSK	53@26	21.49	17.99	0.0630
38	30	40	518000	2590	CP-OFDM QPSK	1@1	21.17	17.67	0.0585
38	30	40	518000	2590	CP-OFDM QPSK	1@104	21.37	17.87	0.0612
38	30	40	519000	2595	DFT-s-OFDM PI/2 BPSK	50@25	22.98	19.48	0.0887
38	30	40	519000	2595	DFT-s-OFDM PI/2 BPSK	1@1	22.62	19.12	0.0817
38	30	40	519000	2595	DFT-s-OFDM PI/2 BPSK	1@104	22.86	19.36	0.0863
38	30	40	519000	2595	DFT-s-OFDM QPSK	50@25	23.06	19.56	0.0904
38	30	40	519000	2595	DFT-s-OFDM QPSK	1@1	22.62	19.12	0.0817
38	30	40	519000	2595	DFT-s-OFDM QPSK	1@104	22.85	19.35	0.0861
38	30	40	519000	2595	DFT-s-OFDM 16 QAM	50@25	22.02	18.52	0.0711
38	30	40	519000	2595	DFT-s-OFDM 16 QAM	1@1	21.64	18.14	0.0652
38	30	40	519000	2595	DFT-s-OFDM 16 QAM	1@104	21.81	18.31	0.0678
38	30	40	519000	2595	DFT-s-OFDM 64 QAM	50@25	20.53	17.03	0.0505
38	30	40	519000	2595	DFT-s-OFDM 64 QAM	1@1	20.21	16.71	0.0469
38	30	40	519000	2595	DFT-s-OFDM 64 QAM	1@104	20.36	16.86	0.0485
38	30	40	519000	2595	DFT-s-OFDM 256 QAM	50@25	18.51	15.01	0.0317
38	30	40	519000	2595	DFT-s-OFDM 256 QAM	1@1	18.01	14.51	0.0282
38	30	40	519000	2595	DFT-s-OFDM 256 QAM	1@104	18.3	14.8	0.0302
38	30	40	519000	2595	CP-OFDM QPSK	53@26	21.54	18.04	0.0637

38	30	40	519000	2595	CP-OFDM QPSK	1@1	21.19	17.69	0.0587
38	30	40	519000	2595	CP-OFDM QPSK	1@104	21.41	17.91	0.0618
38	30	40	520000	2600	DFT-s-OFDM PI/2 BPSK	50@25	23.04	19.54	0.0899
38	30	40	520000	2600	DFT-s-OFDM PI/2 BPSK	1@1	22.54	19.04	0.0802
38	30	40	520000	2600	DFT-s-OFDM PI/2 BPSK	1@104	22.91	19.41	0.0873
38	30	40	520000	2600	DFT-s-OFDM QPSK	50@25	23.11	19.61	0.0914
38	30	40	520000	2600	DFT-s-OFDM QPSK	1@1	22.49	18.99	0.0793
38	30	40	520000	2600	DFT-s-OFDM QPSK	1@104	22.91	19.41	0.0873
38	30	40	520000	2600	DFT-s-OFDM 16 QAM	50@25	22.08	18.58	0.0721
38	30	40	520000	2600	DFT-s-OFDM 16 QAM	1@1	21.51	18.01	0.0632
38	30	40	520000	2600	DFT-s-OFDM 16 QAM	1@104	21.85	18.35	0.0684
38	30	40	520000	2600	DFT-s-OFDM 64 QAM	50@25	20.6	17.1	0.0513
38	30	40	520000	2600	DFT-s-OFDM 64 QAM	1@1	20.09	16.59	0.0456
38	30	40	520000	2600	DFT-s-OFDM 64 QAM	1@104	20.46	16.96	0.0497
38	30	40	520000	2600	DFT-s-OFDM 256 QAM	50@25	18.56	15.06	0.0321
38	30	40	520000	2600	DFT-s-OFDM 256 QAM	1@1	17.93	14.43	0.0277
38	30	40	520000	2600	DFT-s-OFDM 256 QAM	1@104	18.31	14.81	0.0303
38	30	40	520000	2600	CP-OFDM QPSK	53@26	21.41	17.91	0.0618
38	30	40	520000	2600	CP-OFDM QPSK	1@1	21.13	17.63	0.0579
38	30	40	520000	2600	CP-OFDM QPSK	1@104	21.48	17.98	0.0628

## Frequency Stability

NR Band	SCS (kHz)	Bandwidth (MHz)	Arfcn	Freq (MHz)	Modulation	RB	Deviation (ppm)	Verdict	Environment
38	30	25	519000	2595.0	DFT-s-OFDM QPSK	64@0	0.0047	PASS	NV
38	30	25	519000	2595.0	DFT-s-OFDM QPSK	64@0	0.0063	PASS	LV
38	30	25	519000	2595.0	DFT-s-OFDM QPSK	64@0	0.0064	PASS	HV
38	30	25	519000	2595.0	DFT-s-OFDM QPSK	64@0	0.0034	PASS	-30°C
38	30	25	519000	2595.0	DFT-s-OFDM QPSK	64@0	0.0029	PASS	-20°C
38	30	25	519000	2595.0	DFT-s-OFDM QPSK	64@0	0.0061	PASS	-10°C
38	30	25	519000	2595.0	DFT-s-OFDM QPSK	64@0	0.0047	PASS	0°C
38	30	25	519000	2595.0	DFT-s-OFDM QPSK	64@0	0.0040	PASS	10°C
38	30	25	519000	2595.0	DFT-s-OFDM QPSK	64@0	0.0047	PASS	20°C
38	30	25	519000	2595.0	DFT-s-OFDM QPSK	64@0	0.0051	PASS	30°C
38	30	25	519000	2595.0	DFT-s-OFDM QPSK	64@0	0.0057	PASS	40°C
38	30	25	519000	2595.0	DFT-s-OFDM QPSK	64@0	0.0021	PASS	50°C


## Peak to Average Ratio

NR Band	SCS (kHz)	Bandwidth (MHz)	Arfcn	Freq (MHz)	Modulation	RB	Result (dB)	Limit (dB)	Verdict
38	30	25	516500	2582.5	DFT-s-OFDM PI/2 BPSK	64@0	7.02	13	PASS
38	30	25	516500	2582.5	DFT-s-OFDM PI/2 BPSK	1@0	7.62	13	PASS
38	30	25	516500	2582.5	DFT-s-OFDM QPSK	64@0	8.17	13	PASS
38	30	25	516500	2582.5	DFT-s-OFDM QPSK	1@0	7.57	13	PASS
38	30	25	519000	2595.0	DFT-s-OFDM PI/2 BPSK	64@0	7.09	13	PASS
38	30	25	519000	2595.0	DFT-s-OFDM PI/2 BPSK	1@0	7.74	13	PASS
38	30	25	519000	2595.0	DFT-s-OFDM QPSK	64@0	8.2	13	PASS
38	30	25	519000	2595.0	DFT-s-OFDM QPSK	1@0	8.27	13	PASS
38	30	25	521500	2607.5	DFT-s-OFDM PI/2 BPSK	64@0	7.1	13	PASS
38	30	25	521500	2607.5	DFT-s-OFDM PI/2 BPSK	1@0	7.23	13	PASS
38	30	25	521500	2607.5	DFT-s-OFDM QPSK	64@0	8.17	13	PASS
38	30	25	521500	2607.5	DFT-s-OFDM QPSK	1@0	8.74	13	PASS


N38(25M)\_DFT-s-OFDM\_PI\_2-BPSK\_Outer\_Full\_Low\_CH




N38(25M)\_DFT-s-OFDM\_PI\_2-BPSK\_Edge\_1RB\_Left\_Low\_CH




N38(25M)\_DFT-s-OFDM\_QPSK\_Outer\_Full\_Low\_CH




N38(25M)\_DFT-s-OFDM\_QPSK\_Edge\_1RB\_Left\_Low\_CH



N38(25M)\_DFT-s-OFDM\_PI\_2-BPSK\_Outer\_Full\_Mid\_CH



N38(25M)\_DFT-s-OFDM\_PI\_2-BPSK\_Edge\_1RB\_Left\_Mid\_CH




N38(25M)\_DFT-s-OFDM\_QPSK\_Outer\_Full\_Mid\_CH




N38(25M)\_DFT-s-OFDM\_QPSK\_Edge\_1RB\_Left\_Mid\_CH




N38(25M)\_DFT-s-OFDM\_PI\_2-BPSK\_Outer\_Full\_High\_CH




N38(25M)\_DFT-s-OFDM\_PI\_2-BPSK\_Edge\_1RB\_Left\_High\_CH



N38(25M)\_DFT-s-OFDM\_QPSK\_Outer\_Full\_High\_CH



N38(25M)\_DFT-s-OFDM\_QPSK\_Edge\_1RB\_Left\_High\_CH







## Occupied Bandwidth

NR Band	SCS (kHz)	Bandwidth (MHz)	Arfcn	Freq (MHz)	Modulation	RB	OBW (MHz)	26dB BW (MHz)
38	30	25	519000	2595.0	DFT-s-OFDM PI/2 BPSK	64@0	22.747	23.78
38	30	25	519000	2595.0	DFT-s-OFDM QPSK	64@0	22.81	24.15
38	30	25	519000	2595.0	CP-OFDM QPSK	65@0	23.199	24.25
38	30	25	519000	2595.0	CP-OFDM 16 QAM	65@0	23.204	24.2
38	30	25	519000	2595.0	CP-OFDM 64 QAM	65@0	23.204	24.2
38	30	25	519000	2595.0	CP-OFDM 256 QAM	65@0	23.156	24.28


### N38(25M)\_DFT-s-OFDM\_PI\_2- BPSK\_Outer\_Full\_Mid\_CH



### N38(25M)\_DFT-s- OFDM\_QPSK\_Outer\_Full\_Mid\_CH




### N38(25M)\_CP- OFDM\_QPSK\_Outer\_Full\_Mid\_CH




### N38(25M)\_CP-OFDM\_16 QAM\_Outer\_Full\_Mid\_CH



### N38(25M)\_CP-OFDM\_64 QAM\_Outer\_Full\_Mid\_CH




### N38(25M)\_CP-OFDM\_256 QAM\_Outer\_Full\_Mid\_CH




## Conducted Spurious Emissions

NR Band	SCS (kHz)	Bandwidth (MHz)	Arfcn	Freq (MHz)	Modulation	RB	Result	Verdict
38	30	25	516500	2582.5	DFT-s-OFDM BPSK	1@0	see graph	---
38	30	25	516500	2582.5	DFT-s-OFDM BPSK	1@0	see graph	PASS
38	30	25	516500	2582.5	DFT-s-OFDM BPSK	1@0	see graph	PASS
38	30	25	516500	2582.5	DFT-s-OFDM QPSK	1@0	see graph	---
38	30	25	516500	2582.5	DFT-s-OFDM QPSK	1@0	see graph	PASS
38	30	25	516500	2582.5	DFT-s-OFDM QPSK	1@0	see graph	PASS
38	30	25	519000	2595.0	DFT-s-OFDM BPSK	1@0	see graph	---
38	30	25	519000	2595.0	DFT-s-OFDM BPSK	1@0	see graph	PASS
38	30	25	519000	2595.0	DFT-s-OFDM BPSK	1@0	see graph	PASS
38	30	25	519000	2595.0	DFT-s-OFDM QPSK	1@0	see graph	---
38	30	25	519000	2595.0	DFT-s-OFDM QPSK	1@0	see graph	PASS
38	30	25	519000	2595.0	DFT-s-OFDM QPSK	1@0	see graph	PASS
38	30	25	521500	2607.5	DFT-s-OFDM BPSK	1@0	see graph	---
38	30	25	521500	2607.5	DFT-s-OFDM BPSK	1@0	see graph	PASS
38	30	25	521500	2607.5	DFT-s-OFDM BPSK	1@0	see graph	PASS
38	30	25	521500	2607.5	DFT-s-OFDM QPSK	1@0	see graph	---
38	30	25	521500	2607.5	DFT-s-OFDM QPSK	1@0	see graph	PASS
38	30	25	521500	2607.5	DFT-s-OFDM QPSK	1@0	see graph	PASS


### N38(25M)\_DFT-s-OFDM\_BPSK\_Edge\_1RB\_Left\_Low\_CH




### N38(25M)\_DFT-s-OFDM\_BPSK\_Edge\_1RB\_Left\_Low\_CH



### N38(25M)\_DFT-s-OFDM\_QPSK\_Edge\_1RB\_Left\_Low\_CH




### N38(25M)\_DFT-s-OFDM\_QPSK\_Edge\_1RB\_Left\_Low\_CH



### N38(25M)\_DFT-s-OFDM\_BPSK\_Edge\_1RB\_Left\_Mid\_CH




### N38(25M)\_DFT-s-OFDM\_BPSK\_Edge\_1RB\_Left\_Mid\_CH



### N38(25M)\_DFT-s-OFDM\_QPSK\_Edge\_1RB\_Left\_Mid\_CH




### N38(25M)\_DFT-s-OFDM\_QPSK\_Edge\_1RB\_Left\_Mid\_CH




### N38(25M)\_DFT-s-OFDM\_BPSK\_Edge\_1RB\_Left\_High\_CH




### N38(25M)\_DFT-s-OFDM\_BPSK\_Edge\_1RB\_Left\_High\_CH



### N38(25M)\_DFT-s-OFDM\_QPSK\_Edge\_1RB\_Left\_High\_CH




### N38(25M)\_DFT-s-OFDM\_QPSK\_Edge\_1RB\_Left\_High\_CH




## Conducted Band Edge

NR Band	SCS (kHz)	Bandwidth (MHz)	Arfcn	Freq (MHz)	Modulation	RB	Result	Verdict
38	30	25	516500	2582.5	DFT-s-OFDM BPSK	1@0	see graph	PASS
38	30	25	516500	2582.5	DFT-s-OFDM QPSK	1@0	see graph	PASS
38	30	25	516500	2582.5	DFT-s-OFDM BPSK	64@0	see graph	PASS
38	30	25	516500	2582.5	DFT-s-OFDM QPSK	64@0	see graph	PASS
38	30	25	521500	2607.5	DFT-s-OFDM BPSK	1@64	see graph	PASS
38	30	25	521500	2607.5	DFT-s-OFDM QPSK	1@64	see graph	PASS
38	30	25	521500	2607.5	DFT-s-OFDM BPSK	64@0	see graph	PASS
38	30	25	521500	2607.5	DFT-s-OFDM QPSK	64@0	see graph	PASS


N38(25M)\_DFT-s-  
OFDM\_BPSK\_Edge\_1RB\_Left\_Low\_CH




N38(25M)\_DFT-s-  
OFDM\_QPSK\_Edge\_1RB\_Left\_Low\_CH




N38(25M)\_DFT-s-  
OFDM\_BPSK\_Outer\_Full\_Low\_CH




N38(25M)\_DFT-s-  
OFDM\_QPSK\_Outer\_Full\_Low\_CH




N38(25M)\_DFT-s-  
OFDM\_BPSK\_Edge\_1RB\_Right\_High\_CH




N38(25M)\_DFT-s-  
OFDM\_QPSK\_Edge\_1RB\_Right\_High\_CH



### N38(25M)\_DFT-s- OFDM\_BPSK\_Outer\_Full\_High\_CH



### N38(25M)\_DFT-s- OFDM\_QPSK\_Outer\_Full\_High\_CH





# FR1 N41-Ant 0

## Transmitter Conducted Output Power And EIRP, (G<sub>T</sub> - L<sub>C</sub>)=-3.5dBi

NR Band	SCS (kHz)	Bandwidth (MHz)	Arfcn	Freq (MHz)	Modulation	RB	Conducted Power(dBm)	EIRP (dBm)	EIRP (W)
41	30	10	500202	2501.01	DFT-s-OFDM QPSK	1@1	22.61	19.11	0.0815
41	30	10	500202	2501.01	DFT-s-OFDM 16 QAM	1@1	21.84	18.34	0.0682
41	30	10	518598	2592.99	DFT-s-OFDM QPSK	1@1	22.65	19.15	0.0822
41	30	10	518598	2592.99	DFT-s-OFDM 16 QAM	1@1	21.81	18.31	0.0678
41	30	10	537000	2685	DFT-s-OFDM QPSK	1@1	23.14	19.64	0.0920
41	30	10	537000	2685	DFT-s-OFDM 16 QAM	1@1	22.28	18.78	0.0755
41	30	15	500700	2503.5	DFT-s-OFDM QPSK	1@1	22.58	19.08	0.0809
41	30	15	500700	2503.5	DFT-s-OFDM 16 QAM	1@1	21.88	18.38	0.0689
41	30	15	518598	2592.99	DFT-s-OFDM QPSK	1@1	22.7	19.2	0.0832
41	30	15	518598	2592.99	DFT-s-OFDM 16 QAM	1@1	21.82	18.32	0.0679
41	30	15	536496	2682.48	DFT-s-OFDM QPSK	1@1	23.09	19.59	0.0910
41	30	15	536496	2682.48	DFT-s-OFDM 16 QAM	1@1	22.15	18.65	0.0733
41	30	20	501204	2506.02	DFT-s-OFDM QPSK	1@1	22.59	19.09	0.0811
41	30	20	501204	2506.02	DFT-s-OFDM 16 QAM	1@1	2.78	-0.72	0.0008
41	30	20	518598	2592.99	DFT-s-OFDM QPSK	1@1	22.57	19.07	0.0807
41	30	20	518598	2592.99	DFT-s-OFDM 16 QAM	1@1	21.45	17.95	0.0624
41	30	20	535998	2679.99	DFT-s-OFDM QPSK	1@1	22.45	18.95	0.0785
41	30	20	535998	2679.99	DFT-s-OFDM 16 QAM	1@1	21.93	18.43	0.0697
41	30	30	502200	2511	DFT-s-OFDM QPSK	1@1	22.28	18.78	0.0755
41	30	30	502200	2511	DFT-s-OFDM 16 QAM	1@1	21.44	17.94	0.0622
41	30	30	518598	2592.99	DFT-s-OFDM QPSK	1@1	22.37	18.87	0.0771
41	30	30	518598	2592.99	DFT-s-OFDM 16 QAM	1@1	21.43	17.93	0.0621
41	30	30	534996	2674.98	DFT-s-OFDM QPSK	1@1	22.54	19.04	0.0802
41	30	30	534996	2674.98	DFT-s-OFDM 16 QAM	1@1	21.55	18.05	0.0638
41	30	40	503202	2516.01	DFT-s-OFDM QPSK	1@1	22.08	18.58	0.0721
41	30	40	503202	2516.01	DFT-s-OFDM 16 QAM	1@1	21.28	17.78	0.0600
41	30	40	518598	2592.99	DFT-s-OFDM QPSK	1@1	22.36	18.86	0.0769
41	30	40	518598	2592.99	DFT-s-OFDM 16 QAM	1@1	21.39	17.89	0.0615
41	30	40	534000	2670	DFT-s-OFDM QPSK	1@1	22.29	18.79	0.0757

41	30	40	534000	2670	DFT-s-OFDM 16 QAM	1@1	21.27	17.77	0.0598
41	30	50	504204	2521.02	DFT-s-OFDM QPSK	1@1	22.4	18.9	0.0776
41	30	50	504204	2521.02	DFT-s-OFDM 16 QAM	1@1	21.56	18.06	0.0640
41	30	50	518598	2592.99	DFT-s-OFDM QPSK	1@1	22.71	19.21	0.0834
41	30	50	518598	2592.99	DFT-s-OFDM 16 QAM	1@1	21.72	18.22	0.0664
41	30	50	532998	2664.99	DFT-s-OFDM QPSK	1@1	22.54	19.04	0.0802
41	30	50	532998	2664.99	DFT-s-OFDM 16 QAM	1@1	21.55	18.05	0.0638
41	30	60	505200	2526	DFT-s-OFDM QPSK	1@1	22.19	18.69	0.0740
41	30	60	505200	2526	DFT-s-OFDM 16 QAM	1@1	21.32	17.82	0.0605
41	30	60	518598	2592.99	DFT-s-OFDM QPSK	1@1	22.62	19.12	0.0817
41	30	60	518598	2592.99	DFT-s-OFDM 16 QAM	1@1	21.63	18.13	0.0650
41	30	60	531996	2659.98	DFT-s-OFDM QPSK	1@1	22.41	18.91	0.0778
41	30	60	531996	2659.98	DFT-s-OFDM 16 QAM	1@1	21.52	18.02	0.0634
41	30	80	507204	2536.02	DFT-s-OFDM QPSK	1@1	22.06	18.56	0.0718
41	30	80	507204	2536.02	DFT-s-OFDM 16 QAM	1@1	21.47	17.97	0.0627
41	30	80	518598	2592.99	DFT-s-OFDM QPSK	1@1	22.33	18.83	0.0764
41	30	80	518598	2592.99	DFT-s-OFDM 16 QAM	1@1	21.59	18.09	0.0644
41	30	80	529998	2649.99	DFT-s-OFDM QPSK	1@1	22.5	19	0.0794
41	30	80	529998	2649.99	DFT-s-OFDM 16 QAM	1@1	21.45	17.95	0.0624
41	30	90	508200	2541	DFT-s-OFDM QPSK	1@1	22.89	19.39	0.0869
41	30	90	508200	2541	DFT-s-OFDM 16 QAM	1@1	21.27	17.77	0.0598
41	30	90	518598	2592.99	DFT-s-OFDM QPSK	1@1	22.25	18.75	0.0750
41	30	90	518598	2592.99	DFT-s-OFDM 16 QAM	1@1	21.52	18.02	0.0634
41	30	90	528996	2644.98	DFT-s-OFDM QPSK	1@1	22.04	18.54	0.0714
41	30	90	528996	2644.98	DFT-s-OFDM 16 QAM	1@1	20.99	17.49	0.0561
41	30	100	509202	2546.01	DFT-s-OFDM PI/2 BPSK	135@67	22.97	19.47	0.0885
41	30	100	509202	2546.01	DFT-s-OFDM PI/2 BPSK	1@1	21.82	18.32	0.0679
41	30	100	509202	2546.01	DFT-s-OFDM PI/2 BPSK	1@271	21.88	18.38	0.0689
41	30	100	509202	2546.01	DFT-s-OFDM QPSK	135@67	23.15	19.65	0.0923
41	30	100	509202	2546.01	DFT-s-OFDM QPSK	1@1	21.74	18.24	0.0667
41	30	100	509202	2546.01	DFT-s-OFDM QPSK	1@271	21.91	18.41	0.0693
41	30	100	509202	2546.01	DFT-s-OFDM 16 QAM	135@67	22.13	18.63	0.0729
41	30	100	509202	2546.01	DFT-s-OFDM 16 QAM	1@1	20.94	17.44	0.0555
41	30	100	509202	2546.01	DFT-s-OFDM 16 QAM	1@271	21.17	17.67	0.0585
41	30	100	509202	2546.01	DFT-s-OFDM 64 QAM	135@67	20.61	17.11	0.0514

41	30	100	509202	2546.01	DFT-s-OFDM 64 QAM	1@1	19.58	16.08	0.0406
41	30	100	509202	2546.01	DFT-s-OFDM 64 QAM	1@271	19.66	16.16	0.0413
41	30	100	509202	2546.01	DFT-s-OFDM 256 QAM	135@67	18.61	15.11	0.0324
41	30	100	509202	2546.01	DFT-s-OFDM 256 QAM	1@1	18.51	15.01	0.0317
41	30	100	509202	2546.01	DFT-s-OFDM 256 QAM	1@271	17.83	14.33	0.0271
41	30	100	509202	2546.01	CP-OFDM QPSK	137@68	21.62	18.12	0.0649
41	30	100	509202	2546.01	CP-OFDM QPSK	1@1	20.58	17.08	0.0511
41	30	100	509202	2546.01	CP-OFDM QPSK	1@271	20.76	17.26	0.0532
41	30	100	518598	2592.99	DFT-s-OFDM PI/2 BPSK	135@67	22.75	19.25	0.0841
41	30	100	518598	2592.99	DFT-s-OFDM PI/2 BPSK	1@1	21.94	18.44	0.0698
41	30	100	518598	2592.99	DFT-s-OFDM PI/2 BPSK	1@271	22.37	18.87	0.0771
41	30	100	518598	2592.99	DFT-s-OFDM QPSK	135@67	22.75	19.25	0.0841
41	30	100	518598	2592.99	DFT-s-OFDM QPSK	1@1	21.86	18.36	0.0685
41	30	100	518598	2592.99	DFT-s-OFDM QPSK	1@271	22.36	18.86	0.0769
41	30	100	518598	2592.99	DFT-s-OFDM 16 QAM	135@67	21.92	18.42	0.0695
41	30	100	518598	2592.99	DFT-s-OFDM 16 QAM	1@1	21.25	17.75	0.0596
41	30	100	518598	2592.99	DFT-s-OFDM 16 QAM	1@271	21.36	17.86	0.0611
41	30	100	518598	2592.99	DFT-s-OFDM 64 QAM	135@67	20.35	16.85	0.0484
41	30	100	518598	2592.99	DFT-s-OFDM 64 QAM	1@1	19.67	16.17	0.0414
41	30	100	518598	2592.99	DFT-s-OFDM 64 QAM	1@271	20.13	16.63	0.0460
41	30	100	518598	2592.99	DFT-s-OFDM 256 QAM	135@67	18.36	14.86	0.0306
41	30	100	518598	2592.99	DFT-s-OFDM 256 QAM	1@1	17.78	14.28	0.0268
41	30	100	518598	2592.99	DFT-s-OFDM 256 QAM	1@271	18.29	14.79	0.0301
41	30	100	518598	2592.99	CP-OFDM QPSK	137@68	21.4	17.9	0.0617
41	30	100	518598	2592.99	CP-OFDM QPSK	1@1	20.92	17.42	0.0552
41	30	100	518598	2592.99	CP-OFDM QPSK	1@271	21.23	17.73	0.0593
41	30	100	528000	2640	DFT-s-OFDM PI/2 BPSK	135@67	22.9	19.4	0.0871
41	30	100	528000	2640	DFT-s-OFDM PI/2 BPSK	1@1	21.42	17.92	0.0619
41	30	100	528000	2640	DFT-s-OFDM PI/2 BPSK	1@271	22.77	19.27	0.0845
41	30	100	528000	2640	DFT-s-OFDM QPSK	135@67	22.92	19.42	0.0875
41	30	100	528000	2640	DFT-s-OFDM QPSK	1@1	21.4	17.9	0.0617
41	30	100	528000	2640	DFT-s-OFDM QPSK	1@271	22.75	19.25	0.0841
41	30	100	528000	2640	DFT-s-OFDM 16 QAM	135@67	21.94	18.44	0.0698
41	30	100	528000	2640	DFT-s-OFDM 16 QAM	1@1	20.78	17.28	0.0535
41	30	100	528000	2640	DFT-s-OFDM 16 QAM	1@271	21.81	18.31	0.0678

41	30	100	528000	2640	DFT-s-OFDM 64 QAM	135@67	20.57	17.07	0.0509
41	30	100	528000	2640	DFT-s-OFDM 64 QAM	1@1	19.16	15.66	0.0368
41	30	100	528000	2640	DFT-s-OFDM 64 QAM	1@271	20.57	17.07	0.0509
41	30	100	528000	2640	DFT-s-OFDM 256 QAM	135@67	18.52	15.02	0.0318
41	30	100	528000	2640	DFT-s-OFDM 256 QAM	1@1	17.35	13.85	0.0243
41	30	100	528000	2640	DFT-s-OFDM 256 QAM	1@271	18.75	15.25	0.0335
41	30	100	528000	2640	CP-OFDM QPSK	137@68	21.52	18.02	0.0634
41	30	100	528000	2640	CP-OFDM QPSK	1@1	20.23	16.73	0.0471
41	30	100	528000	2640	CP-OFDM QPSK	1@271	21.66	18.16	0.0655


## Frequency Stability

NR Band	SCS (kHz)	Bandwidth (MHz)	Arfcn	Freq (MHz)	Modulation	RB	Deviation (ppm)	Verdict	Environment
41	30	20	518598	2592.99	DFT-s-OFDM QPSK	50@0	0.0066	<b>PASS</b>	NV
41	30	20	518598	2592.99	DFT-s-OFDM QPSK	50@0	0.0033	<b>PASS</b>	LV
41	30	20	518598	2592.99	DFT-s-OFDM QPSK	50@0	0.0027	<b>PASS</b>	HV
41	30	20	518598	2592.99	DFT-s-OFDM QPSK	50@0	0.0040	<b>PASS</b>	-30°C
41	30	20	518598	2592.99	DFT-s-OFDM QPSK	50@0	0.0052	<b>PASS</b>	-20°C
41	30	20	518598	2592.99	DFT-s-OFDM QPSK	50@0	0.0035	<b>PASS</b>	-10°C
41	30	20	518598	2592.99	DFT-s-OFDM QPSK	50@0	0.0050	<b>PASS</b>	0°C
41	30	20	518598	2592.99	DFT-s-OFDM QPSK	50@0	0.0036	<b>PASS</b>	10°C
41	30	20	518598	2592.99	DFT-s-OFDM QPSK	50@0	0.0066	<b>PASS</b>	20°C
41	30	20	518598	2592.99	DFT-s-OFDM QPSK	50@0	0.0060	<b>PASS</b>	30°C
41	30	20	518598	2592.99	DFT-s-OFDM QPSK	50@0	0.0025	<b>PASS</b>	40°C
41	30	20	518598	2592.99	DFT-s-OFDM QPSK	50@0	0.0023	<b>PASS</b>	50°C

## Peak to Average Ratio

NR Band	SCS (kHz)	Bandwidth (MHz)	Arfcn	Freq (MHz)	Modulation	RB	Result (dB)	Limit (dB)	Verdict
41	30	20	501204	2506.02	DFT-s-OFDM PI/2 BPSK	50@0	7.29	13	PASS
41	30	20	501204	2506.02	DFT-s-OFDM PI/2 BPSK	1@0	7.41	13	PASS
41	30	20	501204	2506.02	DFT-s-OFDM QPSK	50@0	8.39	13	PASS
41	30	20	501204	2506.02	DFT-s-OFDM QPSK	1@0	8.58	13	PASS
41	30	20	518598	2592.99	DFT-s-OFDM PI/2 BPSK	50@0	7.16	13	PASS
41	30	20	518598	2592.99	DFT-s-OFDM PI/2 BPSK	1@0	6.94	13	PASS
41	30	20	518598	2592.99	DFT-s-OFDM QPSK	50@0	8.36	13	PASS
41	30	20	518598	2592.99	DFT-s-OFDM QPSK	1@0	8.89	13	PASS
41	30	20	535998	2679.99	DFT-s-OFDM PI/2 BPSK	50@0	7.19	13	PASS
41	30	20	535998	2679.99	DFT-s-OFDM PI/2 BPSK	1@0	7.82	13	PASS
41	30	20	535998	2679.99	DFT-s-OFDM QPSK	50@0	8.42	13	PASS
41	30	20	535998	2679.99	DFT-s-OFDM QPSK	1@0	8.45	13	PASS


N41(20M)\_DFT-s-OFDM\_PI\_2-BPSK\_Outer\_Full\_Low\_CH




N41(20M)\_DFT-s-OFDM\_PI\_2-BPSK\_Edge\_1RB\_Left\_Low\_CH




N41(20M)\_DFT-s-OFDM\_QPSK\_Outer\_Full\_Low\_CH




N41(20M)\_DFT-s-OFDM\_QPSK\_Edge\_1RB\_Left\_Low\_CH



N41(20M)\_DFT-s-OFDM\_PI\_2-BPSK\_Outer\_Full\_Mid\_CH




N41(20M)\_DFT-s-OFDM\_PI\_2-BPSK\_Edge\_1RB\_Left\_Mid\_CH




N41(20M)\_DFT-s-OFDM\_QPSK\_Outer\_Full\_Mid\_CH




N41(20M)\_DFT-s-OFDM\_QPSK\_Edge\_1RB\_Left\_Mid\_CH



N41(20M)\_DFT-s-OFDM\_PI\_2-BPSK\_Outer\_Full\_High\_CH



N41(20M)\_DFT-s-OFDM\_PI\_2-BPSK\_Edge\_1RB\_Left\_High\_CH



N41(20M)\_DFT-s-OFDM\_QPSK\_Outer\_Full\_High\_CH



N41(20M)\_DFT-s-OFDM\_QPSK\_Edge\_1RB\_Left\_High\_CH






## Occupied Bandwidth

NR Band	SCS (kHz)	Bandwidth (MHz)	Arfcn	Freq (MHz)	Modulation	RB	OBW (MHz)	26dB BW (MHz)
41	30	10	518598	2592.99	DFT-s-OFDM PI/2 BPSK	24@0	8.5979	9.313
41	30	10	518598	2592.99	DFT-s-OFDM QPSK	24@0	8.5591	9.175
41	30	10	518598	2592.99	CP-OFDM QPSK	24@0	8.5582	9.185
41	30	10	518598	2592.99	CP-OFDM 16 QAM	24@0	8.5725	9.105
41	30	10	518598	2592.99	CP-OFDM 64 QAM	24@0	8.564	9.232
41	30	10	518598	2592.99	CP-OFDM 256 QAM	24@0	8.5716	9.201
41	30	15	518598	2592.99	DFT-s-OFDM PI/2 BPSK	36@0	12.884	13.66
41	30	15	518598	2592.99	DFT-s-OFDM QPSK	36@0	12.81	13.57
41	30	15	518598	2592.99	CP-OFDM QPSK	38@0	13.541	14.41
41	30	15	518598	2592.99	CP-OFDM 16 QAM	38@0	13.58	14.39
41	30	15	518598	2592.99	CP-OFDM 64 QAM	38@0	13.542	14.13
41	30	15	518598	2592.99	CP-OFDM 256 QAM	38@0	13.578	14.5
41	30	20	518598	2592.99	DFT-s-OFDM PI/2 BPSK	50@0	17.861	18.84
41	30	20	518598	2592.99	DFT-s-OFDM QPSK	50@0	17.743	20.43
41	30	20	518598	2592.99	CP-OFDM QPSK	51@0	18.169	19.36
41	30	20	518598	2592.99	CP-OFDM 16 QAM	51@0	18.198	19.03
41	30	20	518598	2592.99	CP-OFDM 64 QAM	51@0	18.13	19.05
41	30	20	518598	2592.99	CP-OFDM 256 QAM	51@0	18.168	19.08
41	30	30	518598	2592.99	DFT-s-OFDM PI/2 BPSK	75@0	26.801	28.11
41	30	30	518598	2592.99	DFT-s-OFDM QPSK	75@0	26.757	27.82
41	30	30	518598	2592.99	CP-OFDM QPSK	78@0	27.853	28.89
41	30	30	518598	2592.99	CP-OFDM 16 QAM	78@0	27.808	29.16
41	30	30	518598	2592.99	CP-OFDM 64 QAM	78@0	27.73	29.08
41	30	30	518598	2592.99	CP-OFDM 256 QAM	78@0	27.799	28.93


41	30	40	518598	2592.99	DFT-s-OFDM PI/2 BPSK	100@0	35.675	37.38
41	30	40	518598	2592.99	DFT-s-OFDM QPSK	100@0	35.774	36.97
41	30	40	518598	2592.99	CP-OFDM QPSK	106@0	37.845	39.28
41	30	40	518598	2592.99	CP-OFDM 16 QAM	106@0	37.925	39.11
41	30	40	518598	2592.99	CP-OFDM 64 QAM	106@0	37.671	39.31
41	30	40	518598	2592.99	CP-OFDM 256 QAM	106@0	37.797	39.51
41	30	50	518598	2592.99	DFT-s-OFDM PI/2 BPSK	128@0	45.619	47.48
41	30	50	518598	2592.99	DFT-s-OFDM QPSK	128@0	45.731	47.29
41	30	50	518598	2592.99	CP-OFDM QPSK	133@0	47.475	49.14
41	30	50	518598	2592.99	CP-OFDM 16 QAM	133@0	47.422	49.15
41	30	50	518598	2592.99	CP-OFDM 64 QAM	133@0	47.435	49.22
41	30	50	518598	2592.99	CP-OFDM 256 QAM	133@0	47.33	49.16
41	30	60	518598	2592.99	DFT-s-OFDM PI/2 BPSK	162@0	57.781	59.78
41	30	60	518598	2592.99	DFT-s-OFDM QPSK	162@0	57.725	59.86
41	30	60	518598	2592.99	CP-OFDM QPSK	162@0	57.78	59.71
41	30	60	518598	2592.99	CP-OFDM 16 QAM	162@0	57.791	59.72
41	30	60	518598	2592.99	CP-OFDM 64 QAM	162@0	57.701	59.9
41	30	60	518598	2592.99	CP-OFDM 256 QAM	162@0	57.85	59.7
41	30	80	518598	2592.99	DFT-s-OFDM PI/2 BPSK	216@0	77.222	79.78
41	30	80	518598	2592.99	DFT-s-OFDM QPSK	216@0	77.195	79.76
41	30	80	518598	2592.99	CP-OFDM QPSK	217@0	77.407	80.02
41	30	80	518598	2592.99	CP-OFDM 16 QAM	217@0	77.5	79.97
41	30	80	518598	2592.99	CP-OFDM 64 QAM	217@0	77.335	79.87
41	30	80	518598	2592.99	CP-OFDM 256 QAM	217@0	77.558	79.83
41	30	90	518598	2592.99	DFT-s-OFDM PI/2 BPSK	240@0	85.621	88.84
41	30	90	518598	2592.99	DFT-s-OFDM	240@0	85.622	88.32

QPSK								
41	30	90	518598	2592.99	CP-OFDM QPSK	245@0	87.506	90.21
41	30	90	518598	2592.99	CP-OFDM 16 QAM	245@0	87.602	90.16
41	30	90	518598	2592.99	CP-OFDM 64 QAM	245@0	87.278	90.11
41	30	90	518598	2592.99	CP-OFDM 256 QAM	245@0	87.554	90.31
41	30	100	518598	2592.99	DFT-s- OFDM PI/2 BPSK	270@0	96.425	99.84
41	30	100	518598	2592.99	DFT-s- OFDM QPSK	270@0	96.238	99.35
41	30	100	518598	2592.99	CP-OFDM QPSK	273@0	97.169	100.6
41	30	100	518598	2592.99	CP-OFDM 16 QAM	273@0	97.247	100.4
41	30	100	518598	2592.99	CP-OFDM 64 QAM	273@0	97.517	101.7
41	30	100	518598	2592.99	CP-OFDM 256 QAM	273@0	97.143	100.4


### N41(10M)\_DFT-s-OFDM\_PI\_2-BPSK\_Outer\_Full\_Mid\_CH




### N41(10M)\_DFT-s-OFDM\_QPSK\_Outer\_Full\_Mid\_CH




### N41(10M)\_CP-OFDM\_QPSK\_Outer\_Full\_Mid\_CH




### N41(10M)\_CP-OFDM\_16QAM\_Outer\_Full\_Mid\_CH




### N41(10M)\_CP-OFDM\_64QAM\_Outer\_Full\_Mid\_CH




### N41(10M)\_CP-OFDM\_256QAM\_Outer\_Full\_Mid\_CH




N41(15M)\_DFT-s-OFDM\_PI\_2-  
BPSK\_Outer\_Full\_Mid\_CH




N41(15M)\_DFT-s-  
OFDM\_QPSK\_Outer\_Full\_Mid\_CH




N41(15M)\_CP-  
OFDM\_QPSK\_Outer\_Full\_Mid\_CH




N41(15M)\_CP-OFDM\_16  
QAM\_Outer\_Full\_Mid\_CH




N41(15M)\_CP-OFDM\_64  
QAM\_Outer\_Full\_Mid\_CH




N41(15M)\_CP-OFDM\_256  
QAM\_Outer\_Full\_Mid\_CH




N41(20M)\_DFT-s-OFDM\_PI\_2-BPSK\_Outer\_Full\_Mid\_CH




N41(20M)\_DFT-s-OFDM\_QPSK\_Outer\_Full\_Mid\_CH




N41(20M)\_CP-OFDM\_QPSK\_Outer\_Full\_Mid\_CH




N41(20M)\_CP-OFDM\_16QAM\_Outer\_Full\_Mid\_CH




N41(20M)\_CP-OFDM\_64QAM\_Outer\_Full\_Mid\_CH




N41(20M)\_CP-OFDM\_256QAM\_Outer\_Full\_Mid\_CH




N41(30M)\_DFT-s-OFDM\_PI\_2-BPSK\_Outer\_Full\_Mid\_CH



N41(30M)\_DFT-s-OFDM\_QPSK\_Outer\_Full\_Mid\_CH




N41(30M)\_CP-OFDM\_QPSK\_Outer\_Full\_Mid\_CH




N41(30M)\_CP-OFDM\_16QAM\_Outer\_Full\_Mid\_CH




N41(30M)\_CP-OFDM\_64QAM\_Outer\_Full\_Mid\_CH




N41(30M)\_CP-OFDM\_256QAM\_Outer\_Full\_Mid\_CH




### N41(40M)\_DFT-s-OFDM\_PI\_2-BPSK\_Outer\_Full\_Mid\_CH




### N41(40M)\_DFT-s-OFDM\_QPSK\_Outer\_Full\_Mid\_CH




### N41(40M)\_CP-OFDM\_QPSK\_Outer\_Full\_Mid\_CH




### N41(40M)\_CP-OFDM\_16QAM\_Outer\_Full\_Mid\_CH



### N41(40M)\_CP-OFDM\_64QAM\_Outer\_Full\_Mid\_CH




### N41(40M)\_CP-OFDM\_256QAM\_Outer\_Full\_Mid\_CH







### N41(50M)\_DFT-s-OFDM\_PI\_2-BPSK\_Outer\_Full\_Mid\_CH




### N41(50M)\_DFT-s-OFDM\_QPSK\_Outer\_Full\_Mid\_CH




### N41(50M)\_CP-OFDM\_QPSK\_Outer\_Full\_Mid\_CH




### N41(50M)\_CP-OFDM\_16QAM\_Outer\_Full\_Mid\_CH




### N41(50M)\_CP-OFDM\_64QAM\_Outer\_Full\_Mid\_CH




### N41(50M)\_CP-OFDM\_256QAM\_Outer\_Full\_Mid\_CH




N41(60M)\_DFT-s-OFDM\_PI\_2-BPSK\_Outer\_Full\_Mid\_CH




N41(60M)\_DFT-s-OFDM\_QPSK\_Outer\_Full\_Mid\_CH




N41(60M)\_CP-OFDM\_QPSK\_Outer\_Full\_Mid\_CH




N41(60M)\_CP-OFDM\_16QAM\_Outer\_Full\_Mid\_CH




N41(60M)\_CP-OFDM\_64QAM\_Outer\_Full\_Mid\_CH




N41(60M)\_CP-OFDM\_256QAM\_Outer\_Full\_Mid\_CH




### N41(80M)\_DFT-s-OFDM\_PI\_2-BPSK\_Outer\_Full\_Mid\_CH




### N41(80M)\_DFT-s-OFDM\_QPSK\_Outer\_Full\_Mid\_CH




### N41(80M)\_CP-OFDM\_QPSK\_Outer\_Full\_Mid\_CH



### N41(80M)\_CP-OFDM\_16QAM\_Outer\_Full\_Mid\_CH



### N41(80M)\_CP-OFDM\_64QAM\_Outer\_Full\_Mid\_CH



### N41(80M)\_CP-OFDM\_256QAM\_Outer\_Full\_Mid\_CH

