





11G-CDD_Ant4_2437



Date: 14.APR.2023 04:00:13


11G-CDD_Ant6_2437



Date: 14.APR.2023 04:01:43




11G-CDD_Ant4_2462



Date: 14.APR.2023 04:03:25


11G-CDD_Ant6_2462



Date: 14.APR.2023 04:05:14




11AX20MIMO_Ant4_2412



Date: 14.APR.2023 04:07:29


11AX20MIMO_Ant6_2412



Date: 14.APR.2023 04:09:25




11AX20MIMO_Ant4_2437



Date: 14.APR.2023 04:12:11


11AX20MIMO_Ant6_2437




Date: 14.APR.2023 04:13:44



11AX20MIMO_Ant4_2462




11AX20MIMO_Ant6_2462






11AX40MIMO_Ant4_2422



Date: 14.APR.2023 05:24:38


11AX40MIMO_Ant6_2422




Date: 14.APR.2023 05:26:31



11AX40MIMO_Ant4_2437




11AX40MIMO_Ant6_2437






11AX40MIMO_Ant4_2452



Date: 14.APR.2023 05:36:50

11AX40MIMO_Ant6_2452



Date: 14.APR.2023 05:38:44





Band edge measurements

Test Result

TestMode	Antenna	Channel Name	Freq(MHz)	RefLevel [dBm/100KHz]	Result [dBm/100KHz]	Limit [dBm/100KHz]	Verdict
11B-CDD	Ant4	Low	2412	13.28	-38.82	≤-6.72	PASS
	Ant6	Low	2412	12.98	-38.19	≤-7.02	PASS
	Ant4	High	2462	12.69	-42.46	≤-7.31	PASS
	Ant6	High	2462	12.51	-43.58	≤-7.49	PASS
11G-CDD	Ant4	Low	2412	9.39	-25.5	≤-10.61	PASS
	Ant6	Low	2412	9.19	-27.54	≤-10.81	PASS
	Ant4	High	2462	9.19	-36.44	≤-10.81	PASS
	Ant6	High	2462	9.07	-37.15	≤-10.93	PASS
11AX20 MIMO	Ant4	Low	2412	8.69	-25.59	≤-11.31	PASS
	Ant6	Low	2412	9.03	-26.93	≤-10.97	PASS
	Ant4	High	2462	8.40	-33.41	≤-11.6	PASS
	Ant6	High	2462	8.75	-32.94	≤-11.25	PASS
11AX40 MIMO	Ant4	Low	2422	6.46	-28.07	≤-13.54	PASS
	Ant6	Low	2422	7.02	-25.13	≤-12.98	PASS
	Ant4	High	2452	6.40	-28.54	≤-13.6	PASS
	Ant6	High	2452	6.85	-29.62	≤-13.15	PASS




Test Graphs






11B-CDD_Ant4_High_2462



Date: 14.APR.2023 03:52:50


11B-CDD_Ant6_High_2462



Date: 14.APR.2023 03:54:43




11G-CDD_Ant4_Low_2412



Date: 14.APR.2023 03:56:45


11G-CDD_Ant6_Low_2412



Date: 14.APR.2023 03:58:32




11G-CDD_Ant4_High_2462



Date: 14.APR.2023 04:03:46


11G-CDD_Ant6_High_2462



Date: 14.APR.2023 04:05:33




11AX20MIMO_Ant4_Low_2412



Date: 14.APR.2023 04:07:50


11AX20MIMO_Ant6_Low_2412



Date: 14.APR.2023 04:09:43




11AX20MIMO_Ant4_High_2462



Date: 14.APR.2023 05:18:30


11AX20MIMO_Ant6_High_2462



Date: 14.APR.2023 05:20:23




11AX40MIMO_Ant4_Low_2422



Date: 14.APR.2023 05:25:00


11AX40MIMO_Ant6_Low_2422



Date: 14.APR.2023 05:26:53




11AX40MIMO_Ant4_High_2452



Date: 14.APR.2023 05:37:09

11AX40MIMO_Ant6_High_2452



Date: 14.APR.2023 05:39:03



Conducted Spurious Emission

Test Result



TestMode	Antenna	Freq(MHz)	FreqRange [Mhz]	RefLevel [dBm/100KHz]	Result [dBm/100KHz]	Limit [dBm/100KHz]	Verdict
11B-CDD	Ant4	2412	30~1000	13.28	-55.11	≤-6.72	PASS
			1000~26500	13.28	-45.86	≤-6.72	PASS
	Ant6	2412	30~1000	12.98	-54.82	≤-7.02	PASS
			1000~26500	12.98	-46.34	≤-7.02	PASS
	Ant4	2437	30~1000	12.88	-54.62	≤-7.12	PASS
			1000~26500	12.88	-46.35	≤-7.12	PASS
	Ant6	2437	30~1000	12.27	-55.42	≤-7.73	PASS
			1000~26500	12.27	-46.75	≤-7.73	PASS
	Ant4	2462	30~1000	12.69	-55.11	≤-7.31	PASS
			1000~26500	12.69	-46	≤-7.31	PASS
	Ant6	2462	30~1000	12.51	-54.66	≤-7.49	PASS
			1000~26500	12.51	-46.69	≤-7.49	PASS
11G-CDD	Ant4	2412	30~1000	9.39	-55.21	≤-10.61	PASS
			1000~26500	9.39	-46.8	≤-10.61	PASS
	Ant6	2412	30~1000	9.19	-54.83	≤-10.81	PASS
			1000~26500	9.19	-46.54	≤-10.81	PASS
	Ant4	2437	30~1000	8.97	-55.04	≤-11.03	PASS
			1000~26500	8.97	-46.11	≤-11.03	PASS
	Ant6	2437	30~1000	8.85	-55.01	≤-11.15	PASS
			1000~26500	8.85	-45.4	≤-11.15	PASS
	Ant4	2462	30~1000	9.19	-54.92	≤-10.81	PASS
			1000~26500	9.19	-46.99	≤-10.81	PASS
	Ant6	2462	30~1000	9.07	-55.12	≤-10.93	PASS
			1000~26500	9.07	-45.8	≤-10.93	PASS
11AX20MIMO	Ant4	2412	30~1000	8.69	-54.55	≤-11.31	PASS
			1000~26500	8.69	-46.17	≤-11.31	PASS
	Ant6	2412	30~1000	9.03	-54.74	≤-10.97	PASS
			1000~26500	9.03	-46.62	≤-10.97	PASS
	Ant4	2437	30~1000	8.67	-55.73	≤-11.33	PASS
			1000~26500	8.67	-46.5	≤-11.33	PASS
	Ant6	2437	30~1000	8.09	-54.23	≤-11.91	PASS
			1000~26500	8.09	-45.16	≤-11.91	PASS
	Ant4	2462	30~1000	8.40	-55.86	≤-11.6	PASS
			1000~26500	8.40	-46.2	≤-11.6	PASS
	Ant6	2462	30~1000	8.75	-54.3	≤-11.25	PASS



11AX40MIMO	Ant4	2422	1000~26500	8.75	-46.7	≤-11.25	PASS	
			30~1000	6.46	-54.51	≤-13.54	PASS	
	Ant6	2422	1000~26500	6.46	-46.61	≤-13.54	PASS	
			30~1000	7.02	-54.99	≤-12.98	PASS	
	Ant4	2437	1000~26500	7.02	-46.8	≤-12.98	PASS	
			30~1000	5.99	-55.13	≤-14.01	PASS	
	Ant6	2437	1000~26500	5.99	-46.09	≤-14.01	PASS	
			30~1000	6.38	-55.47	≤-13.62	PASS	
	Ant4	2452	1000~26500	6.38	-47.07	≤-13.62	PASS	
			30~1000	6.40	-54.98	≤-13.6	PASS	
	Ant6	2452	1000~26500	6.40	-46	≤-13.6	PASS	
			30~1000	6.85	-53.88	≤-13.15	PASS	
				1000~26500	6.85	-46.81	≤-13.15	PASS




Test Graphs






11B-CDD_Ant6_2412_30~1000



Date: 14.APR.2023 03:47:30


11B-CDD_Ant6_2412_1000~26500



Date: 14.APR.2023 03:47:45




11B-CDD_Ant4_2437_30~1000



Date: 14.APR.2023 03:49:33


11B-CDD_Ant4_2437_1000~26500




Date: 14.APR.2023 03:49:48



11B-CDD_Ant6_2437_30~1000




11B-CDD_Ant6_2437_1000~26500






11B-CDD_Ant4_2462_30~1000



Date: 14.APR.2023 03:53:06


11B-CDD_Ant4_2462_1000~26500




Date: 14.APR.2023 03:53:21



11B-CDD_Ant6_2462_30~1000




11B-CDD_Ant6_2462_1000~26500






11G-CDD_Ant4_2412_30~1000



Date: 14.APR.2023 03:56:58


11G-CDD_Ant4_2412_1000~26500




Date: 14.APR.2023 03:57:13



11G-CDD_Ant6_2412_30~1000




11G-CDD_Ant6_2412_1000~26500






11G-CDD_Ant4_2437_30~1000



Date: 14.APR.2023 04:00:28


11G-CDD_Ant4_2437_1000~26500



Date: 14.APR.2023 04:00:44




11G-CDD_Ant6_2437_30~1000



Date: 14.APR.2023 04:01:56


11G-CDD_Ant6_2437_1000~26500




Date: 14.APR.2023 04:02:11



11G-CDD_Ant4_2462_30~1000




11G-CDD_Ant4_2462_1000~26500






11G-CDD_Ant6_2462_30~1000



Date: 14.APR.2023 04:05:46


11G-CDD_Ant6_2462_1000~26500



Date: 14.APR.2023 04:06:01




11AX20MIMO_Ant4_2412_30~1000



Date: 14.APR.2023 04:08:06


11AX20MIMO_Ant4_2412_1000~26500



Date: 14.APR.2023 04:08:22




11AX20MIMO_Ant6_2412_30~1000



Date: 14.APR.2023 04:09:56


11AX20MIMO_Ant6_2412_1000~26500



Date: 14.APR.2023 04:10:12




11AX20MIMO_Ant4_2437_30~1000



Date: 14.APR.2023 04:12:23


11AX20MIMO_Ant4_2437_1000~26500



Date: 14.APR.2023 04:12:38




11AX20MIMO_Ant6_2437_30~1000



Date: 14.APR.2023 04:13:59


11AX20MIMO_Ant6_2437_1000~26500



Date: 14.APR.2023 04:14:15




11AX20MIMO_Ant4_2462_30~1000



Date: 14.APR.2023 05:18:46


11AX20MIMO_Ant4_2462_1000~26500



Date: 14.APR.2023 05:19:02




11AX20MIMO_Ant6_2462_30~1000



Date: 14.APR.2023 05:20:39


11AX20MIMO_Ant6_2462_1000~26500



Date: 14.APR.2023 05:20:55




11AX40MIMO_Ant4_2422_30~1000



Date: 14.APR.2023 05:25:16


11AX40MIMO_Ant4_2422_1000~26500



Date: 14.APR.2023 05:25:31




11AX40MIMO_Ant6_2422_30~1000



Date: 14.APR.2023 05:27:06


11AX40MIMO_Ant6_2422_1000~26500



Date: 14.APR.2023 05:27:22




11AX40MIMO_Ant4_2437_30~1000



Date: 14.APR.2023 05:33:19


11AX40MIMO_Ant4_2437_1000~26500



Date: 14.APR.2023 05:33:35




11AX40MIMO_Ant6_2437_30~1000



Date: 14.APR.2023 05:34:47


11AX40MIMO_Ant6_2437_1000~26500




Date: 14.APR.2023 05:35:02



11AX40MIMO_Ant4_2452_30~1000




11AX40MIMO_Ant4_2452_1000~26500






11AX40MIMO_Ant6_2452_30~1000



11AX40MIMO_Ant6_2452_1000~26500






Maximum power spectral density for 11ax Partial RU

Test Result

TestMode	Antenna	Freq(MHz)	RuSize	RuIndex	Result [dBm/3kHz]	Limit [dBm/3kHz]	Verdict
11AX20MIMO	Ant4	2412	26Tone	RU0	-8.45	≤8.00	PASS
			52Tone	RU37	-8.02	≤8.00	PASS
			106Tone	RU53	-8.55	≤8.00	PASS
	Ant6	2412	26Tone	RU0	-8.59	≤8.00	PASS
			52Tone	RU37	-9.01	≤8.00	PASS
			106Tone	RU53	-8.7	≤8.00	PASS
	total	2412	26Tone	RU0	-5.51	≤8.00	PASS
			52Tone	RU37	-5.48	≤8.00	PASS
			106Tone	RU53	-5.61	≤8.00	PASS
	Ant4	2437	26Tone	RU0	-8.55	≤8.00	PASS
			52Tone	RU37	-8.05	≤8.00	PASS
			106Tone	RU53	-8.3	≤8.00	PASS
	Ant6	2437	26Tone	RU0	-8.98	≤8.00	PASS
			52Tone	RU37	-9.53	≤8.00	PASS
			106Tone	RU53	-9.23	≤8.00	PASS
	total	2437	26Tone	RU0	-5.75	≤8.00	PASS
			52Tone	RU37	-5.72	≤8.00	PASS
			106Tone	RU53	-5.73	≤8.00	PASS
	Ant4	2462	26Tone	RU8	-8.95	≤8.00	PASS
			52Tone	RU40	-7.69	≤8.00	PASS
			106Tone	RU54	-8.55	≤8.00	PASS
	Ant6	2462	26Tone	RU8	-7.95	≤8.00	PASS
			52Tone	RU40	-8.39	≤8.00	PASS
			106Tone	RU54	-8.28	≤8.00	PASS
	total	2462	26Tone	RU8	-5.41	≤8.00	PASS
			52Tone	RU40	-5.02	≤8.00	PASS
			106Tone	RU54	-5.40	≤8.00	PASS




Test Graphs






11AX20MIMO_Ant4_2412_106Tone_RU53




11AX20MIMO_Ant6_2412_26Tone_RU0






11AX20MIMO_Ant6_2412_52Tone_RU37




11AX20MIMO_Ant6_2412_106Tone_RU53






11AX20MIMO_Ant4_2437_26Tone_RU0




11AX20MIMO_Ant4_2437_52Tone_RU37






11AX20MIMO_Ant4_2437_106Tone_RU53




11AX20MIMO_Ant6_2437_26Tone_RU0






11AX20MIMO_Ant6_2437_52Tone_RU37




11AX20MIMO_Ant6_2437_106Tone_RU53






11AX20MIMO_Ant4_2462_106Tone_RU54



Date: 21.APR.2023 15:42:25


11AX20MIMO_Ant6_2462_26Tone_RU8




Date: 21.APR.2023 15:39:34



11AX20MIMO_Ant6_2462_52Tone_RU40




11AX20MIMO_Ant6_2462_106Tone_RU54





Appendix B. AC Conducted Emission Test Results

Test Engineer :	Amos Zhang	Temperature :	25.3~26.2°C
		Relative Humidity :	38~40%
Test Voltage :	120Vac / 60Hz	Phase :	Line
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		




Site : CO01-KS
 Condition : 15C RSS247-QP LISN-060105-LINE LINE

	Freq	Level	Over Limit	Limit Line	Read Level	LISN Factor	Cable Loss	Remark
	MHz	dBuV	dB	dBuV	dBuV	dB	dB	
1 *	0.192	49.65	-14.28	63.93	39.20	0.03	10.42	QP
2	0.192	30.65	-23.28	53.93	20.20	0.03	10.42	Average
3	0.377	32.83	-25.51	58.34	22.50	0.02	10.31	QP
4	0.377	17.83	-30.51	48.34	7.50	0.02	10.31	Average
5	0.433	31.46	-25.74	57.20	21.19	0.00	10.27	QP
6	0.433	16.46	-30.74	47.20	6.19	0.00	10.27	Average
7	7.368	31.66	-28.34	60.00	21.49	-0.14	10.31	QP
8	7.368	23.76	-26.24	50.00	13.59	-0.14	10.31	Average
9	12.384	33.33	-26.67	60.00	22.50	-0.19	11.02	QP
10	12.384	25.43	-24.57	50.00	14.60	-0.19	11.02	Average
11	13.337	32.11	-27.89	60.00	21.21	-0.20	11.10	QP
12	13.337	26.11	-23.89	50.00	15.21	-0.20	11.10	Average



Test Engineer :	Amos Zhang	Temperature :	25.3~26.2°C
		Relative Humidity :	38~40%
Test Voltage :	120Vac / 60Hz	Phase :	Neutral
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		



Site : CO01-KS
 Condition : 15C RSS247-QP LISN-060105-NEUTRAL NEUTRAL

	Freq	Level	Over	Limit	Read	LISN	Cable	Remark
	MHz	dBuV	dB	dBuV	dBuV	dB	dB	
1 *	0.187	50.57	-13.58	64.15	40.10	0.05	10.42	QP
2	0.187	31.07	-23.08	54.15	20.60	0.05	10.42	Average
3	0.199	47.07	-16.60	63.67	36.60	0.05	10.42	QP
4	0.199	28.67	-25.00	53.67	18.20	0.05	10.42	Average
5	0.350	35.06	-23.90	58.96	24.80	-0.06	10.32	QP
6	0.350	18.46	-30.50	48.96	8.20	-0.06	10.32	Average
7	0.505	31.63	-24.37	56.00	21.50	-0.08	10.21	QP
8	0.505	18.33	-27.67	46.00	8.20	-0.08	10.21	Average
9	11.257	40.28	-19.72	60.00	29.61	-0.19	10.86	QP
10	11.257	34.38	-15.62	50.00	23.71	-0.19	10.86	Average
11	12.384	38.34	-21.66	60.00	27.50	-0.18	11.02	QP
12	12.384	32.14	-17.86	50.00	21.30	-0.18	11.02	Average

Note:

- Level(dBμV) = Read Level(dBμV) + LISN Factor(dB) + Cable Loss(dB)
- Over Limit(dB) = Level(dBμV) – Limit Line(dBμV)



Appendix C. Radiated Spurious Emission Test Data

Test Engineer :	Jiankang jiang	Relative Humidity :	41 ~ 42 %
		Temperature :	22 ~ 23 °C

Radiated Spurious Emission Test Modes

Mode	Band (MHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 1	2400-2483.5	CDD 4+6	802.11b	01	2412	1Mbps	-	-
Mode 2	2400-2483.5	CDD 4+6	802.11b	06	2437	1Mbps	-	-
Mode 3	2400-2483.5	CDD 4+6	802.11b	11	2462	1Mbps	-	-
Mode 4	2400-2483.5	CDD 4+6	802.11g	01	2412	6Mbps	-	-
Mode 5	2400-2483.5	CDD 4+6	802.11g	06	2437	6Mbps	-	-
Mode 6	2400-2483.5	CDD 4+6	802.11g	11	2462	6Mbps	-	-
Mode 7	2400-2483.5	CDD 4+6	802.11ax HE20	01	2412	MCS0	-	-
Mode 8	2400-2483.5	CDD 4+6	802.11ax HE20	06	2437	MCS0	-	-
Mode 9	2400-2483.5	CDD 4+6	802.11ax HE20	11	2462	MCS0	-	-
Mode 10	2400-2483.5	CDD 4+6	802.11ax HE20	01	2412	MCS0	RU26/0	-
Mode 11	2400-2483.5	CDD 4+6	802.11ax HE20	01	2412	MCS0	RU52/37	-
Mode 12	2400-2483.5	CDD 4+6	802.11ax HE20	01	2412	MCS0	RU106/53	-
Mode 13	2400-2483.5	CDD 4+6	802.11ax HE20	11	2462	MCS0	RU26/8	-
Mode 14	2400-2483.5	CDD 4+6	802.11ax HE20	11	2462	MCS0	RU52/40	-
Mode 15	2400-2483.5	CDD 4+6	802.11ax HE20	11	2462	MCS0	RU106/54	-
Mode 16	2400-2483.5	CDD 4+6	802.11ax HE40	03	2422	MCS0	-	-
Mode 17	2400-2483.5	CDD 4+6	802.11ax HE40	06	2437	MCS0	-	-
Mode 18	2400-2483.5	CDD 4+6	802.11ax HE40	09	2452	MCS0	-	-
Mode 19	2400-2483.5	CDD 4+6	802.11ax HE40	09	2452	MCS0		LF



Summary of each worse mode

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
1	802.11b	01	2389.95	43.89	54.00	-10.11	H	AVERAGE	Pass	Band Edge
	802.11b	01	4824.00	42.34	74.00	-31.66	V	PEAK	Pass	Harmonic
2	802.11b	06	-	-	-	-	-	-	-	Band Edge
	802.11b	06	7311.00	43.64	74.00	-30.36	H	PEAK	Pass	Harmonic
3	802.11b	11	2487.16	44.68	54.00	-9.32	H	AVERAGE	Pass	Band Edge
	802.11b	11	7386.00	44.22	74.00	-29.78	H	PEAK	Pass	Harmonic
4	802.11g	01	2389.95	47.11	54.00	-6.89	H	AVERAGE	Pass	Band Edge
	802.11g	01	4824.00	43.51	74.00	-30.49	V	PEAK	Pass	Harmonic
5	802.11g	06	-	-	-	-	-	-	-	Band Edge
	802.11g	06	7311.00	43.98	74.00	-30.02	V	PEAK	Pass	Harmonic
6	802.11g	11	2483.51	47.71	54.00	-6.29	H	AVERAGE	Pass	Band Edge
	802.11g	11	7386.00	44.19	74.00	-29.81	H	PEAK	Pass	Harmonic
7	802.11ax HE20	01	2389.95	47.54	54.00	-6.46	H	AVERAGE	Pass	Band Edge
	802.11ax HE20	01	4824.00	42.31	74.00	-31.69	H	PEAK	Pass	Harmonic
8	802.11ax HE20	06	-	-	-	-	-	-	-	Band Edge
	802.11ax HE20	06	7311.00	44.24	74.00	-29.76	V	PEAK	Pass	Harmonic
9	802.11ax HE20	11	2484.53	49.55	54.00	-4.45	H	AVERAGE	Pass	Band Edge
	802.11ax HE20	11	7386.00	43.52	74.00	-30.48	H	PEAK	Pass	Harmonic
10	802.11ax HE20	01	2351.34	42.76	54.00	-11.24	H	AVERAGE	Pass	Band Edge
	802.11ax HE20	01	-	-	-	-	-	-	-	Harmonic
11	802.11ax HE20	01	2350.95	42.66	54.00	-11.34	V	AVERAGE	Pass	Band Edge
	802.11ax HE20	01	-	-	-	-	-	-	-	Harmonic
12	802.11ax HE20	01	2389.95	42.99	54.00	-11.01	H	AVERAGE	Pass	Band Edge
	802.11ax HE20	01	-	-	-	-	-	-	-	Harmonic
13	802.11ax HE20	11	2484.50	43.21	54.00	-10.79	H	AVERAGE	Pass	Band Edge
	802.11ax HE20	11	-	-	-	-	-	-	-	Harmonic
14	802.11ax HE20	11	2485.14	43.49	54.00	-10.51	H	AVERAGE	Pass	Band Edge
	802.11ax HE20	11	-	-	-	-	-	-	-	Harmonic
15	802.11ax HE20	11	2483.51	43.26	54.00	-10.74	H	AVERAGE	Pass	Band Edge
	802.11ax HE20	11	-	-	-	-	-	-	-	Harmonic



16	802.11ax HE40	03	2388.62	50.08	54.00	-3.92	V	AVERAGE	Pass	Band Edge
	802.11ax HE40	03	4844.00	43.81	74.00	-30.19	H	PEAK	Pass	Harmonic
17	802.11ax HE40	06	2389.88	45.59	54.00	-8.41	V	AVERAGE	Pass	Band Edge
	802.11ax HE40	06	7311.00	43.50	74.00	-30.50	V	PEAK	Pass	Harmonic
18	802.11ax HE40	09	2484.35	50.14	54.00	-3.86	H	AVERAGE	Pass	Band Edge
	802.11ax HE40	09	7356.00	43.93	74.00	-30.07	H	PEAK	Pass	Harmonic
19	802.11ax HE40	09	53.28	29.54	40.00	-10.46	V	PEAK	Pass	LF



Mode	1																																																																																			
	Band Edge																																																																																			
	2400-2483.5_802.11b_CH01_2412MHz																																																																																			
ANT	CDD 4+6																																																																																			
Pol.	Horizontal	Fundamental																																																																																		
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2347.31</td> <td>55.39</td> <td>74.00</td> <td>-18.61</td> <td>43.23</td> <td>32.55</td> <td>6.54</td> <td>32.93</td> <td>6.00</td> <td>100</td> <td>87</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2347.31	55.39	74.00	-18.61	43.23	32.55	6.54	32.93	6.00	100	87	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2412.00</td> <td>113.01</td> <td>-----</td> <td>-----</td> <td>101.05</td> <td>32.14</td> <td>6.63</td> <td>32.81</td> <td>6.00</td> <td>100</td> <td>87</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	113.01	-----	-----	101.05	32.14	6.63	32.81	6.00	100	87	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	2347.31	55.39	74.00	-18.61	43.23	32.55	6.54	32.93	6.00	100	87	PEAK																																																																								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	2412.00	113.01	-----	-----	101.05	32.14	6.63	32.81	6.00	100	87	PEAK																																																																								
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2309.95</td> <td>43.89</td> <td>54.00</td> <td>-10.11</td> <td>32.03</td> <td>32.12</td> <td>6.60</td> <td>32.86</td> <td>6.00</td> <td>100</td> <td>87</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2309.95	43.89	54.00	-10.11	32.03	32.12	6.60	32.86	6.00	100	87	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2412.00</td> <td>109.97</td> <td>-----</td> <td>-----</td> <td>98.01</td> <td>32.14</td> <td>6.63</td> <td>32.81</td> <td>6.00</td> <td>100</td> <td>87</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	109.97	-----	-----	98.01	32.14	6.63	32.81	6.00	100	87	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	2309.95	43.89	54.00	-10.11	32.03	32.12	6.60	32.86	6.00	100	87	AVERAGE																																																																								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	2412.00	109.97	-----	-----	98.01	32.14	6.63	32.81	6.00	100	87	AVERAGE																																																																								



Mode	1																																																																																			
	Band Edge																																																																																			
	2400-2483.5_802.11b_CH01_2412MHz																																																																																			
ANT	CDD 4+6																																																																																			
Pol.	Vertical	Fundamental																																																																																		
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2328.33</td> <td>55.06</td> <td>74.00</td> <td>-18.94</td> <td>43.30</td> <td>32.21</td> <td>6.51</td> <td>32.96</td> <td>6.00</td> <td>300</td> <td>138</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2328.33	55.06	74.00	-18.94	43.30	32.21	6.51	32.96	6.00	300	138	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2412.00</td> <td>103.10</td> <td>-----</td> <td>-----</td> <td>91.14</td> <td>32.14</td> <td>6.63</td> <td>32.81</td> <td>6.00</td> <td>300</td> <td>138</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	103.10	-----	-----	91.14	32.14	6.63	32.81	6.00	300	138	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	2328.33	55.06	74.00	-18.94	43.30	32.21	6.51	32.96	6.00	300	138	PEAK																																																																								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	2412.00	103.10	-----	-----	91.14	32.14	6.63	32.81	6.00	300	138	PEAK																																																																								
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2309.17</td> <td>42.81</td> <td>54.00</td> <td>-11.19</td> <td>30.94</td> <td>32.13</td> <td>6.60</td> <td>32.06</td> <td>6.00</td> <td>300</td> <td>138</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2309.17	42.81	54.00	-11.19	30.94	32.13	6.60	32.06	6.00	300	138	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2412.00</td> <td>100.79</td> <td>-----</td> <td>-----</td> <td>88.83</td> <td>32.14</td> <td>6.63</td> <td>32.81</td> <td>6.00</td> <td>300</td> <td>138</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	100.79	-----	-----	88.83	32.14	6.63	32.81	6.00	300	138	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	2309.17	42.81	54.00	-11.19	30.94	32.13	6.60	32.06	6.00	300	138	AVERAGE																																																																								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	2412.00	100.79	-----	-----	88.83	32.14	6.63	32.81	6.00	300	138	AVERAGE																																																																								







Mode	1																																																																																
	Harmonic																																																																																
	2400-2483.5_802.11b_CH01_2412MHz																																																																																
ANT	CDD 4+6																																																																																
Pol.	Horizontal	Vertical																																																																															
Peak Avg	<p>Time: 11:13:18</p>	<p>Time: 11:17:05</p>																																																																															
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4824.00</td> <td>42.33</td> <td>74.00</td> <td>-31.67</td> <td>60.52</td> <td>34.15</td> <td>9.47</td> <td>61.81</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	4824.00	42.33	74.00	-31.67	60.52	34.15	9.47	61.81	0.00	---	---	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4824.00</td> <td>42.34</td> <td>74.00</td> <td>-31.66</td> <td>60.53</td> <td>34.15</td> <td>9.47</td> <td>61.81</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	4824.00	42.34	74.00	-31.66	60.53	34.15	9.47	61.81	0.00	---	---
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																									
1	4824.00	42.33	74.00	-31.67	60.52	34.15	9.47	61.81	0.00	---	---	PEAK																																																																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																									
1	4824.00	42.34	74.00	-31.66	60.53	34.15	9.47	61.81	0.00	---	---	PEAK																																																																					



Mode	2																																																																																																													
	Harmonic																																																																																																													
	2400-2483.5_802.11b_CH06_2437MHz																																																																																																													
ANT	CDD 4+6																																																																																																													
Pol.	Horizontal	Vertical																																																																																																												
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4874.00</td> <td>42.43</td> <td>74.00</td> <td>-31.57</td> <td>60.63</td> <td>34.05</td> <td>9.52</td> <td>61.77</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>7311.00</td> <td>43.64</td> <td>74.00</td> <td>-30.36</td> <td>58.19</td> <td>35.82</td> <td>11.69</td> <td>62.06</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4874.00	42.43	74.00	-31.57	60.63	34.05	9.52	61.77	0.00	---	---	PEAK	2	7311.00	43.64	74.00	-30.36	58.19	35.82	11.69	62.06	0.00	---	---	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4874.00</td> <td>42.32</td> <td>74.00</td> <td>-31.68</td> <td>60.52</td> <td>34.05</td> <td>9.52</td> <td>61.77</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>7311.00</td> <td>43.34</td> <td>74.00</td> <td>-30.66</td> <td>57.89</td> <td>35.82</td> <td>11.69</td> <td>62.06</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4874.00	42.32	74.00	-31.68	60.52	34.05	9.52	61.77	0.00	---	---	PEAK	2	7311.00	43.34	74.00	-30.66	57.89	35.82	11.69	62.06	0.00	---	---	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	4874.00	42.43	74.00	-31.57	60.63	34.05	9.52	61.77	0.00	---	---	PEAK																																																																																																		
2	7311.00	43.64	74.00	-30.36	58.19	35.82	11.69	62.06	0.00	---	---	PEAK																																																																																																		
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	4874.00	42.32	74.00	-31.68	60.52	34.05	9.52	61.77	0.00	---	---	PEAK																																																																																																		
2	7311.00	43.34	74.00	-30.66	57.89	35.82	11.69	62.06	0.00	---	---	PEAK																																																																																																		



Mode	3																																																																																			
	Band Edge																																																																																			
	2400-2483.5_802.11b_CH11_2462MHz																																																																																			
ANT	CDD 4+6																																																																																			
Pol.	Horizontal	Fundamental																																																																																		
Peak	 <p>Time: 11:44:44</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2484.99</td> <td>56.73</td> <td>74.00</td> <td>-17.27</td> <td>44.30</td> <td>32.32</td> <td>6.73</td> <td>32.62</td> <td>6.00</td> <td>132</td> <td>268</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2484.99	56.73	74.00	-17.27	44.30	32.32	6.73	32.62	6.00	132	268	PEAK	 <p>Time: 11:43:30</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2462.00</td> <td>112.89</td> <td>-----</td> <td>-----</td> <td>100.37</td> <td>32.50</td> <td>6.70</td> <td>32.68</td> <td>6.00</td> <td>132</td> <td>268</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	112.89	-----	-----	100.37	32.50	6.70	32.68	6.00	132	268	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	2484.99	56.73	74.00	-17.27	44.30	32.32	6.73	32.62	6.00	132	268	PEAK																																																																								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	2462.00	112.89	-----	-----	100.37	32.50	6.70	32.68	6.00	132	268	PEAK																																																																								
Avg	 <p>Time: 11:45:29</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2487.16</td> <td>44.68</td> <td>54.00</td> <td>-9.32</td> <td>32.26</td> <td>32.30</td> <td>6.74</td> <td>32.62</td> <td>6.00</td> <td>132</td> <td>268</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2487.16	44.68	54.00	-9.32	32.26	32.30	6.74	32.62	6.00	132	268	AVERAGE	 <p>Time: 11:44:13</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2462.00</td> <td>109.72</td> <td>-----</td> <td>-----</td> <td>97.20</td> <td>32.50</td> <td>6.70</td> <td>32.68</td> <td>6.00</td> <td>132</td> <td>268</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	109.72	-----	-----	97.20	32.50	6.70	32.68	6.00	132	268	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	2487.16	44.68	54.00	-9.32	32.26	32.30	6.74	32.62	6.00	132	268	AVERAGE																																																																								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	2462.00	109.72	-----	-----	97.20	32.50	6.70	32.68	6.00	132	268	AVERAGE																																																																								



Mode	3																																																																															
	Band Edge																																																																															
	2400-2483.5_802.11b_CH11_2462MHz																																																																															
ANT	CDD 4+6																																																																															
Pol.	Vertical	Fundamental																																																																														
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 2483.62</td> <td>55.74</td> <td>74.00</td> <td>-18.26</td> <td>43.31</td> <td>32.33</td> <td>6.73</td> <td>32.63</td> <td>6.00</td> <td>326</td> <td>129 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 2483.62	55.74	74.00	-18.26	43.31	32.33	6.73	32.63	6.00	326	129 PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 2462.00</td> <td>109.25</td> <td>-----</td> <td>-----</td> <td>96.73</td> <td>32.50</td> <td>6.70</td> <td>32.68</td> <td>6.00</td> <td>326</td> <td>129 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 2462.00	109.25	-----	-----	96.73	32.50	6.70	32.68	6.00	326	129 PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																							
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1 2483.62	55.74	74.00	-18.26	43.31	32.33	6.73	32.63	6.00	326	129 PEAK																																																																						
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1 2462.00	109.25	-----	-----	96.73	32.50	6.70	32.68	6.00	326	129 PEAK																																																																						
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 2483.51</td> <td>43.59</td> <td>54.00</td> <td>-10.41</td> <td>31.16</td> <td>32.33</td> <td>6.73</td> <td>32.63</td> <td>6.00</td> <td>326</td> <td>129 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 2483.51	43.59	54.00	-10.41	31.16	32.33	6.73	32.63	6.00	326	129 AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 2462.00</td> <td>102.04</td> <td>-----</td> <td>-----</td> <td>89.52</td> <td>32.50</td> <td>6.70</td> <td>32.68</td> <td>6.00</td> <td>326</td> <td>129 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 2462.00	102.04	-----	-----	89.52	32.50	6.70	32.68	6.00	326	129 AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1 2483.51	43.59	54.00	-10.41	31.16	32.33	6.73	32.63	6.00	326	129 AVERAGE																																																																						
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1 2462.00	102.04	-----	-----	89.52	32.50	6.70	32.68	6.00	326	129 AVERAGE																																																																						



Mode	3																																																																																																													
	Harmonic																																																																																																													
	2400-2483.5_802.11b_CH11_2462MHz																																																																																																													
ANT	CDD 4+6																																																																																																													
Pol.	Horizontal	Vertical																																																																																																												
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4924.00</td> <td>41.84</td> <td>74.00</td> <td>-32.16</td> <td>60.01</td> <td>34.00</td> <td>9.57</td> <td>61.74</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>7386.00</td> <td>44.22</td> <td>74.00</td> <td>-29.78</td> <td>58.59</td> <td>35.97</td> <td>11.72</td> <td>62.06</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4924.00	41.84	74.00	-32.16	60.01	34.00	9.57	61.74	0.00	---	---	PEAK	2	7386.00	44.22	74.00	-29.78	58.59	35.97	11.72	62.06	0.00	---	---	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4924.00</td> <td>42.12</td> <td>74.00</td> <td>-31.88</td> <td>60.29</td> <td>34.00</td> <td>9.57</td> <td>61.74</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>7386.00</td> <td>42.63</td> <td>74.00</td> <td>-31.37</td> <td>57.00</td> <td>35.97</td> <td>11.72</td> <td>62.06</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4924.00	42.12	74.00	-31.88	60.29	34.00	9.57	61.74	0.00	---	---	PEAK	2	7386.00	42.63	74.00	-31.37	57.00	35.97	11.72	62.06	0.00	---	---	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	4924.00	41.84	74.00	-32.16	60.01	34.00	9.57	61.74	0.00	---	---	PEAK																																																																																																		
2	7386.00	44.22	74.00	-29.78	58.59	35.97	11.72	62.06	0.00	---	---	PEAK																																																																																																		
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	4924.00	42.12	74.00	-31.88	60.29	34.00	9.57	61.74	0.00	---	---	PEAK																																																																																																		
2	7386.00	42.63	74.00	-31.37	57.00	35.97	11.72	62.06	0.00	---	---	PEAK																																																																																																		