




B30\_N77(10M)\_DFT-s-  
OFDM\_BPSK\_Outer\_Full\_High\_CH




B30\_N77(10M)\_DFT-s-  
OFDM\_QPSK\_Outer\_Full\_High\_CH




B30\_N77(50M)\_DFT-s-  
OFDM\_BPSK\_Edge\_1RB\_Left\_Low\_CH




B30\_N77(50M)\_DFT-s-  
OFDM\_QPSK\_Edge\_1RB\_Left\_Low\_CH




B30\_N77(50M)\_DFT-s-  
OFDM\_BPSK\_Outer\_Full\_Low\_CH




B30\_N77(50M)\_DFT-s-  
OFDM\_QPSK\_Outer\_Full\_Low\_CH




B30\_N77(50M)\_DFT-s-  
OFDM\_BPSK\_Edge\_1RB\_Right\_High\_CH




B30\_N77(50M)\_DFT-s-  
OFDM\_QPSK\_Edge\_1RB\_Right\_High\_CH




B30\_N77(50M)\_DFT-s-  
OFDM\_BPSK\_Outer\_Full\_High\_CH




B30\_N77(50M)\_DFT-s-  
OFDM\_QPSK\_Outer\_Full\_High\_CH




B30\_N77(100M)\_DFT-s-  
OFDM\_BPSK\_Edge\_1RB\_Left\_Low\_CH




B30\_N77(100M)\_DFT-s-  
OFDM\_QPSK\_Edge\_1RB\_Left\_Low\_CH




B30\_N77(100M)\_DFT-s-  
OFDM\_BPSK\_Outer\_Full\_Low\_CH




B30\_N77(100M)\_DFT-s-  
OFDM\_QPSK\_Outer\_Full\_Low\_CH




B30\_N77(100M)\_DFT-s-  
OFDM\_BPSK\_Edge\_1RB\_Right\_High\_CH




B30\_N77(100M)\_DFT-s-  
OFDM\_QPSK\_Edge\_1RB\_Right\_High\_CH



B30\_N77(100M)\_DFT-s-  
OFDM\_BPSK\_Outer\_Full\_High\_CH



B30\_N77(100M)\_DFT-s-  
OFDM\_QPSK\_Outer\_Full\_High\_CH



# FR1 N78(ANT3)

## Transmitter Conducted Output Power And EIRP, ( $G_T - L_C$ )=-2.4dB

NR Band	SCS	BandWidth	Arfcn	Freq (MHz)	Modulation	RB	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)
78	30	10	647000	3705	DFT-s-OFDM PI/2 BPSK	1@1	23.64	21.24	0.1330
78	30	10	647000	3705	DFT-s-OFDM QPSK	1@1	23.59	21.19	0.1315
78	30	10	647000	3705	DFT-s-OFDM 16 QAM	1@1	22.49	20.09	0.1021
78	30	10	650000	3750	DFT-s-OFDM PI/2 BPSK	1@1	23.7	21.3	0.1349
78	30	10	650000	3750	DFT-s-OFDM QPSK	1@1	23.74	21.34	0.1361
78	30	10	650000	3750	DFT-s-OFDM 16 QAM	1@1	22.68	20.28	0.1067
78	30	10	653000	3795	DFT-s-OFDM PI/2 BPSK	1@1	23.44	21.04	0.1271
78	30	10	653000	3795	DFT-s-OFDM QPSK	1@1	23.1	20.7	0.1175
78	30	10	653000	3795	DFT-s-OFDM 16 QAM	1@1	22.45	20.05	0.1012
78	30	15	647168	3707.52	DFT-s-OFDM PI/2 BPSK	1@1	23.76	21.36	0.1368
78	30	15	647168	3707.52	DFT-s-OFDM QPSK	1@1	23.68	21.28	0.1343
78	30	15	647168	3707.52	DFT-s-OFDM 16 QAM	1@1	23.56	21.16	0.1306
78	30	15	650000	3750	DFT-s-OFDM PI/2 BPSK	1@1	23.93	21.53	0.1422
78	30	15	650000	3750	DFT-s-OFDM QPSK	1@1	23.93	21.53	0.1422
78	30	15	650000	3750	DFT-s-OFDM 16 QAM	1@1	22.82	20.42	0.1102
78	30	15	652832	3792.48	DFT-s-OFDM PI/2 BPSK	1@1	23.62	21.22	0.1324
78	30	15	652832	3792.48	DFT-s-OFDM QPSK	1@1	23.62	21.22	0.1324
78	30	15	652832	3792.48	DFT-s-OFDM 16 QAM	1@1	22.54	20.14	0.1033
78	30	20	647334	3710.01	DFT-s-OFDM PI/2 BPSK	1@1	23.75	21.35	0.1365
78	30	20	647334	3710.01	DFT-s-OFDM QPSK	1@1	23.6	21.2	0.1318
78	30	20	647334	3710.01	DFT-s-OFDM 16 QAM	1@1	22.55	20.15	0.1035
78	30	20	650000	3750	DFT-s-OFDM PI/2 BPSK	1@1	23.89	21.49	0.1409
78	30	20	650000	3750	DFT-s-OFDM QPSK	1@1	23.9	21.5	0.1413
78	30	20	650000	3750	DFT-s-OFDM 16 QAM	1@1	22.88	20.48	0.1117
78	30	20	652666	3789.99	DFT-s-OFDM PI/2 BPSK	1@1	23.54	21.14	0.1300
78	30	20	652666	3789.99	DFT-s-OFDM QPSK	1@1	23.62	21.22	0.1324
78	30	20	652666	3789.99	DFT-s-OFDM 16 QAM	1@1	22.59	20.19	0.1045
78	30	30	647668	3715.02	DFT-s-OFDM PI/2 BPSK	1@1	23.76	21.36	0.1368
78	30	30	647668	3715.02	DFT-s-OFDM QPSK	1@1	23.76	21.36	0.1368
78	30	30	647668	3715.02	DFT-s-OFDM 16 QAM	1@1	23.64	21.24	0.1330
78	30	30	650000	3750	DFT-s-OFDM PI/2 BPSK	1@1	23.96	21.56	0.1432
78	30	30	650000	3750	DFT-s-OFDM QPSK	1@1	23.91	21.51	0.1416
78	30	30	650000	3750	DFT-s-OFDM 16 QAM	1@1	22.83	20.43	0.1104
78	30	30	652332	3784.98	DFT-s-OFDM PI/2 BPSK	1@1	23.68	21.28	0.1343
78	30	30	652332	3784.98	DFT-s-OFDM QPSK	1@1	23.64	21.24	0.1330
78	30	30	652332	3784.98	DFT-s-OFDM 16 QAM	1@1	22.63	20.23	0.1054
78	30	40	648000	3720	DFT-s-OFDM PI/2 BPSK	1@1	23.82	21.42	0.1387
78	30	40	648000	3720	DFT-s-OFDM QPSK	1@1	23.87	21.47	0.1403
78	30	40	648000	3720	DFT-s-OFDM 16 QAM	1@1	23.81	21.41	0.1384
78	30	40	650000	3750	DFT-s-OFDM PI/2 BPSK	1@1	24	21.6	0.1445

NR Band	SCS	BandWidth	Arfcn	Freq (MHz)	Modulation	RB	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)
78	30	40	650000	3750	DFT-s-OFDM QPSK	1@1	23.99	21.59	0.1442
78	30	40	650000	3750	DFT-s-OFDM 16 QAM	1@1	23.06	20.66	0.1164
78	30	40	652000	3780	DFT-s-OFDM PI/2 BPSK	1@1	23.88	21.48	0.1406
78	30	40	652000	3780	DFT-s-OFDM QPSK	1@1	23.89	21.49	0.1409
78	30	40	652000	3780	DFT-s-OFDM 16 QAM	1@1	22.92	20.52	0.1127
78	30	50	648334	3725.01	DFT-s-OFDM PI/2 BPSK	1@1	23.58	21.18	0.1312
78	30	50	648334	3725.01	DFT-s-OFDM QPSK	1@1	23.61	21.21	0.1321
78	30	50	648334	3725.01	DFT-s-OFDM 16 QAM	1@1	23.58	21.18	0.1312
78	30	50	650000	3750	DFT-s-OFDM PI/2 BPSK	1@1	23.78	21.38	0.1374
78	30	50	650000	3750	DFT-s-OFDM QPSK	1@1	23.85	21.45	0.1396
78	30	50	650000	3750	DFT-s-OFDM 16 QAM	1@1	22.76	20.36	0.1086
78	30	50	651666	3774.99	DFT-s-OFDM PI/2 BPSK	1@1	23.55	21.15	0.1303
78	30	50	651666	3774.99	DFT-s-OFDM QPSK	1@1	23.63	21.23	0.1327
78	30	50	651666	3774.99	DFT-s-OFDM 16 QAM	1@1	22.51	20.11	0.1026
78	30	60	648668	3730.02	DFT-s-OFDM PI/2 BPSK	1@1	23.53	21.13	0.1297
78	30	60	648668	3730.02	DFT-s-OFDM QPSK	1@1	22.91	20.51	0.1125
78	30	60	648668	3730.02	DFT-s-OFDM 16 QAM	1@1	22.4	20	0.1000
78	30	60	650000	3750	DFT-s-OFDM PI/2 BPSK	1@1	23.78	21.38	0.1374
78	30	60	650000	3750	DFT-s-OFDM QPSK	1@1	23.69	21.29	0.1346
78	30	60	650000	3750	DFT-s-OFDM 16 QAM	1@1	22.69	20.29	0.1069
78	30	60	651332	3769.98	DFT-s-OFDM PI/2 BPSK	1@1	23.7	21.3	0.1349
78	30	60	651332	3769.98	DFT-s-OFDM QPSK	1@1	23.66	21.26	0.1337
78	30	60	651332	3769.98	DFT-s-OFDM 16 QAM	1@1	23.41	21.01	0.1262
78	30	70	649000	3735	DFT-s-OFDM PI/2 BPSK	1@1	23.61	21.21	0.1321
78	30	70	649000	3735	DFT-s-OFDM QPSK	1@1	23.56	21.16	0.1306
78	30	70	649000	3735	DFT-s-OFDM 16 QAM	1@1	22.62	20.22	0.1052
78	30	70	650000	3750	DFT-s-OFDM PI/2 BPSK	1@1	23.69	21.29	0.1346
78	30	70	650000	3750	DFT-s-OFDM QPSK	1@1	22.87	20.47	0.1114
78	30	70	650000	3750	DFT-s-OFDM 16 QAM	1@1	22.53	20.13	0.1030
78	30	70	651000	3765	DFT-s-OFDM PI/2 BPSK	1@1	23.66	21.26	0.1337
78	30	70	651000	3765	DFT-s-OFDM QPSK	1@1	23.62	21.22	0.1324
78	30	70	651000	3765	DFT-s-OFDM 16 QAM	1@1	22.84	20.44	0.1107
78	30	80	649334	3740.01	DFT-s-OFDM PI/2 BPSK	1@1	23.47	21.07	0.1279
78	30	80	649334	3740.01	DFT-s-OFDM QPSK	1@1	23.43	21.03	0.1268
78	30	80	649334	3740.01	DFT-s-OFDM 16 QAM	1@1	22.48	20.08	0.1019
78	30	80	650000	3750	DFT-s-OFDM PI/2 BPSK	1@1	23.52	21.12	0.1294
78	30	80	650000	3750	DFT-s-OFDM QPSK	1@1	23.44	21.04	0.1271
78	30	80	650000	3750	DFT-s-OFDM 16 QAM	1@1	22.45	20.05	0.1012
78	30	80	650666	3759.99	DFT-s-OFDM PI/2 BPSK	1@1	23.55	21.15	0.1303
78	30	80	650666	3759.99	DFT-s-OFDM QPSK	1@1	23.5	21.1	0.1288
78	30	80	650666	3759.99	DFT-s-OFDM 16 QAM	1@1	23.12	20.72	0.1180
78	30	90	649668	3745.02	DFT-s-OFDM PI/2 BPSK	1@1	23.44	21.04	0.1271
78	30	90	649668	3745.02	DFT-s-OFDM QPSK	1@1	23.1	20.7	0.1175
78	30	90	649668	3745.02	DFT-s-OFDM 16 QAM	1@1	22.67	20.27	0.1064
78	30	90	650000	3750	DFT-s-OFDM PI/2 BPSK	1@1	23.43	21.03	0.1268
78	30	90	650000	3750	DFT-s-OFDM QPSK	1@1	23.45	21.05	0.1274
78	30	90	650000	3750	DFT-s-OFDM 16 QAM	1@1	22.84	20.44	0.1107

NR Band	SCS	BandWidth	Arfcn	Freq (MHz)	Modulation	RB	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)
78	30	90	650332	3754.98	DFT-s-OFDM PI/2 BPSK	1@1	23.45	21.05	0.1274
78	30	90	650332	3754.98	DFT-s-OFDM QPSK	1@1	23.43	21.03	0.1268
78	30	90	650332	3754.98	DFT-s-OFDM 16 QAM	1@1	22.48	20.08	0.1019
78	30	100	650000	3750	DFT-s-OFDM PI/2 BPSK	135@67	23.47	21.07	0.1279
78	30	100	650000	3750	DFT-s-OFDM PI/2 BPSK	1@1	23.35	20.95	0.1245
78	30	100	650000	3750	DFT-s-OFDM PI/2 BPSK	1@271	23.28	20.88	0.1225
78	30	100	650000	3750	DFT-s-OFDM QPSK	135@67	23.43	21.03	0.1268
78	30	100	650000	3750	DFT-s-OFDM QPSK	1@1	23.28	20.88	0.1225
78	30	100	650000	3750	DFT-s-OFDM QPSK	1@271	23.3	20.9	0.1230
78	30	100	650000	3750	DFT-s-OFDM 16 QAM	135@67	22.49	20.09	0.1021
78	30	100	650000	3750	DFT-s-OFDM 16 QAM	1@1	22.24	19.84	0.0964
78	30	100	650000	3750	DFT-s-OFDM 16 QAM	1@271	22.27	19.87	0.0971
78	30	100	650000	3750	DFT-s-OFDM 64 QAM	135@67	20.96	18.56	0.0718
78	30	100	650000	3750	DFT-s-OFDM 64 QAM	1@1	20.67	18.27	0.0671
78	30	100	650000	3750	DFT-s-OFDM 64 QAM	1@271	20.56	18.16	0.0655
78	30	100	650000	3750	DFT-s-OFDM 256 QAM	135@67	18.99	16.59	0.0456
78	30	100	650000	3750	DFT-s-OFDM 256 QAM	1@1	18.75	16.35	0.0432
78	30	100	650000	3750	DFT-s-OFDM 256 QAM	1@271	18.67	16.27	0.0424
78	30	100	650000	3750	CP-OFDM QPSK	137@68	21.92	19.52	0.0895
78	30	100	650000	3750	CP-OFDM QPSK	1@1	21.81	19.41	0.0873
78	30	100	650000	3750	CP-OFDM QPSK	1@271	21.77	19.37	0.0865

# FR1 N77 MIMO ANT3+2

## Transmitter Conducted Output Power And EIRP, ( $G_T - L_C$ )=-2.4dB

NR Band	SCS	Band Width	Arfcn	Freq (MHz)	Modulation	RB	ANT3 Power (dBm)	ANT2 Power (dBm)	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)
77	30	10	647000	3705	DFT-s-OFDM QPSK	1@1	26.3	26.32	29.32	26.92	0.4920
77	30	10	647000	3705	DFT-s-OFDM 16 QAM	1@1	25.26	25.3	28.29	25.89	0.3882
77	30	10	656000	3840	DFT-s-OFDM QPSK	1@1	25.54	25.65	28.61	26.21	0.4178
77	30	10	656000	3840	DFT-s-OFDM 16 QAM	1@1	24.49	24.61	27.56	25.16	0.3281
77	30	10	665000	3975	DFT-s-OFDM QPSK	1@1	26.49	25.95	29.24	26.84	0.4831
77	30	10	665000	3975	DFT-s-OFDM 16 QAM	1@1	25.45	24.92	28.20	25.8	0.3802
77	30	15	647168	3707.52	DFT-s-OFDM QPSK	1@1	26.5	26.42	29.47	27.07	0.5093
77	30	15	647168	3707.52	DFT-s-OFDM 16 QAM	1@1	25.49	25.39	28.45	26.05	0.4027
77	30	15	656000	3840	DFT-s-OFDM QPSK	1@1	25.79	25.88	28.85	26.45	0.4416
77	30	15	656000	3840	DFT-s-OFDM 16 QAM	1@1	24.78	24.9	27.85	25.45	0.3508
77	30	15	664832	3972.48	DFT-s-OFDM QPSK	1@1	26.67	25.98	29.35	26.95	0.4955
77	30	15	664832	3972.48	DFT-s-OFDM 16 QAM	1@1	25.51	24.92	28.24	25.84	0.3837
77	30	20	647334	3710.01	DFT-s-OFDM QPSK	1@1	26.45	26.46	29.47	27.07	0.5093
77	30	20	647334	3710.01	DFT-s-OFDM 16 QAM	1@1	25.51	25.39	28.46	26.06	0.4036
77	30	20	656000	3840	DFT-s-OFDM QPSK	1@1	25.72	25.86	28.80	26.4	0.4365
77	30	20	656000	3840	DFT-s-OFDM 16 QAM	1@1	24.76	24.85	27.82	25.42	0.3483
77	30	20	664666	3969.99	DFT-s-OFDM QPSK	1@1	26.59	26.02	29.32	26.92	0.4920
77	30	20	664666	3969.99	DFT-s-OFDM 16 QAM	1@1	25.65	24.95	28.32	25.92	0.3908
77	30	30	647668	3715.02	DFT-s-OFDM QPSK	1@1	26.49	26.48	29.50	27.1	0.5129
77	30	30	647668	3715.02	DFT-s-OFDM 16 QAM	1@1	25.5	25.46	28.49	26.09	0.4064
77	30	30	656000	3840	DFT-s-OFDM QPSK	1@1	26.01	25.89	28.96	26.56	0.4529
77	30	30	656000	3840	DFT-s-OFDM 16 QAM	1@1	24.88	24.94	27.92	25.52	0.3565
77	30	30	664332	3964.98	DFT-s-OFDM QPSK	1@1	26.71	26.14	29.44	27.04	0.5058
77	30	30	664332	3964.98	DFT-s-OFDM 16 QAM	1@1	25.68	25.08	28.40	26	0.3981
77	30	40	648000	3720	DFT-s-OFDM QPSK	1@1	26.56	26.6	29.59	27.19	0.5236
77	30	40	648000	3720	DFT-s-OFDM 16 QAM	1@1	25.67	25.6	28.65	26.25	0.4217
77	30	40	656000	3840	DFT-s-OFDM QPSK	1@1	26.15	26.03	29.10	26.7	0.4677
77	30	40	656000	3840	DFT-s-OFDM 16 QAM	1@1	25.03	25.06	28.06	25.66	0.3681
77	30	40	664000	3960	DFT-s-OFDM QPSK	1@1	26.7	26.18	29.46	27.06	0.5082
77	30	40	664000	3960	DFT-s-OFDM 16 QAM	1@1	25.67	25.12	28.41	26.01	0.3990
77	30	50	648334	3725.01	DFT-s-OFDM QPSK	1@1	26.33	26.39	29.37	26.97	0.4977
77	30	50	648334	3725.01	DFT-s-OFDM 16 QAM	1@1	25.44	25.42	28.44	26.04	0.4018
77	30	50	656000	3840	DFT-s-OFDM QPSK	1@1	25.95	25.87	28.92	26.52	0.4487
77	30	50	656000	3840	DFT-s-OFDM 16 QAM	1@1	24.96	24.69	27.84	25.44	0.3499
77	30	50	663666	3954.99	DFT-s-OFDM QPSK	1@1	26.25	25.88	29.08	26.68	0.4656
77	30	50	663666	3954.99	DFT-s-OFDM 16 QAM	1@1	25.27	24.91	28.10	25.7	0.3715
77	30	60	648668	3730.02	DFT-s-OFDM QPSK	1@1	26.38	26.5	29.45	27.05	0.5070
77	30	60	648668	3730.02	DFT-s-OFDM 16 QAM	1@1	25.41	25.33	28.38	25.98	0.3963
77	30	60	656000	3840	DFT-s-OFDM QPSK	1@1	25.86	25.74	28.81	26.41	0.4375

NR Band	SCS	Band Width	Arfcn	Freq (MHz)	Modulation	RB	ANT3 Power (dBm)	ANT2 Power (dBm)	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)
77	30	60	656000	3840	DFT-s-OFDM 16 QAM	1@1	24.85	24.74	27.81	25.41	0.3475
77	30	60	663332	3949.98	DFT-s-OFDM QPSK	1@1	25.92	25.96	28.95	26.55	0.4519
77	30	60	663332	3949.98	DFT-s-OFDM 16 QAM	1@1	24.83	24.8	27.83	25.43	0.3491
77	30	70	649000	3735	DFT-s-OFDM QPSK	1@1	26.22	26.3	29.27	26.87	0.4864
77	30	70	649000	3735	DFT-s-OFDM 16 QAM	1@1	25.24	25.3	28.28	25.88	0.3873
77	30	70	656000	3840	DFT-s-OFDM QPSK	1@1	25.8	25.71	28.77	26.37	0.4335
77	30	70	656000	3840	DFT-s-OFDM 16 QAM	1@1	24.86	24.75	27.82	25.42	0.3483
77	30	70	663000	3945	DFT-s-OFDM QPSK	1@1	25.72	25.89	28.82	26.42	0.4385
77	30	70	663000	3945	DFT-s-OFDM 16 QAM	1@1	24.67	24.8	27.75	25.35	0.3428
77	30	80	649334	3740.01	DFT-s-OFDM QPSK	1@1	26.25	26.2	29.24	26.84	0.4831
77	30	80	649334	3740.01	DFT-s-OFDM 16 QAM	1@1	25.16	25.22	28.20	25.8	0.3802
77	30	80	656000	3840	DFT-s-OFDM QPSK	1@1	25.9	25.75	28.84	26.44	0.4406
77	30	80	656000	3840	DFT-s-OFDM 16 QAM	1@1	24.87	24.75	27.82	25.42	0.3483
77	30	80	662666	3840	DFT-s-OFDM QPSK	1@1	25.91	25.81	28.87	26.47	0.4436
77	30	80	662666	3939.99	DFT-s-OFDM 16 QAM	1@1	24.51	24.86	27.70	25.3	0.3388
77	30	90	649668	3745.02	DFT-s-OFDM QPSK	1@1	26.2	26.21	29.22	26.82	0.4808
77	30	90	649668	3745.02	DFT-s-OFDM 16 QAM	1@1	25.26	25.13	28.21	25.81	0.3811
77	30	90	656000	3840	DFT-s-OFDM QPSK	1@1	25.93	25.8	28.88	26.48	0.4446
77	30	90	656000	3840	DFT-s-OFDM 16 QAM	1@1	24.89	24.84	27.88	25.48	0.3532
77	30	90	662332	3934.98	DFT-s-OFDM QPSK	1@1	25.24	25.85	28.57	26.17	0.4140
77	30	90	662332	3934.98	DFT-s-OFDM 16 QAM	1@1	24.39	24.8	27.61	25.21	0.3319
77	30	100	650000	3750	DFT-s-OFDM PI/2 BPSK	135@67	25.95	26.23	29.10	26.7	0.4677
77	30	100	650000	3750	DFT-s-OFDM PI/2 BPSK	1@1	26.13	26.19	29.17	26.77	0.4753
77	30	100	650000	3750	DFT-s-OFDM PI/2 BPSK	1@271	25.89	25.98	28.95	26.55	0.4519
77	30	100	650000	3750	DFT-s-OFDM QPSK	135@67	25.84	26.29	29.08	26.68	0.4656
77	30	100	650000	3750	DFT-s-OFDM QPSK	1@1	26.58	26.63	29.62	27.22	0.5272
77	30	100	650000	3750	DFT-s-OFDM QPSK	1@271	25.88	25.95	28.93	26.53	0.4498
77	30	100	650000	3750	DFT-s-OFDM 16 QAM	135@67	24.85	25.2	28.04	25.64	0.3664
77	30	100	650000	3750	DFT-s-OFDM 16 QAM	1@1	25.19	25.22	28.22	25.82	0.3819
77	30	100	650000	3750	DFT-s-OFDM 16 QAM	1@271	24.89	24.93	27.92	25.52	0.3565
77	30	100	650000	3750	DFT-s-OFDM 64 QAM	135@67	22.88	23.29	26.10	23.7	0.2344
77	30	100	650000	3750	DFT-s-OFDM 64 QAM	1@1	23.15	23.14	26.16	23.76	0.2377
77	30	100	650000	3750	DFT-s-OFDM 64 QAM	1@271	22.73	22.85	25.80	23.4	0.2188
77	30	100	650000	3750	DFT-s-OFDM 256 QAM	135@67	19.94	20.31	23.14	20.74	0.1186
77	30	100	650000	3750	DFT-s-OFDM 256 QAM	1@1	20.24	20.27	23.27	20.87	0.1222
77	30	100	650000	3750	DFT-s-OFDM 256 QAM	1@271	19.93	20.01	22.98	20.58	0.1143
77	30	100	650000	3750	CP-OFDM QPSK	137@68	24.35	24.73	27.55	25.15	0.3273
77	30	100	650000	3750	CP-OFDM QPSK	1@1	24.65	24.67	27.67	25.27	0.3365
77	30	100	650000	3750	CP-OFDM QPSK	1@271	24.41	24.54	27.49	25.09	0.3228
77	30	100	656000	3840	DFT-s-OFDM PI/2 BPSK	135@67	25.54	25.76	28.66	26.26	0.4227
77	30	100	656000	3840	DFT-s-OFDM PI/2 BPSK	1@1	25.87	25.8	28.85	26.45	0.4416
77	30	100	656000	3840	DFT-s-OFDM PI/2 BPSK	1@271	25.29	26.06	28.70	26.3	0.4266
77	30	100	656000	3840	DFT-s-OFDM QPSK	135@67	25.55	25.75	28.66	26.26	0.4227
77	30	100	656000	3840	DFT-s-OFDM QPSK	1@1	25.89	25.87	28.89	26.49	0.4457
77	30	100	656000	3840	DFT-s-OFDM QPSK	1@271	25.32	26.1	28.74	26.34	0.4305
77	30	100	656000	3840	DFT-s-OFDM 16 QAM	135@67	24.46	24.7	27.59	25.19	0.3304



NR Band	SCS	Band Width	Arfcn	Freq (MHz)	Modulation	RB	ANT3 Power (dBm)	ANT2 Power (dBm)	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)
77	30	100	656000	3840	DFT-s-OFDM 16 QAM	1@1	24.9	24.88	27.90	25.5	0.3548
77	30	100	656000	3840	DFT-s-OFDM 16 QAM	1@271	24.27	24.98	27.65	25.25	0.3350
77	30	100	656000	3840	DFT-s-OFDM 64 QAM	135@67	22.53	22.8	25.68	23.28	0.2128
77	30	100	656000	3840	DFT-s-OFDM 64 QAM	1@1	22.8	22.83	25.83	23.43	0.2203
77	30	100	656000	3840	DFT-s-OFDM 64 QAM	1@271	22.31	22.94	25.65	23.25	0.2113
77	30	100	656000	3840	DFT-s-OFDM 256 QAM	135@67	19.6	19.8	22.71	20.31	0.1074
77	30	100	656000	3840	DFT-s-OFDM 256 QAM	1@1	19.83	19.95	22.90	20.5	0.1122
77	30	100	656000	3840	DFT-s-OFDM 256 QAM	1@271	19.45	20.02	22.75	20.35	0.1084
77	30	100	656000	3840	CP-OFDM QPSK	137@68	24.03	24.3	27.18	24.78	0.3006
77	30	100	656000	3840	CP-OFDM QPSK	1@1	24.39	24.36	27.39	24.99	0.3155
77	30	100	656000	3840	CP-OFDM QPSK	1@271	23.94	24.61	27.30	24.9	0.3090
77	30	100	662000	3930	DFT-s-OFDM PI/2 BPSK	135@67	25.96	25.74	28.86	26.46	0.4426
77	30	100	662000	3930	DFT-s-OFDM PI/2 BPSK	1@1	25.18	25.75	28.48	26.08	0.4055
77	30	100	662000	3930	DFT-s-OFDM PI/2 BPSK	1@271	26.29	25.87	29.10	26.7	0.4677
77	30	100	662000	3930	DFT-s-OFDM QPSK	135@67	25.86	25.8	28.84	26.44	0.4406
77	30	100	662000	3930	DFT-s-OFDM QPSK	1@1	25.1	25.83	28.49	26.09	0.4064
77	30	100	662000	3930	DFT-s-OFDM QPSK	1@271	26.22	25.92	29.08	26.68	0.4656
77	30	100	662000	3930	DFT-s-OFDM 16 QAM	135@67	24.9	24.68	27.80	25.4	0.3467
77	30	100	662000	3930	DFT-s-OFDM 16 QAM	1@1	24.16	24.84	27.52	25.12	0.3251
77	30	100	662000	3930	DFT-s-OFDM 16 QAM	1@271	25.25	24.9	28.09	25.69	0.3707
77	30	100	662000	3930	DFT-s-OFDM 64 QAM	135@67	22.96	22.75	25.87	23.47	0.2223
77	30	100	662000	3930	DFT-s-OFDM 64 QAM	1@1	22.16	22.86	25.53	23.13	0.2056
77	30	100	662000	3930	DFT-s-OFDM 64 QAM	1@271	23.32	22.84	26.10	23.7	0.2344
77	30	100	662000	3930	DFT-s-OFDM 256 QAM	135@67	20.02	19.81	22.93	20.53	0.1130
77	30	100	662000	3930	DFT-s-OFDM 256 QAM	1@1	19.23	19.85	22.56	20.16	0.1038
77	30	100	662000	3930	DFT-s-OFDM 256 QAM	1@271	20.28	19.93	23.12	20.72	0.1180
77	30	100	662000	3930	CP-OFDM QPSK	137@68	24.49	24.27	27.39	24.99	0.3155
77	30	100	662000	3930	CP-OFDM QPSK	1@1	23.6	24.34	27.00	24.6	0.2884
77	30	100	662000	3930	CP-OFDM QPSK	1@271	24.79	24.46	27.64	25.24	0.3342

# FR1 N77 MIMO (ANT3)


## Frequency Stability

NR Band	SCS (kHz)	Bandwidth (MHz)	Arfcn	Freq (MHz)	Modulation	RB	Deviation (ppm)	Verdict	Environment
77	30	20	656000	3840.0	DFT-s-OFDM QPSK	50@0	0.0069	PASS	NV
77	30	20	656000	3840.0	DFT-s-OFDM QPSK	50@0	0.0052	PASS	LV
77	30	20	656000	3840.0	DFT-s-OFDM QPSK	50@0	0.0035	PASS	HV
77	30	20	656000	3840.0	DFT-s-OFDM QPSK	50@0	0.0022	PASS	-30°C
77	30	20	656000	3840.0	DFT-s-OFDM QPSK	50@0	0.0065	PASS	-20°C
77	30	20	656000	3840.0	DFT-s-OFDM QPSK	50@0	0.0062	PASS	-10°C
77	30	20	656000	3840.0	DFT-s-OFDM QPSK	50@0	0.0046	PASS	0°C
77	30	20	656000	3840.0	DFT-s-OFDM QPSK	50@0	0.0022	PASS	10°C
77	30	20	656000	3840.0	DFT-s-OFDM QPSK	50@0	0.0069	PASS	20°C
77	30	20	656000	3840.0	DFT-s-OFDM QPSK	50@0	0.0055	PASS	30°C
77	30	20	656000	3840.0	DFT-s-OFDM QPSK	50@0	0.0021	PASS	40°C
77	30	20	656000	3840.0	DFT-s-OFDM QPSK	50@0	0.0028	PASS	50°C


## Peak to Average Ratio

NR Band	SCS (kHz)	Bandwidth (MHz)	Arfcn	Freq (MHz)	Modulation	RB	Result (dB)	Limit (dB)	Verdict
77	30	20	647334	3710.01	DFT-s-OFDM PI/2 BPSK	50@0	6.75	13	PASS
77	30	20	647334	3710.01	DFT-s-OFDM PI/2 BPSK	1@0	7.28	13	PASS
77	30	20	647334	3710.01	DFT-s-OFDM QPSK	50@0	7.93	13	PASS
77	30	20	647334	3710.01	DFT-s-OFDM QPSK	1@0	8.16	13	PASS
77	30	20	656000	3840.0	DFT-s-OFDM PI/2 BPSK	50@0	6.5	13	PASS
77	30	20	656000	3840.0	DFT-s-OFDM PI/2 BPSK	1@0	7.26	13	PASS
77	30	20	656000	3840.0	DFT-s-OFDM QPSK	50@0	7.92	13	PASS
77	30	20	656000	3840.0	DFT-s-OFDM QPSK	1@0	8.13	13	PASS
77	30	20	664666	3969.99	DFT-s-OFDM PI/2 BPSK	50@0	6.71	13	PASS
77	30	20	664666	3969.99	DFT-s-OFDM PI/2 BPSK	1@0	7.25	13	PASS
77	30	20	664666	3969.99	DFT-s-OFDM QPSK	50@0	7.87	13	PASS
77	30	20	664666	3969.99	DFT-s-OFDM QPSK	1@0	8.15	13	PASS

N77(20M)\_DFT-s-OFDM\_PI\_2-BPSK\_Outer\_Full\_Low\_CH




N77(20M)\_DFT-s-OFDM\_PI\_2-BPSK\_Edge\_1RB\_Left\_Low\_CH




N77(20M)\_DFT-s-OFDM\_QPSK\_Outer\_Full\_Low\_CH




N77(20M)\_DFT-s-OFDM\_QPSK\_Edge\_1RB\_Left\_Low\_CH




N77(20M)\_DFT-s-OFDM\_PI\_2-BPSK\_Outer\_Full\_Mid\_CH




N77(20M)\_DFT-s-OFDM\_PI\_2-BPSK\_Edge\_1RB\_Left\_Mid\_CH




N77(20M)\_DFT-s-  
OFDM\_QPSK\_Outer\_Full\_Mid\_CH




N77(20M)\_DFT-s-  
OFDM\_QPSK\_Edge\_1RB\_Left\_Mid\_CH




N77(20M)\_DFT-s-OFDM\_PI\_2-  
BPSK\_Outer\_Full\_High\_CH




N77(20M)\_DFT-s-OFDM\_PI\_2-  
BPSK\_Edge\_1RB\_Left\_High\_CH



N77(20M)\_DFT-s-  
OFDM\_QPSK\_Outer\_Full\_High\_CH



N77(20M)\_DFT-s-  
OFDM\_QPSK\_Edge\_1RB\_Left\_High\_CH



## Occupied Bandwidth


NR Band	SCS (kHz)	Bandwidth (MHz)	Arfcn	Freq (MHz)	Modulation	RB	OBW (MHz)	26dB BW (MHz)
77	30	10	656000	3840.0	DFT-s-OFDM PI/2 BPSK	24@0	8.585	9.621
77	30	10	656000	3840.0	DFT-s-OFDM QPSK	24@0	8.6046	9.647
77	30	10	656000	3840.0	CP-OFDM QPSK	24@0	8.5812	9.478
77	30	10	656000	3840.0	CP-OFDM 16 QAM	24@0	8.5885	9.808
77	30	10	656000	3840.0	CP-OFDM 64 QAM	24@0	8.5782	9.644
77	30	10	656000	3840.0	CP-OFDM 256 QAM	24@0	8.5693	9.681
77	30	15	656000	3840.0	DFT-s-OFDM PI/2 BPSK	36@0	12.85	13.59
77	30	15	656000	3840.0	DFT-s-OFDM QPSK	36@0	12.842	13.88
77	30	15	656000	3840.0	CP-OFDM QPSK	38@0	13.557	14.72
77	30	15	656000	3840.0	CP-OFDM 16 QAM	38@0	13.594	14.99
77	30	15	656000	3840.0	CP-OFDM 64 QAM	38@0	13.593	14.78
77	30	15	656000	3840.0	CP-OFDM 256 QAM	38@0	13.561	14.77
77	30	20	656000	3840.0	DFT-s-OFDM PI/2 BPSK	50@0	17.798	18.71
77	30	20	656000	3840.0	DFT-s-OFDM QPSK	50@0	17.838	18.91
77	30	20	656000	3840.0	CP-OFDM QPSK	51@0	18.189	19.37
77	30	20	656000	3840.0	CP-OFDM 16 QAM	51@0	18.168	19.27
77	30	20	656000	3840.0	CP-OFDM 64 QAM	51@0	18.201	18.9
77	30	20	656000	3840.0	CP-OFDM 256 QAM	51@0	18.199	19.26
77	30	30	656000	3840.0	DFT-s-OFDM PI/2 BPSK	75@0	26.749	28.04
77	30	30	656000	3840.0	DFT-s-OFDM QPSK	75@0	26.85	28.1
77	30	30	656000	3840.0	CP-OFDM QPSK	78@0	27.874	28.85
77	30	30	656000	3840.0	CP-OFDM 16 QAM	78@0	27.803	29.58
77	30	30	656000	3840.0	CP-OFDM 64 QAM	78@0	27.86	29.27
77	30	30	656000	3840.0	CP-OFDM 256 QAM	78@0	27.932	29.26

77	30	40	656000	3840.0	DFT-s-OFDM PI/2 BPSK	100@0	35.662	37.4
77	30	40	656000	3840.0	DFT-s-OFDM QPSK	100@0	35.758	36.92
77	30	40	656000	3840.0	CP-OFDM QPSK	106@0	37.771	39.44
77	30	40	656000	3840.0	CP-OFDM 16 QAM	106@0	37.959	39.34
77	30	40	656000	3840.0	CP-OFDM 64 QAM	106@0	37.842	39.69
77	30	40	656000	3840.0	CP-OFDM 256 QAM	106@0	37.84	39.6
77	30	50	656000	3840.0	DFT-s-OFDM PI/2 BPSK	128@0	45.545	47.23
77	30	50	656000	3840.0	DFT-s-OFDM QPSK	128@0	45.711	47.29
77	30	50	656000	3840.0	CP-OFDM QPSK	133@0	47.379	49.36
77	30	50	656000	3840.0	CP-OFDM 16 QAM	133@0	47.447	49.11
77	30	50	656000	3840.0	CP-OFDM 64 QAM	133@0	47.363	48.98
77	30	50	656000	3840.0	CP-OFDM 256 QAM	133@0	47.382	49.27
77	30	60	656000	3840.0	DFT-s-OFDM PI/2 BPSK	162@0	57.88	59.7
77	30	60	656000	3840.0	DFT-s-OFDM QPSK	162@0	57.814	59.68
77	30	60	656000	3840.0	CP-OFDM QPSK	162@0	57.717	59.74
77	30	60	656000	3840.0	CP-OFDM 16 QAM	162@0	57.809	59.73
77	30	60	656000	3840.0	CP-OFDM 64 QAM	162@0	58.027	59.68
77	30	60	656000	3840.0	CP-OFDM 256 QAM	162@0	58.007	59.81
77	30	70	656000	3840.0	DFT-s-OFDM PI/2 BPSK	180@0	64.29	66.45
77	30	70	656000	3840.0	DFT-s-OFDM QPSK	180@0	64.42	66.49
77	30	70	656000	3840.0	CP-OFDM QPSK	189@0	67.579	69.51
77	30	70	656000	3840.0	CP-OFDM 16 QAM	189@0	67.511	69.81
77	30	70	656000	3840.0	CP-OFDM 64 QAM	189@0	67.5	69.77
77	30	70	656000	3840.0	CP-OFDM 256 QAM	189@0	67.387	69.52
77	30	80	656000	3840.0	DFT-s-OFDM PI/2 BPSK	216@0	77.075	79.61
77	30	80	656000	3840.0	DFT-s-OFDM	216@0	77.196	79.69


QPSK								
77	30	80	656000	3840.0	CP-OFDM QPSK	217@0	77.387	79.91
77	30	80	656000	3840.0	CP-OFDM 16 QAM	217@0	77.632	80.08
77	30	80	656000	3840.0	CP-OFDM 64 QAM	217@0	77.496	79.96
77	30	80	656000	3840.0	CP-OFDM 256 QAM	217@0	77.385	79.89
77	30	90	656000	3840.0	DFT-s- OFDM PI/2 BPSK	240@0	85.755	88.45
77	30	90	656000	3840.0	DFT-s- OFDM QPSK	240@0	85.777	88.54
77	30	90	656000	3840.0	CP-OFDM QPSK	245@0	87.486	90.25
77	30	90	656000	3840.0	CP-OFDM 16 QAM	245@0	87.404	90.37
77	30	90	656000	3840.0	CP-OFDM 64 QAM	245@0	87.447	90.14
77	30	90	656000	3840.0	CP-OFDM 256 QAM	245@0	87.32	90.49
77	30	100	656000	3840.0	DFT-s- OFDM PI/2 BPSK	270@0	96.478	99.43
77	30	100	656000	3840.0	DFT-s- OFDM QPSK	270@0	96.635	99.36
77	30	100	656000	3840.0	CP-OFDM QPSK	273@0	97.411	100.4
77	30	100	656000	3840.0	CP-OFDM 16 QAM	273@0	97.526	100.5
77	30	100	656000	3840.0	CP-OFDM 64 QAM	273@0	97.564	100.4
77	30	100	656000	3840.0	CP-OFDM 256 QAM	273@0	97.162	100.4




N77(10M)\_DFT-s-OFDM\_PI\_2-  
BPSK\_Outer\_Full\_Mid\_CH



N77(10M)\_DFT-s-  
OFDM\_QPSK\_Outer\_Full\_Mid\_CH




N77(10M)\_CP-  
OFDM\_QPSK\_Outer\_Full\_Mid\_CH




N77(10M)\_CP-OFDM\_16  
QAM\_Outer\_Full\_Mid\_CH




N77(10M)\_CP-OFDM\_64  
QAM\_Outer\_Full\_Mid\_CH




N77(10M)\_CP-OFDM\_256  
QAM\_Outer\_Full\_Mid\_CH




N77(15M)\_DFT-s-OFDM\_PI\_2-  
BPSK\_Outer\_Full\_Mid\_CH




N77(15M)\_DFT-s-  
OFDM\_QPSK\_Outer\_Full\_Mid\_CH




N77(15M)\_CP-  
OFDM\_QPSK\_Outer\_Full\_Mid\_CH




N77(15M)\_CP-OFDM\_16  
QAM\_Outer\_Full\_Mid\_CH




N77(15M)\_CP-OFDM\_64  
QAM\_Outer\_Full\_Mid\_CH




N77(15M)\_CP-OFDM\_256  
QAM\_Outer\_Full\_Mid\_CH




N77(20M)\_DFT-s-OFDM\_PI\_2-  
BPSK\_Outer\_Full\_Mid\_CH




N77(20M)\_DFT-s-  
OFDM\_QPSK\_Outer\_Full\_Mid\_CH




N77(20M)\_CP-  
OFDM\_QPSK\_Outer\_Full\_Mid\_CH




N77(20M)\_CP-OFDM\_16  
QAM\_Outer\_Full\_Mid\_CH




N77(20M)\_CP-OFDM\_64  
QAM\_Outer\_Full\_Mid\_CH




N77(20M)\_CP-OFDM\_256  
QAM\_Outer\_Full\_Mid\_CH




N77(30M)\_DFT-s-OFDM\_PI\_2-  
BPSK\_Outer\_Full\_Mid\_CH




N77(30M)\_DFT-s-  
OFDM\_QPSK\_Outer\_Full\_Mid\_CH




N77(30M)\_CP-  
OFDM\_QPSK\_Outer\_Full\_Mid\_CH




N77(30M)\_CP-OFDM\_16  
QAM\_Outer\_Full\_Mid\_CH




N77(30M)\_CP-OFDM\_64  
QAM\_Outer\_Full\_Mid\_CH




N77(30M)\_CP-OFDM\_256  
QAM\_Outer\_Full\_Mid\_CH




N77(40M)\_DFT-s-OFDM\_PI\_2-  
BPSK\_Outer\_Full\_Mid\_CH




N77(40M)\_DFT-s-  
OFDM\_QPSK\_Outer\_Full\_Mid\_CH




N77(40M)\_CP-  
OFDM\_QPSK\_Outer\_Full\_Mid\_CH




N77(40M)\_CP-OFDM\_16  
QAM\_Outer\_Full\_Mid\_CH




N77(40M)\_CP-OFDM\_64  
QAM\_Outer\_Full\_Mid\_CH




N77(40M)\_CP-OFDM\_256  
QAM\_Outer\_Full\_Mid\_CH




N77(50M)\_DFT-s-OFDM\_PI\_2-  
BPSK\_Outer\_Full\_Mid\_CH




N77(50M)\_DFT-s-  
OFDM\_QPSK\_Outer\_Full\_Mid\_CH




N77(50M)\_CP-  
OFDM\_QPSK\_Outer\_Full\_Mid\_CH




N77(50M)\_CP-OFDM\_16  
QAM\_Outer\_Full\_Mid\_CH




N77(50M)\_CP-OFDM\_64  
QAM\_Outer\_Full\_Mid\_CH




N77(50M)\_CP-OFDM\_256  
QAM\_Outer\_Full\_Mid\_CH




## N77(60M)\_DFT-s-OFDM\_PI\_2- BPSK\_Outer\_Full\_Mid\_CH




## N77(60M)\_DFT-s- OFDM\_QPSK\_Outer\_Full\_Mid\_CH




## N77(60M)\_CP- OFDM\_QPSK\_Outer\_Full\_Mid\_CH




## N77(60M)\_CP-OFDM\_16 QAM\_Outer\_Full\_Mid\_CH




## N77(60M)\_CP-OFDM\_64 QAM\_Outer\_Full\_Mid\_CH




## N77(60M)\_CP-OFDM\_256 QAM\_Outer\_Full\_Mid\_CH




N77(70M)\_DFT-s-OFDM\_PI\_2-  
BPSK\_Outer\_Full\_Mid\_CH




N77(70M)\_DFT-s-  
OFDM\_QPSK\_Outer\_Full\_Mid\_CH




N77(70M)\_CP-  
OFDM\_QPSK\_Outer\_Full\_Mid\_CH




N77(70M)\_CP-OFDM\_16  
QAM\_Outer\_Full\_Mid\_CH



N77(70M)\_CP-OFDM\_64  
QAM\_Outer\_Full\_Mid\_CH




N77(70M)\_CP-OFDM\_256  
QAM\_Outer\_Full\_Mid\_CH







## N77(80M)\_DFT-s-OFDM\_PI\_2- BPSK\_Outer\_Full\_Mid\_CH




## N77(80M)\_DFT-s- OFDM\_QPSK\_Outer\_Full\_Mid\_CH




## N77(80M)\_CP- OFDM\_QPSK\_Outer\_Full\_Mid\_CH




## N77(80M)\_CP-OFDM\_16 QAM\_Outer\_Full\_Mid\_CH




## N77(80M)\_CP-OFDM\_64 QAM\_Outer\_Full\_Mid\_CH




## N77(80M)\_CP-OFDM\_256 QAM\_Outer\_Full\_Mid\_CH




N77(90M)\_DFT-s-OFDM\_PI\_2-  
BPSK\_Outer\_Full\_Mid\_CH




N77(90M)\_DFT-s-  
OFDM\_QPSK\_Outer\_Full\_Mid\_CH




N77(90M)\_CP-  
OFDM\_QPSK\_Outer\_Full\_Mid\_CH




N77(90M)\_CP-OFDM\_16  
QAM\_Outer\_Full\_Mid\_CH




N77(90M)\_CP-OFDM\_64  
QAM\_Outer\_Full\_Mid\_CH




N77(90M)\_CP-OFDM\_256  
QAM\_Outer\_Full\_Mid\_CH




N77(100M)\_DFT-s-OFDM\_PI\_2-  
BPSK\_Outer\_Full\_Mid\_CH




N77(100M)\_DFT-s-  
OFDM\_QPSK\_Outer\_Full\_Mid\_CH




N77(100M)\_CP-  
OFDM\_QPSK\_Outer\_Full\_Mid\_CH




N77(100M)\_CP-OFDM\_16  
QAM\_Outer\_Full\_Mid\_CH



N77(100M)\_CP-OFDM\_64  
QAM\_Outer\_Full\_Mid\_CH



N77(100M)\_CP-OFDM\_256  
QAM\_Outer\_Full\_Mid\_CH




## Conducted Spurious Emissions

NR Band	SCS (kHz)	Bandwidth (MHz)	Arfcn	Freq (MHz)	Modulation	RB	Result	Verdict
77	30	10	647000	3705.0	DFT-s-OFDM BPSK	1@0	see graph	---
77	30	10	647000	3705.0	DFT-s-OFDM BPSK	1@0	see graph	PASS
77	30	10	647000	3705.0	DFT-s-OFDM BPSK	1@0	see graph	PASS
77	30	10	647000	3705.0	DFT-s-OFDM QPSK	1@0	see graph	---
77	30	10	647000	3705.0	DFT-s-OFDM QPSK	1@0	see graph	PASS
77	30	10	647000	3705.0	DFT-s-OFDM QPSK	1@0	see graph	PASS
77	30	10	656000	3840.0	DFT-s-OFDM BPSK	1@0	see graph	---
77	30	10	656000	3840.0	DFT-s-OFDM BPSK	1@0	see graph	PASS
77	30	10	656000	3840.0	DFT-s-OFDM BPSK	1@0	see graph	PASS
77	30	10	656000	3840.0	DFT-s-OFDM QPSK	1@0	see graph	---
77	30	10	656000	3840.0	DFT-s-OFDM QPSK	1@0	see graph	PASS
77	30	10	656000	3840.0	DFT-s-OFDM QPSK	1@0	see graph	PASS
77	30	10	665000	3840.0	DFT-s-OFDM BPSK	1@0	see graph	---
77	30	10	665000	3840.0	DFT-s-OFDM BPSK	1@0	see graph	PASS
77	30	10	665000	3840.0	DFT-s-OFDM BPSK	1@0	see graph	PASS
77	30	10	665000	3975.0	DFT-s-OFDM QPSK	1@0	see graph	---
77	30	10	665000	3975.0	DFT-s-OFDM QPSK	1@0	see graph	PASS
77	30	10	665000	3975.0	DFT-s-OFDM QPSK	1@0	see graph	PASS
77	30	50	648334	3725.01	DFT-s-OFDM BPSK	1@0	see graph	---
77	30	50	648334	3725.01	DFT-s-OFDM BPSK	1@0	see graph	PASS
77	30	50	648334	3725.01	DFT-s-OFDM BPSK	1@0	see graph	PASS
77	30	50	648334	3725.01	DFT-s-OFDM QPSK	1@0	see graph	---


77	30	50	648334	3725.01	DFT-s-OFDM QPSK	1@0	see graph	PASS
77	30	50	648334	3725.01	DFT-s-OFDM QPSK	1@0	see graph	PASS
77	30	50	656000	3840.0	DFT-s-OFDM BPSK	1@0	see graph	---
77	30	50	656000	3840.0	DFT-s-OFDM BPSK	1@0	see graph	PASS
77	30	50	656000	3840.0	DFT-s-OFDM BPSK	1@0	see graph	PASS
77	30	50	656000	3840.0	DFT-s-OFDM QPSK	1@0	see graph	---
77	30	50	656000	3840.0	DFT-s-OFDM QPSK	1@0	see graph	PASS
77	30	50	656000	3840.0	DFT-s-OFDM QPSK	1@0	see graph	PASS
77	30	50	663666	3954.99	DFT-s-OFDM BPSK	1@0	see graph	---
77	30	50	663666	3954.99	DFT-s-OFDM BPSK	1@0	see graph	PASS
77	30	50	663666	3954.99	DFT-s-OFDM BPSK	1@0	see graph	PASS
77	30	50	663666	3954.99	DFT-s-OFDM QPSK	1@0	see graph	---
77	30	50	663666	3954.99	DFT-s-OFDM QPSK	1@0	see graph	PASS
77	30	50	663666	3954.99	DFT-s-OFDM QPSK	1@0	see graph	PASS
77	30	100	650000	3750.0	DFT-s-OFDM BPSK	1@0	see graph	---
77	30	100	650000	3750.0	DFT-s-OFDM BPSK	1@0	see graph	PASS
77	30	100	650000	3750.0	DFT-s-OFDM BPSK	1@0	see graph	PASS
77	30	100	650000	3750.0	DFT-s-OFDM QPSK	1@0	see graph	---
77	30	100	650000	3750.0	DFT-s-OFDM QPSK	1@0	see graph	PASS
77	30	100	650000	3750.0	DFT-s-OFDM QPSK	1@0	see graph	PASS
77	30	100	656000	3840.0	DFT-s-OFDM BPSK	1@0	see graph	---
77	30	100	656000	3840.0	DFT-s-OFDM BPSK	1@0	see graph	PASS
77	30	100	656000	3840.0	DFT-s-OFDM BPSK	1@0	see graph	PASS
77	30	100	656000	3840.0	DFT-s-OFDM QPSK	1@0	see graph	---

<b>77</b>	30	100	656000	3840.0	DFT-s-OFDM QPSK	1@0	see graph	<b>PASS</b>
<b>77</b>	30	100	656000	3840.0	DFT-s-OFDM QPSK	1@0	see graph	<b>PASS</b>
<b>77</b>	30	100	662000	3930.0	DFT-s-OFDM BPSK	1@0	see graph	---
<b>77</b>	30	100	662000	3930.0	DFT-s-OFDM BPSK	1@0	see graph	<b>PASS</b>
<b>77</b>	30	100	662000	3930.0	DFT-s-OFDM BPSK	1@0	see graph	<b>PASS</b>
<b>77</b>	30	100	662000	3930.0	DFT-s-OFDM QPSK	1@0	see graph	---
<b>77</b>	30	100	662000	3930.0	DFT-s-OFDM QPSK	1@0	see graph	<b>PASS</b>
<b>77</b>	30	100	662000	3930.0	DFT-s-OFDM QPSK	1@0	see graph	<b>PASS</b>


N77(10M)\_DFT-s-  
OFDM\_BPSK\_Edge\_1RB\_Left\_Low\_CH




N77(10M)\_DFT-s-  
OFDM\_BPSK\_Edge\_1RB\_Left\_Low\_CH




N77(10M)\_DFT-s-  
OFDM\_QPSK\_Edge\_1RB\_Left\_Low\_CH



N77(10M)\_DFT-s-  
OFDM\_QPSK\_Edge\_1RB\_Left\_Low\_CH



N77(10M)\_DFT-s-  
OFDM\_BPSK\_Edge\_1RB\_Left\_Mid\_CH



N77(10M)\_DFT-s-  
OFDM\_BPSK\_Edge\_1RB\_Left\_Mid\_CH

