



Ant 0-Open

| Ant 0-Open | | | | | | | | | | | | | |
|----------------|--------------------|---------|-----------------|---------|-----------|---------------|---------|-------------------------|------------------------------------|-------|-------|-------|-------|
| Mode | Service/Modulation | Channel | Frequency (MHz) | RB Size | RB Offset | Test Position | Spacing | Measured 1g SAR (W/kg) | Average Value of Time Sweep (W/kg) | | | | |
| | | | | | | | | | Auto-Tune state 23 | 1 | 13 | 25 | 37 |
| LTE Band 12 | QPSK | 23095 | 707.5 | 1 | 0 | Back | 5mm | 0.693 | 0.765 | 0.905 | 0.132 | 0.692 | 0.692 |
| Mode | Service/Modulation | Channel | Frequency (MHz) | RB Size | RB Offset | Test Position | Spacing | Measured 10g SAR (W/kg) | Average Value of Time Sweep (W/kg) | | | | |
| LTE Band 12 | QPSK | 23095 | 707.5 | 1 | 0 | Bottom Side | 0mm | 2.46 | 5.91 | 4.31 | 4.96 | 2.89 | 3.15 |
| Mode | Service/Modulation | Channel | Frequency (MHz) | RB Size | RB Offset | Test Position | Spacing | Measured 1g SAR (W/kg) | Average Value of Time Sweep (W/kg) | | | | |
| LTE Band 12 | QPSK | 23095 | 707.5 | 1 | 0 | Right Cheek | 0mm | 0.237 | 0.001 | 0.001 | 0.001 | 0.122 | 0.001 |
| Mode | Service/Modulation | Channel | Frequency (MHz) | RB Size | RB Offset | Test Position | Spacing | Measured 1g SAR (W/kg) | Average Value of Time Sweep (W/kg) | | | | |
| LTE Band 13 | QPSK | 25230 | 792 | 1 | 0 | Back | 0mm | 0.945 | 1.13 | 0.236 | 0.279 | 0.001 | 0.513 |
| Mode | Service/Modulation | Channel | Frequency (MHz) | RB Size | RB Offset | Test Position | Spacing | Measured 10g SAR (W/kg) | Average Value of Time Sweep (W/kg) | | | | |
| LTE Band 13 | QPSK | 25230 | 792 | 1 | 0 | Bottom Side | 0mm | 2.53 | 4.31 | 0.41 | 0.821 | 1.36 | 2.58 |
| Mode | Service/Modulation | Channel | Frequency (MHz) | RB Size | RB Offset | Test Position | Spacing | Measured 1g SAR (W/kg) | Average Value of Time Sweep (W/kg) | | | | |
| LTE Band 13 | QPSK | 25230 | 792 | 1 | 0 | Right Cheek | 0mm | 0.191 | 0.001 | 0.001 | 0.001 | 0.009 | 0.072 |
| Mode | Service/Modulation | Channel | Frequency (MHz) | RB Size | RB Offset | Test Position | Spacing | Measured 1g SAR (W/kg) | Average Value of Time Sweep (W/kg) | | | | |
| LTE Band 20 | QPSK | 26865 | 831.5 | 1 | 0 | Bottom Side | 5mm | 0.94 | 1.12 | 0.438 | 1.028 | 0.438 | 0.609 |
| Mode | Service/Modulation | Channel | Frequency (MHz) | RB Size | RB Offset | Test Position | Spacing | Measured 10g SAR (W/kg) | Average Value of Time Sweep (W/kg) | | | | |
| LTE Band 20 | QPSK | 26865 | 831.5 | 1 | 0 | Bottom Side | 0mm | 1.7 | 5.34 | 0.164 | 4.36 | 2.06 | 2.79 |
| Mode | Service/Modulation | Channel | Frequency (MHz) | RB Size | RB Offset | Test Position | Spacing | Measured 1g SAR (W/kg) | Average Value of Time Sweep (W/kg) | | | | |
| LTE Band 20 | QPSK | 26865 | 831.5 | 1 | 0 | Right Cheek | 0mm | 0.237 | 0.230 | 0.004 | 0.001 | 0.073 | 0.001 |
| Mode | Service/Modulation | Channel | Frequency (MHz) | RB Size | RB Offset | Test Position | Spacing | Measured 1g SAR (W/kg) | Average Value of Time Sweep (W/kg) | | | | |
| FRR1-026 | QPSK | 166300 | 831.5 | 50 | 28 | Bottom Side | 5mm | 0.996 | 1.1 | 0.279 | 0.121 | 0.312 | 0.001 |
| Mode | Service/Modulation | Channel | Frequency (MHz) | RB Size | RB Offset | Test Position | Spacing | Measured 1g SAR (W/kg) | Average Value of Time Sweep (W/kg) | | | | |
| FRR1-026 | QPSK | 166300 | 831.5 | 50 | 28 | Right Cheek | 0mm | 0.183 | 0.13 | 0.055 | 0.001 | 0.085 | 0.06 |
| Mode | Service/Modulation | Channel | Frequency (MHz) | RB Size | RB Offset | Test Position | Spacing | Measured 10g SAR (W/kg) | Average Value of Time Sweep (W/kg) | | | | |
| FRR1-026 | QPSK | 166300 | 831.5 | 1 | 1 | Bottom Side | 0mm | 1.060 | 4.73 | 3.05 | 2.16 | 1.88 | 0.974 |
| Mode | Service/Modulation | Channel | Frequency (MHz) | RB Size | RB Offset | Test Position | Spacing | Measured 1g SAR (W/kg) | Average Value of Time Sweep (W/kg) | | | | |
| LTE Band 7 | QPSK | 21100 | 2636 | 1 | 0 | Right Cheek | 0mm | 0.093 | 0.11 | 0.001 | 0.031 | 0.009 | 0.052 |
| Mode | Service/Modulation | Channel | Frequency (MHz) | RB Size | RB Offset | Test Position | Spacing | Measured 1g SAR (W/kg) | Average Value of Time Sweep (W/kg) | | | | |
| LTE Band 7 | QPSK | 21100 | 2636 | 1 | 0 | Bottom Side | 5mm | 1 | 1.07 | 0.17 | 0.1 | 0.22 | 0.513 |
| Mode | Service/Modulation | Channel | Frequency (MHz) | RB Size | RB Offset | Test Position | Spacing | Measured 10g SAR (W/kg) | Average Value of Time Sweep (W/kg) | | | | |
| LTE Band 7 | QPSK | 21100 | 2636 | 1 | 0 | Bottom Side | 0mm | 2.39 | 6.8 | 2.44 | 4.32 | 1.39 | 2.99 |
| Mode | Service/Modulation | Channel | Frequency (MHz) | RB Size | RB Offset | Test Position | Spacing | Measured 1g SAR (W/kg) | Average Value of Time Sweep (W/kg) | | | | |
| LTE Band 14 | QPSK | 23330 | 793 | 1 | 0 | Right Cheek | 0mm | 0.242 | 0.511 | 0.292 | 0.198 | 0.291 | 0.427 |
| Mode | Service/Modulation | Channel | Frequency (MHz) | RB Size | RB Offset | Test Position | Spacing | Measured 1g SAR (W/kg) | Average Value of Time Sweep (W/kg) | | | | |
| LTE Band 14 | QPSK | 23330 | 793 | 1 | 0 | Back | 5mm | 0.975 | 0.3 | 0.15 | 0.84 | 0.18 | 0.47 |
| Mode | Service/Modulation | Channel | Frequency (MHz) | RB Size | RB Offset | Test Position | Spacing | Measured 10g SAR (W/kg) | Average Value of Time Sweep (W/kg) | | | | |
| LTE Band 14 | QPSK | 23330 | 793 | 1 | 0 | Bottom Side | 0mm | 2.3 | 5.68 | 3.34 | 0.711 | 3.52 | 3.11 |
| Mode | Service/Modulation | Channel | Frequency (MHz) | RB Size | RB Offset | Test Position | Spacing | Measured 1g SAR (W/kg) | Average Value of Time Sweep (W/kg) | | | | |
| LTE Band 30 | QPSK | 27710 | 2310 | 1 | 0 | Right Cheek | 0mm | 0.042 | 0.161 | 0.121 | 0.071 | 0.04 | 0.130 |
| Mode | Service/Modulation | Channel | Frequency (MHz) | RB Size | RB Offset | Test Position | Spacing | Measured 1g SAR (W/kg) | Average Value of Time Sweep (W/kg) | | | | |
| LTE Band 30 | QPSK | 27710 | 2310 | 1 | 0 | Bottom Side | 5mm | 1.08 | 0.976 | 0.161 | 0.916 | 0.226 | 0.384 |
| Mode | Service/Modulation | Channel | Frequency (MHz) | RB Size | RB Offset | Test Position | Spacing | Measured 10g SAR (W/kg) | Average Value of Time Sweep (W/kg) | | | | |
| LTE Band 30 | QPSK | 27710 | 2310 | 1 | 0 | Bottom Side | 0mm | 2.4 | 6.42 | 2.85 | 3.26 | 0.18 | 0.79 |
| Mode | Service/Modulation | Channel | Frequency (MHz) | RB Size | RB Offset | Test Position | Spacing | Measured 1g SAR (W/kg) | Average Value of Time Sweep (W/kg) | | | | |
| LTE Band 41_38 | QPSK | 40520 | 2593 | 1 | 0 | Right Cheek | 0mm | 0.122 | 0.254 | 0.151 | 0.031 | 0.074 | 0.091 |
| Mode | Service/Modulation | Channel | Frequency (MHz) | RB Size | RB Offset | Test Position | Spacing | Measured 1g SAR (W/kg) | Average Value of Time Sweep (W/kg) | | | | |
| LTE Band 41_38 | QPSK | 41058 | 2636.5 | 1 | 0 | Bottom Side | 5mm | 1.04 | 1.18 | 0.371 | 0.194 | 0.381 | 0.091 |
| Mode | Service/Modulation | Channel | Frequency (MHz) | RB Size | RB Offset | Test Position | Spacing | Measured 10g SAR (W/kg) | Average Value of Time Sweep (W/kg) | | | | |
| LTE Band 41_38 | QPSK | 41055 | 2636.5 | 1 | 0 | Bottom Side | 0mm | 2.33 | 4.34 | 2.31 | 0.46 | 2.84 | 3.72 |
| Mode | Service/Modulation | Channel | Frequency (MHz) | RB Size | RB Offset | Test Position | Spacing | Measured 1g SAR (W/kg) | Average Value of Time Sweep (W/kg) | | | | |
| FRR1-07 | QPSK | 507000 | 2636 | 1 | 1 | Right Cheek | 0mm | 0.125 | 0.11 | 0.336 | 0.230 | 0.246 | 0.226 |
| Mode | Service/Modulation | Channel | Frequency (MHz) | RB Size | RB Offset | Test Position | Spacing | Measured 1g SAR (W/kg) | Average Value of Time Sweep (W/kg) | | | | |
| FRR1-07 | QPSK | 507000 | 2636 | 1 | 1 | Back | 5mm | 0.997 | 1.18 | 0.456 | 0.276 | 0.506 | 0.088 |
| Mode | Service/Modulation | Channel | Frequency (MHz) | RB Size | RB Offset | Test Position | Spacing | Measured 10g SAR (W/kg) | Average Value of Time Sweep (W/kg) | | | | |
| FRR1-07 | QPSK | 507000 | 2636 | 1 | 1 | Bottom Side | 0mm | 2.29 | 5.45 | 0.51 | 3.81 | 3.84 | 3.74 |
| Mode | Service/Modulation | Channel | Frequency (MHz) | RB Size | RB Offset | Test Position | Spacing | Measured 1g SAR (W/kg) | Average Value of Time Sweep (W/kg) | | | | |
| FRR1-12 | QPSK | 141500 | 707.5 | 36 | 22 | Right Cheek | 0mm | 0.129 | 0.35 | 0.318 | 0.216 | 0.276 | 0.246 |
| Mode | Service/Modulation | Channel | Frequency (MHz) | RB Size | RB Offset | Test Position | Spacing | Measured 1g SAR (W/kg) | Average Value of Time Sweep (W/kg) | | | | |
| FRR1-12 | QPSK | 141500 | 707.5 | 36 | 22 | Bottom Side | 5mm | 0.737 | 1.05 | 0.488 | 0.306 | 0.416 | 0.226 |
| Mode | Service/Modulation | Channel | Frequency (MHz) | RB Size | RB Offset | Test Position | Spacing | Measured 1g SAR (W/kg) | Average Value of Time Sweep (W/kg) | | | | |
| FRR1-14 | QPSK | 158900 | 793 | 25 | 14 | Right Cheek | 0mm | 0.141 | 0.252 | 0.156 | 0.228 | 0.188 | 0.216 |
| Mode | Service/Modulation | Channel | Frequency (MHz) | RB Size | RB Offset | Test Position | Spacing | Measured 1g SAR (W/kg) | Average Value of Time Sweep (W/kg) | | | | |
| FRR1-14 | QPSK | 158900 | 793 | 1 | 1 | Bottom Side | 5mm | 0.817 | 1.15 | 0.406 | 0.306 | 0.526 | 0.198 |
| Mode | Service/Modulation | Channel | Frequency (MHz) | RB Size | RB Offset | Test Position | Spacing | Measured 1g SAR (W/kg) | Average Value of Time Sweep (W/kg) | | | | |
| FRR1-30 | QPSK | 462000 | 2310 | 1 | 1 | Right Cheek | 0mm | 0.052 | 0.23 | 0.328 | 0.198 | 0.246 | 0.188 |
| Mode | Service/Modulation | Channel | Frequency (MHz) | RB Size | RB Offset | Test Position | Spacing | Measured 1g SAR (W/kg) | Average Value of Time Sweep (W/kg) | | | | |
| FRR1-30 | QPSK | 462000 | 2310 | 1 | 1 | Bottom Side | 5mm | 0.985 | 1.1 | 0.426 | 0.276 | 0.388 | 0.166 |
| Mode | Service/Modulation | Channel | Frequency (MHz) | RB Size | RB Offset | Test Position | Spacing | Measured 10g SAR (W/kg) | Average Value of Time Sweep (W/kg) | | | | |
| FRR1-30 | QPSK | 462000 | 2310 | 1 | 1 | Bottom Side | 0mm | 1.7 | 4.42 | 1.96 | 2.34 | 0.82 | |
| Mode | Service/Modulation | Channel | Frequency (MHz) | RB Size | RB Offset | Test Position | Spacing | Measured 1g SAR (W/kg) | Average Value of Time Sweep (W/kg) | | | | |
| FRR1-41 | QPSK | 518598 | 2592.99 | 135 | 69 | Right Cheek | 0mm | 0.144 | 0.26 | 0.266 | 0.116 | 0.228 | |
| Mode | Service/Modulation | Channel | Frequency (MHz) | RB Size | RB Offset | Test Position | Spacing | Measured 1g SAR (W/kg) | Average Value of Time Sweep (W/kg) | | | | |
| FRR1-41 | QPSK | 518598 | 2592.99 | 135 | 69 | Back | 5mm | 0.807 | 1.13 | 0.376 | 0.336 | 0.408 | |
| Mode | Service/Modulation | Channel | Frequency (MHz) | RB Size | RB Offset | Test Position | Spacing | Measured 10g SAR (W/kg) | Average Value of Time Sweep (W/kg) | | | | |
| FRR1-41 | QPSK | 518598 | 2592.99 | 1 | 1 | Back | 0mm | 2.53 | 4.35 | 2.39 | 0.12 | 3.95 | |



| Ant 1-Open | | | | | | | | | | | | |
|-------------------|--------------------|---------|-----------------|---------|-----------|---------------|---------|------------------------|------------------------------------|-------|-------|-------|
| Mode | Service/Modulation | Channel | Frequency (MHz) | RB Size | RB Offset | Test Position | Spacing | Measured 1g SAR (W/kg) | Average Value of Time Sweep (W/kg) | | | |
| | | | | | | | | | Auto-Tune state 26 | 1 | 35 | 69 |
| LTE Band 12 | QPSK | 23095 | 707.5 | 1 | 0 | Back | 5mm | 0.732 | 1.03 | 0.022 | 0.022 | 0.789 |
| Mode | Service/Modulation | Channel | Frequency (MHz) | RB Size | RB Offset | Test Position | Spacing | Measured 1g SAR (W/kg) | Average Value of Time Sweep (W/kg) | | | |
| LTE Band 12 | QPSK | 23095 | 707.5 | 1 | 0 | Left Side | 0mm | 1.79 | 5.97 | 0.71 | 0.73 | 0.534 |
| Mode | Service/Modulation | Channel | Frequency (MHz) | RB Size | RB Offset | Test Position | Spacing | Measured 1g SAR (W/kg) | Average Value of Time Sweep (W/kg) | | | |
| LTE Band 12 | QPSK | 23095 | 707.5 | 1 | 0 | Right Cheek | 0mm | 0.719 | 1.07 | 0.012 | 0.107 | 0.39 |
| Mode | Service/Modulation | Channel | Frequency (MHz) | RB Size | RB Offset | Test Position | Spacing | Measured 1g SAR (W/kg) | Average Value of Time Sweep (W/kg) | | | |
| LTE Band 13 | QPSK | 23230 | 782 | 1 | 0 | Back | 5mm | 0.739 | 1.05 | 0.383 | 0.426 | 0.637 |
| Mode | Service/Modulation | Channel | Frequency (MHz) | RB Size | RB Offset | Test Position | Spacing | Measured 1g SAR (W/kg) | Average Value of Time Sweep (W/kg) | | | |
| LTE Band 13 | QPSK | 23230 | 782 | 1 | 0 | Back | 0mm | 1.46 | 3.16 | 1.98 | 3.15 | 0.33 |
| Mode | Service/Modulation | Channel | Frequency (MHz) | RB Size | RB Offset | Test Position | Spacing | Measured 1g SAR (W/kg) | Average Value of Time Sweep (W/kg) | | | |
| LTE Band 13 | QPSK | 23230 | 782 | 25 | 0 | Right Cheek | 0mm | 0.727 | 1.03 | 0.626 | 0.373 | 0.554 |
| Mode | Service/Modulation | Channel | Frequency (MHz) | RB Size | RB Offset | Test Position | Spacing | Measured 1g SAR (W/kg) | Average Value of Time Sweep (W/kg) | | | |
| LTE Band 26 | QPSK | 26865 | 831.5 | 1 | 0 | Back | 5mm | 0.72 | 1.11 | 1.038 | 0.751 | 0.729 |
| Mode | Service/Modulation | Channel | Frequency (MHz) | RB Size | RB Offset | Test Position | Spacing | Measured 1g SAR (W/kg) | Average Value of Time Sweep (W/kg) | | | |
| LTE Band 26 | QPSK | 26865 | 831.5 | 1 | 0 | Left Side | 0mm | 1.71 | 5.44 | 1.8 | 2.31 | 4.3 |
| Mode | Service/Modulation | Channel | Frequency (MHz) | RB Size | RB Offset | Test Position | Spacing | Measured 1g SAR (W/kg) | Average Value of Time Sweep (W/kg) | | | |
| LTE Band 26 | QPSK | 26865 | 831.5 | 1 | 0 | Right Cheek | 0mm | 0.762 | 0.399 | 0.862 | 0.468 | 0.862 |
| Mode | Service/Modulation | Channel | Frequency (MHz) | RB Size | RB Offset | Test Position | Spacing | Measured 1g SAR (W/kg) | Average Value of Time Sweep (W/kg) | | | |
| LTE Band 66 | QPSK | 13252 | 1770 | 1 | 0 | Back | 5mm | 0.722 | 1.06 | 0.568 | 0.748 | 0.917 |
| Mode | Service/Modulation | Channel | Frequency (MHz) | RB Size | RB Offset | Test Position | Spacing | Measured 1g SAR (W/kg) | Average Value of Time Sweep (W/kg) | | | |
| LTE Band 66 | QPSK | 13252 | 1745 | 1 | 0 | Front | 0mm | 1.67 | 5.29 | 2.06 | 2.65 | 2.38 |
| Mode | Service/Modulation | Channel | Frequency (MHz) | RB Size | RB Offset | Test Position | Spacing | Measured 1g SAR (W/kg) | Average Value of Time Sweep (W/kg) | | | |
| LTE Band 66 | QPSK | 13252 | 1770 | 1 | 0 | Right Cheek | 0mm | 0.703 | 0.944 | 0.377 | 0.509 | 0.361 |
| Mode | Service/Modulation | Channel | Frequency (MHz) | RB Size | RB Offset | Test Position | Spacing | Measured 1g SAR (W/kg) | Average Value of Time Sweep (W/kg) | | | |
| LTE Band 25 | QPSK | 26140 | 1860 | 1 | 0 | Front | 5mm | 0.716 | 1.01 | 0.613 | 0.488 | 0.763 |
| Mode | Service/Modulation | Channel | Frequency (MHz) | RB Size | RB Offset | Test Position | Spacing | Measured 1g SAR (W/kg) | Average Value of Time Sweep (W/kg) | | | |
| LTE Band 25 | QPSK | 26340 | 1880 | 1 | 0 | Front | 0mm | 1.88 | 6.46 | 5.4 | 5.41 | 5.12 |
| Mode | Service/Modulation | Channel | Frequency (MHz) | RB Size | RB Offset | Test Position | Spacing | Measured 1g SAR (W/kg) | Average Value of Time Sweep (W/kg) | | | |
| LTE Band 25 | QPSK | 26140 | 1860 | 1 | 0 | Right Cheek | 0mm | 0.708 | 1.11 | 0.82 | 0.641 | 0.749 |
| Mode | Service/Modulation | Channel | Frequency (MHz) | RB Size | RB Offset | Test Position | Spacing | Measured 1g SAR (W/kg) | Average Value of Time Sweep (W/kg) | | | |
| LTE Band 7 | QPSK | 21100 | 2535 | 1 | 0 | Front | 5mm | 0.754 | 1.14 | 0.685 | 0.744 | 0.727 |
| Mode | Service/Modulation | Channel | Frequency (MHz) | RB Size | RB Offset | Test Position | Spacing | Measured 1g SAR (W/kg) | Average Value of Time Sweep (W/kg) | | | |
| LTE Band 7 | QPSK | 21100 | 2535 | 1 | 0 | Left Side | 0mm | 1.64 | 7.87 | 5.39 | 5.69 | 5.27 |
| Mode | Service/Modulation | Channel | Frequency (MHz) | RB Size | RB Offset | Test Position | Spacing | Measured 1g SAR (W/kg) | Average Value of Time Sweep (W/kg) | | | |
| LTE Band 7 | QPSK | 21100 | 2535 | 1 | 0 | Right Cheek | 0mm | 0.708 | 1.18 | 0.856 | 0.728 | 0.618 |
| Mode | Service/Modulation | Channel | Frequency (MHz) | RB Size | RB Offset | Test Position | Spacing | Measured 1g SAR (W/kg) | Average Value of Time Sweep (W/kg) | | | |
| LTE Band 41 HPLTE | QPSK | 40620 | 2593 | 1 | 0 | Front | 5mm | 0.708 | 0.98 | 0.727 | 0.757 | 0.728 |
| Mode | Service/Modulation | Channel | Frequency (MHz) | RB Size | RB Offset | Test Position | Spacing | Measured 1g SAR (W/kg) | Average Value of Time Sweep (W/kg) | | | |
| LTE Band 41 HPLTE | QPSK | 40620 | 2593 | 1 | 0 | Left Side | 0mm | 2.08 | 9.41 | 8.45 | 8.38 | 8.78 |
| Mode | Service/Modulation | Channel | Frequency (MHz) | RB Size | RB Offset | Test Position | Spacing | Measured 1g SAR (W/kg) | Average Value of Time Sweep (W/kg) | | | |
| LTE Band 41 | QPSK | 40620 | 2593 | 1 | 0 | Right Cheek | 0mm | 0.67 | 1.01 | 0.766 | 0.773 | 0.763 |
| Mode | Service/Modulation | Channel | Frequency (MHz) | RB Size | RB Offset | Test Position | Spacing | Measured 1g SAR (W/kg) | Average Value of Time Sweep (W/kg) | | | |
| FRI n26 | QPSK | 162630 | 831.5 | 100 | 0 | Front | 5mm | 0.701 | 1.06 | 0.302 | 0.361 | 0.66 |
| Mode | Service/Modulation | Channel | Frequency (MHz) | RB Size | RB Offset | Test Position | Spacing | Measured 1g SAR (W/kg) | Average Value of Time Sweep (W/kg) | | | |
| FRI n26 | QPSK | 162630 | 831.5 | 100 | 0 | Right Cheek | 0mm | 0.737 | 0.613 | 0.175 | 0.522 | 0.382 |
| Mode | Service/Modulation | Channel | Frequency (MHz) | RB Size | RB Offset | Test Position | Spacing | Measured 1g SAR (W/kg) | Average Value of Time Sweep (W/kg) | | | |
| FRI n26 | QPSK | 162630 | 831.5 | 100 | 0 | Back | 0mm | 1.71 | 1.75 | 1.62 | 1.47 | 1.46 |
| Mode | Service/Modulation | Channel | Frequency (MHz) | RB Size | RB Offset | Test Position | Spacing | Measured 1g SAR (W/kg) | Average Value of Time Sweep (W/kg) | | | |
| FRI n66 | QPSK | 349000 | 1745 | 108 | 54 | Front | 5mm | 0.795 | 1.09 | 0.434 | 0.443 | 0.246 |
| Mode | Service/Modulation | Channel | Frequency (MHz) | RB Size | RB Offset | Test Position | Spacing | Measured 1g SAR (W/kg) | Average Value of Time Sweep (W/kg) | | | |
| FRI n66 | QPSK | 349000 | 1745 | 108 | 54 | Front | 0mm | 1.92 | 8.39 | 3.92 | 3.58 | 3.49 |
| Mode | Service/Modulation | Channel | Frequency (MHz) | RB Size | RB Offset | Test Position | Spacing | Measured 1g SAR (W/kg) | Average Value of Time Sweep (W/kg) | | | |
| FRI n66 | QPSK | 349000 | 1745 | 108 | 54 | Right Cheek | 0mm | 0.723 | 1.05 | 0.377 | 0.384 | 0.199 |
| Mode | Service/Modulation | Channel | Frequency (MHz) | RB Size | RB Offset | Test Position | Spacing | Measured 1g SAR (W/kg) | Average Value of Time Sweep (W/kg) | | | |
| FRI n2 | QPSK | 376000 | 1880 | 50 | 28 | Front | 5mm | 0.773 | 0.868 | 0.403 | 0.482 | 0.33 |
| Mode | Service/Modulation | Channel | Frequency (MHz) | RB Size | RB Offset | Test Position | Spacing | Measured 1g SAR (W/kg) | Average Value of Time Sweep (W/kg) | | | |
| FRI n2 | QPSK | 376000 | 1880 | 1 | 1 | Back | 0mm | 1.89 | 6.41 | 4.29 | 4.82 | 2.39 |
| Mode | Service/Modulation | Channel | Frequency (MHz) | RB Size | RB Offset | Test Position | Spacing | Measured 1g SAR (W/kg) | Average Value of Time Sweep (W/kg) | | | |
| FRI n2 | QPSK | 376000 | 1880 | 1 | 1 | Right Cheek | 0mm | 0.794 | 0.89 | 0.396 | 0.467 | 0.48 |
| Mode | Service/Modulation | Channel | Frequency (MHz) | RB Size | RB Offset | Test Position | Spacing | Measured 1g SAR (W/kg) | Average Value of Time Sweep (W/kg) | | | |
| FRI n7 | QPSK | 507000 | 2535 | 108 | 54 | Back | 5mm | 0.744 | 0.96 | 0.506 | 0.88 | 0.533 |
| Mode | Service/Modulation | Channel | Frequency (MHz) | RB Size | RB Offset | Test Position | Spacing | Measured 1g SAR (W/kg) | Average Value of Time Sweep (W/kg) | | | |
| FRI n7 | QPSK | 507000 | 2535 | 108 | 54 | Left Side | 0mm | 2.05 | 8.75 | 7.71 | 5.77 | 5.77 |
| Mode | Service/Modulation | Channel | Frequency (MHz) | RB Size | RB Offset | Test Position | Spacing | Measured 1g SAR (W/kg) | Average Value of Time Sweep (W/kg) | | | |
| FRI n7 | QPSK | 507000 | 2535 | 1 | 1 | Right Cheek | 0mm | 0.737 | 0.667 | 0.725 | 0.479 | 0.616 |
| Mode | Service/Modulation | Channel | Frequency (MHz) | RB Size | RB Offset | Test Position | Spacing | Measured 1g SAR (W/kg) | Average Value of Time Sweep (W/kg) | | | |
| FRI n41 | QPSK | 518598 | 2992.99 | 1 | 1 | Back | 5mm | 0.696 | 0.927 | 0.64 | 0.996 | 0.92 |
| Mode | Service/Modulation | Channel | Frequency (MHz) | RB Size | RB Offset | Test Position | Spacing | Measured 1g SAR (W/kg) | Average Value of Time Sweep (W/kg) | | | |
| FRI n41 | QPSK | 518598 | 2992.99 | 1 | 1 | Left Side | 0mm | 1.81 | 8.19 | 7.05 | 6.61 | 6.01 |
| Mode | Service/Modulation | Channel | Frequency (MHz) | RB Size | RB Offset | Test Position | Spacing | Measured 1g SAR (W/kg) | Average Value of Time Sweep (W/kg) | | | |
| FRI n41 | QPSK | 518598 | 2992.99 | 135 | 69 | Right Cheek | 0mm | 0.745 | 1.01 | 1 | 0.835 | |
| Mode | Service/Modulation | Channel | Frequency (MHz) | RB Size | RB Offset | Test Position | Spacing | Measured 1g SAR (W/kg) | Average Value of Time Sweep (W/kg) | | | |
| LTE Band 14 | QPSK | 23330 | 793 | 1 | 0 | Right Cheek | 0mm | 0.709 | 0.921 | 0.299 | 0.12 | |



| Mode | Service/Modulation | Channel | Frequency (MHz) | RB Size | RB Offset | Test Position | Spacing | Measured 1g SAR (W/kg) | Average Value of Time Sweep (W/kg) | | |
|-------------|--------------------|---------|-----------------|---------|-----------|---------------|---------|-------------------------|------------------------------------|-----|-----|
| LTE Band 14 | QPSK | 2330 | 793 | 1 | 0 | Back | 5mm | 0.709 | Auto-Tune state 46 | 104 | 123 |
| Mode | Service/Modulation | Channel | Frequency (MHz) | RB Size | RB Offset | Test Position | Spacing | Measured 10g SAR (W/kg) | Average Value of Time Sweep (W/kg) | | |
| LTE Band 14 | QPSK | 2330 | 793 | 1 | 0 | Back | 5mm | 1.46 | Auto-Tune state 46 | 105 | 124 |
| Mode | Service/Modulation | Channel | Frequency (MHz) | RB Size | RB Offset | Test Position | Spacing | Measured 1g SAR (W/kg) | Average Value of Time Sweep (W/kg) | | |
| LTE Band 30 | QPSK | 27710 | 2310 | 1 | 0 | Right Cheek | 5mm | 0.743 | Auto-Tune state 11 | 106 | 125 |
| Mode | Service/Modulation | Channel | Frequency (MHz) | RB Size | RB Offset | Test Position | Spacing | Measured 1g SAR (W/kg) | Average Value of Time Sweep (W/kg) | | |
| LTE Band 30 | QPSK | 27710 | 2310 | 1 | 0 | Back | 5mm | 0.71 | Auto-Tune state 11 | 107 | 126 |
| Mode | Service/Modulation | Channel | Frequency (MHz) | RB Size | RB Offset | Test Position | Spacing | Measured 10g SAR (W/kg) | Average Value of Time Sweep (W/kg) | | |
| LTE Band 30 | QPSK | 27710 | 2310 | 1 | 0 | Left Side | 5mm | 2.04 | Auto-Tune state 11 | 108 | 127 |
| Mode | Service/Modulation | Channel | Frequency (MHz) | RB Size | RB Offset | Test Position | Spacing | Measured 1g SAR (W/kg) | Average Value of Time Sweep (W/kg) | | |
| LTE Band 71 | QPSK | 13322 | 683 | 1 | 0 | Right Cheek | 5mm | 0.709 | Auto-Tune state 46 | 109 | 128 |
| Mode | Service/Modulation | Channel | Frequency (MHz) | RB Size | RB Offset | Test Position | Spacing | Measured 1g SAR (W/kg) | Average Value of Time Sweep (W/kg) | | |
| LTE Band 71 | QPSK | 13322 | 683 | 1 | 0 | Back | 5mm | 0.726 | Auto-Tune state 46 | 110 | 129 |
| Mode | Service/Modulation | Channel | Frequency (MHz) | RB Size | RB Offset | Test Position | Spacing | Measured 10g SAR (W/kg) | Average Value of Time Sweep (W/kg) | | |
| LTE Band 71 | QPSK | 13322 | 683 | 1 | 0 | Left Side | 5mm | 1.94 | Auto-Tune state 46 | 111 | 130 |
| Mode | Service/Modulation | Channel | Frequency (MHz) | RB Size | RB Offset | Test Position | Spacing | Measured 1g SAR (W/kg) | Average Value of Time Sweep (W/kg) | | |
| FR1 n12 | QPSK | 141500 | 707.5 | 36 | 22 | Right Cheek | 5mm | 0.646 | Auto-Tune state 11 | 112 | 131 |
| Mode | Service/Modulation | Channel | Frequency (MHz) | RB Size | RB Offset | Test Position | Spacing | Measured 1g SAR (W/kg) | Average Value of Time Sweep (W/kg) | | |
| FR1 n12 | QPSK | 141500 | 707.5 | 1 | 1 | Front | 5mm | 0.716 | Auto-Tune state 11 | 113 | 132 |
| Mode | Service/Modulation | Channel | Frequency (MHz) | RB Size | RB Offset | Test Position | Spacing | Measured 10g SAR (W/kg) | Average Value of Time Sweep (W/kg) | | |
| FR1 n12 | QPSK | 141500 | 707.5 | 1 | 1 | Front | 5mm | 0.628 | Auto-Tune state 11 | 114 | 133 |
| Mode | Service/Modulation | Channel | Frequency (MHz) | RB Size | RB Offset | Test Position | Spacing | Measured 1g SAR (W/kg) | Average Value of Time Sweep (W/kg) | | |
| FR1 n14 | QPSK | 158600 | 793 | 25 | 14 | Right Cheek | 5mm | 0.696 | Auto-Tune state 46 | 115 | 134 |
| Mode | Service/Modulation | Channel | Frequency (MHz) | RB Size | RB Offset | Test Position | Spacing | Measured 1g SAR (W/kg) | Average Value of Time Sweep (W/kg) | | |
| FR1 n14 | QPSK | 158600 | 793 | 1 | 1 | Front | 5mm | 0.75 | Auto-Tune state 46 | 116 | 135 |
| Mode | Service/Modulation | Channel | Frequency (MHz) | RB Size | RB Offset | Test Position | Spacing | Measured 10g SAR (W/kg) | Average Value of Time Sweep (W/kg) | | |
| FR1 n14 | QPSK | 158600 | 793 | 1 | 1 | Back | 5mm | 0.951 | Auto-Tune state 46 | 117 | 136 |
| Mode | Service/Modulation | Channel | Frequency (MHz) | RB Size | RB Offset | Test Position | Spacing | Measured 1g SAR (W/kg) | Average Value of Time Sweep (W/kg) | | |
| FR1 n30 | QPSK | 462000 | 2310 | 25 | 14 | Right Cheek | 5mm | 0.78 | Auto-Tune state 11 | 118 | 137 |
| Mode | Service/Modulation | Channel | Frequency (MHz) | RB Size | RB Offset | Test Position | Spacing | Measured 1g SAR (W/kg) | Average Value of Time Sweep (W/kg) | | |
| FR1 n30 | QPSK | 462000 | 2310 | 1 | 1 | Front | 5mm | 0.7 | Auto-Tune state 11 | 119 | 138 |
| Mode | Service/Modulation | Channel | Frequency (MHz) | RB Size | RB Offset | Test Position | Spacing | Measured 10g SAR (W/kg) | Average Value of Time Sweep (W/kg) | | |
| FR1 n30 | QPSK | 462000 | 2310 | 1 | 1 | Back | 5mm | 1.15 | Auto-Tune state 11 | 120 | 139 |
| Mode | Service/Modulation | Channel | Frequency (MHz) | RB Size | RB Offset | Test Position | Spacing | Measured 1g SAR (W/kg) | Average Value of Time Sweep (W/kg) | | |
| FR1 n71 | QPSK | 138100 | 680.5 | 1 | 1 | Right Cheek | 5mm | 0.684 | Auto-Tune state 68 | 121 | 140 |
| Mode | Service/Modulation | Channel | Frequency (MHz) | RB Size | RB Offset | Test Position | Spacing | Measured 1g SAR (W/kg) | Average Value of Time Sweep (W/kg) | | |
| FR1 n71 | QPSK | 138100 | 680.5 | 1 | 1 | Back | 5mm | 0.751 | Auto-Tune state 68 | 122 | 141 |
| Mode | Service/Modulation | Channel | Frequency (MHz) | RB Size | RB Offset | Test Position | Spacing | Measured 1g SAR (W/kg) | Average Value of Time Sweep (W/kg) | | |
| FR1 n65 | QPSK | 376500 | 1882.5 | 1 | 1 | Right Cheek | 5mm | 0.784 | Auto-Tune state 62 | 101 | 142 |
| Mode | Service/Modulation | Channel | Frequency (MHz) | RB Size | RB Offset | Test Position | Spacing | Measured 1g SAR (W/kg) | Average Value of Time Sweep (W/kg) | | |
| FR1 n65 | QPSK | 376500 | 1882.5 | 1 | 1 | Front | 5mm | 0.773 | Auto-Tune state 62 | 102 | 143 |
| Mode | Service/Modulation | Channel | Frequency (MHz) | RB Size | RB Offset | Test Position | Spacing | Measured 10g SAR (W/kg) | Average Value of Time Sweep (W/kg) | | |
| FR1 n65 | QPSK | 376500 | 1882.5 | 50 | 28 | Front | 5mm | 1.95 | Auto-Tune state 62 | 141 | 144 |



| Ant 1-open | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-------------|--------------------|---------|-----------------|---------|-----------|---------------|---------|-------------------------|--------------------|------------------------------------|-------|------|-------|------|------|-------|-------|-------|-------|------|------|------|-------|------|-------|-------|------|-------|-------|
| Mode | Service/Modulation | Channel | Frequency (MHz) | RB Size | RB Offset | Test Position | Spacing | Measured 10g SAR (W/kg) | Auto-Tune state 33 | | | | | | | | | | | | | | | | | | | | |
| LTE Band 12 | QPSK | 23095 | 707.5 | 1 | 0 | Left Side | Omm | 1.79 | 5.97 | Average Value of Time Sweep (W/kg) | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 | 20 |
| | | | | | | | | | | 5.96 | 5.71 | 5.68 | 5.55 | 5.53 | 4.38 | 3.95 | 3.66 | 3.33 | 2.95 | 2.49 | 1.99 | 1.42 | 3.52 | 3.76 | 3.77 | 3.75 | 3.63 | 3.47 | 3.3 |
| | | | | | | | | | | 21 | 22 | 23 | 24 | 25 | 26 | 27 | 28 | 29 | 30 | 31 | 32 | 33 | 34 | 35 | 36 | 37 | 38 | 39 | 40 |
| | | | | | | | | | | 3.3 | 3.53 | 2.78 | 2.57 | 3.32 | 3.01 | 2.67 | 2.24 | 0.939 | 0.534 | 0.75 | 2.35 | 0.3 | 0.133 | 2.73 | 5.23 | 4.51 | 3.31 | 1.87 | 0.352 |
| | | | | | | | | | | 41 | 42 | 43 | 44 | 45 | 46 | 47 | 48 | 49 | 50 | 51 | 52 | 53 | 54 | 55 | 56 | 57 | 58 | 59 | 60 |
| | | | | | | | | | | 4.79 | 4.58 | 4.03 | 3.59 | 3.15 | 2.67 | 0.58 | 2.42 | 2.47 | 2.42 | 2.41 | 2.33 | 2.31 | 2.26 | 2.19 | 2.11 | 2 | 1.97 | 1.81 | 1.46 |
| | | | | | | | | | | 61 | 62 | 63 | 64 | 65 | 66 | 67 | 68 | 69 | 70 | 71 | 72 | 73 | 74 | 75 | 76 | 77 | 78 | 79 | 80 |
| | | | | | | | | | | 0.21 | 0.118 | 3.67 | 3.49 | 3.32 | 3.01 | 2.67 | 2.24 | 0.939 | 0.534 | 0.75 | 2.35 | 0.3 | 0.133 | 2.73 | 5.23 | 4.51 | 3.31 | 1.87 | 0.352 |
| | | | | | | | | | | 81 | 82 | 83 | 84 | 85 | 86 | 87 | 88 | 89 | 90 | 91 | 92 | 93 | 94 | 95 | 96 | 97 | 98 | 99 | 100 |
| | | | | | | | | | | 1.26 | 2.5 | 2.62 | 3.02 | 3.55 | 3.58 | 1.26 | 0.615 | 0.768 | 0.166 | 0.07 | 5.53 | 5.77 | 5.67 | 4.82 | 4.61 | 4.38 | 4.05 | 3.67 | 3.23 |
| | | | | | | | | | | 101 | 102 | 103 | 104 | 105 | 106 | 107 | 108 | 109 | 110 | 111 | 112 | 113 | 114 | 115 | 116 | 117 | 118 | 119 | 120 |
| | | | | | | | | | | 1.48 | 2.57 | 3.16 | 2.87 | 2.42 | 1.97 | 0.429 | 0.215 | 4.05 | 4.84 | 4.42 | 3.9 | 3.77 | 0.563 | 1.8 | 2.59 | 1.6 | 0.22 | 0.107 | 0.22 |
| | | | | | | | | | | 121 | 122 | 123 | 124 | 125 | 126 | 127 | 128 | 129 | 130 | 131 | 132 | 133 | 134 | 135 | 136 | 137 | 138 | 139 | 140 |
| | | | | | | | | | | 3.2 | 3.16 | 3.13 | 2.45 | 2.28 | 1.66 | 0.306 | 1.29 | 2.91 | 0.075 | 1.95 | 3.62 | 3.25 | 2.73 | 1.73 | 0.192 | 0.951 | 2.49 | 2.57 | 2.63 |
| | | | | | | | | | | 141 | 142 | 143 | 144 | | | | | | | | | | | | | | | | |
| | | | | | | | | | | 3 | 3.08 | 3.39 | 0.001 | | | | | | | | | | | | | | | | |

| Mode | Service/Modulation | Channel | Frequency (MHz) | RB Size | RB Offset | Test Position | Spacing | Measured 10g SAR (W/kg) | Auto-Tune state 42 | | | | | | | | | | | | | | | | | | | | |
|-------------|--------------------|---------|-----------------|---------|-----------|---------------|---------|-------------------------|--------------------|------------------------------------|-------|------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| LTE Band 13 | QPSK | 23230 | 782 | 1 | 0 | Back | Omm | 1.49 | 3.16 | Average Value of Time Sweep (W/kg) | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 | 20 |
| | | | | | | | | | | 2.43 | 2.04 | 2.02 | 1.98 | 1.98 | 1.46 | 1.31 | 1.22 | 1.11 | 0.983 | 0.847 | 0.694 | 0.531 | 1.81 | 2.34 | 2.33 | 2.34 | 2.39 | 2.38 | 2.41 |
| | | | | | | | | | | 21 | 22 | 23 | 24 | 25 | 26 | 27 | 28 | 29 | 30 | 31 | 32 | 33 | 34 | 35 | 36 | 37 | 38 | 39 | 40 |
| | | | | | | | | | | 2.42 | 2.36 | 2.28 | 2.21 | 2.14 | 1.92 | 1.74 | 1.51 | 0.991 | 0.717 | 0.459 | 0.247 | 2.64 | 2.96 | 2.98 | 2.99 | 3 | 3.07 | 3.13 | 3.14 |
| | | | | | | | | | | 41 | 42 | 43 | 44 | 45 | 46 | 47 | 48 | 49 | 50 | 51 | 52 | 53 | 54 | 55 | 56 | 57 | 58 | 59 | 60 |
| | | | | | | | | | | 3.15 | 3.16 | 3.11 | 3.05 | 2.97 | 2.8 | 1.09 | 1.25 | 1.41 | 1.42 | 1.42 | 1.41 | 1.41 | 1.4 | 1.39 | 1.35 | 1.31 | 1.31 | 1.23 | 1.05 |
| | | | | | | | | | | 61 | 62 | 63 | 64 | 65 | 66 | 67 | 68 | 69 | 70 | 71 | 72 | 73 | 74 | 75 | 76 | 77 | 78 | 79 | 80 |
| | | | | | | | | | | 0.174 | 0.099 | 1.08 | 1.01 | 0.95 | 0.866 | 0.775 | 0.676 | 0.337 | 0.219 | 0.639 | 2.67 | 0.33 | 0.149 | 1.44 | 2.01 | 2.14 | 2.14 | 1.92 | 0.705 |
| | | | | | | | | | | 81 | 82 | 83 | 84 | 85 | 86 | 87 | 88 | 89 | 90 | 91 | 92 | 93 | 94 | 95 | 96 | 97 | 98 | 99 | 100 |
| | | | | | | | | | | 0.57 | 0.972 | 1.02 | 1.15 | 1.41 | 1.78 | 1.25 | 0.59 | 0.213 | 0.116 | 0.058 | 2.71 | 2.22 | 2.13 | 1.46 | 1.38 | 1.3 | 1.28 | 1.08 | 0.952 |
| | | | | | | | | | | 101 | 102 | 103 | 104 | 105 | 106 | 107 | 108 | 109 | 110 | 111 | 112 | 113 | 114 | 115 | 116 | 117 | 118 | 119 | 120 |
| | | | | | | | | | | 0.492 | 1.3 | 2.46 | 2.44 | 2.32 | 2.12 | 0.453 | 0.226 | 2.1 | 2.82 | 2.82 | 2.78 | 2.68 | 0.988 | 0.88 | 1.23 | 1.24 | 0.163 | 0.082 | 1.56 |
| | | | | | | | | | | 121 | 122 | 123 | 124 | 125 | 126 | 127 | 128 | 129 | 130 | 131 | 132 | 133 | 134 | 135 | 136 | 137 | 138 | 139 | 140 |
| | | | | | | | | | | 1.14 | 1.1 | 1.08 | 0.719 | 0.673 | 0.51 | 0.147 | 0.596 | 1.02 | 1.09 | 1.01 | 1.5 | 1.54 | 1.54 | 0.455 | 0.428 | 0.837 | 0.865 | 0.885 | 0.916 |
| | | | | | | | | | | 141 | 142 | 143 | 144 | | | | | | | | | | | | | | | | |
| | | | | | | | | | | 0.97 | 1.01 | 1.08 | 1.26 | | | | | | | | | | | | | | | | |

| Mode | Service/Modulation | Channel | Frequency (MHz) | RB Size | RB Offset | Test Position | Spacing | Measured 10g SAR (W/kg) | Auto-Tune state 122 | | | | | | | | | | | | | | | | | | | | |
|-------------|--------------------|---------|-----------------|---------|-----------|---------------|---------|-------------------------|---------------------|------------------------------------|-------|------|-------|------|------|-------|-------|-------|-------|-------|-------|-------|-------|------|------|-------|-------|------|-------|
| LTE Band 26 | QPSK | 26865 | 831.5 | 1 | 0 | Left Side | Omm | 1.71 | 5.44 | Average Value of Time Sweep (W/kg) | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 | 20 |
| | | | | | | | | | | 4.13 | 3.65 | 3.42 | 3.36 | 3.48 | 2.21 | 1.95 | 1.8 | 1.55 | 1.22 | 1.06 | 0.741 | 0.434 | 3.88 | 3.51 | 3.41 | 3.35 | 3.26 | 3.05 | 2.98 |
| | | | | | | | | | | 21 | 22 | 23 | 24 | 25 | 26 | 27 | 28 | 29 | 30 | 31 | 32 | 33 | 34 | 35 | 36 | 37 | 38 | 39 | 40 |
| | | | | | | | | | | 2.9 | 2.71 | 2.7 | 2.24 | 2.17 | 1.92 | 1.79 | 1.52 | 0.979 | 0.732 | 0.53 | 0.305 | 4.32 | 3.75 | 3.71 | 3.64 | 3.33 | 3.34 | 3.04 | 2.93 |
| | | | | | | | | | | 41 | 42 | 43 | 44 | 45 | 46 | 47 | 48 | 49 | 50 | 51 | 52 | 53 | 54 | 55 | 56 | 57 | 58 | 59 | 60 |
| | | | | | | | | | | 2.53 | 2.31 | 1.99 | 1.74 | 1.54 | 1.3 | 0.313 | 3.85 | 3.32 | 3.29 | 3.16 | 3.17 | 3.02 | 2.94 | 2.89 | 2.94 | 2.67 | 2.58 | 2.48 | 2.24 |
| | | | | | | | | | | 61 | 62 | 63 | 64 | 65 | 66 | 67 | 68 | 69 | 70 | 71 | 72 | 73 | 74 | 75 | 76 | 77 | 78 | 79 | 80 |
| | | | | | | | | | | 0.045 | 0.283 | 0.5 | 3.15 | 2.95 | 2.4 | 1.99 | 1.54 | 0.462 | 0.243 | 0.15 | 0.32 | 0.38 | 0.196 | 3.35 | 3.69 | 2.56 | 3.08 | 2.09 | 1.14 |
| | | | | | | | | | | 81 | 82 | 83 | 84 | 85 | 86 | 87 | 88 | 89 | 90 | 91 | 92 | 93 | 94 | 95 | 96 | 97 | 98 | 99 | 100 |
| | | | | | | | | | | 2.67 | 3.95 | 4.18 | 4.37 | 4.54 | 4.46 | 2.41 | 1.44 | 0.637 | 0.383 | 0.194 | 4.25 | 4.86 | 4.63 | 3.16 | 2.86 | 2.81 | 2.52 | 2.15 | 1.77 |
| | | | | | | | | | | 101 | 102 | 103 | 104 | 105 | 106 | 107 | 108 | 109 | 110 | 111 | 112 | 113 | 114 | 115 | 116 | 117 | 118 | 119 | 120 |
| | | | | | | | | | | 0.666 | 3.73 | 2.98 | 2.92 | 2.41 | 2.07 | 0.618 | 0.353 | 0.26 | 0.155 | 0.221 | 1.79 | 0.376 | 3.25 | 3.69 | 2.56 | 0.538 | 0.284 | 0.24 | 0.245 |
| | | | | | | | | | | 121 | 122 | 123 | 124 | 125 | 126 | 127 | 128 | 129 | 130 | 131 | 132 | 133 | 134 | 135 | 136 | 137 | 138 | 139 | 140 |
| | | | | | | | | | | 5.31 | 5.44 | 5.18 | 2.92 | 2.44 | 1.35 | 0.148 | 2.69 | 4.59 | 0.123 | 3.15 | 2.62 | 2.28 | 1.8 | 0.14 | 2.37 | 4.13 | 4.23 | 4.43 | 4.41 |
| | | | | | | | | | | 141 | 142 | 143 | 144 | | | | | | | | | | | | | | | | |
| | | | | | | | | | | 4.64 | 3.6 | 4.55 | 0.106 | | | | | | | | | | | | | | | | |

| Mode | Service/Modulation | Channel | Frequency (MHz) | RB Size | RB Offset | Test Position | Spacing | Measured 10g SAR (W/kg) | Auto-Tune state 74 | | | | | | | | | | | | | | | | | | | | |
|-------------|--------------------|---------|-----------------|---------|-----------|---------------|---------|-------------------------|--------------------|------------------------------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|
| LTE Band 66 | QPSK | 132322 | 1745 | 1 | 0 | Front | Omm | 1.87 | 5.28 | Average Value of Time Sweep (W/kg) | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 | 20 |
| | | | | | | | | | | 2.42 | 2.4 | 2.47 | 2.39 | 2.41 | 2.24 | 2.25 | 2.24 | 2.19 | 2.12 | 2.06 | 1.97 | 1.89 | 2.04 | 2.16 | 2.22 | 2.24 | 2.31 | 2.4 | 2.42 |
| | | | | | | | | | | 21 | 22 | 23 | 24 | 25 | 26 | 27 | 28 | 29 | 30 | 31 | 32 | 33 | 34 | 35 | 36 | 37 | 38 | 39 | 40 |
| | | | | | | | | | | 2.41 | 2.45 | 2.35 | 2.27 | 2.29 | 2.15 | 2.11 | 2.11 | 2.09 | 2.02 | 1.93 | 1.86 | 1.83 | 1.83 | 1.83 | 1.83 | 1.83 | 1.83 | 1.83 | 1.83 |
| | | | | | | | | | | 41 | 42 | 43 | 44 | 45 | 46 | 47 | 48 | 49 | 50 | 51 | 52 | 53 | 54 | 55 | 56 | 57 | 58 | 59 | 60 |
| | | | | | | | | | | 2.52 | 2.54 | 2.59 | 2.65 | 2.65 | 2.71 | 3.19 | 1.73 | 1.9 | 1.97 | 1.97 | 2.01 | 2.03 | 2.1 | 2.12 | 2.2 | 2.16 | 2.26 | 2.46 | 2.46 |
| | | | | | | | | | | 61 | 62 | 63 | 64 | 65 | 66 | 67 | 68 | 69 | 70 | 71 | 72 | 73 | 74 | 75 | 76 | 77 | 78 | 79 | 80 |
| | | | | | | | | | | 3.72 | 2.62 | 2.13 | 2.11 | 2.11 | 2.08 | 2 | 1.7 | 1.62 | 1.5 | 2.28 | 4.39 | 5.28 | 1.99 | 2.22 | 2.21 | 2.33 | 2.38 | 2.87 | 2.87 |
| | | | | | | | | | | 81 | 82 | 83 | 84 | 85 | 86 | 87 | 88 | 89 | 90 | 91 | 92 | 93 | 94 | 95 | 96 | 97 | 98 | 99 | 100 |
| | | | | | | | | | | 1.24 | 1.35 | 1.36 | 1.4 | 1.53 | 1.59 | 2.09 | 2.57 | 3.49 | 4.1 | 3.28 | 2.43 | 2.39 | 2.35 | 2.23 | 2.25 | 2.2 | 2.19 | 2.14 | 2.13 |
| | | | | | | | | | | 101 | 102 | 103 | 104 | 105 | 106 | 107 | 108 | 109 | 110 | 111 | 112 | 113 | 114 | 115 | 116 | 117 | 118 | 119 | 120 |
| | | | | | | | | | | 1.87 | 1.84 | 2.58 | 2.62 | 2.78 | 2.96 | 4.85 | 5.04 | 2.28 | 2.49 | 2.51 | 2.56 | 2.58 | 3.09 | 1.57 | 1.71 | 2.42 | 3.77 | 2.82 | 2.13 |
| | | | | | | | | | | 121 | 122 | 123 | 124 | 125 | 126 | 127 | 128 | 129 | 130 | 131 | 132 | 133 | 134 | 135 | 136 | 137 | 138 | 139 | 140 |
| | | | | | | | | | | 2.01 | 2.01 | 2.01 | 1.92 | 1.91 | 1.84 | 1.45 | 1.3 | 1.38 | 5.27 | 1.75 | 1.95 | 1.95 | 1.98 | 2.56 | 1.07 | 1.19 | 1.19 | 1.18 | 1.19 |
| | | | | | | | | | | 141 | 142 | 143 | 144 | | | | | | | | | | | | | | | | |
| | | | | | | | | | | 1.21 | 1.25 | 1.23 | 3.49 | | | | | | | | | | | | | | | | |

| Mode | Service/Modulation | Channel | Frequency (MHz) | RB Size | RB Offset | Test Position | Spacing | Measured 10g SAR (W/kg) | Auto-Tune state 90 | | | | | | | | | | | | | | | | | | | | |
|-------------|--------------------|---------|-----------------|---------|-----------|---------------|---------|-------------------------|--------------------|------------------------------------|------|------|------|------|------|------|------|------|-----|------|------|------|-----|------|------|------|------|------|------|
| LTE Band 25 | QPSK | 26340 | 1880 | 1 | 0 | Front | Omm | 1.88 | 6.46 | Average Value of Time Sweep (W/kg) | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 | 20 |
| | | | | | | | | | | 4.22 | 4.14 | 4.14 | 4.04 | 3.95 | 3.35 | 3.28 | 3.25 | 3.03 | 2.8 | 2.61 | 2.26 | 2.02 | 5.4 | 5.57 | 5.65 | 5.39 | 5.52 | 5.51 | 5.45 |
| | | | | | | | | | | 21 | 22 | 23 | 24 | 25 | 26 | 27 | 28 | 29 | 30 | 31 | 32 | 33 | 34 | 35 | 36 | 37 | 38 | 39 | 40 |
| | | | | | | | | | | 5.56 | 5.44 | 5.42 | 5.52 | 5.36 | 5.63 | 5.25 | 5.23 | 5. | | | | | | | | | | | |



Ant 1-Close

| Ant 1-Close | | | | | | | | | | | | | | | | | |
|-------------|--------------------|---------|-----------------|---------|-----------|---------------|---------|------------------------|------------------------------------|-------|-------|-------|-------|-------|-------|-------|-------|
| Mode | Service/Modulation | Channel | Frequency (MHz) | RB Size | RB Offset | Test Position | Spacing | Measured 1g SAR (W/kg) | Average Value of Time Sweep (W/kg) | | | | | | | | |
| | | | | | | | | | Auto-Tune state 21 | 1 | 13 | 25 | 37 | 49 | 61 | 73 | 85 |
| LTE Band 12 | QPSK | 2305 | 707.5 | 1 | 0 | Front | 5mm | 0.708 | 0.91 | 0.037 | 0.22 | 0.841 | 0.037 | 0.423 | 0.475 | 0.347 | 0.236 |
| Mode | Service/Modulation | Channel | Frequency (MHz) | RB Size | RB Offset | Test Position | Spacing | Measured 1g SAR (W/kg) | Average Value of Time Sweep (W/kg) | | | | | | | | |
| LTE Band 13 | QPSK | 2320 | 782 | 1 | 0 | Front | 5mm | 0.702 | 0.985 | 0.255 | 0.794 | 0.495 | 0.475 | 0.981 | 0.848 | 0.538 | 0.626 |
| Mode | Service/Modulation | Channel | Frequency (MHz) | RB Size | RB Offset | Test Position | Spacing | Measured 1g SAR (W/kg) | Average Value of Time Sweep (W/kg) | | | | | | | | |
| LTE Band 26 | QPSK | 26865 | 831.5 | 1 | 0 | Front | 5mm | 1.08 | 0.661 | 0.649 | 0.978 | 0.398 | 0.965 | 0.535 | 0.205 | 0.627 | 0.62 |
| Mode | Service/Modulation | Channel | Frequency (MHz) | RB Size | RB Offset | Test Position | Spacing | Measured 1g SAR (W/kg) | Average Value of Time Sweep (W/kg) | | | | | | | | |
| LTE Band 66 | QPSK | 132572 | 1770 | 1 | 0 | Front | 5mm | 0.69 | 0.918 | 0.432 | 0.312 | 0.367 | 0.292 | 0.394 | 0.743 | 0.353 | 0.58 |
| Mode | Service/Modulation | Channel | Frequency (MHz) | RB Size | RB Offset | Test Position | Spacing | Measured 1g SAR (W/kg) | Average Value of Time Sweep (W/kg) | | | | | | | | |
| LTE Band 25 | QPSK | 26340 | 1880 | 1 | 0 | Front | 5mm | 0.718 | 0.959 | 0.27 | 0.236 | 0.398 | 0.48 | 0.422 | 0.446 | 0.504 | |
| Mode | Service/Modulation | Channel | Frequency (MHz) | RB Size | RB Offset | Test Position | Spacing | Measured 1g SAR (W/kg) | Average Value of Time Sweep (W/kg) | | | | | | | | |
| LTE Band 7 | QPSK | 21100 | 2535 | 1 | 0 | Front | 5mm | 0.767 | 0.941 | 0.615 | 0.728 | 0.478 | 0.767 | 0.557 | 0.476 | 0.556 | |
| Mode | Service/Modulation | Channel | Frequency (MHz) | RB Size | RB Offset | Test Position | Spacing | Measured 1g SAR (W/kg) | Average Value of Time Sweep (W/kg) | | | | | | | | |
| LTE Band 41 | QPSK | 40620 | 2593 | 1 | 0 | Front | 5mm | 0.684 | 0.872 | 0.591 | 0.616 | 0.597 | 0.641 | 0.574 | 0.651 | 0.797 | |
| Mode | Service/Modulation | Channel | Frequency (MHz) | RB Size | RB Offset | Test Position | Spacing | Measured 1g SAR (W/kg) | Average Value of Time Sweep (W/kg) | | | | | | | | |
| FR1 n26 | QPSK | 166300 | 831.5 | 50 | 28 | Front | 5 mm | 0.782 | 0.935 | 0.882 | 0.125 | 0.438 | 0.25 | 0.665 | 0.001 | 0.65 | |
| Mode | Service/Modulation | Channel | Frequency (MHz) | RB Size | RB Offset | Test Position | Spacing | Measured 1g SAR (W/kg) | Average Value of Time Sweep (W/kg) | | | | | | | | |
| FR1 n66 | QPSK | 349000 | 1745 | 108 | 54 | Front | 5mm | 0.699 | 0.813 | 0.882 | 0.109 | 0.381 | 0.217 | 0.579 | 0.001 | 0.33 | |
| Mode | Service/Modulation | Channel | Frequency (MHz) | RB Size | RB Offset | Test Position | Spacing | Measured 1g SAR (W/kg) | Average Value of Time Sweep (W/kg) | | | | | | | | |
| FR1 n2 | QPSK | 376000 | 1980 | 1 | 1 | Front | 5mm | 0.961 | 0.961 | 0.381 | 0.219 | 0.588 | 0.261 | 0.317 | 0.304 | 0.41 | |
| Mode | Service/Modulation | Channel | Frequency (MHz) | RB Size | RB Offset | Test Position | Spacing | Measured 1g SAR (W/kg) | Average Value of Time Sweep (W/kg) | | | | | | | | |
| FR1 n7 | QPSK | 507000 | 2535 | 108 | 54 | Front | 5mm | 0.672 | 0.951 | 0.598 | 0.658 | 0.935 | 0.688 | 0.585 | 0.59 | 0.7 | |
| Mode | Service/Modulation | Channel | Frequency (MHz) | RB Size | RB Offset | Test Position | Spacing | Measured 1g SAR (W/kg) | Average Value of Time Sweep (W/kg) | | | | | | | | |
| FR1 n41 | QPSK | 518598 | 2592.99 | 135 | 69 | Front | 5 mm | 0.697 | 0.951 | 0.598 | 0.658 | 0.935 | 0.688 | 0.585 | 0.59 | 0.51 | |
| Mode | Service/Modulation | Channel | Frequency (MHz) | RB Size | RB Offset | Test Position | Spacing | Measured 1g SAR (W/kg) | Average Value of Time Sweep (W/kg) | | | | | | | | |
| LTE Band 14 | QPSK | 23330 | 793 | 1 | 0 | Front | 5 mm | 0.753 | 1.18 | 0.192 | 0.195 | 0.342 | 0.365 | 0.429 | 0.275 | 0.394 | |
| Mode | Service/Modulation | Channel | Frequency (MHz) | RB Size | RB Offset | Test Position | Spacing | Measured 1g SAR (W/kg) | Average Value of Time Sweep (W/kg) | | | | | | | | |
| LTE Band 30 | QPSK | 27710 | 2310 | 1 | 0 | Front | 5 mm | 0.741 | 0.976 | 0.707 | 0.482 | 0.214 | 0.593 | 0.55 | 0.318 | 0.584 | |
| Mode | Service/Modulation | Channel | Frequency (MHz) | RB Size | RB Offset | Test Position | Spacing | Measured 1g SAR (W/kg) | Average Value of Time Sweep (W/kg) | | | | | | | | |
| LTE Band 71 | QPSK | 133322 | 683 | 1 | 0 | Front | 5 mm | 0.732 | 0.904 | 0.135 | 0.129 | 0.284 | 0.126 | 0.079 | 0.001 | 0.001 | |
| Mode | Service/Modulation | Channel | Frequency (MHz) | RB Size | RB Offset | Test Position | Spacing | Measured 1g SAR (W/kg) | Average Value of Time Sweep (W/kg) | | | | | | | | |
| FR1 n12 | QPSK | 141500 | 707.5 | 36 | 22 | Left Side | 5mm | 0.473 | 0.425 | 0.222 | 0.001 | 0.1 | 0.089 | 0.135 | 0.129 | 0.284 | |
| Mode | Service/Modulation | Channel | Frequency (MHz) | RB Size | RB Offset | Test Position | Spacing | Measured 1g SAR (W/kg) | Average Value of Time Sweep (W/kg) | | | | | | | | |
| FR1 n14 | QPSK | 158600 | 793 | 1 | 1 | Left Side | 5mm | 0.673 | 0.806 | 0.388 | 0.052 | 0.081 | 0.101 | 0.122 | 0.001 | 0.111 | |
| Mode | Service/Modulation | Channel | Frequency (MHz) | RB Size | RB Offset | Test Position | Spacing | Measured 1g SAR (W/kg) | Average Value of Time Sweep (W/kg) | | | | | | | | |
| FR1 n12 | QPSK | 141500 | 707.5 | 36 | 22 | Left Side | 5mm | 0.473 | 0.555 | 0.398 | 0.156 | 0.001 | 0.001 | 0.446 | 0.108 | 0.501 | |
| Mode | Service/Modulation | Channel | Frequency (MHz) | RB Size | RB Offset | Test Position | Spacing | Measured 1g SAR (W/kg) | Average Value of Time Sweep (W/kg) | | | | | | | | |
| FR1 n12 | QPSK | 141500 | 707.5 | 36 | 22 | Left Side | 5mm | 0.473 | 0.65 | 0.106 | 0.13 | 0.429 | 0.594 | 0.238 | 0.134 | 0.111 | |
| Mode | Service/Modulation | Channel | Frequency (MHz) | RB Size | RB Offset | Test Position | Spacing | Measured 1g SAR (W/kg) | Average Value of Time Sweep (W/kg) | | | | | | | | |
| FR1 n25 | QPSK | 376000 | 1882.5 | 1 | 1 | Front | 5mm | 0.69 | 0.976 | 0.301 | 0.355 | 0.577 | 0.378 | 0.455 | 0.424 | 0.458 | |