



Mode	1																																																																																																
	Band Edge																																																																																																
	2400-2483.5_Bluetooth BR_GFSK_CH00_2402MHz																																																																																																
ANT	1																																																																																																
Pol.	Vertical	Fundamental																																																																																															
Peak	<p style="text-align: right;">Date: 2023-05-12</p> <p>Site : 03CH03-SZ Condition: PEAK_BE_74 3m ANT3117_0057 VERTICAL Mode : 1 Setting : Default Plane : Y with accessories : 352000530016413/352000530016421</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2387.10</td> <td>47.74</td> <td>74.00</td> <td>-26.26</td> <td>44.41</td> <td>32.21</td> <td>4.79</td> <td>33.67</td> <td>190</td> <td>127</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>2387.10</td> <td>22.95</td> <td>54.00</td> <td>-31.05</td> <td>19.62</td> <td>32.21</td> <td>4.79</td> <td>33.67</td> <td>190</td> <td>127</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2387.10	47.74	74.00	-26.26	44.41	32.21	4.79	33.67	190	127	PEAK	2	2387.10	22.95	54.00	-31.05	19.62	32.21	4.79	33.67	190	127	AVERAGE	<p style="text-align: right;">Date: 2023-05-12</p> <p>Site : 03CH03-SZ Condition: PEAK_74 3m ANT3117_0057 VERTICAL Mode : 1 Setting : Default Plane : Y with accessories : 352000530016413/352000530016421</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2402.00</td> <td>100.40</td> <td>-----</td> <td>97.00</td> <td>32.25</td> <td>4.81</td> <td>33.66</td> <td>190</td> <td>127</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>2402.00</td> <td>75.61</td> <td>-----</td> <td>72.21</td> <td>32.25</td> <td>4.81</td> <td>33.66</td> <td>190</td> <td>127</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	2402.00	100.40	-----	97.00	32.25	4.81	33.66	190	127	PEAK	2	2402.00	75.61	-----	72.21	32.25	4.81	33.66	190	127	AVERAGE
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																										
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2387.10	47.74	74.00	-26.26	44.41	32.21	4.79	33.67	190	127	PEAK																																																																																						
2	2387.10	22.95	54.00	-31.05	19.62	32.21	4.79	33.67	190	127	AVERAGE																																																																																						
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																										
1	2402.00	100.40	-----	97.00	32.25	4.81	33.66	190	127	PEAK																																																																																							
2	2402.00	75.61	-----	72.21	32.25	4.81	33.66	190	127	AVERAGE																																																																																							



Mode	1																																																																																	
	Harmonic																																																																																	
	2400-2483.5_Bluetooth BR_GFSK_CH00_2402MHz																																																																																	
ANT	1																																																																																	
Pol.	Horizontal	Vertical																																																																																
Peak Avg	<p>Site : 03CH03-SZ Condition: PEAK_74 3m ANT3117_0057 HORIZONTAL Mode : 1 Setting : Default Plane : Y with accessories : 352000530016413/352000530016421</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4804.00</td> <td>45.01</td> <td>74.00</td> <td>-28.99</td> <td>55.52</td> <td>34.68</td> <td>7.74</td> <td>52.93</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4804.00	45.01	74.00	-28.99	55.52	34.68	7.74	52.93	---	---	Peak	<p>Site : 03CH03-SZ Condition: PEAK_74 3m ANT3117_0057 VERTICAL Mode : 1 Setting : Default Plane : Y with accessories : 352000530016413/352000530016421</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4804.00</td> <td>44.63</td> <td>74.00</td> <td>-29.37</td> <td>55.14</td> <td>34.68</td> <td>7.74</td> <td>52.93</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4804.00	44.63	74.00	-29.37	55.14	34.68	7.74	52.93	---	---	Peak
	Limit	Over	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	4804.00	45.01	74.00	-28.99	55.52	34.68	7.74	52.93	---	---	Peak																																																																							
Limit	Over	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	4804.00	44.63	74.00	-29.37	55.14	34.68	7.74	52.93	---	---	Peak																																																																							



Mode	2																																																																																																	
	Band Edge - L																																																																																																	
	2400-2483.5_Bluetooth BR_GFSK_CH39_2441MHz																																																																																																	
ANT	1																																																																																																	
Pol.	Horizontal	Fundamental																																																																																																
Peak	<p style="text-align: right;">Date: 2023-05-12</p> <p>Site : 03CH03-SZ Condition: PEAK_BE_74 3m ANT3117_0057 HORIZONTAL Mode : 2 Setting : Default Plane : Y with accessories : 352000530016413/352000530016421</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2386.50</td> <td>47.09</td> <td>74.00</td> <td>-26.91</td> <td>43.77</td> <td>32.20</td> <td>4.79</td> <td>33.67</td> <td>143</td> <td>36</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>2386.50</td> <td>22.30</td> <td>54.00</td> <td>-31.70</td> <td>18.98</td> <td>32.20</td> <td>4.79</td> <td>33.67</td> <td>143</td> <td>36</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2386.50	47.09	74.00	-26.91	43.77	32.20	4.79	33.67	143	36	PEAK	2	2386.50	22.30	54.00	-31.70	18.98	32.20	4.79	33.67	143	36	AVERAGE	<p style="text-align: right;">Date: 2023-05-12</p> <p>Site : 03CH03-SZ Condition: PEAK_74 3m ANT3117_0057 HORIZONTAL Mode : 2 Setting : Default Plane : Y with accessories : 352000530016413/352000530016421</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2441.00</td> <td>102.51</td> <td>-----</td> <td>98.94</td> <td>32.35</td> <td>4.86</td> <td>33.64</td> <td>143</td> <td>36</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>2441.00</td> <td>77.72</td> <td>-----</td> <td>74.15</td> <td>32.35</td> <td>4.86</td> <td>33.64</td> <td>143</td> <td>36</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2441.00	102.51	-----	98.94	32.35	4.86	33.64	143	36	PEAK	2	2441.00	77.72	-----	74.15	32.35	4.86	33.64	143	36	AVERAGE
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2386.50	47.09	74.00	-26.91	43.77	32.20	4.79	33.67	143	36	PEAK																																																																																							
2	2386.50	22.30	54.00	-31.70	18.98	32.20	4.79	33.67	143	36	AVERAGE																																																																																							
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2441.00	102.51	-----	98.94	32.35	4.86	33.64	143	36	PEAK																																																																																								
2	2441.00	77.72	-----	74.15	32.35	4.86	33.64	143	36	AVERAGE																																																																																								



Mode	2																																																	
	Band Edge - R																																																	
	2400-2483.5_Bluetooth BR_GFSK_CH39_2441MHz																																																	
ANT	1																																																	
Pol.	Horizontal	Fundamental																																																
Peak	<p>Date: 2023-05-12</p> <p>Site : 03CH03-SZ Condition: PEAK_BE_74 3m ANT3117_0057 HORIZONTAL Mode : 2 Setting : Default Plane : Y with accessories : 352000530016413/352000530016421</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th></th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2490.52</td> <td>47.19</td> <td>74.00</td> <td>-26.81</td> <td>43.39</td> <td>32.48</td> <td>4.93</td> <td>33.61</td> <td>143</td> <td>36</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>2490.52</td> <td>22.40</td> <td>54.00</td> <td>-31.60</td> <td>18.60</td> <td>32.48</td> <td>4.93</td> <td>33.61</td> <td>143</td> <td>36</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	1	2490.52	47.19	74.00	-26.81	43.39	32.48	4.93	33.61	143	36	PEAK	2	2490.52	22.40	54.00	-31.60	18.60	32.48	4.93	33.61	143	36	AVERAGE	Blank
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																											
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB																																											
1	2490.52	47.19	74.00	-26.81	43.39	32.48	4.93	33.61	143	36	PEAK																																							
2	2490.52	22.40	54.00	-31.60	18.60	32.48	4.93	33.61	143	36	AVERAGE																																							



Mode	2																																																																																	
	Band Edge - L																																																																																	
	2400-2483.5_Bluetooth BR_GFSK_CH39_2441MHz																																																																																	
ANT	1																																																																																	
Pol.	Vertical	Fundamental																																																																																
Peak	<p style="text-align: right;">Date: 2023-05-12</p> <p>Site : 03CH03-SZ Condition: PEAK_BE_74 3m ANT3117_0057 VERTICAL Mode : 2 Setting : Default Plane : Y with accessories : 352000530016413/352000530016421</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2351.40</td> <td>47.76</td> <td>74.00</td> <td>-26.24</td> <td>44.58</td> <td>32.11</td> <td>4.76</td> </tr> <tr> <td>2</td> <td>2351.40</td> <td>22.97</td> <td>54.00</td> <td>-31.03</td> <td>19.79</td> <td>32.11</td> <td>4.76</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	1	2351.40	47.76	74.00	-26.24	44.58	32.11	4.76	2	2351.40	22.97	54.00	-31.03	19.79	32.11	4.76	<p style="text-align: right;">Date: 2023-05-12</p> <p>Site : 03CH03-SZ Condition: PEAK_74 3m ANT3117_0057 VERTICAL Mode : 2 Setting : Default Plane : Y with accessories : 352000530016413/352000530016421</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2441.00</td> <td>99.81</td> <td>-----</td> <td>-----</td> <td>96.24</td> <td>32.35</td> <td>4.86</td> </tr> <tr> <td>2</td> <td>2441.00</td> <td>75.02</td> <td>-----</td> <td>-----</td> <td>71.45</td> <td>32.35</td> <td>4.86</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	1	2441.00	99.81	-----	-----	96.24	32.35	4.86	2	2441.00	75.02	-----	-----	71.45	32.35	4.86
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm																																																																											
1	2351.40	47.76	74.00	-26.24	44.58	32.11	4.76																																																																											
2	2351.40	22.97	54.00	-31.03	19.79	32.11	4.76																																																																											
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm																																																																											
1	2441.00	99.81	-----	-----	96.24	32.35	4.86																																																																											
2	2441.00	75.02	-----	-----	71.45	32.35	4.86																																																																											



Mode	2																																																	
	Band Edge - R																																																	
	2400-2483.5_Bluetooth BR_GFSK_CH39_2441MHz																																																	
ANT	1																																																	
Pol.	Vertical	Fundamental																																																
Peak	<p>Date: 2023-05-12</p> <p>Site : 03CH03-SZ Condition: PEAK_BE_74 3m ANT3117_0057 VERTICAL Mode : 2 Setting : Default Plane : Y with accessories : 352000530016413/352000530016421</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th></th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2486.14</td> <td>47.94</td> <td>74.00</td> <td>-26.06</td> <td>44.17</td> <td>32.46</td> <td>4.92</td> <td>33.61</td> <td>176</td> <td>185</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>2486.14</td> <td>23.15</td> <td>54.00</td> <td>-30.85</td> <td>19.38</td> <td>32.46</td> <td>4.92</td> <td>33.61</td> <td>176</td> <td>185</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	1	2486.14	47.94	74.00	-26.06	44.17	32.46	4.92	33.61	176	185	PEAK	2	2486.14	23.15	54.00	-30.85	19.38	32.46	4.92	33.61	176	185	AVERAGE	Blank
Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																											
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB																																											
1	2486.14	47.94	74.00	-26.06	44.17	32.46	4.92	33.61	176	185	PEAK																																							
2	2486.14	23.15	54.00	-30.85	19.38	32.46	4.92	33.61	176	185	AVERAGE																																							



Mode	2																																																																																																	
	Harmonic																																																																																																	
	2400-2483.5_Bluetooth BR_GFSK_CH39_2441MHz																																																																																																	
ANT	1																																																																																																	
Pol.	Horizontal	Vertical																																																																																																
Peak Avg	<p>Date: 2023-05-07</p> <p>Site : 03CH03-SZ Condition: PEAK_74 3m ANT3117_0057 HORIZONTAL Mode : 2 Setting : Default Plane : Y with accessories Plane : 352000530016413/352000530016421</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> </thead> <tbody> <tr> <td>MHz</td> <td>dBuV/m</td> <td>dBuV/m</td> <td>dB</td> <td>dBuV</td> <td>dB/m</td> <td>dB</td> <td>dB</td> <td>cm</td> <td>deg</td> </tr> <tr> <td>1</td> <td>4882.00</td> <td>44.03</td> <td>74.00</td> <td>-29.97</td> <td>54.45</td> <td>34.65</td> <td>7.77</td> <td>52.84</td> <td>--- --- Peak</td> </tr> <tr> <td>2</td> <td>7323.00</td> <td>45.32</td> <td>74.00</td> <td>-28.68</td> <td>54.04</td> <td>36.42</td> <td>8.97</td> <td>54.11</td> <td>--- --- Peak</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4882.00	44.03	74.00	-29.97	54.45	34.65	7.77	52.84	--- --- Peak	2	7323.00	45.32	74.00	-28.68	54.04	36.42	8.97	54.11	--- --- Peak	<p>Date: 2023-05-07</p> <p>Site : 03CH03-SZ Condition: PEAK_74 3m ANT3117_0057 VERTICAL Mode : 2 Setting : Default Plane : Y with accessories Plane : 352000530016413/352000530016421</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> </thead> <tbody> <tr> <td>MHz</td> <td>dBuV/m</td> <td>dBuV/m</td> <td>dB</td> <td>dBuV</td> <td>dB/m</td> <td>dB</td> <td>dB</td> <td>cm</td> <td>deg</td> </tr> <tr> <td>1</td> <td>4882.00</td> <td>44.76</td> <td>74.00</td> <td>-29.24</td> <td>55.18</td> <td>34.65</td> <td>7.77</td> <td>52.84</td> <td>--- --- Peak</td> </tr> <tr> <td>2</td> <td>7323.00</td> <td>44.84</td> <td>74.00</td> <td>-29.16</td> <td>53.56</td> <td>36.42</td> <td>8.97</td> <td>54.11</td> <td>--- --- Peak</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4882.00	44.76	74.00	-29.24	55.18	34.65	7.77	52.84	--- --- Peak	2	7323.00	44.84	74.00	-29.16	53.56	36.42	8.97	54.11	--- --- Peak
	Limit	Over	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	4882.00	44.03	74.00	-29.97	54.45	34.65	7.77	52.84	--- --- Peak																																																																																									
2	7323.00	45.32	74.00	-28.68	54.04	36.42	8.97	54.11	--- --- Peak																																																																																									
Limit	Over	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	4882.00	44.76	74.00	-29.24	55.18	34.65	7.77	52.84	--- --- Peak																																																																																									
2	7323.00	44.84	74.00	-29.16	53.56	36.42	8.97	54.11	--- --- Peak																																																																																									



Mode	3																																																																																																			
	Band Edge																																																																																																			
	2400-2483.5_Bluetooth BR_GFSK_CH78_2480MHz																																																																																																			
ANT	1																																																																																																			
Pol.	Horizontal	Fundamental																																																																																																		
Peak	<p>Date: 2023-05-12</p> <p>Site : 03CH03-SZ Condition: PEAK_BE_74 3m ANT3117_0057 HORIZONTAL Mode : 3 Setting : Default Plane : Y with accessories : 352000530016413/352000530016421</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2484.13</td> <td>54.56</td> <td>74.00</td> <td>-19.44</td> <td>50.79</td> <td>32.46</td> <td>4.92</td> <td>33.61</td> <td>185</td> <td>45</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>2484.13</td> <td>29.77</td> <td>54.00</td> <td>-24.23</td> <td>26.00</td> <td>32.46</td> <td>4.92</td> <td>33.61</td> <td>185</td> <td>45</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2484.13	54.56	74.00	-19.44	50.79	32.46	4.92	33.61	185	45	PEAK	2	2484.13	29.77	54.00	-24.23	26.00	32.46	4.92	33.61	185	45	AVERAGE	<p>Date: 2023-05-12</p> <p>Site : 03CH03-SZ Condition: PEAK_74 3m ANT3117_0057 HORIZONTAL Mode : 3 Setting : Default Plane : Y with accessories : 352000530016413/352000530016421</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2480.00</td> <td>103.08</td> <td>-----</td> <td>-----</td> <td>99.32</td> <td>32.45</td> <td>4.92</td> <td>33.61</td> <td>185</td> <td>45</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>2480.00</td> <td>78.29</td> <td>-----</td> <td>-----</td> <td>74.53</td> <td>32.45</td> <td>4.92</td> <td>33.61</td> <td>185</td> <td>45</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	103.08	-----	-----	99.32	32.45	4.92	33.61	185	45	PEAK	2	2480.00	78.29	-----	-----	74.53	32.45	4.92	33.61	185	45	AVERAGE
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																													
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																												
1	2484.13	54.56	74.00	-19.44	50.79	32.46	4.92	33.61	185	45	PEAK																																																																																									
2	2484.13	29.77	54.00	-24.23	26.00	32.46	4.92	33.61	185	45	AVERAGE																																																																																									
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																													
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																												
1	2480.00	103.08	-----	-----	99.32	32.45	4.92	33.61	185	45	PEAK																																																																																									
2	2480.00	78.29	-----	-----	74.53	32.45	4.92	33.61	185	45	AVERAGE																																																																																									



Mode	3																																																																																																	
	Band Edge																																																																																																	
	2400-2483.5_Bluetooth BR_GFSK_CH78_2480MHz																																																																																																	
ANT	1																																																																																																	
Pol.	Vertical	Fundamental																																																																																																
Peak	<p style="text-align: right;">Date: 2023-05-12</p> <p>Site : 03CH03-SZ Condition: PEAK_BE_74 3m ANT3117_0057 VERTICAL Mode : 3 Setting : Default Plane : Y with accessories : 352000530016413/352000530016421</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2484.48</td> <td>52.77</td> <td>74.00</td> <td>-21.23</td> <td>49.00</td> <td>32.46</td> <td>4.92</td> <td>33.61</td> <td>155</td> <td>186</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>2484.48</td> <td>27.98</td> <td>54.00</td> <td>-26.02</td> <td>24.21</td> <td>32.46</td> <td>4.92</td> <td>33.61</td> <td>155</td> <td>186</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	1	2484.48	52.77	74.00	-21.23	49.00	32.46	4.92	33.61	155	186	PEAK	2	2484.48	27.98	54.00	-26.02	24.21	32.46	4.92	33.61	155	186	AVERAGE	<p style="text-align: right;">Date: 2023-05-12</p> <p>Site : 03CH03-SZ Condition: PEAK_74 3m ANT3117_0057 VERTICAL Mode : 3 Setting : Default Plane : Y with accessories : 352000530016413/352000530016421</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2480.00</td> <td>100.91</td> <td>-----</td> <td>-----</td> <td>97.15</td> <td>32.45</td> <td>4.92</td> <td>33.61</td> <td>155</td> <td>186</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>2480.00</td> <td>76.12</td> <td>-----</td> <td>-----</td> <td>72.36</td> <td>32.45</td> <td>4.92</td> <td>33.61</td> <td>155</td> <td>186</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	1	2480.00	100.91	-----	-----	97.15	32.45	4.92	33.61	155	186	PEAK	2	2480.00	76.12	-----	-----	72.36	32.45	4.92	33.61	155	186	AVERAGE
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm																																																																																											
1	2484.48	52.77	74.00	-21.23	49.00	32.46	4.92	33.61	155	186	PEAK																																																																																							
2	2484.48	27.98	54.00	-26.02	24.21	32.46	4.92	33.61	155	186	AVERAGE																																																																																							
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm																																																																																											
1	2480.00	100.91	-----	-----	97.15	32.45	4.92	33.61	155	186	PEAK																																																																																							
2	2480.00	76.12	-----	-----	72.36	32.45	4.92	33.61	155	186	AVERAGE																																																																																							




Mode	3																																																																																																									
	Harmonic																																																																																																									
	2400-2483.5_Bluetooth BR_GFSK_CH78_2480MHz																																																																																																									
ANT	1																																																																																																									
Pol.	Horizontal	Vertical																																																																																																								
Peak Avg	<p>Site : 03CH03-SZ Condition: PEAK_74 3m ANT3117_0057 HORIZONTAL Mode : 3 Setting : Default Plane : Y with accessories : 352000530016413/352000530016421</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4960.00</td> <td>43.43</td> <td>74.00</td> <td>-30.57</td> <td>53.74</td> <td>34.62</td> <td>7.81</td> <td>52.74</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>7440.00</td> <td>46.28</td> <td>74.00</td> <td>-27.72</td> <td>54.59</td> <td>36.54</td> <td>9.19</td> <td>54.04</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4960.00	43.43	74.00	-30.57	53.74	34.62	7.81	52.74	---	---	Peak	2	7440.00	46.28	74.00	-27.72	54.59	36.54	9.19	54.04	---	---	Peak	<p>Site : 03CH03-SZ Condition: PEAK_74 3m ANT3117_0057 VERTICAL Mode : 3 Setting : Default Plane : Y with accessories : 352000530016413/352000530016421</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4960.00</td> <td>43.66</td> <td>74.00</td> <td>-30.34</td> <td>53.97</td> <td>34.62</td> <td>7.81</td> <td>52.74</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>7440.00</td> <td>45.23</td> <td>74.00</td> <td>-28.77</td> <td>53.54</td> <td>36.54</td> <td>9.19</td> <td>54.04</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4960.00	43.66	74.00	-30.34	53.97	34.62	7.81	52.74	---	---	Peak	2	7440.00	45.23	74.00	-28.77	53.54	36.54	9.19	54.04	---	---	Peak
	Limit	Over	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																	
1	4960.00	43.43	74.00	-30.57	53.74	34.62	7.81	52.74	---	---	Peak																																																																																															
2	7440.00	46.28	74.00	-27.72	54.59	36.54	9.19	54.04	---	---	Peak																																																																																															
Limit	Over	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																	
1	4960.00	43.66	74.00	-30.34	53.97	34.62	7.81	52.74	---	---	Peak																																																																																															
2	7440.00	45.23	74.00	-28.77	53.54	36.54	9.19	54.04	---	---	Peak																																																																																															




Mode	4																																																																																																																																																											
	LF																																																																																																																																																											
	2400-2483.5_Bluetooth BR_GFSK_CH78_2480MHz																																																																																																																																																											
ANT	1																																																																																																																																																											
Pol.	Horizontal	Fundamental																																																																																																																																																										
Peak	<p>Site : 03CH04-SZ Condition : FCC CLASS-B 3m LF_ANT35408 HORIZONTAL Mode : Mode 24 Setting : Default Plane : Y with accessories 352000530016413/352000530016421</p> <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq (MHz)</th> <th>Level (dBuV/m)</th> <th>Over Limit (dB)</th> <th>Limit (dBuV/m)</th> <th>ReadAntenna (dBuV/m)</th> <th>Cable Loss (dB)</th> <th>Preamp Loss (dB)</th> <th>A/Pos (cm)</th> <th>T/Pos (deg)</th> <th>Remark</th> </tr> </thead> <tbody> <tr><td>1</td><td>38.97</td><td>23.36</td><td>-16.64</td><td>40.00</td><td>30.28</td><td>24.37</td><td>0.54</td><td>31.83</td><td>---</td><td>Peak</td></tr> <tr><td>2</td><td>100.81</td><td>20.96</td><td>-22.54</td><td>43.50</td><td>34.59</td><td>17.14</td><td>1.02</td><td>31.79</td><td>---</td><td>Peak</td></tr> <tr><td>3</td><td>149.34</td><td>22.07</td><td>-21.43</td><td>43.50</td><td>35.04</td><td>17.00</td><td>1.24</td><td>31.41</td><td>---</td><td>Peak</td></tr> <tr><td>4</td><td>268.86</td><td>34.84</td><td>-11.16</td><td>46.00</td><td>44.67</td><td>19.67</td><td>1.68</td><td>31.18</td><td>---</td><td>Peak</td></tr> <tr><td>5</td><td>433.52</td><td>25.66</td><td>-20.34</td><td>46.00</td><td>31.95</td><td>22.47</td><td>2.17</td><td>30.93</td><td>---</td><td>Peak</td></tr> <tr><td>6</td><td>655.65</td><td>27.90</td><td>-18.10</td><td>46.00</td><td>31.21</td><td>24.97</td><td>2.66</td><td>30.94</td><td>---</td><td>Peak</td></tr> </tbody> </table>	Peak	Freq (MHz)	Level (dBuV/m)	Over Limit (dB)	Limit (dBuV/m)	ReadAntenna (dBuV/m)	Cable Loss (dB)	Preamp Loss (dB)	A/Pos (cm)	T/Pos (deg)	Remark	1	38.97	23.36	-16.64	40.00	30.28	24.37	0.54	31.83	---	Peak	2	100.81	20.96	-22.54	43.50	34.59	17.14	1.02	31.79	---	Peak	3	149.34	22.07	-21.43	43.50	35.04	17.00	1.24	31.41	---	Peak	4	268.86	34.84	-11.16	46.00	44.67	19.67	1.68	31.18	---	Peak	5	433.52	25.66	-20.34	46.00	31.95	22.47	2.17	30.93	---	Peak	6	655.65	27.90	-18.10	46.00	31.21	24.97	2.66	30.94	---	Peak	<p>Site : 03CH04-SZ Condition : FCC CLASS-B 3m LF_ANT35408 VERTICAL Mode : Mode 24 Setting : Default Plane : Y with accessories 352000530016413/352000530016421</p> <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq (MHz)</th> <th>Level (dBuV/m)</th> <th>Over Limit (dB)</th> <th>Limit (dBuV/m)</th> <th>ReadAntenna (dBuV/m)</th> <th>Cable Loss (dB)</th> <th>Preamp Loss (dB)</th> <th>A/Pos (cm)</th> <th>T/Pos (deg)</th> <th>Remark</th> </tr> </thead> <tbody> <tr><td>1</td><td>30.00</td><td>26.06</td><td>-13.94</td><td>40.00</td><td>32.53</td><td>24.90</td><td>0.53</td><td>31.90</td><td>---</td><td>Peak</td></tr> <tr><td>2</td><td>97.90</td><td>24.33</td><td>-19.17</td><td>43.50</td><td>36.33</td><td>16.72</td><td>1.00</td><td>31.72</td><td>---</td><td>Peak</td></tr> <tr><td>3</td><td>174.53</td><td>27.00</td><td>-16.48</td><td>43.50</td><td>41.39</td><td>15.63</td><td>1.35</td><td>31.35</td><td>---</td><td>Peak</td></tr> <tr><td>4</td><td>254.07</td><td>25.65</td><td>-20.35</td><td>46.00</td><td>36.11</td><td>19.07</td><td>1.66</td><td>31.19</td><td>---</td><td>Peak</td></tr> <tr><td>5</td><td>455.83</td><td>25.91</td><td>-20.09</td><td>46.00</td><td>31.66</td><td>22.92</td><td>2.22</td><td>30.89</td><td>---</td><td>Peak</td></tr> <tr><td>6</td><td>686.69</td><td>27.73</td><td>-18.27</td><td>46.00</td><td>30.65</td><td>25.06</td><td>2.73</td><td>30.91</td><td>---</td><td>Peak</td></tr> </tbody> </table>	Peak	Freq (MHz)	Level (dBuV/m)	Over Limit (dB)	Limit (dBuV/m)	ReadAntenna (dBuV/m)	Cable Loss (dB)	Preamp Loss (dB)	A/Pos (cm)	T/Pos (deg)	Remark	1	30.00	26.06	-13.94	40.00	32.53	24.90	0.53	31.90	---	Peak	2	97.90	24.33	-19.17	43.50	36.33	16.72	1.00	31.72	---	Peak	3	174.53	27.00	-16.48	43.50	41.39	15.63	1.35	31.35	---	Peak	4	254.07	25.65	-20.35	46.00	36.11	19.07	1.66	31.19	---	Peak	5	455.83	25.91	-20.09	46.00	31.66	22.92	2.22	30.89	---	Peak	6	686.69	27.73	-18.27	46.00	30.65	25.06	2.73	30.91	---	Peak
Peak	Freq (MHz)	Level (dBuV/m)	Over Limit (dB)	Limit (dBuV/m)	ReadAntenna (dBuV/m)	Cable Loss (dB)	Preamp Loss (dB)	A/Pos (cm)	T/Pos (deg)	Remark																																																																																																																																																		
1	38.97	23.36	-16.64	40.00	30.28	24.37	0.54	31.83	---	Peak																																																																																																																																																		
2	100.81	20.96	-22.54	43.50	34.59	17.14	1.02	31.79	---	Peak																																																																																																																																																		
3	149.34	22.07	-21.43	43.50	35.04	17.00	1.24	31.41	---	Peak																																																																																																																																																		
4	268.86	34.84	-11.16	46.00	44.67	19.67	1.68	31.18	---	Peak																																																																																																																																																		
5	433.52	25.66	-20.34	46.00	31.95	22.47	2.17	30.93	---	Peak																																																																																																																																																		
6	655.65	27.90	-18.10	46.00	31.21	24.97	2.66	30.94	---	Peak																																																																																																																																																		
Peak	Freq (MHz)	Level (dBuV/m)	Over Limit (dB)	Limit (dBuV/m)	ReadAntenna (dBuV/m)	Cable Loss (dB)	Preamp Loss (dB)	A/Pos (cm)	T/Pos (deg)	Remark																																																																																																																																																		
1	30.00	26.06	-13.94	40.00	32.53	24.90	0.53	31.90	---	Peak																																																																																																																																																		
2	97.90	24.33	-19.17	43.50	36.33	16.72	1.00	31.72	---	Peak																																																																																																																																																		
3	174.53	27.00	-16.48	43.50	41.39	15.63	1.35	31.35	---	Peak																																																																																																																																																		
4	254.07	25.65	-20.35	46.00	36.11	19.07	1.66	31.19	---	Peak																																																																																																																																																		
5	455.83	25.91	-20.09	46.00	31.66	22.92	2.22	30.89	---	Peak																																																																																																																																																		
6	686.69	27.73	-18.27	46.00	30.65	25.06	2.73	30.91	---	Peak																																																																																																																																																		

Appendix D. Duty Cycle Plots

DH5 on time (One Pulse) Plot on Channel 39



DH5 on time (Count Pulses) Plot on Channel 39



Note:

1. Worst case Duty cycle = on time/100 milliseconds = $2 * 2.88 / 100 = 5.76 \%$
2. Worst case Duty cycle correction factor = $20 * \log(\text{Duty cycle}) = -24.79 \text{ dB}$
3. DH5 has the highest duty cycle worst case and is reported.