



		19																																					
Mode		Band Edge - R																																					
		U-NII-1_5.15-5.25_802.11ac VHT40_CH38_5190MHz																																					
Pol.	Vertical	Fundamental																																					
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5433.00</td> <td>53.43</td> <td>74.00</td> <td>-20.57</td> <td>40.71</td> <td>34.70</td> <td>9.99</td> <td>31.97</td> <td>0.00</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 5433.00	53.43	74.00	-20.57	40.71	34.70	9.99	31.97	0.00	Blank	
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																															
1 5433.00	53.43	74.00	-20.57	40.71	34.70	9.99	31.97	0.00																															
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5459.46</td> <td>41.51</td> <td>54.00</td> <td>-12.49</td> <td>28.77</td> <td>34.70</td> <td>10.03</td> <td>31.99</td> <td>0.00</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 5459.46	41.51	54.00	-12.49	28.77	34.70	10.03	31.99	0.00	Blank	
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																															
1 5459.46	41.51	54.00	-12.49	28.77	34.70	10.03	31.99	0.00																															



Mode	19																																																																											
	Harmonic																																																																											
	U-NII-1_5.15-5.25_802.11ac VHT40_CH38_5190MHz																																																																											
Pol.	Horizontal	Vertical																																																																										
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 10380.00</td> <td>43.82</td> <td>68.20</td> <td>-24.38</td> <td>53.10</td> <td>37.48</td> <td>14.14</td> <td>60.90</td> <td>0.00</td> <td>-- -- PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 10380.00	43.82	68.20	-24.38	53.10	37.48	14.14	60.90	0.00	-- -- PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 10380.00</td> <td>44.23</td> <td>68.20</td> <td>-23.97</td> <td>53.51</td> <td>37.48</td> <td>14.14</td> <td>60.90</td> <td>0.00</td> <td>-- -- PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 10380.00	44.23	68.20	-23.97	53.51	37.48	14.14	60.90	0.00	-- -- PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																				
1 10380.00	43.82	68.20	-24.38	53.10	37.48	14.14	60.90	0.00	-- -- PEAK																																																																			
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																				
1 10380.00	44.23	68.20	-23.97	53.51	37.48	14.14	60.90	0.00	-- -- PEAK																																																																			



Mode	20																																																																													
	Harmonic																																																																													
	U-NII-1_5.15-5.25_802.11ac VHT40_CH46_5230MHz																																																																													
Pol.	Horizontal	Vertical																																																																												
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 10460.00</td> <td>44.38</td> <td>68.20</td> <td>-23.82</td> <td>53.45</td> <td>37.62</td> <td>14.20</td> <td>60.89</td> <td>0.00</td> <td>-- -- PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 10460.00	44.38	68.20	-23.82	53.45	37.62	14.20	60.89	0.00	-- -- PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 10460.00</td> <td>44.24</td> <td>68.20</td> <td>-23.96</td> <td>53.31</td> <td>37.62</td> <td>14.20</td> <td>60.89</td> <td>0.00</td> <td>-- -- PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 10460.00	44.24	68.20	-23.96	53.31	37.62	14.20	60.89	0.00	-- -- PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																					
1 10460.00	44.38	68.20	-23.82	53.45	37.62	14.20	60.89	0.00	-- -- PEAK																																																																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																					
1 10460.00	44.24	68.20	-23.96	53.31	37.62	14.20	60.89	0.00	-- -- PEAK																																																																					



Mode	21																																																																									
	Harmonic																																																																									
	U-NII-2A_5.25-5.35_802.11ac VHT40_CH54_5270MHz																																																																									
Pol.	Horizontal	Vertical																																																																								
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 10540.00</td> <td>44.64</td> <td>68.20</td> <td>-23.56</td> <td>53.50</td> <td>37.78</td> <td>14.25</td> <td>60.89</td> <td>0.00</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 10540.00	44.64	68.20	-23.56	53.50	37.78	14.25	60.89	0.00	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 10540.00</td> <td>44.97</td> <td>68.20</td> <td>-23.23</td> <td>53.83</td> <td>37.78</td> <td>14.25</td> <td>60.89</td> <td>0.00</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 10540.00	44.97	68.20	-23.23	53.83	37.78	14.25	60.89	0.00
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																		
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																		
1 10540.00	44.64	68.20	-23.56	53.50	37.78	14.25	60.89	0.00																																																																		
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																		
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																		
1 10540.00	44.97	68.20	-23.23	53.83	37.78	14.25	60.89	0.00																																																																		







Mode	22																																																															
	Band Edge - L																																																															
	U-NII-2A_5.25-5.35_802.11ac VHT40_CH62_5310MHz																																																															
Pol.	Horizontal	Fundamental																																																														
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5004.65</td> <td>54.61</td> <td>74.00</td> <td>-19.39</td> <td>42.57</td> <td>34.11</td> <td>9.66</td> <td>31.73</td> <td>0.00</td> <td>134</td> <td>61</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	cm	deg	1	5004.65	54.61	74.00	-19.39	42.57	34.11	9.66	31.73	0.00	134	61	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5310.00</td> <td>103.56</td> <td>-----</td> <td>-----</td> <td>90.99</td> <td>34.58</td> <td>9.89</td> <td>31.90</td> <td>0.00</td> <td>134</td> <td>61</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	cm	deg	1	5310.00	103.56	-----	-----	90.99	34.58	9.89	31.90	0.00	134	61	Peak
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	cm	deg																																																								
1	5004.65	54.61	74.00	-19.39	42.57	34.11	9.66	31.73	0.00	134	61	PEAK																																																				
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	cm	deg																																																								
1	5310.00	103.56	-----	-----	90.99	34.58	9.89	31.90	0.00	134	61	Peak																																																				
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5055.00</td> <td>42.46</td> <td>54.00</td> <td>-11.54</td> <td>30.31</td> <td>34.20</td> <td>9.70</td> <td>31.75</td> <td>0.00</td> <td>134</td> <td>61</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	cm	deg	1	5055.00	42.46	54.00	-11.54	30.31	34.20	9.70	31.75	0.00	134	61	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5310.00</td> <td>94.63</td> <td>-----</td> <td>-----</td> <td>82.06</td> <td>34.58</td> <td>9.89</td> <td>31.90</td> <td>0.00</td> <td>134</td> <td>61</td> <td>Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	cm	deg	1	5310.00	94.63	-----	-----	82.06	34.58	9.89	31.90	0.00	134	61	Average
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	cm	deg																																																								
1	5055.00	42.46	54.00	-11.54	30.31	34.20	9.70	31.75	0.00	134	61	AVERAGE																																																				
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	cm	deg																																																								
1	5310.00	94.63	-----	-----	82.06	34.58	9.89	31.90	0.00	134	61	Average																																																				



22																																												
Band Edge - R																																												
U-NII-2A_5.25-5.35_802.11ac VHT40_CH62_5310MHz																																												
Pol.	Horizontal																																											
Pol.	Fundamental																																											
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5350.05</td> <td>65.79</td> <td>74.00</td> <td>-8.21</td> <td>53.30</td> <td>34.50</td> <td>9.91</td> <td>31.92</td> <td>0.00</td> <td>134</td> <td>61 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5350.05	65.79	74.00	-8.21	53.30	34.50	9.91	31.92	0.00	134	61 PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																		
1	5350.05	65.79	74.00	-8.21	53.30	34.50	9.91	31.92	0.00	134	61 PEAK																																	
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5350.05</td> <td>49.67</td> <td>54.00</td> <td>-4.33</td> <td>37.18</td> <td>34.50</td> <td>9.91</td> <td>31.92</td> <td>0.00</td> <td>134</td> <td>61 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5350.05	49.67	54.00	-4.33	37.18	34.50	9.91	31.92	0.00	134	61 AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																		
1	5350.05	49.67	54.00	-4.33	37.18	34.50	9.91	31.92	0.00	134	61 AVERAGE																																	



Mode	22																																																																																	
	Band Edge - L																																																																																	
	U-NII-2A_5.25-5.35_802.11ac VHT40_CH62_5310MHz																																																																																	
Pol.	Vertical	Fundamental																																																																																
Peak	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5111.29</td> <td>54.67</td> <td>74.00</td> <td>-19.33</td> <td>42.50</td> <td>34.20</td> <td>9.75</td> <td>31.78</td> <td>0.00</td> <td>300</td> <td>99</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	5111.29	54.67	74.00	-19.33	42.50	34.20	9.75	31.78	0.00	300	99	PEAK	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5310.00</td> <td>101.83</td> <td>-----</td> <td>-----</td> <td>89.27</td> <td>34.57</td> <td>9.89</td> <td>31.90</td> <td>0.00</td> <td>300</td> <td>99</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	5310.00	101.83	-----	-----	89.27	34.57	9.89	31.90	0.00	300	99	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																										
1	5111.29	54.67	74.00	-19.33	42.50	34.20	9.75	31.78	0.00	300	99	PEAK																																																																						
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																										
1	5310.00	101.83	-----	-----	89.27	34.57	9.89	31.90	0.00	300	99	PEAK																																																																						
Avg	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5131.75</td> <td>42.45</td> <td>54.00</td> <td>-11.55</td> <td>30.27</td> <td>34.20</td> <td>9.77</td> <td>31.79</td> <td>0.00</td> <td>300</td> <td>99</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	5131.75	42.45	54.00	-11.55	30.27	34.20	9.77	31.79	0.00	300	99	AVERAGE	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5310.00</td> <td>93.43</td> <td>-----</td> <td>-----</td> <td>80.86</td> <td>34.58</td> <td>9.89</td> <td>31.90</td> <td>0.00</td> <td>300</td> <td>99</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	5310.00	93.43	-----	-----	80.86	34.58	9.89	31.90	0.00	300	99	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																										
1	5131.75	42.45	54.00	-11.55	30.27	34.20	9.77	31.79	0.00	300	99	AVERAGE																																																																						
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																										
1	5310.00	93.43	-----	-----	80.86	34.58	9.89	31.90	0.00	300	99	AVERAGE																																																																						



22																																					
Band Edge - R																																					
U-NII-2A_5.25-5.35_802.11ac VHT40_CH62_5310MHz																																					
Pol.	Vertical																																				
Pol.	Fundamental																																				
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5351.25</td> <td>62.25</td> <td>74.00</td> <td>-11.75</td> <td>49.75</td> <td>34.51</td> <td>9.91</td> <td>31.92</td> <td>0.00</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 5351.25	62.25	74.00	-11.75	49.75	34.51	9.91	31.92	0.00
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																													
1 5351.25	62.25	74.00	-11.75	49.75	34.51	9.91	31.92	0.00																													
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5350.05</td> <td>46.89</td> <td>54.00</td> <td>-7.11</td> <td>34.40</td> <td>34.50</td> <td>9.91</td> <td>31.92</td> <td>0.00</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 5350.05	46.89	54.00	-7.11	34.40	34.50	9.91	31.92	0.00
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																													
1 5350.05	46.89	54.00	-7.11	34.40	34.50	9.91	31.92	0.00																													

Blank

Blank





Mode	22																																																																											
	Harmonic																																																																											
	U-NII-2A_5.25-5.35_802.11ac VHT40_CH62_5310MHz																																																																											
Pol.	Horizontal	Vertical																																																																										
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 10620.00</td> <td>43.55</td> <td>74.00</td> <td>-30.45</td> <td>52.23</td> <td>37.90</td> <td>14.31</td> <td>60.89</td> <td>0.00</td> <td>-- -- PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 10620.00	43.55	74.00	-30.45	52.23	37.90	14.31	60.89	0.00	-- -- PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 10620.00</td> <td>43.48</td> <td>74.00</td> <td>-30.52</td> <td>52.16</td> <td>37.90</td> <td>14.31</td> <td>60.89</td> <td>0.00</td> <td>-- -- PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 10620.00	43.48	74.00	-30.52	52.16	37.90	14.31	60.89	0.00	-- -- PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																				
1 10620.00	43.55	74.00	-30.45	52.23	37.90	14.31	60.89	0.00	-- -- PEAK																																																																			
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																				
1 10620.00	43.48	74.00	-30.52	52.16	37.90	14.31	60.89	0.00	-- -- PEAK																																																																			



Mode	23																																																																																														
	Band Edge - L																																																																																														
	U-NII-2C_5.47-5.725_802.11ac VHT40_CH102_5510MHz																																																																																														
Pol.	Horizontal	Fundamental																																																																																													
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5448.40</td> <td>56.93</td> <td>74.00</td> <td>-17.07</td> <td>44.20</td> <td>34.70</td> <td>10.01</td> <td>31.98</td> <td>0.00</td> <td>100</td> <td>274</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5468.08</td> <td>63.22</td> <td>68.20</td> <td>-4.98</td> <td>50.48</td> <td>34.70</td> <td>10.04</td> <td>32.00</td> <td>0.00</td> <td>100</td> <td>274</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	5448.40	56.93	74.00	-17.07	44.20	34.70	10.01	31.98	0.00	100	274	PEAK	2	5468.08	63.22	68.20	-4.98	50.48	34.70	10.04	32.00	0.00	100	274	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5510.00</td> <td>103.50</td> <td>-----</td> <td>-----</td> <td>90.81</td> <td>34.68</td> <td>10.11</td> <td>32.02</td> <td>0.00</td> <td>100</td> <td>274</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	5510.00	103.50	-----	-----	90.81	34.68	10.11	32.02	0.00	100	274	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																							
1	5448.40	56.93	74.00	-17.07	44.20	34.70	10.01	31.98	0.00	100	274	PEAK																																																																																			
2	5468.08	63.22	68.20	-4.98	50.48	34.70	10.04	32.00	0.00	100	274	PEAK																																																																																			
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																							
1	5510.00	103.50	-----	-----	90.81	34.68	10.11	32.02	0.00	100	274	PEAK																																																																																			
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5459.92</td> <td>45.08</td> <td>54.00</td> <td>-8.92</td> <td>32.34</td> <td>34.70</td> <td>10.03</td> <td>31.99</td> <td>0.00</td> <td>100</td> <td>274</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	5459.92	45.08	54.00	-8.92	32.34	34.70	10.03	31.99	0.00	100	274	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5510.00</td> <td>94.36</td> <td>-----</td> <td>-----</td> <td>81.59</td> <td>34.68</td> <td>10.11</td> <td>32.02</td> <td>0.00</td> <td>100</td> <td>274</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	5510.00	94.36	-----	-----	81.59	34.68	10.11	32.02	0.00	100	274	AVERAGE													
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																							
1	5459.92	45.08	54.00	-8.92	32.34	34.70	10.03	31.99	0.00	100	274	AVERAGE																																																																																			
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																							
1	5510.00	94.36	-----	-----	81.59	34.68	10.11	32.02	0.00	100	274	AVERAGE																																																																																			



Mode	23																																								
	Band Edge - R																																								
	U-NII-2C_5.47-5.725_802.11ac VHT40_CH102_5510MHz																																								
Pol.	Horizontal	Fundamental																																							
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5728.79</td> <td>53.97</td> <td>68.20</td> <td>-14.23</td> <td>41.01</td> <td>34.64</td> <td>10.35</td> <td>32.03</td> <td>0.00</td> <td>100</td> <td>274 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5728.79	53.97	68.20	-14.23	41.01	34.64	10.35	32.03	0.00	100	274 PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																	
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																
1 5728.79	53.97	68.20	-14.23	41.01	34.64	10.35	32.03	0.00	100	274 PEAK																															



Mode	23																																																																																														
	Band Edge - L																																																																																														
	U-NII-2C_5.47-5.725_802.11ac VHT40_CH102_5510MHz																																																																																														
Pol.	Vertical	Fundamental																																																																																													
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5457.68</td> <td>55.84</td> <td>74.00</td> <td>-18.16</td> <td>43.11</td> <td>34.70</td> <td>10.02</td> <td>31.99</td> <td>0.00</td> <td>319</td> <td>347</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5469.20</td> <td>62.72</td> <td>68.20</td> <td>-5.48</td> <td>49.98</td> <td>34.70</td> <td>10.04</td> <td>32.00</td> <td>0.00</td> <td>319</td> <td>347</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5457.68	55.84	74.00	-18.16	43.11	34.70	10.02	31.99	0.00	319	347	PEAK	2	5469.20	62.72	68.20	-5.48	49.98	34.70	10.04	32.00	0.00	319	347	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5510.00</td> <td>101.20</td> <td>-----</td> <td>-----</td> <td>88.51</td> <td>34.69</td> <td>10.10</td> <td>32.02</td> <td>0.00</td> <td>319</td> <td>347</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5510.00	101.20	-----	-----	88.51	34.69	10.10	32.02	0.00	319	347	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																							
1	5457.68	55.84	74.00	-18.16	43.11	34.70	10.02	31.99	0.00	319	347	PEAK																																																																																			
2	5469.20	62.72	68.20	-5.48	49.98	34.70	10.04	32.00	0.00	319	347	PEAK																																																																																			
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																							
1	5510.00	101.20	-----	-----	88.51	34.69	10.10	32.02	0.00	319	347	PEAK																																																																																			
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5459.92</td> <td>44.01</td> <td>54.00</td> <td>-9.99</td> <td>31.27</td> <td>34.70</td> <td>10.03</td> <td>31.99</td> <td>0.00</td> <td>319</td> <td>347</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5459.92	44.01	54.00	-9.99	31.27	34.70	10.03	31.99	0.00	319	347	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5510.00</td> <td>92.22</td> <td>-----</td> <td>-----</td> <td>79.45</td> <td>34.68</td> <td>10.11</td> <td>32.02</td> <td>0.00</td> <td>319</td> <td>347</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5510.00	92.22	-----	-----	79.45	34.68	10.11	32.02	0.00	319	347	AVERAGE													
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																							
1	5459.92	44.01	54.00	-9.99	31.27	34.70	10.03	31.99	0.00	319	347	AVERAGE																																																																																			
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																							
1	5510.00	92.22	-----	-----	79.45	34.68	10.11	32.02	0.00	319	347	AVERAGE																																																																																			



Mode	23																																					
	Band Edge - R																																					
	U-NII-2C_5.47-5.725_802.11ac VHT40_CH102_5510MHz																																					
Pol.	Vertical	Fundamental																																				
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5761.18</td> <td>53.39</td> <td>68.20</td> <td>-14.81</td> <td>40.40</td> <td>34.62</td> <td>10.37</td> <td>32.00</td> <td>0.00</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 5761.18	53.39	68.20	-14.81	40.40	34.62	10.37	32.00	0.00	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																														
1 5761.18	53.39	68.20	-14.81	40.40	34.62	10.37	32.00	0.00																														



Mode	23																																																																													
	Harmonic																																																																													
	U-NII-2C_5.47-5.725_802.11ac VHT40_CH102_5510MHz																																																																													
Pol.	Horizontal	Vertical																																																																												
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11020.00</td> <td>43.45</td> <td>74.00</td> <td>-30.55</td> <td>51.75</td> <td>38.00</td> <td>14.58</td> <td>60.88</td> <td>0.00</td> <td>-- -- PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11020.00	43.45	74.00	-30.55	51.75	38.00	14.58	60.88	0.00	-- -- PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11020.00</td> <td>43.65</td> <td>74.00</td> <td>-30.35</td> <td>51.95</td> <td>38.00</td> <td>14.58</td> <td>60.88</td> <td>0.00</td> <td>-- -- PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11020.00	43.65	74.00	-30.35	51.95	38.00	14.58	60.88	0.00	-- -- PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																					
1 11020.00	43.45	74.00	-30.55	51.75	38.00	14.58	60.88	0.00	-- -- PEAK																																																																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																					
1 11020.00	43.65	74.00	-30.35	51.95	38.00	14.58	60.88	0.00	-- -- PEAK																																																																					







Mode	24																																																																																														
	Harmonic																																																																																														
	U-NII-2C_5.47-5.725_802.11ac VHT40_CH110_5550MHz																																																																																														
Pol.	Horizontal	Vertical																																																																																													
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11100.00</td> <td>46.97</td> <td>74.00</td> <td>-27.03</td> <td>55.21</td> <td>38.00</td> <td>14.63</td> <td>68.87</td> <td>0.00</td> <td>--</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	11100.00	46.97	74.00	-27.03	55.21	38.00	14.63	68.87	0.00	--	--	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11100.00</td> <td>47.23</td> <td>74.00</td> <td>-26.77</td> <td>55.47</td> <td>38.00</td> <td>14.63</td> <td>68.87</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>14425.00</td> <td>52.57</td> <td>68.20</td> <td>-15.63</td> <td>56.04</td> <td>39.35</td> <td>16.82</td> <td>59.64</td> <td>0.00</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	11100.00	47.23	74.00	-26.77	55.47	38.00	14.63	68.87	0.00	---	---	PEAK	2	14425.00	52.57	68.20	-15.63	56.04	39.35	16.82	59.64	0.00	---	---	Peak
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																							
1	11100.00	46.97	74.00	-27.03	55.21	38.00	14.63	68.87	0.00	--	--	PEAK																																																																																			
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																							
1	11100.00	47.23	74.00	-26.77	55.47	38.00	14.63	68.87	0.00	---	---	PEAK																																																																																			
2	14425.00	52.57	68.20	-15.63	56.04	39.35	16.82	59.64	0.00	---	---	Peak																																																																																			



Mode		25																																																																																																								
		Band Edge - L																																																																																																								
		U-NII-2C_5.47-5.725_802.11ac VHT40_CH134_5670MHz																																																																																																								
Pol.	Horizontal					Fundamental																																																																																																				
Peak																																																																																																										
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> <th>Margin</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5412.08</td> <td>52.66</td> <td>74.00</td> <td>-21.34</td> <td>39.97</td> <td>34.70</td> <td>9.95</td> <td>31.96</td> <td>0.00</td> <td>113</td> <td>274 PEAK</td> <td>0.00</td> </tr> <tr> <td>2</td> <td>5464.56</td> <td>51.83</td> <td>68.20</td> <td>-16.37</td> <td>39.09</td> <td>34.70</td> <td>10.03</td> <td>31.99</td> <td>0.00</td> <td>113</td> <td>274 PEAK</td> <td>0.00</td> </tr> </tbody> </table>					Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Margin	Freq	Level	Line	Level	Factor	Loss	Factor	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5412.08	52.66	74.00	-21.34	39.97	34.70	9.95	31.96	0.00	113	274 PEAK	0.00	2	5464.56	51.83	68.20	-16.37	39.09	34.70	10.03	31.99	0.00	113	274 PEAK	0.00	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5670.00</td> <td>104.82</td> <td>-----</td> <td>91.96</td> <td>34.64</td> <td>10.30</td> <td>32.08</td> <td>0.00</td> <td>113</td> <td>274 PEAK</td> </tr> </tbody> </table>					Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB		1	5670.00	104.82	-----	91.96	34.64	10.30	32.08	0.00	113
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Margin																																																																																																
Freq	Level	Line	Level	Factor	Loss	Factor	Factor	Factor																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																
1	5412.08	52.66	74.00	-21.34	39.97	34.70	9.95	31.96	0.00	113	274 PEAK	0.00																																																																																														
2	5464.56	51.83	68.20	-16.37	39.09	34.70	10.03	31.99	0.00	113	274 PEAK	0.00																																																																																														
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																		
Freq	Level	Line	Level	Factor	Loss	Factor	Factor																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																			
1	5670.00	104.82	-----	91.96	34.64	10.30	32.08	0.00	113	274 PEAK																																																																																																
Avg																																																																																																										
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5459.76</td> <td>41.78</td> <td>54.00</td> <td>-12.22</td> <td>29.04</td> <td>34.70</td> <td>10.03</td> <td>31.99</td> <td>0.00</td> <td>113</td> <td>274 AVERAGE</td> </tr> </tbody> </table>					Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB		1	5459.76	41.78	54.00	-12.22	29.04	34.70	10.03	31.99	0.00	113	274 AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5670.00</td> <td>96.21</td> <td>-----</td> <td>83.35</td> <td>34.64</td> <td>10.30</td> <td>32.08</td> <td>0.00</td> <td>113</td> <td>274 AVERAGE</td> </tr> </tbody> </table>					Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB		1	5670.00	96.21	-----	83.35	34.64	10.30	32.08	0.00	113	274 AVERAGE																			
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																		
Freq	Level	Line	Level	Factor	Loss	Factor	Factor																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																			
1	5459.76	41.78	54.00	-12.22	29.04	34.70	10.03	31.99	0.00	113	274 AVERAGE																																																																																															
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																		
Freq	Level	Line	Level	Factor	Loss	Factor	Factor																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																			
1	5670.00	96.21	-----	83.35	34.64	10.30	32.08	0.00	113	274 AVERAGE																																																																																																





		25																																																																																										
Mode		Band Edge - L																																																																																										
		U-NII-2C_5.47-5.725_802.11ac VHT40_CH134_5670MHz																																																																																										
Pol.	Vertical	Fundamental																																																																																										
Peak	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5419.76</td> <td>52.87</td> <td>74.00</td> <td>-21.13</td> <td>40.17</td> <td>34.70</td> <td>9.97</td> <td>31.97</td> <td>0.00</td> <td>312</td> <td>0 PEAK</td> </tr> <tr> <td>2</td> <td>5467.76</td> <td>51.52</td> <td>68.20</td> <td>-16.68</td> <td>38.78</td> <td>34.70</td> <td>10.04</td> <td>32.00</td> <td>0.00</td> <td>312</td> <td>0 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5419.76	52.87	74.00	-21.13	40.17	34.70	9.97	31.97	0.00	312	0 PEAK	2	5467.76	51.52	68.20	-16.68	38.78	34.70	10.04	32.00	0.00	312	0 PEAK	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5670.00</td> <td>100.77</td> <td>-----</td> <td>-----</td> <td>87.91</td> <td>34.64</td> <td>10.30</td> <td>32.08</td> <td>0.00</td> <td>312</td> <td>0 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5670.00	100.77	-----	-----	87.91	34.64	10.30	32.08	0.00	312	0 PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																				
1	5419.76	52.87	74.00	-21.13	40.17	34.70	9.97	31.97	0.00	312	0 PEAK																																																																																	
2	5467.76	51.52	68.20	-16.68	38.78	34.70	10.04	32.00	0.00	312	0 PEAK																																																																																	
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																				
1	5670.00	100.77	-----	-----	87.91	34.64	10.30	32.08	0.00	312	0 PEAK																																																																																	
Avg	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5459.12</td> <td>41.65</td> <td>54.00</td> <td>-12.35</td> <td>28.91</td> <td>34.70</td> <td>10.03</td> <td>31.99</td> <td>0.00</td> <td>312</td> <td>0 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5459.12	41.65	54.00	-12.35	28.91	34.70	10.03	31.99	0.00	312	0 AVERAGE	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5670.00</td> <td>91.88</td> <td>-----</td> <td>-----</td> <td>79.02</td> <td>34.64</td> <td>10.30</td> <td>32.08</td> <td>0.00</td> <td>312</td> <td>0 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5670.00	91.88	-----	-----	79.02	34.64	10.30	32.08	0.00	312	0 AVERAGE												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																				
1	5459.12	41.65	54.00	-12.35	28.91	34.70	10.03	31.99	0.00	312	0 AVERAGE																																																																																	
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																				
1	5670.00	91.88	-----	-----	79.02	34.64	10.30	32.08	0.00	312	0 AVERAGE																																																																																	



Mode	25																																																																																										
	Harmonic																																																																																										
	U-NII-2C_5.47-5.725_802.11ac VHT40_CH134_5670MHz																																																																																										
Pol.	Horizontal	Vertical																																																																																									
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11340.00</td> <td>46.51</td> <td>74.00</td> <td>-27.49</td> <td>54.44</td> <td>38.14</td> <td>14.80</td> <td>68.87</td> <td>0.00</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11340.00	46.51	74.00	-27.49	54.44	38.14	14.80	68.87	0.00	--	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11340.00</td> <td>45.79</td> <td>74.00</td> <td>-28.21</td> <td>53.72</td> <td>38.14</td> <td>14.80</td> <td>68.87</td> <td>0.00</td> <td>--</td> <td>PEAK</td> </tr> <tr> <td>2 14425.00</td> <td>53.61</td> <td>68.20</td> <td>-14.59</td> <td>57.08</td> <td>39.35</td> <td>16.82</td> <td>59.64</td> <td>0.00</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11340.00	45.79	74.00	-28.21	53.72	38.14	14.80	68.87	0.00	--	PEAK	2 14425.00	53.61	68.20	-14.59	57.08	39.35	16.82	59.64	0.00	--	Peak
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																			
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1 11340.00	46.51	74.00	-27.49	54.44	38.14	14.80	68.87	0.00	--	PEAK																																																																																	
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																			
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1 11340.00	45.79	74.00	-28.21	53.72	38.14	14.80	68.87	0.00	--	PEAK																																																																																	
2 14425.00	53.61	68.20	-14.59	57.08	39.35	16.82	59.64	0.00	--	Peak																																																																																	







Mode	26																																																																																			
	Band Edge - L																																																																																			
	U-NII-1_5.15-5.25_802.11ac VHT80_CH42_5210MHz																																																																																			
Pol.	Horizontal	Fundamental																																																																																		
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5143.64</td> <td>67.71</td> <td>74.00</td> <td>-6.29</td> <td>55.53</td> <td>34.20</td> <td>9.78</td> <td>31.00</td> <td>0.00</td> <td>143</td> <td>64</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5143.64	67.71	74.00	-6.29	55.53	34.20	9.78	31.00	0.00	143	64	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5210.00</td> <td>98.10</td> <td>-----</td> <td>-----</td> <td>85.78</td> <td>34.40</td> <td>9.84</td> <td>31.84</td> <td>0.00</td> <td>143</td> <td>64</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5210.00	98.10	-----	-----	85.78	34.40	9.84	31.84	0.00	143	64	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5143.64	67.71	74.00	-6.29	55.53	34.20	9.78	31.00	0.00	143	64	PEAK																																																																								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5210.00	98.10	-----	-----	85.78	34.40	9.84	31.84	0.00	143	64	PEAK																																																																								
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5149.94</td> <td>49.55</td> <td>54.00</td> <td>-4.45</td> <td>37.36</td> <td>34.20</td> <td>9.79</td> <td>31.00</td> <td>0.00</td> <td>143</td> <td>64</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5149.94	49.55	54.00	-4.45	37.36	34.20	9.79	31.00	0.00	143	64	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5210.00</td> <td>88.90</td> <td>-----</td> <td>-----</td> <td>76.51</td> <td>34.40</td> <td>9.83</td> <td>31.84</td> <td>0.00</td> <td>143</td> <td>64</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5210.00	88.90	-----	-----	76.51	34.40	9.83	31.84	0.00	143	64	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5149.94	49.55	54.00	-4.45	37.36	34.20	9.79	31.00	0.00	143	64	AVERAGE																																																																								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5210.00	88.90	-----	-----	76.51	34.40	9.83	31.84	0.00	143	64	AVERAGE																																																																								



Mode	26																																								
	Band Edge - R																																								
	U-NII-1_5.15-5.25_802.11ac VHT80_CH42_5210MHz																																								
Pol.	Horizontal	Fundamental																																							
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5404.50</td> <td>53.05</td> <td>74.00</td> <td>-20.95</td> <td>40.37</td> <td>34.70</td> <td>9.94</td> <td>31.96</td> <td>0.00</td> <td>143</td> <td>64 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5404.50	53.05	74.00	-20.95	40.37	34.70	9.94	31.96	0.00	143	64 PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																	
1	5404.50	53.05	74.00	-20.95	40.37	34.70	9.94	31.96	0.00	143	64 PEAK																														
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5352.75</td> <td>41.88</td> <td>54.00</td> <td>-12.12</td> <td>29.39</td> <td>34.51</td> <td>9.91</td> <td>31.93</td> <td>0.00</td> <td>143</td> <td>64 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5352.75	41.88	54.00	-12.12	29.39	34.51	9.91	31.93	0.00	143	64 AVERAGE	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																	
1	5352.75	41.88	54.00	-12.12	29.39	34.51	9.91	31.93	0.00	143	64 AVERAGE																														



		26																																																																														
Mode		Band Edge - L																																																																														
		U-NII-1_5.15-5.25_802.11ac VHT80_CH42_5210MHz																																																																														
Pol.		Vertical					Fundamental																																																																									
Peak	 <p>Level (dBuV/m)</p> <p>130</p> <p>113.8</p> <p>97.5</p> <p>81.3</p> <p>65.0</p> <p>48.8</p> <p>0</p> <p>5000 5042. 5084. 5126. 5168. 5210</p> <p>Frequency (MHz)</p> <p>U-NII-1-U-NII-2A-U-NII-2C</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5145.95</td> <td>61.99</td> <td>74.00</td> <td>-12.01</td> <td>49.81</td> <td>34.20</td> <td>9.78</td> <td>31.00</td> <td>0.00</td> <td>312</td> <td>99</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5145.95	61.99	74.00	-12.01	49.81	34.20	9.78	31.00	0.00	312	99	PEAK	 <p>Level (dBuV/m)</p> <p>130</p> <p>113.8</p> <p>97.5</p> <p>81.3</p> <p>65.0</p> <p>48.8</p> <p>0</p> <p>1000 2200. 3400. 4600. 5800. 7000</p> <p>Frequency (MHz)</p> <p>U-NII-1-U-NII-2A-U-NII-2C</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5210.00</td> <td>99.37</td> <td>-----</td> <td>-----</td> <td>86.98</td> <td>34.40</td> <td>9.83</td> <td>31.84</td> <td>0.00</td> <td>312</td> <td>99</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5210.00	99.37	-----	-----	86.98	34.40	9.83	31.84	0.00	312	99	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1	5145.95	61.99	74.00	-12.01	49.81	34.20	9.78	31.00	0.00	312	99	PEAK																																																																				
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1	5210.00	99.37	-----	-----	86.98	34.40	9.83	31.84	0.00	312	99	PEAK																																																																				
Avg	 <p>Level (dBuV/m)</p> <p>130</p> <p>113.8</p> <p>97.5</p> <p>81.3</p> <p>65.0</p> <p>48.8</p> <p>0</p> <p>5000 5042. 5084. 5126. 5168. 5210</p> <p>Frequency (MHz)</p> <p>U-NII-1-U-NII-2A-U-NII-2C(AVG)</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5149.94</td> <td>49.79</td> <td>54.00</td> <td>-4.21</td> <td>37.60</td> <td>34.20</td> <td>9.79</td> <td>31.00</td> <td>0.00</td> <td>312</td> <td>99</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5149.94	49.79	54.00	-4.21	37.60	34.20	9.79	31.00	0.00	312	99	AVERAGE	 <p>Level (dBuV/m)</p> <p>130</p> <p>113.8</p> <p>97.5</p> <p>81.3</p> <p>65.0</p> <p>48.8</p> <p>0</p> <p>1000 2200. 3400. 4600. 5800. 7000</p> <p>Frequency (MHz)</p> <p>U-NII-1-U-NII-2A-U-NII-2C(AVG)</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5210.00</td> <td>90.23</td> <td>-----</td> <td>-----</td> <td>77.84</td> <td>34.40</td> <td>9.83</td> <td>31.84</td> <td>0.00</td> <td>312</td> <td>99</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5210.00	90.23	-----	-----	77.84	34.40	9.83	31.84	0.00	312	99	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1	5149.94	49.79	54.00	-4.21	37.60	34.20	9.79	31.00	0.00	312	99	AVERAGE																																																																				
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1	5210.00	90.23	-----	-----	77.84	34.40	9.83	31.84	0.00	312	99	AVERAGE																																																																				



26																																										
Band Edge - R																																										
U-NII-1_5.15-5.25_802.11ac VHT80_CH42_5210MHz																																										
Pol.	Vertical																																									
Peak	<div style="text-align: right; font-weight: bold;">Fundamental</div> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5387.00</td> <td>53.29</td> <td>74.00</td> <td>-20.71</td> <td>40.66</td> <td>34.65</td> <td>9.93</td> <td>31.95</td> <td>0.00</td> <td>312</td> <td>99</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5387.00	53.29	74.00	-20.71	40.66	34.65	9.93	31.95	0.00	312	99	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																		
1	5387.00	53.29	74.00	-20.71	40.66	34.65	9.93	31.95	0.00	312	99	PEAK																														
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5350.50</td> <td>41.71</td> <td>54.00</td> <td>-12.29</td> <td>29.22</td> <td>34.50</td> <td>9.91</td> <td>31.92</td> <td>0.00</td> <td>312</td> <td>99</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5350.50	41.71	54.00	-12.29	29.22	34.50	9.91	31.92	0.00	312	99	AVERAGE	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																		
1	5350.50	41.71	54.00	-12.29	29.22	34.50	9.91	31.92	0.00	312	99	AVERAGE																														



Mode	26																																																																																					
	Harmonic																																																																																					
	U-NII-1_5.15-5.25_802.11ac VHT80_CH42_5210MHz																																																																																					
Pol.	Horizontal	Vertical																																																																																				
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 10420.00</td> <td>47.01</td> <td>68.20</td> <td>-21.19</td> <td>56.20</td> <td>37.54</td> <td>14.17</td> <td>68.90</td> <td>0.00</td> <td>--- PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 10420.00	47.01	68.20	-21.19	56.20	37.54	14.17	68.90	0.00	--- PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 10420.00</td> <td>46.10</td> <td>68.20</td> <td>-22.10</td> <td>55.29</td> <td>37.54</td> <td>14.17</td> <td>68.90</td> <td>0.00</td> <td>--- PEAK</td> </tr> <tr> <td>2 14425.00</td> <td>51.37</td> <td>68.20</td> <td>-16.83</td> <td>54.84</td> <td>39.35</td> <td>16.82</td> <td>59.64</td> <td>0.00</td> <td>--- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 10420.00	46.10	68.20	-22.10	55.29	37.54	14.17	68.90	0.00	--- PEAK	2 14425.00	51.37	68.20	-16.83	54.84	39.35	16.82	59.64	0.00	--- Peak
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																														
1 10420.00	47.01	68.20	-21.19	56.20	37.54	14.17	68.90	0.00	--- PEAK																																																																													
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																														
1 10420.00	46.10	68.20	-22.10	55.29	37.54	14.17	68.90	0.00	--- PEAK																																																																													
2 14425.00	51.37	68.20	-16.83	54.84	39.35	16.82	59.64	0.00	--- Peak																																																																													



Mode	27																																																											
	Band Edge - L																																																											
	U-NII-2A_5.25-5.35_802.11ac VHT80_CH58_5290MHz																																																											
Pol.	Horizontal	Fundamental																																																										
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>5031.32</td> <td>54.30</td> <td>74.00</td> <td>-19.70</td> <td>42.19</td> <td>34.16</td> <td>9.68</td> <td>31.73</td> <td>0.00</td> <td>149</td> <td>61 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	cm	deg	5031.32	54.30	74.00	-19.70	42.19	34.16	9.68	31.73	0.00	149	61 PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>5290.00</td> <td>99.17</td> <td>-----</td> <td>-----</td> <td>86.63</td> <td>34.54</td> <td>9.88</td> <td>31.88</td> <td>0.00</td> <td>149</td> <td>61 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	cm	deg	5290.00	99.17	-----	-----	86.63	34.54	9.88	31.88	0.00	149	61 PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	cm	deg																																																				
5031.32	54.30	74.00	-19.70	42.19	34.16	9.68	31.73	0.00	149	61 PEAK																																																		
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	cm	deg																																																				
5290.00	99.17	-----	-----	86.63	34.54	9.88	31.88	0.00	149	61 PEAK																																																		
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>5141.23</td> <td>42.47</td> <td>54.00</td> <td>-11.53</td> <td>30.29</td> <td>34.20</td> <td>9.78</td> <td>31.00</td> <td>0.00</td> <td>149</td> <td>61 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	cm	deg	5141.23	42.47	54.00	-11.53	30.29	34.20	9.78	31.00	0.00	149	61 AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>5290.00</td> <td>90.40</td> <td>-----</td> <td>-----</td> <td>77.85</td> <td>34.56</td> <td>9.88</td> <td>31.89</td> <td>0.00</td> <td>149</td> <td>61 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	cm	deg	5290.00	90.40	-----	-----	77.85	34.56	9.88	31.89	0.00	149	61 AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	cm	deg																																																				
5141.23	42.47	54.00	-11.53	30.29	34.20	9.78	31.00	0.00	149	61 AVERAGE																																																		
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	cm	deg																																																				
5290.00	90.40	-----	-----	77.85	34.56	9.88	31.89	0.00	149	61 AVERAGE																																																		





27																																								
Mode	Band Edge - R																																							
	U-NII-2A_5.25-5.35_802.11ac VHT80_CH58_5290MHz																																							
Pol.	Horizontal																																							
Pol.	Fundamental																																							
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5359.19</td> <td>65.91</td> <td>74.00</td> <td>-8.09</td> <td>53.38</td> <td>34.54</td> <td>9.92</td> <td>31.93</td> <td>0.00</td> <td>149</td> <td>61 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5359.19	65.91	74.00	-8.09	53.38	34.54	9.92	31.93	0.00	149	61 PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																
1	5359.19	65.91	74.00	-8.09	53.38	34.54	9.92	31.93	0.00	149	61 PEAK																													
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5350.35</td> <td>49.40</td> <td>54.00</td> <td>-4.60</td> <td>36.91</td> <td>34.50</td> <td>9.91</td> <td>31.92</td> <td>0.00</td> <td>149</td> <td>61 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5350.35	49.40	54.00	-4.60	36.91	34.50	9.91	31.92	0.00	149	61 AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																
1	5350.35	49.40	54.00	-4.60	36.91	34.50	9.91	31.92	0.00	149	61 AVERAGE																													



Mode		27																																																														
		Band Edge - L																																																														
		U-NII-2A_5.25-5.35_802.11ac VHT80_CH58_5290MHz																																																														
Pol.	Vertical	Fundamental																																																														
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5139.78</td> <td>54.44</td> <td>74.00</td> <td>-19.56</td> <td>42.26</td> <td>34.20</td> <td>9.78</td> <td>31.00</td> <td>0.00</td> <td>358</td> <td>99</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	cm	deg	1	5139.78	54.44	74.00	-19.56	42.26	34.20	9.78	31.00	0.00	358	99	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5290.00</td> <td>98.89</td> <td>-----</td> <td>-----</td> <td>86.34</td> <td>34.56</td> <td>9.88</td> <td>31.89</td> <td>0.00</td> <td>358</td> <td>99</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	cm	deg	1	5290.00	98.89	-----	-----	86.34	34.56	9.88	31.89	0.00	358	99	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	cm	deg																																																								
1	5139.78	54.44	74.00	-19.56	42.26	34.20	9.78	31.00	0.00	358	99	PEAK																																																				
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	cm	deg																																																								
1	5290.00	98.89	-----	-----	86.34	34.56	9.88	31.89	0.00	358	99	PEAK																																																				
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5139.78</td> <td>42.61</td> <td>54.00</td> <td>-11.39</td> <td>30.43</td> <td>34.20</td> <td>9.78</td> <td>31.00</td> <td>0.00</td> <td>358</td> <td>99</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	cm	deg	1	5139.78	42.61	54.00	-11.39	30.43	34.20	9.78	31.00	0.00	358	99	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5290.00</td> <td>90.03</td> <td>-----</td> <td>-----</td> <td>77.48</td> <td>34.56</td> <td>9.88</td> <td>31.89</td> <td>0.00</td> <td>358</td> <td>99</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	cm	deg	1	5290.00	90.03	-----	-----	77.48	34.56	9.88	31.89	0.00	358	99	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	cm	deg																																																								
1	5139.78	42.61	54.00	-11.39	30.43	34.20	9.78	31.00	0.00	358	99	AVERAGE																																																				
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	cm	deg																																																								
1	5290.00	90.03	-----	-----	77.48	34.56	9.88	31.89	0.00	358	99	AVERAGE																																																				



27																																									
Band Edge - R																																									
U-NII-2A_5.25-5.35_802.11ac VHT80_CH58_5290MHz																																									
Pol.	Vertical																																								
Pol.	Fundamental																																								
<b>Peak</b>	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5353.41</td> <td>58.00</td> <td>74.00</td> <td>-16.00</td> <td>45.51</td> <td>34.51</td> <td>9.91</td> <td>31.93</td> <td>0.00</td> <td>358</td> <td>99</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5353.41	58.00	74.00	-16.00	45.51	34.51	9.91	31.93	0.00	358	99	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																	
1	5353.41	58.00	74.00	-16.00	45.51	34.51	9.91	31.93	0.00	358	99	PEAK																													
<b>Avg</b>	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5350.35</td> <td>45.94</td> <td>54.00</td> <td>-8.06</td> <td>33.45</td> <td>34.50</td> <td>9.91</td> <td>31.92</td> <td>0.00</td> <td>358</td> <td>99</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5350.35	45.94	54.00	-8.06	33.45	34.50	9.91	31.92	0.00	358	99	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																	
1	5350.35	45.94	54.00	-8.06	33.45	34.50	9.91	31.92	0.00	358	99	AVERAGE																													
	<b>Blank</b>																																								
	<b>Blank</b>																																								



Mode	27																																																																											
	Harmonic																																																																											
	U-NII-2A_5.25-5.35_802.11ac VHT80_CH58_5290MHz																																																																											
Pol.	Horizontal	Vertical																																																																										
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 10580.00</td> <td>45.89</td> <td>68.20</td> <td>-22.31</td> <td>54.64</td> <td>37.86</td> <td>14.28</td> <td>60.89</td> <td>0.00</td> <td>-- -- PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 10580.00	45.89	68.20	-22.31	54.64	37.86	14.28	60.89	0.00	-- -- PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 10580.00</td> <td>46.09</td> <td>68.20</td> <td>-22.11</td> <td>54.84</td> <td>37.86</td> <td>14.28</td> <td>60.89</td> <td>0.00</td> <td>-- -- PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 10580.00	46.09	68.20	-22.11	54.84	37.86	14.28	60.89	0.00	-- -- PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	cm	deg																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																				
1 10580.00	45.89	68.20	-22.31	54.64	37.86	14.28	60.89	0.00	-- -- PEAK																																																																			
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	cm	deg																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																				
1 10580.00	46.09	68.20	-22.11	54.84	37.86	14.28	60.89	0.00	-- -- PEAK																																																																			



Mode		28																																																																											
		Band Edge - L																																																																											
		U-NII-2C_5.47-5.725_802.11ac VHT80_CH106_5530MHz																																																																											
Pol.	Horizontal	Fundamental																																																																											
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5449.36</td> <td>58.81</td> <td>74.00</td> <td>-15.19</td> <td>46.08</td> <td>34.70</td> <td>10.01</td> <td>31.98</td> <td>0.00</td> <td>100</td> <td>271</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5460.34</td> <td>63.00</td> <td>68.20</td> <td>-5.20</td> <td>50.26</td> <td>34.70</td> <td>10.03</td> <td>31.99</td> <td>0.00</td> <td>100</td> <td>271</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	cm	deg	1	5449.36	58.81	74.00	-15.19	46.08	34.70	10.01	31.98	0.00	100	271	PEAK	2	5460.34	63.00	68.20	-5.20	50.26	34.70	10.03	31.99	0.00	100	271	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5530.00</td> <td>99.07</td> <td>-----</td> <td>-----</td> <td>86.34</td> <td>34.63</td> <td>10.14</td> <td>32.04</td> <td>0.00</td> <td>100</td> <td>271</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	cm	deg	1	5530.00	99.07	-----	-----	86.34	34.63	10.14	32.04	0.00	100	271	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	cm	deg																																																																					
1	5449.36	58.81	74.00	-15.19	46.08	34.70	10.01	31.98	0.00	100	271	PEAK																																																																	
2	5460.34	63.00	68.20	-5.20	50.26	34.70	10.03	31.99	0.00	100	271	PEAK																																																																	
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	cm	deg																																																																					
1	5530.00	99.07	-----	-----	86.34	34.63	10.14	32.04	0.00	100	271	PEAK																																																																	
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5457.82</td> <td>45.24</td> <td>54.00</td> <td>-8.76</td> <td>32.51</td> <td>34.70</td> <td>10.02</td> <td>31.99</td> <td>0.00</td> <td>100</td> <td>271</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	cm	deg	1	5457.82	45.24	54.00	-8.76	32.51	34.70	10.02	31.99	0.00	100	271	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5530.00</td> <td>89.80</td> <td>-----</td> <td>-----</td> <td>77.06</td> <td>34.64</td> <td>10.13</td> <td>32.03</td> <td>0.00</td> <td>100</td> <td>271</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	cm	deg	1	5530.00	89.80	-----	-----	77.06	34.64	10.13	32.03	0.00	100	271	AVERAGE													
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	cm	deg																																																																					
1	5457.82	45.24	54.00	-8.76	32.51	34.70	10.02	31.99	0.00	100	271	AVERAGE																																																																	
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	cm	deg																																																																					
1	5530.00	89.80	-----	-----	77.06	34.64	10.13	32.03	0.00	100	271	AVERAGE																																																																	



Mode	28																																									
	Band Edge - R																																									
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH106_5530MHz																																									
Pol.	Horizontal	Fundamental																																								
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5735.63</td> <td>53.75</td> <td>68.20</td> <td>-14.45</td> <td>40.79</td> <td>34.63</td> <td>10.35</td> <td>32.02</td> <td>0.00</td> <td>100</td> <td>271</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5735.63	53.75	68.20	-14.45	40.79	34.63	10.35	32.02	0.00	100	271	PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																	
1 5735.63	53.75	68.20	-14.45	40.79	34.63	10.35	32.02	0.00	100	271	PEAK																															



Mode		28																																																																																																												
		Band Edge - L																																																																																																												
		U-NII-2C_5.47-5.725_802.11ac VHT80_CH106_5530MHz																																																																																																												
Pol.	Vertical					Fundamental																																																																																																								
Peak																																																																																																														
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5445.76</td> <td>54.93</td> <td>74.00</td> <td>-19.07</td> <td>42.21</td> <td>34.70</td> <td>10.00</td> <td>31.98</td> <td>0.00</td> <td>300</td> <td>350</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5469.70</td> <td>56.22</td> <td>68.20</td> <td>-11.98</td> <td>43.48</td> <td>34.70</td> <td>10.04</td> <td>32.00</td> <td>0.00</td> <td>300</td> <td>350</td> <td>PEAK</td> </tr> </tbody> </table>					Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5445.76	54.93	74.00	-19.07	42.21	34.70	10.00	31.98	0.00	300	350	PEAK	2	5469.70	56.22	68.20	-11.98	43.48	34.70	10.04	32.00	0.00	300	350	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5530.00</td> <td>94.03</td> <td>-----</td> <td>-----</td> <td>81.30</td> <td>34.62</td> <td>10.15</td> <td>32.04</td> <td>0.00</td> <td>300</td> <td>350</td> <td>PEAK</td> </tr> </tbody> </table>					Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5530.00	94.03	-----	-----	81.30	34.62	10.15	32.04	0.00	300	350
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																				
1	5445.76	54.93	74.00	-19.07	42.21	34.70	10.00	31.98	0.00	300	350	PEAK																																																																																																		
2	5469.70	56.22	68.20	-11.98	43.48	34.70	10.04	32.00	0.00	300	350	PEAK																																																																																																		
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																				
1	5530.00	94.03	-----	-----	81.30	34.62	10.15	32.04	0.00	300	350	PEAK																																																																																																		
Avg																																																																																																														
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5457.46</td> <td>43.10</td> <td>54.00</td> <td>-10.90</td> <td>30.37</td> <td>34.70</td> <td>10.02</td> <td>31.99</td> <td>0.00</td> <td>300</td> <td>350</td> <td>AVERAGE</td> </tr> </tbody> </table>					Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5457.46	43.10	54.00	-10.90	30.37	34.70	10.02	31.99	0.00	300	350	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5530.00</td> <td>85.26</td> <td>-----</td> <td>-----</td> <td>72.53</td> <td>34.62</td> <td>10.15</td> <td>32.04</td> <td>0.00</td> <td>300</td> <td>350</td> <td>AVERAGE</td> </tr> </tbody> </table>					Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5530.00	85.26	-----	-----	72.53	34.62	10.15	32.04	0.00	300	350	AVERAGE												
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																				
1	5457.46	43.10	54.00	-10.90	30.37	34.70	10.02	31.99	0.00	300	350	AVERAGE																																																																																																		
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																				
1	5530.00	85.26	-----	-----	72.53	34.62	10.15	32.04	0.00	300	350	AVERAGE																																																																																																		



Mode	28																																							
	Band Edge - R																																							
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH106_5530MHz																																							
Pol.	Vertical	Fundamental																																						
Peak	<p>Level (dBuV/m)</p> <p>Frequency (MHz)</p> <p>U-NII-1-U-NII-2A-U-NII-2C</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5744.09</td> <td>53.88</td> <td>68.20</td> <td>-14.32</td> <td>40.92</td> <td>34.61</td> <td>10.36</td> <td>32.01</td> <td>0.00</td> <td>300 350 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5744.09	53.88	68.20	-14.32	40.92	34.61	10.36	32.01	0.00	300 350 PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																															
1 5744.09	53.88	68.20	-14.32	40.92	34.61	10.36	32.01	0.00	300 350 PEAK																															





Mode	28																																																																											
	Harmonic																																																																											
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH106_5530MHz																																																																											
Pol.	Horizontal	Vertical																																																																										
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 11060.00</td> <td>46.81</td> <td>74.00</td> <td>-27.19</td> <td>55.07</td> <td>38.00</td> <td>14.61</td> <td>60.87</td> <td>0.00</td> <td>-- -- PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 11060.00	46.81	74.00	-27.19	55.07	38.00	14.61	60.87	0.00	-- -- PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 11060.00</td> <td>46.51</td> <td>74.00</td> <td>-27.49</td> <td>54.77</td> <td>38.00</td> <td>14.61</td> <td>60.87</td> <td>0.00</td> <td>-- -- PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 11060.00	46.51	74.00	-27.49	54.77	38.00	14.61	60.87	0.00	-- -- PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																				
1 11060.00	46.81	74.00	-27.19	55.07	38.00	14.61	60.87	0.00	-- -- PEAK																																																																			
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																				
1 11060.00	46.51	74.00	-27.49	54.77	38.00	14.61	60.87	0.00	-- -- PEAK																																																																			



Mode	29																																																																																																
	Band Edge - L																																																																																																
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH122_5610MHz																																																																																																
Pol.	Horizontal	Fundamental																																																																																															
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5426.50</td> <td>54.00</td> <td>74.00</td> <td>-20.00</td> <td>41.29</td> <td>34.70</td> <td>9.98</td> <td>31.97</td> <td>0.00</td> <td>100</td> <td>275</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5469.16</td> <td>53.58</td> <td>68.20</td> <td>-14.62</td> <td>40.84</td> <td>34.70</td> <td>10.04</td> <td>32.00</td> <td>0.00</td> <td>100</td> <td>275</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5426.50	54.00	74.00	-20.00	41.29	34.70	9.98	31.97	0.00	100	275	PEAK	2	5469.16	53.58	68.20	-14.62	40.84	34.70	10.04	32.00	0.00	100	275	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5610.00</td> <td>101.03</td> <td>-----</td> <td>-----</td> <td>88.18</td> <td>34.67</td> <td>10.26</td> <td>32.08</td> <td>0.00</td> <td>100</td> <td>275</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5610.00	101.03	-----	-----	88.18	34.67	10.26	32.08	0.00	100	275	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5426.50	54.00	74.00	-20.00	41.29	34.70	9.98	31.97	0.00	100	275	PEAK																																																																																					
2	5469.16	53.58	68.20	-14.62	40.84	34.70	10.04	32.00	0.00	100	275	PEAK																																																																																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5610.00	101.03	-----	-----	88.18	34.67	10.26	32.08	0.00	100	275	PEAK																																																																																					
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5459.98</td> <td>42.35</td> <td>54.00</td> <td>-11.65</td> <td>29.61</td> <td>34.70</td> <td>10.03</td> <td>31.99</td> <td>0.00</td> <td>100</td> <td>275</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.98	42.35	54.00	-11.65	29.61	34.70	10.03	31.99	0.00	100	275	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5610.00</td> <td>91.72</td> <td>-----</td> <td>-----</td> <td>78.87</td> <td>34.67</td> <td>10.26</td> <td>32.08</td> <td>0.00</td> <td>100</td> <td>275</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5610.00	91.72	-----	-----	78.87	34.67	10.26	32.08	0.00	100	275	AVERAGE													
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5459.98	42.35	54.00	-11.65	29.61	34.70	10.03	31.99	0.00	100	275	AVERAGE																																																																																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5610.00	91.72	-----	-----	78.87	34.67	10.26	32.08	0.00	100	275	AVERAGE																																																																																					



Mode	29																																									
	Band Edge - R																																									
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH122_5610MHz																																									
Pol.	Horizontal	Fundamental																																								
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5726.46</td> <td>57.32</td> <td>68.20</td> <td>-10.88</td> <td>44.35</td> <td>34.65</td> <td>10.35</td> <td>32.03</td> <td>0.00</td> <td>100</td> <td>275</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5726.46	57.32	68.20	-10.88	44.35	34.65	10.35	32.03	0.00	100	275	PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																		
1	5726.46	57.32	68.20	-10.88	44.35	34.65	10.35	32.03	0.00	100	275	PEAK																														



Mode		29																																																																																																									
		Band Edge - L																																																																																																									
		U-NII-2C_5.47-5.725_802.11ac VHT80_CH122_5610MHz																																																																																																									
Pol.	Vertical					Fundamental																																																																																																					
Peak																																																																																																											
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5435.50</td> <td>53.11</td> <td>74.00</td> <td>-20.89</td> <td>40.40</td> <td>34.70</td> <td>9.99</td> <td>31.98</td> <td>0.00</td> <td>303</td> <td>0 PEAK</td> </tr> <tr> <td>2</td> <td>5465.38</td> <td>53.35</td> <td>68.20</td> <td>-14.85</td> <td>40.61</td> <td>34.70</td> <td>10.03</td> <td>31.99</td> <td>0.00</td> <td>303</td> <td>0 PEAK</td> </tr> </tbody> </table>					Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5435.50	53.11	74.00	-20.89	40.40	34.70	9.99	31.98	0.00	303	0 PEAK	2	5465.38	53.35	68.20	-14.85	40.61	34.70	10.03	31.99	0.00	303	0 PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5610.00</td> <td>96.75</td> <td>-----</td> <td>-----</td> <td>83.90</td> <td>34.68</td> <td>10.25</td> <td>32.08</td> <td>0.00</td> <td>303</td> <td>0 PEAK</td> </tr> </tbody> </table>					Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5610.00	96.75	-----	-----	83.90	34.68	10.25	32.08	0.00	303
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																	
1	5435.50	53.11	74.00	-20.89	40.40	34.70	9.99	31.98	0.00	303	0 PEAK																																																																																																
2	5465.38	53.35	68.20	-14.85	40.61	34.70	10.03	31.99	0.00	303	0 PEAK																																																																																																
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																	
1	5610.00	96.75	-----	-----	83.90	34.68	10.25	32.08	0.00	303	0 PEAK																																																																																																
Avg																																																																																																											
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5458.00</td> <td>41.79</td> <td>54.00</td> <td>-12.21</td> <td>29.06</td> <td>34.70</td> <td>10.02</td> <td>31.99</td> <td>0.00</td> <td>303</td> <td>0 AVERAGE</td> </tr> </tbody> </table>					Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5458.00	41.79	54.00	-12.21	29.06	34.70	10.02	31.99	0.00	303	0 AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5610.00</td> <td>88.02</td> <td>-----</td> <td>-----</td> <td>75.17</td> <td>34.67</td> <td>10.26</td> <td>32.08</td> <td>0.00</td> <td>303</td> <td>0 AVERAGE</td> </tr> </tbody> </table>					Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5610.00	88.02	-----	-----	75.17	34.67	10.26	32.08	0.00	303	0 AVERAGE											
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																	
1	5458.00	41.79	54.00	-12.21	29.06	34.70	10.02	31.99	0.00	303	0 AVERAGE																																																																																																
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																	
1	5610.00	88.02	-----	-----	75.17	34.67	10.26	32.08	0.00	303	0 AVERAGE																																																																																																






Mode	29																																					
	Band Edge - R																																					
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH122_5610MHz																																					
Pol.	Vertical	Fundamental																																				
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5727.40</td> <td>54.76</td> <td>68.20</td> <td>-13.44</td> <td>41.79</td> <td>34.65</td> <td>10.35</td> <td>32.03</td> <td>0.00</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 5727.40	54.76	68.20	-13.44	41.79	34.65	10.35	32.03	0.00	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																														
1 5727.40	54.76	68.20	-13.44	41.79	34.65	10.35	32.03	0.00																														






Mode	29																																																																
	Harmonic																																																																
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH122_5610MHz																																																																
Pol.	Horizontal	Vertical																																																															
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> </thead> <tbody> <tr> <td>11220.00</td> <td>46.24</td> <td>74.00</td> <td>-27.76</td> <td>54.29</td> <td>38.10</td> <td>14.72</td> <td>68.87</td> <td>0.00</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	11220.00	46.24	74.00	-27.76	54.29	38.10	14.72	68.87	0.00	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> </thead> <tbody> <tr> <td>11220.00</td> <td>46.60</td> <td>74.00</td> <td>-27.40</td> <td>54.65</td> <td>38.10</td> <td>14.72</td> <td>68.87</td> <td>0.00</td> </tr> <tr> <td>15261.00</td> <td>52.07</td> <td>68.20</td> <td>-16.13</td> <td>54.47</td> <td>40.16</td> <td>17.37</td> <td>59.93</td> <td>0.00</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	11220.00	46.60	74.00	-27.40	54.65	38.10	14.72	68.87	0.00	15261.00	52.07	68.20	-16.13	54.47	40.16	17.37	59.93	0.00
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																									
11220.00	46.24	74.00	-27.76	54.29	38.10	14.72	68.87	0.00																																																									
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																									
11220.00	46.60	74.00	-27.40	54.65	38.10	14.72	68.87	0.00																																																									
15261.00	52.07	68.20	-16.13	54.47	40.16	17.37	59.93	0.00																																																									



Mode	30																																																																																																										
	Band Edge																																																																																																										
	U-NII-3_5.725-5.85_802.11a_CH149_5745MHz																																																																																																										
Pol.	Horizontal	Fundamental																																																																																																									
Peak	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5631.20</td> <td>58.79</td> <td>68.20</td> <td>-9.41</td> <td>39.93</td> <td>34.40</td> <td>14.57</td> <td>30.11</td> <td>0.00</td> <td>100</td> <td>280</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5650.00</td> <td>56.45</td> <td>68.26</td> <td>-11.81</td> <td>37.56</td> <td>34.40</td> <td>14.60</td> <td>30.11</td> <td>0.00</td> <td>100</td> <td>280</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5704.00</td> <td>63.01</td> <td>106.42</td> <td>-43.41</td> <td>43.88</td> <td>34.52</td> <td>14.70</td> <td>30.09</td> <td>0.00</td> <td>100</td> <td>280</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5728.80</td> <td>68.26</td> <td>112.72</td> <td>-44.46</td> <td>48.98</td> <td>34.58</td> <td>14.78</td> <td>30.08</td> <td>0.00</td> <td>100</td> <td>280</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	Remark	1	5631.20	58.79	68.20	-9.41	39.93	34.40	14.57	30.11	0.00	100	280	PEAK	2	5650.00	56.45	68.26	-11.81	37.56	34.40	14.60	30.11	0.00	100	280	PEAK	3	5704.00	63.01	106.42	-43.41	43.88	34.52	14.70	30.09	0.00	100	280	PEAK	4	5728.80	68.26	112.72	-44.46	48.98	34.58	14.78	30.08	0.00	100	280	PEAK	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>110.13</td> <td>-----</td> <td>-----</td> <td>90.66</td> <td>34.66</td> <td>14.88</td> <td>30.07</td> <td>0.00</td> <td>100</td> <td>280</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	Remark	1	5745.00	110.13	-----	-----	90.66	34.66	14.88	30.07	0.00	100	280	PEAK
Limit	Read	Ant	Cable	Aux	APos	TPos	Remark																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	Remark																																																																																																
1	5631.20	58.79	68.20	-9.41	39.93	34.40	14.57	30.11	0.00	100	280	PEAK																																																																																															
2	5650.00	56.45	68.26	-11.81	37.56	34.40	14.60	30.11	0.00	100	280	PEAK																																																																																															
3	5704.00	63.01	106.42	-43.41	43.88	34.52	14.70	30.09	0.00	100	280	PEAK																																																																																															
4	5728.80	68.26	112.72	-44.46	48.98	34.58	14.78	30.08	0.00	100	280	PEAK																																																																																															
Limit	Read	Ant	Cable	Aux	APos	TPos	Remark																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	Remark																																																																																																
1	5745.00	110.13	-----	-----	90.66	34.66	14.88	30.07	0.00	100	280	PEAK																																																																																															
Avg	Blank	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>101.12</td> <td>-----</td> <td>-----</td> <td>81.60</td> <td>34.68</td> <td>14.91</td> <td>30.07</td> <td>0.00</td> <td>100</td> <td>280</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	Remark	1	5745.00	101.12	-----	-----	81.60	34.68	14.91	30.07	0.00	100	280	AVERAGE																																																																								
Limit	Read	Ant	Cable	Aux	APos	TPos	Remark																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	Remark																																																																																																
1	5745.00	101.12	-----	-----	81.60	34.68	14.91	30.07	0.00	100	280	AVERAGE																																																																																															



Mode	30																																																																																																																									
	Band Edge																																																																																																																									
	U-NII-3_5.725-5.85_802.11a_CH149_5745MHz																																																																																																																									
Pol.	Vertical	Fundamental																																																																																																																								
Peak	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5631.60</td> <td>59.21</td> <td>68.20</td> <td>-8.99</td> <td>40.35</td> <td>34.40</td> <td>14.57</td> <td>30.11</td> <td>0.00</td> <td>300</td> <td>19</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5650.00</td> <td>57.08</td> <td>68.26</td> <td>-11.18</td> <td>38.19</td> <td>34.40</td> <td>14.60</td> <td>30.11</td> <td>0.00</td> <td>300</td> <td>19</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5715.20</td> <td>65.84</td> <td>109.56</td> <td>-43.72</td> <td>46.60</td> <td>34.56</td> <td>14.76</td> <td>30.08</td> <td>0.00</td> <td>300</td> <td>19</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5723.20</td> <td>69.46</td> <td>118.20</td> <td>-48.74</td> <td>50.15</td> <td>34.59</td> <td>14.80</td> <td>30.08</td> <td>0.00</td> <td>300</td> <td>19</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5631.60	59.21	68.20	-8.99	40.35	34.40	14.57	30.11	0.00	300	19	PEAK	2	5650.00	57.08	68.26	-11.18	38.19	34.40	14.60	30.11	0.00	300	19	PEAK	3	5715.20	65.84	109.56	-43.72	46.60	34.56	14.76	30.08	0.00	300	19	PEAK	4	5723.20	69.46	118.20	-48.74	50.15	34.59	14.80	30.08	0.00	300	19	PEAK	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>106.00</td> <td>-----</td> <td>86.53</td> <td>34.66</td> <td>14.88</td> <td>30.07</td> <td>0.00</td> <td>300</td> <td>19</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5745.00	106.00	-----	86.53	34.66	14.88	30.07	0.00	300	19	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																	
1	5631.60	59.21	68.20	-8.99	40.35	34.40	14.57	30.11	0.00	300	19	PEAK																																																																																																														
2	5650.00	57.08	68.26	-11.18	38.19	34.40	14.60	30.11	0.00	300	19	PEAK																																																																																																														
3	5715.20	65.84	109.56	-43.72	46.60	34.56	14.76	30.08	0.00	300	19	PEAK																																																																																																														
4	5723.20	69.46	118.20	-48.74	50.15	34.59	14.80	30.08	0.00	300	19	PEAK																																																																																																														
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																	
1	5745.00	106.00	-----	86.53	34.66	14.88	30.07	0.00	300	19	PEAK																																																																																																															
Avg		 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>97.69</td> <td>-----</td> <td>78.17</td> <td>34.68</td> <td>14.91</td> <td>30.07</td> <td>0.00</td> <td>300</td> <td>19</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5745.00	97.69	-----	78.17	34.68	14.91	30.07	0.00	300	19	AVERAGE																																																																																
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																	
1	5745.00	97.69	-----	78.17	34.68	14.91	30.07	0.00	300	19	AVERAGE																																																																																																															





Mode	30																																																																																					
	Harmonic																																																																																					
	U-NII-3_5.725-5.85_802.11a_CH149_5745MHz																																																																																					
Pol.	Horizontal	Vertical																																																																																				
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th>PEAK</th> </tr> </thead> <tbody> <tr> <td>1 11490.00</td> <td>46.30</td> <td>74.00</td> <td>-27.70</td> <td>52.79</td> <td>38.24</td> <td>19.16</td> <td>63.89</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	PEAK	1 11490.00	46.30	74.00	-27.70	52.79	38.24	19.16	63.89	0.00	---	---	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th>PEAK</th> </tr> </thead> <tbody> <tr> <td>1 11490.00</td> <td>46.51</td> <td>74.00</td> <td>-27.49</td> <td>53.00</td> <td>38.24</td> <td>19.16</td> <td>63.89</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	PEAK	1 11490.00	46.51	74.00	-27.49	53.00	38.24	19.16	63.89	0.00	---	---	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																														
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	PEAK																																																																											
1 11490.00	46.30	74.00	-27.70	52.79	38.24	19.16	63.89	0.00	---	---	PEAK																																																																											
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																														
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	PEAK																																																																											
1 11490.00	46.51	74.00	-27.49	53.00	38.24	19.16	63.89	0.00	---	---	PEAK																																																																											



Mode	31																																																																													
	Harmonic																																																																													
	U-NII-3_5.725-5.85_802.11a_CH157_5785MHz																																																																													
Pol.	Horizontal	Vertical																																																																												
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11570.00</td> <td>46.70</td> <td>74.00</td> <td>-27.30</td> <td>53.25</td> <td>38.31</td> <td>19.20</td> <td>64.06</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11570.00	46.70	74.00	-27.30	53.25	38.31	19.20	64.06	0.00	---	---	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11570.00</td> <td>46.13</td> <td>74.00</td> <td>-27.87</td> <td>52.68</td> <td>38.31</td> <td>19.20</td> <td>64.06</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11570.00	46.13	74.00	-27.87	52.68	38.31	19.20	64.06	0.00	---	---	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																					
1 11570.00	46.70	74.00	-27.30	53.25	38.31	19.20	64.06	0.00	---	---	PEAK																																																																			
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																					
1 11570.00	46.13	74.00	-27.87	52.68	38.31	19.20	64.06	0.00	---	---	PEAK																																																																			



Mode		32																																																																																																																															
		Band Edge																																																																																																																															
		U-NII-3_5.725-5.85_802.11a_CH165_5825MHz																																																																																																																															
Pol.	Horizontal	Fundamental																																																																																																																															
Peak	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5854.40</td> <td>67.05</td> <td>112.27</td> <td>-45.22</td> <td>47.30</td> <td>34.92</td> <td>14.86</td> <td>30.03</td> <td>0.00</td> <td>100</td> <td>279</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5860.00</td> <td>66.33</td> <td>109.50</td> <td>-43.17</td> <td>46.59</td> <td>34.94</td> <td>14.83</td> <td>30.03</td> <td>0.00</td> <td>100</td> <td>279</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5924.00</td> <td>56.93</td> <td>69.04</td> <td>-12.11</td> <td>37.37</td> <td>35.10</td> <td>14.53</td> <td>30.07</td> <td>0.00</td> <td>100</td> <td>279</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5938.40</td> <td>59.43</td> <td>68.20</td> <td>-8.77</td> <td>39.93</td> <td>35.10</td> <td>14.48</td> <td>30.08</td> <td>0.00</td> <td>100</td> <td>279</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.40	67.05	112.27	-45.22	47.30	34.92	14.86	30.03	0.00	100	279	PEAK	2	5860.00	66.33	109.50	-43.17	46.59	34.94	14.83	30.03	0.00	100	279	PEAK	3	5924.00	56.93	69.04	-12.11	37.37	35.10	14.53	30.07	0.00	100	279	PEAK	4	5938.40	59.43	68.20	-8.77	39.93	35.10	14.48	30.08	0.00	100	279	PEAK	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>109.65</td> <td>-----</td> <td>-----</td> <td>89.80</td> <td>34.85</td> <td>15.04</td> <td>30.04</td> <td>0.00</td> <td>100</td> <td>279</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	109.65	-----	-----	89.80	34.85	15.04	30.04	0.00	100	279	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																							
1	5854.40	67.05	112.27	-45.22	47.30	34.92	14.86	30.03	0.00	100	279	PEAK																																																																																																																					
2	5860.00	66.33	109.50	-43.17	46.59	34.94	14.83	30.03	0.00	100	279	PEAK																																																																																																																					
3	5924.00	56.93	69.04	-12.11	37.37	35.10	14.53	30.07	0.00	100	279	PEAK																																																																																																																					
4	5938.40	59.43	68.20	-8.77	39.93	35.10	14.48	30.08	0.00	100	279	PEAK																																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																							
1	5825.00	109.65	-----	-----	89.80	34.85	15.04	30.04	0.00	100	279	PEAK																																																																																																																					
Avg	Blank	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>100.57</td> <td>-----</td> <td>-----</td> <td>80.72</td> <td>34.85</td> <td>15.04</td> <td>30.04</td> <td>0.00</td> <td>100</td> <td>279</td> <td>AVERAGE</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	100.57	-----	-----	80.72	34.85	15.04	30.04	0.00	100	279	AVERAGE																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																							
1	5825.00	100.57	-----	-----	80.72	34.85	15.04	30.04	0.00	100	279	AVERAGE																																																																																																																					



32																																																																																																																										
Band Edge																																																																																																																										
U-NII-3_5.725-5.85_802.11a_CH165_5825MHz																																																																																																																										
Pol.	Vertical																																																																																																																									
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5854.40</td> <td>67.02</td> <td>112.27</td> <td>-45.25</td> <td>47.27</td> <td>34.92</td> <td>14.86</td> <td>30.03</td> <td>0.00</td> <td>308</td> <td>17</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5860.00</td> <td>66.80</td> <td>109.50</td> <td>-42.70</td> <td>47.06</td> <td>34.94</td> <td>14.83</td> <td>30.03</td> <td>0.00</td> <td>308</td> <td>17</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5924.00</td> <td>59.28</td> <td>68.45</td> <td>-9.17</td> <td>39.72</td> <td>35.10</td> <td>14.53</td> <td>30.07</td> <td>0.00</td> <td>308</td> <td>17</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5925.20</td> <td>59.65</td> <td>68.20</td> <td>-8.55</td> <td>40.10</td> <td>35.10</td> <td>14.52</td> <td>30.07</td> <td>0.00</td> <td>308</td> <td>17</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.40	67.02	112.27	-45.25	47.27	34.92	14.86	30.03	0.00	308	17	PEAK	2	5860.00	66.80	109.50	-42.70	47.06	34.94	14.83	30.03	0.00	308	17	PEAK	3	5924.00	59.28	68.45	-9.17	39.72	35.10	14.53	30.07	0.00	308	17	PEAK	4	5925.20	59.65	68.20	-8.55	40.10	35.10	14.52	30.07	0.00	308	17	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>106.73</td> <td>-----</td> <td>86.88</td> <td>34.85</td> <td>15.04</td> <td>30.04</td> <td>0.00</td> <td>308</td> <td>17</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	106.73	-----	86.88	34.85	15.04	30.04	0.00	308	17	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																	
1	5854.40	67.02	112.27	-45.25	47.27	34.92	14.86	30.03	0.00	308	17	PEAK																																																																																																														
2	5860.00	66.80	109.50	-42.70	47.06	34.94	14.83	30.03	0.00	308	17	PEAK																																																																																																														
3	5924.00	59.28	68.45	-9.17	39.72	35.10	14.53	30.07	0.00	308	17	PEAK																																																																																																														
4	5925.20	59.65	68.20	-8.55	40.10	35.10	14.52	30.07	0.00	308	17	PEAK																																																																																																														
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																	
1	5825.00	106.73	-----	86.88	34.85	15.04	30.04	0.00	308	17	PEAK																																																																																																															
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>97.91</td> <td>-----</td> <td>78.06</td> <td>34.85</td> <td>15.04</td> <td>30.04</td> <td>0.00</td> <td>308</td> <td>17</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	97.91	-----	78.06	34.85	15.04	30.04	0.00	308	17	AVERAGE																																																																																	
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																	
1	5825.00	97.91	-----	78.06	34.85	15.04	30.04	0.00	308	17	AVERAGE																																																																																																															



Mode	32																																																																									
	Harmonic																																																																									
	U-NII-3_5.725-5.85_802.11a_CH165_5825MHz																																																																									
Pol.	Horizontal	Vertical																																																																								
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 11650.00</td> <td>46.60</td> <td>74.00</td> <td>-27.40</td> <td>53.32</td> <td>38.38</td> <td>19.17</td> <td>64.27</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 11650.00	46.60	74.00	-27.40	53.32	38.38	19.17	64.27	0.00	---	---	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 11650.00</td> <td>46.70</td> <td>74.00</td> <td>-27.30</td> <td>53.42</td> <td>38.38</td> <td>19.17</td> <td>64.27</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 11650.00	46.70	74.00	-27.30	53.42	38.38	19.17	64.27	0.00	---	---	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																			
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																			
1 11650.00	46.60	74.00	-27.40	53.32	38.38	19.17	64.27	0.00	---	---	PEAK																																																															
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																			
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																			
1 11650.00	46.70	74.00	-27.30	53.42	38.38	19.17	64.27	0.00	---	---	PEAK																																																															



33																																																																									
Band Edge																																																																									
U-NII-3_5.725-5.85_802.11ac VHT20_CH149_5745MHz																																																																									
Pol.	Horizontal																																																																								
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5620.00</td> <td>60.69</td> <td>68.20</td> <td>-7.51</td> <td>41.85</td> <td>34.40</td> <td>14.55</td> <td>30.11</td> <td>0.00</td> <td>100</td> <td>285</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5650.00</td> <td>56.79</td> <td>68.26</td> <td>-11.47</td> <td>37.90</td> <td>34.40</td> <td>14.60</td> <td>30.11</td> <td>0.00</td> <td>100</td> <td>285</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5719.20</td> <td>70.79</td> <td>110.68</td> <td>-39.89</td> <td>51.51</td> <td>34.58</td> <td>14.78</td> <td>30.08</td> <td>0.00</td> <td>100</td> <td>285</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5728.40</td> <td>67.76</td> <td>111.81</td> <td>-44.05</td> <td>48.48</td> <td>34.58</td> <td>14.78</td> <td>30.08</td> <td>0.00</td> <td>100</td> <td>285</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	Remark	1	5620.00	60.69	68.20	-7.51	41.85	34.40	14.55	30.11	0.00	100	285	PEAK	2	5650.00	56.79	68.26	-11.47	37.90	34.40	14.60	30.11	0.00	100	285	PEAK	3	5719.20	70.79	110.68	-39.89	51.51	34.58	14.78	30.08	0.00	100	285	PEAK	4	5728.40	67.76	111.81	-44.05	48.48	34.58	14.78	30.08	0.00	100	285	PEAK
	Limit	Read	Ant	Cable	Aux	APos	TPos	Remark																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	Remark																																																														
1	5620.00	60.69	68.20	-7.51	41.85	34.40	14.55	30.11	0.00	100	285	PEAK																																																													
2	5650.00	56.79	68.26	-11.47	37.90	34.40	14.60	30.11	0.00	100	285	PEAK																																																													
3	5719.20	70.79	110.68	-39.89	51.51	34.58	14.78	30.08	0.00	100	285	PEAK																																																													
4	5728.40	67.76	111.81	-44.05	48.48	34.58	14.78	30.08	0.00	100	285	PEAK																																																													
Fundamental	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>109.82</td> <td>-----</td> <td>-----</td> <td>90.30</td> <td>34.68</td> <td>14.91</td> <td>30.07</td> <td>0.00</td> <td>100</td> <td>285</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	Remark	1	5745.00	109.82	-----	-----	90.30	34.68	14.91	30.07	0.00	100	285	PEAK																																							
Limit	Read	Ant	Cable	Aux	APos	TPos	Remark																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	Remark																																																														
1	5745.00	109.82	-----	-----	90.30	34.68	14.91	30.07	0.00	100	285	PEAK																																																													
Avg	Blank																																																																								
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>102.06</td> <td>-----</td> <td>-----</td> <td>82.54</td> <td>34.68</td> <td>14.91</td> <td>30.07</td> <td>0.00</td> <td>100</td> <td>285</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	Remark	1	5745.00	102.06	-----	-----	82.54	34.68	14.91	30.07	0.00	100	285	AVERAGE																																							
Limit	Read	Ant	Cable	Aux	APos	TPos	Remark																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	Remark																																																														
1	5745.00	102.06	-----	-----	82.54	34.68	14.91	30.07	0.00	100	285	AVERAGE																																																													



Mode		33																																																																																																																						
		Band Edge																																																																																																																						
		U-NII-3_5.725-5.85_802.11ac VHT20_CH149_5745MHz																																																																																																																						
Pol.	Vertical	Fundamental																																																																																																																						
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5614.00</td> <td>60.03</td> <td>68.20</td> <td>-8.17</td> <td>41.20</td> <td>34.40</td> <td>14.54</td> <td>30.11</td> <td>0.00</td> <td>300</td> <td>20</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5650.00</td> <td>57.22</td> <td>68.26</td> <td>-11.04</td> <td>38.33</td> <td>34.40</td> <td>14.60</td> <td>30.11</td> <td>0.00</td> <td>300</td> <td>20</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5719.20</td> <td>66.83</td> <td>110.68</td> <td>-43.85</td> <td>47.55</td> <td>34.58</td> <td>14.78</td> <td>30.08</td> <td>0.00</td> <td>300</td> <td>20</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5720.00</td> <td>62.42</td> <td>110.90</td> <td>-48.48</td> <td>43.14</td> <td>34.58</td> <td>14.78</td> <td>30.08</td> <td>0.00</td> <td>300</td> <td>20</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5614.00	60.03	68.20	-8.17	41.20	34.40	14.54	30.11	0.00	300	20	PEAK	2	5650.00	57.22	68.26	-11.04	38.33	34.40	14.60	30.11	0.00	300	20	PEAK	3	5719.20	66.83	110.68	-43.85	47.55	34.58	14.78	30.08	0.00	300	20	PEAK	4	5720.00	62.42	110.90	-48.48	43.14	34.58	14.78	30.08	0.00	300	20	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>107.38</td> <td>-----</td> <td>87.91</td> <td>34.66</td> <td>14.88</td> <td>30.07</td> <td>0.00</td> <td>300</td> <td>20</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5745.00	107.38	-----	87.91	34.66	14.88	30.07	0.00	300	20	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																																
1	5614.00	60.03	68.20	-8.17	41.20	34.40	14.54	30.11	0.00	300	20	PEAK																																																																																																												
2	5650.00	57.22	68.26	-11.04	38.33	34.40	14.60	30.11	0.00	300	20	PEAK																																																																																																												
3	5719.20	66.83	110.68	-43.85	47.55	34.58	14.78	30.08	0.00	300	20	PEAK																																																																																																												
4	5720.00	62.42	110.90	-48.48	43.14	34.58	14.78	30.08	0.00	300	20	PEAK																																																																																																												
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																																
1	5745.00	107.38	-----	87.91	34.66	14.88	30.07	0.00	300	20	PEAK																																																																																																													
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>98.02</td> <td>-----</td> <td>78.50</td> <td>34.68</td> <td>14.91</td> <td>30.07</td> <td>0.00</td> <td>300</td> <td>20</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5745.00	98.02	-----	78.50	34.68	14.91	30.07	0.00	300	20	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>98.02</td> <td>-----</td> <td>78.50</td> <td>34.68</td> <td>14.91</td> <td>30.07</td> <td>0.00</td> <td>300</td> <td>20</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5745.00	98.02	-----	78.50	34.68	14.91	30.07	0.00	300	20	AVERAGE																																								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																																
1	5745.00	98.02	-----	78.50	34.68	14.91	30.07	0.00	300	20	AVERAGE																																																																																																													
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																																
1	5745.00	98.02	-----	78.50	34.68	14.91	30.07	0.00	300	20	AVERAGE																																																																																																													






Mode	33																																																																																					
	Harmonic																																																																																					
	U-NII-3_5.725-5.85_802.11ac VHT20_CH149_5745MHz																																																																																					
Pol.	Horizontal	Vertical																																																																																				
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th>PEAK</th> </tr> </thead> <tbody> <tr> <td>1 11490.00</td> <td>46.06</td> <td>74.00</td> <td>-27.94</td> <td>52.55</td> <td>38.24</td> <td>19.16</td> <td>63.89</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	PEAK	1 11490.00	46.06	74.00	-27.94	52.55	38.24	19.16	63.89	0.00	---	---	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th>PEAK</th> </tr> </thead> <tbody> <tr> <td>1 11490.00</td> <td>46.76</td> <td>74.00</td> <td>-27.24</td> <td>53.25</td> <td>38.24</td> <td>19.16</td> <td>63.89</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	PEAK	1 11490.00	46.76	74.00	-27.24	53.25	38.24	19.16	63.89	0.00	---	---	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																														
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	PEAK																																																																											
1 11490.00	46.06	74.00	-27.94	52.55	38.24	19.16	63.89	0.00	---	---	PEAK																																																																											
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																														
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	PEAK																																																																											
1 11490.00	46.76	74.00	-27.24	53.25	38.24	19.16	63.89	0.00	---	---	PEAK																																																																											





Mode	34																																																																																											
	Harmonic																																																																																											
	U-NII-3_5.725-5.85_802.11ac VHT20_CH157_5785MHz																																																																																											
Pol.	Horizontal	Vertical																																																																																										
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 11570.00</td> <td>45.85</td> <td>74.00</td> <td>-28.15</td> <td>52.40</td> <td>38.31</td> <td>19.20</td> <td>64.06</td> <td>0.00</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>--- PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 11570.00	45.85	74.00	-28.15	52.40	38.31	19.20	64.06	0.00									--- PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 11570.00</td> <td>46.17</td> <td>74.00</td> <td>-27.83</td> <td>52.72</td> <td>38.31</td> <td>19.20</td> <td>64.06</td> <td>0.00</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>--- PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 11570.00	46.17	74.00	-27.83	52.72	38.31	19.20	64.06	0.00									--- PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																				
1 11570.00	45.85	74.00	-28.15	52.40	38.31	19.20	64.06	0.00																																																																																				
								--- PEAK																																																																																				
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																				
1 11570.00	46.17	74.00	-27.83	52.72	38.31	19.20	64.06	0.00																																																																																				
								--- PEAK																																																																																				



Mode		35																																																																																																																																						
		Band Edge																																																																																																																																						
		U-NII-3_5.725-5.85_802.11ac VHT20_CH165_5825MHz																																																																																																																																						
Pol.	Horizontal					Fundamental																																																																																																																																		
Peak																																																																																																																																								
	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5854.00</td> <td>61.63</td> <td>111.36</td> <td>-49.73</td> <td>41.88</td> <td>34.92</td> <td>14.86</td> <td>30.03</td> <td>0.00</td> <td>378</td> <td>100</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5871.20</td> <td>60.46</td> <td>106.36</td> <td>-45.90</td> <td>40.75</td> <td>34.98</td> <td>14.77</td> <td>30.04</td> <td>0.00</td> <td>378</td> <td>100</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5923.60</td> <td>57.53</td> <td>69.33</td> <td>-11.00</td> <td>37.97</td> <td>35.10</td> <td>14.53</td> <td>30.07</td> <td>0.00</td> <td>378</td> <td>100</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5982.40</td> <td>60.15</td> <td>68.20</td> <td>-8.05</td> <td>40.68</td> <td>35.23</td> <td>14.35</td> <td>30.11</td> <td>0.00</td> <td>378</td> <td>100</td> <td>PEAK</td> </tr> </tbody> </table>						Limit	Read	Ant	Cable	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.00	61.63	111.36	-49.73	41.88	34.92	14.86	30.03	0.00	378	100	PEAK	2	5871.20	60.46	106.36	-45.90	40.75	34.98	14.77	30.04	0.00	378	100	PEAK	3	5923.60	57.53	69.33	-11.00	37.97	35.10	14.53	30.07	0.00	378	100	PEAK	4	5982.40	60.15	68.20	-8.05	40.68	35.23	14.35	30.11	0.00	378	100	PEAK	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>110.48</td> <td>-----</td> <td>-----</td> <td>90.63</td> <td>34.85</td> <td>15.04</td> <td>30.04</td> <td>0.00</td> <td>378</td> <td>100</td> <td>PEAK</td> </tr> </tbody> </table>						Limit	Read	Ant	Cable	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	110.48	-----	-----	90.63	34.85	15.04	30.04	0.00	378	100
	Limit	Read	Ant	Cable	Aux	APos	TPos																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																														
1	5854.00	61.63	111.36	-49.73	41.88	34.92	14.86	30.03	0.00	378	100	PEAK																																																																																																																												
2	5871.20	60.46	106.36	-45.90	40.75	34.98	14.77	30.04	0.00	378	100	PEAK																																																																																																																												
3	5923.60	57.53	69.33	-11.00	37.97	35.10	14.53	30.07	0.00	378	100	PEAK																																																																																																																												
4	5982.40	60.15	68.20	-8.05	40.68	35.23	14.35	30.11	0.00	378	100	PEAK																																																																																																																												
	Limit	Read	Ant	Cable	Aux	APos	TPos																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																														
1	5825.00	110.48	-----	-----	90.63	34.85	15.04	30.04	0.00	378	100	PEAK																																																																																																																												
Avg	Blank																																																																																																																																							
						<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>100.44</td> <td>-----</td> <td>-----</td> <td>80.59</td> <td>34.85</td> <td>15.04</td> <td>30.04</td> <td>0.00</td> <td>378</td> <td>100</td> <td>AVERAGE</td> </tr> </tbody> </table>						Limit	Read	Ant	Cable	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	100.44	-----	-----	80.59	34.85	15.04	30.04	0.00	378	100	AVERAGE																																																																																		
	Limit	Read	Ant	Cable	Aux	APos	TPos																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																														
1	5825.00	100.44	-----	-----	80.59	34.85	15.04	30.04	0.00	378	100	AVERAGE																																																																																																																												



35																																																																																																																											
Band Edge																																																																																																																											
U-NII-3_5.725-5.85_802.11ac VHT20_CH165_5825MHz																																																																																																																											
Pol.	Vertical																																																																																																																										
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5854.00</td> <td>59.42</td> <td>111.36</td> <td>-51.94</td> <td>39.67</td> <td>34.92</td> <td>14.86</td> <td>30.03</td> <td>0.00</td> <td>382</td> <td>207</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5872.40</td> <td>58.26</td> <td>106.03</td> <td>-47.77</td> <td>38.55</td> <td>34.99</td> <td>14.76</td> <td>30.04</td> <td>0.00</td> <td>382</td> <td>207</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5924.40</td> <td>58.31</td> <td>68.74</td> <td>-10.43</td> <td>38.75</td> <td>35.10</td> <td>14.53</td> <td>30.07</td> <td>0.00</td> <td>382</td> <td>207</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5985.20</td> <td>59.61</td> <td>68.20</td> <td>-8.59</td> <td>40.14</td> <td>35.24</td> <td>14.34</td> <td>30.11</td> <td>0.00</td> <td>382</td> <td>207</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.00	59.42	111.36	-51.94	39.67	34.92	14.86	30.03	0.00	382	207	PEAK	2	5872.40	58.26	106.03	-47.77	38.55	34.99	14.76	30.04	0.00	382	207	PEAK	3	5924.40	58.31	68.74	-10.43	38.75	35.10	14.53	30.07	0.00	382	207	PEAK	4	5985.20	59.61	68.20	-8.59	40.14	35.24	14.34	30.11	0.00	382	207	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>105.53</td> <td>-----</td> <td>85.68</td> <td>34.85</td> <td>15.04</td> <td>30.04</td> <td>0.00</td> <td>382</td> <td>207</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	105.53	-----	85.68	34.85	15.04	30.04	0.00	382	207	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	5854.00	59.42	111.36	-51.94	39.67	34.92	14.86	30.03	0.00	382	207	PEAK																																																																																																															
2	5872.40	58.26	106.03	-47.77	38.55	34.99	14.76	30.04	0.00	382	207	PEAK																																																																																																															
3	5924.40	58.31	68.74	-10.43	38.75	35.10	14.53	30.07	0.00	382	207	PEAK																																																																																																															
4	5985.20	59.61	68.20	-8.59	40.14	35.24	14.34	30.11	0.00	382	207	PEAK																																																																																																															
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																	
1	5825.00	105.53	-----	85.68	34.85	15.04	30.04	0.00	382	207	PEAK																																																																																																																
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>97.18</td> <td>-----</td> <td>77.33</td> <td>34.85</td> <td>15.04</td> <td>30.04</td> <td>0.00</td> <td>382</td> <td>207</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	97.18	-----	77.33	34.85	15.04	30.04	0.00	382	207	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>97.18</td> <td>-----</td> <td>77.33</td> <td>34.85</td> <td>15.04</td> <td>30.04</td> <td>0.00</td> <td>382</td> <td>207</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	97.18	-----	77.33	34.85	15.04	30.04	0.00	382	207	AVERAGE																																							
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																	
1	5825.00	97.18	-----	77.33	34.85	15.04	30.04	0.00	382	207	AVERAGE																																																																																																																
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																	
1	5825.00	97.18	-----	77.33	34.85	15.04	30.04	0.00	382	207	AVERAGE																																																																																																																



Mode	35																																																																																	
	Harmonic																																																																																	
	U-NII-3_5.725-5.85_802.11ac VHT20_CH165_5825MHz																																																																																	
Pol.	Horizontal	Vertical																																																																																
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11650.00</td> <td>47.02</td> <td>74.00</td> <td>-26.98</td> <td>53.74</td> <td>38.38</td> <td>19.17</td> <td>64.27</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11650.00	47.02	74.00	-26.98	53.74	38.38	19.17	64.27	0.00	---	---	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11650.00</td> <td>46.04</td> <td>74.00</td> <td>-27.96</td> <td>52.76</td> <td>38.38</td> <td>19.17</td> <td>64.27</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11650.00	46.04	74.00	-27.96	52.76	38.38	19.17	64.27	0.00	---	---	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1 11650.00	47.02	74.00	-26.98	53.74	38.38	19.17	64.27	0.00	---	---	PEAK																																																																							
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1 11650.00	46.04	74.00	-27.96	52.76	38.38	19.17	64.27	0.00	---	---	PEAK																																																																							



Mode	36																																																																																																																							
	Band Edge - L																																																																																																																							
	U-NII-3_5.725-5.85_802.11ac VHT40_CH151_Full_5755MHz																																																																																																																							
Pol.	Horizontal	Fundamental																																																																																																																						
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5612.25</td> <td>59.21</td> <td>68.20</td> <td>-8.99</td> <td>40.37</td> <td>34.40</td> <td>14.54</td> <td>30.10</td> <td>0.00</td> <td>329</td> <td>107</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5652.08</td> <td>58.03</td> <td>69.85</td> <td>-11.82</td> <td>39.14</td> <td>34.40</td> <td>14.60</td> <td>30.11</td> <td>0.00</td> <td>329</td> <td>107</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5713.46</td> <td>69.04</td> <td>109.07</td> <td>-40.03</td> <td>49.82</td> <td>34.55</td> <td>14.75</td> <td>30.08</td> <td>0.00</td> <td>329</td> <td>107</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5720.13</td> <td>69.99</td> <td>111.19</td> <td>-41.20</td> <td>50.71</td> <td>34.58</td> <td>14.78</td> <td>30.08</td> <td>0.00</td> <td>329</td> <td>107</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5612.25	59.21	68.20	-8.99	40.37	34.40	14.54	30.10	0.00	329	107	PEAK	2	5652.08	58.03	69.85	-11.82	39.14	34.40	14.60	30.11	0.00	329	107	PEAK	3	5713.46	69.04	109.07	-40.03	49.82	34.55	14.75	30.08	0.00	329	107	PEAK	4	5720.13	69.99	111.19	-41.20	50.71	34.58	14.78	30.08	0.00	329	107	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5755.00</td> <td>105.72</td> <td>-----</td> <td>86.15</td> <td>34.70</td> <td>14.94</td> <td>30.07</td> <td>0.00</td> <td>329</td> <td>107</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5755.00	105.72	-----	86.15	34.70	14.94	30.07	0.00	329	107	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																																
1	5612.25	59.21	68.20	-8.99	40.37	34.40	14.54	30.10	0.00	329	107	PEAK																																																																																																												
2	5652.08	58.03	69.85	-11.82	39.14	34.40	14.60	30.11	0.00	329	107	PEAK																																																																																																												
3	5713.46	69.04	109.07	-40.03	49.82	34.55	14.75	30.08	0.00	329	107	PEAK																																																																																																												
4	5720.13	69.99	111.19	-41.20	50.71	34.58	14.78	30.08	0.00	329	107	PEAK																																																																																																												
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																																
1	5755.00	105.72	-----	86.15	34.70	14.94	30.07	0.00	329	107	PEAK																																																																																																													
Avg		<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5755.00</td> <td>96.76</td> <td>-----</td> <td>77.19</td> <td>34.70</td> <td>14.94</td> <td>30.07</td> <td>0.00</td> <td>329</td> <td>107</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5755.00	96.76	-----	77.19	34.70	14.94	30.07	0.00	329	107	AVERAGE																																																																															
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																																
1	5755.00	96.76	-----	77.19	34.70	14.94	30.07	0.00	329	107	AVERAGE																																																																																																													



Mode	36																																																																																		
	Band Edge - R																																																																																		
	U-NII-3_5.725-5.85_802.11ac VHT40_CH151_Full_5755MHz																																																																																		
Pol.	Horizontal	Fundamental																																																																																	
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th></th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5854.65</td> <td>56.75</td> <td>111.71</td> <td>-54.96</td> <td>37.00</td> <td>34.92</td> <td>14.86</td> <td>30.03</td> <td>0.00</td> <td>329</td> <td>107</td> <td>PEAK</td> </tr> <tr> <td>2 5874.73</td> <td>60.10</td> <td>105.38</td> <td>-45.28</td> <td>40.39</td> <td>35.00</td> <td>14.75</td> <td>30.04</td> <td>0.00</td> <td>329</td> <td>107</td> <td>PEAK</td> </tr> <tr> <td>3 5924.26</td> <td>59.50</td> <td>68.85</td> <td>-9.35</td> <td>39.94</td> <td>35.10</td> <td>14.53</td> <td>30.07</td> <td>0.00</td> <td>329</td> <td>107</td> <td>PEAK</td> </tr> <tr> <td>4 5934.21</td> <td>59.42</td> <td>68.20</td> <td>-8.78</td> <td>39.90</td> <td>35.10</td> <td>14.50</td> <td>30.08</td> <td>0.00</td> <td>329</td> <td>107</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB				1 5854.65	56.75	111.71	-54.96	37.00	34.92	14.86	30.03	0.00	329	107	PEAK	2 5874.73	60.10	105.38	-45.28	40.39	35.00	14.75	30.04	0.00	329	107	PEAK	3 5924.26	59.50	68.85	-9.35	39.94	35.10	14.53	30.07	0.00	329	107	PEAK	4 5934.21	59.42	68.20	-8.78	39.90	35.10	14.50	30.08	0.00	329	107	PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	Remark																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																											
1 5854.65	56.75	111.71	-54.96	37.00	34.92	14.86	30.03	0.00	329	107	PEAK																																																																								
2 5874.73	60.10	105.38	-45.28	40.39	35.00	14.75	30.04	0.00	329	107	PEAK																																																																								
3 5924.26	59.50	68.85	-9.35	39.94	35.10	14.53	30.07	0.00	329	107	PEAK																																																																								
4 5934.21	59.42	68.20	-8.78	39.90	35.10	14.50	30.08	0.00	329	107	PEAK																																																																								



		36																																																																																																																														
Mode		Band Edge - L																																																																																																																														
		U-NII-3_5.725-5.85_802.11ac VHT40_CH151_Full_5755MHz																																																																																																																														
Pol.	Vertical	Fundamental																																																																																																																														
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5624.18</td> <td>59.92</td> <td>68.20</td> <td>-8.28</td> <td>41.07</td> <td>34.40</td> <td>14.56</td> <td>30.11</td> <td>0.00</td> <td>371</td> <td>184</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5650.84</td> <td>57.74</td> <td>68.92</td> <td>-11.18</td> <td>38.85</td> <td>34.40</td> <td>14.60</td> <td>30.11</td> <td>0.00</td> <td>371</td> <td>184</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5714.70</td> <td>66.04</td> <td>109.42</td> <td>-43.38</td> <td>46.81</td> <td>34.56</td> <td>14.75</td> <td>30.08</td> <td>0.00</td> <td>371</td> <td>184</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5720.59</td> <td>65.70</td> <td>112.25</td> <td>-46.55</td> <td>46.42</td> <td>34.58</td> <td>14.78</td> <td>30.08</td> <td>0.00</td> <td>371</td> <td>184</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5624.18	59.92	68.20	-8.28	41.07	34.40	14.56	30.11	0.00	371	184	PEAK	2	5650.84	57.74	68.92	-11.18	38.85	34.40	14.60	30.11	0.00	371	184	PEAK	3	5714.70	66.04	109.42	-43.38	46.81	34.56	14.75	30.08	0.00	371	184	PEAK	4	5720.59	65.70	112.25	-46.55	46.42	34.58	14.78	30.08	0.00	371	184	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5755.00</td> <td>102.99</td> <td>-----</td> <td>83.42</td> <td>34.70</td> <td>14.94</td> <td>30.07</td> <td>0.00</td> <td>371</td> <td>184</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5755.00	102.99	-----	83.42	34.70	14.94	30.07	0.00	371	184	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																						
1	5624.18	59.92	68.20	-8.28	41.07	34.40	14.56	30.11	0.00	371	184	PEAK																																																																																																																				
2	5650.84	57.74	68.92	-11.18	38.85	34.40	14.60	30.11	0.00	371	184	PEAK																																																																																																																				
3	5714.70	66.04	109.42	-43.38	46.81	34.56	14.75	30.08	0.00	371	184	PEAK																																																																																																																				
4	5720.59	65.70	112.25	-46.55	46.42	34.58	14.78	30.08	0.00	371	184	PEAK																																																																																																																				
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																						
1	5755.00	102.99	-----	83.42	34.70	14.94	30.07	0.00	371	184	PEAK																																																																																																																					
Avg		<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5755.00</td> <td>93.29</td> <td>-----</td> <td>73.72</td> <td>34.70</td> <td>14.94</td> <td>30.07</td> <td>0.00</td> <td>371</td> <td>184</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5755.00	93.29	-----	73.72	34.70	14.94	30.07	0.00	371	184	AVERAGE																																																																																			
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																						
1	5755.00	93.29	-----	73.72	34.70	14.94	30.07	0.00	371	184	AVERAGE																																																																																																																					



Mode	36																																																																																	
	Band Edge - R																																																																																	
	U-NII-3_5.725-5.85_802.11ac VHT40_CH151_Full_5755MHz																																																																																	
Pol.	Vertical	Fundamental																																																																																
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5854.26</td> <td>57.41</td> <td>112.60</td> <td>-55.19</td> <td>37.65</td> <td>34.92</td> <td>14.87</td> <td>30.03</td> <td>0.00</td> <td>371</td> <td>184</td> <td>PEAK</td> </tr> <tr> <td>2 5874.93</td> <td>58.48</td> <td>105.32</td> <td>-46.84</td> <td>38.77</td> <td>35.00</td> <td>14.75</td> <td>30.04</td> <td>0.00</td> <td>371</td> <td>184</td> <td>PEAK</td> </tr> <tr> <td>3 5923.68</td> <td>59.23</td> <td>69.28</td> <td>-10.05</td> <td>39.67</td> <td>35.10</td> <td>14.53</td> <td>30.07</td> <td>0.00</td> <td>371</td> <td>184</td> <td>PEAK</td> </tr> <tr> <td>4 5932.26</td> <td>60.51</td> <td>68.20</td> <td>-7.69</td> <td>40.99</td> <td>35.10</td> <td>14.50</td> <td>30.08</td> <td>0.00</td> <td>371</td> <td>184</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5854.26	57.41	112.60	-55.19	37.65	34.92	14.87	30.03	0.00	371	184	PEAK	2 5874.93	58.48	105.32	-46.84	38.77	35.00	14.75	30.04	0.00	371	184	PEAK	3 5923.68	59.23	69.28	-10.05	39.67	35.10	14.53	30.07	0.00	371	184	PEAK	4 5932.26	60.51	68.20	-7.69	40.99	35.10	14.50	30.08	0.00	371	184	PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																								
1 5854.26	57.41	112.60	-55.19	37.65	34.92	14.87	30.03	0.00	371	184	PEAK																																																																							
2 5874.93	58.48	105.32	-46.84	38.77	35.00	14.75	30.04	0.00	371	184	PEAK																																																																							
3 5923.68	59.23	69.28	-10.05	39.67	35.10	14.53	30.07	0.00	371	184	PEAK																																																																							
4 5932.26	60.51	68.20	-7.69	40.99	35.10	14.50	30.08	0.00	371	184	PEAK																																																																							





Mode	36																																																																																	
	Harmonic																																																																																	
	U-NII-3_5.725-5.85_802.11ac VHT40_CH151_Full_5755MHz																																																																																	
Pol.	Horizontal	Vertical																																																																																
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11510.00</td> <td>46.14</td> <td>74.00</td> <td>-27.86</td> <td>52.60</td> <td>38.26</td> <td>19.19</td> <td>63.91</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11510.00	46.14	74.00	-27.86	52.60	38.26	19.19	63.91	0.00	---	---	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11510.00</td> <td>46.12</td> <td>74.00</td> <td>-27.88</td> <td>52.58</td> <td>38.26</td> <td>19.19</td> <td>63.91</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11510.00	46.12	74.00	-27.88	52.58	38.26	19.19	63.91	0.00	---	---	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1 11510.00	46.14	74.00	-27.86	52.60	38.26	19.19	63.91	0.00	---	---	PEAK																																																																							
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1 11510.00	46.12	74.00	-27.88	52.58	38.26	19.19	63.91	0.00	---	---	PEAK																																																																							






37																																																																																
Band Edge - L																																																																																
U-NII-3_5.725-5.85_802.11ac VHT40_CH159_Full_5795MHz																																																																																
Pol.	Horizontal																																																																															
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5610.00</td> <td>59.68</td> <td>68.20</td> <td>-8.52</td> <td>40.84</td> <td>34.40</td> <td>14.54</td> <td>30.10</td> <td>0.00</td> <td>0</td> <td>0</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5650.40</td> <td>58.86</td> <td>68.60</td> <td>-9.74</td> <td>39.97</td> <td>34.40</td> <td>14.60</td> <td>30.11</td> <td>0.00</td> <td>0</td> <td>0</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5706.00</td> <td>59.56</td> <td>106.90</td> <td>-47.42</td> <td>40.42</td> <td>34.52</td> <td>14.71</td> <td>30.09</td> <td>0.00</td> <td>0</td> <td>0</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5720.00</td> <td>58.34</td> <td>110.90</td> <td>-52.56</td> <td>39.06</td> <td>34.58</td> <td>14.78</td> <td>30.08</td> <td>0.00</td> <td>0</td> <td>0</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5610.00	59.68	68.20	-8.52	40.84	34.40	14.54	30.10	0.00	0	0	PEAK	2	5650.40	58.86	68.60	-9.74	39.97	34.40	14.60	30.11	0.00	0	0	PEAK	3	5706.00	59.56	106.90	-47.42	40.42	34.52	14.71	30.09	0.00	0	0	PEAK	4	5720.00	58.34	110.90	-52.56	39.06	34.58	14.78	30.08	0.00	0	0	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																								
1	5610.00	59.68	68.20	-8.52	40.84	34.40	14.54	30.10	0.00	0	0	PEAK																																																																				
2	5650.40	58.86	68.60	-9.74	39.97	34.40	14.60	30.11	0.00	0	0	PEAK																																																																				
3	5706.00	59.56	106.90	-47.42	40.42	34.52	14.71	30.09	0.00	0	0	PEAK																																																																				
4	5720.00	58.34	110.90	-52.56	39.06	34.58	14.78	30.08	0.00	0	0	PEAK																																																																				
Fundamental	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5795.00</td> <td>105.34</td> <td>-----</td> <td>-----</td> <td>85.45</td> <td>34.79</td> <td>15.15</td> <td>30.05</td> <td>0.00</td> <td>0</td> <td>0</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5795.00	105.34	-----	-----	85.45	34.79	15.15	30.05	0.00	0	0	PEAK																																							
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																								
1	5795.00	105.34	-----	-----	85.45	34.79	15.15	30.05	0.00	0	0	PEAK																																																																				
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5795.00</td> <td>95.48</td> <td>-----</td> <td>-----</td> <td>75.59</td> <td>34.79</td> <td>15.15</td> <td>30.05</td> <td>0.00</td> <td>0</td> <td>0</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5795.00	95.48	-----	-----	75.59	34.79	15.15	30.05	0.00	0	0	AVERAGE																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																								
1	5795.00	95.48	-----	-----	75.59	34.79	15.15	30.05	0.00	0	0	AVERAGE																																																																				
Fundamental	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5795.00</td> <td>95.48</td> <td>-----</td> <td>-----</td> <td>75.59</td> <td>34.79</td> <td>15.15</td> <td>30.05</td> <td>0.00</td> <td>0</td> <td>0</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5795.00	95.48	-----	-----	75.59	34.79	15.15	30.05	0.00	0	0	AVERAGE																																							
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																								
1	5795.00	95.48	-----	-----	75.59	34.79	15.15	30.05	0.00	0	0	AVERAGE																																																																				



Mode	37																																																																									
	Band Edge - R																																																																									
	U-NII-3_5.725-5.85_802.11ac VHT40_CH159_Full_5795MHz																																																																									
Pol.	Horizontal	Fundamental																																																																								
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5854.00</td> <td>60.97</td> <td>113.18</td> <td>-52.21</td> <td>41.21</td> <td>34.92</td> <td>14.87</td> <td>30.03</td> <td>0.00</td> <td>0</td> <td>0</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5873.60</td> <td>59.63</td> <td>105.69</td> <td>-46.06</td> <td>39.93</td> <td>34.99</td> <td>14.75</td> <td>30.04</td> <td>0.00</td> <td>0</td> <td>0</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5924.00</td> <td>58.81</td> <td>69.04</td> <td>-10.23</td> <td>39.25</td> <td>35.10</td> <td>14.53</td> <td>30.07</td> <td>0.00</td> <td>0</td> <td>0</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5949.60</td> <td>60.04</td> <td>68.20</td> <td>-8.16</td> <td>40.58</td> <td>35.10</td> <td>14.45</td> <td>30.09</td> <td>0.00</td> <td>0</td> <td>0</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	1	5854.00	60.97	113.18	-52.21	41.21	34.92	14.87	30.03	0.00	0	0	PEAK	2	5873.60	59.63	105.69	-46.06	39.93	34.99	14.75	30.04	0.00	0	0	PEAK	3	5924.00	58.81	69.04	-10.23	39.25	35.10	14.53	30.07	0.00	0	0	PEAK	4	5949.60	60.04	68.20	-8.16	40.58	35.10	14.45	30.09	0.00	0	0	PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																
1	5854.00	60.97	113.18	-52.21	41.21	34.92	14.87	30.03	0.00	0	0	PEAK																																																														
2	5873.60	59.63	105.69	-46.06	39.93	34.99	14.75	30.04	0.00	0	0	PEAK																																																														
3	5924.00	58.81	69.04	-10.23	39.25	35.10	14.53	30.07	0.00	0	0	PEAK																																																														
4	5949.60	60.04	68.20	-8.16	40.58	35.10	14.45	30.09	0.00	0	0	PEAK																																																														



		37																																																																																																					
Mode		Band Edge - L																																																																																																					
		U-NII-3_5.725-5.85_802.11ac VHT40_CH159_Full_5795MHz																																																																																																					
Pol.	Vertical	Fundamental																																																																																																					
Peak	 <p>Level (dBuV/m) vs Frequency (MHz) plot showing a peak at 5795 MHz. The y-axis ranges from 0 to 130 dBuV/m, and the x-axis ranges from 5600 to 6000 MHz. A red limit line is shown at approximately 113.8 dBuV/m. The peak is labeled 'U-NII-3'.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5646.00</td> <td>58.95</td> <td>68.20</td> <td>-9.25</td> <td>40.07</td> <td>34.40</td> <td>14.59</td> <td>30.11</td> <td>0.00</td> <td>385</td> <td>209</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5651.60</td> <td>57.39</td> <td>69.49</td> <td>-12.10</td> <td>38.50</td> <td>34.40</td> <td>14.60</td> <td>30.11</td> <td>0.00</td> <td>385</td> <td>209</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5701.20</td> <td>56.82</td> <td>105.64</td> <td>-48.82</td> <td>37.72</td> <td>34.50</td> <td>14.69</td> <td>30.09</td> <td>0.00</td> <td>385</td> <td>209</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5720.00</td> <td>57.07</td> <td>110.90</td> <td>-53.83</td> <td>37.79</td> <td>34.58</td> <td>14.78</td> <td>30.08</td> <td>0.00</td> <td>385</td> <td>209</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	1	5646.00	58.95	68.20	-9.25	40.07	34.40	14.59	30.11	0.00	385	209	PEAK	2	5651.60	57.39	69.49	-12.10	38.50	34.40	14.60	30.11	0.00	385	209	PEAK	3	5701.20	56.82	105.64	-48.82	37.72	34.50	14.69	30.09	0.00	385	209	PEAK	4	5720.00	57.07	110.90	-53.83	37.79	34.58	14.78	30.08	0.00	385	209	PEAK	 <p>Level (dBuV/m) vs Frequency (MHz) plot showing a peak at 5795 MHz. The y-axis ranges from 0 to 130 dBuV/m, and the x-axis ranges from 1000 to 7000 MHz. A red limit line is shown at approximately 113.8 dBuV/m. The peak is labeled 'U-NII-3'.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5795.00</td> <td>102.48</td> <td>-----</td> <td>-----</td> <td>82.59</td> <td>34.79</td> <td>15.15</td> <td>30.05</td> <td>0.00</td> <td>385</td> <td>209</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	1	5795.00	102.48	-----	-----	82.59	34.79	15.15	30.05	0.00	385	209	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																															
1	5646.00	58.95	68.20	-9.25	40.07	34.40	14.59	30.11	0.00	385	209	PEAK																																																																																											
2	5651.60	57.39	69.49	-12.10	38.50	34.40	14.60	30.11	0.00	385	209	PEAK																																																																																											
3	5701.20	56.82	105.64	-48.82	37.72	34.50	14.69	30.09	0.00	385	209	PEAK																																																																																											
4	5720.00	57.07	110.90	-53.83	37.79	34.58	14.78	30.08	0.00	385	209	PEAK																																																																																											
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																															
1	5795.00	102.48	-----	-----	82.59	34.79	15.15	30.05	0.00	385	209	PEAK																																																																																											
Avg		 <p>Level (dBuV/m) vs Frequency (MHz) plot showing an average peak at 5795 MHz. The y-axis ranges from 0 to 130 dBuV/m, and the x-axis ranges from 1000 to 7000 MHz. A red limit line is shown at approximately 113.8 dBuV/m. The peak is labeled 'U-NII-3(AVG)'.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5795.00</td> <td>92.72</td> <td>-----</td> <td>-----</td> <td>72.83</td> <td>34.79</td> <td>15.15</td> <td>30.05</td> <td>0.00</td> <td>385</td> <td>209</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	1	5795.00	92.72	-----	-----	72.83	34.79	15.15	30.05	0.00	385	209	AVERAGE																																																																						
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																															
1	5795.00	92.72	-----	-----	72.83	34.79	15.15	30.05	0.00	385	209	AVERAGE																																																																																											



Mode	37																																																																									
	Band Edge - R																																																																									
	U-NII-3_5.725-5.85_802.11ac VHT40_CH159_Full_5795MHz																																																																									
Pol.	Vertical	Fundamental																																																																								
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5854.80</td> <td>58.51</td> <td>111.36</td> <td>-52.85</td> <td>38.76</td> <td>34.92</td> <td>14.86</td> <td>30.03</td> <td>0.00</td> <td>385</td> <td>209</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5873.60</td> <td>57.94</td> <td>105.69</td> <td>-47.75</td> <td>38.24</td> <td>34.99</td> <td>14.75</td> <td>30.04</td> <td>0.00</td> <td>385</td> <td>209</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5923.60</td> <td>56.35</td> <td>69.33</td> <td>-12.98</td> <td>36.79</td> <td>35.10</td> <td>14.53</td> <td>30.07</td> <td>0.00</td> <td>385</td> <td>209</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5955.60</td> <td>59.12</td> <td>68.20</td> <td>-9.08</td> <td>39.66</td> <td>35.12</td> <td>14.43</td> <td>30.09</td> <td>0.00</td> <td>385</td> <td>209</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	1	5854.80	58.51	111.36	-52.85	38.76	34.92	14.86	30.03	0.00	385	209	PEAK	2	5873.60	57.94	105.69	-47.75	38.24	34.99	14.75	30.04	0.00	385	209	PEAK	3	5923.60	56.35	69.33	-12.98	36.79	35.10	14.53	30.07	0.00	385	209	PEAK	4	5955.60	59.12	68.20	-9.08	39.66	35.12	14.43	30.09	0.00	385	209	PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																
1	5854.80	58.51	111.36	-52.85	38.76	34.92	14.86	30.03	0.00	385	209	PEAK																																																														
2	5873.60	57.94	105.69	-47.75	38.24	34.99	14.75	30.04	0.00	385	209	PEAK																																																														
3	5923.60	56.35	69.33	-12.98	36.79	35.10	14.53	30.07	0.00	385	209	PEAK																																																														
4	5955.60	59.12	68.20	-9.08	39.66	35.12	14.43	30.09	0.00	385	209	PEAK																																																														



Mode	37																																																																																	
	Harmonic																																																																																	
	U-NII-3_5.725-5.85_802.11ac VHT40_CH159_Full_5795MHz																																																																																	
Pol.	Horizontal	Vertical																																																																																
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11590.00</td> <td>45.92</td> <td>74.00</td> <td>-28.08</td> <td>52.50</td> <td>38.33</td> <td>19.20</td> <td>64.11</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11590.00	45.92	74.00	-28.08	52.50	38.33	19.20	64.11	0.00	---	---	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11590.00</td> <td>47.34</td> <td>74.00</td> <td>-26.66</td> <td>53.92</td> <td>38.33</td> <td>19.20</td> <td>64.11</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11590.00	47.34	74.00	-26.66	53.92	38.33	19.20	64.11	0.00	---	---	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1 11590.00	45.92	74.00	-28.08	52.50	38.33	19.20	64.11	0.00	---	---	PEAK																																																																							
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1 11590.00	47.34	74.00	-26.66	53.92	38.33	19.20	64.11	0.00	---	---	PEAK																																																																							



		38																																																																																																																															
Mode		Band Edge - L																																																																																																																															
		U-NII-3_5.725-5.85_802.11ac VHT80_CH155_Full_5775MHz																																																																																																																															
Pol.	Horizontal	Fundamental																																																																																																																															
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5631.60</td> <td>60.95</td> <td>68.20</td> <td>-7.25</td> <td>42.09</td> <td>34.40</td> <td>14.57</td> <td>30.11</td> <td>0.00</td> <td>0</td> <td>0</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5650.00</td> <td>58.14</td> <td>68.26</td> <td>-10.12</td> <td>39.25</td> <td>34.40</td> <td>14.60</td> <td>30.11</td> <td>0.00</td> <td>0</td> <td>0</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5700.00</td> <td>67.72</td> <td>105.30</td> <td>-37.58</td> <td>48.63</td> <td>34.50</td> <td>14.60</td> <td>30.09</td> <td>0.00</td> <td>0</td> <td>0</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5720.80</td> <td>69.78</td> <td>112.72</td> <td>-42.94</td> <td>50.50</td> <td>34.58</td> <td>14.78</td> <td>30.08</td> <td>0.00</td> <td>0</td> <td>0</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5631.60	60.95	68.20	-7.25	42.09	34.40	14.57	30.11	0.00	0	0	PEAK	2	5650.00	58.14	68.26	-10.12	39.25	34.40	14.60	30.11	0.00	0	0	PEAK	3	5700.00	67.72	105.30	-37.58	48.63	34.50	14.60	30.09	0.00	0	0	PEAK	4	5720.80	69.78	112.72	-42.94	50.50	34.58	14.78	30.08	0.00	0	0	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5775.00</td> <td>100.94</td> <td>-----</td> <td>81.23</td> <td>34.74</td> <td>15.03</td> <td>30.06</td> <td>0.00</td> <td>0</td> <td>0</td> <td>0</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5775.00	100.94	-----	81.23	34.74	15.03	30.06	0.00	0	0	0	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																							
1	5631.60	60.95	68.20	-7.25	42.09	34.40	14.57	30.11	0.00	0	0	PEAK																																																																																																																					
2	5650.00	58.14	68.26	-10.12	39.25	34.40	14.60	30.11	0.00	0	0	PEAK																																																																																																																					
3	5700.00	67.72	105.30	-37.58	48.63	34.50	14.60	30.09	0.00	0	0	PEAK																																																																																																																					
4	5720.80	69.78	112.72	-42.94	50.50	34.58	14.78	30.08	0.00	0	0	PEAK																																																																																																																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																							
1	5775.00	100.94	-----	81.23	34.74	15.03	30.06	0.00	0	0	0	PEAK																																																																																																																					
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5775.00</td> <td>91.05</td> <td>-----</td> <td>71.30</td> <td>34.75</td> <td>15.06</td> <td>30.06</td> <td>0.00</td> <td>0</td> <td>0</td> <td>0</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5775.00	91.05	-----	71.30	34.75	15.06	30.06	0.00	0	0	0	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5775.00</td> <td>91.05</td> <td>-----</td> <td>71.30</td> <td>34.75</td> <td>15.06</td> <td>30.06</td> <td>0.00</td> <td>0</td> <td>0</td> <td>0</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5775.00	91.05	-----	71.30	34.75	15.06	30.06	0.00	0	0	0	AVERAGE																																							
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																							
1	5775.00	91.05	-----	71.30	34.75	15.06	30.06	0.00	0	0	0	AVERAGE																																																																																																																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																							
1	5775.00	91.05	-----	71.30	34.75	15.06	30.06	0.00	0	0	0	AVERAGE																																																																																																																					



Mode	38																																																																																				
	Band Edge - R																																																																																				
	U-NII-3_5.725-5.85_802.11ac VHT80_CH155_Full_5775MHz																																																																																				
Pol.	Horizontal	Fundamental																																																																																			
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5853.60</td> <td>66.95</td> <td>114.09</td> <td>-47.14</td> <td>47.20</td> <td>34.91</td> <td>14.87</td> <td>30.03</td> <td>0.00</td> <td>0</td> <td>0</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5870.80</td> <td>63.21</td> <td>106.47</td> <td>-43.26</td> <td>43.50</td> <td>34.98</td> <td>14.77</td> <td>30.04</td> <td>0.00</td> <td>0</td> <td>0</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5922.80</td> <td>60.03</td> <td>69.92</td> <td>-9.89</td> <td>40.47</td> <td>35.10</td> <td>14.53</td> <td>30.07</td> <td>0.00</td> <td>0</td> <td>0</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5948.00</td> <td>59.35</td> <td>68.20</td> <td>-8.85</td> <td>39.88</td> <td>35.10</td> <td>14.46</td> <td>30.09</td> <td>0.00</td> <td>0</td> <td>0</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB			1	5853.60	66.95	114.09	-47.14	47.20	34.91	14.87	30.03	0.00	0	0	PEAK	2	5870.80	63.21	106.47	-43.26	43.50	34.98	14.77	30.04	0.00	0	0	PEAK	3	5922.80	60.03	69.92	-9.89	40.47	35.10	14.53	30.07	0.00	0	0	PEAK	4	5948.00	59.35	68.20	-8.85	39.88	35.10	14.46	30.09	0.00	0	0	PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																													
1	5853.60	66.95	114.09	-47.14	47.20	34.91	14.87	30.03	0.00	0	0	PEAK																																																																									
2	5870.80	63.21	106.47	-43.26	43.50	34.98	14.77	30.04	0.00	0	0	PEAK																																																																									
3	5922.80	60.03	69.92	-9.89	40.47	35.10	14.53	30.07	0.00	0	0	PEAK																																																																									
4	5948.00	59.35	68.20	-8.85	39.88	35.10	14.46	30.09	0.00	0	0	PEAK																																																																									





		38																																																																																																																															
Mode		Band Edge - L																																																																																																																															
		U-NII-3_5.725-5.85_802.11ac VHT80_CH155_Full_5775MHz																																																																																																																															
Pol.	Vertical	Fundamental																																																																																																																															
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5641.60</td> <td>58.66</td> <td>68.20</td> <td>-9.54</td> <td>39.78</td> <td>34.40</td> <td>14.59</td> <td>30.11</td> <td>0.00</td> <td>141</td> <td>211</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5650.80</td> <td>57.65</td> <td>68.89</td> <td>-11.24</td> <td>38.76</td> <td>34.40</td> <td>14.60</td> <td>30.11</td> <td>0.00</td> <td>141</td> <td>211</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5701.20</td> <td>62.04</td> <td>105.64</td> <td>-43.60</td> <td>42.94</td> <td>34.50</td> <td>14.69</td> <td>30.09</td> <td>0.00</td> <td>141</td> <td>211</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5721.60</td> <td>65.14</td> <td>114.55</td> <td>-49.41</td> <td>45.84</td> <td>34.59</td> <td>14.79</td> <td>30.08</td> <td>0.00</td> <td>141</td> <td>211</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5641.60	58.66	68.20	-9.54	39.78	34.40	14.59	30.11	0.00	141	211	PEAK	2	5650.80	57.65	68.89	-11.24	38.76	34.40	14.60	30.11	0.00	141	211	PEAK	3	5701.20	62.04	105.64	-43.60	42.94	34.50	14.69	30.09	0.00	141	211	PEAK	4	5721.60	65.14	114.55	-49.41	45.84	34.59	14.79	30.08	0.00	141	211	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5775.00</td> <td>96.07</td> <td>-----</td> <td>-----</td> <td>76.45</td> <td>34.72</td> <td>14.97</td> <td>30.07</td> <td>0.00</td> <td>141</td> <td>211</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5775.00	96.07	-----	-----	76.45	34.72	14.97	30.07	0.00	141	211	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																							
1	5641.60	58.66	68.20	-9.54	39.78	34.40	14.59	30.11	0.00	141	211	PEAK																																																																																																																					
2	5650.80	57.65	68.89	-11.24	38.76	34.40	14.60	30.11	0.00	141	211	PEAK																																																																																																																					
3	5701.20	62.04	105.64	-43.60	42.94	34.50	14.69	30.09	0.00	141	211	PEAK																																																																																																																					
4	5721.60	65.14	114.55	-49.41	45.84	34.59	14.79	30.08	0.00	141	211	PEAK																																																																																																																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																							
1	5775.00	96.07	-----	-----	76.45	34.72	14.97	30.07	0.00	141	211	PEAK																																																																																																																					
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5775.00</td> <td>86.49</td> <td>-----</td> <td>-----</td> <td>66.82</td> <td>34.73</td> <td>15.00</td> <td>30.06</td> <td>0.00</td> <td>141</td> <td>211</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5775.00	86.49	-----	-----	66.82	34.73	15.00	30.06	0.00	141	211	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5775.00</td> <td>86.49</td> <td>-----</td> <td>-----</td> <td>66.82</td> <td>34.73</td> <td>15.00</td> <td>30.06</td> <td>0.00</td> <td>141</td> <td>211</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5775.00	86.49	-----	-----	66.82	34.73	15.00	30.06	0.00	141	211	AVERAGE																																							
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																							
1	5775.00	86.49	-----	-----	66.82	34.73	15.00	30.06	0.00	141	211	AVERAGE																																																																																																																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																							
1	5775.00	86.49	-----	-----	66.82	34.73	15.00	30.06	0.00	141	211	AVERAGE																																																																																																																					



Mode	38																																																																													
	Band Edge - R																																																																													
	U-NII-3_5.725-5.85_802.11ac VHT80_CH155_Full_5775MHz																																																																													
Pol.	Vertical	Fundamental																																																																												
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5854.00</td> <td>59.61</td> <td>111.36</td> <td>-51.75</td> <td>39.86</td> <td>34.92</td> <td>14.86</td> <td>30.03</td> <td>0.00</td> <td>141</td> <td>211</td> <td>PEAK</td> </tr> <tr> <td>2 5873.20</td> <td>60.75</td> <td>105.80</td> <td>-45.05</td> <td>41.04</td> <td>34.99</td> <td>14.76</td> <td>30.04</td> <td>0.00</td> <td>141</td> <td>211</td> <td>PEAK</td> </tr> <tr> <td>3 5924.80</td> <td>58.38</td> <td>68.45</td> <td>-10.07</td> <td>38.82</td> <td>35.10</td> <td>14.53</td> <td>30.07</td> <td>0.00</td> <td>141</td> <td>211</td> <td>PEAK</td> </tr> <tr> <td>4 5930.00</td> <td>58.42</td> <td>68.20</td> <td>-9.78</td> <td>38.89</td> <td>35.10</td> <td>14.51</td> <td>30.08</td> <td>0.00</td> <td>141</td> <td>211</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5854.00	59.61	111.36	-51.75	39.86	34.92	14.86	30.03	0.00	141	211	PEAK	2 5873.20	60.75	105.80	-45.05	41.04	34.99	14.76	30.04	0.00	141	211	PEAK	3 5924.80	58.38	68.45	-10.07	38.82	35.10	14.53	30.07	0.00	141	211	PEAK	4 5930.00	58.42	68.20	-9.78	38.89	35.10	14.51	30.08	0.00	141	211	PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																					
1 5854.00	59.61	111.36	-51.75	39.86	34.92	14.86	30.03	0.00	141	211	PEAK																																																																			
2 5873.20	60.75	105.80	-45.05	41.04	34.99	14.76	30.04	0.00	141	211	PEAK																																																																			
3 5924.80	58.38	68.45	-10.07	38.82	35.10	14.53	30.07	0.00	141	211	PEAK																																																																			
4 5930.00	58.42	68.20	-9.78	38.89	35.10	14.51	30.08	0.00	141	211	PEAK																																																																			



		38																																																																																		
Mode	Harmonic																																																																																			
	U-NII-3_5.725-5.85_802.11ac VHT80_CH155_Full_5775MHz																																																																																			
Pol.	Horizontal	Vertical																																																																																		
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11550.00</td> <td>45.27</td> <td>74.00</td> <td>-28.73</td> <td>51.80</td> <td>38.29</td> <td>19.19</td> <td>64.01</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11550.00	45.27	74.00	-28.73	51.80	38.29	19.19	64.01	0.00	---	---	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11550.00</td> <td>45.61</td> <td>74.00</td> <td>-28.39</td> <td>52.14</td> <td>38.29</td> <td>19.19</td> <td>64.01</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11550.00	45.61	74.00	-28.39	52.14	38.29	19.19	64.01	0.00	---	---	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	11550.00	45.27	74.00	-28.73	51.80	38.29	19.19	64.01	0.00	---	---	PEAK																																																																								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	11550.00	45.61	74.00	-28.39	52.14	38.29	19.19	64.01	0.00	---	---	PEAK																																																																								
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11550.00</td> <td>45.27</td> <td>74.00</td> <td>-28.73</td> <td>51.80</td> <td>38.29</td> <td>19.19</td> <td>64.01</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11550.00	45.27	74.00	-28.73	51.80	38.29	19.19	64.01	0.00	---	---	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11550.00</td> <td>45.61</td> <td>74.00</td> <td>-28.39</td> <td>52.14</td> <td>38.29</td> <td>19.19</td> <td>64.01</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11550.00	45.61	74.00	-28.39	52.14	38.29	19.19	64.01	0.00	---	---	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	11550.00	45.27	74.00	-28.73	51.80	38.29	19.19	64.01	0.00	---	---	PEAK																																																																								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	11550.00	45.61	74.00	-28.39	52.14	38.29	19.19	64.01	0.00	---	---	PEAK																																																																								



Mode	39																																																																																	
	Harmonic																																																																																	
	U-NII-2C_5.47-5.85_802.11a_CH144_5720MHz																																																																																	
Pol.	Horizontal	Vertical																																																																																
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11440.00</td> <td>46.96</td> <td>74.00</td> <td>-27.04</td> <td>53.68</td> <td>38.20</td> <td>19.03</td> <td>63.95</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11440.00	46.96	74.00	-27.04	53.68	38.20	19.03	63.95	0.00	---	---	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11440.00</td> <td>47.38</td> <td>74.00</td> <td>-26.62</td> <td>54.10</td> <td>38.20</td> <td>19.03</td> <td>63.95</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11440.00	47.38	74.00	-26.62	54.10	38.20	19.03	63.95	0.00	---	---	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1 11440.00	46.96	74.00	-27.04	53.68	38.20	19.03	63.95	0.00	---	---	PEAK																																																																							
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1 11440.00	47.38	74.00	-26.62	54.10	38.20	19.03	63.95	0.00	---	---	PEAK																																																																							



Mode	40																																																																											
	Harmonic																																																																											
	U-NII-2C_5.47-5.85_802.11ac VHT20_CH144_5720MHz																																																																											
Pol.	Horizontal	Vertical																																																																										
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 11440.00</td> <td>47.48</td> <td>74.00</td> <td>-26.52</td> <td>54.20</td> <td>38.20</td> <td>19.03</td> <td>63.95</td> <td>0.00</td> <td>--- --- PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 11440.00	47.48	74.00	-26.52	54.20	38.20	19.03	63.95	0.00	--- --- PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 11440.00</td> <td>46.59</td> <td>74.00</td> <td>-27.41</td> <td>53.31</td> <td>38.20</td> <td>19.03</td> <td>63.95</td> <td>0.00</td> <td>--- --- PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 11440.00	46.59	74.00	-27.41	53.31	38.20	19.03	63.95	0.00	--- --- PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																				
1 11440.00	47.48	74.00	-26.52	54.20	38.20	19.03	63.95	0.00	--- --- PEAK																																																																			
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																				
1 11440.00	46.59	74.00	-27.41	53.31	38.20	19.03	63.95	0.00	--- --- PEAK																																																																			



Mode	41																																																																																							
	Harmonic																																																																																							
	U-NII-2C_5.47-5.85_802.11ac VHT40_CH142_5710MHz																																																																																							
Pol.	Horizontal	Vertical																																																																																						
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11420.00</td> <td>46.32</td> <td>74.00</td> <td>-27.68</td> <td>53.14</td> <td>38.18</td> <td>18.97</td> <td>63.97</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	Remark	1	11420.00	46.32	74.00	-27.68	53.14	38.18	18.97	63.97	0.00	---	---	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11420.00</td> <td>47.11</td> <td>74.00</td> <td>-26.89</td> <td>53.93</td> <td>38.18</td> <td>18.97</td> <td>63.97</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	Remark	1	11420.00	47.11	74.00	-26.89	53.93	38.18	18.97	63.97	0.00	---	---	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	Remark																																																																													
1	11420.00	46.32	74.00	-27.68	53.14	38.18	18.97	63.97	0.00	---	---	PEAK																																																																												
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	Remark																																																																													
1	11420.00	47.11	74.00	-26.89	53.93	38.18	18.97	63.97	0.00	---	---	PEAK																																																																												



Mode	42																																																																																							
	Harmonic																																																																																							
	U-NII-2C_5.47-5.85_802.11ac VHT80_CH138_5690MHz																																																																																							
Pol.	Horizontal	Vertical																																																																																						
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11380.00</td> <td>44.96</td> <td>74.00</td> <td>-29.04</td> <td>51.93</td> <td>38.14</td> <td>18.91</td> <td>64.02</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	Remark	1	11380.00	44.96	74.00	-29.04	51.93	38.14	18.91	64.02	0.00	---	---	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11380.00</td> <td>45.21</td> <td>74.00</td> <td>-28.79</td> <td>52.18</td> <td>38.14</td> <td>18.91</td> <td>64.02</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	Remark	1	11380.00	45.21	74.00	-28.79	52.18	38.14	18.91	64.02	0.00	---	---	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	Remark																																																																													
1	11380.00	44.96	74.00	-29.04	51.93	38.14	18.91	64.02	0.00	---	---	PEAK																																																																												
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	Remark																																																																													
1	11380.00	45.21	74.00	-28.79	52.18	38.14	18.91	64.02	0.00	---	---	PEAK																																																																												



Mode	43																																																																																																																																																																																																																									
	LF																																																																																																																																																																																																																									
	U-NII-2A_5.25-5.35_802.11a_CH64_5320MHz																																																																																																																																																																																																																									
Pol.	Horizontal	Vertical																																																																																																																																																																																																																								
Peak/QP	<p>Site : 03CH06-KS            Condition : U-NII-1-U-NII-2A-U-N 3m LF 6111D SN44483 HORIZONTAL            Project : 352916</p> <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>Read</th> <th>Cable</th> <th>Antenna</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr><td>1</td><td>31.94</td><td>20.64</td><td>-19.36</td><td>40.00</td><td>28.43</td><td>0.48</td><td>24.04</td><td>32.31</td><td>---</td><td>---</td><td>Peak</td></tr> <tr><td>2</td><td>173.56</td><td>19.81</td><td>-23.69</td><td>43.50</td><td>34.73</td><td>1.77</td><td>15.48</td><td>32.17</td><td>---</td><td>---</td><td>Peak</td></tr> <tr><td>3</td><td>350.10</td><td>22.05</td><td>-23.95</td><td>46.00</td><td>31.24</td><td>2.52</td><td>20.50</td><td>32.21</td><td>---</td><td>---</td><td>Peak</td></tr> <tr><td>4</td><td>496.57</td><td>22.42</td><td>-23.58</td><td>46.00</td><td>28.09</td><td>3.01</td><td>23.93</td><td>32.61</td><td>---</td><td>---</td><td>Peak</td></tr> <tr><td>5</td><td>636.25</td><td>25.79</td><td>-20.21</td><td>46.00</td><td>28.41</td><td>3.41</td><td>26.31</td><td>32.34</td><td>---</td><td>---</td><td>Peak</td></tr> <tr><td>6</td><td>736.16</td><td>27.74</td><td>-18.26</td><td>46.00</td><td>28.47</td><td>3.67</td><td>27.79</td><td>32.19</td><td>---</td><td>---</td><td>Peak</td></tr> <tr><td>7</td><td>958.29</td><td>31.00</td><td>-15.00</td><td>46.00</td><td>26.80</td><td>4.17</td><td>30.93</td><td>30.90</td><td>---</td><td>---</td><td>Peak</td></tr> </tbody> </table>	Peak	Freq	Level	Over	Limit	Read	Cable	Antenna	Preamp	A/Pos	T/Pos	Remark		MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB/m	dB	cm	deg		1	31.94	20.64	-19.36	40.00	28.43	0.48	24.04	32.31	---	---	Peak	2	173.56	19.81	-23.69	43.50	34.73	1.77	15.48	32.17	---	---	Peak	3	350.10	22.05	-23.95	46.00	31.24	2.52	20.50	32.21	---	---	Peak	4	496.57	22.42	-23.58	46.00	28.09	3.01	23.93	32.61	---	---	Peak	5	636.25	25.79	-20.21	46.00	28.41	3.41	26.31	32.34	---	---	Peak	6	736.16	27.74	-18.26	46.00	28.47	3.67	27.79	32.19	---	---	Peak	7	958.29	31.00	-15.00	46.00	26.80	4.17	30.93	30.90	---	---	Peak	<p>Site : 03CH06-KS            Condition : U-NII-1-U-NII-2A-U-N 3m LF 6111D SN44483 VERTICAL            Project : 352916</p> <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>Read</th> <th>Cable</th> <th>Antenna</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr><td>1</td><td>37.76</td><td>29.19</td><td>-10.81</td><td>40.00</td><td>40.16</td><td>0.56</td><td>20.86</td><td>32.39</td><td>---</td><td>---</td><td>Peak</td></tr> <tr><td>2</td><td>109.54</td><td>16.85</td><td>-26.65</td><td>43.50</td><td>30.61</td><td>1.41</td><td>17.00</td><td>32.17</td><td>---</td><td>---</td><td>Peak</td></tr> <tr><td>3</td><td>207.51</td><td>17.16</td><td>-26.34</td><td>43.50</td><td>32.20</td><td>1.95</td><td>15.18</td><td>32.17</td><td>---</td><td>---</td><td>Peak</td></tr> <tr><td>4</td><td>410.24</td><td>19.66</td><td>-26.34</td><td>46.00</td><td>27.08</td><td>2.73</td><td>22.15</td><td>32.30</td><td>---</td><td>---</td><td>Peak</td></tr> <tr><td>5</td><td>574.17</td><td>23.46</td><td>-22.54</td><td>46.00</td><td>27.08</td><td>3.23</td><td>25.59</td><td>32.44</td><td>---</td><td>---</td><td>Peak</td></tr> <tr><td>6</td><td>801.15</td><td>27.16</td><td>-18.84</td><td>46.00</td><td>27.18</td><td>3.82</td><td>28.22</td><td>32.06</td><td>---</td><td>---</td><td>Peak</td></tr> <tr><td>7</td><td>953.44</td><td>30.34</td><td>-15.66</td><td>46.00</td><td>26.16</td><td>4.16</td><td>30.97</td><td>30.95</td><td>---</td><td>---</td><td>Peak</td></tr> </tbody> </table>	Peak	Freq	Level	Over	Limit	Read	Cable	Antenna	Preamp	A/Pos	T/Pos	Remark		MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB/m	dB	cm	deg		1	37.76	29.19	-10.81	40.00	40.16	0.56	20.86	32.39	---	---	Peak	2	109.54	16.85	-26.65	43.50	30.61	1.41	17.00	32.17	---	---	Peak	3	207.51	17.16	-26.34	43.50	32.20	1.95	15.18	32.17	---	---	Peak	4	410.24	19.66	-26.34	46.00	27.08	2.73	22.15	32.30	---	---	Peak	5	574.17	23.46	-22.54	46.00	27.08	3.23	25.59	32.44	---	---	Peak	6	801.15	27.16	-18.84	46.00	27.18	3.82	28.22	32.06	---	---	Peak	7	953.44	30.34	-15.66	46.00	26.16	4.16	30.97	30.95	---	---	Peak
Peak	Freq	Level	Over	Limit	Read	Cable	Antenna	Preamp	A/Pos	T/Pos	Remark																																																																																																																																																																																																															
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB/m	dB	cm	deg																																																																																																																																																																																																																
1	31.94	20.64	-19.36	40.00	28.43	0.48	24.04	32.31	---	---	Peak																																																																																																																																																																																																															
2	173.56	19.81	-23.69	43.50	34.73	1.77	15.48	32.17	---	---	Peak																																																																																																																																																																																																															
3	350.10	22.05	-23.95	46.00	31.24	2.52	20.50	32.21	---	---	Peak																																																																																																																																																																																																															
4	496.57	22.42	-23.58	46.00	28.09	3.01	23.93	32.61	---	---	Peak																																																																																																																																																																																																															
5	636.25	25.79	-20.21	46.00	28.41	3.41	26.31	32.34	---	---	Peak																																																																																																																																																																																																															
6	736.16	27.74	-18.26	46.00	28.47	3.67	27.79	32.19	---	---	Peak																																																																																																																																																																																																															
7	958.29	31.00	-15.00	46.00	26.80	4.17	30.93	30.90	---	---	Peak																																																																																																																																																																																																															
Peak	Freq	Level	Over	Limit	Read	Cable	Antenna	Preamp	A/Pos	T/Pos	Remark																																																																																																																																																																																																															
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB/m	dB	cm	deg																																																																																																																																																																																																																
1	37.76	29.19	-10.81	40.00	40.16	0.56	20.86	32.39	---	---	Peak																																																																																																																																																																																																															
2	109.54	16.85	-26.65	43.50	30.61	1.41	17.00	32.17	---	---	Peak																																																																																																																																																																																																															
3	207.51	17.16	-26.34	43.50	32.20	1.95	15.18	32.17	---	---	Peak																																																																																																																																																																																																															
4	410.24	19.66	-26.34	46.00	27.08	2.73	22.15	32.30	---	---	Peak																																																																																																																																																																																																															
5	574.17	23.46	-22.54	46.00	27.08	3.23	25.59	32.44	---	---	Peak																																																																																																																																																																																																															
6	801.15	27.16	-18.84	46.00	27.18	3.82	28.22	32.06	---	---	Peak																																																																																																																																																																																																															
7	953.44	30.34	-15.66	46.00	26.16	4.16	30.97	30.95	---	---	Peak																																																																																																																																																																																																															









		44																																																																																									
Mode	Band Edge																																																																																										
	U-NII-2A_5.25-5.35_802.11a_CH64_5320MHz																																																																																										
Pol.	Horizontal		Fundamental																																																																																								
Peak																																																																																											
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5355.42</td> <td>61.39</td> <td>74.00</td> <td>-12.61</td> <td>48.89</td> <td>34.52</td> <td>9.91</td> <td>31.93</td> <td>0.00</td> <td>100</td> <td>83</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5355.42	61.39	74.00	-12.61	48.89	34.52	9.91	31.93	0.00	100	83	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5320.00</td> <td>106.15</td> <td>-----</td> <td>-----</td> <td>93.60</td> <td>34.56</td> <td>9.90</td> <td>31.91</td> <td>0.00</td> <td>100</td> <td>83</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5320.00	106.15	-----	-----	93.60	34.56	9.90	31.91	0.00	100	83
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																	
1	5355.42	61.39	74.00	-12.61	48.89	34.52	9.91	31.93	0.00	100	83	PEAK																																																																															
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																	
1	5320.00	106.15	-----	-----	93.60	34.56	9.90	31.91	0.00	100	83	PEAK																																																																															
Avg																																																																																											
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5350.10</td> <td>46.69</td> <td>54.00</td> <td>-7.31</td> <td>34.20</td> <td>34.50</td> <td>9.91</td> <td>31.92</td> <td>0.00</td> <td>100</td> <td>83</td> <td>AVERAGE</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5350.10	46.69	54.00	-7.31	34.20	34.50	9.91	31.92	0.00	100	83	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5320.00</td> <td>98.35</td> <td>-----</td> <td>-----</td> <td>85.80</td> <td>34.56</td> <td>9.90</td> <td>31.91</td> <td>0.00</td> <td>100</td> <td>83</td> <td>AVERAGE</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5320.00	98.35	-----	-----	85.80	34.56	9.90	31.91	0.00	100	83
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																	
1	5350.10	46.69	54.00	-7.31	34.20	34.50	9.91	31.92	0.00	100	83	AVERAGE																																																																															
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																	
1	5320.00	98.35	-----	-----	85.80	34.56	9.90	31.91	0.00	100	83	AVERAGE																																																																															

Note: the highest signals over limit are WLAN 5G + WWAN co-location fundamental signals.



		44																																																																																								
Mode	Band Edge																																																																																									
	U-NII-2A_5.25-5.35_802.11a_CH64_5320MHz																																																																																									
Pol.	Vertical	Fundamental																																																																																								
Peak	 <table border="1" data-bbox="255 1052 798 1187"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5353.18</td> <td>61.48</td> <td>74.00</td> <td>-12.52</td> <td>48.99</td> <td>34.51</td> <td>9.91</td> <td>31.93</td> <td>0.00</td> <td>294</td> <td>103</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5353.18	61.48	74.00	-12.52	48.99	34.51	9.91	31.93	0.00	294	103	PEAK	 <table border="1" data-bbox="877 1052 1420 1187"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5320.00</td> <td>107.51</td> <td>-----</td> <td>-----</td> <td>94.96</td> <td>34.56</td> <td>9.90</td> <td>31.91</td> <td>0.00</td> <td>294</td> <td>103</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5320.00	107.51	-----	-----	94.96	34.56	9.90	31.91	0.00	294	103	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	5353.18	61.48	74.00	-12.52	48.99	34.51	9.91	31.93	0.00	294	103	PEAK																																																																														
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	5320.00	107.51	-----	-----	94.96	34.56	9.90	31.91	0.00	294	103	PEAK																																																																														
Avg	 <table border="1" data-bbox="255 1747 798 1881"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5350.10</td> <td>47.38</td> <td>54.00</td> <td>-6.62</td> <td>34.89</td> <td>34.50</td> <td>9.91</td> <td>31.92</td> <td>0.00</td> <td>294</td> <td>103</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5350.10	47.38	54.00	-6.62	34.89	34.50	9.91	31.92	0.00	294	103	AVERAGE	 <table border="1" data-bbox="877 1747 1420 1881"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5320.00</td> <td>99.56</td> <td>-----</td> <td>-----</td> <td>87.01</td> <td>34.56</td> <td>9.90</td> <td>31.91</td> <td>0.00</td> <td>294</td> <td>103</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5320.00	99.56	-----	-----	87.01	34.56	9.90	31.91	0.00	294	103	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	5350.10	47.38	54.00	-6.62	34.89	34.50	9.91	31.92	0.00	294	103	AVERAGE																																																																														
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	5320.00	99.56	-----	-----	87.01	34.56	9.90	31.91	0.00	294	103	AVERAGE																																																																														

Note: the highest signals over limit are WLAN 5G + WWAN co-location fundamental signals.




Mode	44																																																																									
	Harmonic																																																																									
	U-NII-2A_5.25-5.35_802.11a_CH64_5320MHz																																																																									
Pol.	Horizontal	Vertical																																																																								
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 10640.00</td> <td>46.15</td> <td>74.00</td> <td>-27.85</td> <td>54.82</td> <td>37.90</td> <td>14.32</td> <td>60.89</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 10640.00	46.15	74.00	-27.85	54.82	37.90	14.32	60.89	0.00	---	---	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 10640.00</td> <td>46.20</td> <td>74.00</td> <td>-27.80</td> <td>54.87</td> <td>37.90</td> <td>14.32</td> <td>60.89</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 10640.00	46.20	74.00	-27.80	54.87	37.90	14.32	60.89	0.00	---	---	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																			
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																			
1 10640.00	46.15	74.00	-27.85	54.82	37.90	14.32	60.89	0.00	---	---	PEAK																																																															
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																			
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																			
1 10640.00	46.20	74.00	-27.80	54.87	37.90	14.32	60.89	0.00	---	---	PEAK																																																															

## Appendix D. Duty Cycle Plots

Band	Duty Cycle(%)	T(ms)	1/T(kHz)	VBW Setting
802.11a	100	-	-	10Hz
802.11ac VHT20	100	-	-	10Hz
802.11ac VHT40	100	-	-	10Hz
802.11ac VHT80	100	-	-	10Hz


### 802.11a



Date: 15 JUN 2023 03:20:32




### 802.11 ac VHT20



Date: 15 JUN 2023 03:21:34


### 802.11 ac VHT40



Date: 15 JUN 2023 03:22:12



802.11 ac VHT80



Date: 15 JUN 2023 03:23:12