



# Spot Check Evaluation

**APPLICANT** : Motorola Mobility LLC  
**EQUIPMENT** : Mobile Cellular Phone  
**BRAND NAME** : Motorola  
**MODEL NAME** : XT2343-2  
**FCC ID** : IHDT56AM5  
**STANDARD** : 47 CFR Part 2, 22(H), 24(E), 27(M), 27(Q), 90(S)  
47 CFR Part 15 Subpart C §15.225  
47 CFR Part 15 Subpart C §15.247  
47 CFR Part 15 Subpart E §15.407  
**TEST DATE(S)** : Jul. 04, 2023 ~ Jul. 17, 2023

We, Sporton International Inc. (Kunshan), would like to declare that the tested sample has been evaluated in accordance with the test procedures and has been in compliance with the applicable technical standards.

The test results in this report apply exclusively to the tested model / sample. Without written approval of Sporton International Inc. (Kunshan), the test report shall not be reproduced except in full.

Jason Jia

Approved by: Jason Jia



**Sporton International Inc. (Kunshan)**

**No. 1098, Pengxi North Road, Kunshan Economic Development Zone Jiangsu Province 215300  
People's Republic of China**



# TABLE OF CONTENTS

**REVISION HISTORY..... 3**

**1 GENERAL DESCRIPTION..... 4**

    1.1 Applicant ..... 4

    1.2 Manufacturer..... 4

    1.3 Product Feature of Equipment Under Test..... 4

    1.4 Modification of EUT ..... 4

    1.5 Testing Site..... 5

    1.6 Test Software..... 5

    1.7 Applicable Standards..... 5

    1.8 Specification of Accessory..... 6

**2 RE-USE OF MEASURED DATA..... 7**

    2.1 Introduction Section ..... 7

    2.2 Model Difference Information ..... 7

    2.3 Reference detail Section: ..... 8

    2.4 Spot Check Verification Data Section..... 9

**3 LIST OF MEASURING EQUIPMENT..... 11**

**4 MEASUREMENT UNCERTAINTY ..... 12**

**APPENDIX A. SETUP PHOTOGRAPHS**





# 1 General Description

## 1.1 Applicant

Motorola Mobility LLC  
222 W,Merchandise Mart Plaza, Chicago IL 60654 USA

## 1.2 Manufacturer

Motorola Mobility LLC  
222 W,Merchandise Mart Plaza, Chicago IL 60654 USA

## 1.3 Product Feature of Equipment Under Test

Product Feature	
Equipment	Mobile Cellular Phone
Brand Name	Motorola
Model Name	XT2343-2
FCC ID	IHDT56AM5
IMEI Code	Conducted: 353361260010276/353361260010284 Radiation: 353361260011019/353361260011027
HW Version	DVT2
SW Version	TTD33.32
EUT Stage	Identical Prototype

Remark: The above EUT's information was declared by manufacturer. Please refer to the specifications or user's manual for more detailed description.

## 1.4 Modification of EUT

No modifications are made to the EUT during all test items.



### 1.5 Testing Site

Sporton International Inc. (Kunshan) is accredited to ISO/IEC 17025:2017 by American Association for Laboratory Accreditation with Certificate Number 5145.02.

<b>Test Firm</b>	Sporton International Inc. (Kunshan)		
<b>Test Site Location</b>	No. 1098, Pengxi North Road, Kunshan Economic Development Zone Jiangsu Province 215300 People's Republic of China TEL : +86-512-57900158		
<b>Test Site No.</b>	<b>Sporton Site No.</b>	<b>FCC Designation No.</b>	<b>FCC Test Firm Registration No.</b>
	TH01-KS 03CH04-KS	CN1257	314309

### 1.6 Test Software

Item	Site	Manufacturer	Name	Version
1.	03CH04-KS	AUDIX	E3	6.2009-8-24al

### 1.7 Applicable Standards

According to the specifications of the manufacturer, the EUT must comply with the requirements of the following standards:

- FCC KDB 484596 D01 Referencing Test Data v01
- 47 CFR Part 2, 22(H), 24(E), 27(M), 27(Q), 90(S)
- 47 CFR Part 15 Subpart C §15.225
- 47 CFR Part 15 Subpart C §15.247
- 47 CFR Part 15 Subpart E §15.407
- ANSI C63.10-2013
- ANSI C63.26-2015



### 1.8 Specification of Accessory

Specification of Accessory				
AC Adapter 1 (US)	Brand Name	Motorola(AOHAI)	Model Name	MC-101
AC Adapter 1 (EU)	Brand Name	Motorola(AOHAI)	Model Name	MC-102
AC Adapter 1 (UK)	Brand Name	Motorola(AOHAI)	Model Name	MC-103
AC Adapter 1 (AU)	Brand Name	Motorola(AOHAI)	Model Name	MC-105
AC Adapter 2 (US)	Brand Name	Motorola(Chenyang)	Model Name	MC-101
AC Adapter 2 (EU)	Brand Name	Motorola(Chenyang)	Model Name	MC-102
AC Adapter 2 (UK)	Brand Name	Motorola(Chenyang)	Model Name	MC-103
AC Adapter 2 (AU)	Brand Name	Motorola(Chenyang)	Model Name	MC-105
AC Adapter 3 (US)	Brand Name	Motorola(Salcomp)	Model Name	MC-101
AC Adapter 3 (EU)	Brand Name	Motorola(Salcomp)	Model Name	MC-102
AC Adapter 3 (UK)	Brand Name	Motorola(Salcomp)	Model Name	MC-103
AC Adapter 3 (AU)	Brand Name	Motorola(Salcomp)	Model Name	MC-105
AC Adapter 4 (US)	Brand Name	Motorola(Salcomp)	Model Name	MC-201L
AC Adapter 4 (EU)	Brand Name	Motorola(Salcomp)	Model Name	MC-202L
AC Adapter 4 (UK)	Brand Name	Motorola(Salcomp)	Model Name	MC-203L
AC Adapter 4 (AU)	Brand Name	Motorola(Salcomp)	Model Name	MC-205L
AC Adapter 5 (US)	Brand Name	Motorola(AOHAI)	Model Name	MC-201L
AC Adapter 5 (EU)	Brand Name	Motorola(AOHAI)	Model Name	MC-202L
AC Adapter 5 (UK)	Brand Name	Motorola(AOHAI)	Model Name	MC-203L
AC Adapter 5 (AU)	Brand Name	Motorola(AOHAI)	Model Name	MC-205L
AC Adapter 6 (US)	Brand Name	Motorola(Chenyang)	Model Name	MC-201L
AC Adapter 6 (EU)	Brand Name	Motorola(Chenyang)	Model Name	MC-202L
Battery 1	Brand Name	Motorola(ATL)	Model Name	PC50
Battery 2	Brand Name	Motorola (SCUD)	Model Name	PC50
USB Cable 1	Brand Name	Motorola (WASHIN)	Model Name	S928D92375
USB Cable 2	Brand Name	Motorola (Saibao)	Model Name	S928D95755



## 2 Re-use of Measured Data

### 2.1 Introduction Section

This application re-uses data collected on a similar device. The subject device of this application (Model: XT2343-2, FCC ID: IHDT56AM5) is electrically identical to the reference device (Model: XT2343-1, FCC ID: IHDT56AM4) for the portions of the circuitry corresponding to the data being re-used. Based on their similarity, the FCC Part 15C (equipment class: DTS, DSS, DXX) and FCC Part 15E (equipment class: NII,) and FCC Part 22, 24, 27, 90S (equipment class: PCE) reuse the original model's result and do spot-check, following the FCC KDB 484596 D01 Referencing Test Data v01.

The applicant takes full responsibility that the test data as referenced in this report represent compliance for this FCC ID: IHDT56AM5.

### 2.2 Model Difference Information

The **main** difference between FCC ID: IHDT56AM4 and FCC ID: IHDT56AM5 is as below:

- Remove WCDMA Band IV, LTE Band 4/12/13/17/25/66/66B/66C and 5G NR n2/n66.
- Add LTE Band 20/32 and 5G NR n8/n20/n38/n41/n77;

Other differences and all the details of similarity and difference can be found in the confidential documents (XT2343-2\_Operational Description of Product Equality Declaration).



2.3 Reference detail Section:

Rule Part	Equipment Class	Frequency Band (MHz)	Reference FCC ID (Parent)	Type Grant/ Permissive Change	Reference Title	FCC ID Filling (Variant)	Report Title/Section
15C	DSS (BR/EDR)	2400~2483.5	IHDT56AM4	Original Grant	FR352916A	IHDT56AM5	All sections applicable
	DTS (BLE)	2400~2483.5	IHDT56AM4	Original Grant	FR352916B	IHDT56AM5	All sections applicable
	DTS (WLAN)	2400~2483.5	IHDT56AM4	Original Grant	FR352916C	IHDT56AM5	All sections applicable
	DXX (NFC)	13.56	IHDT56AM4	Original Grant	FR352916D	IHDT56AM5	All sections applicable
15E	NII	5180~5240	IHDT56AM4	Original Grant	FR352916E	IHDT56AM5	All sections applicable
		5260~5320	IHDT56AM4	Original Grant	FR352916E FZ352916	IHDT56AM5	All sections applicable
		5500~5720	IHDT56AM4	Original Grant	FR352916E FZ352916	IHDT56AM5	All sections applicable
		5745~5825	IHDT56AM4	Original Grant	FR352916E	IHDT56AM5	All sections applicable
22, 24, 27, 90, 96,	PCE (GSM)	GSM 850/1900	IHDT56AM4	Original Grant	FG352916A	IHDT56AM5	All sections applicable
	PCE (WCDMA)	Band V	IHDT56AM4	Original Grant	FG352916A	IHDT56AM5	All sections applicable
	PCE (LTE)	B5/26	IHDT56AM4	Original Grant	FG352916B	IHDT56AM5	All sections applicable
		B7/7C	IHDT56AM4	Original Grant	FG352916C	IHDT56AM5	All sections applicable
		B26 (90S)	IHDT56AM4	Original Grant	FG352916D	IHDT56AM5	All sections applicable
		B42 (Part27Q)	IHDT56AM4	Original Grant	FG352916E	IHDT56AM5	All sections applicable
	PCE (NR)	n5/n7/n26	IHDT56AM4	Original Grant	FG352916G	IHDT56AM5	All sections applicable
		n26 (90S)	IHDT56AM4	Original Grant	FG352916H	IHDT56AM5	All sections applicable





### 2.4 Spot Check Verification Data Section

Conducted power test and radiated spurious emission test against the variant model based on the worst-case condition from the original model was performed in this filing to demonstrate the test data from original model remains representative for the variant model.

All test procedures follow the related section of parent report.

Summary for power and RSE spot check for each rule entry and technology is listed as below:

Test Item	Mode	IHDT56AM4 Parent Worst Result	IHDT56AM5 Variant Check Result	Difference (dB)
Conducted Power (dBm)	BT	15.33	15.09	-0.24
	BLE 1M	3.11	3.05	-0.06
	BLE 2M	3.12	3.01	-0.11
	2.4G WLAN 11b	21.39	21.12	-0.27
	2.4G WLAN 11g	24.63	24.19	-0.44
	2.4G WLAN 11n20	25.01	24.42	-0.59
	5G WLAN 11a U-NII-1	17.96	17.93	-0.03
	5G WLAN 11a U-NII-2A	18.45	18.41	-0.04
	5G WLAN 11a U-NII-2C	17.63	17.59	-0.04
	5G WLAN 11a U-NII-3	17.59	17.48	-0.11
	5G WLAN 11n20 U-NII-1	17.82	17.75	-0.07
	5G WLAN 11n20 U-NII-2A	18.37	18.35	-0.02
	5G WLAN 11n20 U-NII-2C	17.40	17.31	-0.09
	5G WLAN 11n20 U-NII-3	17.25	16.99	-0.26
	5G WLAN 11n40 U-NII-1	15.72	15.69	-0.03
	5G WLAN 11n40 U-NII-2A	16.23	16.18	-0.05
	5G WLAN 11n40 U-NII-2C	15.43	15.35	-0.08
	5G WLAN 11n40 U-NII-3	15.31	15.28	-0.03
	5G WLAN 11ac20 U-NII-1	17.88	17.76	-0.12
	5G WLAN 11ac20 U-NII-2A	18.41	18.37	-0.04
	5G WLAN 11ac20 U-NII-2C	17.46	17.39	-0.07
	5G WLAN 11ac20 U-NII-3	17.29	17.05	-0.24
	5G WLAN 11ac40 U-NII-1	15.77	15.76	-0.01
	5G WLAN 11ac40 U-NII-2A	16.29	16.25	-0.04
	5G WLAN 11ac40 U-NII-2C	15.48	15.37	-0.11
	5G WLAN 11ac40 U-NII-3	15.37	15.35	-0.02
	5G WLAN 11ac80 U-NII-1	13.89	13.85	-0.04
	5G WLAN 11ac80 U-NII-2A	14.72	14.7	-0.02
	5G WLAN 11ac80 U-NII-2C	14.28	14.17	-0.11
	5G WLAN 11ac80 U-NII-3	14.25	14.24	-0.01
	GSM850	33.19	33.05	-0.14
	GSM1900	29.58	29.43	-0.15
	WCDMA B5	22.93	22.84	-0.09
LTE Band 5	22.95	22.71	-0.24	
LTE Band 7(Main PA)	23.04	22.96	-0.08	
LTE Band 7C	22.81	22.74	-0.07	
LTE Band 26(Part22H)	23.03	22.91	-0.12	



	LTE Band 26(Part90s)	23.01	22.89	-0.12
	LTE Band 42	22.33	22.19	-0.14
	5GNR N5	22.51	22.49	-0.02
	5GNR N7(PC3)	22.79	22.52	-0.27
	5GNR N26(Part22H)	22.53	22.51	-0.02
	5GNR N26(Part90s)	22.63	22.58	-0.05

Test Item	Mode	IHDT56AM4 Parent Worst Result	IHDT56AM5 Variant Check Result	Difference (dB)
Radiated Spurious Emission (dBm)	Part 22H WCDMA 850 M ch	-48.46	-48.14	0.32
	Part 24E GSM 1900 M ch	-39.48	-38.2	1.28
	Part 27M B7C BW=20M M ch	-36.18	-36.41	-0.23
	Part 27M SA-N7 M ch	-30.77	-32.9	-2.13

Test Item	Mode	IHDT56AM4 Parent Worst Result	IHDT56AM5 Variant Check Result	Difference (dB)
Field Strength (dBuV/m) @ 30m	NFC 13.56MHz	55.46	50.94	-4.52

Conclusion:

Radiated spurious emission test against the variant model based on the worst-case condition from the original model was performed in this filing to demonstrate the test data from original model remains representative for the variant model.

Based on the spot check test result, the test data from the original model is representative for the variant model. The power level and RSE spot check are shown within expected level compliant to limit line.

We are using power and ERP/EIRP measurements from the original parent model reports to list on the grant.

The same DFS detection EUD mechanism/software is used in the variant. Hence, there is no spot check data for DFS EUD hand-shaking mechanism.

We confirm that the test data reuse policy of FCC KDB 484596 D01 Referencing Test Data v01 has been followed and the test data as referenced from the parent model report represents compliance with new FCC ID.



### 3 List of Measuring Equipment

Instrument	Manufacturer	Model No.	Serial No.	Characteristics	Calibration Date	Test Date	Due Date	Remark
Spectrum Analyzer	R&S	FSV40	101040	10Hz~40GHz	Oct. 12, 2022	Jul. 04, 2023~ Jul. 17, 2023	Oct. 11, 2023	Conducted (TH01-KS)
Pulse Power Sensor	Anritsu	MA2411B	0917070	300MHz~40GHz	Jan. 05, 2023	Jul. 04, 2023~ Jul. 17, 2023	Jan. 04, 2024	Conducted (TH01-KS)
Power Meter	Anritsu	ML2495A	1005002	50MHz Bandwidth	Jan. 05, 2023	Jul. 04, 2023~ Jul. 17, 2023	Jan. 04, 2024	Conducted (TH01-KS)
EXA Spectrum Analyzer	Keysight	N9010B	MY57471079	10Hz-44G,MAX 30dB	Oct. 12, 2022	Jul. 04, 2023	Oct. 11, 2023	Radiation (03CH04-KS)
Loop Antenna	R&S	HFH2-Z2	100321	9kHz~30MHz	Oct. 16, 2022	Jul. 04, 2023	Oct. 15, 2023	Radiation (03CH04-KS)
Bilog Antenna	TeseQ	CBL6111D	49922	30MHz-1GHz	Apr. 09, 2023	Jul. 04, 2023	Apr. 08, 2024	Radiation (03CH04-KS)
Horn Antenna	Schwarzbeck	BBHA9120D	1284	1GHz~18GHz	Oct. 16, 2022	Jul. 04, 2023	Oct. 15, 2023	Radiation (03CH04-KS)
SHF-EHF Horn	Com-power	AH-840	101070	18GHz~40GHz	Jan. 08, 2023	Jul. 04, 2023	Jan. 07, 2024	Radiation (03CH04-KS)
Amplifier	SONOMA	310N	380827	9KHz-1GHz	Jul. 11, 2022	Jul. 04, 2023	Jul. 10, 2023	Radiation (03CH04-KS)
Amplifier	MITEQ	EM18G40GGA	060728	18~40GHz	Jan. 05, 2023	Jul. 04, 2023	Jan. 04, 2024	Radiation (03CH04-KS)
high gain Amplifier	EM	EM01G18GA	060840	1Ghz-18Ghz	Oct. 12, 2022	Jul. 04, 2023	Oct. 11, 2023	Radiation (03CH04-KS)
Amplifier	Agilent	8449B	3008A02370	1Ghz-18Ghz	Oct. 12, 2022	Jul. 04, 2023	Oct. 11, 2023	Radiation (03CH04-KS)
AC Power Source	Chroma	61601	F104090004	N/A	NCR	Jul. 04, 2023	NCR	Radiation (03CH04-KS)
Turn Table	ChamPro	EM 1000-T	060762-T	0~360 degree	NCR	Jul. 04, 2023	NCR	Radiation (03CH04-KS)
Antenna Mast	ChamPro	EM 1000-A	060762-A	1 m~4 m	NCR	Jul. 04, 2023	NCR	Radiation (03CH04-KS)

NCR: No Calibration Required.



## 4 Measurement Uncertainty

The measurement uncertainties shown below were calculated in accordance with the requirements of ANSI 63.26-2015. All the measurement uncertainty value were shown with a coverage K=2 to indicate 95% level of confidence. The measurement data show herein meets or exceeds the CISPR measurement uncertainty values specified in CISPR 16-4-2 and can be compared directly to specified limit to determine compliance.

### Uncertainty of Conducted Measurement

Test Item	Uncertainty
Conducted Power	±0.46 dB

### Uncertainty of Radiated Emission Measurement (30 MHz ~ 1000 MHz)

Measuring Uncertainty for a Level of Confidence of 95% (U = 2Uc(y))	3.82dB
---	--------

### Uncertainty of Radiated Emission Measurement (1 GHz ~ 18 GHz)

Measuring Uncertainty for a Level of Confidence of 95% (U = 2Uc(y))	3.56dB
---	--------

### Uncertainty of Radiated Emission Measurement (18 GHz ~ 40 GHz)

Measuring Uncertainty for a Level of Confidence of 95% (U = 2Uc(y))	3.54dB
---	--------

———— THE END ————