












Test Graphs













































Appendix B. AC Conducted Emission Test Results

Test Engineer :	Lily Qiu	Temperature :	22~24°C
		Relative Humidity :	44~50%
Test Voltage :	120Vac / 60Hz	Phase :	Line
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		




Site : CO01-SZ
 Condition: FCC 15C_QP LISN_20230420_L LINE

	Freq	Level	Over	Limit	Read	LISN	Cable	
	MHz	dBuV	Limit	Line	Level	Factor	Loss	Remark
			dB	dBuV	dBuV	dB	dB	
1	0.18	32.20	-22.35	54.55	11.60	10.46	10.14	Average
2 *	0.18	53.80	-10.75	64.55	33.20	10.46	10.14	QP
3	0.25	23.33	-28.36	51.69	2.80	10.38	10.15	Average
4	0.25	44.93	-16.76	61.69	24.40	10.38	10.15	QP
5	0.30	21.52	-28.63	50.15	1.01	10.36	10.15	Average
6	0.30	42.32	-17.83	60.15	21.81	10.36	10.15	QP
7	0.49	17.92	-28.22	46.14	-2.50	10.26	10.16	Average
8	0.49	33.22	-22.92	56.14	12.80	10.26	10.16	QP
9	0.98	23.70	-22.30	46.00	3.30	10.24	10.16	Average
10	0.98	34.60	-21.40	56.00	14.20	10.24	10.16	QP
11	12.12	32.01	-17.99	50.00	11.71	9.87	10.43	Average
12	12.12	37.71	-22.29	60.00	17.41	9.87	10.43	QP



Test Engineer :	Lily Qiu	Temperature :	22~24°C
		Relative Humidity :	44~50%
Test Voltage :	120Vac / 60Hz	Phase :	Neutral
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		



Site : C001-SZ
 Condition: FCC 15C_QP LISN_20230420_N NEUTRAL

	Freq	Level	Over Limit	Limit Line	Read Level	LISN Factor	Cable Loss	Remark
	MHz	dBuV	dB	dBuV	dBuV	dB	dB	
1	0.18	27.35	-27.15	54.50	6.81	10.40	10.14	Average
2 *	0.18	49.15	-15.35	64.50	28.61	10.40	10.14	QP
3	0.25	21.27	-30.59	51.86	0.80	10.32	10.15	Average
4	0.25	40.37	-21.49	61.86	19.90	10.32	10.15	QP
5	0.31	20.55	-29.42	49.97	0.10	10.30	10.15	Average
6	0.31	37.65	-22.32	59.97	17.20	10.30	10.15	QP
7	0.37	16.71	-31.81	48.52	-3.70	10.25	10.16	Average
8	0.37	35.21	-23.31	58.52	14.80	10.25	10.16	QP
9	1.02	25.11	-20.89	46.00	4.70	10.25	10.16	Average
10	1.02	35.81	-20.19	56.00	15.40	10.25	10.16	QP
11	7.45	32.61	-17.39	50.00	12.19	10.05	10.37	Average
12	7.45	39.31	-20.69	60.00	18.89	10.05	10.37	QP

Note:

- Level(dBμV) = Read Level(dBμV) + LISN Factor(dB) + Cable Loss(dB)
- Over Limit(dB) = Level(dBμV) – Limit Line(dBμV)



Appendix C. Radiated Spurious Emission Test Data

Test Engineer :	Zhaohui Liang	Relative Humidity :	48~50%
		Temperature :	20~22°C

Radiated Spurious Emission Test Modes

Mode	Band (MHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 1	2400-2483.5	6	802.11b	01	2412	1Mbps	-	-
Mode 2	2400-2483.5	6	802.11b	06	2437	1Mbps	-	-
Mode 3	2400-2483.5	6	802.11b	11	2462	1Mbps	-	-
Mode 4	2400-2483.5	6	802.11g	01	2412	6Mbps	-	-
Mode 5	2400-2483.5	6	802.11g	06	2437	6Mbps	-	-
Mode 6	2400-2483.5	6	802.11g	11	2462	6Mbps	-	-
Mode 7	2400-2483.5	6	802.11ac VHT20	01	2412	MCS0	-	-
Mode 8	2400-2483.5	6	802.11ac VHT20	06	2437	MCS0	-	-
Mode 9	2400-2483.5	6	802.11ac VHT20	11	2462	MCS0	-	-
Mode 10	2400-2483.5	6	802.11ac VHT40	03	2422	MCS0	-	-
Mode 11	2400-2483.5	6	802.11ac VHT40	09	2452	MCS0	-	-
Mode 12	2400-2483.5	6	802.11ac VHT20	01	2412	MCS0	-	LF

Note:

1. Only the worst case from single carrier has assessed LF mode to test.
2. For 802.11g only has assessed Harmonics for testing in accordance with the power lower than 802.11ac VHT20.
3. For 802.11ac VHT40 only has assessed Band Edge for testing in accordance with the power lower than BW20MHz (ex, 802.11ac VHT20).



Summary of each worse mode

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBUV/m)	Limit (dBUV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
1	802.11b	01	2388.95	42.01	54.00	-11.99	V	AVERAGE	Pass	Band Edge
	802.11b	01	4824.00	50.13	74.00	-23.87	V	Peak	Pass	Harmonic
2	802.11b	06	-	-	-	-	-	-	-	Band Edge
	802.11b	06	4874.00	48.32	74.00	-25.68	V	Peak	Pass	Harmonic
3	802.11b	11	2483.51	41.88	54.00	-12.12	V	AVERAGE	Pass	Band Edge
	802.11b	11	4924.00	49.66	74.00	-24.34	V	Peak	Pass	Harmonic
4	802.11g	01	-	-	-	-	-	-	-	Band Edge
	802.11g	01	4824.00	45.47	74.00	-28.53	H	Peak	Pass	Harmonic
5	802.11g	06	-	-	-	-	-	-	-	Band Edge
	802.11g	06	7311.00	47.62	74.00	-26.38	H	Peak	Pass	Harmonic
6	802.11g	11	-	-	-	-	-	-	-	Band Edge
	802.11g	11	7386.00	47.56	74.00	-26.44	V	Peak	Pass	Harmonic
7	802.11ac VHT20	01	2389.87	50.82	54.00	-3.18	V	AVERAGE	Pass	Band Edge
	802.11ac VHT20	01	4824.00	45.49	74.00	-28.51	V	Peak	Pass	Harmonic
8	802.11ac VHT20	06	-	-	-	-	-	-	-	Band Edge
	802.11ac VHT20	06	7311.00	47.93	74.00	-26.07	H	Peak	Pass	Harmonic
9	802.11ac VHT20	11	2483.55	49.28	54.00	-4.72	H	AVERAGE	Pass	Band Edge
	802.11ac VHT20	11	7386.00	48.40	74.00	-25.60	H	Peak	Pass	Harmonic
10	802.11ac VHT40	03	2389.52	49.86	54.00	-4.14	V	AVERAGE	Pass	Band Edge
	802.11ac VHT40	03	-	-	-	-	-	-	-	Harmonic
11	802.11ac VHT40	09	2483.54	49.46	54.00	-4.54	V	AVERAGE	Pass	Band Edge
	802.11ac VHT40	09	-	-	-	-	-	-	-	Harmonic
12	802.11ac VHT20	01	853.53	31.09	46	-14.91	H	Peak	Pass	LF



Co-location

WIFI 802.11ac VHT20 CH01& LTE B13 (Band Edge @ 3m)

	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Cable Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
WIFI 802.11ac VHT20 CH01& LTE B13 Co-location		2389.695	59.32	-14.68	74	52.27	32.36	6.44	31.75	100	324	P	H
		2389.905	49.2	-4.8	54	42.15	32.36	6.44	31.75	100	324	A	H
	*	2412	108.64	-	-	101.55	32.37	6.44	31.72	100	324	P	H
	*	2412	100.49	-	-	93.4	32.37	6.44	31.72	100	324	A	H
		2389.485	60.33	-13.67	74	53.28	32.36	6.44	31.75	218	319	P	V
		2389.905	50.22	-3.78	54	43.17	32.36	6.44	31.75	218	319	A	V
	*	2412	109.74	-	-	102.65	32.37	6.44	31.72	218	319	P	V
	*	2412	101.13	-	-	94.04	32.37	6.44	31.72	218	319	A	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												

WIFI 802.11ac VHT20 CH01& LTE B13 (Harmonic @ 3m)

	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Cable Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
WIFI 802.11ac VHT20 CH01& LTE B13 Co-location		4824	44.52	-29.48	74	58.15	34.4	9.47	57.5	-	-	P	H
		4824	44.48	-29.52	74	58.11	34.4	9.47	57.5	-	-	P	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



Mode	1																																																																									
	Band Edge																																																																									
	2400-2483.5_802.11b_CH01_2412MHz																																																																									
ANT	6																																																																									
Pol.	Horizontal	Fundamental																																																																								
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2389.66</td> <td>56.65</td> <td>74.00</td> <td>-17.35</td> <td>48.71</td> <td>32.26</td> <td>7.76</td> <td>32.08</td> <td>300</td> <td>311</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	2389.66	56.65	74.00	-17.35	48.71	32.26	7.76	32.08	300	311	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2412.00</td> <td>106.69</td> <td>-----</td> <td>-----</td> <td>98.65</td> <td>32.31</td> <td>7.81</td> <td>32.08</td> <td>300</td> <td>311</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	2412.00	106.69	-----	-----	98.65	32.31	7.81	32.08	300	311	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																			
1	2389.66	56.65	74.00	-17.35	48.71	32.26	7.76	32.08	300	311	PEAK																																																															
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																			
1	2412.00	106.69	-----	-----	98.65	32.31	7.81	32.08	300	311	PEAK																																																															
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2388.85</td> <td>40.69</td> <td>54.00</td> <td>-13.31</td> <td>32.75</td> <td>32.26</td> <td>7.76</td> <td>32.08</td> <td>300</td> <td>311</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	2388.85	40.69	54.00	-13.31	32.75	32.26	7.76	32.08	300	311	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2412.00</td> <td>102.14</td> <td>-----</td> <td>-----</td> <td>94.10</td> <td>32.31</td> <td>7.81</td> <td>32.08</td> <td>300</td> <td>311</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	2412.00	102.14	-----	-----	94.10	32.31	7.81	32.08	300	311	AVERAGE
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																			
1	2388.85	40.69	54.00	-13.31	32.75	32.26	7.76	32.08	300	311	AVERAGE																																																															
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																			
1	2412.00	102.14	-----	-----	94.10	32.31	7.81	32.08	300	311	AVERAGE																																																															



	1																																																																									
Mode	Band Edge																																																																									
	2400-2483.5_802.11b_CH01_2412MHz																																																																									
ANT	6																																																																									
Pol.	Vertical	Fundamental																																																																								
Peak	<p style="text-align: right;">Date: 2023-06-16</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2389.76</td> <td>59.10</td> <td>74.00</td> <td>-14.90</td> <td>51.16</td> <td>32.26</td> <td>7.76</td> <td>32.08</td> <td>298</td> <td>255</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	2389.76	59.10	74.00	-14.90	51.16	32.26	7.76	32.08	298	255	PEAK	<p style="text-align: right;">Date: 2023-06-16</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2412.00</td> <td>110.74</td> <td>-----</td> <td>-----</td> <td>102.70</td> <td>32.31</td> <td>7.81</td> <td>32.08</td> <td>298</td> <td>255</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	2412.00	110.74	-----	-----	102.70	32.31	7.81	32.08	298	255	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																			
1	2389.76	59.10	74.00	-14.90	51.16	32.26	7.76	32.08	298	255	PEAK																																																															
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																			
1	2412.00	110.74	-----	-----	102.70	32.31	7.81	32.08	298	255	PEAK																																																															
Avg	<p style="text-align: right;">Date: 2023-06-16</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2388.95</td> <td>42.01</td> <td>54.00</td> <td>-11.99</td> <td>34.07</td> <td>32.26</td> <td>7.76</td> <td>32.08</td> <td>298</td> <td>255</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	2388.95	42.01	54.00	-11.99	34.07	32.26	7.76	32.08	298	255	AVERAGE	<p style="text-align: right;">Date: 2023-06-16</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2412.00</td> <td>106.00</td> <td>-----</td> <td>-----</td> <td>97.97</td> <td>32.30</td> <td>7.81</td> <td>32.08</td> <td>298</td> <td>255</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	2412.00	106.00	-----	-----	97.97	32.30	7.81	32.08	298	255	AVERAGE
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																			
1	2388.95	42.01	54.00	-11.99	34.07	32.26	7.76	32.08	298	255	AVERAGE																																																															
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																			
1	2412.00	106.00	-----	-----	97.97	32.30	7.81	32.08	298	255	AVERAGE																																																															







Mode	1																																																																						
	Harmonic																																																																						
	2400-2483.5_802.11b_CH01_2412MHz																																																																						
ANT	6																																																																						
Pol.	Horizontal	Vertical																																																																					
Peak Avg	<p>Level (dBuV/m) vs Frequency (MHz) - Horizontal</p> <p>Peak: 4824.00 MHz, 47.38 dBuV/m</p>	<p>Level (dBuV/m) vs Frequency (MHz) - Vertical</p> <p>Peak: 4824.00 MHz, 50.13 dBuV/m</p>																																																																					
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 4824.00</td> <td>47.38</td> <td>74.00</td> <td>-26.62</td> <td>53.05</td> <td>34.83</td> <td>11.08</td> <td>51.58</td> <td>356</td> <td>344</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 4824.00	47.38	74.00	-26.62	53.05	34.83	11.08	51.58	356	344	Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 4824.00</td> <td>50.13</td> <td>74.00</td> <td>-23.87</td> <td>55.80</td> <td>34.83</td> <td>11.08</td> <td>51.58</td> <td>100</td> <td>50</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 4824.00	50.13	74.00	-23.87	55.80	34.83	11.08	51.58	100	50
Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																
1 4824.00	47.38	74.00	-26.62	53.05	34.83	11.08	51.58	356	344	Peak																																																													
Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																
1 4824.00	50.13	74.00	-23.87	55.80	34.83	11.08	51.58	100	50	Peak																																																													







Mode	2																																																																																																				
	Harmonic																																																																																																				
	2400-2483.5_802.11b_CH06_2437MHz																																																																																																				
ANT	6																																																																																																				
Pol.	Horizontal	Vertical																																																																																																			
Peak Avg	<p>Date: 2023-06-15</p>	<p>Date: 2023-06-15</p>																																																																																																			
	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4874.00</td> <td>46.80</td> <td>74.00</td> <td>-27.20</td> <td>52.43</td> <td>34.85</td> <td>11.10</td> <td>51.58</td> <td>354</td> <td>334 Peak</td> </tr> <tr> <td>2</td> <td>7311.00</td> <td>47.57</td> <td>74.00</td> <td>-26.43</td> <td>49.33</td> <td>36.32</td> <td>13.08</td> <td>51.16</td> <td>---</td> <td>--- Peak</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4874.00	46.80	74.00	-27.20	52.43	34.85	11.10	51.58	354	334 Peak	2	7311.00	47.57	74.00	-26.43	49.33	36.32	13.08	51.16	---	--- Peak	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4874.00</td> <td>48.32</td> <td>74.00</td> <td>-25.68</td> <td>53.95</td> <td>34.85</td> <td>11.10</td> <td>51.58</td> <td>293</td> <td>63 Peak</td> </tr> <tr> <td>2</td> <td>7311.00</td> <td>48.04</td> <td>74.00</td> <td>-25.96</td> <td>49.80</td> <td>36.32</td> <td>13.08</td> <td>51.16</td> <td>---</td> <td>--- Peak</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4874.00	48.32	74.00	-25.68	53.95	34.85	11.10	51.58	293	63 Peak	2	7311.00	48.04	74.00	-25.96	49.80	36.32	13.08	51.16	---
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																												
1	4874.00	46.80	74.00	-27.20	52.43	34.85	11.10	51.58	354	334 Peak																																																																																											
2	7311.00	47.57	74.00	-26.43	49.33	36.32	13.08	51.16	---	--- Peak																																																																																											
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																												
1	4874.00	48.32	74.00	-25.68	53.95	34.85	11.10	51.58	293	63 Peak																																																																																											
2	7311.00	48.04	74.00	-25.96	49.80	36.32	13.08	51.16	---	--- Peak																																																																																											



Mode	3																																																																					
	Band Edge																																																																					
	2400-2483.5_802.11b_CH11_2462MHz																																																																					
ANT	6																																																																					
Pol.	Horizontal	Fundamental																																																																				
Peak	 <p>Level (dBuV/m) vs Frequency (MHz) plot for Horizontal polarization. Date: 2023-06-16. A red horizontal line indicates a limit at 74 dBuV/m, labeled PEAK_BE_74. A peak is visible at 2483.51 MHz.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 2483.51</td> <td>55.48</td> <td>74.00</td> <td>-18.52</td> <td>47.24</td> <td>32.46</td> <td>7.88</td> <td>32.10</td> <td>400</td> <td>297 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1 2483.51	55.48	74.00	-18.52	47.24	32.46	7.88	32.10	400	297 PEAK	 <p>Level (dBuV/m) vs Frequency (MHz) plot for Fundamental polarization. Date: 2023-06-16. A red horizontal line indicates a limit at 74 dBuV/m, labeled PEAK_74. A sharp peak is visible at 2462.00 MHz.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 2462.00</td> <td>107.69</td> <td>-----</td> <td>-----</td> <td>99.50</td> <td>32.42</td> <td>7.86</td> <td>32.09</td> <td>400</td> <td>297 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1 2462.00	107.69	-----	-----	99.50	32.42	7.86	32.09	400	297 PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																														
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																															
1 2483.51	55.48	74.00	-18.52	47.24	32.46	7.88	32.10	400	297 PEAK																																																													
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																															
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																															
1 2462.00	107.69	-----	-----	99.50	32.42	7.86	32.09	400	297 PEAK																																																													
Avg	 <p>Level (dBuV/m) vs Frequency (MHz) plot for Horizontal polarization. Date: 2023-06-16. A red horizontal line indicates a limit at 54 dBuV/m, labeled AVG_BE_54. A peak is visible at 2483.51 MHz.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 2483.51</td> <td>40.57</td> <td>54.00</td> <td>-13.43</td> <td>32.33</td> <td>32.46</td> <td>7.88</td> <td>32.10</td> <td>400</td> <td>297 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1 2483.51	40.57	54.00	-13.43	32.33	32.46	7.88	32.10	400	297 AVERAGE	 <p>Level (dBuV/m) vs Frequency (MHz) plot for Fundamental polarization. Date: 2023-06-16. A red horizontal line indicates a limit at 54 dBuV/m, labeled AVG_54. A sharp peak is visible at 2462.00 MHz.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 2462.00</td> <td>103.10</td> <td>-----</td> <td>-----</td> <td>94.91</td> <td>32.42</td> <td>7.86</td> <td>32.09</td> <td>400</td> <td>297 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1 2462.00	103.10	-----	-----	94.91	32.42	7.86	32.09	400	297 AVERAGE
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																															
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																															
1 2483.51	40.57	54.00	-13.43	32.33	32.46	7.88	32.10	400	297 AVERAGE																																																													
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																															
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																															
1 2462.00	103.10	-----	-----	94.91	32.42	7.86	32.09	400	297 AVERAGE																																																													



Mode	3																																																																									
	Band Edge																																																																									
	2400-2483.5_802.11b_CH11_2462MHz																																																																									
ANT	6																																																																									
Pol.	Vertical	Fundamental																																																																								
Peak	 <p style="text-align: right;">Date: 2023-06-16</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.55</td> <td>57.34</td> <td>74.00</td> <td>-16.66</td> <td>49.10</td> <td>32.46</td> <td>7.88</td> <td>32.10</td> <td>400</td> <td>283</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	2483.55	57.34	74.00	-16.66	49.10	32.46	7.88	32.10	400	283	PEAK	 <p style="text-align: right;">Date: 2023-06-16</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2462.00</td> <td>110.13</td> <td>-----</td> <td>-----</td> <td>101.94</td> <td>32.42</td> <td>7.86</td> <td>32.09</td> <td>400</td> <td>283</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	2462.00	110.13	-----	-----	101.94	32.42	7.86	32.09	400	283	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																			
1	2483.55	57.34	74.00	-16.66	49.10	32.46	7.88	32.10	400	283	PEAK																																																															
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																			
1	2462.00	110.13	-----	-----	101.94	32.42	7.86	32.09	400	283	PEAK																																																															
Avg	 <p style="text-align: right;">Date: 2023-06-16</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.51</td> <td>41.88</td> <td>54.00</td> <td>-12.12</td> <td>33.64</td> <td>32.46</td> <td>7.88</td> <td>32.10</td> <td>400</td> <td>283</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	2483.51	41.88	54.00	-12.12	33.64	32.46	7.88	32.10	400	283	AVERAGE	 <p style="text-align: right;">Date: 2023-06-16</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2462.00</td> <td>105.29</td> <td>-----</td> <td>-----</td> <td>97.10</td> <td>32.42</td> <td>7.86</td> <td>32.09</td> <td>400</td> <td>283</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	2462.00	105.29	-----	-----	97.10	32.42	7.86	32.09	400	283	AVERAGE
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																			
1	2483.51	41.88	54.00	-12.12	33.64	32.46	7.88	32.10	400	283	AVERAGE																																																															
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																			
1	2462.00	105.29	-----	-----	97.10	32.42	7.86	32.09	400	283	AVERAGE																																																															



Mode	3																																																																																																								
	Harmonic																																																																																																								
	2400-2483.5_802.11b_CH11_2462MHz																																																																																																								
ANT	6																																																																																																								
Pol.	Horizontal	Vertical																																																																																																							
Peak Avg	<p>Date: 2023-06-15</p>	<p>Date: 2023-06-15</p>																																																																																																							
	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4924.00</td> <td>46.93</td> <td>74.00</td> <td>-27.07</td> <td>52.52</td> <td>34.87</td> <td>11.12</td> <td>51.58</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>7386.00</td> <td>47.84</td> <td>74.00</td> <td>-26.16</td> <td>49.54</td> <td>36.35</td> <td>13.13</td> <td>51.18</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	4924.00	46.93	74.00	-27.07	52.52	34.87	11.12	51.58	---	---	Peak	2	7386.00	47.84	74.00	-26.16	49.54	36.35	13.13	51.18	---	---	Peak	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4924.00</td> <td>49.66</td> <td>74.00</td> <td>-24.34</td> <td>55.25</td> <td>34.87</td> <td>11.12</td> <td>51.58</td> <td>285</td> <td>60</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>7386.00</td> <td>48.39</td> <td>74.00</td> <td>-25.61</td> <td>50.09</td> <td>36.35</td> <td>13.13</td> <td>51.18</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	4924.00	49.66	74.00	-24.34	55.25	34.87	11.12	51.58	285	60	Peak	2	7386.00	48.39	74.00	-25.61	50.09	36.35	13.13	51.18	---	---
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																
1	4924.00	46.93	74.00	-27.07	52.52	34.87	11.12	51.58	---	---	Peak																																																																																														
2	7386.00	47.84	74.00	-26.16	49.54	36.35	13.13	51.18	---	---	Peak																																																																																														
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																
1	4924.00	49.66	74.00	-24.34	55.25	34.87	11.12	51.58	285	60	Peak																																																																																														
2	7386.00	48.39	74.00	-25.61	50.09	36.35	13.13	51.18	---	---	Peak																																																																																														



Mode	4																																																																		
	Harmonic																																																																		
	2400-2483.5_802.11g_CH01_2412MHz																																																																		
ANT	6																																																																		
Pol.	Horizontal	Vertical																																																																	
Peak Avg																																																																			
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 4824.00</td> <td>45.47</td> <td>74.00</td> <td>-28.53</td> <td>51.14</td> <td>34.83</td> <td>11.08</td> <td>51.58</td> <td>--- --- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 4824.00	45.47	74.00	-28.53	51.14	34.83	11.08	51.58	--- --- Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 4824.00</td> <td>45.17</td> <td>74.00</td> <td>-28.83</td> <td>50.84</td> <td>34.83</td> <td>11.08</td> <td>51.58</td> <td>--- --- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 4824.00	45.17	74.00	-28.83	50.84	34.83	11.08	51.58
Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																												
1 4824.00	45.47	74.00	-28.53	51.14	34.83	11.08	51.58	--- --- Peak																																																											
Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																												
1 4824.00	45.17	74.00	-28.83	50.84	34.83	11.08	51.58	--- --- Peak																																																											







Mode	5																																																																																																								
	Harmonic																																																																																																								
	2400-2483.5_802.11g_CH06_2437MHz																																																																																																								
ANT	6																																																																																																								
Pol.	Horizontal	Vertical																																																																																																							
Peak Avg	<p>Date: 2023-06-15</p>	<p>Date: 2023-06-15</p>																																																																																																							
	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4874.00</td> <td>44.96</td> <td>74.00</td> <td>-29.04</td> <td>50.59</td> <td>34.85</td> <td>11.10</td> <td>51.58</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>7311.00</td> <td>47.62</td> <td>74.00</td> <td>-26.38</td> <td>49.38</td> <td>36.32</td> <td>13.08</td> <td>51.16</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4874.00	44.96	74.00	-29.04	50.59	34.85	11.10	51.58	---	---	Peak	2	7311.00	47.62	74.00	-26.38	49.38	36.32	13.08	51.16	---	---	Peak	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4874.00</td> <td>45.25</td> <td>74.00</td> <td>-28.75</td> <td>50.88</td> <td>34.85</td> <td>11.10</td> <td>51.58</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>7311.00</td> <td>47.43</td> <td>74.00</td> <td>-26.57</td> <td>49.19</td> <td>36.32</td> <td>13.08</td> <td>51.16</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4874.00	45.25	74.00	-28.75	50.88	34.85	11.10	51.58	---	---	Peak	2	7311.00	47.43	74.00	-26.57	49.19	36.32	13.08	51.16	---	---
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																
1	4874.00	44.96	74.00	-29.04	50.59	34.85	11.10	51.58	---	---	Peak																																																																																														
2	7311.00	47.62	74.00	-26.38	49.38	36.32	13.08	51.16	---	---	Peak																																																																																														
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																
1	4874.00	45.25	74.00	-28.75	50.88	34.85	11.10	51.58	---	---	Peak																																																																																														
2	7311.00	47.43	74.00	-26.57	49.19	36.32	13.08	51.16	---	---	Peak																																																																																														







Mode	6																																																																																																			
	Harmonic																																																																																																			
	2400-2483.5_802.11g_CH11_2462MHz																																																																																																			
ANT	6																																																																																																			
Pol.	Horizontal	Vertical																																																																																																		
Peak Avg	<p>Date: 2023-06-16</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4924.00</td> <td>45.31</td> <td>74.00</td> <td>-28.69</td> <td>50.90</td> <td>34.87</td> <td>11.12</td> <td>51.58</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>7386.00</td> <td>47.39</td> <td>74.00</td> <td>-26.61</td> <td>49.09</td> <td>36.35</td> <td>13.13</td> <td>51.18</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	4924.00	45.31	74.00	-28.69	50.90	34.87	11.12	51.58	---	---	Peak	2	7386.00	47.39	74.00	-26.61	49.09	36.35	13.13	51.18	---	---	Peak	<p>Date: 2023-06-16</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4924.00</td> <td>46.65</td> <td>74.00</td> <td>-27.35</td> <td>52.24</td> <td>34.87</td> <td>11.12</td> <td>51.58</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>7386.00</td> <td>47.56</td> <td>74.00</td> <td>-26.44</td> <td>49.26</td> <td>36.35</td> <td>13.13</td> <td>51.18</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	4924.00	46.65	74.00	-27.35	52.24	34.87	11.12	51.58	---	---	Peak	2	7386.00	47.56	74.00	-26.44	49.26	36.35	13.13	51.18	---	---	Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																												
1	4924.00	45.31	74.00	-28.69	50.90	34.87	11.12	51.58	---	---	Peak																																																																																									
2	7386.00	47.39	74.00	-26.61	49.09	36.35	13.13	51.18	---	---	Peak																																																																																									
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																												
1	4924.00	46.65	74.00	-27.35	52.24	34.87	11.12	51.58	---	---	Peak																																																																																									
2	7386.00	47.56	74.00	-26.44	49.26	36.35	13.13	51.18	---	---	Peak																																																																																									



	7																																																																													
Mode	Band Edge																																																																													
	2400-2483.5_802.11ac VHT20_CH01_2412MHz																																																																													
ANT	6																																																																													
Pol.	Horizontal	Fundamental																																																																												
Peak	<div style="text-align:right; font-size:small;">Date: 2023-06-15</div>  <table border="1" style="width:100%; font-size:small; margin-top:10px;"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 2389.87</td> <td>63.54</td> <td>74.00</td> <td>-10.46</td> <td>55.60</td> <td>32.26</td> <td>7.76</td> <td>32.08</td> <td>305</td> <td>320 PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 2389.87	63.54	74.00	-10.46	55.60	32.26	7.76	32.08	305	320 PEAK	<div style="text-align:right; font-size:small;">Date: 2023-06-15</div>  <table border="1" style="width:100%; font-size:small; margin-top:10px;"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 2412.00</td> <td>108.07</td> <td>-----</td> <td>-----</td> <td>100.04</td> <td>32.30</td> <td>7.81</td> <td>32.08</td> <td>305</td> <td>320 PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 2412.00	108.07	-----	-----	100.04	32.30	7.81	32.08	305	320 PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																					
1 2389.87	63.54	74.00	-10.46	55.60	32.26	7.76	32.08	305	320 PEAK																																																																					
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																					
1 2412.00	108.07	-----	-----	100.04	32.30	7.81	32.08	305	320 PEAK																																																																					
Avg	<div style="text-align:right; font-size:small;">Date: 2023-06-15</div>  <table border="1" style="width:100%; font-size:small; margin-top:10px;"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 2389.97</td> <td>49.76</td> <td>54.00</td> <td>-4.24</td> <td>41.82</td> <td>32.26</td> <td>7.76</td> <td>32.08</td> <td>305</td> <td>320 AVERAGE</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 2389.97	49.76	54.00	-4.24	41.82	32.26	7.76	32.08	305	320 AVERAGE	<div style="text-align:right; font-size:small;">Date: 2023-06-15</div>  <table border="1" style="width:100%; font-size:small; margin-top:10px;"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 2412.00</td> <td>98.58</td> <td>-----</td> <td>-----</td> <td>90.54</td> <td>32.31</td> <td>7.81</td> <td>32.08</td> <td>305</td> <td>320 AVERAGE</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 2412.00	98.58	-----	-----	90.54	32.31	7.81	32.08	305	320 AVERAGE
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																					
1 2389.97	49.76	54.00	-4.24	41.82	32.26	7.76	32.08	305	320 AVERAGE																																																																					
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																					
1 2412.00	98.58	-----	-----	90.54	32.31	7.81	32.08	305	320 AVERAGE																																																																					



	7																																																																									
Mode	Band Edge																																																																									
	2400-2483.5_802.11ac VHT20_CH01_2412MHz																																																																									
ANT	6																																																																									
Pol.	Vertical	Fundamental																																																																								
Peak	 <p style="text-align: right;">Date: 2023-06-15</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2388.95</td> <td>70.55</td> <td>74.00</td> <td>-3.45</td> <td>62.61</td> <td>32.26</td> <td>7.76</td> <td>32.08</td> <td>306</td> <td>280</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	2388.95	70.55	74.00	-3.45	62.61	32.26	7.76	32.08	306	280	PEAK	 <p style="text-align: right;">Date: 2023-06-15</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2412.00</td> <td>108.66</td> <td>-----</td> <td>-----</td> <td>100.62</td> <td>32.31</td> <td>7.81</td> <td>32.08</td> <td>306</td> <td>280</td> <td>PEAK_74</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	2412.00	108.66	-----	-----	100.62	32.31	7.81	32.08	306	280	PEAK_74
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																			
1	2388.95	70.55	74.00	-3.45	62.61	32.26	7.76	32.08	306	280	PEAK																																																															
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																			
1	2412.00	108.66	-----	-----	100.62	32.31	7.81	32.08	306	280	PEAK_74																																																															
Avg	 <p style="text-align: right;">Date: 2023-06-15</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2389.87</td> <td>50.82</td> <td>54.00</td> <td>-3.18</td> <td>42.88</td> <td>32.26</td> <td>7.76</td> <td>32.08</td> <td>306</td> <td>280</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	2389.87	50.82	54.00	-3.18	42.88	32.26	7.76	32.08	306	280	AVERAGE	 <p style="text-align: right;">Date: 2023-06-15</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2412.00</td> <td>99.19</td> <td>-----</td> <td>-----</td> <td>91.15</td> <td>32.31</td> <td>7.81</td> <td>32.08</td> <td>306</td> <td>280</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	2412.00	99.19	-----	-----	91.15	32.31	7.81	32.08	306	280	AVERAGE
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																			
1	2389.87	50.82	54.00	-3.18	42.88	32.26	7.76	32.08	306	280	AVERAGE																																																															
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																			
1	2412.00	99.19	-----	-----	91.15	32.31	7.81	32.08	306	280	AVERAGE																																																															







Mode	7																																																																								
	Harmonic																																																																								
	2400-2483.5_802.11ac VHT20_CH01_2412MHz																																																																								
ANT	6																																																																								
Pol.	Horizontal	Vertical																																																																							
Peak Avg																																																																									
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4824.00</td> <td>44.97</td> <td>74.00</td> <td>-29.03</td> <td>50.64</td> <td>34.83</td> <td>11.08</td> <td>51.58</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	4824.00	44.97	74.00	-29.03	50.64	34.83	11.08	51.58	---	---	Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4824.00</td> <td>45.49</td> <td>74.00</td> <td>-28.51</td> <td>51.16</td> <td>34.83</td> <td>11.08</td> <td>51.58</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	4824.00	45.49	74.00	-28.51	51.16	34.83	11.08	51.58	---	---
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																		
1	4824.00	44.97	74.00	-29.03	50.64	34.83	11.08	51.58	---	---	Peak																																																														
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																		
1	4824.00	45.49	74.00	-28.51	51.16	34.83	11.08	51.58	---	---	Peak																																																														

Note: Only the worst case from single carrier has assessed 18G ~26GHz to test.







Mode	8																																																																																																									
	Harmonic																																																																																																									
	2400-2483.5_802.11ac VHT20_CH06_2437MHz																																																																																																									
ANT	6																																																																																																									
Pol.	Horizontal	Vertical																																																																																																								
Peak Avg	<p style="text-align: right;">Date: 2023-06-16</p> <table border="1"> <thead> <tr> <th colspan="2"></th> <th colspan="2">Limit</th> <th colspan="2">Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> <th></th> <th></th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4874.00</td> <td>44.59</td> <td>74.00</td> <td>-29.41</td> <td>50.22</td> <td>34.85</td> <td>11.10</td> <td>51.58</td> <td>---</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>7311.00</td> <td>47.93</td> <td>74.00</td> <td>-26.07</td> <td>49.69</td> <td>36.32</td> <td>13.08</td> <td>51.16</td> <td>---</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>			Limit		Read		Ant	Cable	Preamp	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor				cm	deg	1	4874.00	44.59	74.00	-29.41	50.22	34.85	11.10	51.58	---	---	---	Peak	2	7311.00	47.93	74.00	-26.07	49.69	36.32	13.08	51.16	---	---	---	Peak	<p style="text-align: right;">Date: 2023-06-16</p> <table border="1"> <thead> <tr> <th colspan="2"></th> <th colspan="2">Limit</th> <th colspan="2">Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> <th></th> <th></th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4874.00</td> <td>45.31</td> <td>74.00</td> <td>-28.69</td> <td>50.94</td> <td>34.85</td> <td>11.10</td> <td>51.58</td> <td>---</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>7311.00</td> <td>47.37</td> <td>74.00</td> <td>-26.63</td> <td>49.13</td> <td>36.32</td> <td>13.08</td> <td>51.16</td> <td>---</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>			Limit		Read		Ant	Cable	Preamp	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor				cm	deg	1	4874.00	45.31	74.00	-28.69	50.94	34.85	11.10	51.58	---	---	---	Peak	2	7311.00	47.37	74.00	-26.63	49.13	36.32	13.08	51.16	---	---	---	Peak
			Limit		Read		Ant	Cable	Preamp	APos	TPos																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor				cm	deg																																																																																														
1	4874.00	44.59	74.00	-29.41	50.22	34.85	11.10	51.58	---	---	---	Peak																																																																																														
2	7311.00	47.93	74.00	-26.07	49.69	36.32	13.08	51.16	---	---	---	Peak																																																																																														
		Limit		Read		Ant	Cable	Preamp	APos	TPos																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor				cm	deg																																																																																														
1	4874.00	45.31	74.00	-28.69	50.94	34.85	11.10	51.58	---	---	---	Peak																																																																																														
2	7311.00	47.37	74.00	-26.63	49.13	36.32	13.08	51.16	---	---	---	Peak																																																																																														



Mode	9																																																																											
	Band Edge																																																																											
	2400-2483.5_802.11ac_VHT20_CH11_2462MHz																																																																											
ANT	6																																																																											
Pol.	Horizontal	Fundamental																																																																										
Peak	 <p style="text-align: right;">Date: 2023-06-15</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2484.12</td> <td>60.78</td> <td>74.00</td> <td>-13.22</td> <td>52.53</td> <td>32.47</td> <td>7.88</td> <td>32.10</td> <td>314</td> <td>312</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2484.12	60.78	74.00	-13.22	52.53	32.47	7.88	32.10	314	312	PEAK	 <p style="text-align: right;">Date: 2023-06-15</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2462.00</td> <td>107.93</td> <td>-----</td> <td>-----</td> <td>99.76</td> <td>32.41</td> <td>7.85</td> <td>32.09</td> <td>314</td> <td>312</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2462.00	107.93	-----	-----	99.76	32.41	7.85	32.09	314	312	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																				
1	2484.12	60.78	74.00	-13.22	52.53	32.47	7.88	32.10	314	312	PEAK																																																																	
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																				
1	2462.00	107.93	-----	-----	99.76	32.41	7.85	32.09	314	312	PEAK																																																																	
Avg	 <p style="text-align: right;">Date: 2023-06-15</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.55</td> <td>49.28</td> <td>54.00</td> <td>-4.72</td> <td>41.04</td> <td>32.46</td> <td>7.88</td> <td>32.10</td> <td>314</td> <td>312</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2483.55	49.28	54.00	-4.72	41.04	32.46	7.88	32.10	314	312	AVERAGE	 <p style="text-align: right;">Date: 2023-06-15</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2462.00</td> <td>98.59</td> <td>-----</td> <td>-----</td> <td>90.42</td> <td>32.41</td> <td>7.85</td> <td>32.09</td> <td>314</td> <td>312</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2462.00	98.59	-----	-----	90.42	32.41	7.85	32.09	314	312	AVERAGE
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																				
1	2483.55	49.28	54.00	-4.72	41.04	32.46	7.88	32.10	314	312	AVERAGE																																																																	
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																				
1	2462.00	98.59	-----	-----	90.42	32.41	7.85	32.09	314	312	AVERAGE																																																																	



Mode	9																																																																											
	Band Edge																																																																											
	2400-2483.5_802.11ac_VHT20_CH11_2462MHz																																																																											
ANT	6																																																																											
Pol.	Vertical	Fundamental																																																																										
Peak	 <p style="text-align: right;">Date: 2023-06-15</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.70</td> <td>61.85</td> <td>74.00</td> <td>-12.15</td> <td>53.61</td> <td>32.46</td> <td>7.88</td> <td>32.10</td> <td>315</td> <td>289</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2483.70	61.85	74.00	-12.15	53.61	32.46	7.88	32.10	315	289	PEAK	 <p style="text-align: right;">Date: 2023-06-15</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2462.00</td> <td>108.15</td> <td>-----</td> <td>-----</td> <td>99.96</td> <td>32.42</td> <td>7.86</td> <td>32.09</td> <td>315</td> <td>289</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2462.00	108.15	-----	-----	99.96	32.42	7.86	32.09	315	289	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																				
1	2483.70	61.85	74.00	-12.15	53.61	32.46	7.88	32.10	315	289	PEAK																																																																	
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																				
1	2462.00	108.15	-----	-----	99.96	32.42	7.86	32.09	315	289	PEAK																																																																	
Avg	 <p style="text-align: right;">Date: 2023-06-15</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.51</td> <td>48.92</td> <td>54.00</td> <td>-5.08</td> <td>40.68</td> <td>32.46</td> <td>7.88</td> <td>32.10</td> <td>315</td> <td>289</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2483.51	48.92	54.00	-5.08	40.68	32.46	7.88	32.10	315	289	AVERAGE	 <p style="text-align: right;">Date: 2023-06-15</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2462.00</td> <td>98.66</td> <td>-----</td> <td>-----</td> <td>90.49</td> <td>32.41</td> <td>7.85</td> <td>32.09</td> <td>315</td> <td>289</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2462.00	98.66	-----	-----	90.49	32.41	7.85	32.09	315	289	AVERAGE
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																				
1	2483.51	48.92	54.00	-5.08	40.68	32.46	7.88	32.10	315	289	AVERAGE																																																																	
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																				
1	2462.00	98.66	-----	-----	90.49	32.41	7.85	32.09	315	289	AVERAGE																																																																	



Mode	9																																																																																																								
	Harmonic																																																																																																								
	2400-2483.5_802.11ac VHT20_CH11_2462MHz																																																																																																								
ANT	6																																																																																																								
Pol.	Horizontal	Vertical																																																																																																							
Peak Avg	<p style="text-align: right;">Date: 2023-06-16</p>	<p style="text-align: right;">Date: 2023-06-16</p>																																																																																																							
	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4924.00</td> <td>45.14</td> <td>74.00</td> <td>-28.86</td> <td>50.73</td> <td>34.87</td> <td>11.12</td> <td>51.58</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>7386.00</td> <td>48.40</td> <td>74.00</td> <td>-25.60</td> <td>50.10</td> <td>36.35</td> <td>13.13</td> <td>51.18</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4924.00	45.14	74.00	-28.86	50.73	34.87	11.12	51.58	---	---	Peak	2	7386.00	48.40	74.00	-25.60	50.10	36.35	13.13	51.18	---	---	Peak	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4924.00</td> <td>45.69</td> <td>74.00</td> <td>-28.31</td> <td>51.28</td> <td>34.87</td> <td>11.12</td> <td>51.58</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>7386.00</td> <td>47.40</td> <td>74.00</td> <td>-26.60</td> <td>49.10</td> <td>36.35</td> <td>13.13</td> <td>51.18</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4924.00	45.69	74.00	-28.31	51.28	34.87	11.12	51.58	---	---	Peak	2	7386.00	47.40	74.00	-26.60	49.10	36.35	13.13	51.18	---	---
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																
1	4924.00	45.14	74.00	-28.86	50.73	34.87	11.12	51.58	---	---	Peak																																																																																														
2	7386.00	48.40	74.00	-25.60	50.10	36.35	13.13	51.18	---	---	Peak																																																																																														
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																
1	4924.00	45.69	74.00	-28.31	51.28	34.87	11.12	51.58	---	---	Peak																																																																																														
2	7386.00	47.40	74.00	-26.60	49.10	36.35	13.13	51.18	---	---	Peak																																																																																														



Mode	10																																																																									
	Band Edge - L																																																																									
	2400-2483.5_802.11ac_VHT40_CH03_2422MHz																																																																									
ANT	6																																																																									
Pol.	Horizontal	Fundamental																																																																								
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2389.52</td> <td>57.59</td> <td>74.00</td> <td>-16.41</td> <td>49.65</td> <td>32.26</td> <td>7.76</td> <td>32.08</td> <td>300</td> <td>310</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	2389.52	57.59	74.00	-16.41	49.65	32.26	7.76	32.08	300	310	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2422.00</td> <td>101.31</td> <td>-----</td> <td>-----</td> <td>93.25</td> <td>32.32</td> <td>7.82</td> <td>32.08</td> <td>300</td> <td>310</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	2422.00	101.31	-----	-----	93.25	32.32	7.82	32.08	300	310	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																			
1	2389.52	57.59	74.00	-16.41	49.65	32.26	7.76	32.08	300	310	PEAK																																																															
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																			
1	2422.00	101.31	-----	-----	93.25	32.32	7.82	32.08	300	310	PEAK																																																															
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2389.52</td> <td>47.45</td> <td>54.00</td> <td>-6.55</td> <td>39.51</td> <td>32.26</td> <td>7.76</td> <td>32.08</td> <td>300</td> <td>310</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	2389.52	47.45	54.00	-6.55	39.51	32.26	7.76	32.08	300	310	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2422.00</td> <td>92.21</td> <td>-----</td> <td>-----</td> <td>84.15</td> <td>32.32</td> <td>7.82</td> <td>32.08</td> <td>300</td> <td>310</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	2422.00	92.21	-----	-----	84.15	32.32	7.82	32.08	300	310	AVERAGE
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																			
1	2389.52	47.45	54.00	-6.55	39.51	32.26	7.76	32.08	300	310	AVERAGE																																																															
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																			
1	2422.00	92.21	-----	-----	84.15	32.32	7.82	32.08	300	310	AVERAGE																																																															



Mode	10																																						
	Band Edge - R																																						
	2400-2483.5_802.11ac VHT40_CH03_2422MHz																																						
ANT	6																																						
Pol.	Horizontal	Fundamental																																					
Peak	<p>Date: 2023-06-15</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.54</td> <td>51.13</td> <td>74.00</td> <td>-22.87</td> <td>42.89</td> <td>32.46</td> <td>7.88</td> <td>32.10</td> <td>300</td> <td>310</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2483.54	51.13	74.00	-22.87	42.89	32.46	7.88	32.10	300	310	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																															
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																															
1	2483.54	51.13	74.00	-22.87	42.89	32.46	7.88	32.10	300	310	PEAK																												
Avg	<p>Date: 2023-06-15</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2484.09</td> <td>40.26</td> <td>54.00</td> <td>-13.74</td> <td>32.02</td> <td>32.46</td> <td>7.88</td> <td>32.10</td> <td>300</td> <td>310</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2484.09	40.26	54.00	-13.74	32.02	32.46	7.88	32.10	300	310	AVERAGE	Blank
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																															
1	2484.09	40.26	54.00	-13.74	32.02	32.46	7.88	32.10	300	310	AVERAGE																												



Mode	10																																																																									
	Band Edge - L																																																																									
	2400-2483.5_802.11ac_VHT40_CH03_2422MHz																																																																									
ANT	6																																																																									
Pol.	Vertical	Fundamental																																																																								
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2389.97</td> <td>60.59</td> <td>74.00</td> <td>-13.41</td> <td>52.65</td> <td>32.26</td> <td>7.76</td> <td>32.08</td> <td>297</td> <td>290</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	2389.97	60.59	74.00	-13.41	52.65	32.26	7.76	32.08	297	290	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2422.00</td> <td>104.43</td> <td>-----</td> <td>-----</td> <td>96.35</td> <td>32.34</td> <td>7.82</td> <td>32.08</td> <td>297</td> <td>290</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	2422.00	104.43	-----	-----	96.35	32.34	7.82	32.08	297	290	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																			
1	2389.97	60.59	74.00	-13.41	52.65	32.26	7.76	32.08	297	290	PEAK																																																															
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																			
1	2422.00	104.43	-----	-----	96.35	32.34	7.82	32.08	297	290	PEAK																																																															
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2389.52</td> <td>49.86</td> <td>54.00</td> <td>-4.14</td> <td>41.92</td> <td>32.26</td> <td>7.76</td> <td>32.08</td> <td>297</td> <td>290</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	2389.52	49.86	54.00	-4.14	41.92	32.26	7.76	32.08	297	290	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2422.00</td> <td>95.00</td> <td>-----</td> <td>-----</td> <td>86.93</td> <td>32.33</td> <td>7.82</td> <td>32.08</td> <td>297</td> <td>290</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	2422.00	95.00	-----	-----	86.93	32.33	7.82	32.08	297	290	AVERAGE
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																			
1	2389.52	49.86	54.00	-4.14	41.92	32.26	7.76	32.08	297	290	AVERAGE																																																															
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																			
1	2422.00	95.00	-----	-----	86.93	32.33	7.82	32.08	297	290	AVERAGE																																																															



Mode	10																																						
	Band Edge - R																																						
	2400-2483.5_802.11ac VHT40_CH03_2422MHz																																						
ANT	6																																						
Pol.	Vertical	Fundamental																																					
Peak	<p>Date: 2023-06-15</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2484.79</td> <td>52.38</td> <td>74.00</td> <td>-21.62</td> <td>44.13</td> <td>32.47</td> <td>7.88</td> <td>32.10</td> <td>297</td> <td>290</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2484.79	52.38	74.00	-21.62	44.13	32.47	7.88	32.10	297	290	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																															
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																															
1	2484.79	52.38	74.00	-21.62	44.13	32.47	7.88	32.10	297	290	PEAK																												
Blank																																							
Avg	<p>Date: 2023-06-15</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.78</td> <td>41.34</td> <td>54.00</td> <td>-12.66</td> <td>33.10</td> <td>32.46</td> <td>7.88</td> <td>32.10</td> <td>297</td> <td>290</td> <td>AVERAGE</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2483.78	41.34	54.00	-12.66	33.10	32.46	7.88	32.10	297	290	AVERAGE
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																															
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																															
1	2483.78	41.34	54.00	-12.66	33.10	32.46	7.88	32.10	297	290	AVERAGE																												
Blank																																							



Mode	11																																																																									
	Band Edge - L																																																																									
	2400-2483.5_802.11ac_VHT40_CH09_2452MHz																																																																									
ANT	6																																																																									
Pol.	Horizontal	Fundamental																																																																								
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2373.90</td> <td>50.74</td> <td>74.00</td> <td>-23.26</td> <td>42.87</td> <td>32.22</td> <td>7.72</td> <td>32.07</td> <td>360</td> <td>322</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	2373.90	50.74	74.00	-23.26	42.87	32.22	7.72	32.07	360	322	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2452.00</td> <td>102.41</td> <td>-----</td> <td>-----</td> <td>94.25</td> <td>32.40</td> <td>7.85</td> <td>32.09</td> <td>360</td> <td>322</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	2452.00	102.41	-----	-----	94.25	32.40	7.85	32.09	360	322	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																			
1	2373.90	50.74	74.00	-23.26	42.87	32.22	7.72	32.07	360	322	PEAK																																																															
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																			
1	2452.00	102.41	-----	-----	94.25	32.40	7.85	32.09	360	322	PEAK																																																															
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2388.38</td> <td>39.24</td> <td>54.00</td> <td>-14.76</td> <td>31.31</td> <td>32.25</td> <td>7.76</td> <td>32.08</td> <td>360</td> <td>322</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	2388.38	39.24	54.00	-14.76	31.31	32.25	7.76	32.08	360	322	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2452.00</td> <td>92.59</td> <td>-----</td> <td>-----</td> <td>84.43</td> <td>32.40</td> <td>7.85</td> <td>32.09</td> <td>360</td> <td>322</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	2452.00	92.59	-----	-----	84.43	32.40	7.85	32.09	360	322	AVERAGE
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																			
1	2388.38	39.24	54.00	-14.76	31.31	32.25	7.76	32.08	360	322	AVERAGE																																																															
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																			
1	2452.00	92.59	-----	-----	84.43	32.40	7.85	32.09	360	322	AVERAGE																																																															



Mode	11																																					
	Band Edge - R																																					
	2400-2483.5_802.11ac VHT40_CH09_2452MHz																																					
ANT	6																																					
Pol.	Horizontal	Fundamental																																				
Peak	<p>Date: 2023-06-15</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.58</td> <td>59.30</td> <td>74.00</td> <td>-14.70</td> <td>51.06</td> <td>32.46</td> <td>7.88</td> <td>32.10</td> <td>360</td> <td>322</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	2483.58	59.30	74.00	-14.70	51.06	32.46	7.88	32.10	360	322	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																															
1	2483.58	59.30	74.00	-14.70	51.06	32.46	7.88	32.10	360	322	PEAK																											
Avg	<p>Date: 2023-06-15</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.58</td> <td>48.07</td> <td>54.00</td> <td>-5.93</td> <td>39.83</td> <td>32.46</td> <td>7.88</td> <td>32.10</td> <td>360</td> <td>322</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	2483.58	48.07	54.00	-5.93	39.83	32.46	7.88	32.10	360	322	AVERAGE	Blank
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																															
1	2483.58	48.07	54.00	-5.93	39.83	32.46	7.88	32.10	360	322	AVERAGE																											



	11																																																																									
Mode	Band Edge - L																																																																									
	2400-2483.5_802.11ac_VHT40_CH09_2452MHz																																																																									
ANT	6																																																																									
Pol.	Vertical	Fundamental																																																																								
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2370.35</td> <td>55.06</td> <td>74.00</td> <td>-18.94</td> <td>47.21</td> <td>32.21</td> <td>7.71</td> <td>32.07</td> <td>315</td> <td>290</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	2370.35	55.06	74.00	-18.94	47.21	32.21	7.71	32.07	315	290	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2452.00</td> <td>103.19</td> <td>-----</td> <td>-----</td> <td>95.03</td> <td>32.40</td> <td>7.85</td> <td>32.09</td> <td>315</td> <td>290</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	2452.00	103.19	-----	-----	95.03	32.40	7.85	32.09	315	290	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																			
1	2370.35	55.06	74.00	-18.94	47.21	32.21	7.71	32.07	315	290	PEAK																																																															
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																			
1	2452.00	103.19	-----	-----	95.03	32.40	7.85	32.09	315	290	PEAK																																																															
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2388.95</td> <td>39.74</td> <td>54.00</td> <td>-14.26</td> <td>31.80</td> <td>32.26</td> <td>7.76</td> <td>32.08</td> <td>315</td> <td>290</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	2388.95	39.74	54.00	-14.26	31.80	32.26	7.76	32.08	315	290	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2452.00</td> <td>94.03</td> <td>-----</td> <td>-----</td> <td>85.87</td> <td>32.40</td> <td>7.85</td> <td>32.09</td> <td>315</td> <td>290</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	2452.00	94.03	-----	-----	85.87	32.40	7.85	32.09	315	290	AVERAGE
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																			
1	2388.95	39.74	54.00	-14.26	31.80	32.26	7.76	32.08	315	290	AVERAGE																																																															
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																			
1	2452.00	94.03	-----	-----	85.87	32.40	7.85	32.09	315	290	AVERAGE																																																															

Note: The higher Signals which are no mark are within frequency band can be ignored.



Mode	11																																						
	Band Edge - R																																						
	2400-2483.5_802.11ac VHT40_CH09_2452MHz																																						
ANT	6																																						
Pol.	Vertical	Fundamental																																					
Peak	<p>Date: 2023-06-15</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.54</td> <td>60.77</td> <td>74.00</td> <td>-13.23</td> <td>52.53</td> <td>32.46</td> <td>7.88</td> <td>32.10</td> <td>315</td> <td>290</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2483.54	60.77	74.00	-13.23	52.53	32.46	7.88	32.10	315	290	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																															
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																															
1	2483.54	60.77	74.00	-13.23	52.53	32.46	7.88	32.10	315	290	PEAK																												
Blank																																							
Avg	<p>Date: 2023-06-15</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.54</td> <td>49.46</td> <td>54.00</td> <td>-4.54</td> <td>41.22</td> <td>32.46</td> <td>7.88</td> <td>32.10</td> <td>315</td> <td>290</td> <td>AVERAGE</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2483.54	49.46	54.00	-4.54	41.22	32.46	7.88	32.10	315	290	AVERAGE
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																															
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																															
1	2483.54	49.46	54.00	-4.54	41.22	32.46	7.88	32.10	315	290	AVERAGE																												
Blank																																							



Mode	12																																																																																																																																																																																																	
	LF																																																																																																																																																																																																	
	2400-2483.5_802.11b_CH01_2412MHz																																																																																																																																																																																																	
ANT	6																																																																																																																																																																																																	
Pol.	Horizontal	Vertical																																																																																																																																																																																																
QP/ Peak	<p>Date: 2023-06-16</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>58.13</td> <td>18.54</td> <td>40.00</td> <td>-21.46</td> <td>35.71</td> <td>12.86</td> <td>1.57</td> <td>31.60</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>159.01</td> <td>17.95</td> <td>43.50</td> <td>-25.55</td> <td>30.77</td> <td>16.32</td> <td>2.24</td> <td>31.38</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>3</td> <td>297.72</td> <td>19.72</td> <td>46.00</td> <td>-26.28</td> <td>29.05</td> <td>19.38</td> <td>2.71</td> <td>31.42</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>4</td> <td>499.48</td> <td>23.77</td> <td>46.00</td> <td>-22.23</td> <td>27.80</td> <td>23.69</td> <td>3.48</td> <td>31.20</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>5</td> <td>631.40</td> <td>26.80</td> <td>46.00</td> <td>-19.20</td> <td>29.38</td> <td>25.09</td> <td>3.81</td> <td>31.48</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>6</td> <td>853.53</td> <td>31.09</td> <td>46.00</td> <td>-14.91</td> <td>31.58</td> <td>26.52</td> <td>4.40</td> <td>31.41</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	58.13	18.54	40.00	-21.46	35.71	12.86	1.57	31.60	---	---	Peak	2	159.01	17.95	43.50	-25.55	30.77	16.32	2.24	31.38	---	---	Peak	3	297.72	19.72	46.00	-26.28	29.05	19.38	2.71	31.42	---	---	Peak	4	499.48	23.77	46.00	-22.23	27.80	23.69	3.48	31.20	---	---	Peak	5	631.40	26.80	46.00	-19.20	29.38	25.09	3.81	31.48	---	---	Peak	6	853.53	31.09	46.00	-14.91	31.58	26.52	4.40	31.41	---	---	Peak	<p>Date: 2023-06-16</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>37.76</td> <td>20.63</td> <td>40.00</td> <td>-19.37</td> <td>30.33</td> <td>20.44</td> <td>1.30</td> <td>31.44</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>151.25</td> <td>18.18</td> <td>43.50</td> <td>-25.32</td> <td>30.90</td> <td>16.48</td> <td>2.20</td> <td>31.40</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>3</td> <td>194.90</td> <td>18.47</td> <td>43.50</td> <td>-25.03</td> <td>32.14</td> <td>15.35</td> <td>2.29</td> <td>31.31</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>4</td> <td>368.53</td> <td>21.35</td> <td>46.00</td> <td>-24.65</td> <td>28.70</td> <td>21.02</td> <td>2.97</td> <td>31.34</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>5</td> <td>617.82</td> <td>26.82</td> <td>46.00</td> <td>-19.18</td> <td>29.55</td> <td>25.01</td> <td>3.79</td> <td>31.53</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>6</td> <td>869.05</td> <td>30.24</td> <td>46.00</td> <td>-15.76</td> <td>30.63</td> <td>26.62</td> <td>4.43</td> <td>31.44</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	37.76	20.63	40.00	-19.37	30.33	20.44	1.30	31.44	---	---	Peak	2	151.25	18.18	43.50	-25.32	30.90	16.48	2.20	31.40	---	---	Peak	3	194.90	18.47	43.50	-25.03	32.14	15.35	2.29	31.31	---	---	Peak	4	368.53	21.35	46.00	-24.65	28.70	21.02	2.97	31.34	---	---	Peak	5	617.82	26.82	46.00	-19.18	29.55	25.01	3.79	31.53	---	---	Peak	6	869.05	30.24	46.00	-15.76	30.63	26.62	4.43	31.44	---	---	Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																																																																																																											
1	58.13	18.54	40.00	-21.46	35.71	12.86	1.57	31.60	---	---	Peak																																																																																																																																																																																							
2	159.01	17.95	43.50	-25.55	30.77	16.32	2.24	31.38	---	---	Peak																																																																																																																																																																																							
3	297.72	19.72	46.00	-26.28	29.05	19.38	2.71	31.42	---	---	Peak																																																																																																																																																																																							
4	499.48	23.77	46.00	-22.23	27.80	23.69	3.48	31.20	---	---	Peak																																																																																																																																																																																							
5	631.40	26.80	46.00	-19.20	29.38	25.09	3.81	31.48	---	---	Peak																																																																																																																																																																																							
6	853.53	31.09	46.00	-14.91	31.58	26.52	4.40	31.41	---	---	Peak																																																																																																																																																																																							
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																																																																																																											
1	37.76	20.63	40.00	-19.37	30.33	20.44	1.30	31.44	---	---	Peak																																																																																																																																																																																							
2	151.25	18.18	43.50	-25.32	30.90	16.48	2.20	31.40	---	---	Peak																																																																																																																																																																																							
3	194.90	18.47	43.50	-25.03	32.14	15.35	2.29	31.31	---	---	Peak																																																																																																																																																																																							
4	368.53	21.35	46.00	-24.65	28.70	21.02	2.97	31.34	---	---	Peak																																																																																																																																																																																							
5	617.82	26.82	46.00	-19.18	29.55	25.01	3.79	31.53	---	---	Peak																																																																																																																																																																																							
6	869.05	30.24	46.00	-15.76	30.63	26.62	4.43	31.44	---	---	Peak																																																																																																																																																																																							



Co-location

802.11ac VHT20 CH01 2412MHz<E Band13 (Band Edge @ 3m)

	Horizontal	Fundamental																																																																		
Peak	<p>Date: 1 Date: 2023-07-07</p> <p>Level (dBuV/m) vs Frequency (MHz)</p> <table border="1"> <thead> <tr> <th>Over Level</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2389.78</td> <td>59.32</td> <td>-14.68</td> <td>74.00</td> <td>52.27</td> <td>32.36</td> <td>6.44 31.75 100</td> <td>324 Peak</td> </tr> </tbody> </table>	Over Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Freq	Level	Line	Level	Factor	Loss	Factor		MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cm deg	1	2389.78	59.32	-14.68	74.00	52.27	32.36	6.44 31.75 100	324 Peak	<p>Date: 3 Date: 2023-07-07</p> <p>Level (dBuV/m) vs Frequency (MHz)</p> <table border="1"> <thead> <tr> <th>Over Level</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm deg</th> </tr> </thead> <tbody> <tr> <td>1 *</td> <td>2412.00</td> <td>188.64</td> <td>34.64</td> <td>74.00</td> <td>181.55</td> <td>32.37</td> <td>6.44 31.72 100</td> <td>324 Peak</td> </tr> </tbody> </table>	Over Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Freq	Level	Line	Level	Factor	Loss	Factor		MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cm deg	1 *	2412.00	188.64	34.64	74.00	181.55	32.37	6.44 31.72 100	324 Peak
Over Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																													
Freq	Level	Line	Level	Factor	Loss	Factor																																																														
MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cm deg																																																													
1	2389.78	59.32	-14.68	74.00	52.27	32.36	6.44 31.75 100	324 Peak																																																												
Over Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																													
Freq	Level	Line	Level	Factor	Loss	Factor																																																														
MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cm deg																																																													
1 *	2412.00	188.64	34.64	74.00	181.55	32.37	6.44 31.72 100	324 Peak																																																												
Avg.	<p>Date: 2 Date: 2023-07-07</p> <p>Level (dBuV/m) vs Frequency (MHz)</p> <table border="1"> <thead> <tr> <th>Over Level</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2389.91</td> <td>49.20</td> <td>-4.88</td> <td>54.00</td> <td>42.15</td> <td>32.36</td> <td>6.44 31.75 100</td> <td>324 Average</td> </tr> </tbody> </table>	Over Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Freq	Level	Line	Level	Factor	Loss	Factor		MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cm deg	1	2389.91	49.20	-4.88	54.00	42.15	32.36	6.44 31.75 100	324 Average	<p>Date: 4 Date: 2023-07-07</p> <p>Level (dBuV/m) vs Frequency (MHz)</p> <table border="1"> <thead> <tr> <th>Over Level</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm deg</th> </tr> </thead> <tbody> <tr> <td>1 *</td> <td>2412.00</td> <td>180.49</td> <td>46.49</td> <td>54.00</td> <td>93.40</td> <td>32.37</td> <td>6.44 31.72 100</td> <td>324 Average</td> </tr> </tbody> </table>	Over Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Freq	Level	Line	Level	Factor	Loss	Factor		MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cm deg	1 *	2412.00	180.49	46.49	54.00	93.40	32.37	6.44 31.72 100	324 Average
Over Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																													
Freq	Level	Line	Level	Factor	Loss	Factor																																																														
MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cm deg																																																													
1	2389.91	49.20	-4.88	54.00	42.15	32.36	6.44 31.75 100	324 Average																																																												
Over Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																													
Freq	Level	Line	Level	Factor	Loss	Factor																																																														
MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cm deg																																																													
1 *	2412.00	180.49	46.49	54.00	93.40	32.37	6.44 31.72 100	324 Average																																																												



	Vertical	Fundamental																																																																
Peak	<p>Date: 5 Date: 2023-07-07</p> <p>Level (dBuV/m) vs Frequency (MHz)</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2309.49</td> <td>60.33</td> <td>-13.67</td> <td>74.00</td> <td>53.26</td> <td>32.36</td> <td>6.44 31.75 218 319 Peak</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Freq	Level	Line	Level	Factor	Loss	Factor		MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cm deg	1	2309.49	60.33	-13.67	74.00	53.26	32.36	6.44 31.75 218 319 Peak	<p>Date: 7 Date: 2023-07-07</p> <p>Level (dBuV/m) vs Frequency (MHz)</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2412.00</td> <td>109.74</td> <td>35.74</td> <td>74.00</td> <td>102.65</td> <td>32.37</td> <td>6.44 31.72 218 319 Peak</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Freq	Level	Line	Level	Factor	Loss	Factor		MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cm deg	1	2412.00	109.74	35.74	74.00	102.65	32.37	6.44 31.72 218 319 Peak
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																											
Freq	Level	Line	Level	Factor	Loss	Factor																																																												
MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cm deg																																																											
1	2309.49	60.33	-13.67	74.00	53.26	32.36	6.44 31.75 218 319 Peak																																																											
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																											
Freq	Level	Line	Level	Factor	Loss	Factor																																																												
MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cm deg																																																											
1	2412.00	109.74	35.74	74.00	102.65	32.37	6.44 31.72 218 319 Peak																																																											
Avg.	<p>Date: 6 Date: 2023-07-07</p> <p>Level (dBuV/m) vs Frequency (MHz)</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2309.91</td> <td>50.22</td> <td>-3.78</td> <td>54.00</td> <td>43.17</td> <td>32.36</td> <td>6.44 31.75 218 319 Average</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Freq	Level	Line	Level	Factor	Loss	Factor		MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cm deg	1	2309.91	50.22	-3.78	54.00	43.17	32.36	6.44 31.75 218 319 Average	<p>Date: 8 Date: 2023-07-07</p> <p>Level (dBuV/m) vs Frequency (MHz)</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2412.00</td> <td>101.13</td> <td>47.13</td> <td>54.00</td> <td>94.04</td> <td>32.37</td> <td>6.44 31.72 218 319 Average</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Freq	Level	Line	Level	Factor	Loss	Factor		MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cm deg	1	2412.00	101.13	47.13	54.00	94.04	32.37	6.44 31.72 218 319 Average
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																											
Freq	Level	Line	Level	Factor	Loss	Factor																																																												
MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cm deg																																																											
1	2309.91	50.22	-3.78	54.00	43.17	32.36	6.44 31.75 218 319 Average																																																											
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																											
Freq	Level	Line	Level	Factor	Loss	Factor																																																												
MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cm deg																																																											
1	2412.00	101.13	47.13	54.00	94.04	32.37	6.44 31.72 218 319 Average																																																											



802.11ac VHT20 CH01 2412MHz <E Band13 (Harmonic @ 3m)

	Horizontal	Vertical																																																												
Peak Avg.	<p>Data: 13 Date: 2023-07-07</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 4824.00</td> <td>44.52</td> <td>-29.48</td> <td>74.00</td> <td>58.15</td> <td>34.40</td> <td>9.47</td> <td>57.50</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1 4824.00	44.52	-29.48	74.00	58.15	34.40	9.47	57.50	---	Peak	<p>Data: 14 Date: 2023-07-07</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 4824.00</td> <td>44.48</td> <td>-29.52</td> <td>74.00</td> <td>58.11</td> <td>34.40</td> <td>9.47</td> <td>57.50</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1 4824.00	44.48	-29.52	74.00	58.11	34.40	9.47	57.50	---	Peak
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																					
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																						
1 4824.00	44.52	-29.48	74.00	58.15	34.40	9.47	57.50	---	Peak																																																					
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																					
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																						
1 4824.00	44.48	-29.52	74.00	58.11	34.40	9.47	57.50	---	Peak																																																					


Note: The over limit line signals are Fundamental signal which can be ignored.




Appendix D. Duty Cycle Plots

Band	Duty Cycle(%)	T(ms)	1/T(kHz)	VBW Setting
802.11b	98.97	-	-	10Hz
802.11g	97.46	1.391	0.719	1KHz
802.11ac VHT20	97.28	1.297	0.771	1KHz
802.11ac VHT40	92.92	0.646	1.547	3KHz


802.11b



802.11g



802.11ac VHT20



802.11 ac VHT 40

