



Spot Check Evaluation

APPLICANT : Motorola Mobility LLC
EQUIPMENT : Mobile Cellular Phone
BRAND NAME : Motorola
MODEL NAME : XT2413-1, XT2413-3
FCC ID : IHDT56AN3
STANDARD : 47 CFR Part 2, 22(H), 24(E), 27(L), 27(H), 27(F), 27(M)
47 CFR Part 15 Subpart C §15.247
47 CFR Part 15 Subpart E §15.407
TEST DATE(S) : Oct. 07, 2023 ~ Oct. 30, 2023

We, Sporton International Inc. (ShenZhen), would like to declare that the tested sample has been evaluated in accordance with the test procedures and has been in compliance with the applicable technical standards.

The test results in this report apply exclusively to the tested model / sample. Without written approval of Sporton International Inc. (ShenZhen), the test report shall not be reproduced except in full.

Jason Jia



Approved by: Jason Jia

Sporton International Inc. (ShenZhen)
1/F, 2/F, Bldg 5, Shiling Industrial Zone, Xinwei Village, Xili, Nanshan, Shenzhen, 518055
People's Republic of China



TABLE OF CONTENTS

REVISION HISTORY..... 3

1 GENERAL DESCRIPTION..... 4

1.1 Applicant 4

1.2 Manufacturer..... 4

1.3 Product Feature of Equipment Under Test..... 4

1.4 Modification of EUT 4

1.5 Testing Site..... 5

1.6 Test Software..... 5

1.7 Applicable Standards..... 5

1.8 Specification of Accessory..... 6

2 RE-USE OF MEASURED DATA..... 7

2.1 Introduction Section 7

2.2 Model Difference Information 7

2.3 Reference detail Section: 7

2.4 Spot Check Verification Data Section..... 8

3 LIST OF MEASURING EQUIPMENT..... 10

4 MEASUREMENT UNCERTAINTY 11

APPENDIX A. CONDUCTED TEST RESULTS

APPENDIX B. RADIATED SPURIOUS EMISSION

APPENDIX C. DUTY CYCLE PLOTS

APPENDIX D. SETUP PHOTOGRAPHS



REVISION HISTORY

REPORT NO.	VERSION	DESCRIPTION	ISSUED DATE
391515-01	Rev. 01	Initial issue of report	Nov. 07, 2023

Conformity Assessment Condition:
<ol style="list-style-type: none"> 1. The test results (PASS/FAIL) with all measurement uncertainty excluded are presented against the regulation limits or in accordance with the requirements stipulated by the applicant/manufacture who shall bear all the risks of non-compliance that may potentially occur if measurement uncertainty is taken into account. 2. The measurement uncertainty please refer to each test result in the section “Measurement Uncertainty”
Disclaimer:
The product specifications of the EUT presented in the test report that may affect the test assessments are declared by the manufacturer who shall take full responsibility for the authenticity.



1 General Description

1.1 Applicant

Motorola Mobility LLC
222 W, Merchandise Mart Plaza, Chicago IL 60654 USA

1.2 Manufacturer

Motorola Mobility LLC
222 W, Merchandise Mart Plaza, Chicago IL 60654 USA

1.3 Product Feature of Equipment Under Test

Product Feature	
Equipment	Mobile Cellular Phone
Brand Name	Motorola
Model Name	XT2413-1, XT2413-3
FCC ID	IHDT56AN3
IMEI Code	Conducted: 350803920011023 Radiation: 350803920011585
HW Version	DVT2
SW Version	T3TF33.55
Maximum Output Power to Antenna	<p><2412 MHz ~ 2462 MHz> 802.11n HT20 : 23.36 dBm / 0.2168 W</p> <p><5180 MHz ~ 5240 MHz> 802.11ac VHT20 : 18.04 dBm / 0.0637 W</p> <p><5260 MHz ~ 5320 MHz> 802.11ac VHT20 : 17.67 dBm / 0.0585 W</p> <p><5500 MHz ~ 5700 MHz > 802.11a : 17.20 dBm / 0.0525 W</p> <p><5745 MHz ~ 5825 MHz> 802.11ac VHT20 : 17.88 dBm / 0.0614 W</p>
EUT Stage	Identical Prototype

Remark:

1. The above EUT's information was declared by manufacturer. Please refer to the specifications or user's manual for more detailed description.
2. The model name XT2413-1, XT2413-3 are the same product except model name different for market segment.

1.4 Modification of EUT

No modifications are made to the EUT during all test items.



1.5 Testing Site

Sporton International Inc. (ShenZhen) is accredited to ISO/IEC 17025:2017 by American Association for Laboratory Accreditation with Certificate Number 5145.01.

Test Firm	Sporton International Inc. (ShenZhen)		
Test Site Location	1/F, 2/F, Bldg 5, Shiling Industrial Zone, Xinwei Village, Xili, Nanshan, Shenzhen, 518055 People's Republic of China TEL: +86-755-86379589 FAX: +86-755-86379595		
Test Site No.	Sporton Site No.	FCC Designation No.	FCC Test Firm Registration No.
	TH01-SZ	CN1256	421272

Test Firm	Sporton International Inc. (ShenZhen)		
Test Site Location	101, 1st Floor, Block B, Building 1, No. 2, Tengfeng 4th Road, Fenghuang Community, Fuyong Street, Baoan District, Shenzhen City Guangdong Province China 518103 TEL: +86-755-33202398		
Test Site No.	Sporton Site No.	FCC Designation No.	FCC Test Firm Registration No.
	03CH01-SZ	CN1256	421272

1.6 Test Software

Item	Site	Manufacturer	Name	Version
1.	03CH01-SZ	AUDIX	E3	6.2009-8-24

1.7 Applicable Standards

According to the specifications of the manufacturer, the EUT must comply with the requirements of the following standards:

- FCC KDB 484596 D01 Referencing Test Data v01
- 47 CFR Part 2, 22(H), 24(E), 27(L), 27(H), 27(F), 27(M)
- 47 CFR Part 15 Subpart C §15.247
- 47 CFR Part 15 Subpart E §15.407
- ANSI C63.10-2013
- ANSI C63.26-2015



1.8 Specification of Accessory

Specification of Accessory			
AC Adapter 1	Brand Name	Motorola(AOHAI)	Model Name MC-101
AC Adapter 2	Brand Name	Motorola(Salcomp)	Model Name MC-101
AC Adapter 3	Brand Name	Motorola(Chenyang)	Model Name MC-101
Battery 1	Brand Name	Motorola (Sunwoda)	Model Name QF50
Battery 2	Brand Name	Motorola (SCUD)	Model Name QF50
USB Cable 1	Brand Name	Motorola(Saibao)	Model Name S928D97979/S928D97981
USB Cable 2	Brand Name	Motorola(Naiyi)	Model Name S928D97980/S928D97982



2 Re-use of Measured Data

2.1 Introduction Section

This application re-uses data collected on a similar device. The subject device of this application (Model: XT2413-1, XT2413-3, FCC ID: IHDT56AN3) is electrically identical to the reference device (Model: XT2413-2, XT2413V, FCC ID: IHDT56AN4) for the portions of the circuitry corresponding to the data being re-used. Based on their similarity, the FCC Part 15C (equipment class: DTS) and FCC Part 15E (equipment class: NII,) and FCC Part 22, 24, 27 (equipment class: PCE) reuse the original model's result and do spot-check, following the FCC KDB 484596 D01 Referencing Test Data v01.

The applicant takes full responsibility that the test data as referenced in this report represent compliance for this FCC ID: IHDT56AN3.

2.2 Model Difference Information

The main difference between FCC ID: IHDT56AN4 and FCC ID: IHDT56AN3 is as below:

- Remove LTE Band 17/25/26/38/41/71.
- Add LTE Band 14/30;

Other differences and all the details of similarity and difference can be found in the confidential documents (XT2413-1, XT2413-3_Operational Description of Product Equality Declaration).

2.3 Reference detail Section:

Rule Part	Equipment Class	Frequency Band (MHz)	Reference FCC ID (Parent)	Type Grant/ Permissive Change	Reference Title	FCC ID Filling (Variant)	Report Title/Section
15C	DTS (WLAN)	2400~2483.5	IHDT56AN4	Original Grant	FR391515C	IHDT56AN3	All sections applicable, except for power and RSE
15E	NII	5180~5240	IHDT56AN4	Original Grant	FR391515D	IHDT56AN3	All sections applicable, except for power and RSE
		5260~5320	IHDT56AN4	Original Grant	FR391515D FZ391515	IHDT56AN3	All sections applicable, except for power and RSE
		5500~5720	IHDT56AN4	Original Grant	FR391515D FZ391515	IHDT56AN3	All sections applicable, except for power and RSE
		5745~5825	IHDT56AN4	Original Grant	FR391515D	IHDT56AN3	All sections applicable, except for power and RSE
22, 24, 27	PCE (GSM)	GSM 850/1900	IHDT56AN4	Original Grant	FG391515A	IHDT56AN3	All sections applicable
	PCE (WCDMA)	Band II/IV/V	IHDT56AN4	Original Grant	FG391515A	IHDT56AN3	All sections applicable
	PCE (LTE)	B4/66	IHDT56AN4	Original Grant	FG391515B	IHDT56AN3	All sections applicable
		B7/12/13	IHDT56AN4	Original Grant	FG391515C	IHDT56AN3	All sections applicable



2.4 Spot Check Verification Data Section

Conducted power test and radiated spurious emission test against the variant model based on the worst-case condition from the original model was performed in this filing to demonstrate the test data from original model remains representative for the variant model.

All test procedures follow the related section of parent report.

Summary for power and RSE spot check for each rule entry and technology is listed as below:

Test Item	Mode	IHDT56AN4 Parent Worst Result	IHDT56AN3 Variant Check Result	Difference (dB)	
Conducted Power (dBm)	WLAN 2.4G 11b	22.35	21.75	0.60	
	WLAN 2.4G 11g	25.07	23.29	1.78	
	WLAN 2.4G 11n20	25.14	23.36	1.78	
	WLAN 2.4G 11n40	24.51	22.90	1.61	
	WLAN 5G 11a UNII-1	19.85	17.99	1.86	
	WLAN 5G 11a UNII-2A	20.42	17.60	2.82	
	WLAN 5G 11a UNII-2C	20.08	17.20	2.88	
	WLAN 5G 11a UNII-3	19.32	17.87	1.45	
	WLAN 5G 11ac20 UNII-1	19.11	18.04	1.07	
	WLAN 5G 11ac20 UNII-2A	20.46	17.67	2.79	
	WLAN 5G 11ac20 UNII-2C	20.15	16.96	3.19	
	WLAN 5G 11ac20 UNII-3	19.36	17.88	1.48	
	WLAN 5G 11ac40 UNII-1	18.81	16.03	2.78	
	WLAN 5G 11ac40 UNII-2A	19.41	15.70	3.71	
	WLAN 5G 11ac40 UNII-2C	19.29	15.48	3.81	
	WLAN 5G 11ac40 UNII-3	18.62	15.61	3.01	
	WLAN 5G 11ac80 UNII-1	19.16	12.60	6.56	
	WLAN 5G 11ac80 UNII-2A	19.39	14.73	4.66	
	WLAN 5G 11ac80 UNII-2C	19.36	14.63	4.73	
	WLAN 5G 11ac80 UNII-3	18.80	15.02	3.78	
	GSM850		33.16	33.13	0.03
	GSM1900		29.96	29.90	0.06
	WCDMA Band II		23.35	23.32	0.03
	WCDMA Band IV		23.42	23.39	0.03
	WCDMA Band V		23.18	23.13	0.05
	LTE Band 4		22.92	22.54	0.38
	LTE Band 7		22.85	22.68	0.17
	LTE Band 12		23.00	22.42	0.58
	LTE Band 13		22.87	22.44	0.43
	LTE Band 66		23.15	22.65	0.50

Test Item	Mode	IHDT56AN4 Parent Worst Result	IHDT56AN3 Variant Check Result	Difference (dB)
Radiated Spurious Emission (dBm)	GSM850	-31.71	-33.42	1.71
	GSM1900	-56.02	-54.48	-1.54
	WCDMA Band IV	-57.66	-54.13	-3.53
	LTE Band 7	-53.03	-51.79	-1.24
	LTE Band 13	-65.93	-64.19	-1.74



Conclusion:

Radiated spurious emission test against the variant model based on the worst-case condition from the original model was performed in this filing to demonstrate the test data from original model remains representative for the variant model.

Based on the spot check test result, the test data from the original model is representative for the variant model. The power level and RSE spot check are shown within expected level compliant to limit line.

We are using ERP/EIRP (WWAN) measurements from the original parent model reports to list on the grant.

The same DFS detection is used in the variant. Hence, there is no spot check data for DFS client.

We confirm that the test data reuse policy of FCC KDB 484596 D01 Referencing Test Data v01 has been followed and the test data as referenced from the parent model report represents compliance with new FCC ID.



3 List of Measuring Equipment

Instrument	Manufacturer	Model No.	Serial No.	Characteristics	Calibration Date	Test Date	Due Date	Remark
Spectrum Analyzer	R&S	FSV40	101078	10Hz~40GHz	Apr. 06, 2023	Oct. 07, 2023~ Oct. 30, 2023	Apr. 05, 2024	Conducted (TH01-SZ)
Power Divider	TOJOIN	PS-2SM-04 265	60.06.020.007 7	0.4GHz~26.5GHz	Dec. 25, 2022	Oct. 07, 2023~ Oct. 30, 2023	Dec. 24, 2023	Conducted (TH01-SZ)
Thermal Chamber	Ten Billion Hongzhangroup	LP-150U	H2014081803	-40~+150°C	Jul. 06, 2023	Oct. 07, 2023~ Oct. 30, 2023	Jul. 05, 2024	Conducted (TH01-SZ)
EMI Test Receiver&SA	Agilent	N9038A	MY52260185	20Hz~26.5GHz	Dec. 26, 2022	Oct. 13, 2023~ Oct. 26, 2023	Dec. 25, 2023	Radiation (03CH01-SZ)
Loop Antenna	R&S	HFH2-Z2	100354	9kHz~30MHz	Jul. 28, 2022	Oct. 13, 2023~ Oct. 26, 2023	Jul. 27, 2024	Radiation (03CH01-SZ)
HF Amplifier	KEYSIGHT	83017A	MY53270105	0.5GHz~26.5Ghz	Oct. 19, 2022	Oct. 13, 2023~ Oct. 26, 2023	Oct. 18, 2023	Radiation (03CH01-SZ)
HF Amplifier	KEYSIGHT	83017A	MY53270105	0.5GHz~26.5Ghz	Oct. 18, 2023		Oct. 17, 2024	Radiation (03CH01-SZ)
Bilog Antenna	TeseQ	CBL6111D	41909	30MHz~1GHz	May 14, 2023	Oct. 13, 2023~ Oct. 26, 2023	May 13, 2024	Radiation (03CH01-SZ)
Double Ridge Horn Antenna	ETS-Lindgren	3117	00119436	1GHz~18GHz	Jul. 06, 2023	Oct. 13, 2023~ Oct. 26, 2023	Jul. 05, 2024	Radiation (03CH01-SZ)
SHF-EHF Horn	com-power	AH-840	101071	18Ghz-40GHz	Apr. 08, 2023	Oct. 13, 2023~ Oct. 26, 2023	Apr. 07, 2024	Radiation (03CH01-SZ)
LF Amplifier	Burgeon	BPA-530	102209	0.01~3000Mhz	Apr. 04, 2023	Oct. 13, 2023~ Oct. 26, 2023	Apr. 03, 2024	Radiation (03CH01-SZ)
HF Amplifier	MITEQ	AMF-7D-00 101800-30-1 0P-R	1943528	1GHz~18GHz	Oct. 19, 2022	Oct. 13, 2023~ Oct. 26, 2023	Oct. 18, 2023	Radiation (03CH01-SZ)
HF Amplifier	MITEQ	AMF-7D-00 101800-30-1 0P-R	1943528	1GHz~18GHz	Oct. 18, 2023		Oct. 17, 2024	Radiation (03CH01-SZ)
HF Amplifier	MITEQ	TTA1840-35 -HG	1871923	18GHz~40GHz	Jul. 05, 2023	Oct. 13, 2023~ Oct. 26, 2023	Jul. 04, 2024	Radiation (03CH01-SZ)
AC Power Source	Chroma	61601	616010001985	N/A	Nov. 10, 2022	Oct. 13, 2023~ Oct. 26, 2023	Nov. 09, 2023	Radiation (03CH01-SZ)
Turn Table	EM	EM1000	N/A	0~360 degree	NCR	Oct. 13, 2023~ Oct. 26, 2023	NCR	Radiation (03CH01-SZ)
Antenna Mast	EM	EM1000	N/A	1 m~4 m	NCR	Oct. 13, 2023~ Oct. 26, 2023	NCR	Radiation (03CH01-SZ)

NCR: No Calibration Required.



4 Measurement Uncertainty

The measurement uncertainties shown below were calculated in accordance with the requirements of ANSI 63.26-2015. All the measurement uncertainty value were shown with a coverage K=2 to indicate 95% level of confidence. The measurement data show herein meets or exceeds the CISPR measurement uncertainty values specified in CISPR 16-4-2 and can be compared directly to specified limit to determine compliance.

Uncertainty of Conducted Measurement

Test Item	Uncertainty
Conducted Power	±1.34 dB

Uncertainty of Radiated Emission Measurement (30 MHz ~ 1000 MHz)

Measuring Uncertainty for a Level of Confidence of 95% (U = 2Uc(y))	2.48 dB
---	---------

Uncertainty of Radiated Emission Measurement (1 GHz ~ 18 GHz)

Measuring Uncertainty for a Level of Confidence of 95% (U = 2Uc(y))	3.53 dB
---	---------

Uncertainty of Radiated Emission Measurement (18 GHz ~ 40 GHz)

Measuring Uncertainty for a Level of Confidence of 95% (U = 2Uc(y))	4.02 dB
---	---------

----- THE END -----



Appendix A. Conducted Test Results

Test Engineer:	Zhang Jiang	Temperature:	21~25	°C
		Relative Humidity:	51~54	%

2.4GHz Band										
Mod.	Data Rate	NTX	CH.	Freq. (MHz)	Peak Conducted Power (dBm)	Conducted Power Limit (dBm)	DG (dBi)	EIRP Power (dBm)	EIRP Power Limit (dBm)	Pass /Fail
11b	1Mbps	1	1	2412	21.75	30.00	-5.60	16.15	36.00	Pass
11b	1Mbps	1	6	2437	21.66	30.00	-5.60	16.06	36.00	Pass
11b	1Mbps	1	11	2462	21.67	30.00	-5.60	16.07	36.00	Pass
11g	6Mbps	1	1	2412	22.08	30.00	-5.60	16.48	36.00	Pass
11g	6Mbps	1	6	2437	23.29	30.00	-5.60	17.69	36.00	Pass
11g	6Mbps	1	11	2462	21.02	30.00	-5.60	15.42	36.00	Pass
HT20	MCS0	1	1	2412	21.49	30.00	-5.60	15.89	36.00	Pass
HT20	MCS0	1	6	2437	23.36	30.00	-5.60	17.76	36.00	Pass
HT20	MCS0	1	11	2462	21.09	30.00	-5.60	15.49	36.00	Pass
HT40	MCS0	1	3	2422	22.33	30.00	-5.60	16.73	36.00	Pass
HT40	MCS0	1	6	2437	22.90	30.00	-5.60	17.30	36.00	Pass
HT40	MCS0	1	9	2452	21.55	30.00	-5.60	15.95	36.00	Pass

U-NII-1										
Mod.	Data Rate	NTX	CH.	Freq. (MHz)	Duty Factor (dB)	Average Conducted Power (dBm)	FCC Conducted Power Limit (dBm)	DG (dBi)		Pass/Fail
11a	6Mbps	1	36	5180	0.08	17.54	24.00	-6.00	/	Pass
11a	6Mbps	1	44	5220	0.08	17.99	24.00	-6.00		Pass
11a	6Mbps	1	48	5240	0.08	17.88	24.00	-6.00		Pass
VHT20	MCS0	1	36	5180	0.08	17.62	24.00	-6.00		Pass
VHT20	MCS0	1	44	5220	0.08	18.04	24.00	-6.00		Pass
VHT20	MCS0	1	48	5240	0.08	17.93	24.00	-6.00		Pass
VHT40	MCS0	1	38	5190	0.18	14.54	24.00	-6.00		Pass
VHT40	MCS0	1	46	5230	0.18	16.03	24.00	-6.00		Pass
VHT80	MCS0	1	42	5210	0.34	12.60	24.00	-6.00		Pass



U-NII-2A										
Mod.	Data Rate	NTX	CH.	Freq. (MHz)	Duty Factor (dB)	Average Conducted Power (dBm)	FCC Conducted Power Limit (dBm)	DG (dBi)	EIRP Power Limit (dBm)	Pass/Fail
11a	6M bps	1	52	5260	0.08	17.60	23.98	-6.00	26.99	Pass
11a	6M bps	1	60	5300	0.08	15.41	23.98	-6.00	26.99	Pass
11a	6M bps	1	64	5320	0.08	15.24	23.98	-6.00	26.99	Pass
VHT20	MCS 0	1	52	5260	0.08	17.67	23.98	-6.00	26.99	Pass
VHT20	MCS 0	1	60	5300	0.08	14.96	23.98	-6.00	26.99	Pass
VHT20	MCS 0	1	64	5320	0.08	17.25	23.98	-6.00	26.99	Pass
VHT40	MCS 0	1	54	5270	0.18	15.70	23.98	-6.00	26.99	Pass
VHT40	MCS 0	1	62	5310	0.18	15.24	23.98	-6.00	26.99	Pass
VHT80	MCS 0	1	58	5290	0.34	14.73	23.98	-6.00	26.99	Pass

U-NII-2C										
Mod.	Data Rate	NTX	CH.	Freq. (MHz)	Duty Factor (dB)	Average Conducted Power (dBm)	FCC Conducted Power Limit (dBm)	DG (dBi)	EIRP Power Limit (dBm)	Pass/Fail
11a	6M bps	1	100	5500	0.08	15.32	23.98	-7.00	26.99	Pass
11a	6M bps	1	116	5580	0.08	16.24	23.98	-7.00	26.99	Pass
11a	6M bps	1	140	5700	0.08	16.81	23.98	-7.00	26.99	Pass
11a	6M bps	1	144	5720	0.08	17.20	23.98	-7.00	26.99	Pass
VHT20	MCS 0	1	100	5500	0.08	15.83	23.98	-7.00	26.99	Pass
VHT20	MCS 0	1	116	5580	0.08	15.75	23.98	-7.00	26.99	Pass
VHT20	MCS 0	1	140	5700	0.08	16.96	23.98	-7.00	26.99	Pass
VHT20	MCS 0	1	144	5720	0.08	15.28	23.98	-7.00	26.99	Pass
VHT40	MCS 0	1	102	5510	0.18	15.48	23.98	-7.00	26.99	Pass
VHT40	MCS 0	1	110	5550	0.18	15.23	23.98	-7.00	26.99	Pass
VHT40	MCS 0	1	134	5670	0.18	15.14	23.98	-7.00	26.99	Pass
VHT40	MCS 0	1	142	5710	0.18	15.12	23.98	-7.00	26.99	Pass
VHT80	MCS 0	1	106	5530	0.34	14.63	23.98	-7.00	26.99	Pass
VHT80	MCS 0	1	122	5610	0.34	14.37	23.98	-7.00	26.99	Pass
VHT80	MCS 0	1	138	5690	0.34	14.59	23.98	-7.00	26.99	Pass



U-NII-3										
Mod.	Data Rate	NTX	CH.	Freq. (MHz)	Duty Factor (dB)	Average Conducted Power (dBm)	FCC Conducted Power Limit (dBm)	DG (dBi)		Pass/Fail
11a	6M bps	1	149	5745	0.08	17.62	30.00	-7.30	/	Pass
11a	6Mbps	1	157	5785	0.08	17.87	30.00	-7.30		Pass
11a	6Mbps	1	165	5825	0.08	17.34	30.00	-7.30		Pass
VHT20	MCS 0	1	149	5745	0.08	17.66	30.00	-7.30		Pass
VHT20	MCS 0	1	157	5785	0.08	17.88	30.00	-7.30		Pass
VHT20	MCS 0	1	165	5825	0.08	17.36	30.00	-7.30		Pass
VHT40	MCS 0	1	151	5755	0.18	15.61	30.00	-7.30		Pass
VHT40	MCS 0	1	159	5795	0.18	15.59	30.00	-7.30		Pass
VHT80	MCS 0	1	155	5775	0.34	15.02	30.00	-7.30		Pass



Appendix B. Radiated Spurious Emission Test Data

Test Engineer :	Shiwei Wen/Zhaohui Liang	Relative Humidity :	50%
		Temperature :	20-22°C



<WLAN 2.4G>

Radiated Spurious Emission Test Modes

Mode	Band (MHz)	Antenna	Modulation	Channel	Frequency	Data Rate	Remark
Mode 1	2400-2483.5	2	802.11b	01	2412	1Mbps	-
Mode 2	2400-2483.5	2	802.11b	06	2437	1Mbps	-
Mode 3	2400-2483.5	2	802.11b	11	2462	1Mbps	-
Mode 4	2400-2483.5	2	802.11g	01	2412	6Mbps	-
Mode 5	2400-2483.5	2	802.11g	06	2437	6Mbps	-
Mode 6	2400-2483.5	2	802.11g	11	2462	6Mbps	-
Mode 7	2400-2483.5	2	802.11n HT20	01	2412	MCS0	-
Mode 8	2400-2483.5	2	802.11n HT20	06	2437	MCS0	-
Mode 9	2400-2483.5	2	802.11n HT20	11	2462	MCS0	-
Mode 10	2400-2483.5	2	802.11n HT40	03	2422	MCS0	-
Mode 11	2400-2483.5	2	802.11n HT40	09	2452	MCS0	-
Mode 12	2400-2483.5	2	802.11n HT40	03	2422	MCS0	LF
Mode 13	Co-location	2	802.11n HT40 +LTE B30 Link	03	2422	MCS0	-



Summary of each worse mode

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
1	802.11b	01	2389.95	40.82	54.00	-13.18	H	AVERAGE	Pass	Band Edge
1	802.11b	01	4824.00	47.90	54.00	-6.10	H	Average	Pass	Harmonic
2	802.11b	06	-	-	-	-	-	-	-	Band Edge
2	802.11b	06	4874.00	48.93	54.00	-5.07	H	Average	Pass	Harmonic
3	802.11b	11	2483.51	42.52	54.00	-11.48	H	AVERAGE	Pass	Band Edge
3	802.11b	11	4924.00	48.91	54.00	-5.09	H	Average	Pass	Harmonic
4	802.11g	01	2389.95	47.80	54.00	-3.90	H	AVERAGE	Pass	Band Edge
4	802.11g	01	4824.00	46.29	74.00	-27.71	V	Peak	Pass	Harmonic
5	802.11g	06	-	-	-	-	-	-	-	Band Edge
5	802.11g	06	7311.00	49.05	74.00	-24.95	V	Peak	Pass	Harmonic
6	802.11g	11	2483.51	49.73	54.00	-4.27	H	AVERAGE	Pass	Band Edge
6	802.11g	11	7386.00	48.09	74.00	-25.91	H	Peak	Pass	Harmonic
7	802.11n HT20	01	2389.95	50.47	54.00	-3.53	H	AVERAGE	Pass	Band Edge
7	802.11n HT20	01	4824.00	45.87	74.00	-28.13	V	Peak	Pass	Harmonic
8	802.11n HT20	06	-	-	-	-	-	-	-	Band Edge
8	802.11n HT20	06	7311.00	47.19	74.00	-26.81	H	Peak	Pass	Harmonic
9	802.11n HT20	11	2483.51	49.83	54.00	-4.17	H	AVERAGE	Pass	Band Edge
9	802.11n HT20	11	7386.00	47.88	74.00	-26.12	H	Peak	Pass	Harmonic
10	802.11n HT40	03	2389.97	50.61	54.00	-3.39	H	AVERAGE	Pass	Band Edge
10	802.11n HT40	03	7266.00	47.91	74.00	-26.09	H	Peak	Pass	Harmonic
11	802.11n HT40	09	2483.97	50.38	54.00	-3.62	H	AVERAGE	Pass	Band Edge
11	802.11n HT40	09	7356.00	47.66	74.00	-26.34	V	Peak	Pass	Harmonic
12	802.11n HT40	03	197.81	28.72	43.5	-14.78	V	Peak	Pass	LF
13	802.11n HT40	03	2389.94	50.43	54.00	-3.57	H	Average	Pass	Band Edge
	802.11n HT40	03	7266.00	47.44	74.00	-26.56	H	Peak	Pass	Harmonic



		1																																																																														
Mode	Band Edge																																																																															
	2400-2483.5_802.11b_CH01_2412MHz																																																																															
ANT	2																																																																															
Pol.	Horizontal	Fundamental																																																																														
Peak	<p style="text-align: right;">Date: 2023-10-20</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2388.39</td> <td>50.15</td> <td>74.00</td> <td>-23.85</td> <td>42.22</td> <td>32.25</td> <td>7.76</td> <td>32.08</td> <td>357</td> <td>285</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2388.39	50.15	74.00	-23.85	42.22	32.25	7.76	32.08	357	285	PEAK	<p style="text-align: right;">Date: 2023-10-20</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2412.00</td> <td>105.48</td> <td>-----</td> <td>-----</td> <td>97.44</td> <td>32.31</td> <td>7.81</td> <td>32.08</td> <td>357</td> <td>285</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	105.48	-----	-----	97.44	32.31	7.81	32.08	357	285	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																							
Freq	Level	Line	Level	Factor	Loss Factor																																																																											
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	2388.39	50.15	74.00	-23.85	42.22	32.25	7.76	32.08	357	285	PEAK																																																																					
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	Level	Factor	Loss Factor																																																																											
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	2412.00	105.48	-----	-----	97.44	32.31	7.81	32.08	357	285	PEAK																																																																					
Avg	<p style="text-align: right;">Date: 2023-10-20</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2389.95</td> <td>40.82</td> <td>54.00</td> <td>-13.18</td> <td>32.88</td> <td>32.26</td> <td>7.76</td> <td>32.08</td> <td>357</td> <td>285</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2389.95	40.82	54.00	-13.18	32.88	32.26	7.76	32.08	357	285	AVERAGE	<p style="text-align: right;">Date: 2023-10-20</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2412.00</td> <td>102.92</td> <td>-----</td> <td>-----</td> <td>94.88</td> <td>32.31</td> <td>7.81</td> <td>32.08</td> <td>357</td> <td>285</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	102.92	-----	-----	94.88	32.31	7.81	32.08	357	285	AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	Level	Factor	Loss Factor																																																																											
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	2389.95	40.82	54.00	-13.18	32.88	32.26	7.76	32.08	357	285	AVERAGE																																																																					
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	Level	Factor	Loss Factor																																																																											
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	2412.00	102.92	-----	-----	94.88	32.31	7.81	32.08	357	285	AVERAGE																																																																					



		1																																																																														
Mode	Band Edge																																																																															
	2400-2483.5_802.11b_CH01_2412MHz																																																																															
ANT	2																																																																															
Pol.	Vertical	Fundamental																																																																														
Peak	<p style="text-align: right;">Date: 2023-10-20</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2387.61</td> <td>49.15</td> <td>74.00</td> <td>-24.85</td> <td>41.23</td> <td>32.25</td> <td>7.75</td> <td>32.08</td> <td>362</td> <td>232</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2387.61	49.15	74.00	-24.85	41.23	32.25	7.75	32.08	362	232	PEAK	<p style="text-align: right;">Date: 2023-10-20</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2412.00</td> <td>103.43</td> <td>-----</td> <td>-----</td> <td>95.39</td> <td>32.31</td> <td>7.81</td> <td>32.08</td> <td>362</td> <td>232</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	103.43	-----	-----	95.39	32.31	7.81	32.08	362	232	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																							
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																									
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	2387.61	49.15	74.00	-24.85	41.23	32.25	7.75	32.08	362	232	PEAK																																																																					
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																									
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	2412.00	103.43	-----	-----	95.39	32.31	7.81	32.08	362	232	PEAK																																																																					
Avg	<p style="text-align: right;">Date: 2023-10-20</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2389.04</td> <td>39.62</td> <td>54.00</td> <td>-14.38</td> <td>31.68</td> <td>32.26</td> <td>7.76</td> <td>32.08</td> <td>362</td> <td>232</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2389.04	39.62	54.00	-14.38	31.68	32.26	7.76	32.08	362	232	AVERAGE	<p style="text-align: right;">Date: 2023-10-20</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2412.00</td> <td>100.89</td> <td>-----</td> <td>-----</td> <td>92.85</td> <td>32.31</td> <td>7.81</td> <td>32.08</td> <td>362</td> <td>232</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	100.89	-----	-----	92.85	32.31	7.81	32.08	362	232	AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																							
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																									
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	2389.04	39.62	54.00	-14.38	31.68	32.26	7.76	32.08	362	232	AVERAGE																																																																					
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																									
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	2412.00	100.89	-----	-----	92.85	32.31	7.81	32.08	362	232	AVERAGE																																																																					



Mode	1																																																																																					
	Harmonic																																																																																					
	2400-2483.5_802.11b_CH01_2412MHz																																																																																					
ANT	2																																																																																					
Pol.	Horizontal	Vertical																																																																																				
Peak Avg	<p>Horizontal Peak Graph: Level (dBuV/m) vs Frequency (MHz). Date: 2023-10-19. Peak at 4824.00 MHz (51.47 dBuV/m). Average at 4824.00 MHz (47.90 dBuV/m). Limit at 74.00 dBuV/m.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4824.00</td> <td>51.47</td> <td>74.00</td> <td>-22.53</td> <td>58.11</td> <td>33.85</td> <td>11.08</td> <td>51.57</td> <td>378</td> <td>25</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>4824.00</td> <td>47.90</td> <td>54.00</td> <td>-6.10</td> <td>54.54</td> <td>33.85</td> <td>11.08</td> <td>51.57</td> <td>378</td> <td>25</td> <td>Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos			Freq	Level	Line Margin	Level	Factor	Loss Factor		cm	deg	1	4824.00	51.47	74.00	-22.53	58.11	33.85	11.08	51.57	378	25	Peak	2	4824.00	47.90	54.00	-6.10	54.54	33.85	11.08	51.57	378	25	Average	<p>Vertical Peak Graph: Level (dBuV/m) vs Frequency (MHz). Date: 2023-10-19. Peak at 4824.00 MHz (51.09 dBuV/m). Average at 4824.00 MHz (44.59 dBuV/m). Limit at 74.00 dBuV/m.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4824.00</td> <td>51.09</td> <td>74.00</td> <td>-22.91</td> <td>57.73</td> <td>33.85</td> <td>11.08</td> <td>51.57</td> <td>286</td> <td>227</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>4824.00</td> <td>44.59</td> <td>54.00</td> <td>-9.41</td> <td>51.23</td> <td>33.85</td> <td>11.08</td> <td>51.57</td> <td>286</td> <td>227</td> <td>Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos			Freq	Level	Line Margin	Level	Factor	Loss Factor		cm	deg	1	4824.00	51.09	74.00	-22.91	57.73	33.85	11.08	51.57	286	227	Peak	2	4824.00	44.59	54.00	-9.41	51.23	33.85	11.08	51.57	286	227	Average
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																															
Freq	Level	Line Margin	Level	Factor	Loss Factor		cm	deg																																																																														
1	4824.00	51.47	74.00	-22.53	58.11	33.85	11.08	51.57	378	25	Peak																																																																											
2	4824.00	47.90	54.00	-6.10	54.54	33.85	11.08	51.57	378	25	Average																																																																											
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																
Freq	Level	Line Margin	Level	Factor	Loss Factor		cm	deg																																																																														
1	4824.00	51.09	74.00	-22.91	57.73	33.85	11.08	51.57	286	227	Peak																																																																											
2	4824.00	44.59	54.00	-9.41	51.23	33.85	11.08	51.57	286	227	Average																																																																											



Mode	2																																																																																																																					
	Harmonic																																																																																																																					
	2400-2483.5_802.11b_CH06_2437MHz																																																																																																																					
ANT	2																																																																																																																					
Pol.	Horizontal	Vertical																																																																																																																				
Peak Avg	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4874.00</td> <td>52.12</td> <td>74.00</td> <td>-21.88</td> <td>58.83</td> <td>33.74</td> <td>11.10</td> <td>51.55</td> <td>100</td> <td>298</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>4874.00</td> <td>48.93</td> <td>54.00</td> <td>-5.07</td> <td>55.64</td> <td>33.74</td> <td>11.10</td> <td>51.55</td> <td>100</td> <td>298</td> <td>Average</td> </tr> <tr> <td>3</td> <td>7311.00</td> <td>47.93</td> <td>74.00</td> <td>-26.07</td> <td>50.25</td> <td>35.76</td> <td>13.08</td> <td>51.16</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4874.00	52.12	74.00	-21.88	58.83	33.74	11.10	51.55	100	298	Peak	2	4874.00	48.93	54.00	-5.07	55.64	33.74	11.10	51.55	100	298	Average	3	7311.00	47.93	74.00	-26.07	50.25	35.76	13.08	51.16	--	--	Peak	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4874.00</td> <td>46.12</td> <td>74.00</td> <td>-27.88</td> <td>52.83</td> <td>33.74</td> <td>11.10</td> <td>51.55</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>7311.00</td> <td>47.74</td> <td>74.00</td> <td>-26.26</td> <td>50.06</td> <td>35.76</td> <td>13.08</td> <td>51.16</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4874.00	46.12	74.00	-27.88	52.83	33.74	11.10	51.55	--	--	Peak	2	7311.00	47.74	74.00	-26.26	50.06	35.76	13.08	51.16	--	--	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																													
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																													
1	4874.00	52.12	74.00	-21.88	58.83	33.74	11.10	51.55	100	298	Peak																																																																																																											
2	4874.00	48.93	54.00	-5.07	55.64	33.74	11.10	51.55	100	298	Average																																																																																																											
3	7311.00	47.93	74.00	-26.07	50.25	35.76	13.08	51.16	--	--	Peak																																																																																																											
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																														
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																													
1	4874.00	46.12	74.00	-27.88	52.83	33.74	11.10	51.55	--	--	Peak																																																																																																											
2	7311.00	47.74	74.00	-26.26	50.06	35.76	13.08	51.16	--	--	Peak																																																																																																											



Mode	3																																																																																	
	Band Edge																																																																																	
	2400-2483.5_802.11b_CH11_2462MHz																																																																																	
ANT	2																																																																																	
Pol.	Horizontal	Fundamental																																																																																
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.74</td> <td>51.14</td> <td>74.00</td> <td>-22.86</td> <td>42.90</td> <td>32.46</td> <td>7.88</td> <td>32.10</td> <td>376</td> <td>286</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.74	51.14	74.00	-22.86	42.90	32.46	7.88	32.10	376	286	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2462.00</td> <td>106.08</td> <td>-----</td> <td>-----</td> <td>97.89</td> <td>32.42</td> <td>7.86</td> <td>32.09</td> <td>376</td> <td>286</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	106.08	-----	-----	97.89	32.42	7.86	32.09	376	286	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																									
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	2483.74	51.14	74.00	-22.86	42.90	32.46	7.88	32.10	376	286	PEAK																																																																							
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	2462.00	106.08	-----	-----	97.89	32.42	7.86	32.09	376	286	PEAK																																																																							
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.51</td> <td>42.52</td> <td>54.00</td> <td>-11.48</td> <td>34.28</td> <td>32.46</td> <td>7.88</td> <td>32.10</td> <td>376</td> <td>286</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.51	42.52	54.00	-11.48	34.28	32.46	7.88	32.10	376	286	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2462.00</td> <td>103.51</td> <td>-----</td> <td>-----</td> <td>95.32</td> <td>32.42</td> <td>7.86</td> <td>32.09</td> <td>376</td> <td>286</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	103.51	-----	-----	95.32	32.42	7.86	32.09	376	286	AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	2483.51	42.52	54.00	-11.48	34.28	32.46	7.88	32.10	376	286	AVERAGE																																																																							
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	2462.00	103.51	-----	-----	95.32	32.42	7.86	32.09	376	286	AVERAGE																																																																							



Mode	3																																																																																	
	Band Edge																																																																																	
	2400-2483.5_802.11b_CH11_2462MHz																																																																																	
ANT	2																																																																																	
Pol.	Vertical	Fundamental																																																																																
Peak	<p style="text-align: right;">Date: 2023-10-20</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2484.34</td> <td>51.54</td> <td>74.00</td> <td>-22.46</td> <td>43.29</td> <td>32.47</td> <td>7.88</td> <td>32.10</td> <td>333</td> <td>229</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2484.34	51.54	74.00	-22.46	43.29	32.47	7.88	32.10	333	229	PEAK	<p style="text-align: right;">Date: 2023-10-20</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2462.00</td> <td>103.81</td> <td>-----</td> <td>-----</td> <td>95.62</td> <td>32.42</td> <td>7.86</td> <td>32.09</td> <td>333</td> <td>229</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	103.81	-----	-----	95.62	32.42	7.86	32.09	333	229	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																									
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	2484.34	51.54	74.00	-22.46	43.29	32.47	7.88	32.10	333	229	PEAK																																																																							
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	2462.00	103.81	-----	-----	95.62	32.42	7.86	32.09	333	229	PEAK																																																																							
Avg	<p style="text-align: right;">Date: 2023-10-20</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.51</td> <td>41.57</td> <td>54.00</td> <td>-12.43</td> <td>33.33</td> <td>32.46</td> <td>7.88</td> <td>32.10</td> <td>333</td> <td>229</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.51	41.57	54.00	-12.43	33.33	32.46	7.88	32.10	333	229	AVERAGE	<p style="text-align: right;">Date: 2023-10-20</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2462.00</td> <td>101.43</td> <td>-----</td> <td>-----</td> <td>93.24</td> <td>32.42</td> <td>7.86</td> <td>32.09</td> <td>333</td> <td>229</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	101.43	-----	-----	93.24	32.42	7.86	32.09	333	229	AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	2483.51	41.57	54.00	-12.43	33.33	32.46	7.88	32.10	333	229	AVERAGE																																																																							
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	2462.00	101.43	-----	-----	93.24	32.42	7.86	32.09	333	229	AVERAGE																																																																							



Mode	3																																																																																																																																
	Harmonic																																																																																																																																
	2400-2483.5_802.11b_CH11_2462MHz																																																																																																																																
ANT	2																																																																																																																																
Pol.	Horizontal	Vertical																																																																																																																															
Peak Avg																																																																																																																																	
	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4924.00</td> <td>52.37</td> <td>74.00</td> <td>-21.63</td> <td>59.08</td> <td>33.70</td> <td>11.12</td> <td>51.53</td> <td>100</td> <td>296</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>4924.00</td> <td>48.91</td> <td>54.00</td> <td>-5.09</td> <td>55.62</td> <td>33.70</td> <td>11.12</td> <td>51.53</td> <td>100</td> <td>296</td> <td>Average</td> </tr> <tr> <td>3</td> <td>7386.00</td> <td>47.87</td> <td>74.00</td> <td>-26.13</td> <td>50.14</td> <td>35.78</td> <td>13.13</td> <td>51.18</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4924.00	52.37	74.00	-21.63	59.08	33.70	11.12	51.53	100	296	Peak	2	4924.00	48.91	54.00	-5.09	55.62	33.70	11.12	51.53	100	296	Average	3	7386.00	47.87	74.00	-26.13	50.14	35.78	13.13	51.18	--	--	Peak	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4924.00</td> <td>51.31</td> <td>74.00</td> <td>-22.69</td> <td>58.02</td> <td>33.70</td> <td>11.12</td> <td>51.53</td> <td>100</td> <td>68</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>4924.00</td> <td>46.47</td> <td>54.00</td> <td>-7.53</td> <td>53.18</td> <td>33.70</td> <td>11.12</td> <td>51.53</td> <td>100</td> <td>68</td> <td>Average</td> </tr> <tr> <td>3</td> <td>7386.00</td> <td>49.09</td> <td>74.00</td> <td>-24.91</td> <td>51.36</td> <td>35.78</td> <td>13.13</td> <td>51.18</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4924.00	51.31	74.00	-22.69	58.02	33.70	11.12	51.53	100	68	Peak	2	4924.00	46.47	54.00	-7.53	53.18	33.70	11.12	51.53	100	68	Average	3	7386.00	49.09	74.00	-24.91	51.36	35.78	13.13	51.18	--	--
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																								
1	4924.00	52.37	74.00	-21.63	59.08	33.70	11.12	51.53	100	296	Peak																																																																																																																						
2	4924.00	48.91	54.00	-5.09	55.62	33.70	11.12	51.53	100	296	Average																																																																																																																						
3	7386.00	47.87	74.00	-26.13	50.14	35.78	13.13	51.18	--	--	Peak																																																																																																																						
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																								
1	4924.00	51.31	74.00	-22.69	58.02	33.70	11.12	51.53	100	68	Peak																																																																																																																						
2	4924.00	46.47	54.00	-7.53	53.18	33.70	11.12	51.53	100	68	Average																																																																																																																						
3	7386.00	49.09	74.00	-24.91	51.36	35.78	13.13	51.18	--	--	Peak																																																																																																																						



Mode	4																																																																													
	Band Edge																																																																													
	2400-2483.5_802.11g_CH01_2412MHz																																																																													
ANT	2																																																																													
Pol.	Horizontal	Fundamental																																																																												
Peak	<table border="1"> <thead> <tr> <th colspan="2">Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th rowspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2389.82</td> <td>57.80</td> <td>74.00</td> <td>-16.20</td> <td>49.86</td> <td>32.26</td> <td>7.76</td> <td>32.08</td> <td>358</td> <td>287</td> <td>PEAK</td> </tr> </tbody> </table>	Limit Margin		Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2389.82	57.80	74.00	-16.20	49.86	32.26	7.76	32.08	358	287	PEAK	<table border="1"> <thead> <tr> <th colspan="2">Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th rowspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2412.00</td> <td>105.64</td> <td>-----</td> <td>-----</td> <td>97.61</td> <td>32.30</td> <td>7.81</td> <td>32.08</td> <td>358</td> <td>287</td> <td>PEAK</td> </tr> </tbody> </table>	Limit Margin		Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	105.64	-----	-----	97.61	32.30	7.81	32.08	358	287	PEAK
	Limit Margin		Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																					
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																								
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																						
1	2389.82	57.80	74.00	-16.20	49.86	32.26	7.76	32.08	358	287	PEAK																																																																			
Limit Margin		Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																						
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																								
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																						
1	2412.00	105.64	-----	-----	97.61	32.30	7.81	32.08	358	287	PEAK																																																																			
Avg	<table border="1"> <thead> <tr> <th colspan="2">Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th rowspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2389.95</td> <td>50.10</td> <td>54.00</td> <td>-3.90</td> <td>42.16</td> <td>32.26</td> <td>7.76</td> <td>32.08</td> <td>358</td> <td>287</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit Margin		Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2389.95	50.10	54.00	-3.90	42.16	32.26	7.76	32.08	358	287	AVERAGE	<table border="1"> <thead> <tr> <th colspan="2">Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th rowspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2412.00</td> <td>98.42</td> <td>-----</td> <td>-----</td> <td>90.38</td> <td>32.31</td> <td>7.81</td> <td>32.08</td> <td>358</td> <td>287</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit Margin		Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	98.42	-----	-----	90.38	32.31	7.81	32.08	358	287	AVERAGE
Limit Margin		Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																						
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																								
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																						
1	2389.95	50.10	54.00	-3.90	42.16	32.26	7.76	32.08	358	287	AVERAGE																																																																			
Limit Margin		Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																						
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																								
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																						
1	2412.00	98.42	-----	-----	90.38	32.31	7.81	32.08	358	287	AVERAGE																																																																			



Mode	4																																																																															
	Band Edge																																																																															
	2400-2483.5_802.11g_CH01_2412MHz																																																																															
ANT	2																																																																															
Pol.	Vertical	Fundamental																																																																														
Peak	<p style="text-align: right;">Date: 2023-10-19</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2389.95</td> <td>58.11</td> <td>74.00</td> <td>-15.89</td> <td>50.17</td> <td>32.26</td> <td>7.76</td> <td>32.08</td> <td>361</td> <td>229</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2389.95	58.11	74.00	-15.89	50.17	32.26	7.76	32.08	361	229	PEAK	<p style="text-align: right;">Date: 2023-10-19</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2412.00</td> <td>104.70</td> <td>-----</td> <td>-----</td> <td>96.67</td> <td>32.30</td> <td>7.81</td> <td>32.08</td> <td>361</td> <td>229</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	104.70	-----	-----	96.67	32.30	7.81	32.08	361	229	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																							
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																									
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	2389.95	58.11	74.00	-15.89	50.17	32.26	7.76	32.08	361	229	PEAK																																																																					
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																									
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	2412.00	104.70	-----	-----	96.67	32.30	7.81	32.08	361	229	PEAK																																																																					
Avg	<p style="text-align: right;">Date: 2023-10-19</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2389.95</td> <td>47.15</td> <td>54.00</td> <td>-6.85</td> <td>39.21</td> <td>32.26</td> <td>7.76</td> <td>32.08</td> <td>361</td> <td>229</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2389.95	47.15	54.00	-6.85	39.21	32.26	7.76	32.08	361	229	AVERAGE	<p style="text-align: right;">Date: 2023-10-19</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2412.00</td> <td>97.60</td> <td>-----</td> <td>-----</td> <td>89.57</td> <td>32.30</td> <td>7.81</td> <td>32.08</td> <td>361</td> <td>229</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	97.60	-----	-----	89.57	32.30	7.81	32.08	361	229	AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																									
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	2389.95	47.15	54.00	-6.85	39.21	32.26	7.76	32.08	361	229	AVERAGE																																																																					
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																									
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	2412.00	97.60	-----	-----	89.57	32.30	7.81	32.08	361	229	AVERAGE																																																																					



Mode	4																																																																								
	Harmonic																																																																								
	2400-2483.5_802.11g_CH01_2412MHz																																																																								
ANT	2																																																																								
Pol.	Horizontal	Vertical																																																																							
Peak Avg																																																																									
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4824.00</td> <td>46.11</td> <td>74.00</td> <td>-27.89</td> <td>52.75</td> <td>33.85</td> <td>11.08</td> <td>51.57</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	4824.00	46.11	74.00	-27.89	52.75	33.85	11.08	51.57	--	--	Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4824.00</td> <td>46.29</td> <td>74.00</td> <td>-27.71</td> <td>52.93</td> <td>33.85</td> <td>11.08</td> <td>51.57</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	4824.00	46.29	74.00	-27.71	52.93	33.85	11.08	51.57	--	--
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																		
1	4824.00	46.11	74.00	-27.89	52.75	33.85	11.08	51.57	--	--	Peak																																																														
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																		
1	4824.00	46.29	74.00	-27.71	52.93	33.85	11.08	51.57	--	--	Peak																																																														



Mode	5																																																																																																
	Harmonic																																																																																																
	2400-2483.5_802.11g_CH06_2437MHz																																																																																																
ANT	2																																																																																																
Pol.	Horizontal	Vertical																																																																																															
Peak Avg	<p>Date: 2023-10-20</p>	<p>Date: 2023-10-20</p>																																																																																															
	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4874.00</td> <td>47.14</td> <td>74.00</td> <td>-26.86</td> <td>53.85</td> <td>33.74</td> <td>11.10</td> <td>51.55</td> <td>-- -- Peak</td> </tr> <tr> <td>2</td> <td>7311.00</td> <td>47.17</td> <td>74.00</td> <td>-26.83</td> <td>49.49</td> <td>35.76</td> <td>13.08</td> <td>51.16</td> <td>-- -- Peak</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	4874.00	47.14	74.00	-26.86	53.85	33.74	11.10	51.55	-- -- Peak	2	7311.00	47.17	74.00	-26.83	49.49	35.76	13.08	51.16	-- -- Peak	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4874.00</td> <td>45.49</td> <td>74.00</td> <td>-28.51</td> <td>52.20</td> <td>33.74</td> <td>11.10</td> <td>51.55</td> <td>-- -- Peak</td> </tr> <tr> <td>2</td> <td>7311.00</td> <td>49.05</td> <td>74.00</td> <td>-24.95</td> <td>51.37</td> <td>35.76</td> <td>13.08</td> <td>51.16</td> <td>-- -- Peak</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	4874.00	45.49	74.00	-28.51	52.20	33.74	11.10	51.55	-- -- Peak	2	7311.00	49.05	74.00	-24.95	51.37	35.76	13.08	51.16
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																										
Freq	Level	Line Margin	Level	Factor	Loss Factor			Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																								
1	4874.00	47.14	74.00	-26.86	53.85	33.74	11.10	51.55	-- -- Peak																																																																																								
2	7311.00	47.17	74.00	-26.83	49.49	35.76	13.08	51.16	-- -- Peak																																																																																								
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																										
Freq	Level	Line Margin	Level	Factor	Loss Factor			Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																								
1	4874.00	45.49	74.00	-28.51	52.20	33.74	11.10	51.55	-- -- Peak																																																																																								
2	7311.00	49.05	74.00	-24.95	51.37	35.76	13.08	51.16	-- -- Peak																																																																																								



Mode	6																																																																									
	Band Edge																																																																									
	2400-2483.5_802.11g_CH11_2462MHz																																																																									
ANT	2																																																																									
Pol.	Horizontal	Fundamental																																																																								
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 2483.51</td> <td>59.76</td> <td>74.00</td> <td>-14.24</td> <td>51.52</td> <td>32.46</td> <td>7.88</td> <td>32.10</td> <td>376 281 PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 2483.51	59.76	74.00	-14.24	51.52	32.46	7.88	32.10	376 281 PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 2462.00</td> <td>105.95</td> <td>-----</td> <td>-----</td> <td>97.78</td> <td>32.41</td> <td>7.85</td> <td>32.09</td> <td>376 281 PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 2462.00	105.95	-----	-----	97.78	32.41	7.85	32.09	376 281 PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																	
Freq	Level	Line	Level	Factor	Loss Factor																																																																					
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 2483.51	59.76	74.00	-14.24	51.52	32.46	7.88	32.10	376 281 PEAK																																																																		
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	Level	Factor	Loss Factor																																																																					
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 2462.00	105.95	-----	-----	97.78	32.41	7.85	32.09	376 281 PEAK																																																																		
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 2483.51</td> <td>49.73</td> <td>54.00</td> <td>-4.27</td> <td>41.49</td> <td>32.46</td> <td>7.88</td> <td>32.10</td> <td>376 281 AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 2483.51	49.73	54.00	-4.27	41.49	32.46	7.88	32.10	376 281 AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 2462.00</td> <td>99.02</td> <td>-----</td> <td>-----</td> <td>90.83</td> <td>32.42</td> <td>7.86</td> <td>32.09</td> <td>376 281 AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 2462.00	99.02	-----	-----	90.83	32.42	7.86	32.09	376 281 AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	Level	Factor	Loss Factor																																																																					
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 2483.51	49.73	54.00	-4.27	41.49	32.46	7.88	32.10	376 281 AVERAGE																																																																		
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	Level	Factor	Loss Factor																																																																					
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 2462.00	99.02	-----	-----	90.83	32.42	7.86	32.09	376 281 AVERAGE																																																																		



Mode	6																																																																											
	Band Edge																																																																											
	2400-2483.5_802.11g_CH11_2462MHz																																																																											
ANT	2																																																																											
Pol.	Vertical	Fundamental																																																																										
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 2483.93</td> <td>57.92</td> <td>74.00</td> <td>-16.08</td> <td>49.68</td> <td>32.46</td> <td>7.88</td> <td>32.10</td> <td>333</td> <td>229 PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 2483.93	57.92	74.00	-16.08	49.68	32.46	7.88	32.10	333	229 PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 2462.00</td> <td>103.15</td> <td>-----</td> <td>-----</td> <td>94.96</td> <td>32.42</td> <td>7.86</td> <td>32.09</td> <td>333</td> <td>229 PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 2462.00	103.15	-----	-----	94.96	32.42	7.86	32.09	333	229 PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line	Level	Factor	Loss Factor																																																																							
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																				
1 2483.93	57.92	74.00	-16.08	49.68	32.46	7.88	32.10	333	229 PEAK																																																																			
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																				
Freq	Level	Line	Level	Factor	Loss Factor																																																																							
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																				
1 2462.00	103.15	-----	-----	94.96	32.42	7.86	32.09	333	229 PEAK																																																																			
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 2483.51</td> <td>47.38</td> <td>54.00</td> <td>-6.62</td> <td>39.14</td> <td>32.46</td> <td>7.88</td> <td>32.10</td> <td>333</td> <td>229 AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 2483.51	47.38	54.00	-6.62	39.14	32.46	7.88	32.10	333	229 AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 2462.00</td> <td>96.14</td> <td>-----</td> <td>-----</td> <td>87.95</td> <td>32.42</td> <td>7.86</td> <td>32.09</td> <td>333</td> <td>229 AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 2462.00	96.14	-----	-----	87.95	32.42	7.86	32.09	333	229 AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																				
Freq	Level	Line	Level	Factor	Loss Factor																																																																							
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																				
1 2483.51	47.38	54.00	-6.62	39.14	32.46	7.88	32.10	333	229 AVERAGE																																																																			
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																				
Freq	Level	Line	Level	Factor	Loss Factor																																																																							
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																				
1 2462.00	96.14	-----	-----	87.95	32.42	7.86	32.09	333	229 AVERAGE																																																																			



Mode	6																																																																																																			
	Harmonic																																																																																																			
	2400-2483.5_802.11g_CH11_2462MHz																																																																																																			
ANT	2																																																																																																			
Pol.	Horizontal	Vertical																																																																																																		
Peak Avg	<p>Date: 2023-10-20</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4924.00</td> <td>45.29</td> <td>74.00</td> <td>-28.71</td> <td>52.00</td> <td>33.70</td> <td>11.12</td> <td>51.53</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>7386.00</td> <td>48.09</td> <td>74.00</td> <td>-25.91</td> <td>50.36</td> <td>35.78</td> <td>13.13</td> <td>51.18</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	4924.00	45.29	74.00	-28.71	52.00	33.70	11.12	51.53	--	--	Peak	2	7386.00	48.09	74.00	-25.91	50.36	35.78	13.13	51.18	--	--	Peak	<p>Date: 2023-10-20</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4924.00</td> <td>45.63</td> <td>74.00</td> <td>-28.37</td> <td>52.34</td> <td>33.70</td> <td>11.12</td> <td>51.53</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>7386.00</td> <td>47.04</td> <td>74.00</td> <td>-26.96</td> <td>49.31</td> <td>35.78</td> <td>13.13</td> <td>51.18</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	4924.00	45.63	74.00	-28.37	52.34	33.70	11.12	51.53	--	--	Peak	2	7386.00	47.04	74.00	-26.96	49.31	35.78	13.13	51.18	--	--	Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																												
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																												
1	4924.00	45.29	74.00	-28.71	52.00	33.70	11.12	51.53	--	--	Peak																																																																																									
2	7386.00	48.09	74.00	-25.91	50.36	35.78	13.13	51.18	--	--	Peak																																																																																									
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																													
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																												
1	4924.00	45.63	74.00	-28.37	52.34	33.70	11.12	51.53	--	--	Peak																																																																																									
2	7386.00	47.04	74.00	-26.96	49.31	35.78	13.13	51.18	--	--	Peak																																																																																									



	7																																																																													
Mode	Band Edge																																																																													
	2400-2483.5_802.11n_HT20_CH01_2412MHz																																																																													
ANT	2																																																																													
Pol.	Horizontal	Fundamental																																																																												
Peak	<table border="1"> <thead> <tr> <th colspan="2">Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th rowspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2389.82</td> <td>61.22</td> <td>74.00</td> <td>-12.78</td> <td>53.28</td> <td>32.26</td> <td>7.76</td> <td>32.08</td> <td>358</td> <td>285</td> <td>PEAK</td> </tr> </tbody> </table>	Limit Margin		Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2389.82	61.22	74.00	-12.78	53.28	32.26	7.76	32.08	358	285	PEAK	<table border="1"> <thead> <tr> <th colspan="2">Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th rowspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2412.00</td> <td>105.89</td> <td>-----</td> <td>-----</td> <td>97.85</td> <td>32.31</td> <td>7.81</td> <td>32.08</td> <td>358</td> <td>285</td> <td>PEAK</td> </tr> </tbody> </table>	Limit Margin		Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	105.89	-----	-----	97.85	32.31	7.81	32.08	358	285	PEAK
	Limit Margin		Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																					
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																								
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																						
1	2389.82	61.22	74.00	-12.78	53.28	32.26	7.76	32.08	358	285	PEAK																																																																			
Limit Margin		Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																						
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																								
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																						
1	2412.00	105.89	-----	-----	97.85	32.31	7.81	32.08	358	285	PEAK																																																																			
Avg	<table border="1"> <thead> <tr> <th colspan="2">Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th rowspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2389.95</td> <td>50.47</td> <td>54.00</td> <td>-3.53</td> <td>42.53</td> <td>32.26</td> <td>7.76</td> <td>32.08</td> <td>358</td> <td>285</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit Margin		Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2389.95	50.47	54.00	-3.53	42.53	32.26	7.76	32.08	358	285	AVERAGE	<table border="1"> <thead> <tr> <th colspan="2">Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th rowspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2412.00</td> <td>98.49</td> <td>-----</td> <td>-----</td> <td>90.45</td> <td>32.31</td> <td>7.81</td> <td>32.08</td> <td>358</td> <td>285</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit Margin		Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	98.49	-----	-----	90.45	32.31	7.81	32.08	358	285	AVERAGE
	Limit Margin		Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																					
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																								
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																						
1	2389.95	50.47	54.00	-3.53	42.53	32.26	7.76	32.08	358	285	AVERAGE																																																																			
Limit Margin		Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																						
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																								
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																						
1	2412.00	98.49	-----	-----	90.45	32.31	7.81	32.08	358	285	AVERAGE																																																																			



	7																																																																															
Mode	Band Edge																																																																															
	2400-2483.5_802.11n_HT20_CH01_2412MHz																																																																															
ANT	2																																																																															
Pol.	Vertical	Fundamental																																																																														
Peak	<p style="text-align: right;">Date: 2023-10-19</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2389.69</td> <td>59.15</td> <td>74.00</td> <td>-14.85</td> <td>51.21</td> <td>32.26</td> <td>7.76</td> <td>32.08</td> <td>362</td> <td>233</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2389.69	59.15	74.00	-14.85	51.21	32.26	7.76	32.08	362	233	PEAK	<p style="text-align: right;">Date: 2023-10-19</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2412.00</td> <td>103.71</td> <td>-----</td> <td>-----</td> <td>95.67</td> <td>32.31</td> <td>7.81</td> <td>32.08</td> <td>362</td> <td>233</td> <td>PEAK_74</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	103.71	-----	-----	95.67	32.31	7.81	32.08	362	233	PEAK_74
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																							
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																									
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	2389.69	59.15	74.00	-14.85	51.21	32.26	7.76	32.08	362	233	PEAK																																																																					
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																									
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	2412.00	103.71	-----	-----	95.67	32.31	7.81	32.08	362	233	PEAK_74																																																																					
Avg	<p style="text-align: right;">Date: 2023-10-19</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2389.95</td> <td>48.98</td> <td>54.00</td> <td>-5.02</td> <td>41.04</td> <td>32.26</td> <td>7.76</td> <td>32.08</td> <td>362</td> <td>233</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2389.95	48.98	54.00	-5.02	41.04	32.26	7.76	32.08	362	233	AVERAGE	<p style="text-align: right;">Date: 2023-10-19</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2412.00</td> <td>96.48</td> <td>-----</td> <td>-----</td> <td>88.44</td> <td>32.31</td> <td>7.81</td> <td>32.08</td> <td>362</td> <td>233</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	96.48	-----	-----	88.44	32.31	7.81	32.08	362	233	AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																							
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																									
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	2389.95	48.98	54.00	-5.02	41.04	32.26	7.76	32.08	362	233	AVERAGE																																																																					
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																									
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	2412.00	96.48	-----	-----	88.44	32.31	7.81	32.08	362	233	AVERAGE																																																																					



Mode	7																																																																								
	Harmonic																																																																								
	2400-2483.5_802.11n HT20_CH01_2412MHz																																																																								
ANT	2																																																																								
Pol.	Horizontal	Vertical																																																																							
Peak Avg																																																																									
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4824.00</td> <td>45.81</td> <td>74.00</td> <td>-28.19</td> <td>52.45</td> <td>33.85</td> <td>11.08</td> <td>51.57</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	4824.00	45.81	74.00	-28.19	52.45	33.85	11.08	51.57	--	--	Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4824.00</td> <td>45.87</td> <td>74.00</td> <td>-28.13</td> <td>52.51</td> <td>33.85</td> <td>11.08</td> <td>51.57</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	4824.00	45.87	74.00	-28.13	52.51	33.85	11.08	51.57	--	--
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																		
1	4824.00	45.81	74.00	-28.19	52.45	33.85	11.08	51.57	--	--	Peak																																																														
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																		
1	4824.00	45.87	74.00	-28.13	52.51	33.85	11.08	51.57	--	--	Peak																																																														



Mode	8																																																																																																
	Harmonic																																																																																																
	2400-2483.5_802.11n_HT20_CH06_2437MHz																																																																																																
ANT	2																																																																																																
Pol.	Horizontal	Vertical																																																																																															
Peak Avg	<p style="text-align: right;">Date: 2023-10-20</p>	<p style="text-align: right;">Date: 2023-10-20</p>																																																																																															
	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4874.00</td> <td>45.01</td> <td>74.00</td> <td>-28.99</td> <td>51.72</td> <td>33.74</td> <td>11.10</td> <td>51.55</td> <td>-- -- Peak</td> </tr> <tr> <td>2</td> <td>7311.00</td> <td>47.19</td> <td>74.00</td> <td>-26.81</td> <td>49.51</td> <td>35.76</td> <td>13.08</td> <td>51.16</td> <td>-- -- Peak</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	4874.00	45.01	74.00	-28.99	51.72	33.74	11.10	51.55	-- -- Peak	2	7311.00	47.19	74.00	-26.81	49.51	35.76	13.08	51.16	-- -- Peak	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4874.00</td> <td>44.53</td> <td>74.00</td> <td>-29.47</td> <td>51.24</td> <td>33.74</td> <td>11.10</td> <td>51.55</td> <td>-- -- Peak</td> </tr> <tr> <td>2</td> <td>7311.00</td> <td>46.69</td> <td>74.00</td> <td>-27.31</td> <td>49.01</td> <td>35.76</td> <td>13.08</td> <td>51.16</td> <td>-- -- Peak</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	4874.00	44.53	74.00	-29.47	51.24	33.74	11.10	51.55	-- -- Peak	2	7311.00	46.69	74.00	-27.31	49.01	35.76	13.08	51.16
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																										
Freq	Level	Line Margin	Level	Factor	Loss Factor			Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																								
1	4874.00	45.01	74.00	-28.99	51.72	33.74	11.10	51.55	-- -- Peak																																																																																								
2	7311.00	47.19	74.00	-26.81	49.51	35.76	13.08	51.16	-- -- Peak																																																																																								
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																										
Freq	Level	Line Margin	Level	Factor	Loss Factor			Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																								
1	4874.00	44.53	74.00	-29.47	51.24	33.74	11.10	51.55	-- -- Peak																																																																																								
2	7311.00	46.69	74.00	-27.31	49.01	35.76	13.08	51.16	-- -- Peak																																																																																								



	9																																																																											
Mode	Band Edge																																																																											
	2400-2483.5_802.11n_HT20_CH11_2462MHz																																																																											
ANT	2																																																																											
Pol.	Horizontal	Fundamental																																																																										
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 2483.93</td> <td>60.93</td> <td>74.00</td> <td>-13.07</td> <td>52.69</td> <td>32.46</td> <td>7.88</td> <td>32.10</td> <td>376</td> <td>283 PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 2483.93	60.93	74.00	-13.07	52.69	32.46	7.88	32.10	376	283 PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 2462.00</td> <td>106.17</td> <td>-----</td> <td>-----</td> <td>97.98</td> <td>32.42</td> <td>7.86</td> <td>32.09</td> <td>376</td> <td>283 PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 2462.00	106.17	-----	-----	97.98	32.42	7.86	32.09	376	283 PEAK
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																				
Freq	Level	Line	Level	Factor	Loss Factor																																																																							
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																				
1 2483.93	60.93	74.00	-13.07	52.69	32.46	7.88	32.10	376	283 PEAK																																																																			
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																				
Freq	Level	Line	Level	Factor	Loss Factor																																																																							
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																				
1 2462.00	106.17	-----	-----	97.98	32.42	7.86	32.09	376	283 PEAK																																																																			
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 2483.51</td> <td>49.83</td> <td>54.00</td> <td>-4.17</td> <td>41.59</td> <td>32.46</td> <td>7.88</td> <td>32.10</td> <td>376</td> <td>283 AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 2483.51	49.83	54.00	-4.17	41.59	32.46	7.88	32.10	376	283 AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 2462.00</td> <td>99.11</td> <td>-----</td> <td>-----</td> <td>90.92</td> <td>32.42</td> <td>7.86</td> <td>32.09</td> <td>376</td> <td>283 AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 2462.00	99.11	-----	-----	90.92	32.42	7.86	32.09	376	283 AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																				
Freq	Level	Line	Level	Factor	Loss Factor																																																																							
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																				
1 2483.51	49.83	54.00	-4.17	41.59	32.46	7.88	32.10	376	283 AVERAGE																																																																			
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																				
Freq	Level	Line	Level	Factor	Loss Factor																																																																							
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																				
1 2462.00	99.11	-----	-----	90.92	32.42	7.86	32.09	376	283 AVERAGE																																																																			







Mode	9																																																																									
	Band Edge																																																																									
	2400-2483.5_802.11n_HT20_CH11_2462MHz																																																																									
ANT	2																																																																									
Pol.	Vertical	Fundamental																																																																								
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 2483.58</td> <td>59.13</td> <td>74.00</td> <td>-14.87</td> <td>50.89</td> <td>32.46</td> <td>7.88</td> <td>32.10</td> <td>334 229 PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 2483.58	59.13	74.00	-14.87	50.89	32.46	7.88	32.10	334 229 PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 2462.00</td> <td>103.52</td> <td>-----</td> <td>-----</td> <td>95.33</td> <td>32.42</td> <td>7.86</td> <td>32.09</td> <td>334 229 PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 2462.00	103.52	-----	-----	95.33	32.42	7.86	32.09	334 229 PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																	
Freq	Level	Line	Level	Factor	Loss Factor																																																																					
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 2483.58	59.13	74.00	-14.87	50.89	32.46	7.88	32.10	334 229 PEAK																																																																		
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	Level	Factor	Loss Factor																																																																					
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 2462.00	103.52	-----	-----	95.33	32.42	7.86	32.09	334 229 PEAK																																																																		
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 2483.51</td> <td>47.83</td> <td>54.00</td> <td>-6.17</td> <td>39.59</td> <td>32.46</td> <td>7.88</td> <td>32.10</td> <td>334 229 AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 2483.51	47.83	54.00	-6.17	39.59	32.46	7.88	32.10	334 229 AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 2462.00</td> <td>96.34</td> <td>-----</td> <td>-----</td> <td>88.15</td> <td>32.42</td> <td>7.86</td> <td>32.09</td> <td>334 229 AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 2462.00	96.34	-----	-----	88.15	32.42	7.86	32.09	334 229 AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	Level	Factor	Loss Factor																																																																					
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 2483.51	47.83	54.00	-6.17	39.59	32.46	7.88	32.10	334 229 AVERAGE																																																																		
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	Level	Factor	Loss Factor																																																																					
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 2462.00	96.34	-----	-----	88.15	32.42	7.86	32.09	334 229 AVERAGE																																																																		



Mode	9																																																																																																			
	Harmonic																																																																																																			
	2400-2483.5_802.11n HT20_CH11_2462MHz																																																																																																			
ANT	2																																																																																																			
Pol.	Horizontal	Vertical																																																																																																		
Peak Avg	<p style="text-align: right;">Date: 2023-10-20</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4924.00</td> <td>45.31</td> <td>74.00</td> <td>-28.69</td> <td>52.02</td> <td>33.70</td> <td>11.12</td> <td>51.53</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>7386.00</td> <td>47.88</td> <td>74.00</td> <td>-26.12</td> <td>50.15</td> <td>35.78</td> <td>13.13</td> <td>51.18</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	4924.00	45.31	74.00	-28.69	52.02	33.70	11.12	51.53	--	--	Peak	2	7386.00	47.88	74.00	-26.12	50.15	35.78	13.13	51.18	--	--	Peak	<p style="text-align: right;">Date: 2023-10-20</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4924.00</td> <td>45.23</td> <td>74.00</td> <td>-28.77</td> <td>51.94</td> <td>33.70</td> <td>11.12</td> <td>51.53</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>7386.00</td> <td>46.91</td> <td>74.00</td> <td>-27.09</td> <td>49.18</td> <td>35.78</td> <td>13.13</td> <td>51.18</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	4924.00	45.23	74.00	-28.77	51.94	33.70	11.12	51.53	--	--	Peak	2	7386.00	46.91	74.00	-27.09	49.18	35.78	13.13	51.18	--	--	Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																												
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																												
1	4924.00	45.31	74.00	-28.69	52.02	33.70	11.12	51.53	--	--	Peak																																																																																									
2	7386.00	47.88	74.00	-26.12	50.15	35.78	13.13	51.18	--	--	Peak																																																																																									
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																													
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																												
1	4924.00	45.23	74.00	-28.77	51.94	33.70	11.12	51.53	--	--	Peak																																																																																									
2	7386.00	46.91	74.00	-27.09	49.18	35.78	13.13	51.18	--	--	Peak																																																																																									



	10																																																																															
Mode	Band Edge - L																																																																															
	2400-2483.5_802.11n_HT40_CH03_2422MHz																																																																															
ANT	2																																																																															
Pol.	Horizontal	Fundamental																																																																														
Peak	 <p style="text-align: right;">Date: 2023-10-19</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2389.97</td> <td>59.57</td> <td>74.00</td> <td>-14.43</td> <td>51.63</td> <td>32.26</td> <td>7.76</td> <td>32.08</td> <td>357</td> <td>289</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2389.97	59.57	74.00	-14.43	51.63	32.26	7.76	32.08	357	289	PEAK	 <p style="text-align: right;">Date: 2023-10-19</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2422.00</td> <td>100.56</td> <td>-----</td> <td>-----</td> <td>92.51</td> <td>32.32</td> <td>7.81</td> <td>32.08</td> <td>357</td> <td>289</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2422.00	100.56	-----	-----	92.51	32.32	7.81	32.08	357	289	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																							
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																									
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	2389.97	59.57	74.00	-14.43	51.63	32.26	7.76	32.08	357	289	PEAK																																																																					
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																									
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	2422.00	100.56	-----	-----	92.51	32.32	7.81	32.08	357	289	PEAK																																																																					
Avg	 <p style="text-align: right;">Date: 2023-10-19</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2389.97</td> <td>50.61</td> <td>54.00</td> <td>-3.39</td> <td>42.67</td> <td>32.26</td> <td>7.76</td> <td>32.08</td> <td>357</td> <td>289</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2389.97	50.61	54.00	-3.39	42.67	32.26	7.76	32.08	357	289	AVERAGE	 <p style="text-align: right;">Date: 2023-10-19</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2422.00</td> <td>93.70</td> <td>-----</td> <td>-----</td> <td>85.64</td> <td>32.32</td> <td>7.82</td> <td>32.08</td> <td>357</td> <td>289</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2422.00	93.70	-----	-----	85.64	32.32	7.82	32.08	357	289	AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																							
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																									
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	2389.97	50.61	54.00	-3.39	42.67	32.26	7.76	32.08	357	289	AVERAGE																																																																					
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																									
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	2422.00	93.70	-----	-----	85.64	32.32	7.82	32.08	357	289	AVERAGE																																																																					



Mode	10																																								
	Band Edge - R																																								
	2400-2483.5_802.11n HT40_CH03_2422MHz																																								
ANT	2																																								
Pol.	Horizontal	Fundamental																																							
Peak	<p>Date: 2023-10-19</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.78</td> <td>49.95</td> <td>74.00</td> <td>-24.05</td> <td>41.71</td> <td>32.46</td> <td>7.88</td> <td>32.10</td> <td>357</td> <td>289</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2483.78	49.95	74.00	-24.05	41.71	32.46	7.88	32.10	357	289	PEAK	Blank
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																		
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																	
1	2483.78	49.95	74.00	-24.05	41.71	32.46	7.88	32.10	357	289	PEAK																														
Avg	<p>Date: 2023-10-19</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2484.95</td> <td>40.79</td> <td>54.00</td> <td>-13.21</td> <td>32.54</td> <td>32.47</td> <td>7.88</td> <td>32.10</td> <td>357</td> <td>289</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2484.95	40.79	54.00	-13.21	32.54	32.47	7.88	32.10	357	289	AVERAGE	Blank
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																		
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																	
1	2484.95	40.79	54.00	-13.21	32.54	32.47	7.88	32.10	357	289	AVERAGE																														



Mode	10																																																																															
	Band Edge - L																																																																															
	2400-2483.5_802.11n_HT40_CH03_2422MHz																																																																															
ANT	2																																																																															
Pol.	Vertical	Fundamental																																																																														
Peak	<p>Date: 2023-10-19</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2389.97</td> <td>54.34</td> <td>74.00</td> <td>-19.66</td> <td>46.40</td> <td>32.26</td> <td>7.76</td> <td>32.08</td> <td>389</td> <td>229</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2389.97	54.34	74.00	-19.66	46.40	32.26	7.76	32.08	389	229	PEAK	<p>Date: 2023-10-19</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2422.00</td> <td>99.87</td> <td>-----</td> <td>-----</td> <td>91.78</td> <td>32.35</td> <td>7.83</td> <td>32.09</td> <td>389</td> <td>229</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2422.00	99.87	-----	-----	91.78	32.35	7.83	32.09	389	229	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																							
Freq	Level	Line	Level	Factor	Loss Factor																																																																											
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	2389.97	54.34	74.00	-19.66	46.40	32.26	7.76	32.08	389	229	PEAK																																																																					
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	Level	Factor	Loss Factor																																																																											
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	2422.00	99.87	-----	-----	91.78	32.35	7.83	32.09	389	229	PEAK																																																																					
Avg	<p>Date: 2023-10-19</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2389.97</td> <td>45.31</td> <td>54.00</td> <td>-8.69</td> <td>37.37</td> <td>32.26</td> <td>7.76</td> <td>32.08</td> <td>389</td> <td>229</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2389.97	45.31	54.00	-8.69	37.37	32.26	7.76	32.08	389	229	AVERAGE	<p>Date: 2023-10-19</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2422.00</td> <td>92.84</td> <td>-----</td> <td>-----</td> <td>84.75</td> <td>32.35</td> <td>7.83</td> <td>32.09</td> <td>389</td> <td>229</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2422.00	92.84	-----	-----	84.75	32.35	7.83	32.09	389	229	AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	Level	Factor	Loss Factor																																																																											
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	2389.97	45.31	54.00	-8.69	37.37	32.26	7.76	32.08	389	229	AVERAGE																																																																					
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	Level	Factor	Loss Factor																																																																											
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	2422.00	92.84	-----	-----	84.75	32.35	7.83	32.09	389	229	AVERAGE																																																																					



Mode	10																																								
	Band Edge - R																																								
	2400-2483.5_802.11n HT40_CH03_2422MHz																																								
ANT	2																																								
Pol.	Vertical	Fundamental																																							
Peak	<p>Date: 2023-10-19</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2484.48</td> <td>52.00</td> <td>74.00</td> <td>-22.00</td> <td>43.75</td> <td>32.47</td> <td>7.88</td> <td>32.10</td> <td>389</td> <td>229</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2484.48	52.00	74.00	-22.00	43.75	32.47	7.88	32.10	389	229	PEAK	Blank
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																
Freq	Level	Line	Level	Factor	Loss Factor																																				
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																	
1	2484.48	52.00	74.00	-22.00	43.75	32.47	7.88	32.10	389	229	PEAK																														
Avg	<p>Date: 2023-10-19</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2484.24</td> <td>41.79</td> <td>54.00</td> <td>-12.21</td> <td>33.54</td> <td>32.47</td> <td>7.88</td> <td>32.10</td> <td>389</td> <td>229</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2484.24	41.79	54.00	-12.21	33.54	32.47	7.88	32.10	389	229	AVERAGE	Blank
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																	
Freq	Level	Line	Level	Factor	Loss Factor																																				
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																	
1	2484.24	41.79	54.00	-12.21	33.54	32.47	7.88	32.10	389	229	AVERAGE																														



Mode	10																																																																																																				
	Harmonic																																																																																																				
	2400-2483.5_802.11n_HT40_CH03_2422MHz																																																																																																				
ANT	2																																																																																																				
Pol.	Horizontal	Vertical																																																																																																			
Peak Avg																																																																																																					
	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4844.00</td> <td>45.06</td> <td>74.00</td> <td>-28.94</td> <td>51.73</td> <td>33.80</td> <td>11.09</td> <td>51.56</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>7266.00</td> <td>47.91</td> <td>74.00</td> <td>-26.09</td> <td>50.26</td> <td>35.75</td> <td>13.05</td> <td>51.15</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4844.00	45.06	74.00	-28.94	51.73	33.80	11.09	51.56	--	Peak	2	7266.00	47.91	74.00	-26.09	50.26	35.75	13.05	51.15	--	Peak	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4844.00</td> <td>45.81</td> <td>74.00</td> <td>-28.19</td> <td>52.48</td> <td>33.80</td> <td>11.09</td> <td>51.56</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>7266.00</td> <td>46.44</td> <td>74.00</td> <td>-27.56</td> <td>48.79</td> <td>35.75</td> <td>13.05</td> <td>51.15</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4844.00	45.81	74.00	-28.19	52.48	33.80	11.09	51.56	--	Peak	2	7266.00	46.44	74.00	-27.56	48.79	35.75	13.05	51.15	--
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																														
Freq	Level	Line Margin	Level	Factor	Loss Factor			Remark																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																												
1	4844.00	45.06	74.00	-28.94	51.73	33.80	11.09	51.56	--	Peak																																																																																											
2	7266.00	47.91	74.00	-26.09	50.26	35.75	13.05	51.15	--	Peak																																																																																											
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																														
Freq	Level	Line Margin	Level	Factor	Loss Factor			Remark																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																												
1	4844.00	45.81	74.00	-28.19	52.48	33.80	11.09	51.56	--	Peak																																																																																											
2	7266.00	46.44	74.00	-27.56	48.79	35.75	13.05	51.15	--	Peak																																																																																											



	11																																																																															
Mode	Band Edge - L																																																																															
	2400-2483.5_802.11n_HT40_CH09_2452MHz																																																																															
ANT	2																																																																															
Pol.	Horizontal	Fundamental																																																																														
Peak	<p style="text-align: right;">Date: 2023-10-18</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 2389.66</td> <td>48.75</td> <td>74.00</td> <td>-25.25</td> <td>40.81</td> <td>32.26</td> <td>7.76</td> <td>32.08</td> <td>366</td> <td>281</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 2389.66	48.75	74.00	-25.25	40.81	32.26	7.76	32.08	366	281	PEAK	<p style="text-align: right;">Date: 2023-10-18</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 2452.00</td> <td>100.32</td> <td>-----</td> <td>-----</td> <td>92.16</td> <td>32.40</td> <td>7.85</td> <td>32.09</td> <td>366</td> <td>281</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 2452.00	100.32	-----	-----	92.16	32.40	7.85	32.09	366	281	PEAK
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1 2389.66	48.75	74.00	-25.25	40.81	32.26	7.76	32.08	366	281	PEAK																																																																						
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1 2452.00	100.32	-----	-----	92.16	32.40	7.85	32.09	366	281	PEAK																																																																						
Avg	<p style="text-align: right;">Date: 2023-10-18</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 2388.95</td> <td>39.33</td> <td>54.00</td> <td>-14.67</td> <td>31.39</td> <td>32.26</td> <td>7.76</td> <td>32.08</td> <td>366</td> <td>281</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 2388.95	39.33	54.00	-14.67	31.39	32.26	7.76	32.08	366	281	AVERAGE	<p style="text-align: right;">Date: 2023-10-18</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 2452.00</td> <td>93.44</td> <td>-----</td> <td>-----</td> <td>85.28</td> <td>32.40</td> <td>7.85</td> <td>32.09</td> <td>366</td> <td>281</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 2452.00	93.44	-----	-----	85.28	32.40	7.85	32.09	366	281	AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1 2388.95	39.33	54.00	-14.67	31.39	32.26	7.76	32.08	366	281	AVERAGE																																																																						
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1 2452.00	93.44	-----	-----	85.28	32.40	7.85	32.09	366	281	AVERAGE																																																																						



Mode	11																																								
	Band Edge - R																																								
	2400-2483.5_802.11n HT40_CH09_2452MHz																																								
ANT	2																																								
Pol.	Horizontal	Fundamental																																							
Peak	<p>Date: 2023-10-18</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.68</td> <td>59.44</td> <td>74.00</td> <td>-14.56</td> <td>51.20</td> <td>32.46</td> <td>7.88</td> <td>32.10</td> <td>366</td> <td>281</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2483.68	59.44	74.00	-14.56	51.20	32.46	7.88	32.10	366	281	PEAK	Blank
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																	
Freq	Level	Line	Level	Factor	Loss Factor																																				
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																	
1	2483.68	59.44	74.00	-14.56	51.20	32.46	7.88	32.10	366	281	PEAK																														
Avg	<p>Date: 2023-10-18</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.97</td> <td>50.38</td> <td>54.00</td> <td>-3.62</td> <td>42.14</td> <td>32.46</td> <td>7.88</td> <td>32.10</td> <td>366</td> <td>281</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2483.97	50.38	54.00	-3.62	42.14	32.46	7.88	32.10	366	281	AVERAGE	Blank
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																	
Freq	Level	Line	Level	Factor	Loss Factor																																				
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																	
1	2483.97	50.38	54.00	-3.62	42.14	32.46	7.88	32.10	366	281	AVERAGE																														



	11																																																																																	
Mode	Band Edge - L																																																																																	
	2400-2483.5_802.11n_HT40_CH09_2452MHz																																																																																	
ANT	2																																																																																	
Pol.	Vertical	Fundamental																																																																																
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2365.38</td> <td>48.70</td> <td>74.00</td> <td>-25.30</td> <td>40.88</td> <td>32.20</td> <td>7.69</td> <td>32.07</td> <td>372</td> <td>246</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2365.38	48.70	74.00	-25.30	40.88	32.20	7.69	32.07	372	246	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2452.00</td> <td>97.03</td> <td>-----</td> <td>-----</td> <td>88.89</td> <td>32.39</td> <td>7.84</td> <td>32.09</td> <td>372</td> <td>246</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2452.00	97.03	-----	-----	88.89	32.39	7.84	32.09	372	246	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																									
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	2365.38	48.70	74.00	-25.30	40.88	32.20	7.69	32.07	372	246	PEAK																																																																							
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	2452.00	97.03	-----	-----	88.89	32.39	7.84	32.09	372	246	PEAK																																																																							
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2325.34</td> <td>38.63</td> <td>54.00</td> <td>-15.37</td> <td>30.99</td> <td>32.12</td> <td>7.58</td> <td>32.06</td> <td>372</td> <td>246</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2325.34	38.63	54.00	-15.37	30.99	32.12	7.58	32.06	372	246	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2452.00</td> <td>90.04</td> <td>-----</td> <td>-----</td> <td>81.88</td> <td>32.40</td> <td>7.85</td> <td>32.09</td> <td>372</td> <td>246</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2452.00	90.04	-----	-----	81.88	32.40	7.85	32.09	372	246	AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																									
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	2325.34	38.63	54.00	-15.37	30.99	32.12	7.58	32.06	372	246	AVERAGE																																																																							
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	2452.00	90.04	-----	-----	81.88	32.40	7.85	32.09	372	246	AVERAGE																																																																							



Mode	11																																								
	Band Edge - R																																								
	2400-2483.5_802.11n HT40_CH09_2452MHz																																								
ANT	2																																								
Pol.	Vertical	Fundamental																																							
Peak	<p>Date: 2023-10-17</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2484.16</td> <td>60.61</td> <td>74.00</td> <td>-13.39</td> <td>52.36</td> <td>32.47</td> <td>7.88</td> <td>32.10</td> <td>372</td> <td>246</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2484.16	60.61	74.00	-13.39	52.36	32.47	7.88	32.10	372	246	PEAK	Blank
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																
Freq	Level	Line	Level	Factor	Loss Factor																																				
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																	
1	2484.16	60.61	74.00	-13.39	52.36	32.47	7.88	32.10	372	246	PEAK																														
Avg	<p>Date: 2023-10-17</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.78</td> <td>49.96</td> <td>54.00</td> <td>-4.04</td> <td>41.72</td> <td>32.46</td> <td>7.88</td> <td>32.10</td> <td>372</td> <td>246</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2483.78	49.96	54.00	-4.04	41.72	32.46	7.88	32.10	372	246	AVERAGE	Blank
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																	
Freq	Level	Line	Level	Factor	Loss Factor																																				
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																	
1	2483.78	49.96	54.00	-4.04	41.72	32.46	7.88	32.10	372	246	AVERAGE																														



Mode	11																																																																																														
	Harmonic																																																																																														
	2400-2483.5_802.11n_HT40_CH09_2452MHz																																																																																														
ANT	2																																																																																														
Pol.	Horizontal	Vertical																																																																																													
Peak Avg																																																																																															
	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4904.00</td> <td>46.77</td> <td>74.00</td> <td>-27.23</td> <td>53.50</td> <td>33.70</td> <td>11.11</td> <td>51.54</td> <td>-- Peak</td> </tr> <tr> <td>2</td> <td>7356.00</td> <td>47.35</td> <td>74.00</td> <td>-26.65</td> <td>49.64</td> <td>35.77</td> <td>13.11</td> <td>51.17</td> <td>-- Peak</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	4904.00	46.77	74.00	-27.23	53.50	33.70	11.11	51.54	-- Peak	2	7356.00	47.35	74.00	-26.65	49.64	35.77	13.11	51.17	-- Peak	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4904.00</td> <td>45.50</td> <td>74.00</td> <td>-28.50</td> <td>52.23</td> <td>33.70</td> <td>11.11</td> <td>51.54</td> <td>-- Peak</td> </tr> <tr> <td>2</td> <td>7356.00</td> <td>47.66</td> <td>74.00</td> <td>-26.34</td> <td>49.95</td> <td>35.77</td> <td>13.11</td> <td>51.17</td> <td>-- Peak</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	4904.00	45.50	74.00	-28.50	52.23	33.70	11.11	51.54	-- Peak	2	7356.00	47.66	74.00	-26.34	49.95	35.77	13.11	51.17
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																								
Freq	Level	Line Margin	Level	Factor	Loss Factor			Remark																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																							
1	4904.00	46.77	74.00	-27.23	53.50	33.70	11.11	51.54	-- Peak																																																																																						
2	7356.00	47.35	74.00	-26.65	49.64	35.77	13.11	51.17	-- Peak																																																																																						
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																								
Freq	Level	Line Margin	Level	Factor	Loss Factor			Remark																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																							
1	4904.00	45.50	74.00	-28.50	52.23	33.70	11.11	51.54	-- Peak																																																																																						
2	7356.00	47.66	74.00	-26.34	49.95	35.77	13.11	51.17	-- Peak																																																																																						



Mode	12																																																																																																																																																																																																
	LF																																																																																																																																																																																																
	2400-2483.5_802.11n_HT40_CH03_2422MHz																																																																																																																																																																																																
ANT	2																																																																																																																																																																																																
Pol.	Horizontal	Vertical																																																																																																																																																																																															
QP/Peak	<p>Date: 2023-10-18</p>	<p>Date: 2023-10-18</p>																																																																																																																																																																																															
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr><td>1</td><td>74.62</td><td>17.30</td><td>40.00</td><td>-22.70</td><td>34.07</td><td>12.86</td><td>1.73</td><td>31.36</td><td>--</td><td>--</td><td>Peak</td></tr> <tr><td>2</td><td>196.84</td><td>23.94</td><td>43.50</td><td>-19.56</td><td>37.16</td><td>15.41</td><td>2.28</td><td>30.91</td><td>--</td><td>--</td><td>Peak</td></tr> <tr><td>3</td><td>293.84</td><td>22.96</td><td>46.00</td><td>-23.04</td><td>31.83</td><td>19.34</td><td>2.69</td><td>30.90</td><td>--</td><td>--</td><td>Peak</td></tr> <tr><td>4</td><td>462.62</td><td>22.74</td><td>46.00</td><td>-23.26</td><td>26.92</td><td>23.17</td><td>3.35</td><td>30.70</td><td>--</td><td>--</td><td>Peak</td></tr> <tr><td>5</td><td>732.28</td><td>26.61</td><td>46.00</td><td>-19.39</td><td>27.73</td><td>25.65</td><td>4.13</td><td>30.90</td><td>--</td><td>--</td><td>Peak</td></tr> <tr><td>6</td><td>925.31</td><td>30.06</td><td>46.00</td><td>-15.94</td><td>29.54</td><td>26.95</td><td>4.57</td><td>31.00</td><td>--</td><td>--</td><td>Peak</td></tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	74.62	17.30	40.00	-22.70	34.07	12.86	1.73	31.36	--	--	Peak	2	196.84	23.94	43.50	-19.56	37.16	15.41	2.28	30.91	--	--	Peak	3	293.84	22.96	46.00	-23.04	31.83	19.34	2.69	30.90	--	--	Peak	4	462.62	22.74	46.00	-23.26	26.92	23.17	3.35	30.70	--	--	Peak	5	732.28	26.61	46.00	-19.39	27.73	25.65	4.13	30.90	--	--	Peak	6	925.31	30.06	46.00	-15.94	29.54	26.95	4.57	31.00	--	--	Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr><td>1</td><td>30.97</td><td>22.98</td><td>40.00</td><td>-17.02</td><td>28.35</td><td>24.62</td><td>1.21</td><td>31.20</td><td>--</td><td>--</td><td>Peak</td></tr> <tr><td>2</td><td>56.19</td><td>23.10</td><td>40.00</td><td>-16.90</td><td>39.58</td><td>13.22</td><td>1.54</td><td>31.24</td><td>--</td><td>--</td><td>Peak</td></tr> <tr><td>3</td><td>197.81</td><td>28.72</td><td>43.50</td><td>-14.78</td><td>41.91</td><td>15.44</td><td>2.28</td><td>30.91</td><td>--</td><td>--</td><td>Peak</td></tr> <tr><td>4</td><td>393.75</td><td>20.80</td><td>46.00</td><td>-25.20</td><td>26.70</td><td>21.74</td><td>3.07</td><td>30.71</td><td>--</td><td>--</td><td>Peak</td></tr> <tr><td>5</td><td>609.09</td><td>24.76</td><td>46.00</td><td>-21.24</td><td>27.02</td><td>24.95</td><td>3.77</td><td>30.98</td><td>--</td><td>--</td><td>Peak</td></tr> <tr><td>6</td><td>798.24</td><td>28.26</td><td>46.00</td><td>-17.74</td><td>29.01</td><td>26.09</td><td>4.25</td><td>31.09</td><td>--</td><td>--</td><td>Peak</td></tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	30.97	22.98	40.00	-17.02	28.35	24.62	1.21	31.20	--	--	Peak	2	56.19	23.10	40.00	-16.90	39.58	13.22	1.54	31.24	--	--	Peak	3	197.81	28.72	43.50	-14.78	41.91	15.44	2.28	30.91	--	--	Peak	4	393.75	20.80	46.00	-25.20	26.70	21.74	3.07	30.71	--	--	Peak	5	609.09	24.76	46.00	-21.24	27.02	24.95	3.77	30.98	--	--	Peak	6	798.24	28.26	46.00	-17.74	29.01	26.09	4.25	31.09	--	--
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																																																																																										
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																																																																																																										
1	74.62	17.30	40.00	-22.70	34.07	12.86	1.73	31.36	--	--	Peak																																																																																																																																																																																						
2	196.84	23.94	43.50	-19.56	37.16	15.41	2.28	30.91	--	--	Peak																																																																																																																																																																																						
3	293.84	22.96	46.00	-23.04	31.83	19.34	2.69	30.90	--	--	Peak																																																																																																																																																																																						
4	462.62	22.74	46.00	-23.26	26.92	23.17	3.35	30.70	--	--	Peak																																																																																																																																																																																						
5	732.28	26.61	46.00	-19.39	27.73	25.65	4.13	30.90	--	--	Peak																																																																																																																																																																																						
6	925.31	30.06	46.00	-15.94	29.54	26.95	4.57	31.00	--	--	Peak																																																																																																																																																																																						
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																																																																																										
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																																																																																																										
1	30.97	22.98	40.00	-17.02	28.35	24.62	1.21	31.20	--	--	Peak																																																																																																																																																																																						
2	56.19	23.10	40.00	-16.90	39.58	13.22	1.54	31.24	--	--	Peak																																																																																																																																																																																						
3	197.81	28.72	43.50	-14.78	41.91	15.44	2.28	30.91	--	--	Peak																																																																																																																																																																																						
4	393.75	20.80	46.00	-25.20	26.70	21.74	3.07	30.71	--	--	Peak																																																																																																																																																																																						
5	609.09	24.76	46.00	-21.24	27.02	24.95	3.77	30.98	--	--	Peak																																																																																																																																																																																						
6	798.24	28.26	46.00	-17.74	29.01	26.09	4.25	31.09	--	--	Peak																																																																																																																																																																																						



Mode	13																																																																									
	Band Edge																																																																									
	2400-2483.5_802.11n HT40_CH03_2422MHz+Band30 BW10M- Co-location																																																																									
ANT	2+0																																																																									
Pol.	Horizontal	Fundamental																																																																								
Peak	<p>Data: 1 Date: 2023-10-26</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Level</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2390.000</td> <td>58.50</td> <td>-15.50</td> <td>74.00</td> <td>50.52</td> <td>32.26</td> <td>7.80</td> <td>32.08</td> <td>352</td> <td>272</td> <td>Peak</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Freq	Level	Limit	Level	Loss	Factor	Factor		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	1	2390.000	58.50	-15.50	74.00	50.52	32.26	7.80	32.08	352	272	Peak	<p>Data: 3 Date: 2023-10-26</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Level</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2422.000</td> <td>100.47</td> <td>26.47</td> <td>74.00</td> <td>92.42</td> <td>32.33</td> <td>7.80</td> <td>32.08</td> <td>352</td> <td>272</td> <td>Peak</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Freq	Level	Limit	Level	Loss	Factor	Factor		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	1	2422.000	100.47	26.47	74.00	92.42	32.33	7.80	32.08	352	272	Peak
	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																		
Freq	Level	Limit	Level	Loss	Factor	Factor																																																																				
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB																																																																			
1	2390.000	58.50	-15.50	74.00	50.52	32.26	7.80	32.08	352	272	Peak																																																															
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																			
Freq	Level	Limit	Level	Loss	Factor	Factor																																																																				
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB																																																																			
1	2422.000	100.47	26.47	74.00	92.42	32.33	7.80	32.08	352	272	Peak																																																															
Avg	<p>Data: 2 Date: 2023-10-26</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Level</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2389.940</td> <td>50.43</td> <td>-3.57</td> <td>54.00</td> <td>42.45</td> <td>32.26</td> <td>7.80</td> <td>32.08</td> <td>352</td> <td>272</td> <td>Average</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Freq	Level	Limit	Level	Loss	Factor	Factor		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	1	2389.940	50.43	-3.57	54.00	42.45	32.26	7.80	32.08	352	272	Average	<p>Data: 4 Date: 2023-10-26</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Level</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2422.000</td> <td>94.03</td> <td>40.03</td> <td>54.00</td> <td>85.98</td> <td>32.33</td> <td>7.80</td> <td>32.08</td> <td>352</td> <td>272</td> <td>Peak</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Freq	Level	Limit	Level	Loss	Factor	Factor		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	1	2422.000	94.03	40.03	54.00	85.98	32.33	7.80	32.08	352	272	Peak
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																			
Freq	Level	Limit	Level	Loss	Factor	Factor																																																																				
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB																																																																			
1	2389.940	50.43	-3.57	54.00	42.45	32.26	7.80	32.08	352	272	Average																																																															
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																			
Freq	Level	Limit	Level	Loss	Factor	Factor																																																																				
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB																																																																			
1	2422.000	94.03	40.03	54.00	85.98	32.33	7.80	32.08	352	272	Peak																																																															




Mode	3																																									
	Band Edge																																									
	2400-2483.5_802.11n HT40_CH03_2422MHz+Band30 BW10M- Co-location																																									
ANT	2+0																																									
Pol.	Horizontal	Fundamental																																								
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 2486.00</td> <td>47.99</td> <td>74.00</td> <td>-26.01</td> <td>40.07</td> <td>32.14</td> <td>7.88</td> <td>32.10</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>352</td> <td>272 Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1 2486.00	47.99	74.00	-26.01	40.07	32.14	7.88	32.10							352	272 Peak	Blank
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																			
1 2486.00	47.99	74.00	-26.01	40.07	32.14	7.88	32.10																																			
						352	272 Peak																																			
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 2483.83</td> <td>39.12</td> <td>54.00</td> <td>-14.88</td> <td>31.19</td> <td>32.15</td> <td>7.88</td> <td>32.10</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>352</td> <td>272 Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1 2483.83	39.12	54.00	-14.88	31.19	32.15	7.88	32.10							352	272 Average	Blank
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																			
1 2483.83	39.12	54.00	-14.88	31.19	32.15	7.88	32.10																																			
						352	272 Average																																			




	3																																																																			
Mode	Band Edge																																																																			
	2400-2483.5_802.11n HT40_CH03_2422MHz+Band30 BW10M- Co-location																																																																			
ANT	2+0																																																																			
Pol.	Vertical	Fundamental																																																																		
Peak	<p>Data: 7 Date: 2023-10-26</p> <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Over Limit</th> <th>Limit Line</th> <th>ReadAntenna Level</th> <th>Cable Loss</th> <th>Preamplifier Loss</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2389.940</td> <td>55.25</td> <td>-18.75</td> <td>74.00</td> <td>47.27</td> <td>32.26</td> <td>7.80</td> <td>32.08</td> <td>363</td> <td>232 Peak</td> </tr> </tbody> </table>	Peak	Freq	Level	Over Limit	Limit Line	ReadAntenna Level	Cable Loss	Preamplifier Loss	A/Pos	T/Pos	Remark		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1	2389.940	55.25	-18.75	74.00	47.27	32.26	7.80	32.08	363	232 Peak	<p>Data: 9 Date: 2023-10-26</p> <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Over Limit</th> <th>Limit Line</th> <th>ReadAntenna Level</th> <th>Cable Loss</th> <th>Preamplifier Loss</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2422.000</td> <td>93.19</td> <td>19.19</td> <td>74.00</td> <td>85.14</td> <td>32.33</td> <td>7.80</td> <td>32.08</td> <td>363</td> <td>232 Peak</td> </tr> </tbody> </table>	Peak	Freq	Level	Over Limit	Limit Line	ReadAntenna Level	Cable Loss	Preamplifier Loss	A/Pos	T/Pos	Remark		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1	2422.000	93.19	19.19	74.00	85.14	32.33	7.80	32.08	363	232 Peak
Peak	Freq	Level	Over Limit	Limit Line	ReadAntenna Level	Cable Loss	Preamplifier Loss	A/Pos	T/Pos	Remark																																																										
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																											
1	2389.940	55.25	-18.75	74.00	47.27	32.26	7.80	32.08	363	232 Peak																																																										
Peak	Freq	Level	Over Limit	Limit Line	ReadAntenna Level	Cable Loss	Preamplifier Loss	A/Pos	T/Pos	Remark																																																										
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																											
1	2422.000	93.19	19.19	74.00	85.14	32.33	7.80	32.08	363	232 Peak																																																										



Avg



Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark				
Freq	Level	Limit	Line	Level	Factor	Loss	Factor				
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB				
1	2389.520	47.17	-6.83	54.00	39.18	32.26	7.80	32.07	363	232	Average



Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark				
Freq	Level	Limit	Line	Level	Factor	Loss	Factor				
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB				
1	2422.000	86.55	32.55	54.00	78.50	32.33	7.80	32.08	363	232	Peak



	13																																											
Mode	Band Edge																																											
	2400-2483.5_802.11n HT40_CH03_2422MHz+Band30 BW10M- Co-location																																											
ANT	2+0																																											
Pol.	Vertical	Fundamental																																										
Peak	<p style="text-align: right;">Date: 2023-10-26</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2497.97</td> <td>48.11</td> <td>74.00</td> <td>-25.89</td> <td>40.21</td> <td>32.11</td> <td>7.89</td> <td>32.10</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>363</td> <td>232 Peak</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	2497.97	48.11	74.00	-25.89	40.21	32.11	7.89	32.10								363	232 Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																					
1	2497.97	48.11	74.00	-25.89	40.21	32.11	7.89	32.10																																				
							363	232 Peak																																				
Blank																																												
Avg	<p style="text-align: right;">Date: 2023-10-26</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2484.74</td> <td>38.86</td> <td>54.00</td> <td>-15.14</td> <td>30.94</td> <td>32.14</td> <td>7.88</td> <td>32.10</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>363</td> <td>232 Average</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	2484.74	38.86	54.00	-15.14	30.94	32.14	7.88	32.10								363	232 Average
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																					
1	2484.74	38.86	54.00	-15.14	30.94	32.14	7.88	32.10																																				
							363	232 Average																																				
Blank																																												



Mode	13																																																																																																			
	Harmonic																																																																																																			
	2400-2483.5_802.11n_HT40_CH03_2422MHz+Band30_BW10M- Co-location																																																																																																			
ANT	2+0																																																																																																			
Pol.	Horizontal	Vertical																																																																																																		
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4844.00</td> <td>47.09</td> <td>74.00</td> <td>-26.91</td> <td>53.76</td> <td>33.80</td> <td>11.09</td> <td>51.56</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>7266.00</td> <td>47.44</td> <td>74.00</td> <td>-26.56</td> <td>49.79</td> <td>35.75</td> <td>13.05</td> <td>51.15</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	4844.00	47.09	74.00	-26.91	53.76	33.80	11.09	51.56	--	--	Peak	2	7266.00	47.44	74.00	-26.56	49.79	35.75	13.05	51.15	--	--	Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4844.00</td> <td>45.34</td> <td>74.00</td> <td>-28.66</td> <td>52.01</td> <td>33.80</td> <td>11.09</td> <td>51.56</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>7266.00</td> <td>45.47</td> <td>74.00</td> <td>-28.53</td> <td>47.82</td> <td>35.75</td> <td>13.05</td> <td>51.15</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	4844.00	45.34	74.00	-28.66	52.01	33.80	11.09	51.56	--	--	Peak	2	7266.00	45.47	74.00	-28.53	47.82	35.75	13.05	51.15	--	--	Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																												
1	4844.00	47.09	74.00	-26.91	53.76	33.80	11.09	51.56	--	--	Peak																																																																																									
2	7266.00	47.44	74.00	-26.56	49.79	35.75	13.05	51.15	--	--	Peak																																																																																									
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																													
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																												
1	4844.00	45.34	74.00	-28.66	52.01	33.80	11.09	51.56	--	--	Peak																																																																																									
2	7266.00	45.47	74.00	-28.53	47.82	35.75	13.05	51.15	--	--	Peak																																																																																									



<WLAN 5G>

Radiated Spurious Emission Test Modes

Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	Remark
Mode 1	U-NII-1	5.15-5.25	3	802.11a	36	5180	6Mbps	-
Mode 2	U-NII-1	5.15-5.25	3	802.11a	44	5220	6Mbps	-
Mode 3	U-NII-1	5.15-5.25	3	802.11a	48	5240	6Mbps	-
Mode 4	U-NII-2A	5.25-5.35	3	802.11a	52	5260	6Mbps	-
Mode 5	U-NII-2A	5.25-5.35	3	802.11a	60	5300	6Mbps	-
Mode 6	U-NII-2A	5.25-5.35	3	802.11a	64	5320	6Mbps	-
Mode 7	U-NII-2C	5.47-5.725	3	802.11a	100	5500	6Mbps	-
Mode 8	U-NII-2C	5.47-5.725	3	802.11a	116	5580	6Mbps	-
Mode 9	U-NII-2C	5.47-5.725	3	802.11a	140	5700	6Mbps	-
Mode 10	U-NII-1	5.15-5.25	3	802.11ac VHT20	36	5180	MCS0	-
Mode 11	U-NII-1	5.15-5.25	3	802.11ac VHT20	44	5220	MCS0	-
Mode 12	U-NII-1	5.15-5.25	3	802.11ac VHT20	48	5240	MCS0	-
Mode 13	U-NII-2A	5.25-5.35	3	802.11ac VHT20	52	5260	MCS0	-
Mode 14	U-NII-2A	5.25-5.35	3	802.11ac VHT20	60	5300	MCS0	-
Mode 15	U-NII-2A	5.25-5.35	3	802.11ac VHT20	64	5320	MCS0	-
Mode 16	U-NII-2C	5.47-5.725	3	802.11ac VHT20	100	5500	MCS0	-
Mode 17	U-NII-2C	5.47-5.725	3	802.11ac VHT20	116	5580	MCS0	-
Mode 18	U-NII-2C	5.47-5.725	3	802.11ac VHT20	140	5700	MCS0	-
Mode 19	U-NII-1	5.15-5.25	3	802.11ac VHT40	38	5190	MCS0	-
Mode 20	U-NII-1	5.15-5.25	3	802.11ac VHT40	46	5230	MCS0	-
Mode 21	U-NII-2A	5.25-5.35	3	802.11ac VHT40	54	5270	MCS0	-
Mode 22	U-NII-2A	5.25-5.35	3	802.11ac VHT40	62	5310	MCS0	-
Mode 23	U-NII-2C	5.47-5.725	3	802.11ac VHT40	102	5510	MCS0	-
Mode 24	U-NII-2C	5.47-5.725	3	802.11ac VHT40	134	5670	MCS0	-
Mode 25	U-NII-1	5.15-5.25	3	802.11ac VHT80	42	5210	MCS0	-
Mode 26	U-NII-2A	5.25-5.35	3	802.11ac VHT80	58	5290	MCS0	-
Mode 27	U-NII-2C	5.47-5.725	3	802.11ac VHT80	106	5530	MCS0	-
Mode 28	U-NII-2C	5.47-5.725	3	802.11ac VHT80	122	5610	MCS0	-
Mode 29	U-NII-3	5.725-5.85	3	802.11a	149	5745	6Mbps	-
Mode 30	U-NII-3	5.725-5.85	3	802.11a	157	5785	6Mbps	-
Mode 31	U-NII-3	5.725-5.85	3	802.11a	165	5825	6Mbps	-
Mode 32	U-NII-3	5.725-5.85	3	802.11ac VHT20	149	5745	MCS0	-
Mode 33	U-NII-3	5.725-5.85	3	802.11ac VHT20	157	5785	MCS0	-



Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	Remark
Mode 34	U-NII-3	5.725-5.85	3	802.11ac VHT20	165	5825	MCS0	-
Mode 35	U-NII-3	5.725-5.85	3	802.11ac VHT40	151	5755	MCS0	-
Mode 36	U-NII-3	5.725-5.85	3	802.11ac VHT40	159	5795	MCS0	-
Mode 37	U-NII-3	5.725-5.85	3	802.11ac VHT80	155	5775	MCS0	-
Mode 38	Straddle channels	5.47-5.725	3	802.11a	144	5720	6Mbps	-
Mode 39	Straddle channels	5.47-5.725	3	802.11ac VHT20	144	5720	MCS0	-
Mode 40	Straddle channels	5.47-5.725	3	802.11ac VHT40	142	5710	MCS0	-
Mode 41	Straddle channels	5.47-5.725	3	802.11ac VHT80	138	5690	MCS0	-
Mode 42	U-NII-2C	5.47-5.725	3	802.11ac VHT20	140	5700	MCS0	LF
Mode 43	U-NII-3	5.47-5.85	3	802.11a	149	5745	6Mbps	LF
Mode 44	Co-location	5.47-5.725	3	802.11ac VHT20	140	5700	MCS0	-
Mode 44		BT normal Link	2	-	-	-	-	-
Mode 44		WWAN	0	Band30 BW10	-	-	-	-



Summary of each worse mode

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
1	802.11a	36	-	-	-	-	-	-	-	Band Edge
1	802.11a	36	10360.00	60.76	68.30	-7.54	H	Peak	Pass	Harmonic
2	802.11a	44	-	-	-	-	-	-	-	Band Edge
2	802.11a	44	10440.00	61.93	68.30	-6.37	H	Peak	Pass	Harmonic
3	802.11a	48	-	-	-	-	-	-	-	Band Edge
3	802.11a	48	10480.00	60.90	68.30	-7.40	H	Peak	Pass	Harmonic
4	802.11a	52	-	-	-	-	-	-	-	Band Edge
4	802.11a	52	10560.00	61.27	68.30	-7.03	H	Peak	Pass	Harmonic
5	802.11a	60	-	-	-	-	-	-	-	Band Edge
5	802.11a	60	10600.00	50.58	54.00	-3.42	H	Average	Pass	Harmonic
6	802.11a	64	-	-	-	-	-	-	-	Band Edge
6	802.11a	64	10640.00	50.69	54.00	-3.31	H	Average	Pass	Harmonic
7	802.11a	100	-	-	-	-	-	-	-	Band Edge
7	802.11a	100	11000.00	50.90	54.00	-3.10	H	Average	Pass	Harmonic
8	802.11a	116	-	-	-	-	-	-	-	Band Edge
8	802.11a	116	11160.00	50.73	54.00	-3.27	H	Average	Pass	Harmonic
9	802.11a	140	-	-	-	-	-	-	-	Band Edge
9	802.11a	140	11400.00	50.20	54.00	-3.80	H	Average	Pass	Harmonic
10	802.11ac VHT20	36	5149.74	49.09	54.00	-4.91	H	Average	Pass	Band Edge
10	802.11ac VHT20	36	10360.00	60.92	68.30	-7.38	H	Peak	Pass	Harmonic
11	802.11ac VHT20	44	-	-	-	-	-	-	-	Band Edge
11	802.11ac VHT20	44	10440.00	62.13	68.30	-6.17	H	Peak	Pass	Harmonic
12	802.11ac VHT20	48	-	-	-	-	-	-	-	Band Edge
12	802.11ac VHT20	48	10480.00	61.49	68.30	-6.81	H	Peak	Pass	Harmonic
13	802.11ac VHT20	52	-	-	-	-	-	-	-	Band Edge
13	802.11ac VHT20	52	10520.00	63.38	68.30	-4.92	H	Peak	Pass	Harmonic
14	802.11ac VHT20	60	-	-	-	-	-	-	-	Band Edge
14	802.11ac VHT20	60	10600.00	49.89	54.00	-4.11	H	Average	Pass	Harmonic
15	802.11ac VHT20	64	5350.59	43.59	54.00	-10.41	V	Average	Pass	Band Edge
15	802.11ac VHT20	64	10640.00	50.56	54.00	-3.44	H	Average	Pass	Harmonic
16	802.11ac VHT20	100	5455.84	42.39	54.00	-11.61	V	Average	Pass	Band Edge
16	802.11ac VHT20	100	11000.00	50.61	54.00	-3.39	H	Average	Pass	Harmonic
17	802.11ac VHT20	116	-	-	-	-	-	-	-	Band Edge



Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
17	802.11ac VHT20	116	11160.00	50.31	54.00	-3.69	H	Average	Pass	Harmonic
18	802.11ac VHT20	140	5725.32	59.24	68.30	-9.06	V	Peak	Pass	Band Edge
18	802.11ac VHT20	140	11400.00	50.96	54.00	-3.04	H	Average	Pass	Harmonic
19	802.11ac VHT40	38	5149.83	50.24	54.00	-3.76	V	Average	Pass	Band Edge
19	802.11ac VHT40	38	-	-	-	-	-	-	-	Harmonic
20	802.11ac VHT40	46	5111.90	43.22	54.00	-10.78	H	Average	Pass	Band Edge
20	802.11ac VHT40	46	-	-	-	-	-	-	-	Harmonic
21	802.11ac VHT40	54	5049.55	43.39	54.00	-10.61	H	Average	Pass	Band Edge
21	802.11ac VHT40	54	-	-	-	-	-	-	-	Harmonic
22	802.11ac VHT40	62	5350.59	45.29	54.00	-8.71	V	Average	Pass	Band Edge
22	802.11ac VHT40	62	-	-	-	-	-	-	-	Harmonic
23	802.11ac VHT40	102	5459.84	44.61	54.00	-9.39	H	Average	Pass	Band Edge
23	802.11ac VHT40	102	-	-	-	-	-	-	-	Harmonic
24	802.11ac VHT40	134	5458.35	42.39	54.00	-11.61	H	Average	Pass	Band Edge
24	802.11ac VHT40	134	-	-	-	-	-	-	-	Harmonic
25	802.11ac VHT80	42	5147.55	50.25	54.00	-3.75	V	Average	Pass	Band Edge
25	802.11ac VHT80	42	-	-	-	-	-	-	-	Harmonic
26	802.11ac VHT80	58	5361.50	49.06	54.00	-4.94	V	Average	Pass	Band Edge
26	802.11ac VHT80	58	-	-	-	-	-	-	-	Harmonic
27	802.11ac VHT80	106	5458.61	50.31	54.00	-3.69	H	Average	Pass	Band Edge
27	802.11ac VHT80	106								Harmonic
28	802.11ac VHT80	122	5457.28	42.44	54.00	-11.56	H	Average	Pass	Band Edge
28	802.11ac VHT80	122	-	-	-	-	-	-	-	Harmonic
29	802.11a	149	-	-	-	-	-	-	-	Band Edge
29	802.11a	149	11490.00	50.79	54.00	-3.21	V	Average	Pass	Harmonic
30	802.11a	157	-	-	-	-	-	-	-	Band Edge
30	802.11a	157	11570.00	50.37	54.00	-3.63	H	Average	Pass	Harmonic
31	802.11a	165	-	-	-	-	-	-	-	Band Edge
31	802.11a	165	11650.00	48.30	54.00	-5.70	H	Average	Pass	Harmonic



Mode	Modulation	Ch.	Freq. (MHz)	Level (dBUV/m)	Limit (dBUV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
32	802.11ac VHT20	149	5625.32	53.79	68.30	-14.51	H	Peak	Pass	Band Edge
32	802.11ac VHT20	149	11490.00	49.87	54.00	-4.13	V	Average	Pass	Harmonic
33	802.11ac VHT20	157	-	-	-	-	-	-	-	Band Edge
33	802.11ac VHT20	157	11570.00	50.55	54.00	-3.45	H	Average	Pass	Harmonic
34	802.11ac VHT20	165	5924.83	53.13	68.33	-15.20	H	Peak	Pass	Band Edge
34	802.11ac VHT20	165	11650.00	49.46	54.00	-4.54	H	Average	Pass	Harmonic
35	802.11ac VHT40	151	5651.40	54.71	69.34	-14.63	V	Peak	Pass	Band Edge
35	802.11ac VHT40	151	-	-	-	-	-	-	-	Harmonic
36	802.11ac VHT40	159	5947.91	53.54	68.30	-14.76	H	Peak	Pass	Band Edge
36	802.11ac VHT40	159	-	-	-	-	-	-	-	Harmonic
37	802.11ac VHT80	155	5639.99	53.27	68.30	-15.03	H	Peak	Pass	Band Edge
37	802.11ac VHT80	155	-	-	-	-	-	-	-	Harmonic
38	802.11a	144	-	-	-	-	-	-	-	Band Edge
38	802.11a	144	11440.00	50.87	54.00	-3.13	V	Average	Pass	Harmonic
39	802.11ac VHT20	144	5458.90	41.75	54.00	-12.25	V	Peak	Pass	Band Edge
39	802.11ac VHT20	144	11440.00	50.39	54.00	-3.61	V	Average	Pass	Harmonic
40	802.11ac VHT40	142	5418.75	42.17	54.00	-11.83	V	Peak	Pass	Band Edge
40	802.11ac VHT40	142	-	-	-	-	-	-	-	Harmonic
41	802.11ac VHT80	138	5453.40	42.36	54.00	-11.64	V	Peak	Pass	Band Edge
41	802.11ac VHT80	138	-	-	-	-	-	-	-	Harmonic
42	802.11ac VHT20	140	194.90	27.82	43.50	-15.68	V	Peak	Pass	LF
43	802.11a	149	30.00	23.58	40.00	-16.42	V	Peak	Pass	LF
44	Co-location	140	5725.08	58.20	68.30	-10.10	V	Peak	Pass	Band Edge
		140	11400.00	50.92	54.00	-3.08	H	Average	Pass	Harmonic



Mode	1																																																																																																									
	Harmonic																																																																																																									
	U-NII-1_5.15-5.25_802.11a_CH36_5180MHz																																																																																																									
ANT	3																																																																																																									
Pol.	Horizontal	Vertical																																																																																																								
Peak Avg	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10360.00</td> <td>60.76</td> <td>68.30</td> <td>-7.54</td> <td>59.99</td> <td>37.39</td> <td>14.15</td> <td>50.77</td> <td>264</td> <td>22</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>15540.00</td> <td>49.44</td> <td>74.00</td> <td>-24.56</td> <td>43.93</td> <td>40.09</td> <td>16.85</td> <td>51.43</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Apos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	10360.00	60.76	68.30	-7.54	59.99	37.39	14.15	50.77	264	22	Peak	2	15540.00	49.44	74.00	-24.56	43.93	40.09	16.85	51.43	--	--	Peak	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10360.00</td> <td>56.85</td> <td>68.30</td> <td>-11.45</td> <td>56.08</td> <td>37.39</td> <td>14.15</td> <td>50.77</td> <td>381</td> <td>309</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>15540.00</td> <td>50.28</td> <td>74.00</td> <td>-23.72</td> <td>44.77</td> <td>40.09</td> <td>16.85</td> <td>51.43</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Apos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	10360.00	56.85	68.30	-11.45	56.08	37.39	14.15	50.77	381	309	Peak	2	15540.00	50.28	74.00	-23.72	44.77	40.09	16.85	51.43	--	--	Peak
		Limit	Read	Ant	Cable	Preamp	Apos	TPos																																																																																																		
Freq	Level	Line Margin	Level	Factor	Loss Factor			Remark																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																	
1	10360.00	60.76	68.30	-7.54	59.99	37.39	14.15	50.77	264	22	Peak																																																																																															
2	15540.00	49.44	74.00	-24.56	43.93	40.09	16.85	51.43	--	--	Peak																																																																																															
	Limit	Read	Ant	Cable	Preamp	Apos	TPos																																																																																																			
Freq	Level	Line Margin	Level	Factor	Loss Factor			Remark																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																	
1	10360.00	56.85	68.30	-11.45	56.08	37.39	14.15	50.77	381	309	Peak																																																																																															
2	15540.00	50.28	74.00	-23.72	44.77	40.09	16.85	51.43	--	--	Peak																																																																																															



Mode	2																																																																																	
	Harmonic																																																																																	
	U-NII-1_5.15-5.25_802.11a_CH44_5220MHz																																																																																	
ANT	3																																																																																	
Pol.	Horizontal	Vertical																																																																																
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line Margin Level Factor Loss Factor</th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg</th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1 10440.00 61.93 68.30 -6.37 61.07 37.45 14.20 50.79 263 22</td> <td>Peak</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>2 15660.00 50.23 74.00 -23.77 44.62 40.20 16.94 51.53 -- --</td> <td>Peak</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq Level Line Margin Level Factor Loss Factor								MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg								1 10440.00 61.93 68.30 -6.37 61.07 37.45 14.20 50.79 263 22	Peak							2 15660.00 50.23 74.00 -23.77 44.62 40.20 16.94 51.53 -- --	Peak							<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line Margin Level Factor Loss Factor</th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg</th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1 10440.00 58.23 68.30 -10.07 57.37 37.45 14.20 50.79 376 315</td> <td>Peak</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>2 15660.00 49.15 74.00 -24.85 43.54 40.20 16.94 51.53 -- --</td> <td>Peak</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq Level Line Margin Level Factor Loss Factor								MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg								1 10440.00 58.23 68.30 -10.07 57.37 37.45 14.20 50.79 376 315	Peak							2 15660.00 49.15 74.00 -24.85 43.54 40.20 16.94 51.53 -- --	Peak						
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																										
Freq Level Line Margin Level Factor Loss Factor																																																																																		
MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg																																																																																		
1 10440.00 61.93 68.30 -6.37 61.07 37.45 14.20 50.79 263 22	Peak																																																																																	
2 15660.00 50.23 74.00 -23.77 44.62 40.20 16.94 51.53 -- --	Peak																																																																																	
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																											
Freq Level Line Margin Level Factor Loss Factor																																																																																		
MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg																																																																																		
1 10440.00 58.23 68.30 -10.07 57.37 37.45 14.20 50.79 376 315	Peak																																																																																	
2 15660.00 49.15 74.00 -24.85 43.54 40.20 16.94 51.53 -- --	Peak																																																																																	



Mode	3																																																																																
	Harmonic																																																																																
	U-NII-1_5.15-5.25_802.11a_CH48_5240MHz																																																																																
ANT	3																																																																																
Pol.	Horizontal	Vertical																																																																															
Peak Avg	<p>Date: 2023-10-20</p>	<p>Date: 2023-10-20</p>																																																																															
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz dBuV/m dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 10480.00 60.90 68.30 -7.40</td> <td>59.99</td> <td>37.48</td> <td>14.23</td> <td>50.80</td> <td>260</td> <td>21</td> <td>Peak</td> </tr> <tr> <td>2 15720.00 50.60 74.00 -23.40</td> <td>44.94</td> <td>40.25</td> <td>16.99</td> <td>51.58</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq Level Line Margin	Level	Factor	Loss Factor					MHz dBuV/m dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 10480.00 60.90 68.30 -7.40	59.99	37.48	14.23	50.80	260	21	Peak	2 15720.00 50.60 74.00 -23.40	44.94	40.25	16.99	51.58	--	--	Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz dBuV/m dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 10480.00 57.41 68.30 -10.89</td> <td>56.50</td> <td>37.48</td> <td>14.23</td> <td>50.80</td> <td>381</td> <td>311</td> <td>Peak</td> </tr> <tr> <td>2 15720.00 48.76 74.00 -25.24</td> <td>43.10</td> <td>40.25</td> <td>16.99</td> <td>51.58</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq Level Line Margin	Level	Factor	Loss Factor					MHz dBuV/m dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 10480.00 57.41 68.30 -10.89	56.50	37.48	14.23	50.80	381	311	Peak	2 15720.00 48.76 74.00 -25.24	43.10	40.25	16.99	51.58	--	--
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																										
Freq Level Line Margin	Level	Factor	Loss Factor																																																																														
MHz dBuV/m dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																										
1 10480.00 60.90 68.30 -7.40	59.99	37.48	14.23	50.80	260	21	Peak																																																																										
2 15720.00 50.60 74.00 -23.40	44.94	40.25	16.99	51.58	--	--	Peak																																																																										
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																										
Freq Level Line Margin	Level	Factor	Loss Factor																																																																														
MHz dBuV/m dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																										
1 10480.00 57.41 68.30 -10.89	56.50	37.48	14.23	50.80	381	311	Peak																																																																										
2 15720.00 48.76 74.00 -25.24	43.10	40.25	16.99	51.58	--	--	Peak																																																																										



Mode	4																																																																																										
	Harmonic																																																																																										
	U-NII-2A_5.25-5.35_802.11a_CH52_5260MHz																																																																																										
ANT	3																																																																																										
Pol.	Horizontal	Vertical																																																																																									
Peak Avg																																																																																											
	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 10560.00</td> <td>61.27</td> <td>68.30</td> <td>-7.03</td> <td>60.27</td> <td>37.53</td> <td>14.27</td> <td>50.80</td> <td>262 25 Peak</td> </tr> <tr> <td>2 15840.00</td> <td>50.37</td> <td>74.00</td> <td>-23.63</td> <td>44.60</td> <td>40.36</td> <td>17.09</td> <td>51.68</td> <td>-- -- Peak</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 10560.00	61.27	68.30	-7.03	60.27	37.53	14.27	50.80	262 25 Peak	2 15840.00	50.37	74.00	-23.63	44.60	40.36	17.09	51.68	-- -- Peak	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 10560.00</td> <td>58.02</td> <td>68.30</td> <td>-10.28</td> <td>57.02</td> <td>37.53</td> <td>14.27</td> <td>50.80</td> <td>381 309 Peak</td> </tr> <tr> <td>2 15840.00</td> <td>49.49</td> <td>74.00</td> <td>-24.51</td> <td>43.72</td> <td>40.36</td> <td>17.09</td> <td>51.68</td> <td>-- -- Peak</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 10560.00	58.02	68.30	-10.28	57.02	37.53	14.27	50.80	381 309 Peak	2 15840.00	49.49	74.00	-24.51	43.72	40.36	17.09	51.68
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line Margin	Level	Factor	Loss Factor			Remark																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1 10560.00	61.27	68.30	-7.03	60.27	37.53	14.27	50.80	262 25 Peak																																																																																			
2 15840.00	50.37	74.00	-23.63	44.60	40.36	17.09	51.68	-- -- Peak																																																																																			
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line Margin	Level	Factor	Loss Factor			Remark																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1 10560.00	58.02	68.30	-10.28	57.02	37.53	14.27	50.80	381 309 Peak																																																																																			
2 15840.00	49.49	74.00	-24.51	43.72	40.36	17.09	51.68	-- -- Peak																																																																																			



Mode	5																																																																																																																										
	Harmonic																																																																																																																										
	U-NII-2A_5.25-5.35_802.11a_CH60_5300MHz																																																																																																																										
ANT	3																																																																																																																										
Pol.	Horizontal	Vertical																																																																																																																									
Peak Avg																																																																																																																											
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10600.00</td> <td>60.94</td> <td>74.00</td> <td>-13.06</td> <td>59.88</td> <td>37.56</td> <td>14.30</td> <td>50.80</td> <td>264</td> <td>22</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>10600.00</td> <td>50.58</td> <td>54.00</td> <td>-3.42</td> <td>49.52</td> <td>37.56</td> <td>14.30</td> <td>50.80</td> <td>264</td> <td>22</td> <td>Average</td> </tr> <tr> <td>3</td> <td>15900.00</td> <td>49.29</td> <td>74.00</td> <td>-24.71</td> <td>43.46</td> <td>40.41</td> <td>17.14</td> <td>51.72</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	10600.00	60.94	74.00	-13.06	59.88	37.56	14.30	50.80	264	22	Peak	2	10600.00	50.58	54.00	-3.42	49.52	37.56	14.30	50.80	264	22	Average	3	15900.00	49.29	74.00	-24.71	43.46	40.41	17.14	51.72	--	--	Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10600.00</td> <td>59.80</td> <td>74.00</td> <td>-14.20</td> <td>58.74</td> <td>37.56</td> <td>14.30</td> <td>50.80</td> <td>384</td> <td>327</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>10600.00</td> <td>49.54</td> <td>54.00</td> <td>-4.46</td> <td>48.48</td> <td>37.56</td> <td>14.30</td> <td>50.80</td> <td>384</td> <td>327</td> <td>Average</td> </tr> <tr> <td>3</td> <td>15900.00</td> <td>49.57</td> <td>74.00</td> <td>-24.43</td> <td>43.74</td> <td>40.41</td> <td>17.14</td> <td>51.72</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	10600.00	59.80	74.00	-14.20	58.74	37.56	14.30	50.80	384	327	Peak	2	10600.00	49.54	54.00	-4.46	48.48	37.56	14.30	50.80	384	327	Average	3	15900.00	49.57	74.00	-24.43	43.74	40.41	17.14	51.72	--	--
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																				
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																																			
1	10600.00	60.94	74.00	-13.06	59.88	37.56	14.30	50.80	264	22	Peak																																																																																																																
2	10600.00	50.58	54.00	-3.42	49.52	37.56	14.30	50.80	264	22	Average																																																																																																																
3	15900.00	49.29	74.00	-24.71	43.46	40.41	17.14	51.72	--	--	Peak																																																																																																																
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																				
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																																			
1	10600.00	59.80	74.00	-14.20	58.74	37.56	14.30	50.80	384	327	Peak																																																																																																																
2	10600.00	49.54	54.00	-4.46	48.48	37.56	14.30	50.80	384	327	Average																																																																																																																
3	15900.00	49.57	74.00	-24.43	43.74	40.41	17.14	51.72	--	--	Peak																																																																																																																



Mode	6																																																																																																																					
	Harmonic																																																																																																																					
	U-NII-2A_5.25-5.35_802.11a_CH64_5320MHz																																																																																																																					
ANT	3																																																																																																																					
Pol.	Horizontal	Vertical																																																																																																																				
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 10640.00</td> <td>61.28</td> <td>74.00</td> <td>-12.72</td> <td>60.18</td> <td>37.58</td> <td>14.32</td> <td>50.80</td> <td>256</td> <td>22</td> <td>Peak</td> </tr> <tr> <td>2 10640.00</td> <td>50.69</td> <td>54.00</td> <td>-3.31</td> <td>49.59</td> <td>37.58</td> <td>14.32</td> <td>50.80</td> <td>256</td> <td>22</td> <td>Average</td> </tr> <tr> <td>3 15960.00</td> <td>48.64</td> <td>74.00</td> <td>-25.36</td> <td>42.75</td> <td>40.47</td> <td>17.19</td> <td>51.77</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq Level	Line Margin	Level Factor	Loss Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 10640.00	61.28	74.00	-12.72	60.18	37.58	14.32	50.80	256	22	Peak	2 10640.00	50.69	54.00	-3.31	49.59	37.58	14.32	50.80	256	22	Average	3 15960.00	48.64	74.00	-25.36	42.75	40.47	17.19	51.77	--	--	Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 10640.00</td> <td>58.36</td> <td>74.00</td> <td>-15.64</td> <td>57.26</td> <td>37.58</td> <td>14.32</td> <td>50.80</td> <td>382</td> <td>327</td> <td>Peak</td> </tr> <tr> <td>2 10640.00</td> <td>48.15</td> <td>54.00</td> <td>-5.85</td> <td>47.05</td> <td>37.58</td> <td>14.32</td> <td>50.80</td> <td>382</td> <td>327</td> <td>Average</td> </tr> <tr> <td>3 15960.00</td> <td>48.53</td> <td>74.00</td> <td>-25.47</td> <td>42.64</td> <td>40.47</td> <td>17.19</td> <td>51.77</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq Level	Line Margin	Level Factor	Loss Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 10640.00	58.36	74.00	-15.64	57.26	37.58	14.32	50.80	382	327	Peak	2 10640.00	48.15	54.00	-5.85	47.05	37.58	14.32	50.80	382	327	Average	3 15960.00	48.53	74.00	-25.47	42.64	40.47	17.19	51.77	--	--	Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																														
Freq Level	Line Margin	Level Factor	Loss Factor																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																														
1 10640.00	61.28	74.00	-12.72	60.18	37.58	14.32	50.80	256	22	Peak																																																																																																												
2 10640.00	50.69	54.00	-3.31	49.59	37.58	14.32	50.80	256	22	Average																																																																																																												
3 15960.00	48.64	74.00	-25.36	42.75	40.47	17.19	51.77	--	--	Peak																																																																																																												
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																															
Freq Level	Line Margin	Level Factor	Loss Factor																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																														
1 10640.00	58.36	74.00	-15.64	57.26	37.58	14.32	50.80	382	327	Peak																																																																																																												
2 10640.00	48.15	54.00	-5.85	47.05	37.58	14.32	50.80	382	327	Average																																																																																																												
3 15960.00	48.53	74.00	-25.47	42.64	40.47	17.19	51.77	--	--	Peak																																																																																																												



Mode	7																																																																																	
	Harmonic																																																																																	
	U-NII-2C_5.47-5.725_802.11a_CH100_5500MHz																																																																																	
ANT	3																																																																																	
Pol.	Horizontal	Vertical																																																																																
Peak Avg	<table border="1"> <thead> <tr> <th>Freq</th> <th>Limit Level</th> <th>Line Margin</th> <th>Read Level</th> <th>Ant Level</th> <th>Cable Loss</th> <th>Preamp Loss</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>11000.00</td> <td>60.88</td> <td>74.00</td> <td>-13.12</td> <td>59.34</td> <td>37.80</td> <td>14.54</td> <td>50.80</td> <td>264</td> <td>17 Peak</td> </tr> <tr> <td>11000.00</td> <td>50.90</td> <td>54.00</td> <td>-3.10</td> <td>49.36</td> <td>37.80</td> <td>14.54</td> <td>50.80</td> <td>264</td> <td>17 Average</td> </tr> <tr> <td>16500.00</td> <td>50.08</td> <td>68.30</td> <td>-18.22</td> <td>43.21</td> <td>41.31</td> <td>17.36</td> <td>51.80</td> <td>--</td> <td>-- Peak</td> </tr> </tbody> </table>	Freq	Limit Level	Line Margin	Read Level	Ant Level	Cable Loss	Preamp Loss	APos	TPos	Remark	11000.00	60.88	74.00	-13.12	59.34	37.80	14.54	50.80	264	17 Peak	11000.00	50.90	54.00	-3.10	49.36	37.80	14.54	50.80	264	17 Average	16500.00	50.08	68.30	-18.22	43.21	41.31	17.36	51.80	--	-- Peak	<table border="1"> <thead> <tr> <th>Freq</th> <th>Limit Level</th> <th>Line Margin</th> <th>Read Level</th> <th>Ant Level</th> <th>Cable Loss</th> <th>Preamp Loss</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>11000.00</td> <td>57.48</td> <td>74.00</td> <td>-16.52</td> <td>55.94</td> <td>37.80</td> <td>14.54</td> <td>50.80</td> <td>375</td> <td>315 Peak</td> </tr> <tr> <td>11000.00</td> <td>47.06</td> <td>54.00</td> <td>-6.94</td> <td>45.52</td> <td>37.80</td> <td>14.54</td> <td>50.80</td> <td>375</td> <td>315 Average</td> </tr> <tr> <td>16500.00</td> <td>49.91</td> <td>68.30</td> <td>-18.39</td> <td>43.04</td> <td>41.31</td> <td>17.36</td> <td>51.80</td> <td>--</td> <td>-- Peak</td> </tr> </tbody> </table>	Freq	Limit Level	Line Margin	Read Level	Ant Level	Cable Loss	Preamp Loss	APos	TPos	Remark	11000.00	57.48	74.00	-16.52	55.94	37.80	14.54	50.80	375	315 Peak	11000.00	47.06	54.00	-6.94	45.52	37.80	14.54	50.80	375	315 Average	16500.00	49.91	68.30	-18.39	43.04	41.31	17.36	51.80	--	-- Peak
	Freq	Limit Level	Line Margin	Read Level	Ant Level	Cable Loss	Preamp Loss	APos	TPos	Remark																																																																								
11000.00	60.88	74.00	-13.12	59.34	37.80	14.54	50.80	264	17 Peak																																																																									
11000.00	50.90	54.00	-3.10	49.36	37.80	14.54	50.80	264	17 Average																																																																									
16500.00	50.08	68.30	-18.22	43.21	41.31	17.36	51.80	--	-- Peak																																																																									
Freq	Limit Level	Line Margin	Read Level	Ant Level	Cable Loss	Preamp Loss	APos	TPos	Remark																																																																									
11000.00	57.48	74.00	-16.52	55.94	37.80	14.54	50.80	375	315 Peak																																																																									
11000.00	47.06	54.00	-6.94	45.52	37.80	14.54	50.80	375	315 Average																																																																									
16500.00	49.91	68.30	-18.39	43.04	41.31	17.36	51.80	--	-- Peak																																																																									



Mode	8																																																																																																	
	Harmonic																																																																																																	
	U-NII-2C_5.47-5.725_802.11a_CH116_5580MHz																																																																																																	
ANT	3																																																																																																	
Pol.	Horizontal	Vertical																																																																																																
Peak Avg	<p style="text-align: right;">Date: 2023-10-21</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line Margin Level Factor Loss Factor</th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg</th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1 11160.00 60.93 74.00 -13.07 59.13 37.93 14.64 50.77 292 10</td> <td>Peak</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>2 11160.00 50.73 54.00 -3.27 48.93 37.93 14.64 50.77 292 10</td> <td>Average</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>3 16740.00 52.68 68.30 -15.62 45.31 41.69 17.43 51.75 -- --</td> <td>Peak</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq Level Line Margin Level Factor Loss Factor								MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg								1 11160.00 60.93 74.00 -13.07 59.13 37.93 14.64 50.77 292 10	Peak							2 11160.00 50.73 54.00 -3.27 48.93 37.93 14.64 50.77 292 10	Average							3 16740.00 52.68 68.30 -15.62 45.31 41.69 17.43 51.75 -- --	Peak							<p style="text-align: right;">Date: 2023-10-21</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line Margin Level Factor Loss Factor</th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg</th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1 11160.00 60.26 74.00 -13.74 58.46 37.93 14.64 50.77 372 327</td> <td>Peak</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>2 11160.00 49.00 54.00 -5.00 47.20 37.93 14.64 50.77 372 327</td> <td>Average</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>3 16740.00 52.78 68.30 -15.52 45.41 41.69 17.43 51.75 -- --</td> <td>Peak</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq Level Line Margin Level Factor Loss Factor								MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg								1 11160.00 60.26 74.00 -13.74 58.46 37.93 14.64 50.77 372 327	Peak							2 11160.00 49.00 54.00 -5.00 47.20 37.93 14.64 50.77 372 327	Average							3 16740.00 52.78 68.30 -15.52 45.41 41.69 17.43 51.75 -- --	Peak						
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																										
Freq Level Line Margin Level Factor Loss Factor																																																																																																		
MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg																																																																																																		
1 11160.00 60.93 74.00 -13.07 59.13 37.93 14.64 50.77 292 10	Peak																																																																																																	
2 11160.00 50.73 54.00 -3.27 48.93 37.93 14.64 50.77 292 10	Average																																																																																																	
3 16740.00 52.68 68.30 -15.62 45.31 41.69 17.43 51.75 -- --	Peak																																																																																																	
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																											
Freq Level Line Margin Level Factor Loss Factor																																																																																																		
MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg																																																																																																		
1 11160.00 60.26 74.00 -13.74 58.46 37.93 14.64 50.77 372 327	Peak																																																																																																	
2 11160.00 49.00 54.00 -5.00 47.20 37.93 14.64 50.77 372 327	Average																																																																																																	
3 16740.00 52.78 68.30 -15.52 45.41 41.69 17.43 51.75 -- --	Peak																																																																																																	



Mode	9																																																																																																									
	Harmonic																																																																																																									
	U-NII-2C_5.47-5.725_802.11a_CH140_5700MHz																																																																																																									
ANT	3																																																																																																									
Pol.	Horizontal	Vertical																																																																																																								
Peak Avg	<table border="1"> <thead> <tr> <th>Freq</th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11400.00</td> <td>61.42</td> <td>74.00</td> <td>-12.58</td> <td>59.24</td> <td>38.12</td> <td>14.78</td> <td>50.72</td> <td>185</td> <td>72</td> <td>Peak</td> </tr> <tr> <td>2 11400.00</td> <td>50.20</td> <td>54.00</td> <td>-3.80</td> <td>48.02</td> <td>38.12</td> <td>14.78</td> <td>50.72</td> <td>185</td> <td>72</td> <td>Average</td> </tr> <tr> <td>3 17100.00</td> <td>50.45</td> <td>68.30</td> <td>-17.85</td> <td>42.72</td> <td>42.00</td> <td>17.53</td> <td>51.80</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>	Freq	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11400.00	61.42	74.00	-12.58	59.24	38.12	14.78	50.72	185	72	Peak	2 11400.00	50.20	54.00	-3.80	48.02	38.12	14.78	50.72	185	72	Average	3 17100.00	50.45	68.30	-17.85	42.72	42.00	17.53	51.80	--	--	Peak	<table border="1"> <thead> <tr> <th>Freq</th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11400.00</td> <td>59.30</td> <td>74.00</td> <td>-14.70</td> <td>57.12</td> <td>38.12</td> <td>14.78</td> <td>50.72</td> <td>375</td> <td>329</td> <td>Peak</td> </tr> <tr> <td>2 11400.00</td> <td>48.85</td> <td>54.00</td> <td>-5.15</td> <td>46.67</td> <td>38.12</td> <td>14.78</td> <td>50.72</td> <td>375</td> <td>329</td> <td>Average</td> </tr> <tr> <td>3 17100.00</td> <td>50.24</td> <td>68.30</td> <td>-18.06</td> <td>42.51</td> <td>42.00</td> <td>17.53</td> <td>51.80</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>	Freq	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11400.00	59.30	74.00	-14.70	57.12	38.12	14.78	50.72	375	329	Peak	2 11400.00	48.85	54.00	-5.15	46.67	38.12	14.78	50.72	375	329	Average	3 17100.00	50.24	68.30	-18.06	42.51	42.00	17.53	51.80	--	--	Peak
	Freq	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																	
1 11400.00	61.42	74.00	-12.58	59.24	38.12	14.78	50.72	185	72	Peak																																																																																																
2 11400.00	50.20	54.00	-3.80	48.02	38.12	14.78	50.72	185	72	Average																																																																																																
3 17100.00	50.45	68.30	-17.85	42.72	42.00	17.53	51.80	--	--	Peak																																																																																																
Freq	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																	
1 11400.00	59.30	74.00	-14.70	57.12	38.12	14.78	50.72	375	329	Peak																																																																																																
2 11400.00	48.85	54.00	-5.15	46.67	38.12	14.78	50.72	375	329	Average																																																																																																
3 17100.00	50.24	68.30	-18.06	42.51	42.00	17.53	51.80	--	--	Peak																																																																																																



Mode	10																																																																															
	Band Edge																																																																															
	U-NII-1_5.15-5.25_802.11ac VHT20_CH36_5180MHz																																																																															
ANT	3																																																																															
Pol.	Horizontal	Fundamental																																																																														
Peak	<p>Date: 2023-10-20</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5149.85</td> <td>59.31</td> <td>74.00</td> <td>-14.69</td> <td>45.13</td> <td>34.87</td> <td>11.09</td> <td>31.78</td> <td>100</td> <td>299</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5149.85	59.31	74.00	-14.69	45.13	34.87	11.09	31.78	100	299	PEAK	<p>Date: 2023-10-20</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5180.00</td> <td>104.52</td> <td>-----</td> <td>-----</td> <td>90.39</td> <td>34.87</td> <td>11.07</td> <td>31.81</td> <td>100</td> <td>299</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	104.52	-----	-----	90.39	34.87	11.07	31.81	100	299	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																							
Freq	Level	Line	Level	Factor	Loss Factor																																																																											
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	5149.85	59.31	74.00	-14.69	45.13	34.87	11.09	31.78	100	299	PEAK																																																																					
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	Level	Factor	Loss Factor																																																																											
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	5180.00	104.52	-----	-----	90.39	34.87	11.07	31.81	100	299	PEAK																																																																					
Avg	<p>Date: 2023-10-20</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5149.74</td> <td>49.09</td> <td>54.00</td> <td>-4.91</td> <td>34.91</td> <td>34.87</td> <td>11.09</td> <td>31.78</td> <td>100</td> <td>299</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5149.74	49.09	54.00	-4.91	34.91	34.87	11.09	31.78	100	299	AVERAGE	<p>Date: 2023-10-20</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5180.00</td> <td>97.34</td> <td>-----</td> <td>-----</td> <td>83.23</td> <td>34.86</td> <td>11.07</td> <td>31.82</td> <td>100</td> <td>299</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	97.34	-----	-----	83.23	34.86	11.07	31.82	100	299	AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	Level	Factor	Loss Factor																																																																											
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	5149.74	49.09	54.00	-4.91	34.91	34.87	11.09	31.78	100	299	AVERAGE																																																																					
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	Level	Factor	Loss Factor																																																																											
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	5180.00	97.34	-----	-----	83.23	34.86	11.07	31.82	100	299	AVERAGE																																																																					



Mode	10																																																																	
	Band Edge																																																																	
	U-NII-1_5.15-5.25_802.11ac VHT20_CH36_5180MHz																																																																	
ANT	3																																																																	
Pol.	Vertical	Fundamental																																																																
Peak	<table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line (dB)</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th>cm</th> <th>deg</th> <th></th> </tr> <tr> <th>MHz dBuV/m dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5147.17 59.49 74.00 -14.51</td> <td>45.31</td> <td>34.87</td> <td>11.09</td> <td>31.78</td> <td>270</td> <td>260</td> <td>PEAK</td> </tr> </tbody> </table>	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq Level Line (dB)	Level Factor	Loss Factor			cm	deg		MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1 5147.17 59.49 74.00 -14.51	45.31	34.87	11.09	31.78	270	260	PEAK	<table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line (dB)</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th>cm</th> <th>deg</th> <th></th> </tr> <tr> <th>MHz dBuV/m dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5180.00 103.53</td> <td>-----</td> <td>89.42</td> <td>34.86</td> <td>11.07</td> <td>31.82</td> <td>270</td> <td>260 PEAK</td> </tr> </tbody> </table>	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq Level Line (dB)	Level Factor	Loss Factor			cm	deg		MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1 5180.00 103.53	-----	89.42	34.86	11.07	31.82	270	260 PEAK
	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																										
Freq Level Line (dB)	Level Factor	Loss Factor			cm	deg																																																												
MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																												
1 5147.17 59.49 74.00 -14.51	45.31	34.87	11.09	31.78	270	260	PEAK																																																											
Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																											
Freq Level Line (dB)	Level Factor	Loss Factor			cm	deg																																																												
MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																												
1 5180.00 103.53	-----	89.42	34.86	11.07	31.82	270	260 PEAK																																																											
Avg	<table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line (dB)</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th>cm</th> <th>deg</th> <th></th> </tr> <tr> <th>MHz dBuV/m dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5149.99 48.95 54.00 -5.05</td> <td>34.78</td> <td>34.87</td> <td>11.08</td> <td>31.78</td> <td>270</td> <td>260</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq Level Line (dB)	Level Factor	Loss Factor			cm	deg		MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1 5149.99 48.95 54.00 -5.05	34.78	34.87	11.08	31.78	270	260	AVERAGE	<table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line (dB)</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th>cm</th> <th>deg</th> <th></th> </tr> <tr> <th>MHz dBuV/m dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5180.00 96.57</td> <td>-----</td> <td>82.46</td> <td>34.86</td> <td>11.07</td> <td>31.82</td> <td>270</td> <td>260 AVERAGE</td> </tr> </tbody> </table>	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq Level Line (dB)	Level Factor	Loss Factor			cm	deg		MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1 5180.00 96.57	-----	82.46	34.86	11.07	31.82	270	260 AVERAGE
Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																											
Freq Level Line (dB)	Level Factor	Loss Factor			cm	deg																																																												
MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																												
1 5149.99 48.95 54.00 -5.05	34.78	34.87	11.08	31.78	270	260	AVERAGE																																																											
Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																											
Freq Level Line (dB)	Level Factor	Loss Factor			cm	deg																																																												
MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																												
1 5180.00 96.57	-----	82.46	34.86	11.07	31.82	270	260 AVERAGE																																																											



Mode	10																																																																																																			
	Harmonic																																																																																																			
	U-NII-1_5.15-5.25_802.11ac VHT20_CH36_5180MHz																																																																																																			
ANT	3																																																																																																			
Pol.	Horizontal	Vertical																																																																																																		
Peak Avg	<p>Date: 2023-10-21</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10360.00</td> <td>60.92</td> <td>68.30</td> <td>-7.38</td> <td>60.15</td> <td>37.39</td> <td>14.15</td> <td>50.77</td> <td>175</td> <td>21</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>15540.00</td> <td>50.70</td> <td>74.00</td> <td>-23.30</td> <td>45.19</td> <td>40.09</td> <td>16.85</td> <td>51.43</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	10360.00	60.92	68.30	-7.38	60.15	37.39	14.15	50.77	175	21	Peak	2	15540.00	50.70	74.00	-23.30	45.19	40.09	16.85	51.43	--	--	Peak	<p>Date: 2023-10-21</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10360.00</td> <td>50.78</td> <td>68.30</td> <td>-17.52</td> <td>50.01</td> <td>37.39</td> <td>14.15</td> <td>50.77</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>15540.00</td> <td>50.04</td> <td>74.00</td> <td>-23.96</td> <td>44.53</td> <td>40.09</td> <td>16.85</td> <td>51.43</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	10360.00	50.78	68.30	-17.52	50.01	37.39	14.15	50.77	--	--	Peak	2	15540.00	50.04	74.00	-23.96	44.53	40.09	16.85	51.43	--	--	Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																												
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																												
1	10360.00	60.92	68.30	-7.38	60.15	37.39	14.15	50.77	175	21	Peak																																																																																									
2	15540.00	50.70	74.00	-23.30	45.19	40.09	16.85	51.43	--	--	Peak																																																																																									
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																													
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																												
1	10360.00	50.78	68.30	-17.52	50.01	37.39	14.15	50.77	--	--	Peak																																																																																									
2	15540.00	50.04	74.00	-23.96	44.53	40.09	16.85	51.43	--	--	Peak																																																																																									



Mode	11																																																																																																			
	Harmonic																																																																																																			
	U-NII-1_5.15-5.25_802.11ac VHT20_CH44_5220MHz																																																																																																			
ANT	3																																																																																																			
Pol.	Horizontal	Vertical																																																																																																		
Peak Avg	<table border="1"> <thead> <tr> <th rowspan="2">Limit</th> <th colspan="2">Read</th> <th rowspan="2">Ant</th> <th rowspan="2">Cable</th> <th rowspan="2">Preamp</th> <th rowspan="2">APos</th> <th rowspan="2">TPos</th> <th rowspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10440.00</td> <td>62.13</td> <td>68.30</td> <td>-6.17</td> <td>61.27</td> <td>37.45</td> <td>14.20</td> <td>50.79</td> <td>178</td> <td>18</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>15660.00</td> <td>50.76</td> <td>74.00</td> <td>-23.24</td> <td>45.15</td> <td>40.20</td> <td>16.94</td> <td>51.53</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	10440.00	62.13	68.30	-6.17	61.27	37.45	14.20	50.79	178	18	Peak	2	15660.00	50.76	74.00	-23.24	45.15	40.20	16.94	51.53	--	--	Peak	<table border="1"> <thead> <tr> <th rowspan="2">Limit</th> <th colspan="2">Read</th> <th rowspan="2">Ant</th> <th rowspan="2">Cable</th> <th rowspan="2">Preamp</th> <th rowspan="2">APos</th> <th rowspan="2">TPos</th> <th rowspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10440.00</td> <td>50.28</td> <td>68.30</td> <td>-18.02</td> <td>49.42</td> <td>37.45</td> <td>14.20</td> <td>50.79</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>15660.00</td> <td>49.55</td> <td>74.00</td> <td>-24.45</td> <td>43.94</td> <td>40.20</td> <td>16.94</td> <td>51.53</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	10440.00	50.28	68.30	-18.02	49.42	37.45	14.20	50.79	--	--	Peak	2	15660.00	49.55	74.00	-24.45	43.94	40.20	16.94	51.53	--	--	Peak
	Limit		Read								Ant	Cable	Preamp	APos	TPos	Remark																																																																																				
Freq		Level	Line Margin	Level	Factor	Loss Factor																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																											
1	10440.00	62.13	68.30	-6.17	61.27	37.45	14.20	50.79	178	18	Peak																																																																																									
2	15660.00	50.76	74.00	-23.24	45.15	40.20	16.94	51.53	--	--	Peak																																																																																									
Limit	Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																												
	Freq	Level							Line Margin	Level	Factor	Loss Factor																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																											
1	10440.00	50.28	68.30	-18.02	49.42	37.45	14.20	50.79	--	--	Peak																																																																																									
2	15660.00	49.55	74.00	-24.45	43.94	40.20	16.94	51.53	--	--	Peak																																																																																									



Mode	12																																																																																																											
	Harmonic																																																																																																											
	U-NII-1_5.15-5.25_802.11ac VHT20_CH48_5240MHz																																																																																																											
ANT	3																																																																																																											
Pol.	Horizontal	Vertical																																																																																																										
Peak Avg	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10480.00</td> <td>61.49</td> <td>68.30</td> <td>-6.81</td> <td>60.58</td> <td>37.48</td> <td>14.23</td> <td>50.80</td> <td>200</td> <td>12</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>15720.00</td> <td>50.88</td> <td>74.00</td> <td>-23.12</td> <td>45.22</td> <td>40.25</td> <td>16.99</td> <td>51.58</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10480.00	61.49	68.30	-6.81	60.58	37.48	14.23	50.80	200	12	Peak	2	15720.00	50.88	74.00	-23.12	45.22	40.25	16.99	51.58	--	--	Peak	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10480.00</td> <td>49.07</td> <td>68.30</td> <td>-19.23</td> <td>48.16</td> <td>37.48</td> <td>14.23</td> <td>50.80</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>15720.00</td> <td>50.15</td> <td>74.00</td> <td>-23.85</td> <td>44.49</td> <td>40.25</td> <td>16.99</td> <td>51.58</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10480.00	49.07	68.30	-19.23	48.16	37.48	14.23	50.80	--	--	Peak	2	15720.00	50.15	74.00	-23.85	44.49	40.25	16.99	51.58	--	--	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																			
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																		
1	10480.00	61.49	68.30	-6.81	60.58	37.48	14.23	50.80	200	12	Peak																																																																																																	
2	15720.00	50.88	74.00	-23.12	45.22	40.25	16.99	51.58	--	--	Peak																																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																				
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																		
1	10480.00	49.07	68.30	-19.23	48.16	37.48	14.23	50.80	--	--	Peak																																																																																																	
2	15720.00	50.15	74.00	-23.85	44.49	40.25	16.99	51.58	--	--	Peak																																																																																																	



Mode	13																																																																																																						
	Harmonic																																																																																																						
	U-NII-2A_5.25-5.35_802.11ac_VHT20_CH52_5260MHz																																																																																																						
ANT	3																																																																																																						
Pol.	Horizontal	Vertical																																																																																																					
Peak Avg																																																																																																							
	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10520.00</td> <td>63.38</td> <td>68.30</td> <td>-4.92</td> <td>62.42</td> <td>37.51</td> <td>14.25</td> <td>50.80</td> <td>187</td> <td>22</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>15780.00</td> <td>50.20</td> <td>74.00</td> <td>-23.80</td> <td>44.49</td> <td>40.30</td> <td>17.04</td> <td>51.63</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	10520.00	63.38	68.30	-4.92	62.42	37.51	14.25	50.80	187	22	Peak	2	15780.00	50.20	74.00	-23.80	44.49	40.30	17.04	51.63	--	--	Peak	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10520.00</td> <td>50.41</td> <td>68.30</td> <td>-17.89</td> <td>49.45</td> <td>37.51</td> <td>14.25</td> <td>50.80</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>15780.00</td> <td>50.02</td> <td>74.00</td> <td>-23.98</td> <td>44.31</td> <td>40.30</td> <td>17.04</td> <td>51.63</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	10520.00	50.41	68.30	-17.89	49.45	37.51	14.25	50.80	--	--	Peak	2	15780.00	50.02	74.00	-23.98	44.31	40.30	17.04	51.63	--	--
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																
Freq	Level	Line Margin	Level	Factor	Loss Factor			Remark																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																															
1	10520.00	63.38	68.30	-4.92	62.42	37.51	14.25	50.80	187	22	Peak																																																																																												
2	15780.00	50.20	74.00	-23.80	44.49	40.30	17.04	51.63	--	--	Peak																																																																																												
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																
Freq	Level	Line Margin	Level	Factor	Loss Factor			Remark																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																															
1	10520.00	50.41	68.30	-17.89	49.45	37.51	14.25	50.80	--	--	Peak																																																																																												
2	15780.00	50.02	74.00	-23.98	44.31	40.30	17.04	51.63	--	--	Peak																																																																																												



Mode	14																																																																																																																										
	Harmonic																																																																																																																										
	U-NII-2A_5.25-5.35_802.11ac_VHT20_CH60_5300MHz																																																																																																																										
ANT	3																																																																																																																										
Pol.	Horizontal	Vertical																																																																																																																									
Peak Avg	<p>Date: 2023-10-21</p>	<p>Date: 2023-10-21</p>																																																																																																																									
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10600.00</td> <td>60.77</td> <td>74.00</td> <td>-13.23</td> <td>59.71</td> <td>37.56</td> <td>14.30</td> <td>50.80</td> <td>258</td> <td>35</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>10600.00</td> <td>49.89</td> <td>54.00</td> <td>-4.11</td> <td>48.83</td> <td>37.56</td> <td>14.30</td> <td>50.80</td> <td>258</td> <td>35</td> <td>Average</td> </tr> <tr> <td>3</td> <td>15900.00</td> <td>50.05</td> <td>74.00</td> <td>-23.95</td> <td>44.22</td> <td>40.41</td> <td>17.14</td> <td>51.72</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	10600.00	60.77	74.00	-13.23	59.71	37.56	14.30	50.80	258	35	Peak	2	10600.00	49.89	54.00	-4.11	48.83	37.56	14.30	50.80	258	35	Average	3	15900.00	50.05	74.00	-23.95	44.22	40.41	17.14	51.72	--	--	Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10600.00</td> <td>56.91</td> <td>74.00</td> <td>-17.09</td> <td>55.85</td> <td>37.56</td> <td>14.30</td> <td>50.80</td> <td>395</td> <td>338</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>10600.00</td> <td>46.29</td> <td>54.00</td> <td>-7.71</td> <td>45.23</td> <td>37.56</td> <td>14.30</td> <td>50.80</td> <td>395</td> <td>338</td> <td>Average</td> </tr> <tr> <td>3</td> <td>15900.00</td> <td>50.55</td> <td>74.00</td> <td>-23.45</td> <td>44.72</td> <td>40.41</td> <td>17.14</td> <td>51.72</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	10600.00	56.91	74.00	-17.09	55.85	37.56	14.30	50.80	395	338	Peak	2	10600.00	46.29	54.00	-7.71	45.23	37.56	14.30	50.80	395	338	Average	3	15900.00	50.55	74.00	-23.45	44.72	40.41	17.14	51.72	--	--
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																				
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																																			
1	10600.00	60.77	74.00	-13.23	59.71	37.56	14.30	50.80	258	35	Peak																																																																																																																
2	10600.00	49.89	54.00	-4.11	48.83	37.56	14.30	50.80	258	35	Average																																																																																																																
3	15900.00	50.05	74.00	-23.95	44.22	40.41	17.14	51.72	--	--	Peak																																																																																																																
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																				
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																																			
1	10600.00	56.91	74.00	-17.09	55.85	37.56	14.30	50.80	395	338	Peak																																																																																																																
2	10600.00	46.29	54.00	-7.71	45.23	37.56	14.30	50.80	395	338	Average																																																																																																																
3	15900.00	50.55	74.00	-23.45	44.72	40.41	17.14	51.72	--	--	Peak																																																																																																																



	15																																																																															
Mode	Band Edge																																																																															
	U-NII-2A_5.25-5.35_802.11ac_VHT20_CH64_5320MHz																																																																															
ANT	3																																																																															
Pol.	Horizontal	Fundamental																																																																														
Peak	<p style="text-align: right;">Date: 2023-10-20</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5355.08</td> <td>52.46</td> <td>74.00</td> <td>-21.54</td> <td>38.73</td> <td>34.83</td> <td>10.94</td> <td>32.04</td> <td>115</td> <td>18</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5355.08	52.46	74.00	-21.54	38.73	34.83	10.94	32.04	115	18	PEAK	<p style="text-align: right;">Date: 2023-10-20</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5320.00</td> <td>99.51</td> <td>-----</td> <td>-----</td> <td>85.69</td> <td>34.84</td> <td>10.97</td> <td>31.99</td> <td>115</td> <td>18</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	99.51	-----	-----	85.69	34.84	10.97	31.99	115	18	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																							
Freq	Level	Line	Level	Factor	Loss Factor																																																																											
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	5355.08	52.46	74.00	-21.54	38.73	34.83	10.94	32.04	115	18	PEAK																																																																					
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	Level	Factor	Loss Factor																																																																											
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	5320.00	99.51	-----	-----	85.69	34.84	10.97	31.99	115	18	PEAK																																																																					
Avg	<p style="text-align: right;">Date: 2023-10-20</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5350.59</td> <td>43.09</td> <td>54.00</td> <td>-10.91</td> <td>29.35</td> <td>34.83</td> <td>10.94</td> <td>32.03</td> <td>115</td> <td>18</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5350.59	43.09	54.00	-10.91	29.35	34.83	10.94	32.03	115	18	AVERAGE	<p style="text-align: right;">Date: 2023-10-20</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5320.00</td> <td>92.95</td> <td>-----</td> <td>-----</td> <td>79.13</td> <td>34.84</td> <td>10.97</td> <td>31.99</td> <td>115</td> <td>18</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	92.95	-----	-----	79.13	34.84	10.97	31.99	115	18	AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	Level	Factor	Loss Factor																																																																											
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	5350.59	43.09	54.00	-10.91	29.35	34.83	10.94	32.03	115	18	AVERAGE																																																																					
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	Level	Factor	Loss Factor																																																																											
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	5320.00	92.95	-----	-----	79.13	34.84	10.97	31.99	115	18	AVERAGE																																																																					



Mode	15																																																																									
	Band Edge																																																																									
	U-NII-2A_5.25-5.35_802.11ac_VHT20_CH64_5320MHz																																																																									
ANT	3																																																																									
Pol.	Vertical	Fundamental																																																																								
Peak	<p>Date: 2023-10-20</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5352.42</td> <td>54.83</td> <td>74.00</td> <td>-19.17</td> <td>41.09</td> <td>34.83</td> <td>10.94</td> <td>32.03</td> <td>330 272 PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5352.42	54.83	74.00	-19.17	41.09	34.83	10.94	32.03	330 272 PEAK	<p>Date: 2023-10-20</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5320.00</td> <td>100.75</td> <td>74.00</td> <td>26.75</td> <td>86.93</td> <td>34.84</td> <td>10.97</td> <td>31.99</td> <td>330 272 PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5320.00	100.75	74.00	26.75	86.93	34.84	10.97	31.99	330 272 PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																	
Freq	Level	Line	Level	Factor	Loss Factor																																																																					
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 5352.42	54.83	74.00	-19.17	41.09	34.83	10.94	32.03	330 272 PEAK																																																																		
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	Level	Factor	Loss Factor																																																																					
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 5320.00	100.75	74.00	26.75	86.93	34.84	10.97	31.99	330 272 PEAK																																																																		
Avg	<p>Date: 2023-10-20</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5350.59</td> <td>43.59</td> <td>54.00</td> <td>-10.41</td> <td>29.85</td> <td>34.83</td> <td>10.94</td> <td>32.03</td> <td>330 272 AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5350.59	43.59	54.00	-10.41	29.85	34.83	10.94	32.03	330 272 AVERAGE	<p>Date: 2023-10-20</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5320.00</td> <td>94.00</td> <td>54.00</td> <td>40.00</td> <td>80.18</td> <td>34.84</td> <td>10.97</td> <td>31.99</td> <td>330 272 AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5320.00	94.00	54.00	40.00	80.18	34.84	10.97	31.99	330 272 AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	Level	Factor	Loss Factor																																																																					
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 5350.59	43.59	54.00	-10.41	29.85	34.83	10.94	32.03	330 272 AVERAGE																																																																		
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	Level	Factor	Loss Factor																																																																					
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 5320.00	94.00	54.00	40.00	80.18	34.84	10.97	31.99	330 272 AVERAGE																																																																		







Mode	15																																																																																																																										
	Harmonic																																																																																																																										
	U-NII-2A_5.25-5.35_802.11ac_VHT20_CH64_5320MHz																																																																																																																										
ANT	3																																																																																																																										
Pol.	Horizontal	Vertical																																																																																																																									
Peak Avg																																																																																																																											
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10640.00</td> <td>62.16</td> <td>74.00</td> <td>-11.84</td> <td>61.06</td> <td>37.58</td> <td>14.32</td> <td>50.80</td> <td>257</td> <td>33</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>10640.00</td> <td>50.56</td> <td>54.00</td> <td>-3.44</td> <td>49.46</td> <td>37.58</td> <td>14.32</td> <td>50.80</td> <td>257</td> <td>33</td> <td>Average</td> </tr> <tr> <td>3</td> <td>15960.00</td> <td>50.29</td> <td>74.00</td> <td>-23.71</td> <td>44.40</td> <td>40.47</td> <td>17.19</td> <td>51.77</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	10640.00	62.16	74.00	-11.84	61.06	37.58	14.32	50.80	257	33	Peak	2	10640.00	50.56	54.00	-3.44	49.46	37.58	14.32	50.80	257	33	Average	3	15960.00	50.29	74.00	-23.71	44.40	40.47	17.19	51.77	--	--	Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10640.00</td> <td>58.59</td> <td>74.00</td> <td>-15.41</td> <td>57.49</td> <td>37.58</td> <td>14.32</td> <td>50.80</td> <td>392</td> <td>335</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>10640.00</td> <td>47.35</td> <td>54.00</td> <td>-6.65</td> <td>46.25</td> <td>37.58</td> <td>14.32</td> <td>50.80</td> <td>392</td> <td>335</td> <td>Average</td> </tr> <tr> <td>3</td> <td>15960.00</td> <td>50.90</td> <td>74.00</td> <td>-23.10</td> <td>45.01</td> <td>40.47</td> <td>17.19</td> <td>51.77</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	10640.00	58.59	74.00	-15.41	57.49	37.58	14.32	50.80	392	335	Peak	2	10640.00	47.35	54.00	-6.65	46.25	37.58	14.32	50.80	392	335	Average	3	15960.00	50.90	74.00	-23.10	45.01	40.47	17.19	51.77	--	--
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																				
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																																			
1	10640.00	62.16	74.00	-11.84	61.06	37.58	14.32	50.80	257	33	Peak																																																																																																																
2	10640.00	50.56	54.00	-3.44	49.46	37.58	14.32	50.80	257	33	Average																																																																																																																
3	15960.00	50.29	74.00	-23.71	44.40	40.47	17.19	51.77	--	--	Peak																																																																																																																
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																				
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																																			
1	10640.00	58.59	74.00	-15.41	57.49	37.58	14.32	50.80	392	335	Peak																																																																																																																
2	10640.00	47.35	54.00	-6.65	46.25	37.58	14.32	50.80	392	335	Average																																																																																																																
3	15960.00	50.90	74.00	-23.10	45.01	40.47	17.19	51.77	--	--	Peak																																																																																																																



Mode	16																																																									
	Band Edge																																																									
	U-NII-2C_5.47-5.725_802.11ac VHT20_CH100_5500MHz																																																									
ANT	3																																																									
Pol.	Horizontal	Fundamental																																																								
Peak	<table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line (dB)</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5457.18 52.09 74.00 -21.91</td> <td>38.33</td> <td>34.81</td> <td>11.11</td> <td>32.16</td> <td>395</td> <td>348</td> <td>PEAK</td> </tr> <tr> <td>2 5469.93 52.16 68.30 -16.14</td> <td>38.37</td> <td>34.81</td> <td>11.16</td> <td>32.18</td> <td>395</td> <td>348</td> <td>PEAK</td> </tr> </tbody> </table>	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq Level Line (dB)	Level Factor	Loss Factor			cm	deg		1 5457.18 52.09 74.00 -21.91	38.33	34.81	11.11	32.16	395	348	PEAK	2 5469.93 52.16 68.30 -16.14	38.37	34.81	11.16	32.18	395	348	PEAK	<table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line (dB)</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5500.00 97.21 -----</td> <td>83.35</td> <td>34.80</td> <td>11.27</td> <td>32.21</td> <td>395</td> <td>348</td> <td>PEAK</td> </tr> </tbody> </table>	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq Level Line (dB)	Level Factor	Loss Factor			cm	deg		1 5500.00 97.21 -----	83.35	34.80	11.27	32.21	395	348	PEAK
	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																		
Freq Level Line (dB)	Level Factor	Loss Factor			cm	deg																																																				
1 5457.18 52.09 74.00 -21.91	38.33	34.81	11.11	32.16	395	348	PEAK																																																			
2 5469.93 52.16 68.30 -16.14	38.37	34.81	11.16	32.18	395	348	PEAK																																																			
Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																			
Freq Level Line (dB)	Level Factor	Loss Factor			cm	deg																																																				
1 5500.00 97.21 -----	83.35	34.80	11.27	32.21	395	348	PEAK																																																			
Avg	<table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line (dB)</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5458.09 42.30 54.00 -11.70</td> <td>28.54</td> <td>34.81</td> <td>11.11</td> <td>32.16</td> <td>395</td> <td>348</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq Level Line (dB)	Level Factor	Loss Factor			cm	deg		1 5458.09 42.30 54.00 -11.70	28.54	34.81	11.11	32.16	395	348	AVERAGE	<table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line (dB)</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5500.00 90.22 -----</td> <td>76.36</td> <td>34.80</td> <td>11.27</td> <td>32.21</td> <td>395</td> <td>348</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq Level Line (dB)	Level Factor	Loss Factor			cm	deg		1 5500.00 90.22 -----	76.36	34.80	11.27	32.21	395	348	AVERAGE								
Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																			
Freq Level Line (dB)	Level Factor	Loss Factor			cm	deg																																																				
1 5458.09 42.30 54.00 -11.70	28.54	34.81	11.11	32.16	395	348	AVERAGE																																																			
Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																			
Freq Level Line (dB)	Level Factor	Loss Factor			cm	deg																																																				
1 5500.00 90.22 -----	76.36	34.80	11.27	32.21	395	348	AVERAGE																																																			



Mode	16																																																																																											
	Band Edge																																																																																											
	U-NII-2C_5.47-5.725_802.11ac VHT20_CH100_5500MHz																																																																																											
ANT	3																																																																																											
Pol.	Vertical	Fundamental																																																																																										
Peak	 <p>Date: 2023-10-20</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5444.89</td> <td>52.26</td> <td>74.00</td> <td>-21.74</td> <td>38.54</td> <td>34.81</td> <td>11.06</td> <td>32.15</td> <td>332</td> <td>276</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5468.43</td> <td>53.02</td> <td>68.30</td> <td>-15.28</td> <td>39.23</td> <td>34.81</td> <td>11.16</td> <td>32.18</td> <td>332</td> <td>276</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5444.89	52.26	74.00	-21.74	38.54	34.81	11.06	32.15	332	276	PEAK	2	5468.43	53.02	68.30	-15.28	39.23	34.81	11.16	32.18	332	276	PEAK	 <p>Date: 2023-10-20</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5500.00</td> <td>97.77</td> <td>-----</td> <td>-----</td> <td>83.91</td> <td>34.80</td> <td>11.27</td> <td>32.21</td> <td>332</td> <td>276</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	97.77	-----	-----	83.91	34.80	11.27	32.21	332	276	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																					
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	5444.89	52.26	74.00	-21.74	38.54	34.81	11.06	32.15	332	276	PEAK																																																																																	
2	5468.43	53.02	68.30	-15.28	39.23	34.81	11.16	32.18	332	276	PEAK																																																																																	
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																					
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	5500.00	97.77	-----	-----	83.91	34.80	11.27	32.21	332	276	PEAK																																																																																	
Avg	 <p>Date: 2023-10-20</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5455.84</td> <td>42.39</td> <td>54.00</td> <td>-11.61</td> <td>28.64</td> <td>34.81</td> <td>11.10</td> <td>32.16</td> <td>332</td> <td>276</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5455.84	42.39	54.00	-11.61	28.64	34.81	11.10	32.16	332	276	AVERAGE	 <p>Date: 2023-10-20</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5500.00</td> <td>91.58</td> <td>-----</td> <td>-----</td> <td>77.72</td> <td>34.80</td> <td>11.27</td> <td>32.21</td> <td>332</td> <td>276</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	91.58	-----	-----	77.72	34.80	11.27	32.21	332	276	AVERAGE												
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																					
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	5455.84	42.39	54.00	-11.61	28.64	34.81	11.10	32.16	332	276	AVERAGE																																																																																	
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																					
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	5500.00	91.58	-----	-----	77.72	34.80	11.27	32.21	332	276	AVERAGE																																																																																	



Mode	16																																																																																																															
	Harmonic																																																																																																															
	U-NII-2C_5.47-5.725_802.11ac VHT20_CH100_5500MHz																																																																																																															
ANT	3																																																																																																															
Pol.	Horizontal	Vertical																																																																																																														
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11000.00</td> <td>61.67</td> <td>74.00</td> <td>-12.33</td> <td>60.13</td> <td>37.80</td> <td>14.54</td> <td>50.80</td> <td>291</td> <td>14 Peak</td> </tr> <tr> <td>2 11000.00</td> <td>50.61</td> <td>54.00</td> <td>-3.39</td> <td>49.07</td> <td>37.80</td> <td>14.54</td> <td>50.80</td> <td>291</td> <td>14 Average</td> </tr> <tr> <td>3 16500.00</td> <td>51.17</td> <td>68.30</td> <td>-17.13</td> <td>44.30</td> <td>41.31</td> <td>17.36</td> <td>51.80</td> <td>--</td> <td>-- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq Level	Line Margin	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 11000.00	61.67	74.00	-12.33	60.13	37.80	14.54	50.80	291	14 Peak	2 11000.00	50.61	54.00	-3.39	49.07	37.80	14.54	50.80	291	14 Average	3 16500.00	51.17	68.30	-17.13	44.30	41.31	17.36	51.80	--	-- Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11000.00</td> <td>58.43</td> <td>74.00</td> <td>-15.57</td> <td>56.89</td> <td>37.80</td> <td>14.54</td> <td>50.80</td> <td>395</td> <td>324 Peak</td> </tr> <tr> <td>2 11000.00</td> <td>47.83</td> <td>54.00</td> <td>-6.17</td> <td>46.29</td> <td>37.80</td> <td>14.54</td> <td>50.80</td> <td>395</td> <td>324 Average</td> </tr> <tr> <td>3 16500.00</td> <td>50.71</td> <td>68.30</td> <td>-17.59</td> <td>43.84</td> <td>41.31</td> <td>17.36</td> <td>51.80</td> <td>--</td> <td>-- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq Level	Line Margin	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 11000.00	58.43	74.00	-15.57	56.89	37.80	14.54	50.80	395	324 Peak	2 11000.00	47.83	54.00	-6.17	46.29	37.80	14.54	50.80	395	324 Average	3 16500.00	50.71	68.30	-17.59	43.84	41.31	17.36	51.80	--	-- Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																								
Freq Level	Line Margin	Level	Factor	Loss Factor																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																								
1 11000.00	61.67	74.00	-12.33	60.13	37.80	14.54	50.80	291	14 Peak																																																																																																							
2 11000.00	50.61	54.00	-3.39	49.07	37.80	14.54	50.80	291	14 Average																																																																																																							
3 16500.00	51.17	68.30	-17.13	44.30	41.31	17.36	51.80	--	-- Peak																																																																																																							
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																									
Freq Level	Line Margin	Level	Factor	Loss Factor																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																								
1 11000.00	58.43	74.00	-15.57	56.89	37.80	14.54	50.80	395	324 Peak																																																																																																							
2 11000.00	47.83	54.00	-6.17	46.29	37.80	14.54	50.80	395	324 Average																																																																																																							
3 16500.00	50.71	68.30	-17.59	43.84	41.31	17.36	51.80	--	-- Peak																																																																																																							



Mode	17																																																																																																															
	Harmonic																																																																																																															
	U-NII-2C_5.47-5.725_802.11ac VHT20_CH116_5580MHz																																																																																																															
ANT	3																																																																																																															
Pol.	Horizontal	Vertical																																																																																																														
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11160.00</td> <td>60.64</td> <td>74.00</td> <td>-13.36</td> <td>58.84</td> <td>37.93</td> <td>14.64</td> <td>50.77</td> <td>263</td> <td>11 Peak</td> </tr> <tr> <td>2 11160.00</td> <td>50.31</td> <td>54.00</td> <td>-3.69</td> <td>48.51</td> <td>37.93</td> <td>14.64</td> <td>50.77</td> <td>263</td> <td>11 Average</td> </tr> <tr> <td>3 16740.00</td> <td>49.17</td> <td>68.30</td> <td>-19.13</td> <td>41.80</td> <td>41.69</td> <td>17.43</td> <td>51.75</td> <td>--</td> <td>-- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq Level	Line Margin	Level Factor	Loss Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 11160.00	60.64	74.00	-13.36	58.84	37.93	14.64	50.77	263	11 Peak	2 11160.00	50.31	54.00	-3.69	48.51	37.93	14.64	50.77	263	11 Average	3 16740.00	49.17	68.30	-19.13	41.80	41.69	17.43	51.75	--	-- Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11160.00</td> <td>58.82</td> <td>74.00</td> <td>-15.18</td> <td>57.02</td> <td>37.93</td> <td>14.64</td> <td>50.77</td> <td>392</td> <td>327 Peak</td> </tr> <tr> <td>2 11160.00</td> <td>47.91</td> <td>54.00</td> <td>-6.09</td> <td>46.11</td> <td>37.93</td> <td>14.64</td> <td>50.77</td> <td>392</td> <td>327 Average</td> </tr> <tr> <td>3 16740.00</td> <td>48.52</td> <td>68.30</td> <td>-19.78</td> <td>41.15</td> <td>41.69</td> <td>17.43</td> <td>51.75</td> <td>--</td> <td>-- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq Level	Line Margin	Level Factor	Loss Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 11160.00	58.82	74.00	-15.18	57.02	37.93	14.64	50.77	392	327 Peak	2 11160.00	47.91	54.00	-6.09	46.11	37.93	14.64	50.77	392	327 Average	3 16740.00	48.52	68.30	-19.78	41.15	41.69	17.43	51.75	--	-- Peak
	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																																																								
Freq Level	Line Margin	Level Factor	Loss Factor																																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																								
1 11160.00	60.64	74.00	-13.36	58.84	37.93	14.64	50.77	263	11 Peak																																																																																																							
2 11160.00	50.31	54.00	-3.69	48.51	37.93	14.64	50.77	263	11 Average																																																																																																							
3 16740.00	49.17	68.30	-19.13	41.80	41.69	17.43	51.75	--	-- Peak																																																																																																							
Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																																																									
Freq Level	Line Margin	Level Factor	Loss Factor																																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																								
1 11160.00	58.82	74.00	-15.18	57.02	37.93	14.64	50.77	392	327 Peak																																																																																																							
2 11160.00	47.91	54.00	-6.09	46.11	37.93	14.64	50.77	392	327 Average																																																																																																							
3 16740.00	48.52	68.30	-19.78	41.15	41.69	17.43	51.75	--	-- Peak																																																																																																							



Mode	18																																																																															
	Band Edge																																																																															
	U-NII-2C_5.47-5.725_802.11ac VHT20_CH140_5700MHz																																																																															
ANT	3																																																																															
Pol.	Horizontal	Fundamental																																																																														
Peak	<p style="text-align: right;">Date: 2023-10-20</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5725.12</td> <td>59.00</td> <td>68.30</td> <td>-9.30</td> <td>44.62</td> <td>35.12</td> <td>11.65</td> <td>32.39</td> <td>229</td> <td>11</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5725.12	59.00	68.30	-9.30	44.62	35.12	11.65	32.39	229	11	PEAK	<p style="text-align: right;">Date: 2023-10-20</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5700.00</td> <td>100.26</td> <td>-----</td> <td>-----</td> <td>85.89</td> <td>35.08</td> <td>11.66</td> <td>32.37</td> <td>229</td> <td>11</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	100.26	-----	-----	85.89	35.08	11.66	32.37	229	11	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																							
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																										
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	5725.12	59.00	68.30	-9.30	44.62	35.12	11.65	32.39	229	11	PEAK																																																																					
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																										
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	5700.00	100.26	-----	-----	85.89	35.08	11.66	32.37	229	11	PEAK																																																																					
Avg	Blank	<p style="text-align: right;">Date: 2023-10-20</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5700.00</td> <td>93.03</td> <td>-----</td> <td>-----</td> <td>78.65</td> <td>35.07</td> <td>11.67</td> <td>32.36</td> <td>229</td> <td>11</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	93.03	-----	-----	78.65	35.07	11.67	32.36	229	11	AVERAGE																																							
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																										
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	5700.00	93.03	-----	-----	78.65	35.07	11.67	32.36	229	11	AVERAGE																																																																					



	18																																																																									
Mode	Band Edge																																																																									
	U-NII-2C_5.47-5.725_802.11ac VHT20_CH140_5700MHz																																																																									
ANT	3																																																																									
Pol.	Vertical	Fundamental																																																																								
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5725.32</td> <td>59.24</td> <td>68.30</td> <td>-9.06</td> <td>44.86</td> <td>35.12</td> <td>11.65</td> <td>32.39</td> <td>292 270 PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5725.32	59.24	68.30	-9.06	44.86	35.12	11.65	32.39	292 270 PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5700.00</td> <td>98.61</td> <td>-----</td> <td>-----</td> <td>84.23</td> <td>35.07</td> <td>11.67</td> <td>32.36</td> <td>292 270 PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5700.00	98.61	-----	-----	84.23	35.07	11.67	32.36	292 270 PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 5725.32	59.24	68.30	-9.06	44.86	35.12	11.65	32.39	292 270 PEAK																																																																		
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 5700.00	98.61	-----	-----	84.23	35.07	11.67	32.36	292 270 PEAK																																																																		
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5700.00</td> <td>92.19</td> <td>-----</td> <td>-----</td> <td>77.82</td> <td>35.08</td> <td>11.66</td> <td>32.37</td> <td>292 270 AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5700.00	92.19	-----	-----	77.82	35.08	11.66	32.37	292 270 AVERAGE																																				
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 5700.00	92.19	-----	-----	77.82	35.08	11.66	32.37	292 270 AVERAGE																																																																		



Mode	18																																																																																																																											
	Harmonic																																																																																																																											
	U-NII-2C_5.47-5.725_802.11ac VHT20_CH140_5700MHz																																																																																																																											
ANT	3																																																																																																																											
Pol.	Horizontal	Vertical																																																																																																																										
Peak Avg	<p>Date: 2023-10-22</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11400.00</td> <td>61.88</td> <td>74.00</td> <td>-12.12</td> <td>59.70</td> <td>38.12</td> <td>14.78</td> <td>50.72</td> <td>186</td> <td>74</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>11400.00</td> <td>50.96</td> <td>54.00</td> <td>-3.04</td> <td>48.78</td> <td>38.12</td> <td>14.78</td> <td>50.72</td> <td>186</td> <td>74</td> <td>Average</td> </tr> <tr> <td>3</td> <td>17100.00</td> <td>50.25</td> <td>68.30</td> <td>-18.05</td> <td>42.52</td> <td>42.00</td> <td>17.53</td> <td>51.80</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	11400.00	61.88	74.00	-12.12	59.70	38.12	14.78	50.72	186	74	Peak	2	11400.00	50.96	54.00	-3.04	48.78	38.12	14.78	50.72	186	74	Average	3	17100.00	50.25	68.30	-18.05	42.52	42.00	17.53	51.80	--	--	Peak	<p>Date: 2023-10-22</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11400.00</td> <td>59.44</td> <td>74.00</td> <td>-14.56</td> <td>57.26</td> <td>38.12</td> <td>14.78</td> <td>50.72</td> <td>395</td> <td>338</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>11400.00</td> <td>48.68</td> <td>54.00</td> <td>-5.32</td> <td>46.50</td> <td>38.12</td> <td>14.78</td> <td>50.72</td> <td>395</td> <td>338</td> <td>Average</td> </tr> <tr> <td>3</td> <td>17100.00</td> <td>50.99</td> <td>68.30</td> <td>-17.31</td> <td>43.26</td> <td>42.00</td> <td>17.53</td> <td>51.80</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	11400.00	59.44	74.00	-14.56	57.26	38.12	14.78	50.72	395	338	Peak	2	11400.00	48.68	54.00	-5.32	46.50	38.12	14.78	50.72	395	338	Average	3	17100.00	50.99	68.30	-17.31	43.26	42.00	17.53	51.80	--	--	Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																				
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																																				
1	11400.00	61.88	74.00	-12.12	59.70	38.12	14.78	50.72	186	74	Peak																																																																																																																	
2	11400.00	50.96	54.00	-3.04	48.78	38.12	14.78	50.72	186	74	Average																																																																																																																	
3	17100.00	50.25	68.30	-18.05	42.52	42.00	17.53	51.80	--	--	Peak																																																																																																																	
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																					
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																																				
1	11400.00	59.44	74.00	-14.56	57.26	38.12	14.78	50.72	395	338	Peak																																																																																																																	
2	11400.00	48.68	54.00	-5.32	46.50	38.12	14.78	50.72	395	338	Average																																																																																																																	
3	17100.00	50.99	68.30	-17.31	43.26	42.00	17.53	51.80	--	--	Peak																																																																																																																	



Mode	19																																																																															
	Band Edge - L																																																																															
	U-NII-1_5.15-5.25_802.11ac VHT40_CH38_5190MHz																																																																															
ANT	3																																																																															
Pol.	Horizontal	Fundamental																																																																														
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5149.63</td> <td>58.32</td> <td>74.00</td> <td>-15.68</td> <td>44.14</td> <td>34.87</td> <td>11.09</td> <td>31.78</td> <td>100</td> <td>295</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5149.63	58.32	74.00	-15.68	44.14	34.87	11.09	31.78	100	295	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5190.00</td> <td>97.76</td> <td>-----</td> <td>-----</td> <td>83.67</td> <td>34.86</td> <td>11.06</td> <td>31.83</td> <td>100</td> <td>295</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5190.00	97.76	-----	-----	83.67	34.86	11.06	31.83	100	295	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																							
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																										
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	5149.63	58.32	74.00	-15.68	44.14	34.87	11.09	31.78	100	295	PEAK																																																																					
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																										
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	5190.00	97.76	-----	-----	83.67	34.86	11.06	31.83	100	295	PEAK																																																																					
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5149.99</td> <td>49.09</td> <td>54.00</td> <td>-4.91</td> <td>34.92</td> <td>34.87</td> <td>11.08</td> <td>31.78</td> <td>100</td> <td>295</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5149.99	49.09	54.00	-4.91	34.92	34.87	11.08	31.78	100	295	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5190.00</td> <td>91.18</td> <td>-----</td> <td>-----</td> <td>77.07</td> <td>34.86</td> <td>11.07</td> <td>31.82</td> <td>100</td> <td>295</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5190.00	91.18	-----	-----	77.07	34.86	11.07	31.82	100	295	AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																										
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	5149.99	49.09	54.00	-4.91	34.92	34.87	11.08	31.78	100	295	AVERAGE																																																																					
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																										
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	5190.00	91.18	-----	-----	77.07	34.86	11.07	31.82	100	295	AVERAGE																																																																					



	19																																	
Mode	Band Edge - R																																	
	U-NII-1_5.15-5.25_802.11ac VHT40_CH38_5190MHz																																	
ANT	3																																	
Pol.	Horizontal	Fundamental																																
Peak	<p style="text-align: right;">Date: 2023-10-20</p> <table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line (dB)</th> <th>Level Factor</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>cm</th> <th>deg</th> <th></th> </tr> <tr> <th>MHz dBuV/m dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5438.27 51.49 74.00 -22.51</td> <td>37.79</td> <td>34.81</td> <td>11.03</td> <td>32.14</td> <td>100</td> <td>295</td> <td>PEAK</td> </tr> </tbody> </table>		Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq Level Line (dB)	Level Factor	Level Factor	Loss Factor	Loss Factor	cm	deg		MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1 5438.27 51.49 74.00 -22.51	37.79	34.81	11.03	32.14	100	295	PEAK
	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																										
Freq Level Line (dB)	Level Factor	Level Factor	Loss Factor	Loss Factor	cm	deg																												
MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg																												
1 5438.27 51.49 74.00 -22.51	37.79	34.81	11.03	32.14	100	295	PEAK																											
Blank																																		
Avg	<p style="text-align: right;">Date: 2023-10-20</p> <table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line (dB)</th> <th>Level Factor</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>cm</th> <th>deg</th> <th></th> </tr> <tr> <th>MHz dBuV/m dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5458.81 42.75 54.00 -11.25</td> <td>28.98</td> <td>34.81</td> <td>11.12</td> <td>32.16</td> <td>100</td> <td>295</td> <td>AVERAGE</td> </tr> </tbody> </table>		Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq Level Line (dB)	Level Factor	Level Factor	Loss Factor	Loss Factor	cm	deg		MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1 5458.81 42.75 54.00 -11.25	28.98	34.81	11.12	32.16	100	295	AVERAGE
	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																										
Freq Level Line (dB)	Level Factor	Level Factor	Loss Factor	Loss Factor	cm	deg																												
MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg																												
1 5458.81 42.75 54.00 -11.25	28.98	34.81	11.12	32.16	100	295	AVERAGE																											
Blank																																		



		19																																																																														
Mode	Band Edge - L																																																																															
	U-NII-1_5.15-5.25_802.11ac VHT40_CH38_5190MHz																																																																															
ANT	3																																																																															
Pol.	Vertical	Fundamental																																																																														
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5149.99</td> <td>58.92</td> <td>74.00</td> <td>-15.08</td> <td>44.75</td> <td>34.87</td> <td>11.08</td> <td>31.78</td> <td>200</td> <td>260</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5149.99	58.92	74.00	-15.08	44.75	34.87	11.08	31.78	200	260	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5190.00</td> <td>98.43</td> <td>-----</td> <td>-----</td> <td>84.34</td> <td>34.86</td> <td>11.06</td> <td>31.83</td> <td>200</td> <td>260</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5190.00	98.43	-----	-----	84.34	34.86	11.06	31.83	200	260	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																							
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																										
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	5149.99	58.92	74.00	-15.08	44.75	34.87	11.08	31.78	200	260	PEAK																																																																					
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																										
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	5190.00	98.43	-----	-----	84.34	34.86	11.06	31.83	200	260	PEAK																																																																					
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5149.83</td> <td>50.24</td> <td>54.00</td> <td>-3.76</td> <td>36.06</td> <td>34.87</td> <td>11.09</td> <td>31.78</td> <td>200</td> <td>260</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5149.83	50.24	54.00	-3.76	36.06	34.87	11.09	31.78	200	260	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5190.00</td> <td>91.33</td> <td>-----</td> <td>-----</td> <td>77.24</td> <td>34.86</td> <td>11.06</td> <td>31.83</td> <td>200</td> <td>260</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5190.00	91.33	-----	-----	77.24	34.86	11.06	31.83	200	260	AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																										
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	5149.83	50.24	54.00	-3.76	36.06	34.87	11.09	31.78	200	260	AVERAGE																																																																					
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																										
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	5190.00	91.33	-----	-----	77.24	34.86	11.06	31.83	200	260	AVERAGE																																																																					



Mode	19																																	
	Band Edge - R																																	
	U-NII-1_5.15-5.25_802.11ac VHT40_CH38_5190MHz																																	
ANT	3																																	
Pol.	Vertical	Fundamental																																
Peak	<table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line (dB)</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th>cm</th> <th>deg</th> <th></th> </tr> <tr> <th>MHz dBuV/m dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th></th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5437.19 51.67 74.00 -22.33</td> <td>37.97</td> <td>34.81</td> <td>11.03</td> <td>32.14</td> <td>200</td> <td>260</td> <td>PEAK</td> </tr> </tbody> </table>	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq Level Line (dB)	Level Factor	Loss Factor			cm	deg		MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB				1 5437.19 51.67 74.00 -22.33	37.97	34.81	11.03	32.14	200	260	PEAK	Blank
Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																											
Freq Level Line (dB)	Level Factor	Loss Factor			cm	deg																												
MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB																														
1 5437.19 51.67 74.00 -22.33	37.97	34.81	11.03	32.14	200	260	PEAK																											
Avg	<table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line (dB)</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th>cm</th> <th>deg</th> <th></th> </tr> <tr> <th>MHz dBuV/m dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th></th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5393.47 42.68 54.00 -11.32</td> <td>29.03</td> <td>34.82</td> <td>10.91</td> <td>32.08</td> <td>200</td> <td>260</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq Level Line (dB)	Level Factor	Loss Factor			cm	deg		MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB				1 5393.47 42.68 54.00 -11.32	29.03	34.82	10.91	32.08	200	260	AVERAGE	Blank
Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																											
Freq Level Line (dB)	Level Factor	Loss Factor			cm	deg																												
MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB																														
1 5393.47 42.68 54.00 -11.32	29.03	34.82	10.91	32.08	200	260	AVERAGE																											



		20																																																																																								
Mode	Band Edge - L																																																																																									
	U-NII-1_5.15-5.25_802.11ac VHT40_CH46_5230MHz																																																																																									
ANT	3																																																																																									
Pol.	Horizontal	Fundamental																																																																																								
Peak	<table border="1"> <thead> <tr> <th colspan="2"></th> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th></th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5051.18</td> <td>52.33</td> <td>74.00</td> <td>-21.67</td> <td>37.96</td> <td>34.89</td> <td>11.14</td> <td>31.66</td> <td>100</td> <td>295 PEAK</td> </tr> </tbody> </table>			Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor				Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg		1	5051.18	52.33	74.00	-21.67	37.96	34.89	11.14	31.66	100	295 PEAK	<table border="1"> <thead> <tr> <th colspan="2"></th> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th></th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5230.00</td> <td>97.59</td> <td>-----</td> <td>-----</td> <td>83.56</td> <td>34.86</td> <td>11.04</td> <td>31.87</td> <td>100</td> <td>295 PEAK</td> </tr> </tbody> </table>			Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor				Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg		1	5230.00	97.59	-----	-----	83.56	34.86	11.04	31.87	100	295 PEAK
			Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																
Freq	Level	Line	(dB)	Level	Factor	Loss Factor				Remark																																																																																
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	5051.18	52.33	74.00	-21.67	37.96	34.89	11.14	31.66	100	295 PEAK																																																																																
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor				Remark																																																																																
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	5230.00	97.59	-----	-----	83.56	34.86	11.04	31.87	100	295 PEAK																																																																																
Avg	<table border="1"> <thead> <tr> <th colspan="2"></th> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th></th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5111.90</td> <td>43.22</td> <td>54.00</td> <td>-10.78</td> <td>28.96</td> <td>34.88</td> <td>11.11</td> <td>31.73</td> <td>100</td> <td>295 AVERAGE</td> </tr> </tbody> </table>			Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor				Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg		1	5111.90	43.22	54.00	-10.78	28.96	34.88	11.11	31.73	100	295 AVERAGE	<table border="1"> <thead> <tr> <th colspan="2"></th> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th></th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5230.00</td> <td>90.73</td> <td>-----</td> <td>-----</td> <td>76.72</td> <td>34.85</td> <td>11.04</td> <td>31.88</td> <td>100</td> <td>295 AVERAGE</td> </tr> </tbody> </table>			Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor				Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg		1	5230.00	90.73	-----	-----	76.72	34.85	11.04	31.88	100	295 AVERAGE
			Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																
Freq	Level	Line	(dB)	Level	Factor	Loss Factor				Remark																																																																																
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	5111.90	43.22	54.00	-10.78	28.96	34.88	11.11	31.73	100	295 AVERAGE																																																																																
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor				Remark																																																																																
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	5230.00	90.73	-----	-----	76.72	34.85	11.04	31.88	100	295 AVERAGE																																																																																



	20																																								
Mode	Band Edge - R																																								
	U-NII-1_5.15-5.25_802.11ac VHT40_CH46_5230MHz																																								
ANT	3																																								
Pol.	Horizontal	Fundamental																																							
Peak	<table border="1" data-bbox="263 1115 742 1243"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5355.26</td> <td>51.84</td> <td>74.00</td> <td>-22.16</td> <td>38.11</td> <td>34.83</td> <td>10.94</td> <td>32.04</td> <td>100</td> <td>295</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5355.26	51.84	74.00	-22.16	38.11	34.83	10.94	32.04	100	295	PEAK	Blank
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																	
Freq	Level	Line	Level	Factor	Loss Factor																																				
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																	
1	5355.26	51.84	74.00	-22.16	38.11	34.83	10.94	32.04	100	295	PEAK																														
Avg	<table border="1" data-bbox="263 1798 742 1915"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5455.06</td> <td>42.46</td> <td>54.00</td> <td>-11.54</td> <td>28.71</td> <td>34.81</td> <td>11.10</td> <td>32.16</td> <td>100</td> <td>295</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5455.06	42.46	54.00	-11.54	28.71	34.81	11.10	32.16	100	295	AVERAGE	Blank
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																	
Freq	Level	Line	Level	Factor	Loss Factor																																				
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																	
1	5455.06	42.46	54.00	-11.54	28.71	34.81	11.10	32.16	100	295	AVERAGE																														



Mode	20																																																																	
	Band Edge - L																																																																	
	U-NII-1_5.15-5.25_802.11ac VHT40_CH46_5230MHz																																																																	
ANT	3																																																																	
Pol.	Vertical	Fundamental																																																																
Peak	<table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line (dB)</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th>cm</th> <th>deg</th> <th></th> </tr> <tr> <th>MHz dBuV/m dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5051.64 52.85 74.00 -21.15</td> <td>38.48</td> <td>34.89</td> <td>11.14</td> <td>31.66</td> <td>351</td> <td>262</td> <td>PEAK</td> </tr> </tbody> </table>	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq Level Line (dB)	Level Factor	Loss Factor			cm	deg		MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1 5051.64 52.85 74.00 -21.15	38.48	34.89	11.14	31.66	351	262	PEAK	<table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line (dB)</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th>cm</th> <th>deg</th> <th></th> </tr> <tr> <th>MHz dBuV/m dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5230.00 99.64 -</td> <td>85.63</td> <td>34.85</td> <td>11.04</td> <td>31.88</td> <td>351</td> <td>262</td> <td>PEAK</td> </tr> </tbody> </table>	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq Level Line (dB)	Level Factor	Loss Factor			cm	deg		MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1 5230.00 99.64 -	85.63	34.85	11.04	31.88	351	262	PEAK
	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																										
Freq Level Line (dB)	Level Factor	Loss Factor			cm	deg																																																												
MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																												
1 5051.64 52.85 74.00 -21.15	38.48	34.89	11.14	31.66	351	262	PEAK																																																											
Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																											
Freq Level Line (dB)	Level Factor	Loss Factor			cm	deg																																																												
MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																												
1 5230.00 99.64 -	85.63	34.85	11.04	31.88	351	262	PEAK																																																											
Avg	<table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line (dB)</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th>cm</th> <th>deg</th> <th></th> </tr> <tr> <th>MHz dBuV/m dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5035.56 43.11 54.00 -10.89</td> <td>28.71</td> <td>34.89</td> <td>11.15</td> <td>31.64</td> <td>351</td> <td>262</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq Level Line (dB)	Level Factor	Loss Factor			cm	deg		MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1 5035.56 43.11 54.00 -10.89	28.71	34.89	11.15	31.64	351	262	AVERAGE	<table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line (dB)</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th>cm</th> <th>deg</th> <th></th> </tr> <tr> <th>MHz dBuV/m dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5230.00 93.31 -</td> <td>79.30</td> <td>34.85</td> <td>11.04</td> <td>31.88</td> <td>351</td> <td>262</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq Level Line (dB)	Level Factor	Loss Factor			cm	deg		MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1 5230.00 93.31 -	79.30	34.85	11.04	31.88	351	262	AVERAGE
Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																											
Freq Level Line (dB)	Level Factor	Loss Factor			cm	deg																																																												
MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																												
1 5035.56 43.11 54.00 -10.89	28.71	34.89	11.15	31.64	351	262	AVERAGE																																																											
Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																											
Freq Level Line (dB)	Level Factor	Loss Factor			cm	deg																																																												
MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																												
1 5230.00 93.31 -	79.30	34.85	11.04	31.88	351	262	AVERAGE																																																											



Mode	20																																					
	Band Edge - R																																					
	U-NII-1_5.15-5.25_802.11ac VHT40_CH46_5230MHz																																					
ANT	3																																					
Pol.	Vertical	Fundamental																																				
Peak	<p>Date: 2023-10-20</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5389.76</td> <td>51.68</td> <td>74.00</td> <td>-22.32</td> <td>38.03</td> <td>34.82</td> <td>10.91</td> <td>32.08</td> <td>351 262 PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5389.76	51.68	74.00	-22.32	38.03	34.82	10.91	32.08	351 262 PEAK	Blank
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																														
Freq	Level	Line	Level	Factor	Loss Factor																																	
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																														
1 5389.76	51.68	74.00	-22.32	38.03	34.82	10.91	32.08	351 262 PEAK																														
Avg	<p>Date: 2023-10-20</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5459.22</td> <td>42.55</td> <td>54.00</td> <td>-11.45</td> <td>28.78</td> <td>34.81</td> <td>11.12</td> <td>32.16</td> <td>351 262 AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5459.22	42.55	54.00	-11.45	28.78	34.81	11.12	32.16	351 262 AVERAGE	Blank
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																														
Freq	Level	Line	Level	Factor	Loss Factor																																	
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																														
1 5459.22	42.55	54.00	-11.45	28.78	34.81	11.12	32.16	351 262 AVERAGE																														



	21																																																																															
Mode	Band Edge - L																																																																															
	U-NII-2A_5.25-5.35_802.11ac_VHT40_CH54_5270MHz																																																																															
ANT	3																																																																															
Pol.	Horizontal	Fundamental																																																																														
Peak	<p style="text-align: right;">Date: 2023-10-20</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5139.73</td> <td>52.35</td> <td>74.00</td> <td>-21.65</td> <td>38.16</td> <td>34.87</td> <td>11.09</td> <td>31.77</td> <td>100</td> <td>295</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5139.73	52.35	74.00	-21.65	38.16	34.87	11.09	31.77	100	295	PEAK	<p style="text-align: right;">Date: 2023-10-20</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5270.00</td> <td>96.57</td> <td>-----</td> <td>-----</td> <td>82.63</td> <td>34.85</td> <td>11.01</td> <td>31.92</td> <td>100</td> <td>295</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5270.00	96.57	-----	-----	82.63	34.85	11.01	31.92	100	295	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																							
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																									
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	5139.73	52.35	74.00	-21.65	38.16	34.87	11.09	31.77	100	295	PEAK																																																																					
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																									
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	5270.00	96.57	-----	-----	82.63	34.85	11.01	31.92	100	295	PEAK																																																																					
Avg	<p style="text-align: right;">Date: 2023-10-20</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5049.55</td> <td>43.39</td> <td>54.00</td> <td>-10.61</td> <td>29.02</td> <td>34.89</td> <td>11.14</td> <td>31.66</td> <td>100</td> <td>295</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5049.55	43.39	54.00	-10.61	29.02	34.89	11.14	31.66	100	295	AVERAGE	<p style="text-align: right;">Date: 2023-10-20</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5270.00</td> <td>90.13</td> <td>-----</td> <td>-----</td> <td>76.19</td> <td>34.85</td> <td>11.01</td> <td>31.92</td> <td>100</td> <td>295</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5270.00	90.13	-----	-----	76.19	34.85	11.01	31.92	100	295	AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																							
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																									
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	5049.55	43.39	54.00	-10.61	29.02	34.89	11.14	31.66	100	295	AVERAGE																																																																					
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																									
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	5270.00	90.13	-----	-----	76.19	34.85	11.01	31.92	100	295	AVERAGE																																																																					



	21																																	
Mode	Band Edge - R																																	
	U-NII-2A_5.25-5.35_802.11ac VHT40_CH54_5270MHz																																	
ANT	3																																	
Pol.	Horizontal	Fundamental																																
Peak	<p style="text-align: right;">Date: 2023-10-20</p> <table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line (dB)</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz dBuV/m dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5358.84 52.38 74.00 -21.62</td> <td>38.65</td> <td>34.83</td> <td>10.94</td> <td>32.04</td> <td>100</td> <td>295</td> <td>PEAK</td> </tr> </tbody> </table>		Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq Level Line (dB)	Level	Factor	Loss Factor					MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1 5358.84 52.38 74.00 -21.62	38.65	34.83	10.94	32.04	100	295	PEAK
	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																										
Freq Level Line (dB)	Level	Factor	Loss Factor																															
MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg																												
1 5358.84 52.38 74.00 -21.62	38.65	34.83	10.94	32.04	100	295	PEAK																											
Blank																																		
Avg	<p style="text-align: right;">Date: 2023-10-20</p> <table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line (dB)</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz dBuV/m dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5356.93 42.42 54.00 -11.58</td> <td>28.69</td> <td>34.83</td> <td>10.94</td> <td>32.04</td> <td>100</td> <td>295</td> <td>AVERAGE</td> </tr> </tbody> </table>		Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq Level Line (dB)	Level	Factor	Loss Factor					MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1 5356.93 42.42 54.00 -11.58	28.69	34.83	10.94	32.04	100	295	AVERAGE
	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																										
Freq Level Line (dB)	Level	Factor	Loss Factor																															
MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg																												
1 5356.93 42.42 54.00 -11.58	28.69	34.83	10.94	32.04	100	295	AVERAGE																											
Blank																																		



	21																																																																															
Mode	Band Edge - L																																																																															
	U-NII-2A_5.25-5.35_802.11ac_VHT40_CH54_5270MHz																																																																															
ANT	3																																																																															
Pol.	Vertical	Fundamental																																																																														
Peak	<p style="text-align: right;">Date: 2023-10-20</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5021.76</td> <td>52.50</td> <td>74.00</td> <td>-21.50</td> <td>38.06</td> <td>34.90</td> <td>11.16</td> <td>31.62</td> <td>342</td> <td>265</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5021.76	52.50	74.00	-21.50	38.06	34.90	11.16	31.62	342	265	PEAK	<p style="text-align: right;">Date: 2023-10-20</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5270.00</td> <td>100.21</td> <td>-----</td> <td>-----</td> <td>86.28</td> <td>34.85</td> <td>11.01</td> <td>31.93</td> <td>342</td> <td>265</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5270.00	100.21	-----	-----	86.28	34.85	11.01	31.93	342	265	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																							
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																									
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	5021.76	52.50	74.00	-21.50	38.06	34.90	11.16	31.62	342	265	PEAK																																																																					
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																									
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	5270.00	100.21	-----	-----	86.28	34.85	11.01	31.93	342	265	PEAK																																																																					
Avg	<p style="text-align: right;">Date: 2023-10-20</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5066.85</td> <td>43.25</td> <td>54.00</td> <td>-10.75</td> <td>28.91</td> <td>34.89</td> <td>11.13</td> <td>31.68</td> <td>342</td> <td>265</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5066.85	43.25	54.00	-10.75	28.91	34.89	11.13	31.68	342	265	AVERAGE	<p style="text-align: right;">Date: 2023-10-20</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5270.00</td> <td>93.31</td> <td>-----</td> <td>-----</td> <td>79.38</td> <td>34.85</td> <td>11.01</td> <td>31.93</td> <td>342</td> <td>265</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5270.00	93.31	-----	-----	79.38	34.85	11.01	31.93	342	265	AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																									
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	5066.85	43.25	54.00	-10.75	28.91	34.89	11.13	31.68	342	265	AVERAGE																																																																					
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																									
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	5270.00	93.31	-----	-----	79.38	34.85	11.01	31.93	342	265	AVERAGE																																																																					



	21																																
Mode	Band Edge - R																																
	U-NII-2A_5.25-5.35_802.11ac VHT40_CH54_5270MHz																																
ANT	3																																
Pol.	Vertical	Fundamental																															
Peak																																	
	<table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line (dB)</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th></th> <th>cm</th> <th>deg</th> <th></th> </tr> <tr> <th>MHz dBuV/m dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5435.79 51.59 74.00 -22.41</td> <td>37.90</td> <td>34.81</td> <td>11.02</td> <td>32.14</td> <td>342</td> <td>265</td> <td>PEAK</td> </tr> </tbody> </table>		Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq Level Line (dB)	Level Factor	Loss Factor	Loss Factor		cm	deg		MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1 5435.79 51.59 74.00 -22.41	37.90	34.81	11.02	32.14	342	265
Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																										
Freq Level Line (dB)	Level Factor	Loss Factor	Loss Factor		cm	deg																											
MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg																											
1 5435.79 51.59 74.00 -22.41	37.90	34.81	11.02	32.14	342	265	PEAK																										
Avg																																	
	<table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line (dB)</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th></th> <th>cm</th> <th>deg</th> <th></th> </tr> <tr> <th>MHz dBuV/m dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5356.75 42.71 54.00 -11.29</td> <td>28.98</td> <td>34.83</td> <td>10.94</td> <td>32.04</td> <td>342</td> <td>265</td> <td>AVERAGE</td> </tr> </tbody> </table>		Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq Level Line (dB)	Level Factor	Loss Factor	Loss Factor		cm	deg		MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1 5356.75 42.71 54.00 -11.29	28.98	34.83	10.94	32.04	342	265
Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																										
Freq Level Line (dB)	Level Factor	Loss Factor	Loss Factor		cm	deg																											
MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg																											
1 5356.75 42.71 54.00 -11.29	28.98	34.83	10.94	32.04	342	265	AVERAGE																										



	22																																																																															
Mode	Band Edge - L																																																																															
	U-NII-2A_5.25-5.35_802.11ac_VHT40_CH62_5310MHz																																																																															
ANT	3																																																																															
Pol.	Horizontal	Fundamental																																																																														
Peak	<p style="text-align: right;">Date: 2023-10-20</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5043.25</td> <td>52.88</td> <td>74.00</td> <td>-21.12</td> <td>38.49</td> <td>34.89</td> <td>11.15</td> <td>31.65</td> <td>234</td> <td>296</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5043.25	52.88	74.00	-21.12	38.49	34.89	11.15	31.65	234	296	PEAK	<p style="text-align: right;">Date: 2023-10-20</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5310.00</td> <td>97.13</td> <td>-----</td> <td>-----</td> <td>83.31</td> <td>34.84</td> <td>10.97</td> <td>31.99</td> <td>234</td> <td>296</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5310.00	97.13	-----	-----	83.31	34.84	10.97	31.99	234	296	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																							
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																										
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	5043.25	52.88	74.00	-21.12	38.49	34.89	11.15	31.65	234	296	PEAK																																																																					
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																										
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	5310.00	97.13	-----	-----	83.31	34.84	10.97	31.99	234	296	PEAK																																																																					
Avg	<p style="text-align: right;">Date: 2023-10-20</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5069.94</td> <td>43.49</td> <td>54.00</td> <td>-10.51</td> <td>29.15</td> <td>34.89</td> <td>11.13</td> <td>31.68</td> <td>234</td> <td>296</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5069.94	43.49	54.00	-10.51	29.15	34.89	11.13	31.68	234	296	AVERAGE	<p style="text-align: right;">Date: 2023-10-20</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5310.00</td> <td>90.46</td> <td>-----</td> <td>-----</td> <td>76.63</td> <td>34.84</td> <td>10.97</td> <td>31.98</td> <td>234</td> <td>296</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5310.00	90.46	-----	-----	76.63	34.84	10.97	31.98	234	296	AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																										
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	5069.94	43.49	54.00	-10.51	29.15	34.89	11.13	31.68	234	296	AVERAGE																																																																					
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																										
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	5310.00	90.46	-----	-----	76.63	34.84	10.97	31.98	234	296	AVERAGE																																																																					



	22																																	
Mode	Band Edge - R																																	
	U-NII-2A_5.25-5.35_802.11ac VHT40_CH62_5310MHz																																	
ANT	3																																	
Pol.	Horizontal	Fundamental																																
Peak	<p style="text-align: right;">Date: 2023-10-20</p> <table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line (dB)</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th>cm</th> <th>deg</th> <th></th> </tr> <tr> <th>MHz dBuV/m dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5355.23 52.77 74.00 -21.23</td> <td>39.04</td> <td>34.83</td> <td>10.94</td> <td>32.04</td> <td>234</td> <td>296</td> <td>PEAK</td> </tr> </tbody> </table>		Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq Level Line (dB)	Level	Factor	Loss Factor		cm	deg		MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1 5355.23 52.77 74.00 -21.23	39.04	34.83	10.94	32.04	234	296	PEAK
	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																										
Freq Level Line (dB)	Level	Factor	Loss Factor		cm	deg																												
MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg																												
1 5355.23 52.77 74.00 -21.23	39.04	34.83	10.94	32.04	234	296	PEAK																											
Avg	<p style="text-align: right;">Date: 2023-10-20</p> <table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line (dB)</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th>cm</th> <th>deg</th> <th></th> </tr> <tr> <th>MHz dBuV/m dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5351.04 44.31 54.00 -9.69</td> <td>30.57</td> <td>34.83</td> <td>10.94</td> <td>32.03</td> <td>234</td> <td>296</td> <td>AVERAGE</td> </tr> </tbody> </table>		Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq Level Line (dB)	Level	Factor	Loss Factor		cm	deg		MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1 5351.04 44.31 54.00 -9.69	30.57	34.83	10.94	32.03	234	296	AVERAGE
	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																										
Freq Level Line (dB)	Level	Factor	Loss Factor		cm	deg																												
MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg																												
1 5351.04 44.31 54.00 -9.69	30.57	34.83	10.94	32.03	234	296	AVERAGE																											



		22																																																																	
Mode	Band Edge - L																																																																		
	U-NII-2A_5.25-5.35_802.11ac_VHT40_CH62_5310MHz																																																																		
ANT	3																																																																		
Pol.	Vertical	Fundamental																																																																	
Peak	<table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line (dB)</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th>cm</th> <th>deg</th> <th></th> </tr> <tr> <th>MHz dBuV/m dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5025.89 52.24 74.00 -21.76</td> <td>37.83</td> <td>34.89</td> <td>11.15</td> <td>31.63</td> <td>322</td> <td>267</td> <td>PEAK</td> </tr> </tbody> </table>	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq Level Line (dB)	Level Factor	Loss Factor			cm	deg		MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1 5025.89 52.24 74.00 -21.76	37.83	34.89	11.15	31.63	322	267	PEAK	<table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line (dB)</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th>cm</th> <th>deg</th> <th></th> </tr> <tr> <th>MHz dBuV/m dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5310.00 99.32</td> <td>85.49</td> <td>34.84</td> <td>10.97</td> <td>31.98</td> <td>322</td> <td>267</td> <td>PEAK</td> </tr> </tbody> </table>		Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq Level Line (dB)	Level Factor	Loss Factor			cm	deg		MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1 5310.00 99.32	85.49	34.84	10.97	31.98	322	267	PEAK
	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																											
Freq Level Line (dB)	Level Factor	Loss Factor			cm	deg																																																													
MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																													
1 5025.89 52.24 74.00 -21.76	37.83	34.89	11.15	31.63	322	267	PEAK																																																												
Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																												
Freq Level Line (dB)	Level Factor	Loss Factor			cm	deg																																																													
MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																													
1 5310.00 99.32	85.49	34.84	10.97	31.98	322	267	PEAK																																																												
Avg	<table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line (dB)</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th>cm</th> <th>deg</th> <th></th> </tr> <tr> <th>MHz dBuV/m dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5046.35 43.18 54.00 -10.82</td> <td>28.80</td> <td>34.89</td> <td>11.14</td> <td>31.65</td> <td>322</td> <td>267</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq Level Line (dB)	Level Factor	Loss Factor			cm	deg		MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1 5046.35 43.18 54.00 -10.82	28.80	34.89	11.14	31.65	322	267	AVERAGE	<table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line (dB)</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th>cm</th> <th>deg</th> <th></th> </tr> <tr> <th>MHz dBuV/m dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5310.00 93.07</td> <td>79.24</td> <td>34.84</td> <td>10.97</td> <td>31.98</td> <td>322</td> <td>267</td> <td>AVERAGE</td> </tr> </tbody> </table>		Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq Level Line (dB)	Level Factor	Loss Factor			cm	deg		MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1 5310.00 93.07	79.24	34.84	10.97	31.98	322	267	AVERAGE
	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																											
Freq Level Line (dB)	Level Factor	Loss Factor			cm	deg																																																													
MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																													
1 5046.35 43.18 54.00 -10.82	28.80	34.89	11.14	31.65	322	267	AVERAGE																																																												
Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																												
Freq Level Line (dB)	Level Factor	Loss Factor			cm	deg																																																													
MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																													
1 5310.00 93.07	79.24	34.84	10.97	31.98	322	267	AVERAGE																																																												



	22																																								
Mode	Band Edge - R																																								
	U-NII-2A_5.25-5.35_802.11ac_VHT40_CH62_5310MHz																																								
ANT	3																																								
Pol.	Vertical	Fundamental																																							
Peak	<p style="text-align: right;">Date: 2023-10-20</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5352.23</td> <td>54.74</td> <td>74.00</td> <td>-19.26</td> <td>41.00</td> <td>34.83</td> <td>10.94</td> <td>32.03</td> <td>322</td> <td>267</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5352.23	54.74	74.00	-19.26	41.00	34.83	10.94	32.03	322	267	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																
Freq	Level	Line	Level	Factor	Loss Factor																																				
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																	
1	5352.23	54.74	74.00	-19.26	41.00	34.83	10.94	32.03	322	267	PEAK																														
Blank																																									
Avg	<p style="text-align: right;">Date: 2023-10-20</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5350.59</td> <td>45.29</td> <td>54.00</td> <td>-8.71</td> <td>31.55</td> <td>34.83</td> <td>10.94</td> <td>32.03</td> <td>322</td> <td>267</td> <td>AVERAGE</td> </tr> </tbody> </table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5350.59	45.29	54.00	-8.71	31.55	34.83	10.94	32.03	322	267	AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																
Freq	Level	Line	Level	Factor	Loss Factor																																				
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																	
1	5350.59	45.29	54.00	-8.71	31.55	34.83	10.94	32.03	322	267	AVERAGE																														
Blank																																									



	23																																																																																											
Mode	Band Edge - L																																																																																											
	U-NII-2C_5.47-5.725_802.11ac_VHT40_CH102_5510MHz																																																																																											
ANT	3																																																																																											
Pol.	Horizontal	Fundamental																																																																																										
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5455.52</td> <td>52.45</td> <td>74.00</td> <td>-21.55</td> <td>38.70</td> <td>34.81</td> <td>11.10</td> <td>32.16</td> <td>224</td> <td>294</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5469.30</td> <td>56.98</td> <td>68.30</td> <td>-11.32</td> <td>43.19</td> <td>34.81</td> <td>11.16</td> <td>32.18</td> <td>224</td> <td>294</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5455.52	52.45	74.00	-21.55	38.70	34.81	11.10	32.16	224	294	PEAK	2	5469.30	56.98	68.30	-11.32	43.19	34.81	11.16	32.18	224	294	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5510.00</td> <td>96.13</td> <td>-----</td> <td>-----</td> <td>82.22</td> <td>34.81</td> <td>11.32</td> <td>32.22</td> <td>224</td> <td>293</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5510.00	96.13	-----	-----	82.22	34.81	11.32	32.22	224	293	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																					
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	5455.52	52.45	74.00	-21.55	38.70	34.81	11.10	32.16	224	294	PEAK																																																																																	
2	5469.30	56.98	68.30	-11.32	43.19	34.81	11.16	32.18	224	294	PEAK																																																																																	
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																					
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	5510.00	96.13	-----	-----	82.22	34.81	11.32	32.22	224	293	PEAK																																																																																	
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5459.84</td> <td>44.61</td> <td>54.00</td> <td>-9.39</td> <td>30.85</td> <td>34.81</td> <td>11.12</td> <td>32.17</td> <td>224</td> <td>293</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5459.84	44.61	54.00	-9.39	30.85	34.81	11.12	32.17	224	293	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5510.00</td> <td>88.76</td> <td>-----</td> <td>-----</td> <td>74.85</td> <td>34.81</td> <td>11.32</td> <td>32.22</td> <td>224</td> <td>293</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5510.00	88.76	-----	-----	74.85	34.81	11.32	32.22	224	293	AVERAGE												
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																					
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	5459.84	44.61	54.00	-9.39	30.85	34.81	11.12	32.17	224	293	AVERAGE																																																																																	
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																					
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	5510.00	88.76	-----	-----	74.85	34.81	11.32	32.22	224	293	AVERAGE																																																																																	



Mode	23																																							
	Band Edge - R																																							
	U-NII-2C_5.47-5.725_802.11ac VHT40_CH102_5510MHz																																							
ANT	3																																							
Pol.	Horizontal	Fundamental																																						
Peak	<p>Date: 2023-10-20</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5759.77</td> <td>51.26</td> <td>68.30</td> <td>-17.04</td> <td>36.87</td> <td>35.16</td> <td>11.64</td> <td>32.41</td> <td>224</td> <td>293 PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5759.77	51.26	68.30	-17.04	36.87	35.16	11.64	32.41	224	293 PEAK	Blank
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																	
Freq	Level	Line	Level	Factor	Loss Factor			Remark																																
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																
1	5759.77	51.26	68.30	-17.04	36.87	35.16	11.64	32.41	224	293 PEAK																														



		23																																																																																											
Mode		Band Edge - L																																																																																											
		U-NII-2C_5.47-5.725_802.11ac_VHT40_CH102_5510MHz																																																																																											
ANT		3																																																																																											
Pol.		Vertical	Fundamental																																																																																										
Peak		<p style="text-align: right;">Date: 2023-10-20</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5459.84</td> <td>52.66</td> <td>74.00</td> <td>-21.34</td> <td>38.90</td> <td>34.81</td> <td>11.12</td> <td>32.17</td> <td>315</td> <td>267</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5468.18</td> <td>56.39</td> <td>68.30</td> <td>-11.91</td> <td>42.61</td> <td>34.81</td> <td>11.15</td> <td>32.18</td> <td>315</td> <td>267</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5459.84	52.66	74.00	-21.34	38.90	34.81	11.12	32.17	315	267	PEAK	2	5468.18	56.39	68.30	-11.91	42.61	34.81	11.15	32.18	315	267	PEAK	<p style="text-align: right;">Date: 2023-10-20</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5510.00</td> <td>96.47</td> <td>-----</td> <td>-----</td> <td>82.56</td> <td>34.81</td> <td>11.32</td> <td>32.22</td> <td>315</td> <td>267</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5510.00	96.47	-----	-----	82.56	34.81	11.32	32.22	315	267	PEAK
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																					
Freq	Level	Line	Level	Factor	Loss Factor																																																																																								
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	5459.84	52.66	74.00	-21.34	38.90	34.81	11.12	32.17	315	267	PEAK																																																																																		
2	5468.18	56.39	68.30	-11.91	42.61	34.81	11.15	32.18	315	267	PEAK																																																																																		
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																					
Freq	Level	Line	Level	Factor	Loss Factor																																																																																								
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	5510.00	96.47	-----	-----	82.56	34.81	11.32	32.22	315	267	PEAK																																																																																		
Avg		<p style="text-align: right;">Date: 2023-10-20</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5458.72</td> <td>44.50</td> <td>54.00</td> <td>-9.50</td> <td>30.74</td> <td>34.81</td> <td>11.11</td> <td>32.16</td> <td>315</td> <td>267</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5458.72	44.50	54.00	-9.50	30.74	34.81	11.11	32.16	315	267	AVERAGE	<p style="text-align: right;">Date: 2023-10-20</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5510.00</td> <td>89.74</td> <td>-----</td> <td>-----</td> <td>75.83</td> <td>34.81</td> <td>11.32</td> <td>32.22</td> <td>315</td> <td>267</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5510.00	89.74	-----	-----	75.83	34.81	11.32	32.22	315	267	AVERAGE												
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																					
Freq	Level	Line	Level	Factor	Loss Factor																																																																																								
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	5458.72	44.50	54.00	-9.50	30.74	34.81	11.11	32.16	315	267	AVERAGE																																																																																		
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																					
Freq	Level	Line	Level	Factor	Loss Factor																																																																																								
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	5510.00	89.74	-----	-----	75.83	34.81	11.32	32.22	315	267	AVERAGE																																																																																		



Mode	23																																					
	Band Edge - R																																					
	U-NII-2C_5.47-5.725_802.11ac VHT40_CH102_5510MHz																																					
ANT	3																																					
Pol.	Vertical	Fundamental																																				
Peak	<p>Date: 2023-10-20</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5758.50</td> <td>52.56</td> <td>68.30</td> <td>-15.74</td> <td>38.17</td> <td>35.16</td> <td>11.64</td> <td>32.41</td> <td>315 267 PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5758.50	52.56	68.30	-15.74	38.17	35.16	11.64	32.41	315 267 PEAK	Blank
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																															
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark																														
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																														
1 5758.50	52.56	68.30	-15.74	38.17	35.16	11.64	32.41	315 267 PEAK																														



Mode	24																																																									
	Band Edge - L																																																									
	U-NII-2C_5.47-5.725_802.11ac VHT40_CH134_5670MHz																																																									
ANT	3																																																									
Pol.	Horizontal	Fundamental																																																								
Peak	<table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line (dB)</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5442.96 50.81 74.00 -23.19</td> <td>37.09</td> <td>34.81</td> <td>11.05</td> <td>32.14</td> <td>225</td> <td>299</td> <td>PEAK</td> </tr> <tr> <td>2 5461.84 51.04 68.30 -17.26</td> <td>37.27</td> <td>34.81</td> <td>11.13</td> <td>32.17</td> <td>225</td> <td>299</td> <td>PEAK</td> </tr> </tbody> </table>	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq Level Line (dB)	Level Factor	Loss Factor			cm	deg		1 5442.96 50.81 74.00 -23.19	37.09	34.81	11.05	32.14	225	299	PEAK	2 5461.84 51.04 68.30 -17.26	37.27	34.81	11.13	32.17	225	299	PEAK	<table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line (dB)</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5670.00 96.33</td> <td>-----</td> <td>81.95</td> <td>35.04</td> <td>11.68</td> <td>32.34</td> <td>225</td> <td>299 PEAK</td> </tr> </tbody> </table>	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq Level Line (dB)	Level Factor	Loss Factor			cm	deg		1 5670.00 96.33	-----	81.95	35.04	11.68	32.34	225	299 PEAK
	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																		
Freq Level Line (dB)	Level Factor	Loss Factor			cm	deg																																																				
1 5442.96 50.81 74.00 -23.19	37.09	34.81	11.05	32.14	225	299	PEAK																																																			
2 5461.84 51.04 68.30 -17.26	37.27	34.81	11.13	32.17	225	299	PEAK																																																			
Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																			
Freq Level Line (dB)	Level Factor	Loss Factor			cm	deg																																																				
1 5670.00 96.33	-----	81.95	35.04	11.68	32.34	225	299 PEAK																																																			
Avg	<table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line (dB)</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5458.35 42.39 54.00 -11.61</td> <td>28.63</td> <td>34.81</td> <td>11.11</td> <td>32.16</td> <td>225</td> <td>299</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq Level Line (dB)	Level Factor	Loss Factor			cm	deg		1 5458.35 42.39 54.00 -11.61	28.63	34.81	11.11	32.16	225	299	AVERAGE	<table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line (dB)</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5670.00 89.23</td> <td>-----</td> <td>74.85</td> <td>35.04</td> <td>11.68</td> <td>32.34</td> <td>225</td> <td>299 AVERAGE</td> </tr> </tbody> </table>	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq Level Line (dB)	Level Factor	Loss Factor			cm	deg		1 5670.00 89.23	-----	74.85	35.04	11.68	32.34	225	299 AVERAGE								
Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																			
Freq Level Line (dB)	Level Factor	Loss Factor			cm	deg																																																				
1 5458.35 42.39 54.00 -11.61	28.63	34.81	11.11	32.16	225	299	AVERAGE																																																			
Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																			
Freq Level Line (dB)	Level Factor	Loss Factor			cm	deg																																																				
1 5670.00 89.23	-----	74.85	35.04	11.68	32.34	225	299 AVERAGE																																																			



Mode	24																																					
	Band Edge - R																																					
	U-NII-2C_5.47-5.725_802.11ac VHT40_CH134_5670MHz																																					
ANT	3																																					
Pol.	Horizontal	Fundamental																																				
Peak	<p>Date: 2023-10-20</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5732.37</td> <td>52.82</td> <td>68.30</td> <td>-15.48</td> <td>38.43</td> <td>35.13</td> <td>11.65</td> <td>32.39</td> <td>225 299 PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5732.37	52.82	68.30	-15.48	38.43	35.13	11.65	32.39	225 299 PEAK	Blank
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																															
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark																														
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																														
1 5732.37	52.82	68.30	-15.48	38.43	35.13	11.65	32.39	225 299 PEAK																														



	24																																																									
Mode	Band Edge - L																																																									
	U-NII-2C_5.47-5.725_802.11ac_VHT40_CH134_5670MHz																																																									
ANT	3																																																									
Pol.	Vertical	Fundamental																																																								
Peak	<table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line (dB)</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5421.52 52.46 74.00 -21.54</td> <td>38.80</td> <td>34.82</td> <td>10.96</td> <td>32.12</td> <td>317</td> <td>266</td> <td>PEAK</td> </tr> <tr> <td>2 5462.51 50.32 68.30 -17.98</td> <td>36.55</td> <td>34.81</td> <td>11.13</td> <td>32.17</td> <td>317</td> <td>266</td> <td>PEAK</td> </tr> </tbody> </table>	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq Level Line (dB)	Level	Factor	Loss Factor		cm	deg		1 5421.52 52.46 74.00 -21.54	38.80	34.82	10.96	32.12	317	266	PEAK	2 5462.51 50.32 68.30 -17.98	36.55	34.81	11.13	32.17	317	266	PEAK	<table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line (dB)</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5670.00 97.01 -----</td> <td>82.64</td> <td>35.03</td> <td>11.68</td> <td>32.34</td> <td>317</td> <td>266</td> <td>PEAK</td> </tr> </tbody> </table>	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq Level Line (dB)	Level	Factor	Loss Factor		cm	deg		1 5670.00 97.01 -----	82.64	35.03	11.68	32.34	317	266	PEAK
	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																		
Freq Level Line (dB)	Level	Factor	Loss Factor		cm	deg																																																				
1 5421.52 52.46 74.00 -21.54	38.80	34.82	10.96	32.12	317	266	PEAK																																																			
2 5462.51 50.32 68.30 -17.98	36.55	34.81	11.13	32.17	317	266	PEAK																																																			
Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																			
Freq Level Line (dB)	Level	Factor	Loss Factor		cm	deg																																																				
1 5670.00 97.01 -----	82.64	35.03	11.68	32.34	317	266	PEAK																																																			
Avg	<table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line (dB)</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5440.72 42.37 54.00 -11.63</td> <td>28.66</td> <td>34.81</td> <td>11.04</td> <td>32.14</td> <td>317</td> <td>266</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq Level Line (dB)	Level	Factor	Loss Factor		cm	deg		1 5440.72 42.37 54.00 -11.63	28.66	34.81	11.04	32.14	317	266	AVERAGE	<table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line (dB)</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5670.00 89.77 -----</td> <td>75.40</td> <td>35.03</td> <td>11.68</td> <td>32.34</td> <td>317</td> <td>266</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq Level Line (dB)	Level	Factor	Loss Factor		cm	deg		1 5670.00 89.77 -----	75.40	35.03	11.68	32.34	317	266	AVERAGE								
	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																		
Freq Level Line (dB)	Level	Factor	Loss Factor		cm	deg																																																				
1 5440.72 42.37 54.00 -11.63	28.66	34.81	11.04	32.14	317	266	AVERAGE																																																			
Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																			
Freq Level Line (dB)	Level	Factor	Loss Factor		cm	deg																																																				
1 5670.00 89.77 -----	75.40	35.03	11.68	32.34	317	266	AVERAGE																																																			



Mode	24																																					
	Band Edge - R																																					
	U-NII-2C_5.47-5.725_802.11ac VHT40_CH134_5670MHz																																					
ANT	3																																					
Pol.	Vertical	Fundamental																																				
Peak	<p>Date: 2023-10-20</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5733.52</td> <td>52.79</td> <td>68.30</td> <td>-15.51</td> <td>38.40</td> <td>35.13</td> <td>11.65</td> <td>32.39</td> <td>317 266 PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5733.52	52.79	68.30	-15.51	38.40	35.13	11.65	32.39	317 266 PEAK	Blank
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																															
Freq	Level	Line	Level	Factor	Loss Factor			Remark																														
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																														
1 5733.52	52.79	68.30	-15.51	38.40	35.13	11.65	32.39	317 266 PEAK																														



		25																																																																																
Mode	Band Edge - L																																																																																	
	U-NII-1_5.15-5.25_802.11ac VHT80_CH42_5210MHz																																																																																	
ANT	3																																																																																	
Pol.	Horizontal	Fundamental																																																																																
Peak	<p style="text-align: right;">Date: 2023-10-20</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5148.81</td> <td>56.95</td> <td>74.00</td> <td>-17.05</td> <td>42.76</td> <td>34.87</td> <td>11.09</td> <td>31.77</td> <td>229</td> <td>295</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dB	dB/m	dB	dB	cm	deg	1	5148.81	56.95	74.00	-17.05	42.76	34.87	11.09	31.77	229	295	PEAK	<p style="text-align: right;">Date: 2023-10-20</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5210.00</td> <td>94.50</td> <td>-----</td> <td>-----</td> <td>80.44</td> <td>34.86</td> <td>11.05</td> <td>31.85</td> <td>229</td> <td>295</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dB	dB/m	dB	dB	cm	deg	1	5210.00	94.50	-----	-----	80.44	34.86	11.05	31.85	229	295	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																									
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dB	dB/m	dB	dB	cm	deg																																																																									
1	5148.81	56.95	74.00	-17.05	42.76	34.87	11.09	31.77	229	295	PEAK																																																																							
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dB	dB/m	dB	dB	cm	deg																																																																									
1	5210.00	94.50	-----	-----	80.44	34.86	11.05	31.85	229	295	PEAK																																																																							
Avg	<p style="text-align: right;">Date: 2023-10-20</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5147.34</td> <td>47.66</td> <td>54.00</td> <td>-6.34</td> <td>33.48</td> <td>34.87</td> <td>11.09</td> <td>31.78</td> <td>229</td> <td>295</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dB	dB/m	dB	dB	cm	deg	1	5147.34	47.66	54.00	-6.34	33.48	34.87	11.09	31.78	229	295	AVERAGE	<p style="text-align: right;">Date: 2023-10-20</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5210.00</td> <td>87.81</td> <td>-----</td> <td>-----</td> <td>73.75</td> <td>34.86</td> <td>11.05</td> <td>31.85</td> <td>229</td> <td>295</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dB	dB/m	dB	dB	cm	deg	1	5210.00	87.81	-----	-----	73.75	34.86	11.05	31.85	229	295	AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dB	dB/m	dB	dB	cm	deg																																																																									
1	5147.34	47.66	54.00	-6.34	33.48	34.87	11.09	31.78	229	295	AVERAGE																																																																							
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dB	dB/m	dB	dB	cm	deg																																																																									
1	5210.00	87.81	-----	-----	73.75	34.86	11.05	31.85	229	295	AVERAGE																																																																							



	25																																							
Mode	Band Edge - R																																							
	U-NII-1_5.15-5.25_802.11ac VHT80_CH42_5210MHz																																							
ANT	3																																							
Pol.	Horizontal	Fundamental																																						
Peak																																								
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5452.15</td> <td>51.36</td> <td>74.00</td> <td>-22.64</td> <td>37.62</td> <td>34.81</td> <td>11.09</td> <td>32.16</td> <td>229</td> <td>295</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5452.15	51.36	74.00	-22.64	37.62	34.81	11.09	32.16	229	295
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																
Freq	Level	Line	Level	Factor	Loss Factor																																			
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																
1	5452.15	51.36	74.00	-22.64	37.62	34.81	11.09	32.16	229	295	PEAK																													
Avg																																								
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5351.38</td> <td>42.20</td> <td>54.00</td> <td>-11.80</td> <td>28.46</td> <td>34.83</td> <td>10.94</td> <td>32.03</td> <td>229</td> <td>295</td> <td>AVERAGE</td> </tr> </tbody> </table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5351.38	42.20	54.00	-11.80	28.46	34.83	10.94	32.03	229	295
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																
Freq	Level	Line	Level	Factor	Loss Factor																																			
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																
1	5351.38	42.20	54.00	-11.80	28.46	34.83	10.94	32.03	229	295	AVERAGE																													



		25																																																																														
Mode	Band Edge - L																																																																															
	U-NII-1_5.15-5.25_802.11ac VHT80_CH42_5210MHz																																																																															
ANT	3																																																																															
Pol.	Vertical	Fundamental																																																																														
Peak	<p style="text-align: right;">Date: 2023-10-20</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5147.34</td> <td>59.75</td> <td>74.00</td> <td>-14.25</td> <td>45.57</td> <td>34.87</td> <td>11.09</td> <td>31.78</td> <td>228</td> <td>282</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5147.34	59.75	74.00	-14.25	45.57	34.87	11.09	31.78	228	282	PEAK	<p style="text-align: right;">Date: 2023-10-20</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5210.00</td> <td>97.04</td> <td>-----</td> <td>-----</td> <td>82.98</td> <td>34.86</td> <td>11.05</td> <td>31.85</td> <td>228</td> <td>282</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5210.00	97.04	-----	-----	82.98	34.86	11.05	31.85	228	282	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																							
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																										
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	5147.34	59.75	74.00	-14.25	45.57	34.87	11.09	31.78	228	282	PEAK																																																																					
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																										
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	5210.00	97.04	-----	-----	82.98	34.86	11.05	31.85	228	282	PEAK																																																																					
Avg	<p style="text-align: right;">Date: 2023-10-20</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5147.55</td> <td>50.25</td> <td>54.00</td> <td>-3.75</td> <td>36.07</td> <td>34.87</td> <td>11.09</td> <td>31.78</td> <td>228</td> <td>282</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5147.55	50.25	54.00	-3.75	36.07	34.87	11.09	31.78	228	282	AVERAGE	<p style="text-align: right;">Date: 2023-10-20</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5210.00</td> <td>90.20</td> <td>-----</td> <td>-----</td> <td>76.14</td> <td>34.86</td> <td>11.05</td> <td>31.85</td> <td>228</td> <td>282</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5210.00	90.20	-----	-----	76.14	34.86	11.05	31.85	228	282	AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																										
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	5147.55	50.25	54.00	-3.75	36.07	34.87	11.09	31.78	228	282	AVERAGE																																																																					
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																										
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	5210.00	90.20	-----	-----	76.14	34.86	11.05	31.85	228	282	AVERAGE																																																																					



	25																																								
Mode	Band Edge - R																																								
	U-NII-1_5.15-5.25_802.11ac VHT80_CH42_5210MHz																																								
ANT	3																																								
Pol.	Vertical	Fundamental																																							
Peak	<p style="text-align: right;">Date: 2023-10-20</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5409.65</td> <td>51.49</td> <td>74.00</td> <td>-22.51</td> <td>37.86</td> <td>34.82</td> <td>10.91</td> <td>32.10</td> <td>228</td> <td>282</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5409.65	51.49	74.00	-22.51	37.86	34.82	10.91	32.10	228	282	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																
Freq	Level	Line	Level	Factor	Loss Factor																																				
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																	
1	5409.65	51.49	74.00	-22.51	37.86	34.82	10.91	32.10	228	282	PEAK																														
Blank																																									
Avg	<p style="text-align: right;">Date: 2023-10-20</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5356.88</td> <td>42.22</td> <td>54.00</td> <td>-11.78</td> <td>28.49</td> <td>34.83</td> <td>10.94</td> <td>32.04</td> <td>228</td> <td>282</td> <td>AVERAGE</td> </tr> </tbody> </table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5356.88	42.22	54.00	-11.78	28.49	34.83	10.94	32.04	228	282	AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																
Freq	Level	Line	Level	Factor	Loss Factor																																				
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																	
1	5356.88	42.22	54.00	-11.78	28.49	34.83	10.94	32.04	228	282	AVERAGE																														
Blank																																									



		26																																																																														
Mode	Band Edge - L																																																																															
	U-NII-2A_5.25-5.35_802.11ac_VHT80_CH58_5290MHz																																																																															
ANT	3																																																																															
Pol.	Horizontal	Fundamental																																																																														
Peak																																																																																
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5096.43</td> <td>52.22</td> <td>74.00</td> <td>-21.78</td> <td>37.94</td> <td>34.88</td> <td>11.12</td> <td>31.72</td> <td>223</td> <td>297</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5096.43	52.22	74.00	-21.78	37.94	34.88	11.12	31.72	223	297	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5290.00</td> <td>95.86</td> <td>-----</td> <td>-----</td> <td>81.96</td> <td>34.84</td> <td>11.00</td> <td>31.94</td> <td>223</td> <td>297</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5290.00	95.86	-----	-----	81.96	34.84	11.00	31.94	223	297
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	Level	Factor	Loss Factor																																																																											
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	5096.43	52.22	74.00	-21.78	37.94	34.88	11.12	31.72	223	297	PEAK																																																																					
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	Level	Factor	Loss Factor																																																																											
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	5290.00	95.86	-----	-----	81.96	34.84	11.00	31.94	223	297	PEAK																																																																					
Avg																																																																																
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5134.44</td> <td>43.44</td> <td>54.00</td> <td>-10.56</td> <td>29.24</td> <td>34.87</td> <td>11.09</td> <td>31.76</td> <td>223</td> <td>297</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5134.44	43.44	54.00	-10.56	29.24	34.87	11.09	31.76	223	297	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5290.00</td> <td>89.48</td> <td>-----</td> <td>-----</td> <td>75.61</td> <td>34.84</td> <td>10.99</td> <td>31.96</td> <td>223</td> <td>297</td> <td>AVERAGE</td> </tr> </tbody> </table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5290.00	89.48	-----	-----	75.61	34.84	10.99	31.96	223	297
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	Level	Factor	Loss Factor																																																																											
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	5134.44	43.44	54.00	-10.56	29.24	34.87	11.09	31.76	223	297	AVERAGE																																																																					
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	Level	Factor	Loss Factor																																																																											
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	5290.00	89.48	-----	-----	75.61	34.84	10.99	31.96	223	297	AVERAGE																																																																					



	26																																							
Mode	Band Edge - R																																							
	U-NII-2A_5.25-5.35_802.11ac VHT80_CH58_5290MHz																																							
ANT	3																																							
Pol.	Horizontal	Fundamental																																						
Peak																																								
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5362.51</td> <td>58.64</td> <td>74.00</td> <td>-15.36</td> <td>44.92</td> <td>34.83</td> <td>10.93</td> <td>32.04</td> <td>223</td> <td>297</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5362.51	58.64	74.00	-15.36	44.92	34.83	10.93	32.04	223	297
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																
Freq	Level	Line	Level	Factor	Loss Factor																																			
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																
1	5362.51	58.64	74.00	-15.36	44.92	34.83	10.93	32.04	223	297	PEAK																													
Avg																																								
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5359.12</td> <td>47.68</td> <td>54.00</td> <td>-6.32</td> <td>33.95</td> <td>34.83</td> <td>10.94</td> <td>32.04</td> <td>223</td> <td>297</td> <td>AVERAGE</td> </tr> </tbody> </table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5359.12	47.68	54.00	-6.32	33.95	34.83	10.94	32.04	223	297
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																
Freq	Level	Line	Level	Factor	Loss Factor																																			
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																
1	5359.12	47.68	54.00	-6.32	33.95	34.83	10.94	32.04	223	297	AVERAGE																													



		26																																																																															
Mode	Band Edge - L																																																																																
	U-NII-2A_5.25-5.35_802.11ac_VHT80_CH58_5290MHz																																																																																
ANT	3																																																																																
Pol.	Vertical	Fundamental																																																																															
Peak																																																																																	
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5095.27</td> <td>52.28</td> <td>74.00</td> <td>-21.72</td> <td>37.99</td> <td>34.88</td> <td>11.12</td> <td>31.71</td> <td>219</td> <td>281</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5095.27	52.28	74.00	-21.72	37.99	34.88	11.12	31.71	219	281	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5290.00</td> <td>97.61</td> <td>-----</td> <td>-----</td> <td>83.71</td> <td>34.84</td> <td>11.00</td> <td>31.94</td> <td>219</td> <td>281</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5290.00	97.61	-----	-----	83.71	34.84	11.00	31.94	219	281
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																									
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																										
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	5095.27	52.28	74.00	-21.72	37.99	34.88	11.12	31.71	219	281	PEAK																																																																						
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																									
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																										
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	5290.00	97.61	-----	-----	83.71	34.84	11.00	31.94	219	281	PEAK																																																																						
Avg																																																																																	
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5130.38</td> <td>43.57</td> <td>54.00</td> <td>-10.43</td> <td>29.36</td> <td>34.87</td> <td>11.10</td> <td>31.76</td> <td>219</td> <td>281</td> <td>AVERAGE</td> </tr> </tbody> </table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5130.38	43.57	54.00	-10.43	29.36	34.87	11.10	31.76	219	281	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5290.00</td> <td>90.48</td> <td>-----</td> <td>-----</td> <td>76.61</td> <td>34.84</td> <td>10.99</td> <td>31.96</td> <td>219</td> <td>281</td> <td>AVERAGE</td> </tr> </tbody> </table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5290.00	90.48	-----	-----	76.61	34.84	10.99	31.96	219	281
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																									
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																										
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	5130.38	43.57	54.00	-10.43	29.36	34.87	11.10	31.76	219	281	AVERAGE																																																																						
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																									
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																										
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	5290.00	90.48	-----	-----	76.61	34.84	10.99	31.96	219	281	AVERAGE																																																																						



	26																																								
Mode	Band Edge - R																																								
	U-NII-2A_5.25-5.35_802.11ac_VHT80_CH58_5290MHz																																								
ANT	3																																								
Pol.	Vertical	Fundamental																																							
Peak	<p style="text-align: right;">Date: 2023-10-20</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5361.15</td> <td>58.57</td> <td>74.00</td> <td>-15.43</td> <td>44.84</td> <td>34.83</td> <td>10.94</td> <td>32.04</td> <td>219</td> <td>281</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5361.15	58.57	74.00	-15.43	44.84	34.83	10.94	32.04	219	281	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																		
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																	
1	5361.15	58.57	74.00	-15.43	44.84	34.83	10.94	32.04	219	281	PEAK																														
Avg	<p style="text-align: right;">Date: 2023-10-20</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5361.50</td> <td>49.06</td> <td>54.00</td> <td>-4.94</td> <td>35.33</td> <td>34.83</td> <td>10.94</td> <td>32.04</td> <td>219</td> <td>281</td> <td>AVERAGE</td> </tr> </tbody> </table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5361.50	49.06	54.00	-4.94	35.33	34.83	10.94	32.04	219	281	AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																		
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																	
1	5361.50	49.06	54.00	-4.94	35.33	34.83	10.94	32.04	219	281	AVERAGE																														



	27																																																																																											
Mode	Band Edge - L																																																																																											
	U-NII-2C_5.47-5.725_802.11ac_VHT80_CH106_5530MHz																																																																																											
ANT	3																																																																																											
Pol.	Horizontal	Fundamental																																																																																										
Peak	<p style="text-align: right;">Date: 2023-10-18</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5459.01</td> <td>58.92</td> <td>74.00</td> <td>-15.08</td> <td>45.15</td> <td>34.81</td> <td>11.12</td> <td>32.16</td> <td>224</td> <td>293</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5465.31</td> <td>59.65</td> <td>68.30</td> <td>-8.65</td> <td>45.87</td> <td>34.81</td> <td>11.14</td> <td>32.17</td> <td>224</td> <td>293</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5459.01	58.92	74.00	-15.08	45.15	34.81	11.12	32.16	224	293	PEAK	2	5465.31	59.65	68.30	-8.65	45.87	34.81	11.14	32.17	224	293	PEAK	<p style="text-align: right;">Date: 2023-10-18</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5530.00</td> <td>93.80</td> <td>-----</td> <td>-----</td> <td>79.77</td> <td>34.85</td> <td>11.42</td> <td>32.24</td> <td>224</td> <td>293</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5530.00	93.80	-----	-----	79.77	34.85	11.42	32.24	224	293	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																					
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	5459.01	58.92	74.00	-15.08	45.15	34.81	11.12	32.16	224	293	PEAK																																																																																	
2	5465.31	59.65	68.30	-8.65	45.87	34.81	11.14	32.17	224	293	PEAK																																																																																	
Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																					
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	5530.00	93.80	-----	-----	79.77	34.85	11.42	32.24	224	293	PEAK																																																																																	
Avg	<p style="text-align: right;">Date: 2023-10-18</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5458.61</td> <td>50.31</td> <td>54.00</td> <td>-3.69</td> <td>36.55</td> <td>34.81</td> <td>11.11</td> <td>32.16</td> <td>224</td> <td>293</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5458.61	50.31	54.00	-3.69	36.55	34.81	11.11	32.16	224	293	AVERAGE	<p style="text-align: right;">Date: 2023-10-18</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5530.00</td> <td>86.35</td> <td>-----</td> <td>-----</td> <td>72.44</td> <td>34.81</td> <td>11.32</td> <td>32.22</td> <td>224</td> <td>293</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5530.00	86.35	-----	-----	72.44	34.81	11.32	32.22	224	293	AVERAGE												
Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																					
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	5458.61	50.31	54.00	-3.69	36.55	34.81	11.11	32.16	224	293	AVERAGE																																																																																	
Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																					
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	5530.00	86.35	-----	-----	72.44	34.81	11.32	32.22	224	293	AVERAGE																																																																																	



Mode	27																																								
	Band Edge - R																																								
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH106_5530MHz																																								
ANT	3																																								
Pol.	Horizontal	Fundamental																																							
Peak	<p>Date: 2023-10-18</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5753.63</td> <td>52.68</td> <td>68.30</td> <td>-15.62</td> <td>38.29</td> <td>35.16</td> <td>11.64</td> <td>32.41</td> <td>224</td> <td>293</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5753.63	52.68	68.30	-15.62	38.29	35.16	11.64	32.41	224	293	PEAK	Blank
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark																																	
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																	
1	5753.63	52.68	68.30	-15.62	38.29	35.16	11.64	32.41	224	293	PEAK																														



	27																																																																									
Mode	Band Edge - L																																																																									
	U-NII-2C_5.47-5.725_802.11ac_VHT80_CH106_5530MHz																																																																									
ANT	3																																																																									
Pol.	Vertical	Fundamental																																																																								
Peak	<table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line (dB)</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>MHz dBuV/m dBuV/m</td> <td>dBuV</td> <td>dB/m</td> <td>dB</td> <td>dB</td> <td>cm</td> <td>deg</td> <td></td> </tr> <tr> <td>1 5459.98 57.31 74.00 -16.69 43.55 34.81 11.12 32.17 337 258 PEAK</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>2 5460.81 57.47 68.30 -10.83 43.71 34.81 11.12 32.17 337 258 PEAK</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq Level Line (dB)	Level Factor	Loss Factor			cm	deg		MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1 5459.98 57.31 74.00 -16.69 43.55 34.81 11.12 32.17 337 258 PEAK								2 5460.81 57.47 68.30 -10.83 43.71 34.81 11.12 32.17 337 258 PEAK								<table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line (dB)</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>MHz dBuV/m dBuV/m</td> <td>dBuV</td> <td>dB/m</td> <td>dB</td> <td>dB</td> <td>cm</td> <td>deg</td> <td></td> </tr> <tr> <td>1 5530.00 91.90 ----- 77.93 34.83 11.37 32.23 337 258 PEAK</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq Level Line (dB)	Level Factor	Loss Factor			cm	deg		MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1 5530.00 91.90 ----- 77.93 34.83 11.37 32.23 337 258 PEAK							
	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq Level Line (dB)	Level Factor	Loss Factor			cm	deg																																																																				
MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																				
1 5459.98 57.31 74.00 -16.69 43.55 34.81 11.12 32.17 337 258 PEAK																																																																										
2 5460.81 57.47 68.30 -10.83 43.71 34.81 11.12 32.17 337 258 PEAK																																																																										
Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq Level Line (dB)	Level Factor	Loss Factor			cm	deg																																																																				
MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																				
1 5530.00 91.90 ----- 77.93 34.83 11.37 32.23 337 258 PEAK																																																																										
Avg	<table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line (dB)</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>MHz dBuV/m dBuV/m</td> <td>dBuV</td> <td>dB/m</td> <td>dB</td> <td>dB</td> <td>cm</td> <td>deg</td> <td></td> </tr> <tr> <td>1 5457.66 48.19 54.00 -5.81 34.43 34.81 11.11 32.16 337 258 AVERAGE</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq Level Line (dB)	Level Factor	Loss Factor			cm	deg		MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1 5457.66 48.19 54.00 -5.81 34.43 34.81 11.11 32.16 337 258 AVERAGE								<table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line (dB)</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>MHz dBuV/m dBuV/m</td> <td>dBuV</td> <td>dB/m</td> <td>dB</td> <td>dB</td> <td>cm</td> <td>deg</td> <td></td> </tr> <tr> <td>1 5530.00 84.30 ----- 70.27 34.85 11.42 32.24 337 258 AVERAGE</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq Level Line (dB)	Level Factor	Loss Factor			cm	deg		MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1 5530.00 84.30 ----- 70.27 34.85 11.42 32.24 337 258 AVERAGE															
	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq Level Line (dB)	Level Factor	Loss Factor			cm	deg																																																																				
MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																				
1 5457.66 48.19 54.00 -5.81 34.43 34.81 11.11 32.16 337 258 AVERAGE																																																																										
Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq Level Line (dB)	Level Factor	Loss Factor			cm	deg																																																																				
MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																				
1 5530.00 84.30 ----- 70.27 34.85 11.42 32.24 337 258 AVERAGE																																																																										



Mode	27																																					
	Band Edge - R																																					
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH106_5530MHz																																					
ANT	3																																					
Pol.	Vertical	Fundamental																																				
Peak	<p>Date: 2023-10-18</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5739.03</td> <td>52.82</td> <td>68.30</td> <td>-15.48</td> <td>38.44</td> <td>35.13</td> <td>11.65</td> <td>32.40</td> <td>337 258 PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5739.03	52.82	68.30	-15.48	38.44	35.13	11.65	32.40	337 258 PEAK	Blank
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																														
Freq	Level	Line	Level	Factor	Loss Factor																																	
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																														
1 5739.03	52.82	68.30	-15.48	38.44	35.13	11.65	32.40	337 258 PEAK																														