






11AC40SISO_5755




11AC40SISO_5795








11AC80SISO_5530




11AC80SISO_5610






11AC80SISO_5690



11AC80SISO_5775







Min emission bandwidth for UNII-3


Test Result

TestMode	Freq(MHz)	6dB EBW [MHz]	FL[MHz]	FH[MHz]	Limit[MHz]	Verdict
11A	5745	15.32	5737.44	5752.76	0.5	PASS
	5785	15.28	5777.24	5792.52	0.5	PASS
	5825	15.08	5817.48	5832.56	0.5	PASS
11AC20SISO	5745	15.08	5737.48	5752.56	0.5	PASS
	5785	15.52	5777.24	5792.76	0.5	PASS
	5825	15.44	5817.12	5832.56	0.5	PASS
11AC40SISO	5755	35.04	5737.48	5772.52	0.5	PASS
	5795	35.12	5777.48	5812.60	0.5	PASS
11AC80SISO	5775	75.20	5737.40	5812.60	0.5	PASS




Test Graphs










11AC20SISO_5785



11AC20SISO_5825









Maximum power spectral density

Test Result

TestMode	Freq(MHz)	Result [dBm/MHz]	Limit[dBm/MHz]	Verdict
11A	5180	8.76	≤11.00	PASS
	5220	8.64	≤11.00	PASS
	5240	9.26	≤11.00	PASS
	5260	9.5	≤11.00	PASS
	5300	9.85	≤11.00	PASS
	5320	8.42	≤11.00	PASS
	5500	7.98	≤11.00	PASS
	5580	9.03	≤11.00	PASS
	5700	7.54	≤11.00	PASS
	5720_UNII-2C	7.85	≤11.00	PASS
	5720_UNII-3	2.91	≤30.00	PASS
	5745	3.57	≤30.00	PASS
	5785	6.39	≤30.00	PASS
	5825	5.27	≤30.00	PASS
11AC20 SISO	5180	8.43	≤11.00	PASS
	5220	8.4	≤11.00	PASS
	5240	9.02	≤11.00	PASS
	5260	9.17	≤11.00	PASS
	5300	9.51	≤11.00	PASS
	5320	8.18	≤11.00	PASS
	5500	8.11	≤11.00	PASS
	5580	6.29	≤11.00	PASS
	5700	7.37	≤11.00	PASS
	5720_UNII-2C	7.97	≤11.00	PASS
	5720_UNII-3	3.43	≤30.00	PASS
	5745	5.11	≤30.00	PASS
	5785	6.11	≤30.00	PASS
5825	5.03	≤30.00	PASS	
11AC40 SISO	5190	2.72	≤11.00	PASS
	5230	3.49	≤11.00	PASS
	5270	4.11	≤11.00	PASS
	5310	2.61	≤11.00	PASS
	5510	3.4	≤11.00	PASS
	5550	3.63	≤11.00	PASS






	5670	3.66	≤11.00	PASS
	5710_UNII-2C	3.41	≤11.00	PASS
	5710_UNII-3	-2.89	≤30.00	PASS
	5755	1.01	≤30.00	PASS
	5795	0.95	≤30.00	PASS
11AC80 SISO	5210	-1.63	≤11.00	PASS
	5290	-0.73	≤11.00	PASS
	5530	-1	≤11.00	PASS
	5610	0.64	≤11.00	PASS
	5690_UNII-2C	0.5	≤11.00	PASS
	5690_UNII-3	-5.63	≤30.00	PASS
	5775	-1.97	≤30.00	PASS

Note: 1.The Result and Limit Unit is dBm/500 kHz in the band 5.725–5.85 GHz.
2.The Duty Cycle Factor and is compensated in the graph.




Test Graphs










11A_5300





11A_5320















11AC20SISO_5180




11AC20SISO_5220






11AC20SISO_5240




11AC20SISO_5260







11AC20SISO_5300




11AC20SISO_5320









11AC20SISO_5700




11AC20SISO_5720_UNII-2C








11AC20SISO_5785




Date: 21.SEP.2023 21:43:48

11AC20SISO_5825




Date: 21.SEP.2023 21:45:04






11AC40SISO_5270




11AC40SISO_5310






11AC40SISO_5510




11AC40SISO_5550






11AC40SISO_5670




11AC40SISO_5710_UNII-2C






11AC40SISO_5710_UNII-3



Date: 21.SEP.2023 22:06:48


11AC40SISO_5755




Date: 21.SEP.2023 22:07:59



11AC40SISO_5795




11AC80SISO_5210






11AC80SISO_5290




11AC80SISO_5530






11AC80SISO_5610




11AC80SISO_5690_UNII-2C






11AC80SISO_5690_UNII-3




11AC80SISO_5775





Appendix B. AC Conducted Emission Test Results

Test Engineer :	Amos Zhang	Temperature :	25.3~26.2°C
		Relative Humidity :	38~40%
Test Voltage :	120Vac / 60Hz	Phase :	Line
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		




Site : CO01-KS
 Condition : 15E RSS247-QP LISN-060105-L 2023 LINE

	Freq	Level	Over	Limit	Read	LISN	Cable	Remark
	MHz	dBuV	Limit	Line	Level	Factor	Loss	
			dB	dBuV	dBuV	dB	dB	
1	0.497	37.78	-18.27	56.05	27.60	-0.03	10.21	QP
2	0.497	23.78	-22.27	46.05	13.60	-0.03	10.21	Average
3	0.654	40.31	-15.69	56.00	30.20	-0.06	10.17	QP
4	0.654	29.41	-16.59	46.00	19.30	-0.06	10.17	Average
5 *	0.727	40.68	-15.32	56.00	30.60	-0.07	10.15	QP
6	0.727	25.68	-20.32	46.00	15.60	-0.07	10.15	Average
7	1.065	35.90	-20.10	56.00	25.90	-0.10	10.10	QP
8	1.065	25.90	-20.10	46.00	15.90	-0.10	10.10	Average
9	2.794	33.57	-22.43	56.00	23.60	-0.09	10.06	QP
10	2.794	22.87	-23.13	46.00	12.90	-0.09	10.06	Average
11	19.532	42.47	-17.53	60.00	31.50	-0.35	11.32	QP
12	19.532	32.17	-17.83	50.00	21.20	-0.35	11.32	Average



Test Engineer :	Amos Zhang	Temperature :	25.3~26.2°C
		Relative Humidity :	38~40%
Test Voltage :	120Vac / 60Hz	Phase :	Neutral
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		



Site : CO01-KS
 Condition : 15E RSS247-QP LISN-060105-N 2023 NEUTRAL

	Freq	Level	Over	Limit	Read	LISN	Cable	Remark
	MHz	dBuV	Limit	Line	Level	Factor	Loss	
			dB	dBuV	dBuV	dB	dB	
1	0.505	38.94	-17.06	56.00	28.80	-0.07	10.21	QP
2	0.505	28.24	-17.76	46.00	18.10	-0.07	10.21	Average
3	0.589	41.62	-14.38	56.00	31.50	-0.07	10.19	QP
4	0.589	28.32	-17.68	46.00	18.20	-0.07	10.19	Average
5	0.654	39.70	-16.30	56.00	29.60	-0.07	10.17	QP
6	0.654	28.80	-17.20	46.00	18.70	-0.07	10.17	Average
7	1.242	36.59	-19.41	56.00	26.61	-0.11	10.09	QP
8	1.242	23.49	-22.51	46.00	13.51	-0.11	10.09	Average
9	4.746	32.43	-23.57	56.00	22.50	-0.13	10.06	QP
10	4.746	22.73	-23.27	46.00	12.80	-0.13	10.06	Average
11 *	18.328	46.38	-13.62	60.00	35.30	-0.22	11.30	QP
12	18.328	33.58	-16.42	50.00	22.50	-0.22	11.30	Average

Note:

- Level(dBμV) = Read Level(dBμV) + LISN Factor(dB) + Cable Loss(dB)
- Over Limit(dB) = Level(dBμV) – Limit Line(dBμV)



Appendix C. Radiated Spurious Emission Test Data

Test Engineer :	Koi Ji	Relative Humidity :	22 ~ 23 °C
		Temperature :	41 ~ 42 %

Radiated Spurious Emission Test Modes

Mode	Band	Band (GHz)	Modulation	Channel	Frequency	Data Rate	Remark
Mode 1	U-NII-1	5.15-5.25	802.11a	36	5180	6Mbps	-
Mode 2	U-NII-1	5.15-5.25	802.11a	44	5220	6Mbps	-
Mode 3	U-NII-1	5.15-5.25	802.11a	48	5240	6Mbps	-
Mode 4	U-NII-2A	5.25-5.35	802.11a	52	5260	6Mbps	-
Mode 5	U-NII-2A	5.25-5.35	802.11a	60	5300	6Mbps	-
Mode 6	U-NII-2A	5.25-5.35	802.11a	64	5320	6Mbps	-
Mode 7	U-NII-2C	5.47-5.725	802.11a	100	5500	6Mbps	-
Mode 8	U-NII-2C	5.47-5.725	802.11a	116	5580	6Mbps	-
Mode 9	U-NII-2C	5.47-5.725	802.11a	140	5700	6Mbps	-
Mode 10	U-NII-1	5.15-5.25	802.11ac VHT20	36	5180	MCS0	-
Mode 11	U-NII-1	5.15-5.25	802.11ac VHT20	44	5220	MCS0	-
Mode 12	U-NII-1	5.15-5.25	802.11ac VHT20	48	5240	MCS0	-
Mode 13	U-NII-2A	5.25-5.35	802.11ac VHT20	52	5260	MCS0	-
Mode 14	U-NII-2A	5.25-5.35	802.11ac VHT20	60	5300	MCS0	-
Mode 15	U-NII-2A	5.25-5.35	802.11ac VHT20	64	5320	MCS0	-
Mode 16	U-NII-2C	5.47-5.725	802.11ac VHT20	100	5500	MCS0	-
Mode 17	U-NII-2C	5.47-5.725	802.11ac VHT20	116	5580	MCS0	-
Mode 18	U-NII-2C	5.47-5.725	802.11ac VHT20	140	5700	MCS0	-
Mode 19	U-NII-1	5.15-5.25	802.11ac VHT40	38	5190	MCS0	-
Mode 20	U-NII-1	5.15-5.25	802.11ac VHT40	46	5230	MCS0	-
Mode 21	U-NII-2A	5.25-5.35	802.11ac VHT40	54	5270	MCS0	-
Mode 22	U-NII-2A	5.25-5.35	802.11ac VHT40	62	5310	MCS0	-
Mode 23	U-NII-2C	5.47-5.725	802.11ac VHT40	102	5510	MCS0	-
Mode 24	U-NII-2C	5.47-5.725	802.11ac VHT40	110	5550	MCS0	-
Mode 25	U-NII-2C	5.47-5.725	802.11ac VHT40	134	5670	MCS0	-
Mode 26	U-NII-1	5.15-5.25	802.11ac VHT80	42	5210	MCS0	-
Mode 27	U-NII-2A	5.25-5.35	802.11ac VHT80	58	5290	MCS0	-



Mode 28	U-NII-2C	5.47-5.725	802.11ac VHT80	106	5530	MCS0	-
Mode 30	U-NII-3	5.725-5.85	802.11a	149	5745	6Mbps	-
Mode 31	U-NII-3	5.725-5.85	802.11a	157	5785	6Mbps	-
Mode 32	U-NII-3	5.725-5.85	802.11a	165	5825	6Mbps	-
Mode 33	U-NII-3	5.725-5.85	802.11ac VHT20	149	5745	MCS0	-
Mode 34	U-NII-3	5.725-5.85	802.11ac VHT20	157	5785	MCS0	-
Mode 35	U-NII-3	5.725-5.85	802.11ac VHT20	165	5825	MCS0	-
Mode 36	U-NII-3	5.725-5.85	802.11ac VHT40	151	5755	MCS0	-
Mode 37	U-NII-3	5.725-5.85	802.11ac VHT40	159	5795	MCS0	-
Mode 38	U-NII-3	5.725-5.85	802.11ac VHT80	155	5775	MCS0	-
Mode 29	U-NII-2C	5.47-5.725	802.11ac VHT80	122	5610	MCS0	-
Mode 39	U-NII-2C	5.47-5.85	802.11a	144	5720	6Mbps	-
Mode 40	U-NII-2C	5.47-5.85	802.11ac VHT20	144	5720	MCS0	-
Mode 41	U-NII-2C	5.47-5.85	802.11ac VHT40	142	5710	MCS0	-
Mode 42	U-NII-2C	5.47-5.85	802.11ac VHT80	138	5690	MCS0	-
Mode 43	U-NII-2A	5.25-5.35	802.11ac VHT80	58	5290	MCS0	-
Mode 39	U-NII-2C	5.47-5.85	802.11a	144	5720	6Mbps	-
Mode 40	U-NII-2C	5.47-5.85	802.11ac VHT20	144	5720	MCS0	-
Mode 41	U-NII-2C	5.47-5.85	802.11ac VHT40	142	5710	MCS0	-
Mode 42	U-NII-2C	5.47-5.85	802.11ac VHT80	138	5690	MCS0	-
Mode 43	U-NII-2A	5.25-5.35	802.11ac VHT80	58	5290	MCS0	-
	LTE Band 13 Link (BW=10M)						-



Summary of each worse mode

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
1	802.11a	36	5149.35	49.84	54.00	-4.16	H	AVERAGE	Pass	Band Edge
1	802.11a	36	15540.00	46.62	54.00	-7.38	V	AVERAGE	Pass	Harmonic
2	802.11a	44	-	-	-	-	-	-	-	Band Edge
2	802.11a	44	15660.00	47.68	54.00	-6.32	V	AVERAGE	Pass	Harmonic
3	802.11a	48	-	-	-	-	-	-	-	Band Edge
3	802.11a	48	15720.00	48.54	54.00	-5.46	V	AVERAGE	Pass	Harmonic
4	802.11a	52	-	-	-	-	-	-	-	Band Edge
4	802.11a	52	15780.00	48.07	54.00	-5.93	V	AVERAGE	Pass	Harmonic
5	802.11a	60	-	-	-	-	-	-	-	Band Edge
5	802.11a	60	15900.00	50.43	54.00	-3.57	H	AVERAGE	Pass	Harmonic
6	802.11a	64	5350.95	49.94	54.00	-4.06	H	AVERAGE	Pass	Band Edge
6	802.11a	64	15960.00	50.20	54.00	-3.80	V	AVERAGE	Pass	Harmonic
7	802.11a	100	5459.21	48.23	54.00	-5.77	H	AVERAGE	Pass	Band Edge
7	802.11a	100	16500.00	64.65	68.20	-3.55	H	PEAK	Pass	Harmonic
8	802.11a	116	-	-	-	-	-	-	-	Band Edge
8	802.11a	116	16740.00	64.89	68.20	-3.31	H	PEAK	Pass	Harmonic
9	802.11a	140	5725.20	62.11	68.20	-6.09	H	PEAK	Pass	Band Edge
9	802.11a	140	17100.00	64.70	68.20	-3.50	V	PEAK	Pass	Harmonic
10	802.11ac VHT20	36	5149.65	50.74	54.00	-3.26	H	AVERAGE	Pass	Band Edge
10	802.11ac VHT20	36	15540.00	46.34	54.00	-7.66	V	AVERAGE	Pass	Harmonic
11	802.11ac VHT20	44	-	-	-	-	-	-	-	Band Edge
11	802.11ac VHT20	44	15660.00	47.95	54.00	-6.05	V	AVERAGE	Pass	Harmonic
12	802.11ac VHT20	48	-	-	-	-	-	-	-	Band Edge
12	802.11ac VHT20	48	15720.00	47.72	54.00	-6.28	H	AVERAGE	Pass	Harmonic
13	802.11ac VHT20	52	-	-	-	-	-	-	-	Band Edge
13	802.11ac VHT20	52	15780.00	47.27	54.00	-6.73	V	AVERAGE	Pass	Harmonic
14	802.11ac VHT20	60	-	-	-	-	-	-	-	Band Edge
14	802.11ac VHT20	60	15900.00	48.89	54.00	-5.11	V	AVERAGE	Pass	Harmonic
15	802.11ac VHT20	64	5350.00	49.85	54.00	-4.15	H	AVERAGE	Pass	Band Edge
15	802.11ac VHT20	64	15960.00	50.46	54.00	-3.54	V	AVERAGE	Pass	Harmonic
16	802.11ac VHT20	100	5469.29	65.02	68.20	-3.18	H	PEAK	Pass	Band Edge
16	802.11ac VHT20	100	16500.00	64.11	68.20	-4.09	H	Peak	Pass	Harmonic



Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
17	802.11ac VHT20	116	-	-	-	-	-	-	-	Band Edge
17	802.11ac VHT20	116	16740.00	64.40	68.20	-3.80	H	PEAK	Pass	Harmonic
18	802.11ac VHT20	140	5726.00	64.17	68.20	-4.03	H	PEAK	Pass	Band Edge
18	802.11ac VHT20	140	17100.00	64.58	68.20	-3.62	V	PEAK	Pass	Harmonic
19	802.11ac VHT40	38	5149.85	50.52	54.00	-3.48	H	AVERAGE	Pass	Band Edge
19	802.11ac VHT40	38	15570.00	38.46	54.00	-15.54	V	AVERAGE	Pass	Harmonic
20	802.11ac VHT40	46	5102.65	47.97	54.00	-6.03	H	AVERAGE	Pass	Band Edge
20	802.11ac VHT40	46	15690.00	44.60	54.00	-9.40	V	AVERAGE	Pass	Harmonic
21	802.11ac VHT40	54	5046.85	48.22	54.00	-5.78	H	AVERAGE	Pass	Band Edge
21	802.11ac VHT40	54	15810.00	44.73	54.00	-9.27	V	AVERAGE	Pass	Harmonic
22	802.11ac VHT40	62	5350.25	50.79	54.00	-3.21	H	AVERAGE	Pass	Band Edge
22	802.11ac VHT40	62	15930.00	42.62	54.00	-11.38	V	AVERAGE	Pass	Harmonic
23	802.11ac VHT40	102	5469.77	64.62	68.20	-3.58	V	PEAK	Pass	Band Edge
23	802.11ac VHT40	102	16530.00	58.86	68.20	-9.34	V	PEAK	Pass	Harmonic
24	802.11ac VHT40	110	5450.11	47.30	54.00	-6.70	H	AVERAGE	Pass	Band Edge
24	802.11ac VHT40	110	16650.00	58.81	68.20	-9.39	H	PEAK	Pass	Harmonic
25	802.11ac VHT40	134	5457.29	47.03	54.00	-6.97	H	AVERAGE	Pass	Band Edge
25	802.11ac VHT40	134	17010.00	60.93	68.20	-7.27	V	PEAK	Pass	Harmonic
26	802.11ac VHT80	42	5149.53	50.66	54.00	-3.34	H	AVERAGE	Pass	Band Edge
26	802.11ac VHT80	42	10420.00	45.69	68.20	-22.51	V	PEAK	Pass	Harmonic
27	802.11ac VHT80	58	5354.25	50.91	54.00	-3.09	H	AVERAGE	Pass	Band Edge
27	802.11ac VHT80	58	15870.00	38.17	54.00	-15.83	V	AVERAGE	Pass	Harmonic
28	802.11ac VHT80	106	5469.13	64.71	68.20	-3.49	H	PEAK	Pass	Band Edge
28	802.11ac VHT80	106	16590.00	48.00	68.20	-20.20	V	PEAK	Pass	Harmonic
29	802.11ac VHT80	122	5450.57	47.92	54.00	-6.08	H	AVERAGE	Pass	Band Edge
29	802.11ac VHT80	122	16830.00	56.09	68.20	-12.11	V	PEAK	Pass	Harmonic
30	802.11a	149	5627.20	57.69	68.20	-10.51	H	PEAK	Pass	Band Edge
30	802.11a	149	17235.00	63.25	68.20	-4.95	H	PEAK	Pass	Harmonic
31	802.11a	157	-	-	-	-	-	-	-	Band Edge
31	802.11a	157	17355.00	63.60	68.20	-4.60	H	PEAK	Pass	Harmonic
32	802.11a	165	5925.60	59.66	68.20	-8.54	V	PEAK	Pass	Band Edge
32	802.11a	165	17475.00	59.87	68.20	-8.33	H	PEAK	Pass	Harmonic
33	802.11ac VHT20	149	5610.80	57.99	68.20	-10.21	V	PEAK	Pass	Band Edge
33	802.11ac VHT20	149	17235.00	64.55	68.20	-3.65	H	PEAK	Pass	Harmonic



Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
34	802.11ac VHT20	157	-	-	-	-	-	-	-	Band Edge
34	802.11ac VHT20	157	17355.00	61.66	68.20	-6.54	H	PEAK	Pass	Harmonic
35	802.11ac VHT20	165	5942.40	59.49	68.20	-8.71	H	PEAK	Pass	Band Edge
35	802.11ac VHT20	165	17475.00	58.27	68.20	-9.93	H	PEAK	Pass	Harmonic
36	802.11ac VHT40	151	5944.93	58.33	68.20	-9.87	H	PEAK	Pass	Band Edge
36	802.11ac VHT40	151	11510.00	37.69	54.00	-16.31	H	AVERAGE	Pass	Harmonic
37	802.11ac VHT40	159	5948.00	59.03	68.20	-9.17	V	PEAK	Pass	Band Edge
37	802.11ac VHT40	159	11590.00	38.65	54.00	-15.35	V	AVERAGE	Pass	Harmonic
38	802.11ac VHT80	155	5944.40	59.83	68.20	-8.37	H	PEAK	Pass	Band Edge
38	802.11ac VHT80	155	17325.00	49.52	68.20	-18.68	V	PEAK	Pass	Harmonic
39	802.11a	144	-	-	-	-	-	-	-	Band Edge
39	802.11a	144	17160.00	62.44	68.20	-5.76	H	PEAK	Pass	Harmonic
40	802.11ac VHT20	144	-	-	-	-	-	-	-	Band Edge
40	802.11ac VHT20	144	17160.00	63.79	68.20	-4.41	H	PEAK	Pass	Harmonic
41	802.11ac VHT40	142	-	-	-	-	-	-	-	Band Edge
41	802.11ac VHT40	142	17130.00	54.10	68.20	-14.10	H	PEAK	Pass	Harmonic
42	802.11ac VHT80	138	-	-	-	-	-	-	-	Band Edge
42	802.11ac VHT80	138	11380.00	37.99	54.00	-16.01	H	AVERAGE	Pass	Harmonic
43	802.11ac VHT80	58	5350.00	50.68	54.00	-3.32	H	AVERAGE	Pass	Band Edge
43	802.11ac VHT80	58	15870.00	38.79	54.00	-15.21	V	AVERAGE	Pass	Harmonic



Mode	1																																																																															
	Band Edge																																																																															
	U-NII-1_5.15-5.25_802.11a_CH36_5180MHz																																																																															
ANT	6																																																																															
Pol.	Horizontal	Fundamental																																																																														
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5148.45</td> <td>62.14</td> <td>74.00</td> <td>-11.86</td> <td>45.51</td> <td>34.20</td> <td>12.45</td> <td>30.02</td> <td>0.00</td> <td>300</td> <td>175</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5148.45	62.14	74.00	-11.86	45.51	34.20	12.45	30.02	0.00	300	175	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5180.00</td> <td>107.66</td> <td>-----</td> <td>-----</td> <td>91.10</td> <td>34.14</td> <td>12.44</td> <td>30.02</td> <td>0.00</td> <td>300</td> <td>175</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	107.66	-----	-----	91.10	34.14	12.44	30.02	0.00	300	175	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1	5148.45	62.14	74.00	-11.86	45.51	34.20	12.45	30.02	0.00	300	175	PEAK																																																																				
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1	5180.00	107.66	-----	-----	91.10	34.14	12.44	30.02	0.00	300	175	PEAK																																																																				
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5149.35</td> <td>49.84</td> <td>54.00</td> <td>-4.16</td> <td>33.21</td> <td>34.20</td> <td>12.45</td> <td>30.02</td> <td>0.00</td> <td>300</td> <td>175</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5149.35	49.84	54.00	-4.16	33.21	34.20	12.45	30.02	0.00	300	175	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5180.00</td> <td>99.73</td> <td>-----</td> <td>-----</td> <td>83.17</td> <td>34.14</td> <td>12.44</td> <td>30.02</td> <td>0.00</td> <td>300</td> <td>175</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	99.73	-----	-----	83.17	34.14	12.44	30.02	0.00	300	175	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1	5149.35	49.84	54.00	-4.16	33.21	34.20	12.45	30.02	0.00	300	175	AVERAGE																																																																				
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1	5180.00	99.73	-----	-----	83.17	34.14	12.44	30.02	0.00	300	175	AVERAGE																																																																				



Mode	1																																																																																																																	
	Band Edge																																																																																																																	
	U-NII-1_5.15-5.25_802.11a_CH36_5180MHz																																																																																																																	
ANT	6																																																																																																																	
Pol.	Vertical	Fundamental																																																																																																																
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5148.75</td> <td>59.45</td> <td>74.00</td> <td>-14.55</td> <td>42.82</td> <td>34.20</td> <td>12.45</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td>30.02</td> <td>0.00</td> <td>224</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>216</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5148.75	59.45	74.00	-14.55	42.82	34.20	12.45						30.02	0.00	224								216								PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5180.00</td> <td>106.59</td> <td>-----</td> <td>-----</td> <td>90.03</td> <td>34.14</td> <td>12.44</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td>30.02</td> <td>0.00</td> <td>224</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>216</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5180.00	106.59	-----	-----	90.03	34.14	12.44						30.02	0.00	224								216								PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																											
1	5148.75	59.45	74.00	-14.55	42.82	34.20	12.45																																																																																																											
					30.02	0.00	224																																																																																																											
							216																																																																																																											
							PEAK																																																																																																											
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																											
1	5180.00	106.59	-----	-----	90.03	34.14	12.44																																																																																																											
					30.02	0.00	224																																																																																																											
							216																																																																																																											
							PEAK																																																																																																											
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5149.35</td> <td>49.60</td> <td>54.00</td> <td>-4.40</td> <td>32.97</td> <td>34.20</td> <td>12.45</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td>30.02</td> <td>0.00</td> <td>224</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>216</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5149.35	49.60	54.00	-4.40	32.97	34.20	12.45						30.02	0.00	224								216								AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5180.00</td> <td>98.40</td> <td>-----</td> <td>-----</td> <td>81.03</td> <td>34.15</td> <td>12.44</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td>30.02</td> <td>0.00</td> <td>224</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>216</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5180.00	98.40	-----	-----	81.03	34.15	12.44						30.02	0.00	224								216								AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																											
1	5149.35	49.60	54.00	-4.40	32.97	34.20	12.45																																																																																																											
					30.02	0.00	224																																																																																																											
							216																																																																																																											
							AVERAGE																																																																																																											
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																											
1	5180.00	98.40	-----	-----	81.03	34.15	12.44																																																																																																											
					30.02	0.00	224																																																																																																											
							216																																																																																																											
							AVERAGE																																																																																																											



Mode	1																																																																																																																																	
	Harmonic																																																																																																																																	
	U-NII-1_5.15-5.25_802.11a_CH36_5180MHz																																																																																																																																	
ANT	6																																																																																																																																	
Pol.	Horizontal	Vertical																																																																																																																																
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10360.00</td> <td>46.83</td> <td>68.20</td> <td>-21.37</td> <td>56.36</td> <td>37.62</td> <td>18.04</td> <td>65.19</td> <td>0.00</td> <td>--</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>15540.00</td> <td>56.86</td> <td>74.00</td> <td>-17.14</td> <td>58.52</td> <td>40.24</td> <td>22.32</td> <td>64.22</td> <td>0.00</td> <td>181</td> <td>306 PEAK</td> </tr> <tr> <td>3</td> <td>15540.00</td> <td>45.63</td> <td>54.00</td> <td>-8.37</td> <td>47.28</td> <td>40.24</td> <td>22.33</td> <td>64.22</td> <td>0.00</td> <td>181</td> <td>306 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10360.00	46.83	68.20	-21.37	56.36	37.62	18.04	65.19	0.00	--	PEAK	2	15540.00	56.86	74.00	-17.14	58.52	40.24	22.32	64.22	0.00	181	306 PEAK	3	15540.00	45.63	54.00	-8.37	47.28	40.24	22.33	64.22	0.00	181	306 AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10360.00</td> <td>56.25</td> <td>68.20</td> <td>-11.95</td> <td>65.78</td> <td>37.62</td> <td>18.04</td> <td>65.19</td> <td>0.00</td> <td>212</td> <td>83 PEAK</td> </tr> <tr> <td>2</td> <td>15540.00</td> <td>58.27</td> <td>74.00</td> <td>-15.73</td> <td>59.93</td> <td>40.24</td> <td>22.32</td> <td>64.22</td> <td>0.00</td> <td>275</td> <td>42 PEAK</td> </tr> <tr> <td>3</td> <td>15540.00</td> <td>46.62</td> <td>54.00</td> <td>-7.38</td> <td>48.29</td> <td>40.24</td> <td>22.32</td> <td>64.23</td> <td>0.00</td> <td>275</td> <td>42 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10360.00	56.25	68.20	-11.95	65.78	37.62	18.04	65.19	0.00	212	83 PEAK	2	15540.00	58.27	74.00	-15.73	59.93	40.24	22.32	64.22	0.00	275	42 PEAK	3	15540.00	46.62	54.00	-7.38	48.29	40.24	22.32	64.23	0.00	275	42 AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																									
1	10360.00	46.83	68.20	-21.37	56.36	37.62	18.04	65.19	0.00	--	PEAK																																																																																																																							
2	15540.00	56.86	74.00	-17.14	58.52	40.24	22.32	64.22	0.00	181	306 PEAK																																																																																																																							
3	15540.00	45.63	54.00	-8.37	47.28	40.24	22.33	64.22	0.00	181	306 AVERAGE																																																																																																																							
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																									
1	10360.00	56.25	68.20	-11.95	65.78	37.62	18.04	65.19	0.00	212	83 PEAK																																																																																																																							
2	15540.00	58.27	74.00	-15.73	59.93	40.24	22.32	64.22	0.00	275	42 PEAK																																																																																																																							
3	15540.00	46.62	54.00	-7.38	48.29	40.24	22.32	64.23	0.00	275	42 AVERAGE																																																																																																																							



Mode	2																																																																																																																																							
	Harmonic																																																																																																																																							
	U-NII-1_5.15-5.25_802.11a_CH44_5220MHz																																																																																																																																							
ANT	6																																																																																																																																							
Pol.	Horizontal	Vertical																																																																																																																																						
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10440.00</td> <td>54.77</td> <td>68.20</td> <td>-13.43</td> <td>63.86</td> <td>37.70</td> <td>18.31</td> <td>65.10</td> <td>0.00</td> <td>191</td> <td>116</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>15660.00</td> <td>58.20</td> <td>74.00</td> <td>-15.80</td> <td>60.12</td> <td>40.36</td> <td>22.03</td> <td>64.31</td> <td>0.00</td> <td>175</td> <td>302</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>15660.00</td> <td>47.29</td> <td>54.00</td> <td>-6.71</td> <td>49.21</td> <td>40.36</td> <td>22.03</td> <td>64.31</td> <td>0.00</td> <td>175</td> <td>302</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10440.00	54.77	68.20	-13.43	63.86	37.70	18.31	65.10	0.00	191	116	PEAK	2	15660.00	58.20	74.00	-15.80	60.12	40.36	22.03	64.31	0.00	175	302	PEAK	3	15660.00	47.29	54.00	-6.71	49.21	40.36	22.03	64.31	0.00	175	302	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10440.00</td> <td>55.42</td> <td>68.20</td> <td>-12.78</td> <td>64.51</td> <td>37.70</td> <td>18.31</td> <td>65.10</td> <td>0.00</td> <td>201</td> <td>90</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>15660.00</td> <td>58.57</td> <td>74.00</td> <td>-15.43</td> <td>60.49</td> <td>40.36</td> <td>22.03</td> <td>64.31</td> <td>0.00</td> <td>275</td> <td>41</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>15660.00</td> <td>47.68</td> <td>54.00</td> <td>-6.32</td> <td>49.60</td> <td>40.36</td> <td>22.03</td> <td>64.31</td> <td>0.00</td> <td>275</td> <td>41</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10440.00	55.42	68.20	-12.78	64.51	37.70	18.31	65.10	0.00	201	90	PEAK	2	15660.00	58.57	74.00	-15.43	60.49	40.36	22.03	64.31	0.00	275	41	PEAK	3	15660.00	47.68	54.00	-6.32	49.60	40.36	22.03	64.31	0.00	275	41	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																															
1	10440.00	54.77	68.20	-13.43	63.86	37.70	18.31	65.10	0.00	191	116	PEAK																																																																																																																												
2	15660.00	58.20	74.00	-15.80	60.12	40.36	22.03	64.31	0.00	175	302	PEAK																																																																																																																												
3	15660.00	47.29	54.00	-6.71	49.21	40.36	22.03	64.31	0.00	175	302	AVERAGE																																																																																																																												
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																															
1	10440.00	55.42	68.20	-12.78	64.51	37.70	18.31	65.10	0.00	201	90	PEAK																																																																																																																												
2	15660.00	58.57	74.00	-15.43	60.49	40.36	22.03	64.31	0.00	275	41	PEAK																																																																																																																												
3	15660.00	47.68	54.00	-6.32	49.60	40.36	22.03	64.31	0.00	275	41	AVERAGE																																																																																																																												



Mode	3																																																																																																																																	
	Harmonic																																																																																																																																	
	U-NII-1_5.15-5.25_802.11a_CH48_5240MHz																																																																																																																																	
ANT	6																																																																																																																																	
Pol.	Horizontal	Vertical																																																																																																																																
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10480.00</td> <td>49.66</td> <td>68.20</td> <td>-18.54</td> <td>58.78</td> <td>37.70</td> <td>18.24</td> <td>65.06</td> <td>0.00</td> <td>--</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>15720.00</td> <td>57.67</td> <td>74.00</td> <td>-16.33</td> <td>59.48</td> <td>40.42</td> <td>22.13</td> <td>64.36</td> <td>0.00</td> <td>177</td> <td>305 PEAK</td> </tr> <tr> <td>3</td> <td>15720.00</td> <td>46.70</td> <td>54.00</td> <td>-7.30</td> <td>48.51</td> <td>40.42</td> <td>22.13</td> <td>64.36</td> <td>0.00</td> <td>177</td> <td>305 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10480.00	49.66	68.20	-18.54	58.78	37.70	18.24	65.06	0.00	--	PEAK	2	15720.00	57.67	74.00	-16.33	59.48	40.42	22.13	64.36	0.00	177	305 PEAK	3	15720.00	46.70	54.00	-7.30	48.51	40.42	22.13	64.36	0.00	177	305 AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10480.00</td> <td>56.67</td> <td>68.20</td> <td>-11.53</td> <td>65.79</td> <td>37.70</td> <td>18.24</td> <td>65.06</td> <td>0.00</td> <td>255</td> <td>88 PEAK</td> </tr> <tr> <td>2</td> <td>15720.00</td> <td>58.95</td> <td>74.00</td> <td>-15.05</td> <td>60.76</td> <td>40.42</td> <td>22.13</td> <td>64.36</td> <td>0.00</td> <td>280</td> <td>43 PEAK</td> </tr> <tr> <td>3</td> <td>15720.00</td> <td>48.54</td> <td>54.00</td> <td>-5.46</td> <td>50.35</td> <td>40.42</td> <td>22.13</td> <td>64.36</td> <td>0.00</td> <td>280</td> <td>43 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10480.00	56.67	68.20	-11.53	65.79	37.70	18.24	65.06	0.00	255	88 PEAK	2	15720.00	58.95	74.00	-15.05	60.76	40.42	22.13	64.36	0.00	280	43 PEAK	3	15720.00	48.54	54.00	-5.46	50.35	40.42	22.13	64.36	0.00	280	43 AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																										
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																									
1	10480.00	49.66	68.20	-18.54	58.78	37.70	18.24	65.06	0.00	--	PEAK																																																																																																																							
2	15720.00	57.67	74.00	-16.33	59.48	40.42	22.13	64.36	0.00	177	305 PEAK																																																																																																																							
3	15720.00	46.70	54.00	-7.30	48.51	40.42	22.13	64.36	0.00	177	305 AVERAGE																																																																																																																							
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																										
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																									
1	10480.00	56.67	68.20	-11.53	65.79	37.70	18.24	65.06	0.00	255	88 PEAK																																																																																																																							
2	15720.00	58.95	74.00	-15.05	60.76	40.42	22.13	64.36	0.00	280	43 PEAK																																																																																																																							
3	15720.00	48.54	54.00	-5.46	50.35	40.42	22.13	64.36	0.00	280	43 AVERAGE																																																																																																																							







Mode	4																																																																																																																																	
	Harmonic																																																																																																																																	
	U-NII-2A_5.25-5.35_802.11a_CH52_5260MHz																																																																																																																																	
ANT	6																																																																																																																																	
Pol.	Horizontal	Vertical																																																																																																																																
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10520.00</td> <td>49.06</td> <td>68.20</td> <td>-19.14</td> <td>58.23</td> <td>37.70</td> <td>18.14</td> <td>65.01</td> <td>0.00</td> <td>--</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>15780.00</td> <td>59.54</td> <td>74.00</td> <td>-14.46</td> <td>61.18</td> <td>40.48</td> <td>22.28</td> <td>64.40</td> <td>0.00</td> <td>155</td> <td>302 PEAK</td> </tr> <tr> <td>3</td> <td>15780.00</td> <td>47.62</td> <td>54.00</td> <td>-6.38</td> <td>49.25</td> <td>40.48</td> <td>22.29</td> <td>64.40</td> <td>0.00</td> <td>155</td> <td>302 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10520.00	49.06	68.20	-19.14	58.23	37.70	18.14	65.01	0.00	--	PEAK	2	15780.00	59.54	74.00	-14.46	61.18	40.48	22.28	64.40	0.00	155	302 PEAK	3	15780.00	47.62	54.00	-6.38	49.25	40.48	22.29	64.40	0.00	155	302 AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10520.00</td> <td>55.75</td> <td>68.20</td> <td>-12.45</td> <td>64.92</td> <td>37.70</td> <td>18.14</td> <td>65.01</td> <td>0.00</td> <td>118</td> <td>40 PEAK</td> </tr> <tr> <td>2</td> <td>15780.00</td> <td>59.31</td> <td>74.00</td> <td>-14.69</td> <td>60.95</td> <td>40.48</td> <td>22.28</td> <td>64.40</td> <td>0.00</td> <td>280</td> <td>45 PEAK</td> </tr> <tr> <td>3</td> <td>15780.00</td> <td>48.07</td> <td>54.00</td> <td>-5.93</td> <td>49.70</td> <td>40.48</td> <td>22.29</td> <td>64.40</td> <td>0.00</td> <td>280</td> <td>45 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10520.00	55.75	68.20	-12.45	64.92	37.70	18.14	65.01	0.00	118	40 PEAK	2	15780.00	59.31	74.00	-14.69	60.95	40.48	22.28	64.40	0.00	280	45 PEAK	3	15780.00	48.07	54.00	-5.93	49.70	40.48	22.29	64.40	0.00	280	45 AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																										
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																									
1	10520.00	49.06	68.20	-19.14	58.23	37.70	18.14	65.01	0.00	--	PEAK																																																																																																																							
2	15780.00	59.54	74.00	-14.46	61.18	40.48	22.28	64.40	0.00	155	302 PEAK																																																																																																																							
3	15780.00	47.62	54.00	-6.38	49.25	40.48	22.29	64.40	0.00	155	302 AVERAGE																																																																																																																							
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																										
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																									
1	10520.00	55.75	68.20	-12.45	64.92	37.70	18.14	65.01	0.00	118	40 PEAK																																																																																																																							
2	15780.00	59.31	74.00	-14.69	60.95	40.48	22.28	64.40	0.00	280	45 PEAK																																																																																																																							
3	15780.00	48.07	54.00	-5.93	49.70	40.48	22.29	64.40	0.00	280	45 AVERAGE																																																																																																																							



Mode	5																																																																																																																																																														
	Harmonic																																																																																																																																																														
	U-NII-2A_5.25-5.35_802.11a_CH60_5300MHz																																																																																																																																																														
ANT	6																																																																																																																																																														
Pol.	Horizontal	Vertical																																																																																																																																																													
Peak Avg																																																																																																																																																															
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10600.01</td> <td>54.77</td> <td>74.00</td> <td>-19.23</td> <td>64.16</td> <td>37.70</td> <td>17.83</td> <td>64.92</td> <td>0.00</td> <td>181</td> <td>115</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>10600.01</td> <td>45.01</td> <td>54.00</td> <td>-8.99</td> <td>54.40</td> <td>37.70</td> <td>17.83</td> <td>64.92</td> <td>0.00</td> <td>181</td> <td>115</td> <td>AVERAGE</td> </tr> <tr> <td>3</td> <td>15900.00</td> <td>62.58</td> <td>74.00</td> <td>-11.42</td> <td>63.94</td> <td>40.70</td> <td>22.43</td> <td>64.49</td> <td>0.00</td> <td>199</td> <td>311</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>15900.00</td> <td>50.43</td> <td>54.00</td> <td>-3.57</td> <td>51.79</td> <td>40.70</td> <td>22.43</td> <td>64.49</td> <td>0.00</td> <td>199</td> <td>311</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	10600.01	54.77	74.00	-19.23	64.16	37.70	17.83	64.92	0.00	181	115	PEAK	2	10600.01	45.01	54.00	-8.99	54.40	37.70	17.83	64.92	0.00	181	115	AVERAGE	3	15900.00	62.58	74.00	-11.42	63.94	40.70	22.43	64.49	0.00	199	311	PEAK	4	15900.00	50.43	54.00	-3.57	51.79	40.70	22.43	64.49	0.00	199	311	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10600.01</td> <td>55.69</td> <td>74.00</td> <td>-18.31</td> <td>65.08</td> <td>37.70</td> <td>17.83</td> <td>64.92</td> <td>0.00</td> <td>248</td> <td>88</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>10600.01</td> <td>45.77</td> <td>54.00</td> <td>-8.23</td> <td>55.16</td> <td>37.70</td> <td>17.83</td> <td>64.92</td> <td>0.00</td> <td>248</td> <td>88</td> <td>AVERAGE</td> </tr> <tr> <td>3</td> <td>15900.00</td> <td>61.35</td> <td>74.00</td> <td>-12.65</td> <td>62.71</td> <td>40.70</td> <td>22.43</td> <td>64.49</td> <td>0.00</td> <td>279</td> <td>46</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>15900.00</td> <td>50.41</td> <td>54.00</td> <td>-3.59</td> <td>51.77</td> <td>40.70</td> <td>22.43</td> <td>64.49</td> <td>0.00</td> <td>279</td> <td>46</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	10600.01	55.69	74.00	-18.31	65.08	37.70	17.83	64.92	0.00	248	88	PEAK	2	10600.01	45.77	54.00	-8.23	55.16	37.70	17.83	64.92	0.00	248	88	AVERAGE	3	15900.00	61.35	74.00	-12.65	62.71	40.70	22.43	64.49	0.00	279	46	PEAK	4	15900.00	50.41	54.00	-3.59	51.77	40.70	22.43	64.49	0.00	279	46
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																																																																							
1	10600.01	54.77	74.00	-19.23	64.16	37.70	17.83	64.92	0.00	181	115	PEAK																																																																																																																																																			
2	10600.01	45.01	54.00	-8.99	54.40	37.70	17.83	64.92	0.00	181	115	AVERAGE																																																																																																																																																			
3	15900.00	62.58	74.00	-11.42	63.94	40.70	22.43	64.49	0.00	199	311	PEAK																																																																																																																																																			
4	15900.00	50.43	54.00	-3.57	51.79	40.70	22.43	64.49	0.00	199	311	AVERAGE																																																																																																																																																			
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																																																																							
1	10600.01	55.69	74.00	-18.31	65.08	37.70	17.83	64.92	0.00	248	88	PEAK																																																																																																																																																			
2	10600.01	45.77	54.00	-8.23	55.16	37.70	17.83	64.92	0.00	248	88	AVERAGE																																																																																																																																																			
3	15900.00	61.35	74.00	-12.65	62.71	40.70	22.43	64.49	0.00	279	46	PEAK																																																																																																																																																			
4	15900.00	50.41	54.00	-3.59	51.77	40.70	22.43	64.49	0.00	279	46	AVERAGE																																																																																																																																																			



Mode	6																																																																																							
	Band Edge																																																																																							
	U-NII-2A_5.25-5.35_802.11a_CH64_5320MHz																																																																																							
ANT	6																																																																																							
Pol.	Horizontal	Fundamental																																																																																						
Peak	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5357.55</td> <td>62.10</td> <td>74.00</td> <td>-11.90</td> <td>45.01</td> <td>34.60</td> <td>12.55</td> <td>30.06</td> <td>0.00</td> <td>100</td> <td>110 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5357.55	62.10	74.00	-11.90	45.01	34.60	12.55	30.06	0.00	100	110 PEAK	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5320.00</td> <td>108.90</td> <td>-----</td> <td>-----</td> <td>91.88</td> <td>34.48</td> <td>12.59</td> <td>30.05</td> <td>0.00</td> <td>100</td> <td>110 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5320.00	108.90	-----	-----	91.88	34.48	12.59	30.05	0.00	100	110 PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1	5357.55	62.10	74.00	-11.90	45.01	34.60	12.55	30.06	0.00	100	110 PEAK																																																																													
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1	5320.00	108.90	-----	-----	91.88	34.48	12.59	30.05	0.00	100	110 PEAK																																																																													
Avg	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5350.95</td> <td>49.94</td> <td>54.00</td> <td>-4.06</td> <td>32.83</td> <td>34.60</td> <td>12.56</td> <td>30.05</td> <td>0.00</td> <td>100</td> <td>110 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5350.95	49.94	54.00	-4.06	32.83	34.60	12.56	30.05	0.00	100	110 AVERAGE	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5320.00</td> <td>100.41</td> <td>-----</td> <td>-----</td> <td>83.40</td> <td>34.47</td> <td>12.59</td> <td>30.05</td> <td>0.00</td> <td>100</td> <td>110 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5320.00	100.41	-----	-----	83.40	34.47	12.59	30.05	0.00	100	110 AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1	5350.95	49.94	54.00	-4.06	32.83	34.60	12.56	30.05	0.00	100	110 AVERAGE																																																																													
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1	5320.00	100.41	-----	-----	83.40	34.47	12.59	30.05	0.00	100	110 AVERAGE																																																																													







Mode	6																																																																																											
	Band Edge																																																																																											
	U-NII-2A_5.25-5.35_802.11a_CH64_5320MHz																																																																																											
ANT	6																																																																																											
Pol.	Vertical	Fundamental																																																																																										
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5325.25</td> <td>58.01</td> <td>74.00</td> <td>-15.99</td> <td>40.92</td> <td>34.60</td> <td>12.55</td> <td>30.06</td> <td>0.00</td> <td>353</td> <td>82</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	Remark	1	5325.25	58.01	74.00	-15.99	40.92	34.60	12.55	30.06	0.00	353	82	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5320.00</td> <td>105.81</td> <td>-----</td> <td>-----</td> <td>88.80</td> <td>34.47</td> <td>12.59</td> <td>30.05</td> <td>0.00</td> <td>353</td> <td>82</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	Remark	1	5320.00	105.81	-----	-----	88.80	34.47	12.59	30.05	0.00	353	82	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	Remark																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	Remark																																																																																	
1	5325.25	58.01	74.00	-15.99	40.92	34.60	12.55	30.06	0.00	353	82	PEAK																																																																																
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	Remark																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	Remark																																																																																	
1	5320.00	105.81	-----	-----	88.80	34.47	12.59	30.05	0.00	353	82	PEAK																																																																																
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5350.00</td> <td>47.58</td> <td>54.00</td> <td>-6.42</td> <td>30.47</td> <td>34.60</td> <td>12.56</td> <td>30.05</td> <td>0.00</td> <td>353</td> <td>82</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	Remark	1	5350.00	47.58	54.00	-6.42	30.47	34.60	12.56	30.05	0.00	353	82	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5320.00</td> <td>97.53</td> <td>-----</td> <td>-----</td> <td>80.52</td> <td>34.47</td> <td>12.59</td> <td>30.05</td> <td>0.00</td> <td>353</td> <td>82</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	Remark	1	5320.00	97.53	-----	-----	80.52	34.47	12.59	30.05	0.00	353	82	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	Remark																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	Remark																																																																																	
1	5350.00	47.58	54.00	-6.42	30.47	34.60	12.56	30.05	0.00	353	82	AVERAGE																																																																																
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	Remark																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	Remark																																																																																	
1	5320.00	97.53	-----	-----	80.52	34.47	12.59	30.05	0.00	353	82	AVERAGE																																																																																







Mode	6																																																																																																																																																										
	Harmonic																																																																																																																																																										
	U-NII-2A_5.25-5.35_802.11a_CH64_5320MHz																																																																																																																																																										
ANT	6																																																																																																																																																										
Pol.	Horizontal	Vertical																																																																																																																																																									
Peak Avg																																																																																																																																																											
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 10640.00</td> <td>54.56</td> <td>74.00</td> <td>-19.44</td> <td>63.80</td> <td>37.74</td> <td>17.89</td> <td>64.87</td> <td>0.00</td> <td>110</td> <td>120</td> <td>PEAK</td> </tr> <tr> <td>2 10640.00</td> <td>43.43</td> <td>54.00</td> <td>-10.57</td> <td>52.67</td> <td>37.74</td> <td>17.89</td> <td>64.87</td> <td>0.00</td> <td>110</td> <td>120</td> <td>AVERAGE</td> </tr> <tr> <td>3 15960.00</td> <td>62.23</td> <td>74.00</td> <td>-11.77</td> <td>63.65</td> <td>40.82</td> <td>22.29</td> <td>64.53</td> <td>0.00</td> <td>149</td> <td>308</td> <td>PEAK</td> </tr> <tr> <td>4 15960.00</td> <td>49.21</td> <td>54.00</td> <td>-4.79</td> <td>50.63</td> <td>40.82</td> <td>22.29</td> <td>64.53</td> <td>0.00</td> <td>149</td> <td>308</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level	Line Margin	Level Factor	Loss Factor	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 10640.00	54.56	74.00	-19.44	63.80	37.74	17.89	64.87	0.00	110	120	PEAK	2 10640.00	43.43	54.00	-10.57	52.67	37.74	17.89	64.87	0.00	110	120	AVERAGE	3 15960.00	62.23	74.00	-11.77	63.65	40.82	22.29	64.53	0.00	149	308	PEAK	4 15960.00	49.21	54.00	-4.79	50.63	40.82	22.29	64.53	0.00	149	308	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1 10640.00</td> <td>54.57</td> <td>74.00</td> <td>-19.43</td> <td>63.81</td> <td>37.74</td> <td>17.89</td> <td>64.87</td> <td>0.00</td> <td>244</td> <td>93</td> <td>PEAK</td> </tr> <tr> <td>2 10640.00</td> <td>44.34</td> <td>54.00</td> <td>-9.66</td> <td>53.58</td> <td>37.74</td> <td>17.89</td> <td>64.87</td> <td>0.00</td> <td>244</td> <td>93</td> <td>AVERAGE</td> </tr> <tr> <td>3 15960.00</td> <td>63.19</td> <td>74.00</td> <td>-10.81</td> <td>64.61</td> <td>40.82</td> <td>22.29</td> <td>64.53</td> <td>0.00</td> <td>178</td> <td>326</td> <td>PEAK</td> </tr> <tr> <td>4 15960.00</td> <td>50.20</td> <td>54.00</td> <td>-3.80</td> <td>51.61</td> <td>40.82</td> <td>22.30</td> <td>64.53</td> <td>0.00</td> <td>178</td> <td>326</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level	Line Margin	Level Factor	Loss Factor	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	Remark	1 10640.00	54.57	74.00	-19.43	63.81	37.74	17.89	64.87	0.00	244	93	PEAK	2 10640.00	44.34	54.00	-9.66	53.58	37.74	17.89	64.87	0.00	244	93	AVERAGE	3 15960.00	63.19	74.00	-10.81	64.61	40.82	22.29	64.53	0.00	178	326	PEAK	4 15960.00	50.20	54.00	-3.80	51.61	40.82	22.30	64.53	0.00	178	326
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																			
Freq Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																		
1 10640.00	54.56	74.00	-19.44	63.80	37.74	17.89	64.87	0.00	110	120	PEAK																																																																																																																																																
2 10640.00	43.43	54.00	-10.57	52.67	37.74	17.89	64.87	0.00	110	120	AVERAGE																																																																																																																																																
3 15960.00	62.23	74.00	-11.77	63.65	40.82	22.29	64.53	0.00	149	308	PEAK																																																																																																																																																
4 15960.00	49.21	54.00	-4.79	50.63	40.82	22.29	64.53	0.00	149	308	AVERAGE																																																																																																																																																
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																			
Freq Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	Remark																																																																																																																																																
1 10640.00	54.57	74.00	-19.43	63.81	37.74	17.89	64.87	0.00	244	93	PEAK																																																																																																																																																
2 10640.00	44.34	54.00	-9.66	53.58	37.74	17.89	64.87	0.00	244	93	AVERAGE																																																																																																																																																
3 15960.00	63.19	74.00	-10.81	64.61	40.82	22.29	64.53	0.00	178	326	PEAK																																																																																																																																																
4 15960.00	50.20	54.00	-3.80	51.61	40.82	22.30	64.53	0.00	178	326	AVERAGE																																																																																																																																																



Mode	7																																																																																																
	Band Edge																																																																																																
	U-NII-2C_5.47-5.725_802.11a_CH100_5500MHz																																																																																																
ANT	6																																																																																																
Pol.	Horizontal	Fundamental																																																																																															
Peak	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5458.25</td> <td>59.30</td> <td>74.00</td> <td>-14.70</td> <td>41.93</td> <td>34.60</td> <td>12.84</td> <td>30.07</td> <td>0.00</td> <td>100</td> <td>117</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5467.21</td> <td>60.26</td> <td>68.20</td> <td>-7.94</td> <td>42.85</td> <td>34.60</td> <td>12.89</td> <td>30.08</td> <td>0.00</td> <td>100</td> <td>117</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5458.25	59.30	74.00	-14.70	41.93	34.60	12.84	30.07	0.00	100	117	PEAK	2	5467.21	60.26	68.20	-7.94	42.85	34.60	12.89	30.08	0.00	100	117	PEAK	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5500.00</td> <td>109.63</td> <td>-----</td> <td>-----</td> <td>92.08</td> <td>34.60</td> <td>13.03</td> <td>30.08</td> <td>0.00</td> <td>100</td> <td>117</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	109.63	-----	-----	92.08	34.60	13.03	30.08	0.00	100	117	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5458.25	59.30	74.00	-14.70	41.93	34.60	12.84	30.07	0.00	100	117	PEAK																																																																																					
2	5467.21	60.26	68.20	-7.94	42.85	34.60	12.89	30.08	0.00	100	117	PEAK																																																																																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5500.00	109.63	-----	-----	92.08	34.60	13.03	30.08	0.00	100	117	PEAK																																																																																					
Avg	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5459.21</td> <td>48.23</td> <td>54.00</td> <td>-5.77</td> <td>30.87</td> <td>34.60</td> <td>12.84</td> <td>30.08</td> <td>0.00</td> <td>100</td> <td>117</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.21	48.23	54.00	-5.77	30.87	34.60	12.84	30.08	0.00	100	117	AVERAGE	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5500.00</td> <td>101.70</td> <td>-----</td> <td>-----</td> <td>84.20</td> <td>34.60</td> <td>13.06</td> <td>30.08</td> <td>0.00</td> <td>100</td> <td>117</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	101.70	-----	-----	84.20	34.60	13.06	30.08	0.00	100	117	AVERAGE													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5459.21	48.23	54.00	-5.77	30.87	34.60	12.84	30.08	0.00	100	117	AVERAGE																																																																																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5500.00	101.70	-----	-----	84.20	34.60	13.06	30.08	0.00	100	117	AVERAGE																																																																																					



Mode	7																																																																																																
	Band Edge																																																																																																
	U-NII-2C_5.47-5.725_802.11a_CH100_5500MHz																																																																																																
ANT	6																																																																																																
Pol.	Vertical	Fundamental																																																																																															
Peak	 <table border="1" data-bbox="268 1115 794 1254"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5429.45</td> <td>58.20</td> <td>74.00</td> <td>-15.80</td> <td>41.01</td> <td>34.60</td> <td>12.66</td> <td>30.07</td> <td>0.00</td> <td>300</td> <td>77</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5468.01</td> <td>58.28</td> <td>68.20</td> <td>-9.92</td> <td>40.87</td> <td>34.60</td> <td>12.89</td> <td>30.08</td> <td>0.00</td> <td>300</td> <td>77</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5429.45	58.20	74.00	-15.80	41.01	34.60	12.66	30.07	0.00	300	77	PEAK	2	5468.01	58.28	68.20	-9.92	40.87	34.60	12.89	30.08	0.00	300	77	PEAK	 <table border="1" data-bbox="906 1115 1433 1254"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5500.00</td> <td>105.76</td> <td>-----</td> <td>-----</td> <td>88.18</td> <td>34.60</td> <td>13.06</td> <td>30.08</td> <td>0.00</td> <td>300</td> <td>77</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	105.76	-----	-----	88.18	34.60	13.06	30.08	0.00	300	77	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5429.45	58.20	74.00	-15.80	41.01	34.60	12.66	30.07	0.00	300	77	PEAK																																																																																					
2	5468.01	58.28	68.20	-9.92	40.87	34.60	12.89	30.08	0.00	300	77	PEAK																																																																																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5500.00	105.76	-----	-----	88.18	34.60	13.06	30.08	0.00	300	77	PEAK																																																																																					
Avg	 <table border="1" data-bbox="268 1796 794 1935"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5458.89</td> <td>46.69</td> <td>54.00</td> <td>-7.31</td> <td>29.33</td> <td>34.60</td> <td>12.84</td> <td>30.08</td> <td>0.00</td> <td>300</td> <td>77</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5458.89	46.69	54.00	-7.31	29.33	34.60	12.84	30.08	0.00	300	77	AVERAGE	 <table border="1" data-bbox="906 1796 1433 1935"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5500.00</td> <td>97.40</td> <td>-----</td> <td>-----</td> <td>79.82</td> <td>34.60</td> <td>13.06</td> <td>30.08</td> <td>0.00</td> <td>300</td> <td>77</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	97.40	-----	-----	79.82	34.60	13.06	30.08	0.00	300	77	AVERAGE													
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5458.89	46.69	54.00	-7.31	29.33	34.60	12.84	30.08	0.00	300	77	AVERAGE																																																																																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5500.00	97.40	-----	-----	79.82	34.60	13.06	30.08	0.00	300	77	AVERAGE																																																																																					






Mode	7																																																																																																											
	Harmonic																																																																																																											
	U-NII-2C_5.47-5.725_802.11a_CH100_5500MHz																																																																																																											
ANT	6																																																																																																											
Pol.	Horizontal	Vertical																																																																																																										
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11000.33</td> <td>41.63</td> <td>74.00</td> <td>-32.37</td> <td>49.76</td> <td>38.20</td> <td>18.13</td> <td>64.46</td> <td>0.00</td> <td>-- -- Peak</td> </tr> <tr> <td>2 16500.00</td> <td>64.65</td> <td>68.20</td> <td>-3.55</td> <td>64.78</td> <td>41.50</td> <td>22.89</td> <td>64.52</td> <td>0.00</td> <td>113 305 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11000.33	41.63	74.00	-32.37	49.76	38.20	18.13	64.46	0.00	-- -- Peak	2 16500.00	64.65	68.20	-3.55	64.78	41.50	22.89	64.52	0.00	113 305 PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11000.00</td> <td>47.61</td> <td>74.00</td> <td>-26.39</td> <td>55.74</td> <td>38.20</td> <td>18.13</td> <td>64.46</td> <td>0.00</td> <td>300 360 PEAK</td> </tr> <tr> <td>2 11000.00</td> <td>36.86</td> <td>54.00</td> <td>-17.14</td> <td>44.98</td> <td>38.20</td> <td>18.13</td> <td>64.45</td> <td>0.00</td> <td>300 360 AVERAGE</td> </tr> <tr> <td>3 16500.00</td> <td>63.53</td> <td>68.20</td> <td>-4.67</td> <td>63.66</td> <td>41.50</td> <td>22.89</td> <td>64.52</td> <td>0.00</td> <td>100 304 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11000.00	47.61	74.00	-26.39	55.74	38.20	18.13	64.46	0.00	300 360 PEAK	2 11000.00	36.86	54.00	-17.14	44.98	38.20	18.13	64.45	0.00	300 360 AVERAGE	3 16500.00	63.53	68.20	-4.67	63.66	41.50	22.89	64.52	0.00	100 304 PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1 11000.33	41.63	74.00	-32.37	49.76	38.20	18.13	64.46	0.00	-- -- Peak																																																																																																			
2 16500.00	64.65	68.20	-3.55	64.78	41.50	22.89	64.52	0.00	113 305 PEAK																																																																																																			
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1 11000.00	47.61	74.00	-26.39	55.74	38.20	18.13	64.46	0.00	300 360 PEAK																																																																																																			
2 11000.00	36.86	54.00	-17.14	44.98	38.20	18.13	64.45	0.00	300 360 AVERAGE																																																																																																			
3 16500.00	63.53	68.20	-4.67	63.66	41.50	22.89	64.52	0.00	100 304 PEAK																																																																																																			



Mode	8																																																																																																																																												
	Harmonic																																																																																																																																												
	U-NII-2C_5.47-5.725_802.11a_CH116_5580MHz																																																																																																																																												
ANT	6																																																																																																																																												
Pol.	Horizontal	Vertical																																																																																																																																											
Peak Avg																																																																																																																																													
	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11160.00</td> <td>49.18</td> <td>74.00</td> <td>-24.82</td> <td>56.87</td> <td>38.36</td> <td>18.22</td> <td>64.27</td> <td>0.00</td> <td>300</td> <td>360</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>11160.00</td> <td>38.68</td> <td>54.00</td> <td>-15.32</td> <td>46.37</td> <td>38.36</td> <td>18.22</td> <td>64.27</td> <td>0.00</td> <td>300</td> <td>360</td> <td>AVERAGE</td> </tr> <tr> <td>3</td> <td>16740.00</td> <td>64.89</td> <td>68.20</td> <td>-3.31</td> <td>64.49</td> <td>41.94</td> <td>22.96</td> <td>64.50</td> <td>0.00</td> <td>100</td> <td>305</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11160.00	49.18	74.00	-24.82	56.87	38.36	18.22	64.27	0.00	300	360	PEAK	2	11160.00	38.68	54.00	-15.32	46.37	38.36	18.22	64.27	0.00	300	360	AVERAGE	3	16740.00	64.89	68.20	-3.31	64.49	41.94	22.96	64.50	0.00	100	305	PEAK	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11160.00</td> <td>48.20</td> <td>74.00</td> <td>-25.80</td> <td>55.89</td> <td>38.36</td> <td>18.22</td> <td>64.27</td> <td>0.00</td> <td>300</td> <td>360</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>11160.00</td> <td>38.05</td> <td>54.00</td> <td>-15.95</td> <td>45.74</td> <td>38.36</td> <td>18.22</td> <td>64.27</td> <td>0.00</td> <td>300</td> <td>360</td> <td>AVERAGE</td> </tr> <tr> <td>3</td> <td>16740.00</td> <td>61.74</td> <td>68.20</td> <td>-6.46</td> <td>61.36</td> <td>41.94</td> <td>22.94</td> <td>64.50</td> <td>0.00</td> <td>192</td> <td>359</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11160.00	48.20	74.00	-25.80	55.89	38.36	18.22	64.27	0.00	300	360	PEAK	2	11160.00	38.05	54.00	-15.95	45.74	38.36	18.22	64.27	0.00	300	360	AVERAGE	3	16740.00	61.74	68.20	-6.46	61.36	41.94	22.94	64.50	0.00	192	359
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																					
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark																																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																			
1	11160.00	49.18	74.00	-24.82	56.87	38.36	18.22	64.27	0.00	300	360	PEAK																																																																																																																																	
2	11160.00	38.68	54.00	-15.32	46.37	38.36	18.22	64.27	0.00	300	360	AVERAGE																																																																																																																																	
3	16740.00	64.89	68.20	-3.31	64.49	41.94	22.96	64.50	0.00	100	305	PEAK																																																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																					
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark																																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																			
1	11160.00	48.20	74.00	-25.80	55.89	38.36	18.22	64.27	0.00	300	360	PEAK																																																																																																																																	
2	11160.00	38.05	54.00	-15.95	45.74	38.36	18.22	64.27	0.00	300	360	AVERAGE																																																																																																																																	
3	16740.00	61.74	68.20	-6.46	61.36	41.94	22.94	64.50	0.00	192	359	PEAK																																																																																																																																	



Mode	9																																																																																																	
	Band Edge																																																																																																	
	U-NII-2C_5.47-5.725_802.11a_CH140_5700MHz																																																																																																	
ANT	6																																																																																																	
Pol.	Horizontal	Fundamental																																																																																																
Peak	 <table border="1" data-bbox="263 1131 782 1254"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5725.20</td> <td>62.11</td> <td>68.20</td> <td>-6.09</td> <td>44.23</td> <td>34.65</td> <td>13.31</td> <td>30.08</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>0.00</td> <td>100</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>114 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 5725.20	62.11	68.20	-6.09	44.23	34.65	13.31	30.08							0.00	100								114 PEAK	 <table border="1" data-bbox="901 1131 1420 1254"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5700.00</td> <td>106.18</td> <td>-----</td> <td>-----</td> <td>88.60</td> <td>34.59</td> <td>13.08</td> <td>30.09</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>0.00</td> <td>100</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>114 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 5700.00	106.18	-----	-----	88.60	34.59	13.08	30.09							0.00	100								114 PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																											
1 5725.20	62.11	68.20	-6.09	44.23	34.65	13.31	30.08																																																																																											
						0.00	100																																																																																											
							114 PEAK																																																																																											
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																											
1 5700.00	106.18	-----	-----	88.60	34.59	13.08	30.09																																																																																											
						0.00	100																																																																																											
							114 PEAK																																																																																											
Avg	Blank	 <table border="1" data-bbox="901 1803 1420 1926"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5700.00</td> <td>98.40</td> <td>-----</td> <td>-----</td> <td>80.82</td> <td>34.59</td> <td>13.08</td> <td>30.09</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>0.00</td> <td>100</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>114 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 5700.00	98.40	-----	-----	80.82	34.59	13.08	30.09							0.00	100								114 AVERAGE																																																
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																											
1 5700.00	98.40	-----	-----	80.82	34.59	13.08	30.09																																																																																											
						0.00	100																																																																																											
							114 AVERAGE																																																																																											







Mode	9																																																																																																	
	Band Edge																																																																																																	
	U-NII-2C_5.47-5.725_802.11a_CH140_5700MHz																																																																																																	
ANT	6																																																																																																	
Pol.	Vertical	Fundamental																																																																																																
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5726.56</td> <td>58.87</td> <td>68.20</td> <td>-9.33</td> <td>40.98</td> <td>34.65</td> <td>13.32</td> <td>30.08</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>0.00</td> <td>100</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>192 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 5726.56	58.87	68.20	-9.33	40.98	34.65	13.32	30.08							0.00	100								192 PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5700.00</td> <td>102.32</td> <td>-----</td> <td>-----</td> <td>84.74</td> <td>34.59</td> <td>13.08</td> <td>30.09</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>0.00</td> <td>100</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>192 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 5700.00	102.32	-----	-----	84.74	34.59	13.08	30.09							0.00	100								192 PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																											
1 5726.56	58.87	68.20	-9.33	40.98	34.65	13.32	30.08																																																																																											
						0.00	100																																																																																											
							192 PEAK																																																																																											
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																											
1 5700.00	102.32	-----	-----	84.74	34.59	13.08	30.09																																																																																											
						0.00	100																																																																																											
							192 PEAK																																																																																											
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5700.00</td> <td>95.04</td> <td>-----</td> <td>-----</td> <td>77.46</td> <td>34.59</td> <td>13.08</td> <td>30.09</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>0.00</td> <td>100</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>192 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 5700.00	95.04	-----	-----	77.46	34.59	13.08	30.09							0.00	100								192 AVERAGE																																																
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																											
1 5700.00	95.04	-----	-----	77.46	34.59	13.08	30.09																																																																																											
						0.00	100																																																																																											
							192 AVERAGE																																																																																											



Mode	9																																																																																																																
	Harmonic																																																																																																																
	U-NII-2C_5.47-5.725_802.11a_CH140_5700MHz																																																																																																																
ANT	6																																																																																																																
Pol.	Horizontal	Vertical																																																																																																															
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11404.40</td> <td>50.14</td> <td>74.00</td> <td>-23.86</td> <td>57.39</td> <td>38.30</td> <td>18.44</td> <td>63.99</td> <td>0.00</td> <td>114</td> <td>321 Peak</td> </tr> <tr> <td>2 11404.40</td> <td>40.40</td> <td>54.00</td> <td>-13.60</td> <td>47.65</td> <td>38.30</td> <td>18.44</td> <td>63.99</td> <td>0.00</td> <td>114</td> <td>321 Average</td> </tr> <tr> <td>3 17100.00</td> <td>62.45</td> <td>68.20</td> <td>-5.75</td> <td>62.03</td> <td>41.70</td> <td>23.08</td> <td>64.36</td> <td>0.00</td> <td>330</td> <td>316 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11404.40	50.14	74.00	-23.86	57.39	38.30	18.44	63.99	0.00	114	321 Peak	2 11404.40	40.40	54.00	-13.60	47.65	38.30	18.44	63.99	0.00	114	321 Average	3 17100.00	62.45	68.20	-5.75	62.03	41.70	23.08	64.36	0.00	330	316 PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11400.00</td> <td>46.10</td> <td>74.00</td> <td>-27.90</td> <td>53.38</td> <td>38.30</td> <td>18.42</td> <td>64.00</td> <td>0.00</td> <td>--</td> <td>-- PEAK</td> </tr> <tr> <td>2 17100.00</td> <td>64.70</td> <td>68.20</td> <td>-3.50</td> <td>64.26</td> <td>41.71</td> <td>23.09</td> <td>64.36</td> <td>0.00</td> <td>100</td> <td>298 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11400.00	46.10	74.00	-27.90	53.38	38.30	18.42	64.00	0.00	--	-- PEAK	2 17100.00	64.70	68.20	-3.50	64.26	41.71	23.09	64.36	0.00	100	298 PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																									
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																								
1 11404.40	50.14	74.00	-23.86	57.39	38.30	18.44	63.99	0.00	114	321 Peak																																																																																																							
2 11404.40	40.40	54.00	-13.60	47.65	38.30	18.44	63.99	0.00	114	321 Average																																																																																																							
3 17100.00	62.45	68.20	-5.75	62.03	41.70	23.08	64.36	0.00	330	316 PEAK																																																																																																							
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																									
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																								
1 11400.00	46.10	74.00	-27.90	53.38	38.30	18.42	64.00	0.00	--	-- PEAK																																																																																																							
2 17100.00	64.70	68.20	-3.50	64.26	41.71	23.09	64.36	0.00	100	298 PEAK																																																																																																							



Mode	10																																																																																			
	Band Edge																																																																																			
	U-NII-1_5.15-5.25_802.11ac VHT20_CH36_5180MHz																																																																																			
ANT	6																																																																																			
Pol.	Horizontal	Fundamental																																																																																		
Peak	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5149.25</td> <td>62.20</td> <td>74.00</td> <td>-11.80</td> <td>45.57</td> <td>34.20</td> <td>12.45</td> <td>30.02</td> <td>0.00</td> <td>100</td> <td>109</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5149.25	62.20	74.00	-11.80	45.57	34.20	12.45	30.02	0.00	100	109	PEAK	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5180.00</td> <td>107.03</td> <td>-----</td> <td>-----</td> <td>90.46</td> <td>34.15</td> <td>12.44</td> <td>30.02</td> <td>0.00</td> <td>100</td> <td>109</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	107.03	-----	-----	90.46	34.15	12.44	30.02	0.00	100	109	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor	Factor																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5149.25	62.20	74.00	-11.80	45.57	34.20	12.45	30.02	0.00	100	109	PEAK																																																																								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor	Factor																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5180.00	107.03	-----	-----	90.46	34.15	12.44	30.02	0.00	100	109	PEAK																																																																								
Avg	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5149.65</td> <td>50.74</td> <td>54.00</td> <td>-3.26</td> <td>34.11</td> <td>34.20</td> <td>12.45</td> <td>30.02</td> <td>0.00</td> <td>100</td> <td>109</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5149.65	50.74	54.00	-3.26	34.11	34.20	12.45	30.02	0.00	100	109	AVERAGE	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5180.00</td> <td>99.53</td> <td>-----</td> <td>-----</td> <td>82.97</td> <td>34.14</td> <td>12.44</td> <td>30.02</td> <td>0.00</td> <td>100</td> <td>109</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	99.53	-----	-----	82.97	34.14	12.44	30.02	0.00	100	109	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor	Factor																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5149.65	50.74	54.00	-3.26	34.11	34.20	12.45	30.02	0.00	100	109	AVERAGE																																																																								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor	Factor																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5180.00	99.53	-----	-----	82.97	34.14	12.44	30.02	0.00	100	109	AVERAGE																																																																								



Mode	10																																																																											
	Band Edge																																																																											
	U-NII-1_5.15-5.25_802.11ac VHT20_CH36_5180MHz																																																																											
ANT	6																																																																											
Pol.	Vertical	Fundamental																																																																										
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5148.95</td> <td>61.51</td> <td>74.00</td> <td>-12.49</td> <td>44.88</td> <td>34.20</td> <td>12.45</td> <td>30.02</td> <td>0.00</td> <td>300</td> <td>213 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5148.95	61.51	74.00	-12.49	44.88	34.20	12.45	30.02	0.00	300	213 PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5180.00</td> <td>105.62</td> <td>-----</td> <td>-----</td> <td>89.05</td> <td>34.15</td> <td>12.44</td> <td>30.02</td> <td>0.00</td> <td>300</td> <td>213 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5180.00	105.62	-----	-----	89.05	34.15	12.44	30.02	0.00	300	213 PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																			
1 5148.95	61.51	74.00	-12.49	44.88	34.20	12.45	30.02	0.00	300	213 PEAK																																																																		
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																			
1 5180.00	105.62	-----	-----	89.05	34.15	12.44	30.02	0.00	300	213 PEAK																																																																		
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5150.00</td> <td>50.07</td> <td>54.00</td> <td>-3.93</td> <td>33.44</td> <td>34.20</td> <td>12.45</td> <td>30.02</td> <td>0.00</td> <td>300</td> <td>213 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5150.00	50.07	54.00	-3.93	33.44	34.20	12.45	30.02	0.00	300	213 AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5180.00</td> <td>97.93</td> <td>-----</td> <td>-----</td> <td>81.37</td> <td>34.14</td> <td>12.44</td> <td>30.02</td> <td>0.00</td> <td>300</td> <td>213 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5180.00	97.93	-----	-----	81.37	34.14	12.44	30.02	0.00	300	213 AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																			
1 5150.00	50.07	54.00	-3.93	33.44	34.20	12.45	30.02	0.00	300	213 AVERAGE																																																																		
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																			
1 5180.00	97.93	-----	-----	81.37	34.14	12.44	30.02	0.00	300	213 AVERAGE																																																																		



Mode	10																																																																																																																																						
	Harmonic																																																																																																																																						
	U-NII-1_5.15-5.25_802.11ac VHT20_CH36_5180MHz																																																																																																																																						
ANT	6																																																																																																																																						
Pol.	Horizontal	Vertical																																																																																																																																					
Peak Avg																																																																																																																																							
	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10361.60</td> <td>50.47</td> <td>68.20</td> <td>-17.73</td> <td>59.98</td> <td>37.62</td> <td>18.06</td> <td>65.19</td> <td>0.00</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>15540.00</td> <td>57.09</td> <td>74.00</td> <td>-16.91</td> <td>58.75</td> <td>40.24</td> <td>22.32</td> <td>64.22</td> <td>0.00</td> <td>212</td> <td>315 PEAK</td> </tr> <tr> <td>3</td> <td>15540.00</td> <td>45.93</td> <td>54.00</td> <td>-8.07</td> <td>47.60</td> <td>40.24</td> <td>22.32</td> <td>64.23</td> <td>0.00</td> <td>212</td> <td>315 AVERAGE</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10361.60	50.47	68.20	-17.73	59.98	37.62	18.06	65.19	0.00	--	Peak	2	15540.00	57.09	74.00	-16.91	58.75	40.24	22.32	64.22	0.00	212	315 PEAK	3	15540.00	45.93	54.00	-8.07	47.60	40.24	22.32	64.23	0.00	212	315 AVERAGE	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10363.00</td> <td>51.68</td> <td>68.20</td> <td>-16.52</td> <td>61.17</td> <td>37.63</td> <td>18.07</td> <td>65.19</td> <td>0.00</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>15540.00</td> <td>57.36</td> <td>74.00</td> <td>-16.64</td> <td>59.02</td> <td>40.24</td> <td>22.32</td> <td>64.22</td> <td>0.00</td> <td>254</td> <td>33 PEAK</td> </tr> <tr> <td>3</td> <td>15540.00</td> <td>46.34</td> <td>54.00</td> <td>-7.66</td> <td>48.00</td> <td>40.24</td> <td>22.32</td> <td>64.22</td> <td>0.00</td> <td>254</td> <td>33 AVERAGE</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10363.00	51.68	68.20	-16.52	61.17	37.63	18.07	65.19	0.00	--	Peak	2	15540.00	57.36	74.00	-16.64	59.02	40.24	22.32	64.22	0.00	254	33 PEAK	3	15540.00	46.34	54.00	-7.66	48.00	40.24	22.32	64.22	0.00	254
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																															
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark																																																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																													
1	10361.60	50.47	68.20	-17.73	59.98	37.62	18.06	65.19	0.00	--	Peak																																																																																																																												
2	15540.00	57.09	74.00	-16.91	58.75	40.24	22.32	64.22	0.00	212	315 PEAK																																																																																																																												
3	15540.00	45.93	54.00	-8.07	47.60	40.24	22.32	64.23	0.00	212	315 AVERAGE																																																																																																																												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																															
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark																																																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																													
1	10363.00	51.68	68.20	-16.52	61.17	37.63	18.07	65.19	0.00	--	Peak																																																																																																																												
2	15540.00	57.36	74.00	-16.64	59.02	40.24	22.32	64.22	0.00	254	33 PEAK																																																																																																																												
3	15540.00	46.34	54.00	-7.66	48.00	40.24	22.32	64.22	0.00	254	33 AVERAGE																																																																																																																												



Mode	11																																																																																																																																						
	Harmonic																																																																																																																																						
	U-NII-1_5.15-5.25_802.11ac VHT20_CH44_5220MHz																																																																																																																																						
ANT	6																																																																																																																																						
Pol.	Horizontal	Vertical																																																																																																																																					
Peak Avg																																																																																																																																							
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10440.00</td> <td>55.23</td> <td>68.20</td> <td>-12.97</td> <td>64.32</td> <td>37.70</td> <td>18.31</td> <td>65.10</td> <td>0.00</td> <td>198</td> <td>117</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>15660.00</td> <td>57.39</td> <td>74.00</td> <td>-16.61</td> <td>59.31</td> <td>40.36</td> <td>22.03</td> <td>64.31</td> <td>0.00</td> <td>177</td> <td>306</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>15660.00</td> <td>46.57</td> <td>54.00</td> <td>-7.43</td> <td>48.49</td> <td>40.36</td> <td>22.03</td> <td>64.31</td> <td>0.00</td> <td>177</td> <td>306</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10440.00	55.23	68.20	-12.97	64.32	37.70	18.31	65.10	0.00	198	117	PEAK	2	15660.00	57.39	74.00	-16.61	59.31	40.36	22.03	64.31	0.00	177	306	PEAK	3	15660.00	46.57	54.00	-7.43	48.49	40.36	22.03	64.31	0.00	177	306	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10440.00</td> <td>55.71</td> <td>68.20</td> <td>-12.49</td> <td>64.00</td> <td>37.70</td> <td>18.31</td> <td>65.10</td> <td>0.00</td> <td>253</td> <td>86</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>15660.00</td> <td>59.00</td> <td>74.00</td> <td>-15.00</td> <td>60.92</td> <td>40.36</td> <td>22.03</td> <td>64.31</td> <td>0.00</td> <td>274</td> <td>42</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>15660.00</td> <td>47.95</td> <td>54.00</td> <td>-6.05</td> <td>49.87</td> <td>40.36</td> <td>22.03</td> <td>64.31</td> <td>0.00</td> <td>274</td> <td>42</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10440.00	55.71	68.20	-12.49	64.00	37.70	18.31	65.10	0.00	253	86	PEAK	2	15660.00	59.00	74.00	-15.00	60.92	40.36	22.03	64.31	0.00	274	42	PEAK	3	15660.00	47.95	54.00	-6.05	49.87	40.36	22.03	64.31	0.00	274	42
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																														
1	10440.00	55.23	68.20	-12.97	64.32	37.70	18.31	65.10	0.00	198	117	PEAK																																																																																																																											
2	15660.00	57.39	74.00	-16.61	59.31	40.36	22.03	64.31	0.00	177	306	PEAK																																																																																																																											
3	15660.00	46.57	54.00	-7.43	48.49	40.36	22.03	64.31	0.00	177	306	AVERAGE																																																																																																																											
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																														
1	10440.00	55.71	68.20	-12.49	64.00	37.70	18.31	65.10	0.00	253	86	PEAK																																																																																																																											
2	15660.00	59.00	74.00	-15.00	60.92	40.36	22.03	64.31	0.00	274	42	PEAK																																																																																																																											
3	15660.00	47.95	54.00	-6.05	49.87	40.36	22.03	64.31	0.00	274	42	AVERAGE																																																																																																																											



Mode	12																																																																																																																																						
	Harmonic																																																																																																																																						
	U-NII-1_5.15-5.25_802.11ac VHT20_CH48_5240MHz																																																																																																																																						
ANT	6																																																																																																																																						
Pol.	Horizontal	Vertical																																																																																																																																					
Peak Avg																																																																																																																																							
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10480.00</td> <td>47.52</td> <td>68.20</td> <td>-20.68</td> <td>56.64</td> <td>37.70</td> <td>18.24</td> <td>65.06</td> <td>0.00</td> <td>--</td> <td>--</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>15720.00</td> <td>57.80</td> <td>74.00</td> <td>-16.20</td> <td>59.61</td> <td>40.42</td> <td>22.13</td> <td>64.36</td> <td>0.00</td> <td>152</td> <td>318</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>15720.00</td> <td>47.72</td> <td>54.00</td> <td>-6.28</td> <td>49.53</td> <td>40.42</td> <td>22.13</td> <td>64.36</td> <td>0.00</td> <td>152</td> <td>318</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10480.00	47.52	68.20	-20.68	56.64	37.70	18.24	65.06	0.00	--	--	PEAK	2	15720.00	57.80	74.00	-16.20	59.61	40.42	22.13	64.36	0.00	152	318	PEAK	3	15720.00	47.72	54.00	-6.28	49.53	40.42	22.13	64.36	0.00	152	318	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10480.00</td> <td>57.07</td> <td>68.20</td> <td>-11.13</td> <td>66.19</td> <td>37.70</td> <td>18.24</td> <td>65.06</td> <td>0.00</td> <td>128</td> <td>42</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>15720.00</td> <td>59.07</td> <td>74.00</td> <td>-14.93</td> <td>60.88</td> <td>40.42</td> <td>22.13</td> <td>64.36</td> <td>0.00</td> <td>100</td> <td>320</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>15720.00</td> <td>46.64</td> <td>54.00</td> <td>-7.36</td> <td>48.45</td> <td>40.42</td> <td>22.13</td> <td>64.36</td> <td>0.00</td> <td>100</td> <td>320</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10480.00	57.07	68.20	-11.13	66.19	37.70	18.24	65.06	0.00	128	42	PEAK	2	15720.00	59.07	74.00	-14.93	60.88	40.42	22.13	64.36	0.00	100	320	PEAK	3	15720.00	46.64	54.00	-7.36	48.45	40.42	22.13	64.36	0.00	100	320
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																														
1	10480.00	47.52	68.20	-20.68	56.64	37.70	18.24	65.06	0.00	--	--	PEAK																																																																																																																											
2	15720.00	57.80	74.00	-16.20	59.61	40.42	22.13	64.36	0.00	152	318	PEAK																																																																																																																											
3	15720.00	47.72	54.00	-6.28	49.53	40.42	22.13	64.36	0.00	152	318	AVERAGE																																																																																																																											
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																														
1	10480.00	57.07	68.20	-11.13	66.19	37.70	18.24	65.06	0.00	128	42	PEAK																																																																																																																											
2	15720.00	59.07	74.00	-14.93	60.88	40.42	22.13	64.36	0.00	100	320	PEAK																																																																																																																											
3	15720.00	46.64	54.00	-7.36	48.45	40.42	22.13	64.36	0.00	100	320	AVERAGE																																																																																																																											



Mode	13																																																																																																																																						
	Harmonic																																																																																																																																						
	U-NII-2A_5.25-5.35_802.11ac VHT20_CH52_5260MHz																																																																																																																																						
ANT	6																																																																																																																																						
Pol.	Horizontal	Vertical																																																																																																																																					
Peak Avg																																																																																																																																							
	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10520.00</td> <td>47.83</td> <td>68.20</td> <td>-20.37</td> <td>57.00</td> <td>37.70</td> <td>18.14</td> <td>65.01</td> <td>0.00</td> <td>--</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>15780.00</td> <td>57.86</td> <td>74.00</td> <td>-16.14</td> <td>59.50</td> <td>40.48</td> <td>22.28</td> <td>64.40</td> <td>0.00</td> <td>363</td> <td>248 PEAK</td> </tr> <tr> <td>3</td> <td>15780.00</td> <td>45.97</td> <td>54.00</td> <td>-8.03</td> <td>47.61</td> <td>40.48</td> <td>22.28</td> <td>64.40</td> <td>0.00</td> <td>363</td> <td>248 AVERAGE</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10520.00	47.83	68.20	-20.37	57.00	37.70	18.14	65.01	0.00	--	PEAK	2	15780.00	57.86	74.00	-16.14	59.50	40.48	22.28	64.40	0.00	363	248 PEAK	3	15780.00	45.97	54.00	-8.03	47.61	40.48	22.28	64.40	0.00	363	248 AVERAGE	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10520.00</td> <td>55.95</td> <td>68.20</td> <td>-12.25</td> <td>65.12</td> <td>37.70</td> <td>18.14</td> <td>65.01</td> <td>0.00</td> <td>300</td> <td>85 PEAK</td> </tr> <tr> <td>2</td> <td>15780.00</td> <td>58.27</td> <td>74.00</td> <td>-15.73</td> <td>59.91</td> <td>40.48</td> <td>22.28</td> <td>64.40</td> <td>0.00</td> <td>100</td> <td>323 PEAK</td> </tr> <tr> <td>3</td> <td>15780.00</td> <td>47.27</td> <td>54.00</td> <td>-6.73</td> <td>48.91</td> <td>40.48</td> <td>22.28</td> <td>64.40</td> <td>0.00</td> <td>100</td> <td>323 AVERAGE</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10520.00	55.95	68.20	-12.25	65.12	37.70	18.14	65.01	0.00	300	85 PEAK	2	15780.00	58.27	74.00	-15.73	59.91	40.48	22.28	64.40	0.00	100	323 PEAK	3	15780.00	47.27	54.00	-6.73	48.91	40.48	22.28	64.40	0.00	100
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																													
1	10520.00	47.83	68.20	-20.37	57.00	37.70	18.14	65.01	0.00	--	PEAK																																																																																																																												
2	15780.00	57.86	74.00	-16.14	59.50	40.48	22.28	64.40	0.00	363	248 PEAK																																																																																																																												
3	15780.00	45.97	54.00	-8.03	47.61	40.48	22.28	64.40	0.00	363	248 AVERAGE																																																																																																																												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																													
1	10520.00	55.95	68.20	-12.25	65.12	37.70	18.14	65.01	0.00	300	85 PEAK																																																																																																																												
2	15780.00	58.27	74.00	-15.73	59.91	40.48	22.28	64.40	0.00	100	323 PEAK																																																																																																																												
3	15780.00	47.27	54.00	-6.73	48.91	40.48	22.28	64.40	0.00	100	323 AVERAGE																																																																																																																												



Mode	14																																																																																																																																																	
	Harmonic																																																																																																																																																	
	U-NII-2A_5.25-5.35_802.11ac VHT20_CH60_5300MHz																																																																																																																																																	
ANT	6																																																																																																																																																	
Pol.	Horizontal	Vertical																																																																																																																																																
Peak Avg																																																																																																																																																		
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 10600.00</td> <td>54.91</td> <td>74.00</td> <td>-19.09</td> <td>64.30</td> <td>37.70</td> <td>17.83</td> <td>64.92</td> <td>0.00</td> <td>168</td> <td>127 PEAK</td> </tr> <tr> <td>2 10600.00</td> <td>44.11</td> <td>54.00</td> <td>-9.89</td> <td>53.50</td> <td>37.70</td> <td>17.83</td> <td>64.92</td> <td>0.00</td> <td>168</td> <td>127 AVERAGE</td> </tr> <tr> <td>3 15900.00</td> <td>57.85</td> <td>74.00</td> <td>-16.15</td> <td>59.21</td> <td>40.70</td> <td>22.43</td> <td>64.49</td> <td>0.00</td> <td>300</td> <td>244 PEAK</td> </tr> <tr> <td>4 15900.00</td> <td>47.18</td> <td>54.00</td> <td>-6.82</td> <td>48.54</td> <td>40.70</td> <td>22.43</td> <td>64.49</td> <td>0.00</td> <td>300</td> <td>244 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 10600.00	54.91	74.00	-19.09	64.30	37.70	17.83	64.92	0.00	168	127 PEAK	2 10600.00	44.11	54.00	-9.89	53.50	37.70	17.83	64.92	0.00	168	127 AVERAGE	3 15900.00	57.85	74.00	-16.15	59.21	40.70	22.43	64.49	0.00	300	244 PEAK	4 15900.00	47.18	54.00	-6.82	48.54	40.70	22.43	64.49	0.00	300	244 AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 10600.00</td> <td>57.18</td> <td>74.00</td> <td>-16.82</td> <td>66.57</td> <td>37.70</td> <td>17.83</td> <td>64.92</td> <td>0.00</td> <td>100</td> <td>38 PEAK</td> </tr> <tr> <td>2 10600.00</td> <td>45.18</td> <td>54.00</td> <td>-8.82</td> <td>54.57</td> <td>37.70</td> <td>17.83</td> <td>64.92</td> <td>0.00</td> <td>100</td> <td>38 AVERAGE</td> </tr> <tr> <td>3 15900.00</td> <td>60.37</td> <td>74.00</td> <td>-13.63</td> <td>61.73</td> <td>40.70</td> <td>22.43</td> <td>64.49</td> <td>0.00</td> <td>300</td> <td>46 PEAK</td> </tr> <tr> <td>4 15900.00</td> <td>48.89</td> <td>54.00</td> <td>-5.11</td> <td>50.25</td> <td>40.70</td> <td>22.43</td> <td>64.49</td> <td>0.00</td> <td>300</td> <td>46 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 10600.00	57.18	74.00	-16.82	66.57	37.70	17.83	64.92	0.00	100	38 PEAK	2 10600.00	45.18	54.00	-8.82	54.57	37.70	17.83	64.92	0.00	100	38 AVERAGE	3 15900.00	60.37	74.00	-13.63	61.73	40.70	22.43	64.49	0.00	300	46 PEAK	4 15900.00	48.89	54.00	-5.11	50.25	40.70	22.43	64.49	0.00	300
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																									
1 10600.00	54.91	74.00	-19.09	64.30	37.70	17.83	64.92	0.00	168	127 PEAK																																																																																																																																								
2 10600.00	44.11	54.00	-9.89	53.50	37.70	17.83	64.92	0.00	168	127 AVERAGE																																																																																																																																								
3 15900.00	57.85	74.00	-16.15	59.21	40.70	22.43	64.49	0.00	300	244 PEAK																																																																																																																																								
4 15900.00	47.18	54.00	-6.82	48.54	40.70	22.43	64.49	0.00	300	244 AVERAGE																																																																																																																																								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																								
1 10600.00	57.18	74.00	-16.82	66.57	37.70	17.83	64.92	0.00	100	38 PEAK																																																																																																																																								
2 10600.00	45.18	54.00	-8.82	54.57	37.70	17.83	64.92	0.00	100	38 AVERAGE																																																																																																																																								
3 15900.00	60.37	74.00	-13.63	61.73	40.70	22.43	64.49	0.00	300	46 PEAK																																																																																																																																								
4 15900.00	48.89	54.00	-5.11	50.25	40.70	22.43	64.49	0.00	300	46 AVERAGE																																																																																																																																								



Mode	15																																																																											
	Band Edge																																																																											
	U-NII-2A_5.25-5.35_802.11ac VHT20_CH64_5320MHz																																																																											
ANT	6																																																																											
Pol.	Horizontal	Fundamental																																																																										
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5350.25</td> <td>64.43</td> <td>74.00</td> <td>-9.57</td> <td>47.32</td> <td>34.60</td> <td>12.56</td> <td>30.05</td> <td>0.00</td> <td>196</td> <td>113</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5350.25	64.43	74.00	-9.57	47.32	34.60	12.56	30.05	0.00	196	113	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5320.00</td> <td>108.16</td> <td>-----</td> <td>-----</td> <td>91.15</td> <td>34.47</td> <td>12.59</td> <td>30.05</td> <td>0.00</td> <td>196</td> <td>113</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5320.00	108.16	-----	-----	91.15	34.47	12.59	30.05	0.00	196	113	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																					
1	5350.25	64.43	74.00	-9.57	47.32	34.60	12.56	30.05	0.00	196	113	PEAK																																																																
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																					
1	5320.00	108.16	-----	-----	91.15	34.47	12.59	30.05	0.00	196	113	PEAK																																																																
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5350.00</td> <td>49.85</td> <td>54.00</td> <td>-4.15</td> <td>32.74</td> <td>34.60</td> <td>12.56</td> <td>30.05</td> <td>0.00</td> <td>196</td> <td>113</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5350.00	49.85	54.00	-4.15	32.74	34.60	12.56	30.05	0.00	196	113	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5320.00</td> <td>99.53</td> <td>-----</td> <td>-----</td> <td>82.52</td> <td>34.47</td> <td>12.59</td> <td>30.05</td> <td>0.00</td> <td>196</td> <td>113</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5320.00	99.53	-----	-----	82.52	34.47	12.59	30.05	0.00	196	113	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																					
1	5350.00	49.85	54.00	-4.15	32.74	34.60	12.56	30.05	0.00	196	113	AVERAGE																																																																
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																					
1	5320.00	99.53	-----	-----	82.52	34.47	12.59	30.05	0.00	196	113	AVERAGE																																																																



Mode	15																																																																	
	Band Edge																																																																	
	U-NII-2A_5.25-5.35_802.11ac VHT20_CH64_5320MHz																																																																	
ANT	6																																																																	
Pol.	Vertical	Fundamental																																																																
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq Level Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz dBuV/m dBuV/m dB</th> <th>dBuV dB/m dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5353.35 63.98 74.00 -10.02</td> <td>46.88 34.60</td> <td>12.55 30.05</td> <td>0.00</td> <td>372</td> <td>78</td> <td>PEAK</td> <td></td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq Level Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	cm	deg	MHz dBuV/m dBuV/m dB	dBuV dB/m dB	dB	dB	dB	dB	cm	deg	1 5353.35 63.98 74.00 -10.02	46.88 34.60	12.55 30.05	0.00	372	78	PEAK		<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq Level Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz dBuV/m dBuV/m dB</th> <th>dBuV dB/m dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5320.00 105.15</td> <td>88.14 34.47</td> <td>12.59 30.05</td> <td>0.00</td> <td>372</td> <td>78</td> <td>PEAK</td> <td></td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq Level Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	cm	deg	MHz dBuV/m dBuV/m dB	dBuV dB/m dB	dB	dB	dB	dB	cm	deg	1 5320.00 105.15	88.14 34.47	12.59 30.05	0.00	372	78	PEAK	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq Level Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	cm	deg																																																											
MHz dBuV/m dBuV/m dB	dBuV dB/m dB	dB	dB	dB	dB	cm	deg																																																											
1 5353.35 63.98 74.00 -10.02	46.88 34.60	12.55 30.05	0.00	372	78	PEAK																																																												
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																											
Freq Level Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	cm	deg																																																											
MHz dBuV/m dBuV/m dB	dBuV dB/m dB	dB	dB	dB	dB	cm	deg																																																											
1 5320.00 105.15	88.14 34.47	12.59 30.05	0.00	372	78	PEAK																																																												
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq Level Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz dBuV/m dBuV/m dB</th> <th>dBuV dB/m dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5350.65 48.25 54.00 -5.75</td> <td>31.14 34.60</td> <td>12.56 30.05</td> <td>0.00</td> <td>372</td> <td>78</td> <td>AVERAGE</td> <td></td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq Level Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	cm	deg	MHz dBuV/m dBuV/m dB	dBuV dB/m dB	dB	dB	dB	dB	cm	deg	1 5350.65 48.25 54.00 -5.75	31.14 34.60	12.56 30.05	0.00	372	78	AVERAGE		<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq Level Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz dBuV/m dBuV/m dB</th> <th>dBuV dB/m dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5320.00 96.93</td> <td>79.92 34.47</td> <td>12.59 30.05</td> <td>0.00</td> <td>372</td> <td>78</td> <td>AVERAGE</td> <td></td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq Level Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	cm	deg	MHz dBuV/m dBuV/m dB	dBuV dB/m dB	dB	dB	dB	dB	cm	deg	1 5320.00 96.93	79.92 34.47	12.59 30.05	0.00	372	78	AVERAGE	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq Level Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	cm	deg																																																											
MHz dBuV/m dBuV/m dB	dBuV dB/m dB	dB	dB	dB	dB	cm	deg																																																											
1 5350.65 48.25 54.00 -5.75	31.14 34.60	12.56 30.05	0.00	372	78	AVERAGE																																																												
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																											
Freq Level Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	cm	deg																																																											
MHz dBuV/m dBuV/m dB	dBuV dB/m dB	dB	dB	dB	dB	cm	deg																																																											
1 5320.00 96.93	79.92 34.47	12.59 30.05	0.00	372	78	AVERAGE																																																												







Mode	15																																																																																																																																																																	
	Harmonic																																																																																																																																																																	
	U-NII-2A_5.25-5.35_802.11ac VHT20_CH64_5320MHz																																																																																																																																																																	
ANT	6																																																																																																																																																																	
Pol.	Horizontal	Vertical																																																																																																																																																																
Peak Avg																																																																																																																																																																		
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10640.00</td> <td>51.34</td> <td>74.00</td> <td>-22.66</td> <td>60.58</td> <td>37.74</td> <td>17.89</td> <td>64.87</td> <td>0.00</td> <td>300</td> <td>250</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>10640.00</td> <td>40.95</td> <td>54.00</td> <td>-13.05</td> <td>50.19</td> <td>37.74</td> <td>17.89</td> <td>64.87</td> <td>0.00</td> <td>300</td> <td>250</td> <td>AVERAGE</td> </tr> <tr> <td>3</td> <td>15960.00</td> <td>60.71</td> <td>74.00</td> <td>-13.29</td> <td>62.13</td> <td>40.82</td> <td>22.29</td> <td>64.53</td> <td>0.00</td> <td>160</td> <td>303</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>15960.00</td> <td>48.64</td> <td>54.00</td> <td>-5.36</td> <td>50.06</td> <td>40.82</td> <td>22.29</td> <td>64.53</td> <td>0.00</td> <td>160</td> <td>303</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10640.00	51.34	74.00	-22.66	60.58	37.74	17.89	64.87	0.00	300	250	PEAK	2	10640.00	40.95	54.00	-13.05	50.19	37.74	17.89	64.87	0.00	300	250	AVERAGE	3	15960.00	60.71	74.00	-13.29	62.13	40.82	22.29	64.53	0.00	160	303	PEAK	4	15960.00	48.64	54.00	-5.36	50.06	40.82	22.29	64.53	0.00	160	303	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10640.00</td> <td>56.33</td> <td>74.00</td> <td>-17.67</td> <td>65.57</td> <td>37.74</td> <td>17.89</td> <td>64.87</td> <td>0.00</td> <td>253</td> <td>79</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>10640.00</td> <td>45.57</td> <td>54.00</td> <td>-8.43</td> <td>54.81</td> <td>37.74</td> <td>17.89</td> <td>64.87</td> <td>0.00</td> <td>253</td> <td>79</td> <td>AVERAGE</td> </tr> <tr> <td>3</td> <td>15960.00</td> <td>62.39</td> <td>74.00</td> <td>-11.61</td> <td>63.81</td> <td>40.82</td> <td>22.29</td> <td>64.53</td> <td>0.00</td> <td>162</td> <td>324</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>15960.00</td> <td>50.46</td> <td>54.00</td> <td>-3.54</td> <td>51.88</td> <td>40.82</td> <td>22.29</td> <td>64.53</td> <td>0.00</td> <td>162</td> <td>324</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	10640.00	56.33	74.00	-17.67	65.57	37.74	17.89	64.87	0.00	253	79	PEAK	2	10640.00	45.57	54.00	-8.43	54.81	37.74	17.89	64.87	0.00	253	79	AVERAGE	3	15960.00	62.39	74.00	-11.61	63.81	40.82	22.29	64.53	0.00	162	324	PEAK	4	15960.00	50.46	54.00	-3.54	51.88	40.82	22.29	64.53	0.00	162	324
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																									
1	10640.00	51.34	74.00	-22.66	60.58	37.74	17.89	64.87	0.00	300	250	PEAK																																																																																																																																																						
2	10640.00	40.95	54.00	-13.05	50.19	37.74	17.89	64.87	0.00	300	250	AVERAGE																																																																																																																																																						
3	15960.00	60.71	74.00	-13.29	62.13	40.82	22.29	64.53	0.00	160	303	PEAK																																																																																																																																																						
4	15960.00	48.64	54.00	-5.36	50.06	40.82	22.29	64.53	0.00	160	303	AVERAGE																																																																																																																																																						
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																								
1	10640.00	56.33	74.00	-17.67	65.57	37.74	17.89	64.87	0.00	253	79	PEAK																																																																																																																																																						
2	10640.00	45.57	54.00	-8.43	54.81	37.74	17.89	64.87	0.00	253	79	AVERAGE																																																																																																																																																						
3	15960.00	62.39	74.00	-11.61	63.81	40.82	22.29	64.53	0.00	162	324	PEAK																																																																																																																																																						
4	15960.00	50.46	54.00	-3.54	51.88	40.82	22.29	64.53	0.00	162	324	AVERAGE																																																																																																																																																						



Mode	16																																																																																																
	Band Edge																																																																																																
	U-NII-2C_5.47-5.725_802.11ac VHT20_CH100_5500MHz																																																																																																
ANT	6																																																																																																
Pol.	Horizontal	Fundamental																																																																																															
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5452.49</td> <td>58.21</td> <td>74.00</td> <td>-15.79</td> <td>40.88</td> <td>34.60</td> <td>12.80</td> <td>30.07</td> <td>0.00</td> <td>103</td> <td>114</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5469.29</td> <td>65.02</td> <td>68.20</td> <td>-3.18</td> <td>47.60</td> <td>34.60</td> <td>12.90</td> <td>30.08</td> <td>0.00</td> <td>103</td> <td>114</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5452.49	58.21	74.00	-15.79	40.88	34.60	12.80	30.07	0.00	103	114	PEAK	2	5469.29	65.02	68.20	-3.18	47.60	34.60	12.90	30.08	0.00	103	114	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5500.00</td> <td>110.35</td> <td>-----</td> <td>-----</td> <td>92.77</td> <td>34.60</td> <td>13.06</td> <td>30.08</td> <td>0.00</td> <td>103</td> <td>114</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	110.35	-----	-----	92.77	34.60	13.06	30.08	0.00	103	114	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5452.49	58.21	74.00	-15.79	40.88	34.60	12.80	30.07	0.00	103	114	PEAK																																																																																					
2	5469.29	65.02	68.20	-3.18	47.60	34.60	12.90	30.08	0.00	103	114	PEAK																																																																																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5500.00	110.35	-----	-----	92.77	34.60	13.06	30.08	0.00	103	114	PEAK																																																																																					
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5460.00</td> <td>48.35</td> <td>54.00</td> <td>-5.65</td> <td>30.90</td> <td>34.60</td> <td>12.85</td> <td>30.08</td> <td>0.00</td> <td>103</td> <td>114</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5460.00	48.35	54.00	-5.65	30.90	34.60	12.85	30.08	0.00	103	114	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5500.00</td> <td>101.83</td> <td>-----</td> <td>-----</td> <td>84.25</td> <td>34.60</td> <td>13.06</td> <td>30.08</td> <td>0.00</td> <td>103</td> <td>114</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	101.83	-----	-----	84.25	34.60	13.06	30.08	0.00	103	114	AVERAGE													
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5460.00	48.35	54.00	-5.65	30.90	34.60	12.85	30.08	0.00	103	114	AVERAGE																																																																																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5500.00	101.83	-----	-----	84.25	34.60	13.06	30.08	0.00	103	114	AVERAGE																																																																																					



Mode	16																																																																																																
	Band Edge																																																																																																
	U-NII-2C_5.47-5.725_802.11ac VHT20_CH100_5500MHz																																																																																																
ANT	6																																																																																																
Pol.	Vertical	Fundamental																																																																																															
Peak	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5457.45</td> <td>57.96</td> <td>74.00</td> <td>-16.04</td> <td>40.60</td> <td>34.60</td> <td>12.83</td> <td>30.07</td> <td>0.00</td> <td>335</td> <td>78</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5466.89</td> <td>60.19</td> <td>68.20</td> <td>-8.01</td> <td>42.78</td> <td>34.60</td> <td>12.89</td> <td>30.08</td> <td>0.00</td> <td>335</td> <td>78</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5457.45	57.96	74.00	-16.04	40.60	34.60	12.83	30.07	0.00	335	78	PEAK	2	5466.89	60.19	68.20	-8.01	42.78	34.60	12.89	30.08	0.00	335	78	PEAK	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5500.00</td> <td>105.76</td> <td>-----</td> <td>-----</td> <td>88.18</td> <td>34.60</td> <td>13.06</td> <td>30.08</td> <td>0.00</td> <td>335</td> <td>78</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	105.76	-----	-----	88.18	34.60	13.06	30.08	0.00	335	78	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5457.45	57.96	74.00	-16.04	40.60	34.60	12.83	30.07	0.00	335	78	PEAK																																																																																					
2	5466.89	60.19	68.20	-8.01	42.78	34.60	12.89	30.08	0.00	335	78	PEAK																																																																																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5500.00	105.76	-----	-----	88.18	34.60	13.06	30.08	0.00	335	78	PEAK																																																																																					
Avg	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5457.93</td> <td>47.19</td> <td>54.00</td> <td>-6.81</td> <td>29.82</td> <td>34.60</td> <td>12.84</td> <td>30.07</td> <td>0.00</td> <td>335</td> <td>78</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5457.93	47.19	54.00	-6.81	29.82	34.60	12.84	30.07	0.00	335	78	AVERAGE	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5500.00</td> <td>97.35</td> <td>-----</td> <td>-----</td> <td>79.77</td> <td>34.60</td> <td>13.06</td> <td>30.08</td> <td>0.00</td> <td>335</td> <td>78</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	97.35	-----	-----	79.77	34.60	13.06	30.08	0.00	335	78	AVERAGE													
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5457.93	47.19	54.00	-6.81	29.82	34.60	12.84	30.07	0.00	335	78	AVERAGE																																																																																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5500.00	97.35	-----	-----	79.77	34.60	13.06	30.08	0.00	335	78	AVERAGE																																																																																					



Mode	16																																																																																																
	Harmonic																																																																																																
	U-NII-2C_5.47-5.725_802.11ac VHT20_CH100_5500MHz																																																																																																
ANT	6																																																																																																
Pol.	Horizontal	Vertical																																																																																															
Peak Avg																																																																																																	
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11000.33</td> <td>44.89</td> <td>74.00</td> <td>-29.11</td> <td>53.02</td> <td>38.20</td> <td>18.13</td> <td>64.46</td> <td>0.00</td> <td>-- -- Peak</td> </tr> <tr> <td>2 16500.00</td> <td>64.11</td> <td>68.20</td> <td>-4.09</td> <td>64.24</td> <td>41.50</td> <td>22.89</td> <td>64.52</td> <td>0.00</td> <td>136 302 Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11000.33	44.89	74.00	-29.11	53.02	38.20	18.13	64.46	0.00	-- -- Peak	2 16500.00	64.11	68.20	-4.09	64.24	41.50	22.89	64.52	0.00	136 302 Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11000.33</td> <td>44.91</td> <td>74.00</td> <td>-29.09</td> <td>53.04</td> <td>38.20</td> <td>18.13</td> <td>64.46</td> <td>0.00</td> <td>-- -- Peak</td> </tr> <tr> <td>2 16500.00</td> <td>62.87</td> <td>68.20</td> <td>-5.33</td> <td>63.00</td> <td>41.50</td> <td>22.89</td> <td>64.52</td> <td>0.00</td> <td>113 307 Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11000.33	44.91	74.00	-29.09	53.04	38.20	18.13	64.46	0.00	-- -- Peak	2 16500.00	62.87	68.20	-5.33	63.00	41.50	22.89	64.52	0.00
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1 11000.33	44.89	74.00	-29.11	53.02	38.20	18.13	64.46	0.00	-- -- Peak																																																																																								
2 16500.00	64.11	68.20	-4.09	64.24	41.50	22.89	64.52	0.00	136 302 Peak																																																																																								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1 11000.33	44.91	74.00	-29.09	53.04	38.20	18.13	64.46	0.00	-- -- Peak																																																																																								
2 16500.00	62.87	68.20	-5.33	63.00	41.50	22.89	64.52	0.00	113 307 Peak																																																																																								



Mode	17																																																																																																																					
	Harmonic																																																																																																																					
	U-NII-2C_5.47-5.725_802.11ac VHT20_CH116_5580MHz																																																																																																																					
ANT	6																																																																																																																					
Pol.	Horizontal	Vertical																																																																																																																				
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11160.00</td> <td>46.72</td> <td>74.00</td> <td>-27.28</td> <td>54.41</td> <td>38.36</td> <td>18.22</td> <td>64.27</td> <td>0.00</td> <td>--</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>16740.00</td> <td>64.40</td> <td>68.20</td> <td>-3.80</td> <td>64.01</td> <td>41.94</td> <td>22.95</td> <td>64.50</td> <td>0.00</td> <td>100</td> <td>332 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11160.00	46.72	74.00	-27.28	54.41	38.36	18.22	64.27	0.00	--	PEAK	2	16740.00	64.40	68.20	-3.80	64.01	41.94	22.95	64.50	0.00	100	332 PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11160.00</td> <td>47.17</td> <td>74.00</td> <td>-26.83</td> <td>54.86</td> <td>38.36</td> <td>18.22</td> <td>64.27</td> <td>0.00</td> <td>300</td> <td>360 PEAK</td> </tr> <tr> <td>2</td> <td>11160.00</td> <td>37.40</td> <td>54.00</td> <td>-16.60</td> <td>45.11</td> <td>38.36</td> <td>18.21</td> <td>64.28</td> <td>0.00</td> <td>300</td> <td>360 AVERAGE</td> </tr> <tr> <td>3</td> <td>16740.00</td> <td>62.55</td> <td>68.20</td> <td>-5.65</td> <td>62.15</td> <td>41.94</td> <td>22.96</td> <td>64.50</td> <td>0.00</td> <td>228</td> <td>0 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11160.00	47.17	74.00	-26.83	54.86	38.36	18.22	64.27	0.00	300	360 PEAK	2	11160.00	37.40	54.00	-16.60	45.11	38.36	18.21	64.28	0.00	300	360 AVERAGE	3	16740.00	62.55	68.20	-5.65	62.15	41.94	22.96	64.50	0.00	228	0 PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																														
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																													
1	11160.00	46.72	74.00	-27.28	54.41	38.36	18.22	64.27	0.00	--	PEAK																																																																																																											
2	16740.00	64.40	68.20	-3.80	64.01	41.94	22.95	64.50	0.00	100	332 PEAK																																																																																																											
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																														
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																													
1	11160.00	47.17	74.00	-26.83	54.86	38.36	18.22	64.27	0.00	300	360 PEAK																																																																																																											
2	11160.00	37.40	54.00	-16.60	45.11	38.36	18.21	64.28	0.00	300	360 AVERAGE																																																																																																											
3	16740.00	62.55	68.20	-5.65	62.15	41.94	22.96	64.50	0.00	228	0 PEAK																																																																																																											



Mode	18																																																																							
	Band Edge																																																																							
	U-NII-2C_5.47-5.725_802.11ac VHT20_CH140_5700MHz																																																																							
ANT	6																																																																							
Pol.	Horizontal	Fundamental																																																																						
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5726.00</td> <td>64.17</td> <td>68.20</td> <td>-4.03</td> <td>46.29</td> <td>34.65</td> <td>13.31</td> <td>30.08</td> <td>0.00</td> <td>100</td> <td>113 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 5726.00	64.17	68.20	-4.03	46.29	34.65	13.31	30.08	0.00	100	113 PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5700.00</td> <td>106.09</td> <td>-----</td> <td>-----</td> <td>88.51</td> <td>34.59</td> <td>13.08</td> <td>30.09</td> <td>0.00</td> <td>100</td> <td>113 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 5700.00	106.09	-----	-----	88.51	34.59	13.08	30.09	0.00	100	113 PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																	
1 5726.00	64.17	68.20	-4.03	46.29	34.65	13.31	30.08	0.00	100	113 PEAK																																																														
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																	
1 5700.00	106.09	-----	-----	88.51	34.59	13.08	30.09	0.00	100	113 PEAK																																																														
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5700.00</td> <td>98.82</td> <td>-----</td> <td>-----</td> <td>81.24</td> <td>34.59</td> <td>13.08</td> <td>30.09</td> <td>0.00</td> <td>100</td> <td>113 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 5700.00	98.82	-----	-----	81.24	34.59	13.08	30.09	0.00	100	113 AVERAGE																																			
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																	
1 5700.00	98.82	-----	-----	81.24	34.59	13.08	30.09	0.00	100	113 AVERAGE																																																														



Mode	18																																																																											
	Band Edge																																																																											
	U-NII-2C_5.47-5.725_802.11ac VHT20_CH140_5700MHz																																																																											
ANT	6																																																																											
Pol.	Vertical	Fundamental																																																																										
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5726.48</td> <td>61.17</td> <td>68.20</td> <td>-7.03</td> <td>43.28</td> <td>34.65</td> <td>13.32</td> <td>30.08</td> <td>0.00</td> <td>100</td> <td>192 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5726.48	61.17	68.20	-7.03	43.28	34.65	13.32	30.08	0.00	100	192 PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5700.00</td> <td>103.35</td> <td>-----</td> <td>-----</td> <td>85.74</td> <td>34.60</td> <td>13.10</td> <td>30.09</td> <td>0.00</td> <td>100</td> <td>192 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5700.00	103.35	-----	-----	85.74	34.60	13.10	30.09	0.00	100	192 PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Remark																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																			
1 5726.48	61.17	68.20	-7.03	43.28	34.65	13.32	30.08	0.00	100	192 PEAK																																																																		
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Remark																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																			
1 5700.00	103.35	-----	-----	85.74	34.60	13.10	30.09	0.00	100	192 PEAK																																																																		
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5700.00</td> <td>95.34</td> <td>-----</td> <td>-----</td> <td>77.76</td> <td>34.59</td> <td>13.08</td> <td>30.09</td> <td>0.00</td> <td>100</td> <td>192 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5700.00	95.34	-----	-----	77.76	34.59	13.08	30.09	0.00	100	192 AVERAGE																																				
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Remark																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																		
1 5700.00	95.34	-----	-----	77.76	34.59	13.08	30.09	0.00	100	192 AVERAGE																																																																		



Mode	18																																																																																																													
	Harmonic																																																																																																													
	U-NII-2C_5.47-5.725_802.11ac VHT20_CH140_5700MHz																																																																																																													
ANT	6																																																																																																													
Pol.	Horizontal	Vertical																																																																																																												
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 11400.00</td> <td>48.46</td> <td>74.00</td> <td>-25.54</td> <td>55.74</td> <td>38.30</td> <td>18.42</td> <td>64.00</td> <td>0.00</td> <td>100</td> <td>0</td> <td>PEAK</td> </tr> <tr> <td>2 11400.00</td> <td>37.79</td> <td>54.00</td> <td>-16.21</td> <td>45.07</td> <td>38.30</td> <td>18.42</td> <td>64.00</td> <td>0.00</td> <td>100</td> <td>0</td> <td>AVERAGE</td> </tr> <tr> <td>3 17100.00</td> <td>64.50</td> <td>68.20</td> <td>-3.70</td> <td>64.08</td> <td>41.70</td> <td>23.07</td> <td>64.35</td> <td>0.00</td> <td>205</td> <td>334</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 11400.00	48.46	74.00	-25.54	55.74	38.30	18.42	64.00	0.00	100	0	PEAK	2 11400.00	37.79	54.00	-16.21	45.07	38.30	18.42	64.00	0.00	100	0	AVERAGE	3 17100.00	64.50	68.20	-3.70	64.08	41.70	23.07	64.35	0.00	205	334	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 11400.00</td> <td>46.88</td> <td>74.00</td> <td>-27.12</td> <td>54.16</td> <td>38.30</td> <td>18.42</td> <td>64.00</td> <td>0.00</td> <td>--</td> <td>--</td> <td>PEAK</td> </tr> <tr> <td>2 17100.00</td> <td>64.58</td> <td>68.20</td> <td>-3.62</td> <td>64.10</td> <td>41.72</td> <td>23.12</td> <td>64.36</td> <td>0.00</td> <td>344</td> <td>10</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 11400.00	46.88	74.00	-27.12	54.16	38.30	18.42	64.00	0.00	--	--	PEAK	2 17100.00	64.58	68.20	-3.62	64.10	41.72	23.12	64.36	0.00	344	10	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Remark																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																							
1 11400.00	48.46	74.00	-25.54	55.74	38.30	18.42	64.00	0.00	100	0	PEAK																																																																																																			
2 11400.00	37.79	54.00	-16.21	45.07	38.30	18.42	64.00	0.00	100	0	AVERAGE																																																																																																			
3 17100.00	64.50	68.20	-3.70	64.08	41.70	23.07	64.35	0.00	205	334	PEAK																																																																																																			
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Remark																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																							
1 11400.00	46.88	74.00	-27.12	54.16	38.30	18.42	64.00	0.00	--	--	PEAK																																																																																																			
2 17100.00	64.58	68.20	-3.62	64.10	41.72	23.12	64.36	0.00	344	10	PEAK																																																																																																			



Mode	19																																																																											
	Band Edge - L																																																																											
	U-NII-1_5.15-5.25_802.11ac VHT40_CH38_5190MHz																																																																											
ANT	6																																																																											
Pol.	Horizontal	Fundamental																																																																										
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5149.53</td> <td>63.70</td> <td>74.00</td> <td>-10.30</td> <td>47.07</td> <td>34.20</td> <td>12.45</td> <td>30.02</td> <td>0.00</td> <td>100</td> <td>109</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5149.53	63.70	74.00	-10.30	47.07	34.20	12.45	30.02	0.00	100	109	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5190.00</td> <td>102.96</td> <td>-----</td> <td>-----</td> <td>86.43</td> <td>34.12</td> <td>12.43</td> <td>30.02</td> <td>0.00</td> <td>100</td> <td>109</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5190.00	102.96	-----	-----	86.43	34.12	12.43	30.02	0.00	100	109	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																					
1	5149.53	63.70	74.00	-10.30	47.07	34.20	12.45	30.02	0.00	100	109	PEAK																																																																
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																					
1	5190.00	102.96	-----	-----	86.43	34.12	12.43	30.02	0.00	100	109	PEAK																																																																
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5149.85</td> <td>50.52</td> <td>54.00</td> <td>-3.48</td> <td>33.89</td> <td>34.20</td> <td>12.45</td> <td>30.02</td> <td>0.00</td> <td>100</td> <td>109</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5149.85	50.52	54.00	-3.48	33.89	34.20	12.45	30.02	0.00	100	109	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5190.00</td> <td>94.30</td> <td>-----</td> <td>-----</td> <td>77.75</td> <td>34.13</td> <td>12.44</td> <td>30.02</td> <td>0.00</td> <td>100</td> <td>109</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5190.00	94.30	-----	-----	77.75	34.13	12.44	30.02	0.00	100	109	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																					
1	5149.85	50.52	54.00	-3.48	33.89	34.20	12.45	30.02	0.00	100	109	AVERAGE																																																																
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																					
1	5190.00	94.30	-----	-----	77.75	34.13	12.44	30.02	0.00	100	109	AVERAGE																																																																



Mode	19																																												
	Band Edge - R																																												
	U-NII-1_5.15-5.25_802.11ac VHT40_CH38_5190MHz																																												
ANT	6																																												
Pol.	Horizontal	Fundamental																																											
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5445.29</td> <td>57.96</td> <td>74.00</td> <td>-16.04</td> <td>40.67</td> <td>34.60</td> <td>12.76</td> <td>30.07</td> <td>0.00</td> <td>100</td> <td>109</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5445.29	57.96	74.00	-16.04	40.67	34.60	12.76	30.07	0.00	100	109	PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																			
1 5445.29	57.96	74.00	-16.04	40.67	34.60	12.76	30.07	0.00	100	109	PEAK																																		
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5458.52</td> <td>46.62</td> <td>54.00</td> <td>-7.38</td> <td>29.25</td> <td>34.60</td> <td>12.84</td> <td>30.07</td> <td>0.00</td> <td>100</td> <td>109</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5458.52	46.62	54.00	-7.38	29.25	34.60	12.84	30.07	0.00	100	109	AVERAGE	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																			
1 5458.52	46.62	54.00	-7.38	29.25	34.60	12.84	30.07	0.00	100	109	AVERAGE																																		



Mode	19																																																																																									
	Band Edge - L																																																																																									
	U-NII-1_5.15-5.25_802.11ac VHT40_CH38_5190MHz																																																																																									
ANT	6																																																																																									
Pol.	Vertical	Fundamental																																																																																								
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5148.25</td> <td>64.81</td> <td>74.00</td> <td>-9.19</td> <td>48.18</td> <td>34.20</td> <td>12.45</td> <td>30.02</td> <td>0.00</td> <td>300</td> <td>213 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	Remark	1	5148.25	64.81	74.00	-9.19	48.18	34.20	12.45	30.02	0.00	300	213 PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5190.00</td> <td>101.20</td> <td>-----</td> <td>-----</td> <td>84.65</td> <td>34.13</td> <td>12.44</td> <td>30.02</td> <td>0.00</td> <td>300</td> <td>213 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	Remark	1	5190.00	101.20	-----	-----	84.65	34.13	12.44	30.02	0.00	300	213 PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	Remark																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	Remark																																																																															
1	5148.25	64.81	74.00	-9.19	48.18	34.20	12.45	30.02	0.00	300	213 PEAK																																																																															
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	Remark																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	Remark																																																																															
1	5190.00	101.20	-----	-----	84.65	34.13	12.44	30.02	0.00	300	213 PEAK																																																																															
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5149.94</td> <td>49.55</td> <td>54.00</td> <td>-4.45</td> <td>32.92</td> <td>34.20</td> <td>12.45</td> <td>30.02</td> <td>0.00</td> <td>300</td> <td>213 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	Remark	1	5149.94	49.55	54.00	-4.45	32.92	34.20	12.45	30.02	0.00	300	213 AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5190.00</td> <td>93.34</td> <td>-----</td> <td>-----</td> <td>76.79</td> <td>34.13</td> <td>12.44</td> <td>30.02</td> <td>0.00</td> <td>300</td> <td>213 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	Remark	1	5190.00	93.34	-----	-----	76.79	34.13	12.44	30.02	0.00	300	213 AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	Remark																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	Remark																																																																															
1	5149.94	49.55	54.00	-4.45	32.92	34.20	12.45	30.02	0.00	300	213 AVERAGE																																																																															
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	Remark																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	Remark																																																																															
1	5190.00	93.34	-----	-----	76.79	34.13	12.44	30.02	0.00	300	213 AVERAGE																																																																															



Mode	19																																												
	Band Edge - R																																												
	U-NII-1_5.15-5.25_802.11ac VHT40_CH38_5190MHz																																												
ANT	6																																												
Pol.	Vertical	Fundamental																																											
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5434.22</td> <td>56.39</td> <td>74.00</td> <td>-17.61</td> <td>39.17</td> <td>34.60</td> <td>12.69</td> <td>30.07</td> <td>0.00</td> <td>300</td> <td>213</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5434.22	56.39	74.00	-17.61	39.17	34.60	12.69	30.07	0.00	300	213	PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																			
1 5434.22	56.39	74.00	-17.61	39.17	34.60	12.69	30.07	0.00	300	213	PEAK																																		
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5459.06</td> <td>46.62</td> <td>54.00</td> <td>-7.38</td> <td>29.26</td> <td>34.60</td> <td>12.84</td> <td>30.08</td> <td>0.00</td> <td>300</td> <td>213</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5459.06	46.62	54.00	-7.38	29.26	34.60	12.84	30.08	0.00	300	213	AVERAGE	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																			
1 5459.06	46.62	54.00	-7.38	29.26	34.60	12.84	30.08	0.00	300	213	AVERAGE																																		



Mode	19																																																																																																																								
	Harmonic																																																																																																																								
	U-NII-1_5.15-5.25_802.11ac VHT40_CH38_5190MHz																																																																																																																								
ANT	6																																																																																																																								
Pol.	Horizontal	Vertical																																																																																																																							
Peak Avg																																																																																																																									
	<table border="1"> <thead> <tr> <th rowspan="2">Limit</th> <th colspan="2">Read</th> <th rowspan="2">Ant</th> <th rowspan="2">Cable</th> <th rowspan="2">Preamp</th> <th rowspan="2">Aux</th> <th rowspan="2">APos</th> <th rowspan="2">TPos</th> <th rowspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10380.00</td> <td>46.86</td> <td>68.20</td> <td>-21.34</td> <td>56.16</td> <td>37.66</td> <td>18.21</td> <td>65.17</td> <td>0.00</td> <td>--</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>15570.00</td> <td>47.52</td> <td>74.00</td> <td>-26.48</td> <td>49.35</td> <td>40.27</td> <td>22.15</td> <td>64.25</td> <td>0.00</td> <td>100</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>15570.00</td> <td>38.13</td> <td>54.00</td> <td>-15.87</td> <td>39.94</td> <td>40.27</td> <td>22.16</td> <td>64.24</td> <td>0.00</td> <td>100</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10380.00	46.86	68.20	-21.34	56.16	37.66	18.21	65.17	0.00	--	PEAK	2	15570.00	47.52	74.00	-26.48	49.35	40.27	22.15	64.25	0.00	100	PEAK	3	15570.00	38.13	54.00	-15.87	39.94	40.27	22.16	64.24	0.00	100	AVERAGE	<table border="1"> <thead> <tr> <th rowspan="2">Limit</th> <th colspan="2">Read</th> <th rowspan="2">Ant</th> <th rowspan="2">Cable</th> <th rowspan="2">Preamp</th> <th rowspan="2">Aux</th> <th rowspan="2">APos</th> <th rowspan="2">TPos</th> <th rowspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10380.00</td> <td>46.54</td> <td>68.20</td> <td>-21.66</td> <td>55.84</td> <td>37.66</td> <td>18.21</td> <td>65.17</td> <td>0.00</td> <td>--</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>15570.00</td> <td>47.76</td> <td>74.00</td> <td>-26.24</td> <td>49.59</td> <td>40.27</td> <td>22.15</td> <td>64.25</td> <td>0.00</td> <td>300</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>15570.00</td> <td>38.46</td> <td>54.00</td> <td>-15.54</td> <td>40.29</td> <td>40.27</td> <td>22.15</td> <td>64.25</td> <td>0.00</td> <td>300</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10380.00	46.54	68.20	-21.66	55.84	37.66	18.21	65.17	0.00	--	PEAK	2	15570.00	47.76	74.00	-26.24	49.59	40.27	22.15	64.25	0.00	300	PEAK	3	15570.00	38.46	54.00	-15.54	40.29	40.27	22.15	64.25	0.00	300
Limit	Read		Ant	Cable								Preamp	Aux	APos	TPos	Remark																																																																																																									
	Freq	Level			Line Margin																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1	10380.00	46.86	68.20	-21.34	56.16	37.66	18.21	65.17	0.00	--	PEAK																																																																																																														
2	15570.00	47.52	74.00	-26.48	49.35	40.27	22.15	64.25	0.00	100	PEAK																																																																																																														
3	15570.00	38.13	54.00	-15.87	39.94	40.27	22.16	64.24	0.00	100	AVERAGE																																																																																																														
Limit	Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
	Freq	Level								Line Margin																																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1	10380.00	46.54	68.20	-21.66	55.84	37.66	18.21	65.17	0.00	--	PEAK																																																																																																														
2	15570.00	47.76	74.00	-26.24	49.59	40.27	22.15	64.25	0.00	300	PEAK																																																																																																														
3	15570.00	38.46	54.00	-15.54	40.29	40.27	22.15	64.25	0.00	300	AVERAGE																																																																																																														