





LTE Band 41C / 20MHz+20MHz

Lowest Channel / QPSK


Middle Channel / QPSK



Date: 27.SEP.2023 22:48:18

Date: 27.SEP.2023 22:57:37

Highest Channel / QPSK



Date: 27.SEP.2023 22:59:25



Frequency Stability

Test Conditions		LTE Band 41 (QPSK) / Middle Channel	Limit
Temperature (°C)	Voltage (Volt)	BW 20+20MHz	Note 2.
		Deviation (ppm)	Result
50	Normal Voltage	0.0014	PAS S
40	Normal Voltage	0.0025	
30	Normal Voltage	0.0031	
20(Ref.)	Normal Voltage	0.0000	
10	Normal Voltage	0.0008	
0	Normal Voltage	0.0017	
-10	Normal Voltage	0.0012	
-20	Normal Voltage	0.0016	
-30	Normal Voltage	0.0036	
20	Maximum Voltage	0.0006	
20	Normal Voltage	0.0028	
20	Battery End Point	0.0013	

Note:


1. Normal Voltage =3.91 V. ; Battery End Point (BEP) =3.6 V. ; Maximum Voltage =4.45 V
2. Note: The frequency fundamental emissions stay within the authorized frequency block.



LTE Band 71

Peak-to-Average Ratio


Mode	LTE Band 71 / 20MHz			
Mod.	QPSK	16QAM	64QAM	Limit: 13dB
RB Size	Full RB	Full RB	Full RB	Result
Middle CH	5.28	6.26	6.38	PASS





26dB Bandwidth


Mode	LTE Band 71 : 26dB BW(MHz)	
BW	5MHz	
Mod.	QPSK	16QAM
Middle CH	4.87	4.84
Mode	LTE Band 71 : 26dB BW(MHz)	
BW	10MHz	
Mod.	QPSK	16QAM
Middle CH	9.73	9.81
Mode	LTE Band 71 : 26dB BW(MHz)	
BW	15MHz	
Mod.	QPSK	16QAM
Middle CH	14.57	14.27
Mode	LTE Band 71 : 26dB BW(MHz)	
BW	20MHz	
Mod.	QPSK	16QAM
Middle CH	18.70	18.94






LTE Band 71

Middle Channel / 10MHz / QPSK



Date: 7.OCT.2023 09:43:03


Middle Channel / 10MHz / 16QAM



Date: 7.OCT.2023 09:43:25


LTE Band 71

Middle Channel / 15MHz / QPSK



Date: 7.OCT.2023 09:54:12


Middle Channel / 15MHz / 16QAM



Date: 7.OCT.2023 09:54:33


LTE Band 71

Middle Channel / 20MHz / QPSK



Date: 7.OCT.2023 10:06:58

Middle Channel / 20MHz / 16QAM




Date: 7.OCT.2023 10:07:19



Occupied Bandwidth


Mode	LTE Band 71 : 99%OBW(MHz)	
BW	5MHz	
Mod.	QPSK	16QAM
Middle CH	4.48	4.51
Mode	LTE Band 71 : 99%OBW(MHz)	
BW	10MHz	
Mod.	QPSK	16QAM
Middle CH	9.01	9.03
Mode	LTE Band 71 : 99%OBW(MHz)	
BW	15MHz	
Mod.	QPSK	16QAM
Middle CH	13.46	13.52
Mode	LTE Band 71 : 99%OBW(MHz)	
BW	20MHz	
Mod.	QPSK	16QAM
Middle CH	17.82	17.82






LTE Band 71

Middle Channel / 10MHz / QPSK



Date: 7.OCT.2023 09:42:42


Middle Channel / 10MHz / 16QAM



Date: 7.OCT.2023 09:43:46


LTE Band 71

Middle Channel / 15MHz / QPSK



Date: 7.OCT.2023 09:53:51


Middle Channel / 15MHz / 16QAM



Date: 7.OCT.2023 09:54:55


LTE Band 71

Middle Channel / 20MHz / QPSK



Date: 7.OCT.2023 10:06:36


Middle Channel / 20MHz / 16QAM



Date: 7.OCT.2023 10:07:41



Conducted Band Edge






LTE Band 71 / 5MHz / 16QAM

Lowest Band Edge / 1 RB

Highest Band Edge / 1 RB





Date: 7.OCT.2023 09:12:49

Date: 7.OCT.2023 09:25:40

Lowest Band Edge / Full RB

Highest Band Edge / Full RB



Date: 7.OCT.2023 09:16:53



Date: 7.OCT.2023 09:29:41



LTE Band 71 / 5MHz / 64QAM

Lowest Band Edge / 1RB

Highest Band Edge / 1 RB





Date: 7.OCT.2023 09:14:10

Date: 7.OCT.2023 09:27:00

Lowest Band Edge / Full RB

Highest Band Edge / Full RB




Date: 7.OCT.2023 09:15:30

Date: 7.OCT.2023 09:28:21




LTE Band 71 / 10MHz / QPSK

Lowest Band Edge / 1 RB




Date: 7.OCT.2023 09:39:03

Highest Band Edge / 1 RB




Date: 7.OCT.2023 09:46:46

Lowest Band Edge / Full RB



Date: 7.OCT.2023 09:32:22

Highest Band Edge / Full RB




Date: 7.OCT.2023 09:53:29




LTE Band 71 / 10MHz / 16QAM

Lowest Band Edge / 1 RB

Highest Band Edge / 1 RB




Date: 7.OCT.2023 09:37:43




Date: 7.OCT.2023 09:48:06

Lowest Band Edge / Full RB

Highest Band Edge / Full RB



Date: 7.OCT.2023 09:33:42




Date: 7.OCT.2023 09:52:09




LTE Band 71 / 10MHz / 64QAM

Lowest Band Edge / 1 RB




Date: 7.OCT.2023 09:36:23

Highest Band Edge / 1 RB




Date: 7.OCT.2023 09:49:28

Lowest Band Edge / Full RB



Date: 7.OCT.2023 09:35:03

Highest Band Edge / Full RB




Date: 7.OCT.2023 09:50:48




LTE Band 71 / 20MHz / QPSK

Lowest Band Edge / 1 RB




Date: 7.OCT.2023 10:02:58

Highest Band Edge / 1 RB




Date: 7.OCT.2023 10:10:41

Lowest Band Edge / Full RB



Date: 7.OCT.2023 09:56:16

Highest Band Edge / Full RB




Date: 7.OCT.2023 10:17:23




LTE Band 71 / 20MHz / 16QAM

Lowest Band Edge / 1 RB




Date: 7.OCT.2023 10:01:38

Highest Band Edge / 1RB




Date: 7.OCT.2023 10:12:01

Lowest Band Edge / Full RB



Date: 7.OCT.2023 09:57:37

Highest Band Edge / Full RB




Date: 7.OCT.2023 10:16:02




LTE Band 71 / 20MHz / 64QAM

Lowest Band Edge / 1 RB




Date: 7.OCT.2023 10:00:17

Highest Band Edge / 1 RB




Date: 7.OCT.2023 10:13:22

Lowest Band Edge / Full RB



Date: 7.OCT.2023 09:58:57


Highest Band Edge / Full RB



Date: 7.OCT.2023 10:14:42



Conducted Spurious Emission







LTE Band 71 / 10MHz

Lowest Channel / QPSK


Middle Channel / QPSK



Date: 7.OCT.2023 09:40:42

Date: 7.OCT.2023 09:42:21

Highest Channel / QPSK




Date: 7.OCT.2023 09:45:26




LTE Band 71 / 20MHz

Lowest Channel / QPSK

Middle Channel / QPSK




Date: 7.OCT.2023 10:04:37



Date: 7.OCT.2023 10:06:15

Highest Channel / QPSK



Date: 7.OCT.2023 10:09:20



Frequency Stability

Test Conditions		LTE Band 71 (QPSK) / Middle Channel	Limit
Temperature (°C)	Voltage (Volt)	BW 10MHz	Note 2.
		Deviation (ppm)	Result
50	Normal Voltage	0.0021	PASS
40	Normal Voltage	0.0016	
30	Normal Voltage	0.0014	
20(Ref.)	Normal Voltage	0.0000	
10	Normal Voltage	0.0012	
0	Normal Voltage	0.0027	
-10	Normal Voltage	0.0035	
-20	Normal Voltage	0.0011	
-30	Normal Voltage	0.0014	
20	Maximum Voltage	0.0018	
20	Normal Voltage	0.0024	
20	Minimum Voltage	0.0019	

Note:

1. Normal Voltage =3.91V. ; Minimum Voltage =3.6 V. ; Maximum Voltage =4.45 V.
2. Note: The frequency fundamental emissions stay within the authorized frequency block.



Appendix B. Test Results of Radiated Test

Radiated Spurious Emission

Test Engineer :	HuaCong Liang	Temperature :	22~25°C
		Relative Humidity :	48~52%

RSE pretest all the supported antennas, only the worst antenna perform final test and record in the report.

LTE Band 7 / 20MHz / 16QAM / Ant.1									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	5002.18	-56.56	-25	-31.56	-80.21	-62.12	7.12	12.68	H
	7503.27	-49.70	-25	-24.70	-76.64	-53.03	8.26	11.59	H
	10004.36	-53.30	-25	-28.30	-84.12	-54.83	10.45	11.98	H
	5002.18	-55.06	-25	-30.06	-80.39	-60.62	7.12	12.68	V
	7503.27	-50.36	-25	-25.36	-77.29	-53.69	8.26	11.59	V
	10004.36	-52.34	-25	-27.34	-83.8	-53.87	10.45	11.98	V
Middle	5052.18	-55.95	-25	-30.95	-79.90	-61.51	7.14	12.70	H
	7578.27	-49.69	-25	-24.69	-76.39	-52.99	8.30	11.60	H
	10104.36	-52.41	-25	-27.41	-83.35	-53.93	10.48	12.00	H
	5052.18	-54.74	-25	-29.74	-80.02	-60.30	7.14	12.70	V
	7578.27	-50.60	-25	-25.60	-77.3	-53.90	8.30	11.60	V
	10104.36	-51.60	-25	-26.60	-83.52	-53.12	10.48	12.00	V
Highest	5102.18	-55.95	-25	-30.95	-80.19	-61.51	7.16	12.72	H
	7653.27	-52.06	-25	-27.06	-78.56	-55.36	8.33	11.63	H
	10204.36	-52.10	-25	-27.10	-83.14	-53.70	10.50	12.10	H
	5102.18	-54.96	-25	-29.96	-80.18	-60.52	7.16	12.72	V
	7653.27	-50.56	-25	-25.56	-78.09	-53.86	8.33	11.63	V
	10204.36	-50.99	-25	-25.99	-83.3	-52.59	10.50	12.10	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



LTE Band 12 / 10MHz / QPSK/ Ant.0									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	1399	-64.55	-13	-51.55	-72.57	-67.78	3.98	9.36	H
	2098.5	-65.08	-13	-52.08	-74.55	-68.63	4.85	10.55	H
	2798	-64.01	-13	-51.01	-75.82	-68.94	5.50	12.58	H
	1399	-64.62	-13	-51.62	-72.70	-67.85	3.98	9.36	V
	2098.5	-64.81	-13	-51.81	-74.66	-68.36	4.85	10.55	V
	2798	-63.59	-13	-50.59	-75.64	-68.52	5.50	12.58	V
Middle	1406	-64.79	-13	-51.79	-72.75	-68.04	4.00	9.40	H
	2109	-65.12	-13	-52.12	-74.78	-68.69	4.88	10.60	H
	2812	-63.69	-13	-50.69	-75.55	-68.62	5.52	12.60	H
	1406	-64.61	-13	-51.61	-72.65	-67.86	4.00	9.40	V
	2109	-65.04	-13	-52.04	-75.07	-68.61	4.88	10.60	V
	2812	-63.40	-13	-50.40	-75.50	-68.33	5.52	12.60	V
Highest	1413	-65.16	-13	-52.16	-73.04	-68.33	4.10	9.42	H
	2119.5	-65.34	-13	-52.34	-75.18	-68.92	4.90	10.63	H
	2826	-63.73	-13	-50.73	-75.61	-68.65	5.55	12.62	H
	1413	-64.22	-13	-51.22	-72.18	-67.39	4.10	9.42	V
	2119.5	-64.71	-13	-51.71	-74.92	-68.29	4.90	10.63	V
	2826	-63.44	-13	-50.44	-75.57	-68.36	5.55	12.62	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.

LTE Band 13 / 5MHz / QPSK/ Ant.4									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	1554.5	-67.48	-13	-54.48	-74.17	-70.71	3.98	9.36	H
	2331.75	-62.02	-13	-49.02	-72.72	-65.57	4.85	10.55	H
	3109	-64.66	-13	-51.66	-77.30	-69.59	5.50	12.58	H
	1554.5	-67.47	-13	-54.47	-74.36	-70.70	3.98	9.36	V
	2331.75	-61.89	-13	-48.89	-72.98	-65.44	4.85	10.55	V
	3109	-64.17	-13	-51.17	-77.31	-69.10	5.50	12.58	V
Middle	1559.5	-66.22	-42.15	-24.07	-72.85	-69.47	4.00	9.40	H
	2339.25	-52.39	-13	-39.39	-63.08	-55.96	4.88	10.60	H
	3119	-63.38	-13	-50.38	-76.07	-68.31	5.52	12.60	H
	1559.5	-65.75	-42.15	-23.60	-72.59	-69.00	4.00	9.40	V
	2339.25	-51.28	-13	-38.28	-62.36	-54.85	4.88	10.60	V
	3119	-62.98	-13	-49.98	-76.18	-67.91	5.52	12.60	V
Highest	1564.5	-67.76	-42.15	-25.61	-74.33	-70.93	4.10	9.42	H
	2346.75	-59.05	-13	-46.05	-69.70	-62.63	4.90	10.63	H
	3129	-64.62	-13	-51.62	-77.34	-69.54	5.55	12.62	H
	1564.5	-67.52	-42.15	-25.37	-74.31	-70.69	4.10	9.42	V
	2346.75	-57.71	-13	-44.71	-68.75	-61.29	4.90	10.63	V
	3129	-64.09	-13	-51.09	-77.34	-69.01	5.55	12.62	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



LTE Band 13 / 10MHz / QPSK/ Ant.4									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Middle	1559.5	-66.38	-42.15	-24.23	-73.01	-69.63	4.00	9.40	H
	2339.25	-59.55	-13	-46.55	-70.24	-63.12	4.88	10.60	H
	3119	-63.30	-13	-50.30	-75.99	-68.23	5.52	12.60	H
	1559.5	-66.10	-42.15	-23.95	-72.94	-69.35	4.00	9.40	V
	2339.25	-57.71	-13	-44.71	-68.79	-61.28	4.88	10.60	V
	3119	-62.47	-13	-49.47	-75.67	-67.40	5.52	12.60	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.

LTE Band 17 / 10MHz / QPSK/ Ant.0									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	1409.18	-65.15	-13	-52.15	-73.07	-68.38	3.98	9.36	H
	2113.77	-65.34	-13	-52.34	-75.09	-68.89	4.85	10.55	H
	2818.36	-63.82	-13	-50.82	-75.69	-68.75	5.50	12.58	H
	1409.18	-64.69	-13	-51.69	-72.69	-67.92	3.98	9.36	V
	2113.77	-64.39	-13	-51.39	-74.50	-67.94	4.85	10.55	V
	2818.36	-63.30	-13	-50.30	-75.41	-68.23	5.50	12.58	V
Middle	1411.18	-64.86	-13	-51.86	-72.76	-68.11	4.00	9.40	H
	2116.77	-65.22	-13	-52.22	-75.02	-68.79	4.88	10.60	H
	2822.36	-63.75	-13	-50.75	-75.62	-68.68	5.52	12.60	H
	1411.18	-64.78	-13	-51.78	-72.76	-68.03	4.00	9.40	V
	2116.77	-64.63	-13	-51.63	-74.79	-68.20	4.88	10.60	V
	2822.36	-63.12	-13	-50.12	-75.24	-68.05	5.52	12.60	V
Highest	1413.18	-64.93	-13	-51.93	-72.81	-68.10	4.10	9.42	H
	2119.77	-65.41	-13	-52.41	-75.26	-68.99	4.90	10.63	H
	2826.36	-63.67	-13	-50.67	-75.55	-68.59	5.55	12.62	H
	1413.18	-64.68	-13	-51.68	-72.64	-67.85	4.10	9.42	V
	2119.77	-64.72	-13	-51.72	-74.93	-68.30	4.90	10.63	V
	2826.36	-63.39	-13	-50.39	-75.52	-68.31	5.55	12.62	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



LTE Band 41 / 20MHz / QPSK/ Ant.1									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	4994.00	-58.71	-25	-33.71	-76.19	-64.27	7.12	12.68	H
	7491.00	-45.10	-25	-20.10	-67.46	-48.43	8.26	11.59	H
	9988.00	-52.83	-25	-27.83	-79.74	-54.36	10.45	11.98	H
	12485.00	-47.64	-25	-22.64	-74.73	-49.17	10.45	11.98	H
	4994.00	-55.39	-25	-30.39	-72.8	-60.95	7.12	12.68	V
	7491.00	-47.38	-25	-22.38	-69.66	-50.71	8.26	11.59	V
	9988.00	-53.31	-25	-28.31	-79.63	-54.84	10.45	11.98	V
	12485.00	-49.53	-25	-24.53	-77.15	-51.06	10.45	11.98	V
Middle	5168.00	-54.22	-25	-29.22	-76.71	-59.78	7.14	12.70	H
	7752.00	-46.43	-25	-21.43	-70.36	-49.73	8.30	11.60	H
	10336.00	-52.78	-25	-27.78	-80.74	-54.30	10.48	12.00	H
	12920.00	-50.41	-25	-25.41	-83.70	-52.11	11.80	13.50	H
	5168.00	-51.09	-25	-26.09	-74.08	-56.65	7.14	12.70	V
	7752.00	-44.37	-25	-19.37	-71.39	-47.67	8.30	11.60	V
	10336.00	-52.73	-25	-27.73	-82.44	-54.25	10.48	12.00	V
	12920.00	-49.31	-25	-24.31	-81.19	-51.01	11.80	13.50	V
Highest	5342.00	-57.92	-25	-32.92	-74.28	-63.48	7.16	12.72	H
	8013.00	-50.27	-25	-25.27	-73.92	-53.57	8.33	11.63	H
	10684.00	-51.55	-25	-26.55	-83.78	-53.15	10.50	12.10	H
	13355.00	-47.84	-25	-22.84	-81.02	-49.56	11.82	13.54	H
	5342.00	-56.40	-25	-31.40	-73	-61.96	7.16	12.72	V
	8013.00	-49.46	-25	-24.46	-73.17	-52.76	8.33	11.63	V
	10684.00	-51.58	-25	-26.58	-86.3	-53.18	10.50	12.10	V
	13355.00	-48.79	-25	-23.79	-80.10	-50.51	11.82	13.54	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



LTE Band 41C / 20+20MHz / 16QAM/ Ant.1									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	5031.8	-61.44	-25	-36.44	-78.89	-67.12	7.10	12.78	H
	7547.7	-56.51	-25	-31.51	-78.74	-59.59	8.48	11.56	H
	10063.6	-52.85	-25	-27.85	-79.75	-54.20	10.65	12.00	H
	5031.8	-61.17	-25	-36.17	-78.54	-66.85	7.10	12.78	V
	7547.7	-56.57	-25	-31.57	-78.64	-59.65	8.48	11.56	V
	10063.6	-53.74	-25	-28.74	-80.11	-55.09	10.65	12.00	V
Middle	5186.00	-61.11	-25	-36.11	-78.39	-66.67	7.14	12.70	H
	7779.00	-55.75	-25	-30.75	-78.40	-59.05	8.30	11.60	H
	10372.00	-52.63	-25	-27.63	-79.42	-54.15	10.48	12.00	H
	5186.00	-61.26	-25	-36.26	-78.49	-66.82	7.14	12.70	V
	7779.00	-55.71	-25	-30.71	-78.36	-59.01	8.30	11.60	V
	10372.00	-52.77	-25	-27.77	-79.38	-54.29	10.48	12.00	V
Highest	5340	-63.17	-25	-38.17	-79.53	-68.81	7.18	12.82	H
	8010.3	-54.61	-25	-29.61	-78.27	-57.70	8.54	11.63	H
	10680.4	-51.86	-25	-26.86	-79.33	-53.21	10.70	12.05	H
	5340	-62.95	-25	-37.95	-79.54	-68.59	7.18	12.82	V
	8010.3	-53.96	-25	-28.96	-77.68	-57.05	8.54	11.63	V
	10680.4	-52.23	-25	-27.23	-79.56	-53.58	10.70	12.05	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.

LTE Band 71 / 20MHz / QPSK/ Ant.0									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	1328	-65.90	-13	-52.90	-72.58	-69.15	4.00	9.40	H
	1992	-67.35	-13	-54.35	-75.02	-70.92	4.88	10.60	H
	2656	-65.25	-13	-52.25	-75.93	-70.18	5.52	12.60	H
	1328	-65.75	-13	-52.75	-72.34	-69.00	4.00	9.40	V
	1992	-66.95	-13	-53.95	-75.03	-70.52	4.88	10.60	V
	2656	-64.71	-13	-51.71	-75.72	-69.64	5.52	12.60	V
Middle	1343	-65.18	-13	-52.18	-72.07	-68.43	4.00	9.40	H
	2014.5	-65.20	-13	-52.20	-73.19	-68.77	4.88	10.60	H
	2686	-64.69	-13	-51.69	-75.61	-69.62	5.52	12.60	H
	1343	-65.26	-13	-52.26	-72.10	-68.51	4.00	9.40	V
	2014.5	-65.54	-13	-52.54	-73.95	-69.11	4.88	10.60	V
	2686	-64.20	-13	-51.20	-75.42	-69.13	5.52	12.60	V
Highest	1358	-65.09	-13	-52.09	-72.30	-68.34	4.00	9.40	H
	2037	-66.33	-13	-53.33	-74.72	-69.90	4.88	10.60	H
	2716	-64.67	-13	-51.67	-75.83	-69.60	5.52	12.60	H
	1358	-64.91	-13	-51.91	-72.10	-68.16	4.00	9.40	V
	2037	-66.02	-13	-53.02	-74.82	-69.59	4.88	10.60	V
	2716	-64.44	-13	-51.44	-75.88	-69.37	5.52	12.60	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.