





6. Conducted Spurious Emission


6.1. Test Plots














7. Frequency Stability

7.1. Test Results

7.1.1. Frequency Error Vs Voltage

SCS	Bandwidth	Channel	RB Config	Modulation	Temperature	Voltage	Deviation Result		Verdict
							(Hz)	(ppm)	
15KHz	40MHz	MCH	Outer_Full	DFT-QPSK	NT	LV	-1.10	-0.000630	Pass
15KHz	40MHz	MCH	Outer_Full	DFT-QPSK	NT	NV	-0.70	-0.000401	Pass
15KHz	40MHz	MCH	Outer_Full	DFT-QPSK	NT	HV	-3.60	-0.002063	Pass

7.1.2. Frequency Error Vs Temperature

SCS	Bandwidth	Channel	RB Config	Modulation	Temperature	Voltage	Deviation Result		Verdict
							(Hz)	(ppm)	
15KHz	40MHz	MCH	Outer_Full	DFT-QPSK	-30°C	NV	-3.90	-0.002235	Pass
15KHz	40MHz	MCH	Outer_Full	DFT-QPSK	-20°C	NV	-0.20	-0.000115	Pass
15KHz	40MHz	MCH	Outer_Full	DFT-QPSK	-10°C	NV	-1.80	-0.001032	Pass
15KHz	40MHz	MCH	Outer_Full	DFT-QPSK	0°C	NV	-3.00	-0.001719	Pass
15KHz	40MHz	MCH	Outer_Full	DFT-QPSK	10°C	NV	-4.10	-0.002350	Pass
15KHz	40MHz	MCH	Outer_Full	DFT-QPSK	20°C	NV	-7.50	-0.004298	Pass
15KHz	40MHz	MCH	Outer_Full	DFT-QPSK	30°C	NV	0.00	0.000000	Pass
15KHz	40MHz	MCH	Outer_Full	DFT-QPSK	40°C	NV	-5.40	-0.003095	Pass
15KHz	40MHz	MCH	Outer_Full	DFT-QPSK	50°C	NV	-3.50	-0.002006	Pass

The End