



Mode	16																																																																									
	Band Edge - L																																																																									
	U-NII-2A_5.25-5.35_802.11ac VHT40_CH54_5270MHz																																																																									
ANT	5																																																																									
Pol.	Vertical	Fundamental																																																																								
Peak	<p>Date: 2024-04-13</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5145.26</td> <td>52.45</td> <td>74.00</td> <td>-21.55</td> <td>40.48</td> <td>36.11</td> <td>8.53</td> <td>32.67</td> <td>400</td> <td>154</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	5145.26	52.45	74.00	-21.55	40.48	36.11	8.53	32.67	400	154	PEAK	<p>Date: 2024-04-13</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5270.00</td> <td>91.95</td> <td>-----</td> <td>-----</td> <td>79.51</td> <td>36.03</td> <td>9.05</td> <td>32.64</td> <td>400</td> <td>154</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	5270.00	91.95	-----	-----	79.51	36.03	9.05	32.64	400	154	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																			
1	5145.26	52.45	74.00	-21.55	40.48	36.11	8.53	32.67	400	154	PEAK																																																															
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																			
1	5270.00	91.95	-----	-----	79.51	36.03	9.05	32.64	400	154	PEAK																																																															
Avg	<p>Date: 2024-04-13</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5094.50</td> <td>42.98</td> <td>54.00</td> <td>-11.02</td> <td>31.09</td> <td>36.14</td> <td>8.43</td> <td>32.68</td> <td>400</td> <td>154</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	5094.50	42.98	54.00	-11.02	31.09	36.14	8.43	32.68	400	154	AVERAGE	<p>Date: 2024-04-13</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5270.00</td> <td>84.12</td> <td>-----</td> <td>-----</td> <td>71.68</td> <td>36.03</td> <td>9.05</td> <td>32.64</td> <td>400</td> <td>154</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	5270.00	84.12	-----	-----	71.68	36.03	9.05	32.64	400	154	AVERAGE
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																			
1	5094.50	42.98	54.00	-11.02	31.09	36.14	8.43	32.68	400	154	AVERAGE																																																															
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																			
1	5270.00	84.12	-----	-----	71.68	36.03	9.05	32.64	400	154	AVERAGE																																																															



Mode	16																																						
	Band Edge - R																																						
	U-NII-2A_5.25-5.35_802.11ac VHT40_CH54_5270MHz																																						
ANT	5																																						
Pol.	Vertical	Fundamental																																					
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5351.13</td> <td>51.98</td> <td>74.00</td> <td>-22.02</td> <td>39.25</td> <td>35.99</td> <td>9.37</td> <td>32.63</td> <td>400</td> <td>154</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5351.13	51.98	74.00	-22.02	39.25	35.99	9.37	32.63	400	154	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																
1	5351.13	51.98	74.00	-22.02	39.25	35.99	9.37	32.63	400	154	PEAK																												
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5350.37</td> <td>43.51</td> <td>54.00</td> <td>-10.49</td> <td>30.78</td> <td>35.99</td> <td>9.37</td> <td>32.63</td> <td>400</td> <td>154</td> <td>AVERAGE</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5350.37	43.51	54.00	-10.49	30.78	35.99	9.37	32.63	400	154	AVERAGE	Blank
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																
1	5350.37	43.51	54.00	-10.49	30.78	35.99	9.37	32.63	400	154	AVERAGE																												



Mode	16																																																																																											
	Harmonic																																																																																											
	U-NII-2A_5.25-5.35_802.11ac VHT40_CH54_5270MHz																																																																																											
ANT	5																																																																																											
Pol.	Horizontal	Vertical																																																																																										
Peak Avg	<p>Date: 2024-04-14</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10540.00</td> <td>46.95</td> <td>68.30</td> <td>-21.35</td> <td>59.53</td> <td>38.82</td> <td>12.19</td> <td>63.59</td> <td>--- Peak</td> </tr> <tr> <td>2</td> <td>15810.00</td> <td>49.21</td> <td>74.00</td> <td>-24.79</td> <td>57.63</td> <td>40.95</td> <td>14.71</td> <td>64.08</td> <td>--- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	10540.00	46.95	68.30	-21.35	59.53	38.82	12.19	63.59	--- Peak	2	15810.00	49.21	74.00	-24.79	57.63	40.95	14.71	64.08	--- Peak	<p>Date: 2024-04-14</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10540.00</td> <td>47.97</td> <td>68.30</td> <td>-20.33</td> <td>60.55</td> <td>38.82</td> <td>12.19</td> <td>63.59</td> <td>--- Peak</td> </tr> <tr> <td>2</td> <td>15810.00</td> <td>49.25</td> <td>74.00</td> <td>-24.75</td> <td>57.67</td> <td>40.95</td> <td>14.71</td> <td>64.08</td> <td>--- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	10540.00	47.97	68.30	-20.33	60.55	38.82	12.19	63.59	--- Peak	2	15810.00	49.25	74.00	-24.75	57.67	40.95	14.71	64.08	--- Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																				
1	10540.00	46.95	68.30	-21.35	59.53	38.82	12.19	63.59	--- Peak																																																																																			
2	15810.00	49.21	74.00	-24.79	57.63	40.95	14.71	64.08	--- Peak																																																																																			
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																				
1	10540.00	47.97	68.30	-20.33	60.55	38.82	12.19	63.59	--- Peak																																																																																			
2	15810.00	49.25	74.00	-24.75	57.67	40.95	14.71	64.08	--- Peak																																																																																			



Mode	17																																																																											
	Band Edge - L																																																																											
	U-NII-2A_5.25-5.35_802.11ac VHT40_CH62_5310MHz																																																																											
ANT	5																																																																											
Pol.	Horizontal	Fundamental																																																																										
Peak	<p>Date: 2024-04-13</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5146.32</td> <td>52.44</td> <td>74.00</td> <td>-21.56</td> <td>40.47</td> <td>36.11</td> <td>8.53</td> <td>32.67</td> <td>105</td> <td>120</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5146.32	52.44	74.00	-21.56	40.47	36.11	8.53	32.67	105	120	PEAK	<p>Date: 2024-04-13</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5310.00</td> <td>103.77</td> <td>-----</td> <td>-----</td> <td>91.22</td> <td>36.01</td> <td>9.18</td> <td>32.64</td> <td>105</td> <td>120</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5310.00	103.77	-----	-----	91.22	36.01	9.18	32.64	105	120	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																				
1	5146.32	52.44	74.00	-21.56	40.47	36.11	8.53	32.67	105	120	PEAK																																																																	
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																				
1	5310.00	103.77	-----	-----	91.22	36.01	9.18	32.64	105	120	PEAK																																																																	
Avg	<p>Date: 2024-04-13</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5066.34</td> <td>43.05</td> <td>54.00</td> <td>-10.95</td> <td>31.20</td> <td>36.16</td> <td>8.38</td> <td>32.69</td> <td>105</td> <td>120</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5066.34	43.05	54.00	-10.95	31.20	36.16	8.38	32.69	105	120	AVERAGE	<p>Date: 2024-04-13</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5310.00</td> <td>96.70</td> <td>-----</td> <td>-----</td> <td>84.15</td> <td>36.01</td> <td>9.18</td> <td>32.64</td> <td>105</td> <td>120</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5310.00	96.70	-----	-----	84.15	36.01	9.18	32.64	105	120	AVERAGE
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																				
1	5066.34	43.05	54.00	-10.95	31.20	36.16	8.38	32.69	105	120	AVERAGE																																																																	
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																				
1	5310.00	96.70	-----	-----	84.15	36.01	9.18	32.64	105	120	AVERAGE																																																																	



Mode	17																																									
	Band Edge - R																																									
	U-NII-2A_5.25-5.35_802.11ac VHT40_CH62_5310MHz																																									
ANT	5																																									
Pol.	Horizontal	Fundamental																																								
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 5355.30</td> <td>60.41</td> <td>74.00</td> <td>-13.59</td> <td>47.66</td> <td>35.99</td> <td>9.39</td> <td>32.63</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>105</td> <td>120 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1 5355.30	60.41	74.00	-13.59	47.66	35.99	9.39	32.63							105	120 PEAK	Blank
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																			
1 5355.30	60.41	74.00	-13.59	47.66	35.99	9.39	32.63																																			
						105	120 PEAK																																			
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 5351.70</td> <td>50.80</td> <td>54.00</td> <td>-3.20</td> <td>38.07</td> <td>35.99</td> <td>9.37</td> <td>32.63</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>105</td> <td>120 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1 5351.70	50.80	54.00	-3.20	38.07	35.99	9.37	32.63							105	120 AVERAGE	Blank
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																			
1 5351.70	50.80	54.00	-3.20	38.07	35.99	9.37	32.63																																			
						105	120 AVERAGE																																			



Mode	17																																																																					
	Band Edge - L																																																																					
	U-NII-2A_5.25-5.35_802.11ac VHT40_CH62_5310MHz																																																																					
ANT	5																																																																					
Pol.	Vertical	Fundamental																																																																				
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 5074.40</td> <td>51.99</td> <td>74.00</td> <td>-22.01</td> <td>40.12</td> <td>36.16</td> <td>8.40</td> <td>32.69</td> <td>394</td> <td>156 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1 5074.40	51.99	74.00	-22.01	40.12	36.16	8.40	32.69	394	156 PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 5310.00</td> <td>94.36</td> <td>-----</td> <td>-----</td> <td>81.75</td> <td>36.00</td> <td>9.24</td> <td>32.63</td> <td>394</td> <td>156 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1 5310.00	94.36	-----	-----	81.75	36.00	9.24	32.63	394	156 PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																															
1 5074.40	51.99	74.00	-22.01	40.12	36.16	8.40	32.69	394	156 PEAK																																																													
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																															
1 5310.00	94.36	-----	-----	81.75	36.00	9.24	32.63	394	156 PEAK																																																													
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 5031.62</td> <td>42.87</td> <td>54.00</td> <td>-11.13</td> <td>31.06</td> <td>36.18</td> <td>8.32</td> <td>32.69</td> <td>394</td> <td>156 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1 5031.62	42.87	54.00	-11.13	31.06	36.18	8.32	32.69	394	156 AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 5310.00</td> <td>87.41</td> <td>-----</td> <td>-----</td> <td>74.80</td> <td>36.00</td> <td>9.24</td> <td>32.63</td> <td>394</td> <td>156 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1 5310.00	87.41	-----	-----	74.80	36.00	9.24	32.63	394	156 AVERAGE
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																															
1 5031.62	42.87	54.00	-11.13	31.06	36.18	8.32	32.69	394	156 AVERAGE																																																													
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																															
1 5310.00	87.41	-----	-----	74.80	36.00	9.24	32.63	394	156 AVERAGE																																																													



Mode	17																																					
	Band Edge - R																																					
	U-NII-2A_5.25-5.35_802.11ac VHT40_CH62_5310MHz																																					
ANT	5																																					
Pol.	Vertical	Fundamental																																				
Peak	<p>Date: 2024-04-13</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5354.85</td> <td>56.20</td> <td>74.00</td> <td>-17.80</td> <td>43.45</td> <td>35.99</td> <td>9.39</td> <td>32.63</td> <td>394</td> <td>156</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	5354.85	56.20	74.00	-17.80	43.45	35.99	9.39	32.63	394	156	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																															
1	5354.85	56.20	74.00	-17.80	43.45	35.99	9.39	32.63	394	156	PEAK																											
Avg	<p>Date: 2024-04-13</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5353.35</td> <td>47.57</td> <td>54.00</td> <td>-6.43</td> <td>34.83</td> <td>35.99</td> <td>9.38</td> <td>32.63</td> <td>394</td> <td>156</td> <td>AVERAGE</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	5353.35	47.57	54.00	-6.43	34.83	35.99	9.38	32.63	394	156	AVERAGE
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																															
1	5353.35	47.57	54.00	-6.43	34.83	35.99	9.38	32.63	394	156	AVERAGE																											



Mode	17																																																																																																	
	Harmonic																																																																																																	
	U-NII-2A_5.25-5.35_802.11ac VHT40_CH62_5310MHz																																																																																																	
ANT	5																																																																																																	
Pol.	Horizontal	Vertical																																																																																																
Peak Avg	<p>Data: 1 Date: 2024-04-26</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10620.00</td> <td>47.05</td> <td>-26.95</td> <td>74.00</td> <td>59.50</td> <td>38.85</td> <td>12.26</td> <td>63.56</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>* 15930.00</td> <td>48.84</td> <td>-25.16</td> <td>74.00</td> <td>57.16</td> <td>41.04</td> <td>14.76</td> <td>64.12</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Freq	Level	Limit	Level	Factor	Loss	Factor		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	1	10620.00	47.05	-26.95	74.00	59.50	38.85	12.26	63.56	---	---	Peak	2	* 15930.00	48.84	-25.16	74.00	57.16	41.04	14.76	64.12	---	---	Peak	<p>Data: 2 Date: 2024-04-26</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10620.00</td> <td>47.60</td> <td>-26.40</td> <td>74.00</td> <td>60.05</td> <td>38.85</td> <td>12.26</td> <td>63.56</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>* 15930.00</td> <td>50.40</td> <td>-23.60</td> <td>74.00</td> <td>58.72</td> <td>41.04</td> <td>14.76</td> <td>64.12</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Freq	Level	Limit	Level	Factor	Loss	Factor		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	1	10620.00	47.60	-26.40	74.00	60.05	38.85	12.26	63.56	---	---	Peak	2	* 15930.00	50.40	-23.60	74.00	58.72	41.04	14.76	64.12	---	---	Peak
	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																										
Freq	Level	Limit	Level	Factor	Loss	Factor																																																																																												
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB																																																																																											
1	10620.00	47.05	-26.95	74.00	59.50	38.85	12.26	63.56	---	---	Peak																																																																																							
2	* 15930.00	48.84	-25.16	74.00	57.16	41.04	14.76	64.12	---	---	Peak																																																																																							
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																											
Freq	Level	Limit	Level	Factor	Loss	Factor																																																																																												
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB																																																																																											
1	10620.00	47.60	-26.40	74.00	60.05	38.85	12.26	63.56	---	---	Peak																																																																																							
2	* 15930.00	50.40	-23.60	74.00	58.72	41.04	14.76	64.12	---	---	Peak																																																																																							



Mode	18																																																																									
	Band Edge - L																																																																									
	U-NII-2A_5.25-5.35_802.11ac VHT80_CH58_5290MHz																																																																									
ANT	5																																																																									
Pol.	Horizontal	Fundamental																																																																								
Peak	<p style="text-align: right;">Date: 2024-04-13</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5037.99</td> <td>52.08</td> <td>74.00</td> <td>-21.92</td> <td>40.26</td> <td>36.18</td> <td>8.33</td> <td>32.69</td> <td>100</td> <td>121</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	5037.99	52.08	74.00	-21.92	40.26	36.18	8.33	32.69	100	121	PEAK	<p style="text-align: right;">Date: 2024-04-13</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5290.00</td> <td>99.13</td> <td>-----</td> <td>-----</td> <td>86.72</td> <td>36.03</td> <td>9.02</td> <td>32.64</td> <td>100</td> <td>121</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	5290.00	99.13	-----	-----	86.72	36.03	9.02	32.64	100	121	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																			
1	5037.99	52.08	74.00	-21.92	40.26	36.18	8.33	32.69	100	121	PEAK																																																															
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																			
1	5290.00	99.13	-----	-----	86.72	36.03	9.02	32.64	100	121	PEAK																																																															
Avg	<p style="text-align: right;">Date: 2024-04-13</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5143.55</td> <td>43.37</td> <td>54.00</td> <td>-10.63</td> <td>31.41</td> <td>36.11</td> <td>8.52</td> <td>32.67</td> <td>100</td> <td>121</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	5143.55	43.37	54.00	-10.63	31.41	36.11	8.52	32.67	100	121	AVERAGE	<p style="text-align: right;">Date: 2024-04-13</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5290.00</td> <td>91.80</td> <td>-----</td> <td>-----</td> <td>79.39</td> <td>36.03</td> <td>9.02</td> <td>32.64</td> <td>100</td> <td>121</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	5290.00	91.80	-----	-----	79.39	36.03	9.02	32.64	100	121	AVERAGE
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																			
1	5143.55	43.37	54.00	-10.63	31.41	36.11	8.52	32.67	100	121	AVERAGE																																																															
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																			
1	5290.00	91.80	-----	-----	79.39	36.03	9.02	32.64	100	121	AVERAGE																																																															



Mode	18																																					
	Band Edge - R																																					
	U-NII-2A_5.25-5.35_802.11ac VHT80_CH58_5290MHz																																					
ANT	5																																					
Pol.	Horizontal	Fundamental																																				
Peak	<p>Date: 2024-04-13</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5356.47</td> <td>57.62</td> <td>74.00</td> <td>-16.38</td> <td>44.86</td> <td>35.99</td> <td>9.40</td> <td>32.63</td> <td>100</td> <td>121</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5356.47	57.62	74.00	-16.38	44.86	35.99	9.40	32.63	100	121	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																															
1	5356.47	57.62	74.00	-16.38	44.86	35.99	9.40	32.63	100	121	PEAK																											
Blank																																						
Avg	<p>Date: 2024-04-13</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5364.97</td> <td>49.11</td> <td>54.00</td> <td>-4.89</td> <td>36.32</td> <td>35.98</td> <td>9.44</td> <td>32.63</td> <td>100</td> <td>121</td> <td>AVERAGE</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5364.97	49.11	54.00	-4.89	36.32	35.98	9.44	32.63	100	121	AVERAGE
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																															
1	5364.97	49.11	54.00	-4.89	36.32	35.98	9.44	32.63	100	121	AVERAGE																											
Blank																																						



Mode	18																																																																									
	Band Edge - L																																																																									
	U-NII-2A_5.25-5.35_802.11ac VHT80_CH58_5290MHz																																																																									
ANT	5																																																																									
Pol.	Vertical	Fundamental																																																																								
Peak	<p>Date: 2024-04-13</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5142.10</td> <td>53.10</td> <td>74.00</td> <td>-20.90</td> <td>41.14</td> <td>36.11</td> <td>8.52</td> <td>32.67</td> <td>397</td> <td>172</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	5142.10	53.10	74.00	-20.90	41.14	36.11	8.52	32.67	397	172	PEAK	<p>Date: 2024-04-13</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5290.00</td> <td>89.87</td> <td>-----</td> <td>-----</td> <td>77.29</td> <td>36.01</td> <td>9.21</td> <td>32.64</td> <td>397</td> <td>172</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	5290.00	89.87	-----	-----	77.29	36.01	9.21	32.64	397	172	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																			
1	5142.10	53.10	74.00	-20.90	41.14	36.11	8.52	32.67	397	172	PEAK																																																															
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																			
1	5290.00	89.87	-----	-----	77.29	36.01	9.21	32.64	397	172	PEAK																																																															
Avg	<p>Date: 2024-04-13</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5051.91</td> <td>42.87</td> <td>54.00</td> <td>-11.13</td> <td>31.04</td> <td>36.17</td> <td>8.35</td> <td>32.69</td> <td>397</td> <td>172</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	5051.91	42.87	54.00	-11.13	31.04	36.17	8.35	32.69	397	172	AVERAGE	<p>Date: 2024-04-13</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5290.00</td> <td>83.56</td> <td>-----</td> <td>-----</td> <td>70.95</td> <td>36.00</td> <td>9.24</td> <td>32.63</td> <td>397</td> <td>172</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	5290.00	83.56	-----	-----	70.95	36.00	9.24	32.63	397	172	AVERAGE
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																			
1	5051.91	42.87	54.00	-11.13	31.04	36.17	8.35	32.69	397	172	AVERAGE																																																															
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																			
1	5290.00	83.56	-----	-----	70.95	36.00	9.24	32.63	397	172	AVERAGE																																																															



Mode	18																																						
	Band Edge - R																																						
	U-NII-2A_5.25-5.35_802.11ac VHT80_CH58_5290MHz																																						
ANT	5																																						
Pol.	Vertical	Fundamental																																					
Peak	<p>Date: 2024-04-13</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5358.51</td> <td>54.33</td> <td>74.00</td> <td>-19.67</td> <td>41.57</td> <td>35.98</td> <td>9.41</td> <td>32.63</td> <td>397</td> <td>172</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5358.51	54.33	74.00	-19.67	41.57	35.98	9.41	32.63	397	172	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																
1	5358.51	54.33	74.00	-19.67	41.57	35.98	9.41	32.63	397	172	PEAK																												
Avg	<p>Date: 2024-04-13</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5364.12</td> <td>46.20</td> <td>54.00</td> <td>-7.80</td> <td>33.41</td> <td>35.98</td> <td>9.44</td> <td>32.63</td> <td>397</td> <td>172</td> <td>AVERAGE</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5364.12	46.20	54.00	-7.80	33.41	35.98	9.44	32.63	397	172	AVERAGE	Blank
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																
1	5364.12	46.20	54.00	-7.80	33.41	35.98	9.44	32.63	397	172	AVERAGE																												



Mode	18																																																																												
	Harmonic																																																																												
	U-NII-2A_5.25-5.35_802.11ac VHT80_CH58_5290MHz																																																																												
ANT	5																																																																												
Pol.	Horizontal	Vertical																																																																											
Peak Avg	<p>Date: 2024-04-14</p>	<p>Date: 2024-04-14</p>																																																																											
	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10580.00</td> <td>48.27</td> <td>68.30</td> <td>-20.03</td> <td>60.80</td> <td>38.83</td> <td>12.22</td> <td>63.58</td> <td>--- Peak</td> </tr> <tr> <td>2</td> <td>15870.00</td> <td>49.90</td> <td>74.00</td> <td>-24.10</td> <td>58.27</td> <td>41.00</td> <td>14.73</td> <td>64.10</td> <td>--- Peak</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	1	10580.00	48.27	68.30	-20.03	60.80	38.83	12.22	63.58	--- Peak	2	15870.00	49.90	74.00	-24.10	58.27	41.00	14.73	64.10	--- Peak	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10580.00</td> <td>47.66</td> <td>68.30</td> <td>-20.64</td> <td>60.19</td> <td>38.83</td> <td>12.22</td> <td>63.58</td> <td>--- Peak</td> </tr> <tr> <td>2</td> <td>15870.00</td> <td>49.01</td> <td>74.00</td> <td>-24.99</td> <td>57.38</td> <td>41.00</td> <td>14.73</td> <td>64.10</td> <td>--- Peak</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	1	10580.00	47.66	68.30	-20.64	60.19	38.83	12.22	63.58	--- Peak	2	15870.00	49.01	74.00	-24.99	57.38	41.00	14.73	64.10
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																					
1	10580.00	48.27	68.30	-20.03	60.80	38.83	12.22	63.58	--- Peak																																																																				
2	15870.00	49.90	74.00	-24.10	58.27	41.00	14.73	64.10	--- Peak																																																																				
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																					
1	10580.00	47.66	68.30	-20.64	60.19	38.83	12.22	63.58	--- Peak																																																																				
2	15870.00	49.01	74.00	-24.99	57.38	41.00	14.73	64.10	--- Peak																																																																				



Mode	20																																																																																					
	Band Edge																																																																																					
	U-NII-2C_5.47-5.725_802.11a_CH100_5500MHz																																																																																					
ANT	5																																																																																					
Pol.	Horizontal	Fundamental																																																																																				
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5459.05</td> <td>59.63</td> <td>74.00</td> <td>-14.37</td> <td>46.63</td> <td>35.92</td> <td>9.69</td> <td>32.61</td> <td>100</td> <td>116</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5466.85</td> <td>60.24</td> <td>68.30</td> <td>-8.06</td> <td>47.24</td> <td>35.92</td> <td>9.69</td> <td>32.61</td> <td>100</td> <td>116</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5459.05	59.63	74.00	-14.37	46.63	35.92	9.69	32.61	100	116	PEAK	2	5466.85	60.24	68.30	-8.06	47.24	35.92	9.69	32.61	100	116	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5500.00</td> <td>107.57</td> <td>-----</td> <td>-----</td> <td>94.55</td> <td>35.91</td> <td>9.71</td> <td>32.60</td> <td>100</td> <td>116</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5500.00	107.57	-----	-----	94.55	35.91	9.71	32.60	100	116	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																															
1	5459.05	59.63	74.00	-14.37	46.63	35.92	9.69	32.61	100	116	PEAK																																																																											
2	5466.85	60.24	68.30	-8.06	47.24	35.92	9.69	32.61	100	116	PEAK																																																																											
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																															
1	5500.00	107.57	-----	-----	94.55	35.91	9.71	32.60	100	116	PEAK																																																																											
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5459.50</td> <td>45.11</td> <td>54.00</td> <td>-8.89</td> <td>32.11</td> <td>35.92</td> <td>9.69</td> <td>32.61</td> <td>100</td> <td>116</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5459.50	45.11	54.00	-8.89	32.11	35.92	9.69	32.61	100	116	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5500.00</td> <td>100.56</td> <td>-----</td> <td>-----</td> <td>87.55</td> <td>35.90</td> <td>9.71</td> <td>32.60</td> <td>100</td> <td>116</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5500.00	100.56	-----	-----	87.55	35.90	9.71	32.60	100	116	AVERAGE												
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																															
1	5459.50	45.11	54.00	-8.89	32.11	35.92	9.69	32.61	100	116	AVERAGE																																																																											
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																															
1	5500.00	100.56	-----	-----	87.55	35.90	9.71	32.60	100	116	AVERAGE																																																																											



Mode	20																																																																																					
	Band Edge																																																																																					
	U-NII-2C_5.47-5.725_802.11a_CH100_5500MHz																																																																																					
ANT	5																																																																																					
Pol.	Vertical	Fundamental																																																																																				
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5453.50</td> <td>53.03</td> <td>74.00</td> <td>-20.97</td> <td>40.03</td> <td>35.93</td> <td>9.68</td> <td>32.61</td> <td>400</td> <td>185</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5468.05</td> <td>59.34</td> <td>68.30</td> <td>-8.96</td> <td>46.34</td> <td>35.92</td> <td>9.69</td> <td>32.61</td> <td>400</td> <td>185</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5453.50	53.03	74.00	-20.97	40.03	35.93	9.68	32.61	400	185	PEAK	2	5468.05	59.34	68.30	-8.96	46.34	35.92	9.69	32.61	400	185	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5500.00</td> <td>103.12</td> <td>-----</td> <td>-----</td> <td>90.11</td> <td>35.90</td> <td>9.71</td> <td>32.60</td> <td>400</td> <td>185</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5500.00	103.12	-----	-----	90.11	35.90	9.71	32.60	400	185	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																															
1	5453.50	53.03	74.00	-20.97	40.03	35.93	9.68	32.61	400	185	PEAK																																																																											
2	5468.05	59.34	68.30	-8.96	46.34	35.92	9.69	32.61	400	185	PEAK																																																																											
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																															
1	5500.00	103.12	-----	-----	90.11	35.90	9.71	32.60	400	185	PEAK																																																																											
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5459.50</td> <td>43.60</td> <td>54.00</td> <td>-10.40</td> <td>30.60</td> <td>35.92</td> <td>9.69</td> <td>32.61</td> <td>400</td> <td>185</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5459.50	43.60	54.00	-10.40	30.60	35.92	9.69	32.61	400	185	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5500.00</td> <td>95.70</td> <td>-----</td> <td>-----</td> <td>82.69</td> <td>35.90</td> <td>9.71</td> <td>32.60</td> <td>400</td> <td>185</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5500.00	95.70	-----	-----	82.69	35.90	9.71	32.60	400	185	AVERAGE												
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																															
1	5459.50	43.60	54.00	-10.40	30.60	35.92	9.69	32.61	400	185	AVERAGE																																																																											
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																															
1	5500.00	95.70	-----	-----	82.69	35.90	9.71	32.60	400	185	AVERAGE																																																																											



Mode	20																																																																																																													
	Harmonic																																																																																																													
	U-NII-2C_5.47-5.725_802.11a_CH100_5500MHz																																																																																																													
ANT	5																																																																																																													
Pol.	Horizontal	Vertical																																																																																																												
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11000.00</td> <td>50.36</td> <td>74.00</td> <td>-23.64</td> <td>62.26</td> <td>39.00</td> <td>12.52</td> <td>63.42</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>16500.00</td> <td>49.22</td> <td>68.30</td> <td>-19.08</td> <td>57.36</td> <td>41.35</td> <td>15.17</td> <td>64.66</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11000.00	50.36	74.00	-23.64	62.26	39.00	12.52	63.42	---	---	Peak	2	16500.00	49.22	68.30	-19.08	57.36	41.35	15.17	64.66	---	---	Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11000.00</td> <td>52.24</td> <td>74.00</td> <td>-21.76</td> <td>64.14</td> <td>39.00</td> <td>12.52</td> <td>63.42</td> <td>100</td> <td>283</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>11000.00</td> <td>47.01</td> <td>54.00</td> <td>-6.99</td> <td>58.91</td> <td>39.00</td> <td>12.52</td> <td>63.42</td> <td>100</td> <td>283</td> <td>Average</td> </tr> <tr> <td>3</td> <td>16500.00</td> <td>49.95</td> <td>68.30</td> <td>-18.35</td> <td>58.09</td> <td>41.35</td> <td>15.17</td> <td>64.66</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11000.00	52.24	74.00	-21.76	64.14	39.00	12.52	63.42	100	283	Peak	2	11000.00	47.01	54.00	-6.99	58.91	39.00	12.52	63.42	100	283	Average	3	16500.00	49.95	68.30	-18.35	58.09	41.35	15.17	64.66	---	---	Peak
	Limit	Read	Ant	Cable Preamp	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	11000.00	50.36	74.00	-23.64	62.26	39.00	12.52	63.42	---	---	Peak																																																																																																			
2	16500.00	49.22	68.30	-19.08	57.36	41.35	15.17	64.66	---	---	Peak																																																																																																			
Limit	Read	Ant	Cable Preamp	APos	TPos	Remark																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	11000.00	52.24	74.00	-21.76	64.14	39.00	12.52	63.42	100	283	Peak																																																																																																			
2	11000.00	47.01	54.00	-6.99	58.91	39.00	12.52	63.42	100	283	Average																																																																																																			
3	16500.00	49.95	68.30	-18.35	58.09	41.35	15.17	64.66	---	---	Peak																																																																																																			



Mode	21																																																																																																													
	Harmonic																																																																																																													
	U-NII-2C_5.47-5.725_802.11a_CH116_5580MHz																																																																																																													
ANT	5																																																																																																													
Pol.	Horizontal	Vertical																																																																																																												
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11160.00</td> <td>49.10</td> <td>74.00</td> <td>-24.90</td> <td>60.83</td> <td>39.06</td> <td>12.64</td> <td>63.43</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>16740.00</td> <td>50.00</td> <td>68.30</td> <td>-18.30</td> <td>58.09</td> <td>41.47</td> <td>15.35</td> <td>64.91</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	11160.00	49.10	74.00	-24.90	60.83	39.06	12.64	63.43	---	---	Peak	2	16740.00	50.00	68.30	-18.30	58.09	41.47	15.35	64.91	---	---	Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11160.00</td> <td>52.64</td> <td>74.00</td> <td>-21.36</td> <td>64.37</td> <td>39.06</td> <td>12.64</td> <td>63.43</td> <td>100</td> <td>281</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>11160.00</td> <td>47.36</td> <td>54.00</td> <td>-6.64</td> <td>59.09</td> <td>39.06</td> <td>12.64</td> <td>63.43</td> <td>100</td> <td>281</td> <td>Average</td> </tr> <tr> <td>3</td> <td>16740.00</td> <td>49.99</td> <td>68.30</td> <td>-18.31</td> <td>58.08</td> <td>41.47</td> <td>15.35</td> <td>64.91</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	11160.00	52.64	74.00	-21.36	64.37	39.06	12.64	63.43	100	281	Peak	2	11160.00	47.36	54.00	-6.64	59.09	39.06	12.64	63.43	100	281	Average	3	16740.00	49.99	68.30	-18.31	58.08	41.47	15.35	64.91	---	---	Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																							
1	11160.00	49.10	74.00	-24.90	60.83	39.06	12.64	63.43	---	---	Peak																																																																																																			
2	16740.00	50.00	68.30	-18.30	58.09	41.47	15.35	64.91	---	---	Peak																																																																																																			
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																							
1	11160.00	52.64	74.00	-21.36	64.37	39.06	12.64	63.43	100	281	Peak																																																																																																			
2	11160.00	47.36	54.00	-6.64	59.09	39.06	12.64	63.43	100	281	Average																																																																																																			
3	16740.00	49.99	68.30	-18.31	58.08	41.47	15.35	64.91	---	---	Peak																																																																																																			



	22																																																																									
Mode	Band Edge																																																																									
	U-NII-2C_5.47-5.725_802.11a_CH140_5700MHz																																																																									
ANT	5																																																																									
Pol.	Horizontal	Fundamental																																																																								
Peak	<p style="text-align: right;">Date: 2024-04-16</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5725.16</td> <td>64.01</td> <td>68.30</td> <td>-4.29</td> <td>50.46</td> <td>36.22</td> <td>10.02</td> <td>32.69</td> <td>102</td> <td>123</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5725.16	64.01	68.30	-4.29	50.46	36.22	10.02	32.69	102	123	PEAK	<p style="text-align: right;">Date: 2024-04-16</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5700.00</td> <td>107.27</td> <td>-----</td> <td>-----</td> <td>93.81</td> <td>36.18</td> <td>9.96</td> <td>32.68</td> <td>102</td> <td>123</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5700.00	107.27	-----	-----	93.81	36.18	9.96	32.68	102	123	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																			
1	5725.16	64.01	68.30	-4.29	50.46	36.22	10.02	32.69	102	123	PEAK																																																															
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																			
1	5700.00	107.27	-----	-----	93.81	36.18	9.96	32.68	102	123	PEAK																																																															
Avg	Blank	<p style="text-align: right;">Date: 2024-04-16</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5700.00</td> <td>101.14</td> <td>-----</td> <td>-----</td> <td>87.66</td> <td>36.19</td> <td>9.97</td> <td>32.68</td> <td>102</td> <td>123</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5700.00	101.14	-----	-----	87.66	36.19	9.97	32.68	102	123	AVERAGE																																				
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																			
1	5700.00	101.14	-----	-----	87.66	36.19	9.97	32.68	102	123	AVERAGE																																																															







	22																																																																					
Mode	Band Edge																																																																					
	U-NII-2C_5.47-5.725_802.11a_CH140_5700MHz																																																																					
ANT	5																																																																					
Pol.	Vertical	Fundamental																																																																				
Peak	<p style="text-align: right;">Date: 2024-04-16</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 5729.58</td> <td>59.06</td> <td>68.30</td> <td>-9.24</td> <td>45.50</td> <td>36.22</td> <td>10.03</td> <td>32.69</td> <td>373</td> <td>190 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1 5729.58	59.06	68.30	-9.24	45.50	36.22	10.03	32.69	373	190 PEAK	<p style="text-align: right;">Date: 2024-04-16</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 5700.00</td> <td>102.99</td> <td>-----</td> <td>-----</td> <td>89.51</td> <td>36.19</td> <td>9.97</td> <td>32.68</td> <td>373</td> <td>190 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1 5700.00	102.99	-----	-----	89.51	36.19	9.97	32.68	373	190 PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																														
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																															
1 5729.58	59.06	68.30	-9.24	45.50	36.22	10.03	32.69	373	190 PEAK																																																													
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																															
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																															
1 5700.00	102.99	-----	-----	89.51	36.19	9.97	32.68	373	190 PEAK																																																													
Avg	Blank	<p style="text-align: right;">Date: 2024-04-16</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 5700.00</td> <td>96.06</td> <td>-----</td> <td>-----</td> <td>82.58</td> <td>36.19</td> <td>9.97</td> <td>32.68</td> <td>373</td> <td>190 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1 5700.00	96.06	-----	-----	82.58	36.19	9.97	32.68	373	190 AVERAGE																																		
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																															
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																															
1 5700.00	96.06	-----	-----	82.58	36.19	9.97	32.68	373	190 AVERAGE																																																													



Mode	22																																																																																							
	Harmonic																																																																																							
	U-NII-2C_5.47-5.725_802.11a_CH140_5700MHz																																																																																							
ANT	5																																																																																							
Pol.	Horizontal	Vertical																																																																																						
Peak Avg	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11400.00</td> <td>47.91</td> <td>74.00</td> <td>-26.09</td> <td>59.38</td> <td>39.16</td> <td>12.81</td> <td>63.44</td> <td>--- Peak</td> </tr> <tr> <td>2</td> <td>17100.00</td> <td>50.17</td> <td>68.30</td> <td>-18.13</td> <td>58.07</td> <td>41.71</td> <td>15.62</td> <td>65.23</td> <td>--- Peak</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	1	11400.00	47.91	74.00	-26.09	59.38	39.16	12.81	63.44	--- Peak	2	17100.00	50.17	68.30	-18.13	58.07	41.71	15.62	65.23	--- Peak	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11400.00</td> <td>53.90</td> <td>74.00</td> <td>-20.10</td> <td>65.37</td> <td>39.16</td> <td>12.81</td> <td>63.44</td> <td>100 282 Peak</td> </tr> <tr> <td>2</td> <td>11400.00</td> <td>47.06</td> <td>54.00</td> <td>-6.94</td> <td>58.53</td> <td>39.16</td> <td>12.81</td> <td>63.44</td> <td>100 282 Average</td> </tr> <tr> <td>3</td> <td>17100.00</td> <td>50.98</td> <td>68.30</td> <td>-17.32</td> <td>58.88</td> <td>41.71</td> <td>15.62</td> <td>65.23</td> <td>--- Peak</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	1	11400.00	53.90	74.00	-20.10	65.37	39.16	12.81	63.44	100 282 Peak	2	11400.00	47.06	54.00	-6.94	58.53	39.16	12.81	63.44	100 282 Average	3	17100.00	50.98	68.30	-17.32	58.88	41.71	15.62	65.23	--- Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																
1	11400.00	47.91	74.00	-26.09	59.38	39.16	12.81	63.44	--- Peak																																																																															
2	17100.00	50.17	68.30	-18.13	58.07	41.71	15.62	65.23	--- Peak																																																																															
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																
1	11400.00	53.90	74.00	-20.10	65.37	39.16	12.81	63.44	100 282 Peak																																																																															
2	11400.00	47.06	54.00	-6.94	58.53	39.16	12.81	63.44	100 282 Average																																																																															
3	17100.00	50.98	68.30	-17.32	58.88	41.71	15.62	65.23	--- Peak																																																																															



Mode	23																																																																																								
	Band Edge																																																																																								
	U-NII-2C_5.47-5.725_802.11ac VHT20_CH100_5500MHz																																																																																								
ANT	5																																																																																								
Pol.	Horizontal	Fundamental																																																																																							
Peak	 <p style="text-align: right;">Date: 2024-04-12</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5459.50</td> <td>58.77</td> <td>74.00</td> <td>-15.23</td> <td>45.77</td> <td>35.92</td> <td>9.69</td> <td>32.61</td> <td>100</td> <td>118 PEAK</td> </tr> <tr> <td>2</td> <td>5465.95</td> <td>61.32</td> <td>68.30</td> <td>-6.98</td> <td>48.32</td> <td>35.92</td> <td>9.69</td> <td>32.61</td> <td>100</td> <td>118 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.50	58.77	74.00	-15.23	45.77	35.92	9.69	32.61	100	118 PEAK	2	5465.95	61.32	68.30	-6.98	48.32	35.92	9.69	32.61	100	118 PEAK	 <p style="text-align: right;">Date: 2024-04-12</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5500.00</td> <td>109.38</td> <td>-----</td> <td>-----</td> <td>96.37</td> <td>35.90</td> <td>9.71</td> <td>32.60</td> <td>100</td> <td>118 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	109.38	-----	-----	96.37	35.90	9.71	32.60	100	118 PEAK
	Limit	Read	Ant	Cable	APos	TPos	Remark																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss Factor	APos	TPos	Remark																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	5459.50	58.77	74.00	-15.23	45.77	35.92	9.69	32.61	100	118 PEAK																																																																															
2	5465.95	61.32	68.30	-6.98	48.32	35.92	9.69	32.61	100	118 PEAK																																																																															
Limit	Read	Ant	Cable	APos	TPos	Remark																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss Factor	APos	TPos	Remark																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	5500.00	109.38	-----	-----	96.37	35.90	9.71	32.60	100	118 PEAK																																																																															
Avg	 <p style="text-align: right;">Date: 2024-04-12</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5459.95</td> <td>46.11</td> <td>54.00</td> <td>-7.89</td> <td>33.11</td> <td>35.92</td> <td>9.69</td> <td>32.61</td> <td>100</td> <td>118 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.95	46.11	54.00	-7.89	33.11	35.92	9.69	32.61	100	118 AVERAGE	 <p style="text-align: right;">Date: 2024-04-12</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5500.00</td> <td>100.85</td> <td>-----</td> <td>-----</td> <td>87.84</td> <td>35.90</td> <td>9.71</td> <td>32.60</td> <td>100</td> <td>118 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	100.85	-----	-----	87.84	35.90	9.71	32.60	100	118 AVERAGE											
Limit	Read	Ant	Cable	APos	TPos	Remark																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss Factor	APos	TPos	Remark																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	5459.95	46.11	54.00	-7.89	33.11	35.92	9.69	32.61	100	118 AVERAGE																																																																															
Limit	Read	Ant	Cable	APos	TPos	Remark																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss Factor	APos	TPos	Remark																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	5500.00	100.85	-----	-----	87.84	35.90	9.71	32.60	100	118 AVERAGE																																																																															



Mode	23																																																																																							
	Band Edge																																																																																							
	U-NII-2C_5.47-5.725_802.11ac VHT20_CH100_5500MHz																																																																																							
ANT	5																																																																																							
Pol.	Vertical	Fundamental																																																																																						
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5456.50</td> <td>53.68</td> <td>74.00</td> <td>-20.32</td> <td>40.67</td> <td>35.93</td> <td>9.69</td> <td>32.61</td> <td>400</td> <td>188</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5469.40</td> <td>59.45</td> <td>68.30</td> <td>-8.85</td> <td>46.45</td> <td>35.92</td> <td>9.69</td> <td>32.61</td> <td>400</td> <td>188</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5456.50	53.68	74.00	-20.32	40.67	35.93	9.69	32.61	400	188	PEAK	2	5469.40	59.45	68.30	-8.85	46.45	35.92	9.69	32.61	400	188	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5500.00</td> <td>104.45</td> <td>-----</td> <td>-----</td> <td>91.44</td> <td>35.90</td> <td>9.71</td> <td>32.60</td> <td>400</td> <td>188</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5500.00	104.45	-----	-----	91.44	35.90	9.71	32.60	400	188	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																
1	5456.50	53.68	74.00	-20.32	40.67	35.93	9.69	32.61	400	188	PEAK																																																																													
2	5469.40	59.45	68.30	-8.85	46.45	35.92	9.69	32.61	400	188	PEAK																																																																													
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																
1	5500.00	104.45	-----	-----	91.44	35.90	9.71	32.60	400	188	PEAK																																																																													
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5459.35</td> <td>43.74</td> <td>54.00</td> <td>-10.26</td> <td>30.74</td> <td>35.92</td> <td>9.69</td> <td>32.61</td> <td>400</td> <td>188</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5459.35	43.74	54.00	-10.26	30.74	35.92	9.69	32.61	400	188	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5500.00</td> <td>96.52</td> <td>-----</td> <td>-----</td> <td>83.51</td> <td>35.90</td> <td>9.71</td> <td>32.60</td> <td>400</td> <td>188</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5500.00	96.52	-----	-----	83.51	35.90	9.71	32.60	400	188	AVERAGE												
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																
1	5459.35	43.74	54.00	-10.26	30.74	35.92	9.69	32.61	400	188	AVERAGE																																																																													
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																
1	5500.00	96.52	-----	-----	83.51	35.90	9.71	32.60	400	188	AVERAGE																																																																													



Mode	23																																																																														
	Harmonic																																																																														
	U-NII-2C_5.47-5.725_802.11ac VHT20_CH100_5500MHz																																																																														
ANT	5																																																																														
Pol.	Horizontal	Vertical																																																																													
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> </thead> <tbody> <tr> <td>11000.00</td> <td>48.61</td> <td>74.00</td> <td>-25.39</td> <td>60.51</td> <td>39.00</td> <td>12.52</td> <td>63.42</td> <td>--- Peak</td> </tr> <tr> <td>16500.00</td> <td>49.32</td> <td>68.30</td> <td>-18.98</td> <td>57.46</td> <td>41.35</td> <td>15.17</td> <td>64.66</td> <td>--- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	11000.00	48.61	74.00	-25.39	60.51	39.00	12.52	63.42	--- Peak	16500.00	49.32	68.30	-18.98	57.46	41.35	15.17	64.66	--- Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> </thead> <tbody> <tr> <td>11000.00</td> <td>52.42</td> <td>74.00</td> <td>-21.58</td> <td>64.32</td> <td>39.00</td> <td>12.52</td> <td>63.42</td> <td>100 283 Peak</td> </tr> <tr> <td>11000.00</td> <td>46.12</td> <td>54.00</td> <td>-7.88</td> <td>58.02</td> <td>39.00</td> <td>12.52</td> <td>63.42</td> <td>100 283 Average</td> </tr> <tr> <td>16500.00</td> <td>49.12</td> <td>68.30</td> <td>-19.18</td> <td>57.26</td> <td>41.35</td> <td>15.17</td> <td>64.66</td> <td>--- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	11000.00	52.42	74.00	-21.58	64.32	39.00	12.52	63.42	100 283 Peak	11000.00	46.12	54.00	-7.88	58.02	39.00	12.52	63.42	100 283 Average	16500.00	49.12	68.30	-19.18	57.26	41.35	15.17	64.66	--- Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																								
11000.00	48.61	74.00	-25.39	60.51	39.00	12.52	63.42	--- Peak																																																																							
16500.00	49.32	68.30	-18.98	57.46	41.35	15.17	64.66	--- Peak																																																																							
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																								
11000.00	52.42	74.00	-21.58	64.32	39.00	12.52	63.42	100 283 Peak																																																																							
11000.00	46.12	54.00	-7.88	58.02	39.00	12.52	63.42	100 283 Average																																																																							
16500.00	49.12	68.30	-19.18	57.26	41.35	15.17	64.66	--- Peak																																																																							



Mode	24																																																																																																													
	Harmonic																																																																																																													
	U-NII-2C_5.47-5.725_802.11ac VHT20_CH116_5580MHz																																																																																																													
ANT	5																																																																																																													
Pol.	Horizontal	Vertical																																																																																																												
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11160.00</td> <td>48.89</td> <td>74.00</td> <td>-25.11</td> <td>60.62</td> <td>39.06</td> <td>12.64</td> <td>63.43</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>16740.00</td> <td>50.07</td> <td>68.30</td> <td>-18.23</td> <td>58.16</td> <td>41.47</td> <td>15.35</td> <td>64.91</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	11160.00	48.89	74.00	-25.11	60.62	39.06	12.64	63.43	---	---	Peak	2	16740.00	50.07	68.30	-18.23	58.16	41.47	15.35	64.91	---	---	Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11160.00</td> <td>53.44</td> <td>74.00</td> <td>-20.56</td> <td>65.17</td> <td>39.06</td> <td>12.64</td> <td>63.43</td> <td>100</td> <td>285</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>11160.00</td> <td>47.53</td> <td>54.00</td> <td>-6.47</td> <td>59.26</td> <td>39.06</td> <td>12.64</td> <td>63.43</td> <td>100</td> <td>285</td> <td>Average</td> </tr> <tr> <td>3</td> <td>16740.00</td> <td>50.81</td> <td>68.30</td> <td>-17.49</td> <td>58.90</td> <td>41.47</td> <td>15.35</td> <td>64.91</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	11160.00	53.44	74.00	-20.56	65.17	39.06	12.64	63.43	100	285	Peak	2	11160.00	47.53	54.00	-6.47	59.26	39.06	12.64	63.43	100	285	Average	3	16740.00	50.81	68.30	-17.49	58.90	41.47	15.35	64.91	---	---	Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																							
1	11160.00	48.89	74.00	-25.11	60.62	39.06	12.64	63.43	---	---	Peak																																																																																																			
2	16740.00	50.07	68.30	-18.23	58.16	41.47	15.35	64.91	---	---	Peak																																																																																																			
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																							
1	11160.00	53.44	74.00	-20.56	65.17	39.06	12.64	63.43	100	285	Peak																																																																																																			
2	11160.00	47.53	54.00	-6.47	59.26	39.06	12.64	63.43	100	285	Average																																																																																																			
3	16740.00	50.81	68.30	-17.49	58.90	41.47	15.35	64.91	---	---	Peak																																																																																																			



Mode	25																																																																					
	Band Edge																																																																					
	U-NII-2C_5.47-5.725_802.11ac VHT20_CH140_5700MHz																																																																					
ANT	5																																																																					
Pol.	Horizontal	Fundamental																																																																				
Peak	<p>Date: 2024-04-13</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 5725.74</td> <td>65.06</td> <td>68.30</td> <td>-3.24</td> <td>51.51</td> <td>36.22</td> <td>10.02</td> <td>32.69</td> <td>100</td> <td>135 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1 5725.74	65.06	68.30	-3.24	51.51	36.22	10.02	32.69	100	135 PEAK	<p>Date: 2024-04-13</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 5700.00</td> <td>108.40</td> <td>-----</td> <td>-----</td> <td>94.92</td> <td>36.19</td> <td>9.97</td> <td>32.68</td> <td>100</td> <td>135 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1 5700.00	108.40	-----	-----	94.92	36.19	9.97	32.68	100	135 PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																														
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																															
1 5725.74	65.06	68.30	-3.24	51.51	36.22	10.02	32.69	100	135 PEAK																																																													
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																															
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																															
1 5700.00	108.40	-----	-----	94.92	36.19	9.97	32.68	100	135 PEAK																																																													
Avg	Blank	<p>Date: 2024-04-13</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 5700.00</td> <td>101.24</td> <td>-----</td> <td>-----</td> <td>87.78</td> <td>36.18</td> <td>9.96</td> <td>32.68</td> <td>100</td> <td>135 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1 5700.00	101.24	-----	-----	87.78	36.18	9.96	32.68	100	135 AVERAGE																																		
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																															
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																															
1 5700.00	101.24	-----	-----	87.78	36.18	9.96	32.68	100	135 AVERAGE																																																													



Mode	25																																																																					
	Band Edge																																																																					
	U-NII-2C_5.47-5.725_802.11ac VHT20_CH140_5700MHz																																																																					
ANT	5																																																																					
Pol.	Vertical	Fundamental																																																																				
Peak	<p>Date: 2024-04-13</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 5725.81</td> <td>60.95</td> <td>68.30</td> <td>-7.35</td> <td>47.40</td> <td>36.22</td> <td>10.02</td> <td>32.69</td> <td>400</td> <td>159 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1 5725.81	60.95	68.30	-7.35	47.40	36.22	10.02	32.69	400	159 PEAK	<p>Date: 2024-04-13</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 5700.00</td> <td>102.12</td> <td>-----</td> <td>-----</td> <td>88.64</td> <td>36.19</td> <td>9.97</td> <td>32.68</td> <td>400</td> <td>159 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1 5700.00	102.12	-----	-----	88.64	36.19	9.97	32.68	400	159 PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																														
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																															
1 5725.81	60.95	68.30	-7.35	47.40	36.22	10.02	32.69	400	159 PEAK																																																													
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																															
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																															
1 5700.00	102.12	-----	-----	88.64	36.19	9.97	32.68	400	159 PEAK																																																													
Avg	Blank	<p>Date: 2024-04-13</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 5700.00</td> <td>95.81</td> <td>-----</td> <td>-----</td> <td>82.33</td> <td>36.19</td> <td>9.97</td> <td>32.68</td> <td>400</td> <td>159 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1 5700.00	95.81	-----	-----	82.33	36.19	9.97	32.68	400	159 AVERAGE																																		
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																															
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																															
1 5700.00	95.81	-----	-----	82.33	36.19	9.97	32.68	400	159 AVERAGE																																																													



Mode	25																																																																																													
	Harmonic																																																																																													
	U-NII-2C_5.47-5.725_802.11ac VHT20_CH140_5700MHz																																																																																													
ANT	5																																																																																													
Pol.	Horizontal	Vertical																																																																																												
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11400.00</td> <td>48.45</td> <td>74.00</td> <td>-25.55</td> <td>59.92</td> <td>39.16</td> <td>12.81</td> <td>63.44</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>17100.00</td> <td>49.06</td> <td>68.30</td> <td>-19.24</td> <td>56.96</td> <td>41.71</td> <td>15.62</td> <td>65.23</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	1	11400.00	48.45	74.00	-25.55	59.92	39.16	12.81	63.44	---	---	Peak	2	17100.00	49.06	68.30	-19.24	56.96	41.71	15.62	65.23	---	---	Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11400.00</td> <td>53.43</td> <td>74.00</td> <td>-20.57</td> <td>64.90</td> <td>39.16</td> <td>12.81</td> <td>63.44</td> <td>100</td> <td>282</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>11400.00</td> <td>47.88</td> <td>54.00</td> <td>-6.12</td> <td>59.35</td> <td>39.16</td> <td>12.81</td> <td>63.44</td> <td>100</td> <td>282</td> <td>Average</td> </tr> <tr> <td>3</td> <td>17100.00</td> <td>50.59</td> <td>68.30</td> <td>-17.71</td> <td>58.49</td> <td>41.71</td> <td>15.62</td> <td>65.23</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	1	11400.00	53.43	74.00	-20.57	64.90	39.16	12.81	63.44	100	282	Peak	2	11400.00	47.88	54.00	-6.12	59.35	39.16	12.81	63.44	100	282	Average	3	17100.00	50.59	68.30	-17.71	58.49	41.71	15.62	65.23	---	---	Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																							
1	11400.00	48.45	74.00	-25.55	59.92	39.16	12.81	63.44	---	---	Peak																																																																																			
2	17100.00	49.06	68.30	-19.24	56.96	41.71	15.62	65.23	---	---	Peak																																																																																			
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																							
1	11400.00	53.43	74.00	-20.57	64.90	39.16	12.81	63.44	100	282	Peak																																																																																			
2	11400.00	47.88	54.00	-6.12	59.35	39.16	12.81	63.44	100	282	Average																																																																																			
3	17100.00	50.59	68.30	-17.71	58.49	41.71	15.62	65.23	---	---	Peak																																																																																			



Mode	26																																																																																					
	Band Edge - L																																																																																					
	U-NII-2C_5.47-5.725_802.11ac VHT40_CH102_5510MHz																																																																																					
ANT	5																																																																																					
Pol.	Horizontal	Fundamental																																																																																				
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5458.00</td> <td>57.10</td> <td>74.00</td> <td>-16.90</td> <td>44.09</td> <td>35.93</td> <td>9.69</td> <td>32.61</td> <td>109</td> <td>120</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5469.36</td> <td>60.42</td> <td>68.30</td> <td>-7.88</td> <td>47.42</td> <td>35.92</td> <td>9.69</td> <td>32.61</td> <td>109</td> <td>120</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5458.00	57.10	74.00	-16.90	44.09	35.93	9.69	32.61	109	120	PEAK	2	5469.36	60.42	68.30	-7.88	47.42	35.92	9.69	32.61	109	120	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5510.00</td> <td>104.08</td> <td>-----</td> <td>-----</td> <td>91.06</td> <td>35.91</td> <td>9.71</td> <td>32.60</td> <td>109</td> <td>120</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5510.00	104.08	-----	-----	91.06	35.91	9.71	32.60	109	120	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																															
1	5458.00	57.10	74.00	-16.90	44.09	35.93	9.69	32.61	109	120	PEAK																																																																											
2	5469.36	60.42	68.30	-7.88	47.42	35.92	9.69	32.61	109	120	PEAK																																																																											
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																															
1	5510.00	104.08	-----	-----	91.06	35.91	9.71	32.60	109	120	PEAK																																																																											
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5459.92</td> <td>49.21</td> <td>54.00</td> <td>-4.79</td> <td>36.21</td> <td>35.92</td> <td>9.69</td> <td>32.61</td> <td>109</td> <td>120</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5459.92	49.21	54.00	-4.79	36.21	35.92	9.69	32.61	109	120	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5510.00</td> <td>97.15</td> <td>-----</td> <td>-----</td> <td>84.12</td> <td>35.92</td> <td>9.71</td> <td>32.60</td> <td>109</td> <td>120</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5510.00	97.15	-----	-----	84.12	35.92	9.71	32.60	109	120	AVERAGE												
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																															
1	5459.92	49.21	54.00	-4.79	36.21	35.92	9.69	32.61	109	120	AVERAGE																																																																											
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																															
1	5510.00	97.15	-----	-----	84.12	35.92	9.71	32.60	109	120	AVERAGE																																																																											



Mode	26																																	
	Band Edge - R																																	
	U-NII-2C_5.47-5.725_802.11ac VHT40_CH102_5510MHz																																	
ANT	5																																	
Pol.	Horizontal	Fundamental																																
Peak	<p>Date: 2024-04-12</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5737.21</td> <td>52.35</td> <td>68.30</td> <td>-15.95</td> <td>38.77</td> <td>36.23</td> <td>10.04</td> <td>32.69</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 5737.21	52.35	68.30	-15.95	38.77	36.23	10.04	32.69	Blank
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																											
1 5737.21	52.35	68.30	-15.95	38.77	36.23	10.04	32.69																											



Mode	26																																																																																					
	Band Edge - L																																																																																					
	U-NII-2C_5.47-5.725_802.11ac VHT40_CH102_5510MHz																																																																																					
ANT	5																																																																																					
Pol.	Vertical	Fundamental																																																																																				
Peak	<p>Date: 2024-04-12</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5458.00</td> <td>55.53</td> <td>74.00</td> <td>-18.47</td> <td>42.52</td> <td>35.93</td> <td>9.69</td> <td>32.61</td> <td>400</td> <td>186</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5469.84</td> <td>57.55</td> <td>68.30</td> <td>-10.75</td> <td>44.55</td> <td>35.92</td> <td>9.69</td> <td>32.61</td> <td>400</td> <td>186</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5458.00	55.53	74.00	-18.47	42.52	35.93	9.69	32.61	400	186	PEAK	2	5469.84	57.55	68.30	-10.75	44.55	35.92	9.69	32.61	400	186	PEAK	<p>Date: 2024-04-12</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5510.00</td> <td>99.26</td> <td>-----</td> <td>-----</td> <td>86.25</td> <td>35.90</td> <td>9.71</td> <td>32.60</td> <td>400</td> <td>186</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5510.00	99.26	-----	-----	86.25	35.90	9.71	32.60	400	186	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																															
1	5458.00	55.53	74.00	-18.47	42.52	35.93	9.69	32.61	400	186	PEAK																																																																											
2	5469.84	57.55	68.30	-10.75	44.55	35.92	9.69	32.61	400	186	PEAK																																																																											
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																															
1	5510.00	99.26	-----	-----	86.25	35.90	9.71	32.60	400	186	PEAK																																																																											
Avg	<p>Date: 2024-04-12</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5458.64</td> <td>46.95</td> <td>54.00</td> <td>-7.05</td> <td>33.95</td> <td>35.92</td> <td>9.69</td> <td>32.61</td> <td>400</td> <td>186</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5458.64	46.95	54.00	-7.05	33.95	35.92	9.69	32.61	400	186	AVERAGE	<p>Date: 2024-04-12</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5510.00</td> <td>91.19</td> <td>-----</td> <td>-----</td> <td>78.17</td> <td>35.91</td> <td>9.71</td> <td>32.60</td> <td>400</td> <td>186</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5510.00	91.19	-----	-----	78.17	35.91	9.71	32.60	400	186	AVERAGE												
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																															
1	5458.64	46.95	54.00	-7.05	33.95	35.92	9.69	32.61	400	186	AVERAGE																																																																											
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																															
1	5510.00	91.19	-----	-----	78.17	35.91	9.71	32.60	400	186	AVERAGE																																																																											



Mode	26																																					
	Band Edge - R																																					
	U-NII-2C_5.47-5.725_802.11ac VHT40_CH102_5510MHz																																					
ANT	5																																					
Pol.	Vertical	Fundamental																																				
Peak	<p>Date: 2024-04-12</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5725.22</td> <td>52.70</td> <td>68.30</td> <td>-15.60</td> <td>39.15</td> <td>36.22</td> <td>10.02</td> <td>32.69</td> <td>400</td> <td>186</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5725.22	52.70	68.30	-15.60	39.15	36.22	10.02	32.69	400	186	PEAK	Blank
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																															
1	5725.22	52.70	68.30	-15.60	39.15	36.22	10.02	32.69	400	186	PEAK																											



Mode	26																																																																																																											
	Harmonic																																																																																																											
	U-NII-2C_5.47-5.725_802.11ac VHT40_CH102_5510MHz																																																																																																											
ANT	5																																																																																																											
Pol.	Horizontal	Vertical																																																																																																										
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11020.00</td> <td>49.60</td> <td>74.00</td> <td>-24.40</td> <td>61.47</td> <td>39.01</td> <td>12.54</td> <td>63.42</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>16530.00</td> <td>50.08</td> <td>68.30</td> <td>-18.22</td> <td>58.22</td> <td>41.36</td> <td>15.19</td> <td>64.69</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	APos	TPos	Remark	Freq Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	11020.00	49.60	74.00	-24.40	61.47	39.01	12.54	63.42	---	---	Peak	2	16530.00	50.08	68.30	-18.22	58.22	41.36	15.19	64.69	---	---	Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11020.00</td> <td>53.46</td> <td>74.00</td> <td>-20.54</td> <td>65.33</td> <td>39.01</td> <td>12.54</td> <td>63.42</td> <td>100</td> <td>285</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>11020.00</td> <td>47.26</td> <td>54.00</td> <td>-6.74</td> <td>59.13</td> <td>39.01</td> <td>12.54</td> <td>63.42</td> <td>100</td> <td>285</td> <td>Average</td> </tr> <tr> <td>3</td> <td>16530.00</td> <td>50.23</td> <td>68.30</td> <td>-18.07</td> <td>58.37</td> <td>41.36</td> <td>15.19</td> <td>64.69</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	APos	TPos	Remark	Freq Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	11020.00	53.46	74.00	-20.54	65.33	39.01	12.54	63.42	100	285	Peak	2	11020.00	47.26	54.00	-6.74	59.13	39.01	12.54	63.42	100	285	Average	3	16530.00	50.23	68.30	-18.07	58.37	41.36	15.19	64.69	---	---	Peak
	Limit	Read	Ant	Cable	APos	TPos	Remark																																																																																																					
Freq Level	Line	Margin	Level	Factor	Loss Factor																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																				
1	11020.00	49.60	74.00	-24.40	61.47	39.01	12.54	63.42	---	---	Peak																																																																																																	
2	16530.00	50.08	68.30	-18.22	58.22	41.36	15.19	64.69	---	---	Peak																																																																																																	
Limit	Read	Ant	Cable	APos	TPos	Remark																																																																																																						
Freq Level	Line	Margin	Level	Factor	Loss Factor																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																				
1	11020.00	53.46	74.00	-20.54	65.33	39.01	12.54	63.42	100	285	Peak																																																																																																	
2	11020.00	47.26	54.00	-6.74	59.13	39.01	12.54	63.42	100	285	Average																																																																																																	
3	16530.00	50.23	68.30	-18.07	58.37	41.36	15.19	64.69	---	---	Peak																																																																																																	



		27																																																																																									
Mode	Band Edge - L																																																																																										
	U-NII-2C_5.47-5.725_802.11ac VHT40_CH110_5550MHz																																																																																										
ANT	5																																																																																										
Pol.	Horizontal	Fundamental																																																																																									
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5458.00</td> <td>52.40</td> <td>74.00</td> <td>-21.60</td> <td>39.39</td> <td>35.93</td> <td>9.69</td> <td>32.61</td> <td>107</td> <td>135 PEAK</td> </tr> <tr> <td>2</td> <td>5466.00</td> <td>53.25</td> <td>68.30</td> <td>-15.05</td> <td>40.25</td> <td>35.92</td> <td>9.69</td> <td>32.61</td> <td>107</td> <td>135 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5458.00	52.40	74.00	-21.60	39.39	35.93	9.69	32.61	107	135 PEAK	2	5466.00	53.25	68.30	-15.05	40.25	35.92	9.69	32.61	107	135 PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5550.00</td> <td>104.02</td> <td>-----</td> <td>-----</td> <td>90.94</td> <td>35.97</td> <td>9.73</td> <td>32.62</td> <td>107</td> <td>135 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5550.00	104.02	-----	-----	90.94	35.97	9.73	32.62	107	135 PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5458.00	52.40	74.00	-21.60	39.39	35.93	9.69	32.61	107	135 PEAK																																																																																	
2	5466.00	53.25	68.30	-15.05	40.25	35.92	9.69	32.61	107	135 PEAK																																																																																	
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5550.00	104.02	-----	-----	90.94	35.97	9.73	32.62	107	135 PEAK																																																																																	
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5460.00</td> <td>44.13</td> <td>54.00</td> <td>-9.87</td> <td>31.13</td> <td>35.92</td> <td>9.69</td> <td>32.61</td> <td>107</td> <td>135 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5460.00	44.13	54.00	-9.87	31.13	35.92	9.69	32.61	107	135 AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5550.00</td> <td>96.64</td> <td>-----</td> <td>-----</td> <td>83.56</td> <td>35.97</td> <td>9.73</td> <td>32.62</td> <td>107</td> <td>135 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5550.00	96.64	-----	-----	83.56	35.97	9.73	32.62	107	135 AVERAGE											
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5460.00	44.13	54.00	-9.87	31.13	35.92	9.69	32.61	107	135 AVERAGE																																																																																	
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5550.00	96.64	-----	-----	83.56	35.97	9.73	32.62	107	135 AVERAGE																																																																																	



Mode	27																														
	Band Edge - R																														
	U-NII-2C_5.47-5.725_802.11ac VHT40_CH110_5550MHz																														
ANT	5																														
Pol.	Horizontal	Fundamental																													
Peak	<p>Date: 2024-04-12</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5755.97</td> <td>53.34</td> <td>68.30</td> <td>-14.96</td> <td>39.70</td> <td>36.26</td> <td>10.08</td> <td>32.70</td> <td>107</td> <td>135 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	cm	deg	Remark	1	5755.97	53.34	68.30	-14.96	39.70	36.26	10.08	32.70	107	135 PEAK	Blank
Limit	Read	Ant	Cable	Preamp	APos	TPos																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	cm	deg	Remark																					
1	5755.97	53.34	68.30	-14.96	39.70	36.26	10.08	32.70	107	135 PEAK																					



Mode	27																																																																																					
	Band Edge - L																																																																																					
	U-NII-2C_5.47-5.725_802.11ac VHT40_CH110_5550MHz																																																																																					
ANT	5																																																																																					
Pol.	Vertical	Fundamental																																																																																				
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5459.00</td> <td>51.62</td> <td>74.00</td> <td>-22.38</td> <td>38.62</td> <td>35.92</td> <td>9.69</td> <td>32.61</td> <td>400</td> <td>155</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5464.60</td> <td>51.41</td> <td>68.30</td> <td>-16.89</td> <td>38.41</td> <td>35.92</td> <td>9.69</td> <td>32.61</td> <td>400</td> <td>155</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5459.00	51.62	74.00	-22.38	38.62	35.92	9.69	32.61	400	155	PEAK	2	5464.60	51.41	68.30	-16.89	38.41	35.92	9.69	32.61	400	155	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5550.00</td> <td>97.02</td> <td>-----</td> <td>-----</td> <td>83.92</td> <td>35.98</td> <td>9.74</td> <td>32.62</td> <td>400</td> <td>155</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5550.00	97.02	-----	-----	83.92	35.98	9.74	32.62	400	155	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																															
1	5459.00	51.62	74.00	-22.38	38.62	35.92	9.69	32.61	400	155	PEAK																																																																											
2	5464.60	51.41	68.30	-16.89	38.41	35.92	9.69	32.61	400	155	PEAK																																																																											
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																															
1	5550.00	97.02	-----	-----	83.92	35.98	9.74	32.62	400	155	PEAK																																																																											
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5459.00</td> <td>43.21</td> <td>54.00</td> <td>-10.79</td> <td>30.21</td> <td>35.92</td> <td>9.69</td> <td>32.61</td> <td>400</td> <td>155</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5459.00	43.21	54.00	-10.79	30.21	35.92	9.69	32.61	400	155	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5550.00</td> <td>90.22</td> <td>-----</td> <td>-----</td> <td>77.12</td> <td>35.98</td> <td>9.74</td> <td>32.62</td> <td>400</td> <td>155</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5550.00	90.22	-----	-----	77.12	35.98	9.74	32.62	400	155	AVERAGE												
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																															
1	5459.00	43.21	54.00	-10.79	30.21	35.92	9.69	32.61	400	155	AVERAGE																																																																											
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																															
1	5550.00	90.22	-----	-----	77.12	35.98	9.74	32.62	400	155	AVERAGE																																																																											



Mode	27																														
	Band Edge - R																														
	U-NII-2C_5.47-5.725_802.11ac VHT40_CH110_5550MHz																														
ANT	5																														
Pol.	Vertical	Fundamental																													
Peak	<p>Date: 2024-04-12</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5757.05</td> <td>53.53</td> <td>68.30</td> <td>-14.77</td> <td>39.88</td> <td>36.26</td> <td>10.09</td> <td>32.70</td> <td>400</td> <td>155 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	cm	deg	Remark	1	5757.05	53.53	68.30	-14.77	39.88	36.26	10.09	32.70	400	155 PEAK	Blank
Limit	Read	Ant	Cable	Preamp	APos	TPos																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	cm	deg	Remark																					
1	5757.05	53.53	68.30	-14.77	39.88	36.26	10.09	32.70	400	155 PEAK																					



Mode	27																																																																																																															
	Harmonic																																																																																																															
	U-NII-2C_5.47-5.725_802.11ac VHT40_CH110_5550MHz																																																																																																															
ANT	5																																																																																																															
Pol.	Horizontal	Vertical																																																																																																														
Peak Avg	<p style="text-align: right;">Date: 2024-04-14</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11100.00</td> <td>48.52</td> <td>74.00</td> <td>-25.48</td> <td>60.31</td> <td>39.04</td> <td>12.59</td> <td>63.42</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>16650.00</td> <td>50.01</td> <td>68.30</td> <td>-18.29</td> <td>58.13</td> <td>41.42</td> <td>15.28</td> <td>64.82</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	11100.00	48.52	74.00	-25.48	60.31	39.04	12.59	63.42	---	---	Peak	2	16650.00	50.01	68.30	-18.29	58.13	41.42	15.28	64.82	---	---	Peak	<p style="text-align: right;">Date: 2024-04-14</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11100.00</td> <td>52.59</td> <td>74.00</td> <td>-21.41</td> <td>64.38</td> <td>39.04</td> <td>12.59</td> <td>63.42</td> <td>100</td> <td>285</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>11100.00</td> <td>48.37</td> <td>54.00</td> <td>-5.63</td> <td>60.16</td> <td>39.04</td> <td>12.59</td> <td>63.42</td> <td>100</td> <td>285</td> <td>Average</td> </tr> <tr> <td>3</td> <td>16650.00</td> <td>50.08</td> <td>68.30</td> <td>-18.22</td> <td>58.20</td> <td>41.42</td> <td>15.28</td> <td>64.82</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	11100.00	52.59	74.00	-21.41	64.38	39.04	12.59	63.42	100	285	Peak	2	11100.00	48.37	54.00	-5.63	60.16	39.04	12.59	63.42	100	285	Average	3	16650.00	50.08	68.30	-18.22	58.20	41.42	15.28	64.82	---	---	Peak
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																								
1	11100.00	48.52	74.00	-25.48	60.31	39.04	12.59	63.42	---	---	Peak																																																																																																					
2	16650.00	50.01	68.30	-18.29	58.13	41.42	15.28	64.82	---	---	Peak																																																																																																					
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																								
1	11100.00	52.59	74.00	-21.41	64.38	39.04	12.59	63.42	100	285	Peak																																																																																																					
2	11100.00	48.37	54.00	-5.63	60.16	39.04	12.59	63.42	100	285	Average																																																																																																					
3	16650.00	50.08	68.30	-18.22	58.20	41.42	15.28	64.82	---	---	Peak																																																																																																					



Mode	28																																																																					
	Band Edge - L																																																																					
	U-NII-2C_5.47-5.725_802.11ac VHT40_CH134_5670MHz																																																																					
ANT	5																																																																					
Pol.	Horizontal	Fundamental																																																																				
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5442.16</td> <td>50.78</td> <td>74.00</td> <td>-23.22</td> <td>37.78</td> <td>35.93</td> <td>9.68</td> <td>32.61</td> <td>105</td> <td>118</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5467.12</td> <td>51.81</td> <td>68.30</td> <td>-16.49</td> <td>38.81</td> <td>35.92</td> <td>9.69</td> <td>32.61</td> <td>105</td> <td>118</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor	cm	deg	1	5442.16	50.78	74.00	-23.22	37.78	35.93	9.68	32.61	105	118	PEAK	2	5467.12	51.81	68.30	-16.49	38.81	35.92	9.69	32.61	105	118	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5670.00</td> <td>103.65</td> <td>-----</td> <td>-----</td> <td>90.25</td> <td>36.15</td> <td>9.92</td> <td>32.67</td> <td>105</td> <td>118</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor	cm	deg	1	5670.00	103.65	-----	-----	90.25	36.15	9.92	32.67	105	118	PEAK
	Limit	Read	Ant	Cable	APos	TPos	Remark																																																															
Freq	Level	Line	Margin	Level	Factor	Loss Factor	cm	deg																																																														
1	5442.16	50.78	74.00	-23.22	37.78	35.93	9.68	32.61	105	118	PEAK																																																											
2	5467.12	51.81	68.30	-16.49	38.81	35.92	9.69	32.61	105	118	PEAK																																																											
Limit	Read	Ant	Cable	APos	TPos	Remark																																																																
Freq	Level	Line	Margin	Level	Factor	Loss Factor	cm	deg																																																														
1	5670.00	103.65	-----	-----	90.25	36.15	9.92	32.67	105	118	PEAK																																																											
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5456.88</td> <td>42.33</td> <td>54.00</td> <td>-11.67</td> <td>29.32</td> <td>35.93</td> <td>9.69</td> <td>32.61</td> <td>105</td> <td>118</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor	cm	deg	1	5456.88	42.33	54.00	-11.67	29.32	35.93	9.69	32.61	105	118	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5670.00</td> <td>97.54</td> <td>-----</td> <td>-----</td> <td>84.16</td> <td>36.14</td> <td>9.91</td> <td>32.67</td> <td>105</td> <td>118</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor	cm	deg	1	5670.00	97.54	-----	-----	84.16	36.14	9.91	32.67	105	118	AVERAGE												
Limit	Read	Ant	Cable	APos	TPos	Remark																																																																
Freq	Level	Line	Margin	Level	Factor	Loss Factor	cm	deg																																																														
1	5456.88	42.33	54.00	-11.67	29.32	35.93	9.69	32.61	105	118	AVERAGE																																																											
Limit	Read	Ant	Cable	APos	TPos	Remark																																																																
Freq	Level	Line	Margin	Level	Factor	Loss Factor	cm	deg																																																														
1	5670.00	97.54	-----	-----	84.16	36.14	9.91	32.67	105	118	AVERAGE																																																											



Mode	28																																									
	Band Edge - R																																									
	U-NII-2C_5.47-5.725_802.11ac VHT40_CH134_5670MHz																																									
ANT	5																																									
Pol.	Horizontal	Fundamental																																								
Peak	<p>Date: 2024-04-12</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5728.43</td> <td>63.36</td> <td>68.30</td> <td>-4.94</td> <td>49.80</td> <td>36.22</td> <td>10.03</td> <td>32.69</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>105</td> <td>118 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 5728.43	63.36	68.30	-4.94	49.80	36.22	10.03	32.69							105	118 PEAK	Blank
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																			
1 5728.43	63.36	68.30	-4.94	49.80	36.22	10.03	32.69																																			
						105	118 PEAK																																			



Mode	28																																																							
	Band Edge - L																																																							
	U-NII-2C_5.47-5.725_802.11ac VHT40_CH134_5670MHz																																																							
ANT	5																																																							
Pol.	Vertical	Fundamental																																																						
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5390.64</td> <td>51.25</td> <td>74.00</td> <td>-22.75</td> <td>38.32</td> </tr> <tr> <td>2</td> <td>5466.48</td> <td>50.38</td> <td>68.30</td> <td>-17.92</td> <td>37.38</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	APos	TPos	Freq	Level	Line	Margin	Level	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	1	5390.64	51.25	74.00	-22.75	38.32	2	5466.48	50.38	68.30	-17.92	37.38	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5670.00</td> <td>100.17</td> <td>-----</td> <td>86.79</td> <td>36.14</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	APos	TPos	Freq	Level	Line	Margin	Level	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	1	5670.00	100.17	-----	86.79	36.14
	Limit	Read	Ant	Cable	APos	TPos																																																		
Freq	Level	Line	Margin	Level	Factor																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m																																																			
1	5390.64	51.25	74.00	-22.75	38.32																																																			
2	5466.48	50.38	68.30	-17.92	37.38																																																			
Limit	Read	Ant	Cable	APos	TPos																																																			
Freq	Level	Line	Margin	Level	Factor																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m																																																			
1	5670.00	100.17	-----	86.79	36.14																																																			
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5443.12</td> <td>42.20</td> <td>54.00</td> <td>-11.80</td> <td>29.20</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	APos	TPos	Freq	Level	Line	Margin	Level	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	1	5443.12	42.20	54.00	-11.80	29.20	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5670.00</td> <td>93.71</td> <td>-----</td> <td>80.33</td> <td>36.14</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	APos	TPos	Freq	Level	Line	Margin	Level	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	1	5670.00	93.71	-----	80.33	36.14						
Limit	Read	Ant	Cable	APos	TPos																																																			
Freq	Level	Line	Margin	Level	Factor																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m																																																			
1	5443.12	42.20	54.00	-11.80	29.20																																																			
Limit	Read	Ant	Cable	APos	TPos																																																			
Freq	Level	Line	Margin	Level	Factor																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m																																																			
1	5670.00	93.71	-----	80.33	36.14																																																			



Mode	28																																									
	Band Edge - R																																									
	U-NII-2C_5.47-5.725_802.11ac VHT40_CH134_5670MHz																																									
ANT	5																																									
Pol.	Vertical	Fundamental																																								
Peak	<p>Date: 2024-04-12</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5726.43</td> <td>56.47</td> <td>68.30</td> <td>-11.83</td> <td>42.92</td> <td>36.22</td> <td>10.02</td> <td>32.69</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>386</td> <td>168 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 5726.43	56.47	68.30	-11.83	42.92	36.22	10.02	32.69							386	168 PEAK	Blank
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																			
1 5726.43	56.47	68.30	-11.83	42.92	36.22	10.02	32.69																																			
						386	168 PEAK																																			



Mode	28																																																																																																
	Harmonic																																																																																																
	U-NII-2C_5.47-5.725_802.11ac VHT40_CH134_5670MHz																																																																																																
ANT	5																																																																																																
Pol.	Horizontal	Vertical																																																																																															
Peak Avg																																																																																																	
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11340.00</td> <td>45.89</td> <td>74.00</td> <td>-28.11</td> <td>57.42</td> <td>39.14</td> <td>12.77</td> <td>63.44</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>17010.00</td> <td>48.64</td> <td>68.30</td> <td>-19.66</td> <td>56.67</td> <td>41.61</td> <td>15.55</td> <td>65.19</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	11340.00	45.89	74.00	-28.11	57.42	39.14	12.77	63.44	---	---	Peak	2	17010.00	48.64	68.30	-19.66	56.67	41.61	15.55	65.19	---	---	Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11340.00</td> <td>46.20</td> <td>74.00</td> <td>-27.80</td> <td>57.73</td> <td>39.14</td> <td>12.77</td> <td>63.44</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>17010.00</td> <td>48.13</td> <td>68.30</td> <td>-20.17</td> <td>56.16</td> <td>41.61</td> <td>15.55</td> <td>65.19</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	11340.00	46.20	74.00	-27.80	57.73	39.14	12.77	63.44	---	---	Peak	2	17010.00	48.13	68.30	-20.17	56.16	41.61	15.55	65.19	---	---
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																										
1	11340.00	45.89	74.00	-28.11	57.42	39.14	12.77	63.44	---	---	Peak																																																																																						
2	17010.00	48.64	68.30	-19.66	56.67	41.61	15.55	65.19	---	---	Peak																																																																																						
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																										
1	11340.00	46.20	74.00	-27.80	57.73	39.14	12.77	63.44	---	---	Peak																																																																																						
2	17010.00	48.13	68.30	-20.17	56.16	41.61	15.55	65.19	---	---	Peak																																																																																						







Mode	29																																																																																										
	Band Edge - L																																																																																										
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH106_5530MHz																																																																																										
ANT	5																																																																																										
Pol.	Horizontal	Fundamental																																																																																									
Peak	<p>Date: 2024-04-12</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th colspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5445.76</td> <td>59.92</td> <td>74.00</td> <td>-14.08</td> <td>46.92</td> <td>35.93</td> <td>9.68</td> <td>32.61</td> <td>100</td> <td>117 PEAK</td> </tr> <tr> <td>2</td> <td>5469.88</td> <td>57.30</td> <td>68.30</td> <td>-11.00</td> <td>44.30</td> <td>35.92</td> <td>9.69</td> <td>32.61</td> <td>100</td> <td>117 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5445.76	59.92	74.00	-14.08	46.92	35.93	9.68	32.61	100	117 PEAK	2	5469.88	57.30	68.30	-11.00	44.30	35.92	9.69	32.61	100	117 PEAK	<p>Date: 2024-04-12</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th colspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5530.00</td> <td>98.52</td> <td>-----</td> <td>-----</td> <td>85.50</td> <td>35.91</td> <td>9.71</td> <td>32.60</td> <td>100</td> <td>117 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5530.00	98.52	-----	-----	85.50	35.91	9.71	32.60	100	117 PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5445.76	59.92	74.00	-14.08	46.92	35.93	9.68	32.61	100	117 PEAK																																																																																	
2	5469.88	57.30	68.30	-11.00	44.30	35.92	9.69	32.61	100	117 PEAK																																																																																	
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5530.00	98.52	-----	-----	85.50	35.91	9.71	32.60	100	117 PEAK																																																																																	
Avg	<p>Date: 2024-04-12</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th colspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5448.28</td> <td>50.43</td> <td>54.00</td> <td>-3.57</td> <td>37.43</td> <td>35.93</td> <td>9.68</td> <td>32.61</td> <td>100</td> <td>117 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5448.28	50.43	54.00	-3.57	37.43	35.93	9.68	32.61	100	117 AVERAGE	<p>Date: 2024-04-12</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th colspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5530.00</td> <td>91.62</td> <td>-----</td> <td>-----</td> <td>78.55</td> <td>35.95</td> <td>9.73</td> <td>32.61</td> <td>100</td> <td>117 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5530.00	91.62	-----	-----	78.55	35.95	9.73	32.61	100	117 AVERAGE											
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5448.28	50.43	54.00	-3.57	37.43	35.93	9.68	32.61	100	117 AVERAGE																																																																																	
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5530.00	91.62	-----	-----	78.55	35.95	9.73	32.61	100	117 AVERAGE																																																																																	



Mode	29																														
	Band Edge - R																														
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH106_5530MHz																														
ANT	5																														
Pol.	Horizontal	Fundamental																													
Peak	<p>Date: 2024-04-12</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5730.69</td> <td>52.56</td> <td>68.30</td> <td>-15.74</td> <td>39.00</td> <td>36.22</td> <td>10.03</td> <td>32.69</td> <td>100</td> <td>117 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	cm	deg	Remark	1	5730.69	52.56	68.30	-15.74	39.00	36.22	10.03	32.69	100	117 PEAK	Blank
Limit	Read	Ant	Cable	Preamp	APos	TPos																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	cm	deg	Remark																					
1	5730.69	52.56	68.30	-15.74	39.00	36.22	10.03	32.69	100	117 PEAK																					



Mode	29																																																																																					
	Band Edge - L																																																																																					
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH106_5530MHz																																																																																					
ANT	5																																																																																					
Pol.	Vertical	Fundamental																																																																																				
Peak	 <p>Date: 2024-04-12</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5449.72</td> <td>53.58</td> <td>74.00</td> <td>-20.42</td> <td>40.58</td> <td>35.93</td> <td>9.68</td> <td>32.61</td> <td>398</td> <td>188</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5467.54</td> <td>53.19</td> <td>68.30</td> <td>-15.11</td> <td>40.19</td> <td>35.92</td> <td>9.69</td> <td>32.61</td> <td>398</td> <td>188</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5449.72	53.58	74.00	-20.42	40.58	35.93	9.68	32.61	398	188	PEAK	2	5467.54	53.19	68.30	-15.11	40.19	35.92	9.69	32.61	398	188	PEAK	 <p>Date: 2024-04-12</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5530.00</td> <td>94.48</td> <td>-----</td> <td>-----</td> <td>81.48</td> <td>35.90</td> <td>9.70</td> <td>32.60</td> <td>398</td> <td>188</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5530.00	94.48	-----	-----	81.48	35.90	9.70	32.60	398	188	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																															
1	5449.72	53.58	74.00	-20.42	40.58	35.93	9.68	32.61	398	188	PEAK																																																																											
2	5467.54	53.19	68.30	-15.11	40.19	35.92	9.69	32.61	398	188	PEAK																																																																											
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																															
1	5530.00	94.48	-----	-----	81.48	35.90	9.70	32.60	398	188	PEAK																																																																											
Avg	 <p>Date: 2024-04-12</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5454.94</td> <td>44.96</td> <td>54.00</td> <td>-9.04</td> <td>31.96</td> <td>35.93</td> <td>9.68</td> <td>32.61</td> <td>398</td> <td>188</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5454.94	44.96	54.00	-9.04	31.96	35.93	9.68	32.61	398	188	AVERAGE	 <p>Date: 2024-04-12</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5530.00</td> <td>87.17</td> <td>-----</td> <td>-----</td> <td>74.17</td> <td>35.90</td> <td>9.70</td> <td>32.60</td> <td>398</td> <td>188</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5530.00	87.17	-----	-----	74.17	35.90	9.70	32.60	398	188	AVERAGE												
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																															
1	5454.94	44.96	54.00	-9.04	31.96	35.93	9.68	32.61	398	188	AVERAGE																																																																											
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																															
1	5530.00	87.17	-----	-----	74.17	35.90	9.70	32.60	398	188	AVERAGE																																																																											



Mode	29																																					
	Band Edge - R																																					
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH106_5530MHz																																					
ANT	5																																					
Pol.	Vertical	Fundamental																																				
Peak	<p>Date: 2024-04-12</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5746.91</td> <td>51.74</td> <td>68.30</td> <td>-16.56</td> <td>38.13</td> <td>36.25</td> <td>10.06</td> <td>32.70</td> <td>398</td> <td>188</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5746.91	51.74	68.30	-16.56	38.13	36.25	10.06	32.70	398	188	PEAK	Blank
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																															
1	5746.91	51.74	68.30	-16.56	38.13	36.25	10.06	32.70	398	188	PEAK																											



Mode	29																																																																																																	
	Harmonic																																																																																																	
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH106_5530MHz																																																																																																	
ANT	5																																																																																																	
Pol.	Horizontal	Vertical																																																																																																
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11060.00</td> <td>49.32</td> <td>74.00</td> <td>-24.68</td> <td>61.15</td> <td>39.02</td> <td>12.57</td> <td>63.42</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>16590.00</td> <td>48.82</td> <td>68.30</td> <td>-19.48</td> <td>56.95</td> <td>41.39</td> <td>15.23</td> <td>64.75</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	11060.00	49.32	74.00	-24.68	61.15	39.02	12.57	63.42	---	---	Peak	2	16590.00	48.82	68.30	-19.48	56.95	41.39	15.23	64.75	---	---	Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11060.00</td> <td>47.65</td> <td>74.00</td> <td>-26.35</td> <td>59.48</td> <td>39.02</td> <td>12.57</td> <td>63.42</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>16590.00</td> <td>47.90</td> <td>68.30</td> <td>-20.40</td> <td>56.03</td> <td>41.39</td> <td>15.23</td> <td>64.75</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	11060.00	47.65	74.00	-26.35	59.48	39.02	12.57	63.42	---	---	Peak	2	16590.00	47.90	68.30	-20.40	56.03	41.39	15.23	64.75	---	---	Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																											
1	11060.00	49.32	74.00	-24.68	61.15	39.02	12.57	63.42	---	---	Peak																																																																																							
2	16590.00	48.82	68.30	-19.48	56.95	41.39	15.23	64.75	---	---	Peak																																																																																							
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																											
1	11060.00	47.65	74.00	-26.35	59.48	39.02	12.57	63.42	---	---	Peak																																																																																							
2	16590.00	47.90	68.30	-20.40	56.03	41.39	15.23	64.75	---	---	Peak																																																																																							



Mode	30																																																																																		
	Band Edge - L																																																																																		
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH122_5610MHz																																																																																		
ANT	5																																																																																		
Pol.	Horizontal	Fundamental																																																																																	
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5451.14</td> <td>51.50</td> <td>74.00</td> <td>-22.50</td> <td>38.50</td> <td>35.93</td> <td>9.68</td> <td>32.61</td> <td>100</td> <td>137 PEAK</td> </tr> <tr> <td>2</td> <td>5469.86</td> <td>51.58</td> <td>68.30</td> <td>-16.72</td> <td>38.58</td> <td>35.92</td> <td>9.69</td> <td>32.61</td> <td>100</td> <td>137 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5451.14	51.50	74.00	-22.50	38.50	35.93	9.68	32.61	100	137 PEAK	2	5469.86	51.58	68.30	-16.72	38.58	35.92	9.69	32.61	100	137 PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5610.00</td> <td>99.61</td> <td>-----</td> <td>-----</td> <td>86.39</td> <td>36.07</td> <td>9.80</td> <td>32.65</td> <td>100</td> <td>137 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5610.00	99.61	-----	-----	86.39	36.07	9.80	32.65	100	137 PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																												
1	5451.14	51.50	74.00	-22.50	38.50	35.93	9.68	32.61	100	137 PEAK																																																																									
2	5469.86	51.58	68.30	-16.72	38.58	35.92	9.69	32.61	100	137 PEAK																																																																									
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																												
1	5610.00	99.61	-----	-----	86.39	36.07	9.80	32.65	100	137 PEAK																																																																									
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5458.68</td> <td>42.63</td> <td>54.00</td> <td>-11.37</td> <td>29.63</td> <td>35.92</td> <td>9.69</td> <td>32.61</td> <td>100</td> <td>137 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5458.68	42.63	54.00	-11.37	29.63	35.92	9.69	32.61	100	137 AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5610.00</td> <td>93.24</td> <td>-----</td> <td>-----</td> <td>80.02</td> <td>36.07</td> <td>9.80</td> <td>32.65</td> <td>100</td> <td>137 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5610.00	93.24	-----	-----	80.02	36.07	9.80	32.65	100	137 AVERAGE											
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																												
1	5458.68	42.63	54.00	-11.37	29.63	35.92	9.69	32.61	100	137 AVERAGE																																																																									
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																												
1	5610.00	93.24	-----	-----	80.02	36.07	9.80	32.65	100	137 AVERAGE																																																																									



Mode	30																																			
	Band Edge - R																																			
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH122_5610MHz																																			
ANT	5																																			
Pol.	Horizontal	Fundamental																																		
Peak	<p>Date: 2024-04-12</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5731.83</td> <td>57.37</td> <td>68.30</td> <td>-10.93</td> <td>43.81</td> <td>36.22</td> <td>10.03</td> <td>32.69</td> <td>100</td> <td>137 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 5731.83	57.37	68.30	-10.93	43.81	36.22	10.03	32.69	100	137 PEAK	Blank
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																													
1 5731.83	57.37	68.30	-10.93	43.81	36.22	10.03	32.69	100	137 PEAK																											



Mode	30																																																																									
	Band Edge - L																																																																									
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH122_5610MHz																																																																									
ANT	5																																																																									
Pol.	Vertical	Fundamental																																																																								
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5444.38</td> <td>50.67</td> <td>74.00</td> <td>-23.33</td> <td>37.67</td> <td>35.93</td> <td>9.68</td> <td>32.61</td> <td>400</td> <td>168</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5467.00</td> <td>50.76</td> <td>68.30</td> <td>-17.54</td> <td>37.76</td> <td>35.92</td> <td>9.69</td> <td>32.61</td> <td>400</td> <td>168</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor	dB	dB	cm	deg	1	5444.38	50.67	74.00	-23.33	37.67	35.93	9.68	32.61	400	168	PEAK	2	5467.00	50.76	68.30	-17.54	37.76	35.92	9.69	32.61	400	168	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5610.00</td> <td>97.21</td> <td>-----</td> <td>-----</td> <td>84.01</td> <td>36.06</td> <td>9.79</td> <td>32.65</td> <td>400</td> <td>168</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor	dB	dB	cm	deg	1	5610.00	97.21	-----	-----	84.01	36.06	9.79	32.65	400	168	PEAK
	Limit	Read	Ant	Cable Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss Factor	dB	dB	cm	deg																																																																
1	5444.38	50.67	74.00	-23.33	37.67	35.93	9.68	32.61	400	168	PEAK																																																															
2	5467.00	50.76	68.30	-17.54	37.76	35.92	9.69	32.61	400	168	PEAK																																																															
Limit	Read	Ant	Cable Preamp	APos	TPos	Remark																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss Factor	dB	dB	cm	deg																																																																
1	5610.00	97.21	-----	-----	84.01	36.06	9.79	32.65	400	168	PEAK																																																															
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5454.78</td> <td>42.74</td> <td>54.00</td> <td>-11.26</td> <td>29.74</td> <td>35.93</td> <td>9.68</td> <td>32.61</td> <td>400</td> <td>168</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor	dB	dB	cm	deg	1	5454.78	42.74	54.00	-11.26	29.74	35.93	9.68	32.61	400	168	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5610.00</td> <td>90.13</td> <td>-----</td> <td>-----</td> <td>76.93</td> <td>36.06</td> <td>9.79</td> <td>32.65</td> <td>400</td> <td>168</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor	dB	dB	cm	deg	1	5610.00	90.13	-----	-----	76.93	36.06	9.79	32.65	400	168	AVERAGE												
Limit	Read	Ant	Cable Preamp	APos	TPos	Remark																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss Factor	dB	dB	cm	deg																																																																
1	5454.78	42.74	54.00	-11.26	29.74	35.93	9.68	32.61	400	168	AVERAGE																																																															
Limit	Read	Ant	Cable Preamp	APos	TPos	Remark																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss Factor	dB	dB	cm	deg																																																																
1	5610.00	90.13	-----	-----	76.93	36.06	9.79	32.65	400	168	AVERAGE																																																															



Mode	30																																									
	Band Edge - R																																									
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH122_5610MHz																																									
ANT	5																																									
Pol.	Vertical	Fundamental																																								
Peak	<p>Date: 2024-04-12</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5736.79</td> <td>54.22</td> <td>68.30</td> <td>-14.08</td> <td>40.64</td> <td>36.23</td> <td>10.04</td> <td>32.69</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>400</td> <td>168 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 5736.79	54.22	68.30	-14.08	40.64	36.23	10.04	32.69							400	168 PEAK	Blank
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																			
1 5736.79	54.22	68.30	-14.08	40.64	36.23	10.04	32.69																																			
						400	168 PEAK																																			



Mode	30																																																																																																				
	Harmonic																																																																																																				
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH122_5610MHz																																																																																																				
ANT	5																																																																																																				
Pol.	Horizontal	Vertical																																																																																																			
Peak Avg																																																																																																					
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11220.00</td> <td>47.14</td> <td>74.00</td> <td>-26.86</td> <td>58.80</td> <td>39.09</td> <td>12.68</td> <td>63.43</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>16830.00</td> <td>46.42</td> <td>68.30</td> <td>-21.88</td> <td>54.50</td> <td>41.51</td> <td>15.41</td> <td>65.00</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11220.00	47.14	74.00	-26.86	58.80	39.09	12.68	63.43	---	---	Peak	2	16830.00	46.42	68.30	-21.88	54.50	41.51	15.41	65.00	---	---	Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11220.00</td> <td>47.92</td> <td>74.00</td> <td>-26.08</td> <td>59.58</td> <td>39.09</td> <td>12.68</td> <td>63.43</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>16830.00</td> <td>47.57</td> <td>68.30</td> <td>-20.73</td> <td>55.65</td> <td>41.51</td> <td>15.41</td> <td>65.00</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11220.00	47.92	74.00	-26.08	59.58	39.09	12.68	63.43	---	---	Peak	2	16830.00	47.57	68.30	-20.73	55.65	41.51	15.41	65.00	---	---
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																												
1	11220.00	47.14	74.00	-26.86	58.80	39.09	12.68	63.43	---	---	Peak																																																																																										
2	16830.00	46.42	68.30	-21.88	54.50	41.51	15.41	65.00	---	---	Peak																																																																																										
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																												
1	11220.00	47.92	74.00	-26.08	59.58	39.09	12.68	63.43	---	---	Peak																																																																																										
2	16830.00	47.57	68.30	-20.73	55.65	41.51	15.41	65.00	---	---	Peak																																																																																										



Mode	31																																																																													
	Band Edge																																																																													
	U-NII-2C_5.47-5.725_802.11a_CH144_5720MHz																																																																													
ANT	5																																																																													
Pol.	Horizontal	Fundamental																																																																												
Peak	Blank	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5384.10</td> <td>50.88</td> <td>74.00</td> <td>-23.12</td> <td>37.99</td> <td>35.97</td> <td>9.54</td> <td>32.62</td> <td>123</td> <td>120</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>5464.95</td> <td>50.96</td> <td>68.30</td> <td>-17.34</td> <td>37.96</td> <td>35.92</td> <td>9.69</td> <td>32.61</td> <td>123</td> <td>120</td> <td>Peak</td> </tr> <tr> <td>3</td> <td>5720.00</td> <td>109.70</td> <td>-----</td> <td>-----</td> <td>96.17</td> <td>36.21</td> <td>10.01</td> <td>32.69</td> <td>123</td> <td>120</td> <td>Peak</td> </tr> <tr> <td>4</td> <td>5868.65</td> <td>52.58</td> <td>68.30</td> <td>-15.72</td> <td>38.59</td> <td>36.42</td> <td>10.32</td> <td>32.75</td> <td>123</td> <td>120</td> <td>Peak</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5384.10	50.88	74.00	-23.12	37.99	35.97	9.54	32.62	123	120	Peak	2	5464.95	50.96	68.30	-17.34	37.96	35.92	9.69	32.61	123	120	Peak	3	5720.00	109.70	-----	-----	96.17	36.21	10.01	32.69	123	120	Peak	4	5868.65	52.58	68.30	-15.72	38.59	36.42	10.32	32.75	123	120	Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																					
1	5384.10	50.88	74.00	-23.12	37.99	35.97	9.54	32.62	123	120	Peak																																																																			
2	5464.95	50.96	68.30	-17.34	37.96	35.92	9.69	32.61	123	120	Peak																																																																			
3	5720.00	109.70	-----	-----	96.17	36.21	10.01	32.69	123	120	Peak																																																																			
4	5868.65	52.58	68.30	-15.72	38.59	36.42	10.32	32.75	123	120	Peak																																																																			
Avg	Blank	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5459.45</td> <td>41.25</td> <td>54.00</td> <td>-12.75</td> <td>28.25</td> <td>35.92</td> <td>9.69</td> <td>32.61</td> <td>123</td> <td>120</td> <td>Average</td> </tr> <tr> <td>2</td> <td>5720.00</td> <td>102.31</td> <td>-----</td> <td>-----</td> <td>88.78</td> <td>36.21</td> <td>10.01</td> <td>32.69</td> <td>123</td> <td>120</td> <td>Average</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.45	41.25	54.00	-12.75	28.25	35.92	9.69	32.61	123	120	Average	2	5720.00	102.31	-----	-----	88.78	36.21	10.01	32.69	123	120	Average																								
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																					
1	5459.45	41.25	54.00	-12.75	28.25	35.92	9.69	32.61	123	120	Average																																																																			
2	5720.00	102.31	-----	-----	88.78	36.21	10.01	32.69	123	120	Average																																																																			



Mode	31																																																																												
	Band Edge																																																																												
	U-NII-2C_5.47-5.725_802.11a_CH144_5720MHz																																																																												
ANT	5																																																																												
Pol.	Vertical	Fundamental																																																																											
Peak	Blank	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5369.80</td> <td>52.40</td> <td>74.00</td> <td>-21.60</td> <td>39.58</td> <td>35.98</td> <td>9.47</td> <td>32.63</td> <td>108</td> <td>298</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>5462.75</td> <td>49.70</td> <td>68.30</td> <td>-18.60</td> <td>36.70</td> <td>35.92</td> <td>9.69</td> <td>32.61</td> <td>108</td> <td>298</td> <td>Peak</td> </tr> <tr> <td>3</td> <td>5720.00</td> <td>102.17</td> <td>-----</td> <td>-----</td> <td>88.64</td> <td>36.21</td> <td>10.01</td> <td>32.69</td> <td>108</td> <td>298</td> <td>Peak</td> </tr> <tr> <td>4</td> <td>5893.40</td> <td>51.64</td> <td>68.30</td> <td>-16.66</td> <td>37.58</td> <td>36.45</td> <td>10.37</td> <td>32.76</td> <td>108</td> <td>298</td> <td>Peak</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	5369.80	52.40	74.00	-21.60	39.58	35.98	9.47	32.63	108	298	Peak	2	5462.75	49.70	68.30	-18.60	36.70	35.92	9.69	32.61	108	298	Peak	3	5720.00	102.17	-----	-----	88.64	36.21	10.01	32.69	108	298	Peak	4	5893.40	51.64	68.30	-16.66	37.58	36.45	10.37	32.76	108	298	Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																					
1	5369.80	52.40	74.00	-21.60	39.58	35.98	9.47	32.63	108	298	Peak																																																																		
2	5462.75	49.70	68.30	-18.60	36.70	35.92	9.69	32.61	108	298	Peak																																																																		
3	5720.00	102.17	-----	-----	88.64	36.21	10.01	32.69	108	298	Peak																																																																		
4	5893.40	51.64	68.30	-16.66	37.58	36.45	10.37	32.76	108	298	Peak																																																																		
Avg	Blank	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5458.90</td> <td>41.21</td> <td>54.00</td> <td>-12.79</td> <td>28.21</td> <td>35.92</td> <td>9.69</td> <td>32.61</td> <td>108</td> <td>298</td> <td>Average</td> </tr> <tr> <td>2</td> <td>5720.00</td> <td>95.48</td> <td>-----</td> <td>-----</td> <td>81.95</td> <td>36.21</td> <td>10.01</td> <td>32.69</td> <td>108</td> <td>298</td> <td>Average</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	5458.90	41.21	54.00	-12.79	28.21	35.92	9.69	32.61	108	298	Average	2	5720.00	95.48	-----	-----	81.95	36.21	10.01	32.69	108	298	Average																								
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																					
1	5458.90	41.21	54.00	-12.79	28.21	35.92	9.69	32.61	108	298	Average																																																																		
2	5720.00	95.48	-----	-----	81.95	36.21	10.01	32.69	108	298	Average																																																																		



Mode	31																																																																																				
	Harmonic																																																																																				
	U-NII-2C_5.47-5.725_802.11a_CH144_5720MHz																																																																																				
ANT	5																																																																																				
Pol.	Horizontal	Vertical																																																																																			
Peak Avg																																																																																					
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 11440.00</td> <td>45.13</td> <td>74.00</td> <td>-28.87</td> <td>56.55</td> <td>39.18</td> <td>12.84</td> <td>63.44</td> <td>--- Peak</td> </tr> <tr> <td>2 17160.00</td> <td>47.67</td> <td>68.30</td> <td>-20.63</td> <td>55.49</td> <td>41.78</td> <td>15.66</td> <td>65.26</td> <td>--- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 11440.00	45.13	74.00	-28.87	56.55	39.18	12.84	63.44	--- Peak	2 17160.00	47.67	68.30	-20.63	55.49	41.78	15.66	65.26	--- Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 11440.00</td> <td>46.78</td> <td>74.00</td> <td>-27.22</td> <td>58.20</td> <td>39.18</td> <td>12.84</td> <td>63.44</td> <td>--- Peak</td> </tr> <tr> <td>2 17160.00</td> <td>47.92</td> <td>68.30</td> <td>-20.38</td> <td>55.74</td> <td>41.78</td> <td>15.66</td> <td>65.26</td> <td>--- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 11440.00	46.78	74.00	-27.22	58.20	39.18	12.84	63.44	--- Peak	2 17160.00	47.92	68.30	-20.38	55.74	41.78	15.66	65.26
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																														
1 11440.00	45.13	74.00	-28.87	56.55	39.18	12.84	63.44	--- Peak																																																																													
2 17160.00	47.67	68.30	-20.63	55.49	41.78	15.66	65.26	--- Peak																																																																													
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																														
1 11440.00	46.78	74.00	-27.22	58.20	39.18	12.84	63.44	--- Peak																																																																													
2 17160.00	47.92	68.30	-20.38	55.74	41.78	15.66	65.26	--- Peak																																																																													



Mode	32																																																																												
	Band Edge																																																																												
	U-NII-2C_5.47-5.725_802.11ac VHT20_CH144_5720MHz																																																																												
ANT	5																																																																												
Pol.	Horizontal	Fundamental																																																																											
Peak	Blank	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5450.65</td> <td>51.15</td> <td>74.00</td> <td>-22.85</td> <td>38.15</td> <td>35.93</td> <td>9.68</td> <td>32.61</td> <td>123</td> <td>122</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>5466.60</td> <td>51.23</td> <td>68.30</td> <td>-17.07</td> <td>38.23</td> <td>35.92</td> <td>9.69</td> <td>32.61</td> <td>123</td> <td>122</td> <td>Peak</td> </tr> <tr> <td>3</td> <td>5720.00</td> <td>108.61</td> <td>-----</td> <td>-----</td> <td>95.08</td> <td>36.21</td> <td>10.01</td> <td>32.69</td> <td>123</td> <td>122</td> <td>Peak</td> </tr> <tr> <td>4</td> <td>5892.85</td> <td>51.72</td> <td>68.30</td> <td>-16.58</td> <td>37.66</td> <td>36.45</td> <td>10.37</td> <td>32.76</td> <td>123</td> <td>122</td> <td>Peak</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	5450.65	51.15	74.00	-22.85	38.15	35.93	9.68	32.61	123	122	Peak	2	5466.60	51.23	68.30	-17.07	38.23	35.92	9.69	32.61	123	122	Peak	3	5720.00	108.61	-----	-----	95.08	36.21	10.01	32.69	123	122	Peak	4	5892.85	51.72	68.30	-16.58	37.66	36.45	10.37	32.76	123	122	Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																					
1	5450.65	51.15	74.00	-22.85	38.15	35.93	9.68	32.61	123	122	Peak																																																																		
2	5466.60	51.23	68.30	-17.07	38.23	35.92	9.69	32.61	123	122	Peak																																																																		
3	5720.00	108.61	-----	-----	95.08	36.21	10.01	32.69	123	122	Peak																																																																		
4	5892.85	51.72	68.30	-16.58	37.66	36.45	10.37	32.76	123	122	Peak																																																																		
Avg	Blank	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5459.45</td> <td>41.17</td> <td>54.00</td> <td>-12.83</td> <td>28.17</td> <td>35.92</td> <td>9.69</td> <td>32.61</td> <td>123</td> <td>122</td> <td>Average</td> </tr> <tr> <td>2</td> <td>5720.00</td> <td>101.48</td> <td>-----</td> <td>-----</td> <td>87.95</td> <td>36.21</td> <td>10.01</td> <td>32.69</td> <td>123</td> <td>122</td> <td>Average</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	5459.45	41.17	54.00	-12.83	28.17	35.92	9.69	32.61	123	122	Average	2	5720.00	101.48	-----	-----	87.95	36.21	10.01	32.69	123	122	Average																								
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																					
1	5459.45	41.17	54.00	-12.83	28.17	35.92	9.69	32.61	123	122	Average																																																																		
2	5720.00	101.48	-----	-----	87.95	36.21	10.01	32.69	123	122	Average																																																																		



Mode	32																																																																												
	Band Edge																																																																												
	U-NII-2C_5.47-5.725_802.11ac VHT20_CH144_5720MHz																																																																												
ANT	5																																																																												
Pol.	Vertical	Fundamental																																																																											
Peak	Blank	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5368.15</td> <td>51.03</td> <td>74.00</td> <td>-22.97</td> <td>38.22</td> <td>35.98</td> <td>9.46</td> <td>32.63</td> <td>107</td> <td>299</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>5467.15</td> <td>50.10</td> <td>68.30</td> <td>-18.20</td> <td>37.10</td> <td>35.92</td> <td>9.69</td> <td>32.61</td> <td>107</td> <td>299</td> <td>Peak</td> </tr> <tr> <td>3</td> <td>5720.00</td> <td>101.88</td> <td>-----</td> <td>-----</td> <td>88.35</td> <td>36.21</td> <td>10.01</td> <td>32.69</td> <td>107</td> <td>299</td> <td>Peak</td> </tr> <tr> <td>4</td> <td>5865.35</td> <td>51.95</td> <td>68.30</td> <td>-16.35</td> <td>37.98</td> <td>36.41</td> <td>10.31</td> <td>32.75</td> <td>107</td> <td>299</td> <td>Peak</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	5368.15	51.03	74.00	-22.97	38.22	35.98	9.46	32.63	107	299	Peak	2	5467.15	50.10	68.30	-18.20	37.10	35.92	9.69	32.61	107	299	Peak	3	5720.00	101.88	-----	-----	88.35	36.21	10.01	32.69	107	299	Peak	4	5865.35	51.95	68.30	-16.35	37.98	36.41	10.31	32.75	107	299	Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																					
1	5368.15	51.03	74.00	-22.97	38.22	35.98	9.46	32.63	107	299	Peak																																																																		
2	5467.15	50.10	68.30	-18.20	37.10	35.92	9.69	32.61	107	299	Peak																																																																		
3	5720.00	101.88	-----	-----	88.35	36.21	10.01	32.69	107	299	Peak																																																																		
4	5865.35	51.95	68.30	-16.35	37.98	36.41	10.31	32.75	107	299	Peak																																																																		
Avg	Blank	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5460.00</td> <td>41.20</td> <td>54.00</td> <td>-12.80</td> <td>28.20</td> <td>35.92</td> <td>9.69</td> <td>32.61</td> <td>107</td> <td>299</td> <td>Average</td> </tr> <tr> <td>2</td> <td>5720.00</td> <td>95.15</td> <td>-----</td> <td>-----</td> <td>81.62</td> <td>36.21</td> <td>10.01</td> <td>32.69</td> <td>107</td> <td>299</td> <td>Average</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	5460.00	41.20	54.00	-12.80	28.20	35.92	9.69	32.61	107	299	Average	2	5720.00	95.15	-----	-----	81.62	36.21	10.01	32.69	107	299	Average																								
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																					
1	5460.00	41.20	54.00	-12.80	28.20	35.92	9.69	32.61	107	299	Average																																																																		
2	5720.00	95.15	-----	-----	81.62	36.21	10.01	32.69	107	299	Average																																																																		



Mode	32																																																																																																				
	Harmonic																																																																																																				
	U-NII-2C_5.47-5.725_802.11ac_VHT20_CH144_5720MHz																																																																																																				
ANT	5																																																																																																				
Pol.	Horizontal	Vertical																																																																																																			
Peak Avg	<p>Date: 2024-04-14</p>	<p>Date: 2024-04-14</p>																																																																																																			
	<table border="1"> <thead> <tr> <th rowspan="2">Limit</th> <th rowspan="2">Read</th> <th rowspan="2">Ant</th> <th rowspan="2">Cable</th> <th rowspan="2">Preamp</th> <th rowspan="2">APos</th> <th rowspan="2">TPos</th> <th rowspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11440.00</td> <td>44.89</td> <td>74.00</td> <td>-29.11</td> <td>56.31</td> <td>39.18</td> <td>12.84</td> <td>63.44</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>17160.00</td> <td>46.86</td> <td>68.30</td> <td>-21.44</td> <td>54.68</td> <td>41.78</td> <td>15.66</td> <td>65.26</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11440.00	44.89	74.00	-29.11	56.31	39.18	12.84	63.44	---	---	Peak	2	17160.00	46.86	68.30	-21.44	54.68	41.78	15.66	65.26	---	---	Peak	<table border="1"> <thead> <tr> <th rowspan="2">Limit</th> <th rowspan="2">Read</th> <th rowspan="2">Ant</th> <th rowspan="2">Cable</th> <th rowspan="2">Preamp</th> <th rowspan="2">APos</th> <th rowspan="2">TPos</th> <th rowspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11440.00</td> <td>44.97</td> <td>74.00</td> <td>-29.03</td> <td>56.39</td> <td>39.18</td> <td>12.84</td> <td>63.44</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>17160.00</td> <td>48.03</td> <td>68.30</td> <td>-20.27</td> <td>55.85</td> <td>41.78</td> <td>15.66</td> <td>65.26</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11440.00	44.97	74.00	-29.03	56.39	39.18	12.84	63.44	---	---	Peak	2	17160.00	48.03	68.30	-20.27	55.85	41.78	15.66	65.26	---	---
Limit	Read									Ant	Cable	Preamp	APos	TPos	Remark																																																																																						
		Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																												
1	11440.00	44.89	74.00	-29.11	56.31	39.18	12.84	63.44	---	---	Peak																																																																																										
2	17160.00	46.86	68.30	-21.44	54.68	41.78	15.66	65.26	---	---	Peak																																																																																										
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																														
								Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																												
1	11440.00	44.97	74.00	-29.03	56.39	39.18	12.84	63.44	---	---	Peak																																																																																										
2	17160.00	48.03	68.30	-20.27	55.85	41.78	15.66	65.26	---	---	Peak																																																																																										



Mode	33																																																																															
	Band Edge																																																																															
	U-NII-2C_5.47-5.725_802.11ac VHT40_CH142_5710MHz																																																																															
ANT	5																																																																															
Pol.	Horizontal	Fundamental																																																																														
Peak	Blank	<table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5358.25</td> <td>51.90</td> <td>74.00</td> <td>-22.10</td> <td></td> <td>39.13</td> <td>35.99</td> <td>9.41</td> <td>32.63</td> <td>104</td> <td>118</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>5469.35</td> <td>50.18</td> <td>68.30</td> <td>-18.12</td> <td></td> <td>37.18</td> <td>35.92</td> <td>9.69</td> <td>32.61</td> <td>104</td> <td>118</td> <td>Peak</td> </tr> <tr> <td>3</td> <td>5710.00</td> <td>104.66</td> <td>-----</td> <td>-----</td> <td></td> <td>91.16</td> <td>36.19</td> <td>9.99</td> <td>32.68</td> <td>104</td> <td>118</td> <td>Peak</td> </tr> <tr> <td>4</td> <td>5877.45</td> <td>52.91</td> <td>68.30</td> <td>-15.39</td> <td></td> <td>38.89</td> <td>36.43</td> <td>10.34</td> <td>32.75</td> <td>104</td> <td>118</td> <td>Peak</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	cm	deg		1	5358.25	51.90	74.00	-22.10		39.13	35.99	9.41	32.63	104	118	Peak	2	5469.35	50.18	68.30	-18.12		37.18	35.92	9.69	32.61	104	118	Peak	3	5710.00	104.66	-----	-----		91.16	36.19	9.99	32.68	104	118	Peak	4	5877.45	52.91	68.30	-15.39		38.89	36.43	10.34	32.75	104	118	Peak
Peak	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																				
	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	cm	deg																																																																					
1	5358.25	51.90	74.00	-22.10		39.13	35.99	9.41	32.63	104	118	Peak																																																																				
2	5469.35	50.18	68.30	-18.12		37.18	35.92	9.69	32.61	104	118	Peak																																																																				
3	5710.00	104.66	-----	-----		91.16	36.19	9.99	32.68	104	118	Peak																																																																				
4	5877.45	52.91	68.30	-15.39		38.89	36.43	10.34	32.75	104	118	Peak																																																																				
Avg	Blank	<table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5445.70</td> <td>42.54</td> <td>54.00</td> <td>-11.46</td> <td></td> <td>29.54</td> <td>35.93</td> <td>9.68</td> <td>32.61</td> <td>104</td> <td>118</td> <td>Average</td> </tr> <tr> <td>2</td> <td>5710.00</td> <td>97.80</td> <td>-----</td> <td>-----</td> <td></td> <td>84.30</td> <td>36.19</td> <td>9.99</td> <td>32.68</td> <td>104</td> <td>118</td> <td>Average</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	cm	deg		1	5445.70	42.54	54.00	-11.46		29.54	35.93	9.68	32.61	104	118	Average	2	5710.00	97.80	-----	-----		84.30	36.19	9.99	32.68	104	118	Average																										
Peak	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																				
	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	cm	deg																																																																					
1	5445.70	42.54	54.00	-11.46		29.54	35.93	9.68	32.61	104	118	Average																																																																				
2	5710.00	97.80	-----	-----		84.30	36.19	9.99	32.68	104	118	Average																																																																				



Mode	33																																																																															
	Band Edge																																																																															
	U-NII-2C_5.47-5.725_802.11ac VHT40_CH142_5710MHz																																																																															
ANT	5																																																																															
Pol.	Vertical	Fundamental																																																																														
Peak	Blank	<table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5451.20</td> <td>51.24</td> <td>74.00</td> <td>-22.76</td> <td>38.24</td> <td>35.93</td> <td>9.68</td> <td>32.61</td> <td>100</td> <td>296</td> <td>Peak</td> <td></td> </tr> <tr> <td>2</td> <td>5469.90</td> <td>50.83</td> <td>68.30</td> <td>-17.47</td> <td>37.83</td> <td>35.92</td> <td>9.69</td> <td>32.61</td> <td>100</td> <td>296</td> <td>Peak</td> <td></td> </tr> <tr> <td>3</td> <td>5710.00</td> <td>98.13</td> <td>-----</td> <td>-----</td> <td>84.63</td> <td>36.19</td> <td>9.99</td> <td>32.68</td> <td>100</td> <td>296</td> <td>Peak</td> <td></td> </tr> <tr> <td>4</td> <td>5882.40</td> <td>53.07</td> <td>68.30</td> <td>-15.23</td> <td>39.03</td> <td>36.44</td> <td>10.35</td> <td>32.75</td> <td>100</td> <td>296</td> <td>Peak</td> <td></td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	cm	deg		1	5451.20	51.24	74.00	-22.76	38.24	35.93	9.68	32.61	100	296	Peak		2	5469.90	50.83	68.30	-17.47	37.83	35.92	9.69	32.61	100	296	Peak		3	5710.00	98.13	-----	-----	84.63	36.19	9.99	32.68	100	296	Peak		4	5882.40	53.07	68.30	-15.23	39.03	36.44	10.35	32.75	100	296	Peak	
Peak	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																				
	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	cm	deg																																																																					
1	5451.20	51.24	74.00	-22.76	38.24	35.93	9.68	32.61	100	296	Peak																																																																					
2	5469.90	50.83	68.30	-17.47	37.83	35.92	9.69	32.61	100	296	Peak																																																																					
3	5710.00	98.13	-----	-----	84.63	36.19	9.99	32.68	100	296	Peak																																																																					
4	5882.40	53.07	68.30	-15.23	39.03	36.44	10.35	32.75	100	296	Peak																																																																					
Avg	Blank	<table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5457.25</td> <td>42.62</td> <td>54.00</td> <td>-11.38</td> <td>29.61</td> <td>35.93</td> <td>9.69</td> <td>32.61</td> <td>100</td> <td>296</td> <td>Average</td> <td></td> </tr> <tr> <td>2</td> <td>5710.00</td> <td>91.14</td> <td>-----</td> <td>-----</td> <td>77.64</td> <td>36.19</td> <td>9.99</td> <td>32.68</td> <td>100</td> <td>296</td> <td>Average</td> <td></td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	cm	deg		1	5457.25	42.62	54.00	-11.38	29.61	35.93	9.69	32.61	100	296	Average		2	5710.00	91.14	-----	-----	77.64	36.19	9.99	32.68	100	296	Average																											
Peak	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																				
	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	cm	deg																																																																					
1	5457.25	42.62	54.00	-11.38	29.61	35.93	9.69	32.61	100	296	Average																																																																					
2	5710.00	91.14	-----	-----	77.64	36.19	9.99	32.68	100	296	Average																																																																					



Mode	33																																																																																																	
	Harmonic																																																																																																	
	U-NII-2C_5.47-5.725_802.11ac VHT40_CH142_5710MHz																																																																																																	
ANT	5																																																																																																	
Pol.	Horizontal	Vertical																																																																																																
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11420.00</td> <td>46.23</td> <td>74.00</td> <td>-27.77</td> <td>57.68</td> <td>39.17</td> <td>12.82</td> <td>63.44</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>17130.00</td> <td>48.59</td> <td>68.30</td> <td>-19.71</td> <td>56.46</td> <td>41.74</td> <td>15.64</td> <td>65.25</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	11420.00	46.23	74.00	-27.77	57.68	39.17	12.82	63.44	---	---	Peak	2	17130.00	48.59	68.30	-19.71	56.46	41.74	15.64	65.25	---	---	Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11420.00</td> <td>44.84</td> <td>74.00</td> <td>-29.16</td> <td>56.29</td> <td>39.17</td> <td>12.82</td> <td>63.44</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>17130.00</td> <td>48.21</td> <td>68.30</td> <td>-20.09</td> <td>56.08</td> <td>41.74</td> <td>15.64</td> <td>65.25</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	11420.00	44.84	74.00	-29.16	56.29	39.17	12.82	63.44	---	---	Peak	2	17130.00	48.21	68.30	-20.09	56.08	41.74	15.64	65.25	---	---	Peak
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																											
1	11420.00	46.23	74.00	-27.77	57.68	39.17	12.82	63.44	---	---	Peak																																																																																							
2	17130.00	48.59	68.30	-19.71	56.46	41.74	15.64	65.25	---	---	Peak																																																																																							
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																											
1	11420.00	44.84	74.00	-29.16	56.29	39.17	12.82	63.44	---	---	Peak																																																																																							
2	17130.00	48.21	68.30	-20.09	56.08	41.74	15.64	65.25	---	---	Peak																																																																																							



Mode	34																																																																															
	Band Edge																																																																															
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH138_5690MHz																																																																															
ANT	5																																																																															
Pol.	Horizontal	Fundamental																																																																														
Peak	Blank	<p>Date: 2024-04-14</p> <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>Mhz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5457.80</td> <td>52.46</td> <td>74.00</td> <td>-21.54</td> <td>39.45</td> <td>35.93</td> <td>9.69</td> <td>32.61</td> <td>100</td> <td>125</td> <td>Peak</td> <td></td> </tr> <tr> <td>2</td> <td>5464.95</td> <td>51.00</td> <td>68.30</td> <td>-17.30</td> <td>38.00</td> <td>35.92</td> <td>9.69</td> <td>32.61</td> <td>100</td> <td>125</td> <td>Peak</td> <td></td> </tr> <tr> <td>3</td> <td>5690.00</td> <td>100.88</td> <td>-----</td> <td>-----</td> <td>87.44</td> <td>36.17</td> <td>9.95</td> <td>32.68</td> <td>100</td> <td>125</td> <td>Peak</td> <td>U-NII-2C AND U-NII-3</td> </tr> <tr> <td>4</td> <td>5865.90</td> <td>52.32</td> <td>68.30</td> <td>-15.98</td> <td>38.35</td> <td>36.41</td> <td>10.31</td> <td>32.75</td> <td>100</td> <td>125</td> <td>Peak</td> <td></td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark		Mhz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	cm	deg		1	5457.80	52.46	74.00	-21.54	39.45	35.93	9.69	32.61	100	125	Peak		2	5464.95	51.00	68.30	-17.30	38.00	35.92	9.69	32.61	100	125	Peak		3	5690.00	100.88	-----	-----	87.44	36.17	9.95	32.68	100	125	Peak	U-NII-2C AND U-NII-3	4	5865.90	52.32	68.30	-15.98	38.35	36.41	10.31	32.75	100	125	Peak	
Peak	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																				
	Mhz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	cm	deg																																																																					
1	5457.80	52.46	74.00	-21.54	39.45	35.93	9.69	32.61	100	125	Peak																																																																					
2	5464.95	51.00	68.30	-17.30	38.00	35.92	9.69	32.61	100	125	Peak																																																																					
3	5690.00	100.88	-----	-----	87.44	36.17	9.95	32.68	100	125	Peak	U-NII-2C AND U-NII-3																																																																				
4	5865.90	52.32	68.30	-15.98	38.35	36.41	10.31	32.75	100	125	Peak																																																																					
Avg	Blank	<p>Date: 2024-04-14</p> <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>Mhz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5442.95</td> <td>42.54</td> <td>54.00</td> <td>-11.46</td> <td>29.54</td> <td>35.93</td> <td>9.68</td> <td>32.61</td> <td>100</td> <td>125</td> <td>Average</td> <td>PART 15.407 AVG</td> </tr> <tr> <td>2</td> <td>5690.00</td> <td>93.65</td> <td>-----</td> <td>-----</td> <td>80.21</td> <td>36.17</td> <td>9.95</td> <td>32.68</td> <td>100</td> <td>125</td> <td>Average</td> <td></td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark		Mhz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	cm	deg		1	5442.95	42.54	54.00	-11.46	29.54	35.93	9.68	32.61	100	125	Average	PART 15.407 AVG	2	5690.00	93.65	-----	-----	80.21	36.17	9.95	32.68	100	125	Average																											
Peak	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																				
	Mhz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	cm	deg																																																																					
1	5442.95	42.54	54.00	-11.46	29.54	35.93	9.68	32.61	100	125	Average	PART 15.407 AVG																																																																				
2	5690.00	93.65	-----	-----	80.21	36.17	9.95	32.68	100	125	Average																																																																					



Mode	34																																																																															
	Band Edge																																																																															
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH138_5690MHz																																																																															
ANT	5																																																																															
Pol.	Vertical	Fundamental																																																																														
Peak	Blank	<table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5450.10</td> <td>51.44</td> <td>74.00</td> <td>-22.56</td> <td>38.44</td> <td>35.93</td> <td>9.68</td> <td>32.61</td> <td>100</td> <td>301</td> <td>Peak</td> <td></td> </tr> <tr> <td>2</td> <td>5468.25</td> <td>50.99</td> <td>68.30</td> <td>-17.31</td> <td>37.99</td> <td>35.92</td> <td>9.69</td> <td>32.61</td> <td>100</td> <td>301</td> <td>Peak</td> <td></td> </tr> <tr> <td>3</td> <td>5690.00</td> <td>93.79</td> <td>-----</td> <td>-----</td> <td>80.35</td> <td>36.17</td> <td>9.95</td> <td>32.68</td> <td>100</td> <td>301</td> <td>Peak</td> <td></td> </tr> <tr> <td>4</td> <td>5884.60</td> <td>53.27</td> <td>68.30</td> <td>-15.03</td> <td>39.23</td> <td>36.44</td> <td>10.35</td> <td>32.75</td> <td>100</td> <td>301</td> <td>Peak</td> <td></td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	cm	deg		1	5450.10	51.44	74.00	-22.56	38.44	35.93	9.68	32.61	100	301	Peak		2	5468.25	50.99	68.30	-17.31	37.99	35.92	9.69	32.61	100	301	Peak		3	5690.00	93.79	-----	-----	80.35	36.17	9.95	32.68	100	301	Peak		4	5884.60	53.27	68.30	-15.03	39.23	36.44	10.35	32.75	100	301	Peak	
Peak	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																				
	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	cm	deg																																																																					
1	5450.10	51.44	74.00	-22.56	38.44	35.93	9.68	32.61	100	301	Peak																																																																					
2	5468.25	50.99	68.30	-17.31	37.99	35.92	9.69	32.61	100	301	Peak																																																																					
3	5690.00	93.79	-----	-----	80.35	36.17	9.95	32.68	100	301	Peak																																																																					
4	5884.60	53.27	68.30	-15.03	39.23	36.44	10.35	32.75	100	301	Peak																																																																					
Avg	Blank	<table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5458.35</td> <td>42.66</td> <td>54.00</td> <td>-11.34</td> <td>29.66</td> <td>35.92</td> <td>9.69</td> <td>32.61</td> <td>100</td> <td>301</td> <td>Average</td> <td></td> </tr> <tr> <td>2</td> <td>5690.00</td> <td>86.39</td> <td>-----</td> <td>-----</td> <td>72.95</td> <td>36.17</td> <td>9.95</td> <td>32.68</td> <td>100</td> <td>301</td> <td>Average</td> <td></td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	cm	deg		1	5458.35	42.66	54.00	-11.34	29.66	35.92	9.69	32.61	100	301	Average		2	5690.00	86.39	-----	-----	72.95	36.17	9.95	32.68	100	301	Average																											
Peak	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																				
	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	cm	deg																																																																					
1	5458.35	42.66	54.00	-11.34	29.66	35.92	9.69	32.61	100	301	Average																																																																					
2	5690.00	86.39	-----	-----	72.95	36.17	9.95	32.68	100	301	Average																																																																					



Mode	34	
	Harmonic	
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH138_5690MHz	
ANT	5	
Pol.	Horizontal	Vertical
Peak Avg		



Mode	35																																																																																																																																																																															
	LF																																																																																																																																																																															
	U-NII-2A_5.25-5.35_802.11ac VHT40_CH62_5310MHz																																																																																																																																																																															
ANT	5																																																																																																																																																																															
Pol.	Horizontal	Vertical																																																																																																																																																																														
Peak	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm deg</th> </tr> </thead> <tbody> <tr><td>1</td><td>30.00</td><td>25.12</td><td>40.00</td><td>-14.88</td><td>31.29</td><td>24.90</td><td>0.53</td><td>31.60</td><td>--- Peak</td></tr> <tr><td>2</td><td>101.78</td><td>25.21</td><td>43.50</td><td>-18.29</td><td>38.89</td><td>17.18</td><td>1.03</td><td>31.89</td><td>--- Peak</td></tr> <tr><td>3</td><td>186.17</td><td>27.38</td><td>43.50</td><td>-16.12</td><td>42.10</td><td>15.52</td><td>1.39</td><td>31.63</td><td>--- Peak</td></tr> <tr><td>4</td><td>226.91</td><td>27.80</td><td>46.00</td><td>-18.20</td><td>41.59</td><td>16.26</td><td>1.55</td><td>31.60</td><td>--- Peak</td></tr> <tr><td>5</td><td>748.77</td><td>28.69</td><td>46.00</td><td>-17.31</td><td>31.31</td><td>25.73</td><td>2.85</td><td>31.20</td><td>--- Peak</td></tr> <tr><td>6</td><td>890.39</td><td>29.97</td><td>46.00</td><td>-16.03</td><td>31.10</td><td>26.67</td><td>3.14</td><td>30.94</td><td>--- Peak</td></tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm deg	1	30.00	25.12	40.00	-14.88	31.29	24.90	0.53	31.60	--- Peak	2	101.78	25.21	43.50	-18.29	38.89	17.18	1.03	31.89	--- Peak	3	186.17	27.38	43.50	-16.12	42.10	15.52	1.39	31.63	--- Peak	4	226.91	27.80	46.00	-18.20	41.59	16.26	1.55	31.60	--- Peak	5	748.77	28.69	46.00	-17.31	31.31	25.73	2.85	31.20	--- Peak	6	890.39	29.97	46.00	-16.03	31.10	26.67	3.14	30.94	--- Peak	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm deg</th> </tr> </thead> <tbody> <tr><td>1</td><td>30.00</td><td>26.73</td><td>40.00</td><td>-13.27</td><td>32.90</td><td>24.90</td><td>0.53</td><td>31.60</td><td>--- Peak</td></tr> <tr><td>2</td><td>52.31</td><td>30.43</td><td>40.00</td><td>-9.57</td><td>47.66</td><td>13.90</td><td>0.72</td><td>31.85</td><td>--- Peak</td></tr> <tr><td>3</td><td>155.13</td><td>29.80</td><td>43.50</td><td>-13.70</td><td>43.69</td><td>16.53</td><td>1.27</td><td>31.69</td><td>--- Peak</td></tr> <tr><td>4</td><td>488.81</td><td>25.37</td><td>46.00</td><td>-20.63</td><td>30.92</td><td>23.57</td><td>2.30</td><td>31.42</td><td>--- Peak</td></tr> <tr><td>5</td><td>808.91</td><td>30.24</td><td>46.00</td><td>-15.76</td><td>31.95</td><td>26.43</td><td>2.96</td><td>31.10</td><td>--- Peak</td></tr> <tr><td>6</td><td>954.41</td><td>30.31</td><td>46.00</td><td>-15.69</td><td>30.69</td><td>27.19</td><td>3.24</td><td>30.81</td><td>--- Peak</td></tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm deg	1	30.00	26.73	40.00	-13.27	32.90	24.90	0.53	31.60	--- Peak	2	52.31	30.43	40.00	-9.57	47.66	13.90	0.72	31.85	--- Peak	3	155.13	29.80	43.50	-13.70	43.69	16.53	1.27	31.69	--- Peak	4	488.81	25.37	46.00	-20.63	30.92	23.57	2.30	31.42	--- Peak	5	808.91	30.24	46.00	-15.76	31.95	26.43	2.96	31.10	--- Peak	6	954.41	30.31	46.00	-15.69	30.69	27.19	3.24	30.81	--- Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm deg																																																																																																																																																																								
1	30.00	25.12	40.00	-14.88	31.29	24.90	0.53	31.60	--- Peak																																																																																																																																																																							
2	101.78	25.21	43.50	-18.29	38.89	17.18	1.03	31.89	--- Peak																																																																																																																																																																							
3	186.17	27.38	43.50	-16.12	42.10	15.52	1.39	31.63	--- Peak																																																																																																																																																																							
4	226.91	27.80	46.00	-18.20	41.59	16.26	1.55	31.60	--- Peak																																																																																																																																																																							
5	748.77	28.69	46.00	-17.31	31.31	25.73	2.85	31.20	--- Peak																																																																																																																																																																							
6	890.39	29.97	46.00	-16.03	31.10	26.67	3.14	30.94	--- Peak																																																																																																																																																																							
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm deg																																																																																																																																																																								
1	30.00	26.73	40.00	-13.27	32.90	24.90	0.53	31.60	--- Peak																																																																																																																																																																							
2	52.31	30.43	40.00	-9.57	47.66	13.90	0.72	31.85	--- Peak																																																																																																																																																																							
3	155.13	29.80	43.50	-13.70	43.69	16.53	1.27	31.69	--- Peak																																																																																																																																																																							
4	488.81	25.37	46.00	-20.63	30.92	23.57	2.30	31.42	--- Peak																																																																																																																																																																							
5	808.91	30.24	46.00	-15.76	31.95	26.43	2.96	31.10	--- Peak																																																																																																																																																																							
6	954.41	30.31	46.00	-15.69	30.69	27.19	3.24	30.81	--- Peak																																																																																																																																																																							



Mode	36																																																																																																																			
	Band Edge																																																																																																																			
	U-NII-3_5.725-5.85_802.11a_CH149_5745MHz																																																																																																																			
ANT	5																																																																																																																			
Pol.	Horizontal	Fundamental																																																																																																																		
Peak	<p>Date: 2024-04-13</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5613.34</td> <td>53.94</td> <td>68.30</td> <td>-14.36</td> <td>40.75</td> <td>36.06</td> <td>9.78</td> <td>32.65</td> <td>106</td> <td>128</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5650.03</td> <td>52.50</td> <td>68.32</td> <td>-15.82</td> <td>39.19</td> <td>36.11</td> <td>9.86</td> <td>32.66</td> <td>106</td> <td>128</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5718.03</td> <td>66.11</td> <td>110.25</td> <td>-44.14</td> <td>52.59</td> <td>36.21</td> <td>10.00</td> <td>32.69</td> <td>106</td> <td>128</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5720.35</td> <td>67.04</td> <td>111.60</td> <td>-44.56</td> <td>53.51</td> <td>36.21</td> <td>10.01</td> <td>32.69</td> <td>106</td> <td>128</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5613.34	53.94	68.30	-14.36	40.75	36.06	9.78	32.65	106	128	PEAK	2	5650.03	52.50	68.32	-15.82	39.19	36.11	9.86	32.66	106	128	PEAK	3	5718.03	66.11	110.25	-44.14	52.59	36.21	10.00	32.69	106	128	PEAK	4	5720.35	67.04	111.60	-44.56	53.51	36.21	10.01	32.69	106	128	PEAK	<p>Date: 2024-04-13</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>108.28</td> <td>-----</td> <td>-----</td> <td>94.68</td> <td>36.24</td> <td>10.06</td> <td>32.70</td> <td>106</td> <td>128</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5745.00	108.28	-----	-----	94.68	36.24	10.06	32.70	106	128	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																														
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																												
1	5613.34	53.94	68.30	-14.36	40.75	36.06	9.78	32.65	106	128	PEAK																																																																																																									
2	5650.03	52.50	68.32	-15.82	39.19	36.11	9.86	32.66	106	128	PEAK																																																																																																									
3	5718.03	66.11	110.25	-44.14	52.59	36.21	10.00	32.69	106	128	PEAK																																																																																																									
4	5720.35	67.04	111.60	-44.56	53.51	36.21	10.01	32.69	106	128	PEAK																																																																																																									
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																														
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																												
1	5745.00	108.28	-----	-----	94.68	36.24	10.06	32.70	106	128	PEAK																																																																																																									
Avg	Blank	<p>Date: 2024-04-13</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>101.22</td> <td>-----</td> <td>-----</td> <td>87.62</td> <td>36.24</td> <td>10.06</td> <td>32.70</td> <td>106</td> <td>128</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5745.00	101.22	-----	-----	87.62	36.24	10.06	32.70	106	128	AVERAGE																																																																											
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																														
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																												
1	5745.00	101.22	-----	-----	87.62	36.24	10.06	32.70	106	128	AVERAGE																																																																																																									



Mode	36																																																																																																																			
	Band Edge																																																																																																																			
	U-NII-3_5.725-5.85_802.11a_CH149_5745MHz																																																																																																																			
ANT	5																																																																																																																			
Pol.	Vertical	Fundamental																																																																																																																		
Peak	<p>Date: 2024-04-13</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5609.86</td> <td>52.00</td> <td>68.30</td> <td>-16.30</td> <td>38.81</td> <td>36.05</td> <td>9.78</td> <td>32.64</td> <td>400</td> <td>182</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5650.03</td> <td>51.17</td> <td>68.32</td> <td>-17.15</td> <td>37.86</td> <td>36.11</td> <td>9.86</td> <td>32.66</td> <td>400</td> <td>182</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5719.34</td> <td>59.16</td> <td>110.61</td> <td>-51.45</td> <td>45.63</td> <td>36.21</td> <td>10.01</td> <td>32.69</td> <td>400</td> <td>182</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5720.06</td> <td>57.07</td> <td>110.94</td> <td>-53.87</td> <td>43.54</td> <td>36.21</td> <td>10.01</td> <td>32.69</td> <td>400</td> <td>182</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5609.86	52.00	68.30	-16.30	38.81	36.05	9.78	32.64	400	182	PEAK	2	5650.03	51.17	68.32	-17.15	37.86	36.11	9.86	32.66	400	182	PEAK	3	5719.34	59.16	110.61	-51.45	45.63	36.21	10.01	32.69	400	182	PEAK	4	5720.06	57.07	110.94	-53.87	43.54	36.21	10.01	32.69	400	182	PEAK	<p>Date: 2024-04-13</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>103.32</td> <td>-----</td> <td>-----</td> <td>89.72</td> <td>36.24</td> <td>10.06</td> <td>32.70</td> <td>400</td> <td>182</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5745.00	103.32	-----	-----	89.72	36.24	10.06	32.70	400	182	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																														
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																												
1	5609.86	52.00	68.30	-16.30	38.81	36.05	9.78	32.64	400	182	PEAK																																																																																																									
2	5650.03	51.17	68.32	-17.15	37.86	36.11	9.86	32.66	400	182	PEAK																																																																																																									
3	5719.34	59.16	110.61	-51.45	45.63	36.21	10.01	32.69	400	182	PEAK																																																																																																									
4	5720.06	57.07	110.94	-53.87	43.54	36.21	10.01	32.69	400	182	PEAK																																																																																																									
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																														
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																												
1	5745.00	103.32	-----	-----	89.72	36.24	10.06	32.70	400	182	PEAK																																																																																																									
Avg	Blank	<p>Date: 2024-04-13</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>96.39</td> <td>-----</td> <td>-----</td> <td>82.79</td> <td>36.24</td> <td>10.06</td> <td>32.70</td> <td>400</td> <td>182</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5745.00	96.39	-----	-----	82.79	36.24	10.06	32.70	400	182	AVERAGE																																																																											
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																														
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																												
1	5745.00	96.39	-----	-----	82.79	36.24	10.06	32.70	400	182	AVERAGE																																																																																																									



Mode	36																																																																																				
	Harmonic																																																																																				
	U-NII-3_5.725-5.85_802.11a_CH149_5745MHZ																																																																																				
ANT	5																																																																																				
Pol.	Horizontal	Vertical																																																																																			
Peak Avg	<p>Date: 2024-04-14</p>	<p>Date: 2024-04-14</p>																																																																																			
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 11490.00</td> <td>46.52</td> <td>74.00</td> <td>-27.48</td> <td>57.89</td> <td>39.20</td> <td>12.87</td> <td>63.44</td> <td>--- Peak</td> </tr> <tr> <td>2 17235.00</td> <td>48.43</td> <td>68.30</td> <td>-19.87</td> <td>56.15</td> <td>41.86</td> <td>15.72</td> <td>65.30</td> <td>--- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 11490.00	46.52	74.00	-27.48	57.89	39.20	12.87	63.44	--- Peak	2 17235.00	48.43	68.30	-19.87	56.15	41.86	15.72	65.30	--- Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 11490.00</td> <td>46.10</td> <td>74.00</td> <td>-27.90</td> <td>57.47</td> <td>39.20</td> <td>12.87</td> <td>63.44</td> <td>--- Peak</td> </tr> <tr> <td>2 17235.00</td> <td>48.05</td> <td>68.30</td> <td>-20.25</td> <td>55.77</td> <td>41.86</td> <td>15.72</td> <td>65.30</td> <td>--- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 11490.00	46.10	74.00	-27.90	57.47	39.20	12.87	63.44	--- Peak	2 17235.00	48.05	68.30	-20.25	55.77	41.86	15.72	65.30
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																														
1 11490.00	46.52	74.00	-27.48	57.89	39.20	12.87	63.44	--- Peak																																																																													
2 17235.00	48.43	68.30	-19.87	56.15	41.86	15.72	65.30	--- Peak																																																																													
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																														
1 11490.00	46.10	74.00	-27.90	57.47	39.20	12.87	63.44	--- Peak																																																																													
2 17235.00	48.05	68.30	-20.25	55.77	41.86	15.72	65.30	--- Peak																																																																													



Mode	37																																																																																																																			
	Band Edge - L																																																																																																																			
	U-NII-3_5.725-5.85_802.11a_CH157_5785MHz																																																																																																																			
ANT	5																																																																																																																			
Pol.	Horizontal	Fundamental																																																																																																																		
Peak	<p style="text-align: right;">Date: 2024-04-13</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5625.53</td> <td>51.89</td> <td>68.30</td> <td>-16.41</td> <td>38.65</td> <td>36.08</td> <td>9.81</td> <td>32.65</td> <td>300</td> <td>143</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5651.06</td> <td>51.32</td> <td>69.09</td> <td>-17.77</td> <td>38.01</td> <td>36.11</td> <td>9.86</td> <td>32.66</td> <td>300</td> <td>143</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5701.57</td> <td>51.78</td> <td>105.64</td> <td>-53.86</td> <td>38.31</td> <td>36.18</td> <td>9.97</td> <td>32.68</td> <td>300</td> <td>143</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5720.07</td> <td>51.86</td> <td>110.95</td> <td>-59.09</td> <td>38.33</td> <td>36.21</td> <td>10.01</td> <td>32.69</td> <td>300</td> <td>143</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	1	5625.53	51.89	68.30	-16.41	38.65	36.08	9.81	32.65	300	143	PEAK	2	5651.06	51.32	69.09	-17.77	38.01	36.11	9.86	32.66	300	143	PEAK	3	5701.57	51.78	105.64	-53.86	38.31	36.18	9.97	32.68	300	143	PEAK	4	5720.07	51.86	110.95	-59.09	38.33	36.21	10.01	32.69	300	143	PEAK	<p style="text-align: right;">Date: 2024-04-13</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5785.00</td> <td>104.47</td> <td>-----</td> <td>-----</td> <td>90.75</td> <td>36.29</td> <td>10.14</td> <td>32.71</td> <td>300</td> <td>143</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	1	5785.00	104.47	-----	-----	90.75	36.29	10.14	32.71	300	143	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																														
MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg																																																																																																												
1	5625.53	51.89	68.30	-16.41	38.65	36.08	9.81	32.65	300	143	PEAK																																																																																																									
2	5651.06	51.32	69.09	-17.77	38.01	36.11	9.86	32.66	300	143	PEAK																																																																																																									
3	5701.57	51.78	105.64	-53.86	38.31	36.18	9.97	32.68	300	143	PEAK																																																																																																									
4	5720.07	51.86	110.95	-59.09	38.33	36.21	10.01	32.69	300	143	PEAK																																																																																																									
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																														
MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg																																																																																																												
1	5785.00	104.47	-----	-----	90.75	36.29	10.14	32.71	300	143	PEAK																																																																																																									
Avg	Blank	<p style="text-align: right;">Date: 2024-04-13</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5785.00</td> <td>97.80</td> <td>-----</td> <td>-----</td> <td>84.07</td> <td>36.30</td> <td>10.15</td> <td>32.72</td> <td>300</td> <td>143</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	1	5785.00	97.80	-----	-----	84.07	36.30	10.15	32.72	300	143	AVERAGE																																																																											
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																														
MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg																																																																																																												
1	5785.00	97.80	-----	-----	84.07	36.30	10.15	32.72	300	143	AVERAGE																																																																																																									



Mode	37																																																																												
	Band Edge - R																																																																												
	U-NII-3_5.725-5.85_802.11a_CH157_5785MHz																																																																												
ANT	5																																																																												
Pol.	Horizontal	Fundamental																																																																											
Peak	<p>Date: 2024-04-13</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5854.96</td> <td>50.62</td> <td>110.89</td> <td>-60.27</td> <td>36.67</td> <td>36.40</td> <td>10.29</td> <td>32.74</td> <td>300</td> <td>143</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5873.28</td> <td>52.27</td> <td>105.68</td> <td>-53.41</td> <td>38.27</td> <td>36.42</td> <td>10.33</td> <td>32.75</td> <td>300</td> <td>143</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5924.43</td> <td>51.08</td> <td>68.72</td> <td>-17.64</td> <td>36.92</td> <td>36.49</td> <td>10.44</td> <td>32.77</td> <td>300</td> <td>143</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5945.71</td> <td>52.58</td> <td>68.30</td> <td>-15.72</td> <td>38.36</td> <td>36.52</td> <td>10.48</td> <td>32.78</td> <td>300</td> <td>143</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5854.96	50.62	110.89	-60.27	36.67	36.40	10.29	32.74	300	143	PEAK	2	5873.28	52.27	105.68	-53.41	38.27	36.42	10.33	32.75	300	143	PEAK	3	5924.43	51.08	68.72	-17.64	36.92	36.49	10.44	32.77	300	143	PEAK	4	5945.71	52.58	68.30	-15.72	38.36	36.52	10.48	32.78	300	143	PEAK	Blank
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																					
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																						
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																					
1	5854.96	50.62	110.89	-60.27	36.67	36.40	10.29	32.74	300	143	PEAK																																																																		
2	5873.28	52.27	105.68	-53.41	38.27	36.42	10.33	32.75	300	143	PEAK																																																																		
3	5924.43	51.08	68.72	-17.64	36.92	36.49	10.44	32.77	300	143	PEAK																																																																		
4	5945.71	52.58	68.30	-15.72	38.36	36.52	10.48	32.78	300	143	PEAK																																																																		



Mode	37																																																																									
	Band Edge - L																																																																									
	U-NII-3_5.725-5.85_802.11a_CH157_5785MHz																																																																									
ANT	5																																																																									
Pol.	Vertical	Fundamental																																																																								
Peak	<table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line (dB)</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5648.84 51.72 68.30 -16.58</td> <td>38.41</td> <td>36.11</td> <td>9.86</td> <td>32.66</td> <td>289</td> <td>0</td> <td>PEAK</td> </tr> <tr> <td>2 5650.69 51.28 68.81 -17.53</td> <td>37.97</td> <td>36.11</td> <td>9.86</td> <td>32.66</td> <td>289</td> <td>0</td> <td>PEAK</td> </tr> <tr> <td>3 5700.46 51.19 105.33 -54.14</td> <td>37.72</td> <td>36.18</td> <td>9.97</td> <td>32.68</td> <td>289</td> <td>0</td> <td>PEAK</td> </tr> <tr> <td>4 5720.25 49.79 111.37 -61.58</td> <td>36.26</td> <td>36.21</td> <td>10.01</td> <td>32.69</td> <td>289</td> <td>0</td> <td>PEAK</td> </tr> </tbody> </table>	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq Level Line (dB)	Level	Factor	Loss Factor		cm	deg		1 5648.84 51.72 68.30 -16.58	38.41	36.11	9.86	32.66	289	0	PEAK	2 5650.69 51.28 68.81 -17.53	37.97	36.11	9.86	32.66	289	0	PEAK	3 5700.46 51.19 105.33 -54.14	37.72	36.18	9.97	32.68	289	0	PEAK	4 5720.25 49.79 111.37 -61.58	36.26	36.21	10.01	32.69	289	0	PEAK	<table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line (dB)</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5785.00 91.31 -----</td> <td>77.59</td> <td>36.29</td> <td>10.14</td> <td>32.71</td> <td>289</td> <td>0</td> <td>PEAK</td> </tr> </tbody> </table>	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq Level Line (dB)	Level	Factor	Loss Factor		cm	deg		1 5785.00 91.31 -----	77.59	36.29	10.14	32.71	289	0	PEAK
	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq Level Line (dB)	Level	Factor	Loss Factor		cm	deg																																																																				
1 5648.84 51.72 68.30 -16.58	38.41	36.11	9.86	32.66	289	0	PEAK																																																																			
2 5650.69 51.28 68.81 -17.53	37.97	36.11	9.86	32.66	289	0	PEAK																																																																			
3 5700.46 51.19 105.33 -54.14	37.72	36.18	9.97	32.68	289	0	PEAK																																																																			
4 5720.25 49.79 111.37 -61.58	36.26	36.21	10.01	32.69	289	0	PEAK																																																																			
Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq Level Line (dB)	Level	Factor	Loss Factor		cm	deg																																																																				
1 5785.00 91.31 -----	77.59	36.29	10.14	32.71	289	0	PEAK																																																																			
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line (dB)</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5785.00 84.48 -----</td> <td>70.75</td> <td>36.30</td> <td>10.15</td> <td>32.72</td> <td>289</td> <td>0</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq Level Line (dB)	Level	Factor	Loss Factor		cm	deg		1 5785.00 84.48 -----	70.75	36.30	10.15	32.72	289	0	AVERAGE																																																
Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq Level Line (dB)	Level	Factor	Loss Factor		cm	deg																																																																				
1 5785.00 84.48 -----	70.75	36.30	10.15	32.72	289	0	AVERAGE																																																																			



Mode	37																																																																								
	Band Edge - R																																																																								
	U-NII-3_5.725-5.85_802.11a_CH157_5785MHz																																																																								
ANT	5																																																																								
Pol.	Vertical	Fundamental																																																																							
Peak	<p>Date: 2024-04-13</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5854.63</td> <td>52.20</td> <td>111.64</td> <td>-59.44</td> <td>38.25</td> <td>36.40</td> <td>10.29</td> <td>32.74</td> <td>289</td> <td>0 PEAK</td> </tr> <tr> <td>2</td> <td>5868.99</td> <td>53.60</td> <td>106.88</td> <td>-53.28</td> <td>39.61</td> <td>36.42</td> <td>10.32</td> <td>32.75</td> <td>289</td> <td>0 PEAK</td> </tr> <tr> <td>3</td> <td>5924.26</td> <td>50.98</td> <td>68.84</td> <td>-17.86</td> <td>36.82</td> <td>36.49</td> <td>10.44</td> <td>32.77</td> <td>289</td> <td>0 PEAK</td> </tr> <tr> <td>4</td> <td>5940.76</td> <td>52.57</td> <td>68.30</td> <td>-15.73</td> <td>38.36</td> <td>36.52</td> <td>10.47</td> <td>32.78</td> <td>289</td> <td>0 PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5854.63	52.20	111.64	-59.44	38.25	36.40	10.29	32.74	289	0 PEAK	2	5868.99	53.60	106.88	-53.28	39.61	36.42	10.32	32.75	289	0 PEAK	3	5924.26	50.98	68.84	-17.86	36.82	36.49	10.44	32.77	289	0 PEAK	4	5940.76	52.57	68.30	-15.73	38.36	36.52	10.47	32.78	289	0 PEAK	Blank
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																		
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																	
1	5854.63	52.20	111.64	-59.44	38.25	36.40	10.29	32.74	289	0 PEAK																																																															
2	5868.99	53.60	106.88	-53.28	39.61	36.42	10.32	32.75	289	0 PEAK																																																															
3	5924.26	50.98	68.84	-17.86	36.82	36.49	10.44	32.77	289	0 PEAK																																																															
4	5940.76	52.57	68.30	-15.73	38.36	36.52	10.47	32.78	289	0 PEAK																																																															



Mode	37																																																																																																					
	Harmonic																																																																																																					
	U-NII-3_5.725-5.85_802.11a_CH157_5785MHz																																																																																																					
ANT	5																																																																																																					
Pol.	Horizontal	Vertical																																																																																																				
Peak Avg	<p style="text-align: right;">Date: 2024-04-14</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11570.00</td> <td>46.25</td> <td>74.00</td> <td>-27.75</td> <td>57.54</td> <td>39.23</td> <td>12.93</td> <td>63.45</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>17355.00</td> <td>48.46</td> <td>68.30</td> <td>-19.84</td> <td>56.02</td> <td>41.99</td> <td>15.81</td> <td>65.36</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11570.00	46.25	74.00	-27.75	57.54	39.23	12.93	63.45	---	---	Peak	2	17355.00	48.46	68.30	-19.84	56.02	41.99	15.81	65.36	---	---	Peak	<p style="text-align: right;">Date: 2024-04-14</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11570.00</td> <td>46.43</td> <td>74.00</td> <td>-27.57</td> <td>57.72</td> <td>39.23</td> <td>12.93</td> <td>63.45</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>17355.00</td> <td>48.44</td> <td>68.30</td> <td>-19.86</td> <td>56.00</td> <td>41.99</td> <td>15.81</td> <td>65.36</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11570.00	46.43	74.00	-27.57	57.72	39.23	12.93	63.45	---	---	Peak	2	17355.00	48.44	68.30	-19.86	56.00	41.99	15.81	65.36	---	---	Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	11570.00	46.25	74.00	-27.75	57.54	39.23	12.93	63.45	---	---	Peak																																																																																											
2	17355.00	48.46	68.30	-19.84	56.02	41.99	15.81	65.36	---	---	Peak																																																																																											
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	11570.00	46.43	74.00	-27.57	57.72	39.23	12.93	63.45	---	---	Peak																																																																																											
2	17355.00	48.44	68.30	-19.86	56.00	41.99	15.81	65.36	---	---	Peak																																																																																											



Mode	38																																																																																																																			
	Band Edge																																																																																																																			
	U-NII-3_5.725-5.85_802.11a_CH165_5825MHZ																																																																																																																			
ANT	5																																																																																																																			
Pol.	Horizontal	Fundamental																																																																																																																		
Peak	<p>Date: 2024-04-13</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5855.00</td> <td>55.43</td> <td>110.80</td> <td>-55.37</td> <td>41.48</td> <td>36.40</td> <td>10.29</td> <td>32.74</td> <td>100</td> <td>144</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5867.38</td> <td>59.64</td> <td>107.33</td> <td>-47.69</td> <td>45.66</td> <td>36.41</td> <td>10.32</td> <td>32.75</td> <td>100</td> <td>144</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5924.63</td> <td>52.44</td> <td>68.58</td> <td>-16.14</td> <td>38.28</td> <td>36.49</td> <td>10.44</td> <td>32.77</td> <td>100</td> <td>144</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5925.38</td> <td>52.80</td> <td>68.30</td> <td>-15.50</td> <td>38.63</td> <td>36.50</td> <td>10.44</td> <td>32.77</td> <td>100</td> <td>144</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5855.00	55.43	110.80	-55.37	41.48	36.40	10.29	32.74	100	144	PEAK	2	5867.38	59.64	107.33	-47.69	45.66	36.41	10.32	32.75	100	144	PEAK	3	5924.63	52.44	68.58	-16.14	38.28	36.49	10.44	32.77	100	144	PEAK	4	5925.38	52.80	68.30	-15.50	38.63	36.50	10.44	32.77	100	144	PEAK	<p>Date: 2024-04-13</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>105.70</td> <td>-----</td> <td>-----</td> <td>91.85</td> <td>36.35</td> <td>10.23</td> <td>32.73</td> <td>100</td> <td>144</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	105.70	-----	-----	91.85	36.35	10.23	32.73	100	144	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																														
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																												
1	5855.00	55.43	110.80	-55.37	41.48	36.40	10.29	32.74	100	144	PEAK																																																																																																									
2	5867.38	59.64	107.33	-47.69	45.66	36.41	10.32	32.75	100	144	PEAK																																																																																																									
3	5924.63	52.44	68.58	-16.14	38.28	36.49	10.44	32.77	100	144	PEAK																																																																																																									
4	5925.38	52.80	68.30	-15.50	38.63	36.50	10.44	32.77	100	144	PEAK																																																																																																									
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																														
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																												
1	5825.00	105.70	-----	-----	91.85	36.35	10.23	32.73	100	144	PEAK																																																																																																									
Avg	Blank	<p>Date: 2024-04-13</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>99.53</td> <td>-----</td> <td>-----</td> <td>85.68</td> <td>36.35</td> <td>10.23</td> <td>32.73</td> <td>100</td> <td>144</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	99.53	-----	-----	85.68	36.35	10.23	32.73	100	144	AVERAGE																																																																											
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																														
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																												
1	5825.00	99.53	-----	-----	85.68	36.35	10.23	32.73	100	144	AVERAGE																																																																																																									



Mode	38																																																																																																																			
	Band Edge																																																																																																																			
	U-NII-3_5.725-5.85_802.11a_CH165_5825MHZ																																																																																																																			
ANT	5																																																																																																																			
Pol.	Vertical	Fundamental																																																																																																																		
Peak	<p>Date: 2024-04-13</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5854.88</td> <td>54.42</td> <td>111.08</td> <td>-56.66</td> <td>40.47</td> <td>36.40</td> <td>10.29</td> <td>32.74</td> <td>400</td> <td>171</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5865.75</td> <td>56.85</td> <td>107.79</td> <td>-50.94</td> <td>42.88</td> <td>36.41</td> <td>10.31</td> <td>32.75</td> <td>400</td> <td>171</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5924.75</td> <td>51.43</td> <td>68.48</td> <td>-17.05</td> <td>37.27</td> <td>36.49</td> <td>10.44</td> <td>32.77</td> <td>400</td> <td>171</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5931.63</td> <td>53.02</td> <td>68.30</td> <td>-15.28</td> <td>38.84</td> <td>36.50</td> <td>10.45</td> <td>32.77</td> <td>400</td> <td>171</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5854.88	54.42	111.08	-56.66	40.47	36.40	10.29	32.74	400	171	PEAK	2	5865.75	56.85	107.79	-50.94	42.88	36.41	10.31	32.75	400	171	PEAK	3	5924.75	51.43	68.48	-17.05	37.27	36.49	10.44	32.77	400	171	PEAK	4	5931.63	53.02	68.30	-15.28	38.84	36.50	10.45	32.77	400	171	PEAK	<p>Date: 2024-04-13</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>97.24</td> <td>-----</td> <td>-----</td> <td>83.37</td> <td>36.36</td> <td>10.24</td> <td>32.73</td> <td>400</td> <td>171</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	97.24	-----	-----	83.37	36.36	10.24	32.73	400	171	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																														
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																												
1	5854.88	54.42	111.08	-56.66	40.47	36.40	10.29	32.74	400	171	PEAK																																																																																																									
2	5865.75	56.85	107.79	-50.94	42.88	36.41	10.31	32.75	400	171	PEAK																																																																																																									
3	5924.75	51.43	68.48	-17.05	37.27	36.49	10.44	32.77	400	171	PEAK																																																																																																									
4	5931.63	53.02	68.30	-15.28	38.84	36.50	10.45	32.77	400	171	PEAK																																																																																																									
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																														
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																												
1	5825.00	97.24	-----	-----	83.37	36.36	10.24	32.73	400	171	PEAK																																																																																																									
Avg	Blank	<p>Date: 2024-04-13</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>90.18</td> <td>-----</td> <td>-----</td> <td>76.33</td> <td>36.35</td> <td>10.23</td> <td>32.73</td> <td>400</td> <td>171</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	90.18	-----	-----	76.33	36.35	10.23	32.73	400	171	AVERAGE																																																																											
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																														
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																												
1	5825.00	90.18	-----	-----	76.33	36.35	10.23	32.73	400	171	AVERAGE																																																																																																									



Mode	38																																																																																				
	Harmonic																																																																																				
	U-NII-3_5.725-5.85_802.11a_CH165_5825MHZ																																																																																				
ANT	5																																																																																				
Pol.	Horizontal	Vertical																																																																																			
Peak Avg																																																																																					
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 11650.00</td> <td>46.57</td> <td>74.00</td> <td>-27.43</td> <td>57.77</td> <td>39.26</td> <td>12.99</td> <td>63.45</td> <td>--- Peak</td> </tr> <tr> <td>2 17475.00</td> <td>49.29</td> <td>68.30</td> <td>-19.01</td> <td>56.70</td> <td>42.12</td> <td>15.90</td> <td>65.43</td> <td>--- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 11650.00	46.57	74.00	-27.43	57.77	39.26	12.99	63.45	--- Peak	2 17475.00	49.29	68.30	-19.01	56.70	42.12	15.90	65.43	--- Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 11650.00</td> <td>47.40</td> <td>74.00</td> <td>-26.60</td> <td>58.60</td> <td>39.26</td> <td>12.99</td> <td>63.45</td> <td>--- Peak</td> </tr> <tr> <td>2 17475.00</td> <td>49.93</td> <td>68.30</td> <td>-18.37</td> <td>57.34</td> <td>42.12</td> <td>15.90</td> <td>65.43</td> <td>--- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 11650.00	47.40	74.00	-26.60	58.60	39.26	12.99	63.45	--- Peak	2 17475.00	49.93	68.30	-18.37	57.34	42.12	15.90	65.43
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																														
1 11650.00	46.57	74.00	-27.43	57.77	39.26	12.99	63.45	--- Peak																																																																													
2 17475.00	49.29	68.30	-19.01	56.70	42.12	15.90	65.43	--- Peak																																																																													
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																														
1 11650.00	47.40	74.00	-26.60	58.60	39.26	12.99	63.45	--- Peak																																																																													
2 17475.00	49.93	68.30	-18.37	57.34	42.12	15.90	65.43	--- Peak																																																																													



Mode	39																																																																																																													
	Band Edge																																																																																																													
	U-NII-3_5.725-5.85_802.11ac VHT20_CH149_5745MHz																																																																																																													
ANT	5																																																																																																													
Pol.	Horizontal	Fundamental																																																																																																												
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5649.16</td> <td>52.58</td> <td>68.30</td> <td>-15.72</td> <td>39.27</td> <td>36.11</td> <td>9.86</td> <td>32.66</td> <td>100</td> <td>121</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5650.32</td> <td>51.05</td> <td>68.53</td> <td>-17.48</td> <td>37.74</td> <td>36.11</td> <td>9.86</td> <td>32.66</td> <td>100</td> <td>121</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5703.82</td> <td>63.66</td> <td>106.27</td> <td>-42.61</td> <td>50.18</td> <td>36.19</td> <td>9.97</td> <td>32.68</td> <td>100</td> <td>121</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5720.06</td> <td>65.55</td> <td>110.94</td> <td>-45.39</td> <td>52.02</td> <td>36.21</td> <td>10.01</td> <td>32.69</td> <td>100</td> <td>121</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	5649.16	52.58	68.30	-15.72	39.27	36.11	9.86	32.66	100	121	PEAK	2	5650.32	51.05	68.53	-17.48	37.74	36.11	9.86	32.66	100	121	PEAK	3	5703.82	63.66	106.27	-42.61	50.18	36.19	9.97	32.68	100	121	PEAK	4	5720.06	65.55	110.94	-45.39	52.02	36.21	10.01	32.69	100	121	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>108.13</td> <td>-----</td> <td>-----</td> <td>94.53</td> <td>36.24</td> <td>10.06</td> <td>32.70</td> <td>100</td> <td>121</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	5745.00	108.13	-----	-----	94.53	36.24	10.06	32.70	100	121	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																																																							
1	5649.16	52.58	68.30	-15.72	39.27	36.11	9.86	32.66	100	121	PEAK																																																																																																			
2	5650.32	51.05	68.53	-17.48	37.74	36.11	9.86	32.66	100	121	PEAK																																																																																																			
3	5703.82	63.66	106.27	-42.61	50.18	36.19	9.97	32.68	100	121	PEAK																																																																																																			
4	5720.06	65.55	110.94	-45.39	52.02	36.21	10.01	32.69	100	121	PEAK																																																																																																			
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																																																							
1	5745.00	108.13	-----	-----	94.53	36.24	10.06	32.70	100	121	PEAK																																																																																																			
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>101.08</td> <td>-----</td> <td>-----</td> <td>87.48</td> <td>36.24</td> <td>10.06</td> <td>32.70</td> <td>100</td> <td>121</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	5745.00	101.08	-----	-----	87.48	36.24	10.06	32.70	100	121	AVERAGE																																																																								
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																																																							
1	5745.00	101.08	-----	-----	87.48	36.24	10.06	32.70	100	121	AVERAGE																																																																																																			



Mode	39																																																																																																															
	Band Edge																																																																																																															
	U-NII-3_5.725-5.85_802.11ac VHT20_CH149_5745MHz																																																																																																															
ANT	5																																																																																																															
Pol.	Vertical	Fundamental																																																																																																														
Peak	<p>Date: 2024-04-13</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5635.24</td> <td>53.03</td> <td>68.30</td> <td>-15.27</td> <td>39.76</td> <td>36.09</td> <td>9.83</td> <td>32.65</td> <td>400</td> <td>162</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5650.32</td> <td>51.16</td> <td>68.53</td> <td>-17.37</td> <td>37.85</td> <td>36.11</td> <td>9.86</td> <td>32.66</td> <td>400</td> <td>162</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5713.10</td> <td>61.18</td> <td>108.87</td> <td>-47.69</td> <td>47.68</td> <td>36.20</td> <td>9.99</td> <td>32.69</td> <td>400</td> <td>162</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5721.37</td> <td>64.29</td> <td>113.91</td> <td>-49.62</td> <td>50.76</td> <td>36.21</td> <td>10.01</td> <td>32.69</td> <td>400</td> <td>162</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5635.24	53.03	68.30	-15.27	39.76	36.09	9.83	32.65	400	162	PEAK	2	5650.32	51.16	68.53	-17.37	37.85	36.11	9.86	32.66	400	162	PEAK	3	5713.10	61.18	108.87	-47.69	47.68	36.20	9.99	32.69	400	162	PEAK	4	5721.37	64.29	113.91	-49.62	50.76	36.21	10.01	32.69	400	162	PEAK	<p>Date: 2024-04-13</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>102.67</td> <td>-----</td> <td>-----</td> <td>89.07</td> <td>36.24</td> <td>10.06</td> <td>32.70</td> <td>400</td> <td>162</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5745.00	102.67	-----	-----	89.07	36.24	10.06	32.70	400	162	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																								
1	5635.24	53.03	68.30	-15.27	39.76	36.09	9.83	32.65	400	162	PEAK																																																																																																					
2	5650.32	51.16	68.53	-17.37	37.85	36.11	9.86	32.66	400	162	PEAK																																																																																																					
3	5713.10	61.18	108.87	-47.69	47.68	36.20	9.99	32.69	400	162	PEAK																																																																																																					
4	5721.37	64.29	113.91	-49.62	50.76	36.21	10.01	32.69	400	162	PEAK																																																																																																					
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																								
1	5745.00	102.67	-----	-----	89.07	36.24	10.06	32.70	400	162	PEAK																																																																																																					
Avg	Blank	<p>Date: 2024-04-13</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>95.84</td> <td>-----</td> <td>-----</td> <td>82.24</td> <td>36.24</td> <td>10.06</td> <td>32.70</td> <td>400</td> <td>162</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5745.00	95.84	-----	-----	82.24	36.24	10.06	32.70	400	162	AVERAGE																																																																									
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																								
1	5745.00	95.84	-----	-----	82.24	36.24	10.06	32.70	400	162	AVERAGE																																																																																																					



Mode	39																																																																																																					
	Harmonic																																																																																																					
	U-NII-3_5.725-5.85_802.11ac VHT20_CH149_5745MHz																																																																																																					
ANT	5																																																																																																					
Pol.	Horizontal	Vertical																																																																																																				
Peak Avg	<p>Date: 2024-04-14</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11490.00</td> <td>45.97</td> <td>74.00</td> <td>-28.03</td> <td>57.34</td> <td>39.20</td> <td>12.87</td> <td>63.44</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>17235.00</td> <td>47.31</td> <td>68.30</td> <td>-20.99</td> <td>55.03</td> <td>41.86</td> <td>15.72</td> <td>65.30</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11490.00	45.97	74.00	-28.03	57.34	39.20	12.87	63.44	---	---	Peak	2	17235.00	47.31	68.30	-20.99	55.03	41.86	15.72	65.30	---	---	Peak	<p>Date: 2024-04-14</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11490.00</td> <td>47.95</td> <td>74.00</td> <td>-26.05</td> <td>59.32</td> <td>39.20</td> <td>12.87</td> <td>63.44</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>17235.00</td> <td>49.03</td> <td>68.30</td> <td>-19.27</td> <td>56.75</td> <td>41.86</td> <td>15.72</td> <td>65.30</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11490.00	47.95	74.00	-26.05	59.32	39.20	12.87	63.44	---	---	Peak	2	17235.00	49.03	68.30	-19.27	56.75	41.86	15.72	65.30	---	---	Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	11490.00	45.97	74.00	-28.03	57.34	39.20	12.87	63.44	---	---	Peak																																																																																											
2	17235.00	47.31	68.30	-20.99	55.03	41.86	15.72	65.30	---	---	Peak																																																																																											
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	11490.00	47.95	74.00	-26.05	59.32	39.20	12.87	63.44	---	---	Peak																																																																																											
2	17235.00	49.03	68.30	-19.27	56.75	41.86	15.72	65.30	---	---	Peak																																																																																											



Mode	40																																																																																																															
	Band Edge - L																																																																																																															
	U-NII-3_5.725-5.85_802.11ac VHT20_CH157_5785MHz																																																																																																															
ANT	5																																																																																																															
Pol.	Horizontal	Fundamental																																																																																																														
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5611.47</td> <td>52.46</td> <td>68.30</td> <td>-15.84</td> <td>39.26</td> <td>36.06</td> <td>9.78</td> <td>32.64</td> <td>100</td> <td>159</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5652.17</td> <td>52.43</td> <td>69.91</td> <td>-17.48</td> <td>39.11</td> <td>36.11</td> <td>9.87</td> <td>32.66</td> <td>100</td> <td>159</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5701.57</td> <td>53.11</td> <td>105.64</td> <td>-52.53</td> <td>39.64</td> <td>36.18</td> <td>9.97</td> <td>32.68</td> <td>100</td> <td>159</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5720.25</td> <td>50.89</td> <td>111.37</td> <td>-60.48</td> <td>37.36</td> <td>36.21</td> <td>10.01</td> <td>32.69</td> <td>100</td> <td>159</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq Level	Line	Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5611.47	52.46	68.30	-15.84	39.26	36.06	9.78	32.64	100	159	PEAK	2	5652.17	52.43	69.91	-17.48	39.11	36.11	9.87	32.66	100	159	PEAK	3	5701.57	53.11	105.64	-52.53	39.64	36.18	9.97	32.68	100	159	PEAK	4	5720.25	50.89	111.37	-60.48	37.36	36.21	10.01	32.69	100	159	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5785.00</td> <td>104.24</td> <td>-----</td> <td>-----</td> <td>90.51</td> <td>36.30</td> <td>10.15</td> <td>32.72</td> <td>100</td> <td>159</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq Level	Line	Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5785.00	104.24	-----	-----	90.51	36.30	10.15	32.72	100	159	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																								
Freq Level	Line	Margin	Level	Factor	Loss Factor																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																								
1	5611.47	52.46	68.30	-15.84	39.26	36.06	9.78	32.64	100	159	PEAK																																																																																																					
2	5652.17	52.43	69.91	-17.48	39.11	36.11	9.87	32.66	100	159	PEAK																																																																																																					
3	5701.57	53.11	105.64	-52.53	39.64	36.18	9.97	32.68	100	159	PEAK																																																																																																					
4	5720.25	50.89	111.37	-60.48	37.36	36.21	10.01	32.69	100	159	PEAK																																																																																																					
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																									
Freq Level	Line	Margin	Level	Factor	Loss Factor																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																								
1	5785.00	104.24	-----	-----	90.51	36.30	10.15	32.72	100	159	PEAK																																																																																																					
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5785.00</td> <td>97.07</td> <td>-----</td> <td>-----</td> <td>83.34</td> <td>36.30</td> <td>10.15</td> <td>32.72</td> <td>100</td> <td>159</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq Level	Line	Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5785.00	97.07	-----	-----	83.34	36.30	10.15	32.72	100	159	AVERAGE																																																																									
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																									
Freq Level	Line	Margin	Level	Factor	Loss Factor																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																								
1	5785.00	97.07	-----	-----	83.34	36.30	10.15	32.72	100	159	AVERAGE																																																																																																					



Mode	40																																																																									
	Band Edge - R																																																																									
	U-NII-3_5.725-5.85_802.11ac VHT20_CH157_5785MHz																																																																									
ANT	5																																																																									
Pol.	Horizontal	Fundamental																																																																								
Peak	<p>Level (dBuV/m) vs Frequency (MHz) plot. Date: 2024-04-13. The plot shows a red limit line and a blue signal line. A red label 'PEAK_BE(B4)_16-24' is present.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5854.96</td> <td>51.93</td> <td>110.89</td> <td>-58.96</td> <td>37.98</td> <td>36.40</td> <td>10.29</td> <td>32.74</td> <td>100</td> <td>159</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5874.27</td> <td>52.82</td> <td>105.41</td> <td>-52.59</td> <td>38.82</td> <td>36.42</td> <td>10.33</td> <td>32.75</td> <td>100</td> <td>159</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5924.92</td> <td>51.32</td> <td>68.36</td> <td>-17.04</td> <td>37.16</td> <td>36.49</td> <td>10.44</td> <td>32.77</td> <td>100</td> <td>159</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5932.35</td> <td>53.68</td> <td>68.30</td> <td>-14.62</td> <td>39.49</td> <td>36.51</td> <td>10.45</td> <td>32.77</td> <td>100</td> <td>159</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5854.96	51.93	110.89	-58.96	37.98	36.40	10.29	32.74	100	159	PEAK	2	5874.27	52.82	105.41	-52.59	38.82	36.42	10.33	32.75	100	159	PEAK	3	5924.92	51.32	68.36	-17.04	37.16	36.49	10.44	32.77	100	159	PEAK	4	5932.35	53.68	68.30	-14.62	39.49	36.51	10.45	32.77	100	159	PEAK	Blank
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																			
1	5854.96	51.93	110.89	-58.96	37.98	36.40	10.29	32.74	100	159	PEAK																																																															
2	5874.27	52.82	105.41	-52.59	38.82	36.42	10.33	32.75	100	159	PEAK																																																															
3	5924.92	51.32	68.36	-17.04	37.16	36.49	10.44	32.77	100	159	PEAK																																																															
4	5932.35	53.68	68.30	-14.62	39.49	36.51	10.45	32.77	100	159	PEAK																																																															



Mode	40																																																																																																															
	Band Edge - L																																																																																																															
	U-NII-3_5.725-5.85_802.11ac VHT20_CH157_5785MHz																																																																																																															
ANT	5																																																																																																															
Pol.	Vertical	Fundamental																																																																																																														
Peak	<p>Date: 2024-04-13</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5638.11</td> <td>51.99</td> <td>68.30</td> <td>-16.31</td> <td>38.72</td> <td>36.09</td> <td>9.84</td> <td>32.66</td> <td>300</td> <td>141</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5650.14</td> <td>50.57</td> <td>68.40</td> <td>-17.83</td> <td>37.26</td> <td>36.11</td> <td>9.86</td> <td>32.66</td> <td>300</td> <td>141</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5701.01</td> <td>50.78</td> <td>105.48</td> <td>-54.70</td> <td>37.31</td> <td>36.18</td> <td>9.97</td> <td>32.68</td> <td>300</td> <td>141</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5720.07</td> <td>50.09</td> <td>110.95</td> <td>-60.86</td> <td>36.56</td> <td>36.21</td> <td>10.01</td> <td>32.69</td> <td>300</td> <td>141</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5638.11	51.99	68.30	-16.31	38.72	36.09	9.84	32.66	300	141	PEAK	2	5650.14	50.57	68.40	-17.83	37.26	36.11	9.86	32.66	300	141	PEAK	3	5701.01	50.78	105.48	-54.70	37.31	36.18	9.97	32.68	300	141	PEAK	4	5720.07	50.09	110.95	-60.86	36.56	36.21	10.01	32.69	300	141	PEAK	<p>Date: 2024-04-13</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5785.00</td> <td>97.72</td> <td>-----</td> <td>-----</td> <td>83.99</td> <td>36.30</td> <td>10.15</td> <td>32.72</td> <td>300</td> <td>141</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5785.00	97.72	-----	-----	83.99	36.30	10.15	32.72	300	141	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																								
1	5638.11	51.99	68.30	-16.31	38.72	36.09	9.84	32.66	300	141	PEAK																																																																																																					
2	5650.14	50.57	68.40	-17.83	37.26	36.11	9.86	32.66	300	141	PEAK																																																																																																					
3	5701.01	50.78	105.48	-54.70	37.31	36.18	9.97	32.68	300	141	PEAK																																																																																																					
4	5720.07	50.09	110.95	-60.86	36.56	36.21	10.01	32.69	300	141	PEAK																																																																																																					
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																								
1	5785.00	97.72	-----	-----	83.99	36.30	10.15	32.72	300	141	PEAK																																																																																																					
Avg	Blank	<p>Date: 2024-04-13</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5785.00</td> <td>90.75</td> <td>-----</td> <td>-----</td> <td>77.02</td> <td>36.30</td> <td>10.15</td> <td>32.72</td> <td>300</td> <td>141</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5785.00	90.75	-----	-----	77.02	36.30	10.15	32.72	300	141	AVERAGE																																																																									
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																								
1	5785.00	90.75	-----	-----	77.02	36.30	10.15	32.72	300	141	AVERAGE																																																																																																					



Mode	40																																																																									
	Band Edge - R																																																																									
	U-NII-3_5.725-5.85_802.11ac VHT20_CH157_5785MHz																																																																									
ANT	5																																																																									
Pol.	Vertical	Fundamental																																																																								
Peak	<p>Date: 2024-04-13</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5854.80</td> <td>50.32</td> <td>111.27</td> <td>-60.95</td> <td>36.37</td> <td>36.40</td> <td>10.29</td> <td>32.74</td> <td>300</td> <td>141</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5872.95</td> <td>51.96</td> <td>105.77</td> <td>-53.81</td> <td>37.96</td> <td>36.42</td> <td>10.33</td> <td>32.75</td> <td>300</td> <td>141</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5924.43</td> <td>51.53</td> <td>68.72</td> <td>-17.19</td> <td>37.37</td> <td>36.49</td> <td>10.44</td> <td>32.77</td> <td>300</td> <td>141</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5940.76</td> <td>52.26</td> <td>68.30</td> <td>-16.04</td> <td>38.05</td> <td>36.52</td> <td>10.47</td> <td>32.78</td> <td>300</td> <td>141</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5854.80	50.32	111.27	-60.95	36.37	36.40	10.29	32.74	300	141	PEAK	2	5872.95	51.96	105.77	-53.81	37.96	36.42	10.33	32.75	300	141	PEAK	3	5924.43	51.53	68.72	-17.19	37.37	36.49	10.44	32.77	300	141	PEAK	4	5940.76	52.26	68.30	-16.04	38.05	36.52	10.47	32.78	300	141	PEAK	Blank
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																			
1	5854.80	50.32	111.27	-60.95	36.37	36.40	10.29	32.74	300	141	PEAK																																																															
2	5872.95	51.96	105.77	-53.81	37.96	36.42	10.33	32.75	300	141	PEAK																																																															
3	5924.43	51.53	68.72	-17.19	37.37	36.49	10.44	32.77	300	141	PEAK																																																															
4	5940.76	52.26	68.30	-16.04	38.05	36.52	10.47	32.78	300	141	PEAK																																																															



Mode	40																																																																																																					
	Harmonic																																																																																																					
	U-NII-3_5.725-5.85_802.11ac VHT20_CH157_5785MHz																																																																																																					
ANT	5																																																																																																					
Pol.	Horizontal	Vertical																																																																																																				
Peak Avg	<p>Date: 2024-04-14</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11570.00</td> <td>45.63</td> <td>74.00</td> <td>-28.37</td> <td>56.92</td> <td>39.23</td> <td>12.93</td> <td>63.45</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>17355.00</td> <td>47.48</td> <td>68.30</td> <td>-20.82</td> <td>55.04</td> <td>41.99</td> <td>15.81</td> <td>65.36</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11570.00	45.63	74.00	-28.37	56.92	39.23	12.93	63.45	---	---	Peak	2	17355.00	47.48	68.30	-20.82	55.04	41.99	15.81	65.36	---	---	Peak	<p>Date: 2024-04-14</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11570.00</td> <td>48.02</td> <td>74.00</td> <td>-25.98</td> <td>59.31</td> <td>39.23</td> <td>12.93</td> <td>63.45</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>17355.00</td> <td>49.81</td> <td>68.30</td> <td>-18.49</td> <td>57.37</td> <td>41.99</td> <td>15.81</td> <td>65.36</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11570.00	48.02	74.00	-25.98	59.31	39.23	12.93	63.45	---	---	Peak	2	17355.00	49.81	68.30	-18.49	57.37	41.99	15.81	65.36	---	---	Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	11570.00	45.63	74.00	-28.37	56.92	39.23	12.93	63.45	---	---	Peak																																																																																											
2	17355.00	47.48	68.30	-20.82	55.04	41.99	15.81	65.36	---	---	Peak																																																																																											
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	11570.00	48.02	74.00	-25.98	59.31	39.23	12.93	63.45	---	---	Peak																																																																																											
2	17355.00	49.81	68.30	-18.49	57.37	41.99	15.81	65.36	---	---	Peak																																																																																											



	41																																																																																																																			
Mode	Band Edge																																																																																																																			
ANT	5																																																																																																																			
Pol.	Horizontal	Fundamental																																																																																																																		
Peak	<table border="1" data-bbox="271 1075 734 1243"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5854.13</td> <td>59.98</td> <td>112.79</td> <td>-52.81</td> <td>46.03</td> <td>36.40</td> <td>10.29</td> <td>32.74</td> <td>100</td> <td>130</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5867.25</td> <td>61.22</td> <td>107.37</td> <td>-46.15</td> <td>47.24</td> <td>36.41</td> <td>10.32</td> <td>32.75</td> <td>100</td> <td>130</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5925.00</td> <td>51.88</td> <td>68.30</td> <td>-16.42</td> <td>37.72</td> <td>36.49</td> <td>10.44</td> <td>32.77</td> <td>100</td> <td>130</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5943.25</td> <td>52.42</td> <td>68.30</td> <td>-15.88</td> <td>38.20</td> <td>36.52</td> <td>10.48</td> <td>32.78</td> <td>100</td> <td>130</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5854.13	59.98	112.79	-52.81	46.03	36.40	10.29	32.74	100	130	PEAK	2	5867.25	61.22	107.37	-46.15	47.24	36.41	10.32	32.75	100	130	PEAK	3	5925.00	51.88	68.30	-16.42	37.72	36.49	10.44	32.77	100	130	PEAK	4	5943.25	52.42	68.30	-15.88	38.20	36.52	10.48	32.78	100	130	PEAK	<table border="1" data-bbox="909 1131 1372 1243"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>106.40</td> <td>-----</td> <td>-----</td> <td>92.53</td> <td>36.36</td> <td>10.24</td> <td>32.73</td> <td>100</td> <td>130</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	106.40	-----	-----	92.53	36.36	10.24	32.73	100	130	PEAK
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																												
Freq	Level	Line	Level	Factor	Loss Factor																																																																																																															
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																												
1	5854.13	59.98	112.79	-52.81	46.03	36.40	10.29	32.74	100	130	PEAK																																																																																																									
2	5867.25	61.22	107.37	-46.15	47.24	36.41	10.32	32.75	100	130	PEAK																																																																																																									
3	5925.00	51.88	68.30	-16.42	37.72	36.49	10.44	32.77	100	130	PEAK																																																																																																									
4	5943.25	52.42	68.30	-15.88	38.20	36.52	10.48	32.78	100	130	PEAK																																																																																																									
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																												
Freq	Level	Line	Level	Factor	Loss Factor																																																																																																															
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																												
1	5825.00	106.40	-----	-----	92.53	36.36	10.24	32.73	100	130	PEAK																																																																																																									
Avg	Blank	<table border="1" data-bbox="909 1803 1372 1915"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>99.58</td> <td>-----</td> <td>-----</td> <td>85.73</td> <td>36.35</td> <td>10.23</td> <td>32.73</td> <td>100</td> <td>130</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	99.58	-----	-----	85.73	36.35	10.23	32.73	100	130	AVERAGE																																																																											
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																												
Freq	Level	Line	Level	Factor	Loss Factor																																																																																																															
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																												
1	5825.00	99.58	-----	-----	85.73	36.35	10.23	32.73	100	130	AVERAGE																																																																																																									



	41																																																																																																																			
Mode	Band Edge																																																																																																																			
	U-NII-3_5.725-5.85_802.11ac VHT20_CH165_5825MHz																																																																																																																			
ANT	5																																																																																																																			
Pol.	Vertical	Fundamental																																																																																																																		
Peak	<p style="text-align: right;">Date: 2024-04-13</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5854.75</td> <td>51.52</td> <td>111.37</td> <td>-59.85</td> <td>37.57</td> <td>36.40</td> <td>10.29</td> <td>32.74</td> <td>198</td> <td>360</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5874.25</td> <td>53.27</td> <td>105.41</td> <td>-52.14</td> <td>39.27</td> <td>36.42</td> <td>10.33</td> <td>32.75</td> <td>198</td> <td>360</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5924.25</td> <td>51.69</td> <td>68.85</td> <td>-17.16</td> <td>37.53</td> <td>36.49</td> <td>10.44</td> <td>32.77</td> <td>198</td> <td>360</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5937.63</td> <td>52.03</td> <td>68.30</td> <td>-16.27</td> <td>37.83</td> <td>36.51</td> <td>10.47</td> <td>32.78</td> <td>198</td> <td>360</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5854.75	51.52	111.37	-59.85	37.57	36.40	10.29	32.74	198	360	PEAK	2	5874.25	53.27	105.41	-52.14	39.27	36.42	10.33	32.75	198	360	PEAK	3	5924.25	51.69	68.85	-17.16	37.53	36.49	10.44	32.77	198	360	PEAK	4	5937.63	52.03	68.30	-16.27	37.83	36.51	10.47	32.78	198	360	PEAK	<p style="text-align: right;">Date: 2024-04-13</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>91.80</td> <td>-----</td> <td>-----</td> <td>77.95</td> <td>36.35</td> <td>10.23</td> <td>32.73</td> <td>198</td> <td>360</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	91.80	-----	-----	77.95	36.35	10.23	32.73	198	360	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																														
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																												
1	5854.75	51.52	111.37	-59.85	37.57	36.40	10.29	32.74	198	360	PEAK																																																																																																									
2	5874.25	53.27	105.41	-52.14	39.27	36.42	10.33	32.75	198	360	PEAK																																																																																																									
3	5924.25	51.69	68.85	-17.16	37.53	36.49	10.44	32.77	198	360	PEAK																																																																																																									
4	5937.63	52.03	68.30	-16.27	37.83	36.51	10.47	32.78	198	360	PEAK																																																																																																									
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																														
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																												
1	5825.00	91.80	-----	-----	77.95	36.35	10.23	32.73	198	360	PEAK																																																																																																									
Avg	Blank	<p style="text-align: right;">Date: 2024-04-13</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>84.68</td> <td>-----</td> <td>-----</td> <td>70.81</td> <td>36.36</td> <td>10.24</td> <td>32.73</td> <td>198</td> <td>360</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	84.68	-----	-----	70.81	36.36	10.24	32.73	198	360	AVERAGE																																																																											
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																														
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																												
1	5825.00	84.68	-----	-----	70.81	36.36	10.24	32.73	198	360	AVERAGE																																																																																																									



Mode	41																																																																																																
	Harmonic																																																																																																
	U-NII-3_5.725-5.85_802.11ac VHT20_CH165_5825MHz																																																																																																
ANT	5																																																																																																
Pol.	Horizontal	Vertical																																																																																															
Peak Avg	<p>Date: 2024-04-14</p>	<p>Date: 2024-04-14</p>																																																																																															
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11650.00</td> <td>46.09</td> <td>74.00</td> <td>-27.91</td> <td>57.29</td> <td>39.26</td> <td>12.99</td> <td>63.45</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>17475.00</td> <td>48.77</td> <td>68.30</td> <td>-19.53</td> <td>56.18</td> <td>42.12</td> <td>15.90</td> <td>65.43</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	11650.00	46.09	74.00	-27.91	57.29	39.26	12.99	63.45	---	---	Peak	2	17475.00	48.77	68.30	-19.53	56.18	42.12	15.90	65.43	---	---	Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11650.00</td> <td>47.65</td> <td>74.00</td> <td>-26.35</td> <td>58.85</td> <td>39.26</td> <td>12.99</td> <td>63.45</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>17475.00</td> <td>50.34</td> <td>68.30</td> <td>-17.96</td> <td>57.75</td> <td>42.12</td> <td>15.90</td> <td>65.43</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	11650.00	47.65	74.00	-26.35	58.85	39.26	12.99	63.45	---	---	Peak	2	17475.00	50.34	68.30	-17.96	57.75	42.12	15.90	65.43	---	---
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																										
1	11650.00	46.09	74.00	-27.91	57.29	39.26	12.99	63.45	---	---	Peak																																																																																						
2	17475.00	48.77	68.30	-19.53	56.18	42.12	15.90	65.43	---	---	Peak																																																																																						
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																										
1	11650.00	47.65	74.00	-26.35	58.85	39.26	12.99	63.45	---	---	Peak																																																																																						
2	17475.00	50.34	68.30	-17.96	57.75	42.12	15.90	65.43	---	---	Peak																																																																																						



Mode	42																																																																									
	Band Edge - L																																																																									
	U-NII-3_5.725-5.85_802.11ac VHT40_CH151_5755MHz																																																																									
ANT	5																																																																									
Pol.	Horizontal	Fundamental																																																																								
Peak	<table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line (dB)</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5641.08 53.57 68.30 -14.73</td> <td>40.29</td> <td>36.10</td> <td>9.84</td> <td>32.66</td> <td>104</td> <td>125</td> <td>PEAK</td> </tr> <tr> <td>2 5650.53 52.50 68.69 -16.19</td> <td>39.19</td> <td>36.11</td> <td>9.86</td> <td>32.66</td> <td>104</td> <td>125</td> <td>PEAK</td> </tr> <tr> <td>3 5706.33 64.10 106.97 -42.87</td> <td>50.61</td> <td>36.19</td> <td>9.98</td> <td>32.68</td> <td>104</td> <td>125</td> <td>PEAK</td> </tr> <tr> <td>4 5720.59 65.29 112.15 -46.86</td> <td>51.76</td> <td>36.21</td> <td>10.01</td> <td>32.69</td> <td>104</td> <td>125</td> <td>PEAK</td> </tr> </tbody> </table>	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq Level Line (dB)	Level	Factor	Loss Factor		cm	deg		1 5641.08 53.57 68.30 -14.73	40.29	36.10	9.84	32.66	104	125	PEAK	2 5650.53 52.50 68.69 -16.19	39.19	36.11	9.86	32.66	104	125	PEAK	3 5706.33 64.10 106.97 -42.87	50.61	36.19	9.98	32.68	104	125	PEAK	4 5720.59 65.29 112.15 -46.86	51.76	36.21	10.01	32.69	104	125	PEAK	<table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line (dB)</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5755.00 103.60 -----</td> <td>90.00</td> <td>36.24</td> <td>10.06</td> <td>32.70</td> <td>104</td> <td>125</td> <td>PEAK</td> </tr> </tbody> </table>	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq Level Line (dB)	Level	Factor	Loss Factor		cm	deg		1 5755.00 103.60 -----	90.00	36.24	10.06	32.70	104	125	PEAK
	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq Level Line (dB)	Level	Factor	Loss Factor		cm	deg																																																																				
1 5641.08 53.57 68.30 -14.73	40.29	36.10	9.84	32.66	104	125	PEAK																																																																			
2 5650.53 52.50 68.69 -16.19	39.19	36.11	9.86	32.66	104	125	PEAK																																																																			
3 5706.33 64.10 106.97 -42.87	50.61	36.19	9.98	32.68	104	125	PEAK																																																																			
4 5720.59 65.29 112.15 -46.86	51.76	36.21	10.01	32.69	104	125	PEAK																																																																			
Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq Level Line (dB)	Level	Factor	Loss Factor		cm	deg																																																																				
1 5755.00 103.60 -----	90.00	36.24	10.06	32.70	104	125	PEAK																																																																			
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line (dB)</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5755.00 96.60 -----</td> <td>83.00</td> <td>36.24</td> <td>10.06</td> <td>32.70</td> <td>104</td> <td>125</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq Level Line (dB)	Level	Factor	Loss Factor		cm	deg		1 5755.00 96.60 -----	83.00	36.24	10.06	32.70	104	125	AVERAGE																																																
Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq Level Line (dB)	Level	Factor	Loss Factor		cm	deg																																																																				
1 5755.00 96.60 -----	83.00	36.24	10.06	32.70	104	125	AVERAGE																																																																			



Mode	42																																																																			
	Band Edge - R																																																																			
	U-NII-3_5.725-5.85_802.11ac VHT40_CH151_5755MHz																																																																			
ANT	5																																																																			
Pol.	Horizontal	Fundamental																																																																		
Peak	<p>Date: 2024-04-13</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5854.84</td> <td>50.39</td> <td>111.17</td> <td>-60.78</td> <td>36.44</td> <td>36.40</td> <td>10.29</td> <td>32.74</td> <td>104</td> <td>125</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5870.83</td> <td>52.22</td> <td>106.37</td> <td>-54.15</td> <td>38.22</td> <td>36.42</td> <td>10.33</td> <td>32.75</td> <td>104</td> <td>125</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5924.85</td> <td>50.83</td> <td>68.41</td> <td>-17.58</td> <td>36.67</td> <td>36.49</td> <td>10.44</td> <td>32.77</td> <td>104</td> <td>125</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5939.47</td> <td>52.46</td> <td>68.30</td> <td>-15.84</td> <td>38.25</td> <td>36.52</td> <td>10.47</td> <td>32.78</td> <td>104</td> <td>125</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss	Factor	cm	deg	1	5854.84	50.39	111.17	-60.78	36.44	36.40	10.29	32.74	104	125	PEAK	2	5870.83	52.22	106.37	-54.15	38.22	36.42	10.33	32.75	104	125	PEAK	3	5924.85	50.83	68.41	-17.58	36.67	36.49	10.44	32.77	104	125	PEAK	4	5939.47	52.46	68.30	-15.84	38.25	36.52	10.47	32.78	104	125	PEAK	Blank
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																												
Freq	Level	Line	Level	Factor	Loss	Factor	cm	deg																																																												
1	5854.84	50.39	111.17	-60.78	36.44	36.40	10.29	32.74	104	125	PEAK																																																									
2	5870.83	52.22	106.37	-54.15	38.22	36.42	10.33	32.75	104	125	PEAK																																																									
3	5924.85	50.83	68.41	-17.58	36.67	36.49	10.44	32.77	104	125	PEAK																																																									
4	5939.47	52.46	68.30	-15.84	38.25	36.52	10.47	32.78	104	125	PEAK																																																									



Mode	42																																																																														
	Band Edge - L																																																																														
	U-NII-3_5.725-5.85_802.11ac VHT40_CH151_5755MHz																																																																														
ANT	5																																																																														
Pol.	Vertical	Fundamental																																																																													
Peak	<table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line (dB)</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz dBuV/m dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5611.78 52.75 68.30 -15.55</td> <td>39.55</td> <td>36.06</td> <td>9.78</td> <td>32.64</td> <td>100</td> <td>161 PEAK</td> </tr> <tr> <td>2 5650.07 51.69 68.35 -16.66</td> <td>38.38</td> <td>36.11</td> <td>9.86</td> <td>32.66</td> <td>100</td> <td>161 PEAK</td> </tr> <tr> <td>3 5701.68 53.07 105.67 -52.60</td> <td>39.60</td> <td>36.18</td> <td>9.97</td> <td>32.68</td> <td>100</td> <td>161 PEAK</td> </tr> <tr> <td>4 5720.13 53.90 111.09 -57.19</td> <td>40.37</td> <td>36.21</td> <td>10.01</td> <td>32.69</td> <td>100</td> <td>161 PEAK</td> </tr> </tbody> </table>	Limit Margin	Read	Ant	Cable Preamp	APos	TPos	Remark	Freq Level Line (dB)	Level	Factor	Loss Factor				MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5611.78 52.75 68.30 -15.55	39.55	36.06	9.78	32.64	100	161 PEAK	2 5650.07 51.69 68.35 -16.66	38.38	36.11	9.86	32.66	100	161 PEAK	3 5701.68 53.07 105.67 -52.60	39.60	36.18	9.97	32.68	100	161 PEAK	4 5720.13 53.90 111.09 -57.19	40.37	36.21	10.01	32.69	100	161 PEAK	<table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line (dB)</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz dBuV/m dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5755.00 90.06</td> <td>76.46</td> <td>36.24</td> <td>10.06</td> <td>32.70</td> <td>100</td> <td>161 PEAK</td> </tr> </tbody> </table>	Limit Margin	Read	Ant	Cable Preamp	APos	TPos	Remark	Freq Level Line (dB)	Level	Factor	Loss Factor				MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5755.00 90.06	76.46	36.24	10.06	32.70	100	161 PEAK
	Limit Margin	Read	Ant	Cable Preamp	APos	TPos	Remark																																																																								
Freq Level Line (dB)	Level	Factor	Loss Factor																																																																												
MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																									
1 5611.78 52.75 68.30 -15.55	39.55	36.06	9.78	32.64	100	161 PEAK																																																																									
2 5650.07 51.69 68.35 -16.66	38.38	36.11	9.86	32.66	100	161 PEAK																																																																									
3 5701.68 53.07 105.67 -52.60	39.60	36.18	9.97	32.68	100	161 PEAK																																																																									
4 5720.13 53.90 111.09 -57.19	40.37	36.21	10.01	32.69	100	161 PEAK																																																																									
Limit Margin	Read	Ant	Cable Preamp	APos	TPos	Remark																																																																									
Freq Level Line (dB)	Level	Factor	Loss Factor																																																																												
MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																									
1 5755.00 90.06	76.46	36.24	10.06	32.70	100	161 PEAK																																																																									
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line (dB)</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz dBuV/m dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5755.00 83.39</td> <td>69.79</td> <td>36.24</td> <td>10.06</td> <td>32.70</td> <td>100</td> <td>161 AVERAGE</td> </tr> </tbody> </table>	Limit Margin	Read	Ant	Cable Preamp	APos	TPos	Remark	Freq Level Line (dB)	Level	Factor	Loss Factor				MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5755.00 83.39	69.79	36.24	10.06	32.70	100	161 AVERAGE																																																	
Limit Margin	Read	Ant	Cable Preamp	APos	TPos	Remark																																																																									
Freq Level Line (dB)	Level	Factor	Loss Factor																																																																												
MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																									
1 5755.00 83.39	69.79	36.24	10.06	32.70	100	161 AVERAGE																																																																									



Mode	42																																																																												
	Band Edge - R																																																																												
	U-NII-3_5.725-5.85_802.11ac VHT40_CH151_5755MHz																																																																												
ANT	5																																																																												
Pol.	Vertical	Fundamental																																																																											
Peak	<p>Date: 2024-04-13</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5854.84</td> <td>51.21</td> <td>111.17</td> <td>-59.96</td> <td>37.26</td> <td>36.40</td> <td>10.29</td> <td>32.74</td> <td>100</td> <td>161</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5874.73</td> <td>51.34</td> <td>105.28</td> <td>-53.94</td> <td>37.34</td> <td>36.42</td> <td>10.33</td> <td>32.75</td> <td>100</td> <td>161</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5924.85</td> <td>51.64</td> <td>68.41</td> <td>-16.77</td> <td>37.48</td> <td>36.49</td> <td>10.44</td> <td>32.77</td> <td>100</td> <td>161</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5927.77</td> <td>51.85</td> <td>68.30</td> <td>-16.45</td> <td>37.68</td> <td>36.50</td> <td>10.44</td> <td>32.77</td> <td>100</td> <td>161</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5854.84	51.21	111.17	-59.96	37.26	36.40	10.29	32.74	100	161	PEAK	2	5874.73	51.34	105.28	-53.94	37.34	36.42	10.33	32.75	100	161	PEAK	3	5924.85	51.64	68.41	-16.77	37.48	36.49	10.44	32.77	100	161	PEAK	4	5927.77	51.85	68.30	-16.45	37.68	36.50	10.44	32.77	100	161	PEAK	Blank
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																					
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																						
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																					
1	5854.84	51.21	111.17	-59.96	37.26	36.40	10.29	32.74	100	161	PEAK																																																																		
2	5874.73	51.34	105.28	-53.94	37.34	36.42	10.33	32.75	100	161	PEAK																																																																		
3	5924.85	51.64	68.41	-16.77	37.48	36.49	10.44	32.77	100	161	PEAK																																																																		
4	5927.77	51.85	68.30	-16.45	37.68	36.50	10.44	32.77	100	161	PEAK																																																																		



Mode	42																																																																																																
	Harmonic																																																																																																
	U-NII-3_5.725-5.85_802.11ac VHT40_CH151_5755MHz																																																																																																
ANT	5																																																																																																
Pol.	Horizontal	Vertical																																																																																															
Peak Avg																																																																																																	
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11510.00</td> <td>48.97</td> <td>74.00</td> <td>-25.03</td> <td>60.33</td> <td>39.20</td> <td>12.89</td> <td>63.45</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>17265.00</td> <td>48.91</td> <td>68.30</td> <td>-19.39</td> <td>56.60</td> <td>41.89</td> <td>15.74</td> <td>65.32</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	11510.00	48.97	74.00	-25.03	60.33	39.20	12.89	63.45	---	---	Peak	2	17265.00	48.91	68.30	-19.39	56.60	41.89	15.74	65.32	---	---	Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11510.00</td> <td>47.53</td> <td>74.00</td> <td>-26.47</td> <td>58.89</td> <td>39.20</td> <td>12.89</td> <td>63.45</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>17265.00</td> <td>48.55</td> <td>68.30</td> <td>-19.75</td> <td>56.24</td> <td>41.89</td> <td>15.74</td> <td>65.32</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	11510.00	47.53	74.00	-26.47	58.89	39.20	12.89	63.45	---	---	Peak	2	17265.00	48.55	68.30	-19.75	56.24	41.89	15.74	65.32	---	---
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																										
1	11510.00	48.97	74.00	-25.03	60.33	39.20	12.89	63.45	---	---	Peak																																																																																						
2	17265.00	48.91	68.30	-19.39	56.60	41.89	15.74	65.32	---	---	Peak																																																																																						
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																										
1	11510.00	47.53	74.00	-26.47	58.89	39.20	12.89	63.45	---	---	Peak																																																																																						
2	17265.00	48.55	68.30	-19.75	56.24	41.89	15.74	65.32	---	---	Peak																																																																																						



Mode	43																																																																																																																			
	Band Edge - L																																																																																																																			
	U-NII-3_5.725-5.85_802.11ac VHT40_CH159_5795MHz																																																																																																																			
ANT	5																																																																																																																			
Pol.	Horizontal	Fundamental																																																																																																																		
Peak	<p>Date: 2024-04-13</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5649.14</td> <td>52.76</td> <td>68.30</td> <td>-15.54</td> <td>39.45</td> <td>36.11</td> <td>9.86</td> <td>32.66</td> <td>100</td> <td>121</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5651.68</td> <td>52.07</td> <td>69.54</td> <td>-17.47</td> <td>38.76</td> <td>36.11</td> <td>9.86</td> <td>32.66</td> <td>100</td> <td>121</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5714.27</td> <td>59.06</td> <td>109.20</td> <td>-50.14</td> <td>45.55</td> <td>36.20</td> <td>10.00</td> <td>32.69</td> <td>100</td> <td>121</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5720.12</td> <td>57.39</td> <td>111.07</td> <td>-53.68</td> <td>43.86</td> <td>36.21</td> <td>10.01</td> <td>32.69</td> <td>100</td> <td>121</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	1	5649.14	52.76	68.30	-15.54	39.45	36.11	9.86	32.66	100	121	PEAK	2	5651.68	52.07	69.54	-17.47	38.76	36.11	9.86	32.66	100	121	PEAK	3	5714.27	59.06	109.20	-50.14	45.55	36.20	10.00	32.69	100	121	PEAK	4	5720.12	57.39	111.07	-53.68	43.86	36.21	10.01	32.69	100	121	PEAK	<p>Date: 2024-04-13</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5795.00</td> <td>104.46</td> <td>-----</td> <td>-----</td> <td>90.71</td> <td>36.31</td> <td>10.16</td> <td>32.72</td> <td>100</td> <td>121</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	1	5795.00	104.46	-----	-----	90.71	36.31	10.16	32.72	100	121	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																														
MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg																																																																																																												
1	5649.14	52.76	68.30	-15.54	39.45	36.11	9.86	32.66	100	121	PEAK																																																																																																									
2	5651.68	52.07	69.54	-17.47	38.76	36.11	9.86	32.66	100	121	PEAK																																																																																																									
3	5714.27	59.06	109.20	-50.14	45.55	36.20	10.00	32.69	100	121	PEAK																																																																																																									
4	5720.12	57.39	111.07	-53.68	43.86	36.21	10.01	32.69	100	121	PEAK																																																																																																									
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																														
MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg																																																																																																												
1	5795.00	104.46	-----	-----	90.71	36.31	10.16	32.72	100	121	PEAK																																																																																																									
Avg	Blank	<p>Date: 2024-04-13</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5795.00</td> <td>97.56</td> <td>-----</td> <td>-----</td> <td>83.81</td> <td>36.31</td> <td>10.16</td> <td>32.72</td> <td>100</td> <td>121</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	1	5795.00	97.56	-----	-----	83.81	36.31	10.16	32.72	100	121	AVERAGE																																																																											
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																														
MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg																																																																																																												
1	5795.00	97.56	-----	-----	83.81	36.31	10.16	32.72	100	121	AVERAGE																																																																																																									



Mode	43																																																																												
	Band Edge - R																																																																												
	U-NII-3_5.725-5.85_802.11ac VHT40_CH159_5795MHz																																																																												
ANT	5																																																																												
Pol.	Horizontal	Fundamental																																																																											
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5854.68</td> <td>57.32</td> <td>111.54</td> <td>-54.22</td> <td>43.37</td> <td>36.40</td> <td>10.29</td> <td>32.74</td> <td>100</td> <td>121</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5858.71</td> <td>61.28</td> <td>109.76</td> <td>-48.48</td> <td>47.32</td> <td>36.40</td> <td>10.30</td> <td>32.74</td> <td>100</td> <td>121</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5924.12</td> <td>51.72</td> <td>68.95</td> <td>-17.23</td> <td>37.56</td> <td>36.49</td> <td>10.44</td> <td>32.77</td> <td>100</td> <td>121</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5932.33</td> <td>53.01</td> <td>68.30</td> <td>-15.29</td> <td>38.82</td> <td>36.51</td> <td>10.45</td> <td>32.77</td> <td>100</td> <td>121</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5854.68	57.32	111.54	-54.22	43.37	36.40	10.29	32.74	100	121	PEAK	2	5858.71	61.28	109.76	-48.48	47.32	36.40	10.30	32.74	100	121	PEAK	3	5924.12	51.72	68.95	-17.23	37.56	36.49	10.44	32.77	100	121	PEAK	4	5932.33	53.01	68.30	-15.29	38.82	36.51	10.45	32.77	100	121	PEAK	Blank
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																					
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																						
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																					
1	5854.68	57.32	111.54	-54.22	43.37	36.40	10.29	32.74	100	121	PEAK																																																																		
2	5858.71	61.28	109.76	-48.48	47.32	36.40	10.30	32.74	100	121	PEAK																																																																		
3	5924.12	51.72	68.95	-17.23	37.56	36.49	10.44	32.77	100	121	PEAK																																																																		
4	5932.33	53.01	68.30	-15.29	38.82	36.51	10.45	32.77	100	121	PEAK																																																																		



Mode	43																																																																																									
	Band Edge - L																																																																																									
	U-NII-3_5.725-5.85_802.11ac VHT40_CH159_5795MHz																																																																																									
ANT	5																																																																																									
Pol.	Vertical	Fundamental																																																																																								
Peak	<table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line (dB)</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz dBuV/m dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5649.92 51.65 68.30 -16.65</td> <td>38.34</td> <td>36.11</td> <td>9.86</td> <td>32.66</td> <td>300</td> <td>261</td> <td>PEAK</td> </tr> <tr> <td>2 5652.26 51.92 69.97 -18.05</td> <td>38.60</td> <td>36.11</td> <td>9.87</td> <td>32.66</td> <td>300</td> <td>261</td> <td>PEAK</td> </tr> <tr> <td>3 5702.18 51.84 105.81 -53.97</td> <td>38.37</td> <td>36.18</td> <td>9.97</td> <td>32.68</td> <td>300</td> <td>261</td> <td>PEAK</td> </tr> <tr> <td>4 5720.12 50.17 111.07 -60.90</td> <td>36.64</td> <td>36.21</td> <td>10.01</td> <td>32.69</td> <td>300</td> <td>261</td> <td>PEAK</td> </tr> </tbody> </table>	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq Level Line (dB)	Level	Factor	Loss Factor					MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1 5649.92 51.65 68.30 -16.65	38.34	36.11	9.86	32.66	300	261	PEAK	2 5652.26 51.92 69.97 -18.05	38.60	36.11	9.87	32.66	300	261	PEAK	3 5702.18 51.84 105.81 -53.97	38.37	36.18	9.97	32.68	300	261	PEAK	4 5720.12 50.17 111.07 -60.90	36.64	36.21	10.01	32.69	300	261	PEAK	<table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line (dB)</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz dBuV/m dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5795.00 86.37</td> <td>72.62</td> <td>36.31</td> <td>10.16</td> <td>32.72</td> <td>300</td> <td>261</td> <td>PEAK</td> </tr> </tbody> </table>	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq Level Line (dB)	Level	Factor	Loss Factor					MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1 5795.00 86.37	72.62	36.31	10.16	32.72	300	261	PEAK
	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																		
Freq Level Line (dB)	Level	Factor	Loss Factor																																																																																							
MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1 5649.92 51.65 68.30 -16.65	38.34	36.11	9.86	32.66	300	261	PEAK																																																																																			
2 5652.26 51.92 69.97 -18.05	38.60	36.11	9.87	32.66	300	261	PEAK																																																																																			
3 5702.18 51.84 105.81 -53.97	38.37	36.18	9.97	32.68	300	261	PEAK																																																																																			
4 5720.12 50.17 111.07 -60.90	36.64	36.21	10.01	32.69	300	261	PEAK																																																																																			
Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
Freq Level Line (dB)	Level	Factor	Loss Factor																																																																																							
MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1 5795.00 86.37	72.62	36.31	10.16	32.72	300	261	PEAK																																																																																			
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line (dB)</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz dBuV/m dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5795.00 79.26</td> <td>65.53</td> <td>36.30</td> <td>10.15</td> <td>32.72</td> <td>300</td> <td>261</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq Level Line (dB)	Level	Factor	Loss Factor					MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1 5795.00 79.26	65.53	36.30	10.15	32.72	300	261	AVERAGE																																																								
Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
Freq Level Line (dB)	Level	Factor	Loss Factor																																																																																							
MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1 5795.00 79.26	65.53	36.30	10.15	32.72	300	261	AVERAGE																																																																																			



Mode	43																																																																												
	Band Edge - R																																																																												
	U-NII-3_5.725-5.85_802.11ac VHT40_CH159_5795MHz																																																																												
ANT	5																																																																												
Pol.	Vertical	Fundamental																																																																											
Peak	<p>Date: 2024-04-13</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5854.99</td> <td>50.16</td> <td>110.83</td> <td>-60.67</td> <td>36.21</td> <td>36.40</td> <td>10.29</td> <td>32.74</td> <td>300</td> <td>261</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5872.50</td> <td>52.05</td> <td>105.90</td> <td>-53.85</td> <td>38.05</td> <td>36.42</td> <td>10.33</td> <td>32.75</td> <td>300</td> <td>261</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5924.43</td> <td>52.62</td> <td>68.72</td> <td>-16.10</td> <td>38.46</td> <td>36.49</td> <td>10.44</td> <td>32.77</td> <td>300</td> <td>261</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5933.42</td> <td>52.09</td> <td>68.30</td> <td>-16.21</td> <td>37.89</td> <td>36.51</td> <td>10.46</td> <td>32.77</td> <td>300</td> <td>261</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5854.99	50.16	110.83	-60.67	36.21	36.40	10.29	32.74	300	261	PEAK	2	5872.50	52.05	105.90	-53.85	38.05	36.42	10.33	32.75	300	261	PEAK	3	5924.43	52.62	68.72	-16.10	38.46	36.49	10.44	32.77	300	261	PEAK	4	5933.42	52.09	68.30	-16.21	37.89	36.51	10.46	32.77	300	261	PEAK	Blank
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																					
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																						
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																					
1	5854.99	50.16	110.83	-60.67	36.21	36.40	10.29	32.74	300	261	PEAK																																																																		
2	5872.50	52.05	105.90	-53.85	38.05	36.42	10.33	32.75	300	261	PEAK																																																																		
3	5924.43	52.62	68.72	-16.10	38.46	36.49	10.44	32.77	300	261	PEAK																																																																		
4	5933.42	52.09	68.30	-16.21	37.89	36.51	10.46	32.77	300	261	PEAK																																																																		



Mode	43																																																																																	
	Harmonic																																																																																	
	U-NII-3_5.725-5.85_802.11ac VHT40_CH159_5795MHz																																																																																	
ANT	5																																																																																	
Pol.	Horizontal	Vertical																																																																																
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11590.00</td> <td>48.59</td> <td>74.00</td> <td>-25.41</td> <td>59.85</td> <td>39.24</td> <td>12.95</td> <td>63.45</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>17385.00</td> <td>49.04</td> <td>68.30</td> <td>-19.26</td> <td>56.57</td> <td>42.02</td> <td>15.83</td> <td>65.38</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	1	11590.00	48.59	74.00	-25.41	59.85	39.24	12.95	63.45	---	---	Peak	2	17385.00	49.04	68.30	-19.26	56.57	42.02	15.83	65.38	---	---	Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11590.00</td> <td>47.46</td> <td>74.00</td> <td>-26.54</td> <td>58.72</td> <td>39.24</td> <td>12.95</td> <td>63.45</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>17385.00</td> <td>48.61</td> <td>68.30</td> <td>-19.69</td> <td>56.14</td> <td>42.02</td> <td>15.83</td> <td>65.38</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	1	11590.00	47.46	74.00	-26.54	58.72	39.24	12.95	63.45	---	---	Peak	2	17385.00	48.61	68.30	-19.69	56.14	42.02	15.83	65.38	---	---	Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																											
1	11590.00	48.59	74.00	-25.41	59.85	39.24	12.95	63.45	---	---	Peak																																																																							
2	17385.00	49.04	68.30	-19.26	56.57	42.02	15.83	65.38	---	---	Peak																																																																							
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																											
1	11590.00	47.46	74.00	-26.54	58.72	39.24	12.95	63.45	---	---	Peak																																																																							
2	17385.00	48.61	68.30	-19.69	56.14	42.02	15.83	65.38	---	---	Peak																																																																							



Mode	44																																																																														
	Band Edge - L																																																																														
	U-NII-3_5.725-5.85_802.11ac VHT80_CH155_5775MHz																																																																														
ANT	5																																																																														
Pol.	Horizontal	Fundamental																																																																													
Peak	<table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line (dB)</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz dBuV/m dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5641.30 54.50 68.30 -13.80</td> <td>41.22</td> <td>36.10</td> <td>9.84</td> <td>32.66</td> <td>110</td> <td>124 PEAK</td> </tr> <tr> <td>2 5650.05 54.11 68.34 -14.23</td> <td>40.80</td> <td>36.11</td> <td>9.86</td> <td>32.66</td> <td>110</td> <td>124 PEAK</td> </tr> <tr> <td>3 5700.45 68.11 105.33 -37.22</td> <td>54.64</td> <td>36.18</td> <td>9.97</td> <td>32.68</td> <td>110</td> <td>124 PEAK</td> </tr> <tr> <td>4 5720.05 67.44 110.91 -43.47</td> <td>53.91</td> <td>36.21</td> <td>10.01</td> <td>32.69</td> <td>110</td> <td>124 PEAK</td> </tr> </tbody> </table>	Limit Margin	Read	Ant	Cable Preamp	APos	TPos	Remark	Freq Level Line (dB)	Level	Factor	Loss Factor				MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5641.30 54.50 68.30 -13.80	41.22	36.10	9.84	32.66	110	124 PEAK	2 5650.05 54.11 68.34 -14.23	40.80	36.11	9.86	32.66	110	124 PEAK	3 5700.45 68.11 105.33 -37.22	54.64	36.18	9.97	32.68	110	124 PEAK	4 5720.05 67.44 110.91 -43.47	53.91	36.21	10.01	32.69	110	124 PEAK	<table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line (dB)</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz dBuV/m dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5775.00 100.24</td> <td>86.56</td> <td>36.28</td> <td>10.11</td> <td>32.71</td> <td>110</td> <td>124 PEAK</td> </tr> </tbody> </table>	Limit Margin	Read	Ant	Cable Preamp	APos	TPos	Remark	Freq Level Line (dB)	Level	Factor	Loss Factor				MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5775.00 100.24	86.56	36.28	10.11	32.71	110	124 PEAK
	Limit Margin	Read	Ant	Cable Preamp	APos	TPos	Remark																																																																								
Freq Level Line (dB)	Level	Factor	Loss Factor																																																																												
MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																									
1 5641.30 54.50 68.30 -13.80	41.22	36.10	9.84	32.66	110	124 PEAK																																																																									
2 5650.05 54.11 68.34 -14.23	40.80	36.11	9.86	32.66	110	124 PEAK																																																																									
3 5700.45 68.11 105.33 -37.22	54.64	36.18	9.97	32.68	110	124 PEAK																																																																									
4 5720.05 67.44 110.91 -43.47	53.91	36.21	10.01	32.69	110	124 PEAK																																																																									
Limit Margin	Read	Ant	Cable Preamp	APos	TPos	Remark																																																																									
Freq Level Line (dB)	Level	Factor	Loss Factor																																																																												
MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																									
1 5775.00 100.24	86.56	36.28	10.11	32.71	110	124 PEAK																																																																									
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line (dB)</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz dBuV/m dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5775.00 92.51</td> <td>78.79</td> <td>36.29</td> <td>10.14</td> <td>32.71</td> <td>110</td> <td>124 AVERAGE</td> </tr> </tbody> </table>	Limit Margin	Read	Ant	Cable Preamp	APos	TPos	Remark	Freq Level Line (dB)	Level	Factor	Loss Factor				MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5775.00 92.51	78.79	36.29	10.14	32.71	110	124 AVERAGE																																																	
Limit Margin	Read	Ant	Cable Preamp	APos	TPos	Remark																																																																									
Freq Level Line (dB)	Level	Factor	Loss Factor																																																																												
MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																									
1 5775.00 92.51	78.79	36.29	10.14	32.71	110	124 AVERAGE																																																																									



Mode	44																																																																												
	Band Edge - R																																																																												
	U-NII-3_5.725-5.85_802.11ac VHT80_CH155_5775MHz																																																																												
ANT	5																																																																												
Pol.	Horizontal	Fundamental																																																																											
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5854.98</td> <td>61.45</td> <td>110.86</td> <td>-49.41</td> <td>47.50</td> <td>36.40</td> <td>10.29</td> <td>32.74</td> <td>110</td> <td>124</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5870.55</td> <td>64.48</td> <td>106.44</td> <td>-41.96</td> <td>50.49</td> <td>36.42</td> <td>10.32</td> <td>32.75</td> <td>110</td> <td>124</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5924.98</td> <td>52.75</td> <td>68.32</td> <td>-15.57</td> <td>38.59</td> <td>36.49</td> <td>10.44</td> <td>32.77</td> <td>110</td> <td>124</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5926.90</td> <td>53.20</td> <td>68.30</td> <td>-15.10</td> <td>39.03</td> <td>36.50</td> <td>10.44</td> <td>32.77</td> <td>110</td> <td>124</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5854.98	61.45	110.86	-49.41	47.50	36.40	10.29	32.74	110	124	PEAK	2	5870.55	64.48	106.44	-41.96	50.49	36.42	10.32	32.75	110	124	PEAK	3	5924.98	52.75	68.32	-15.57	38.59	36.49	10.44	32.77	110	124	PEAK	4	5926.90	53.20	68.30	-15.10	39.03	36.50	10.44	32.77	110	124	PEAK	Blank
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																					
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																						
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																					
1	5854.98	61.45	110.86	-49.41	47.50	36.40	10.29	32.74	110	124	PEAK																																																																		
2	5870.55	64.48	106.44	-41.96	50.49	36.42	10.32	32.75	110	124	PEAK																																																																		
3	5924.98	52.75	68.32	-15.57	38.59	36.49	10.44	32.77	110	124	PEAK																																																																		
4	5926.90	53.20	68.30	-15.10	39.03	36.50	10.44	32.77	110	124	PEAK																																																																		



Mode	44																																																																																																																			
	Band Edge - L																																																																																																																			
	U-NII-3_5.725-5.85_802.11ac VHT80_CH155_5775MHz																																																																																																																			
ANT	5																																																																																																																			
Pol.	Vertical	Fundamental																																																																																																																		
Peak	<p>Date: 2024-04-13</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5646.38</td> <td>53.12</td> <td>68.30</td> <td>-15.18</td> <td>39.83</td> <td>36.10</td> <td>9.85</td> <td>32.66</td> <td>400</td> <td>196</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5650.05</td> <td>52.81</td> <td>68.34</td> <td>-15.53</td> <td>39.50</td> <td>36.11</td> <td>9.86</td> <td>32.66</td> <td>400</td> <td>196</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5700.28</td> <td>55.42</td> <td>105.28</td> <td>-49.86</td> <td>41.95</td> <td>36.18</td> <td>9.97</td> <td>32.68</td> <td>400</td> <td>196</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5720.58</td> <td>56.17</td> <td>112.11</td> <td>-55.94</td> <td>42.64</td> <td>36.21</td> <td>10.01</td> <td>32.69</td> <td>400</td> <td>196</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5646.38	53.12	68.30	-15.18	39.83	36.10	9.85	32.66	400	196	PEAK	2	5650.05	52.81	68.34	-15.53	39.50	36.11	9.86	32.66	400	196	PEAK	3	5700.28	55.42	105.28	-49.86	41.95	36.18	9.97	32.68	400	196	PEAK	4	5720.58	56.17	112.11	-55.94	42.64	36.21	10.01	32.69	400	196	PEAK	<p>Date: 2024-04-13</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5775.00</td> <td>96.77</td> <td>-----</td> <td>-----</td> <td>83.05</td> <td>36.29</td> <td>10.14</td> <td>32.71</td> <td>400</td> <td>196</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5775.00	96.77	-----	-----	83.05	36.29	10.14	32.71	400	196	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																														
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																												
1	5646.38	53.12	68.30	-15.18	39.83	36.10	9.85	32.66	400	196	PEAK																																																																																																									
2	5650.05	52.81	68.34	-15.53	39.50	36.11	9.86	32.66	400	196	PEAK																																																																																																									
3	5700.28	55.42	105.28	-49.86	41.95	36.18	9.97	32.68	400	196	PEAK																																																																																																									
4	5720.58	56.17	112.11	-55.94	42.64	36.21	10.01	32.69	400	196	PEAK																																																																																																									
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																														
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																												
1	5775.00	96.77	-----	-----	83.05	36.29	10.14	32.71	400	196	PEAK																																																																																																									
Avg	Blank	<p>Date: 2024-04-13</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5775.00</td> <td>89.52</td> <td>-----</td> <td>-----</td> <td>75.80</td> <td>36.29</td> <td>10.14</td> <td>32.71</td> <td>400</td> <td>196</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5775.00	89.52	-----	-----	75.80	36.29	10.14	32.71	400	196	AVERAGE																																																																											
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																														
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																												
1	5775.00	89.52	-----	-----	75.80	36.29	10.14	32.71	400	196	AVERAGE																																																																																																									



Mode	44																																																																			
	Band Edge - R																																																																			
	U-NII-3_5.725-5.85_802.11ac VHT80_CH155_5775MHz																																																																			
ANT	5																																																																			
Pol.	Vertical	Fundamental																																																																		
Peak	<p>Date: 2024-04-13</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5854.98</td> <td>52.99</td> <td>110.86</td> <td>-57.87</td> <td>39.04</td> <td>36.40</td> <td>10.29</td> <td>32.74</td> <td>400</td> <td>196</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5873.53</td> <td>56.09</td> <td>105.61</td> <td>-49.52</td> <td>42.09</td> <td>36.42</td> <td>10.33</td> <td>32.75</td> <td>400</td> <td>196</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5923.58</td> <td>52.95</td> <td>69.35</td> <td>-16.40</td> <td>38.79</td> <td>36.49</td> <td>10.44</td> <td>32.77</td> <td>400</td> <td>196</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5944.40</td> <td>53.26</td> <td>68.30</td> <td>-15.04</td> <td>39.04</td> <td>36.52</td> <td>10.48</td> <td>32.78</td> <td>400</td> <td>196</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss	Factor	cm	deg	1	5854.98	52.99	110.86	-57.87	39.04	36.40	10.29	32.74	400	196	PEAK	2	5873.53	56.09	105.61	-49.52	42.09	36.42	10.33	32.75	400	196	PEAK	3	5923.58	52.95	69.35	-16.40	38.79	36.49	10.44	32.77	400	196	PEAK	4	5944.40	53.26	68.30	-15.04	39.04	36.52	10.48	32.78	400	196	PEAK	Blank
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																												
Freq	Level	Line	Level	Factor	Loss	Factor	cm	deg																																																												
1	5854.98	52.99	110.86	-57.87	39.04	36.40	10.29	32.74	400	196	PEAK																																																									
2	5873.53	56.09	105.61	-49.52	42.09	36.42	10.33	32.75	400	196	PEAK																																																									
3	5923.58	52.95	69.35	-16.40	38.79	36.49	10.44	32.77	400	196	PEAK																																																									
4	5944.40	53.26	68.30	-15.04	39.04	36.52	10.48	32.78	400	196	PEAK																																																									



Mode	44																																																																																																
	Harmonic																																																																																																
	U-NII-3_5.725-5.85_802.11ac VHT80_CH155_5775MHz																																																																																																
ANT	5																																																																																																
Pol.	Horizontal	Vertical																																																																																															
Peak Avg	<p>Date: 2024-04-16</p>	<p>Date: 2024-04-16</p>																																																																																															
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11550.00</td> <td>47.60</td> <td>74.00</td> <td>-26.40</td> <td>58.91</td> <td>39.22</td> <td>12.92</td> <td>63.45</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>17325.00</td> <td>49.28</td> <td>68.30</td> <td>-19.02</td> <td>56.88</td> <td>41.96</td> <td>15.79</td> <td>65.35</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	11550.00	47.60	74.00	-26.40	58.91	39.22	12.92	63.45	---	---	Peak	2	17325.00	49.28	68.30	-19.02	56.88	41.96	15.79	65.35	---	---	Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11550.00</td> <td>47.45</td> <td>74.00</td> <td>-26.55</td> <td>58.76</td> <td>39.22</td> <td>12.92</td> <td>63.45</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>17325.00</td> <td>48.87</td> <td>68.30</td> <td>-19.43</td> <td>56.47</td> <td>41.96</td> <td>15.79</td> <td>65.35</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	11550.00	47.45	74.00	-26.55	58.76	39.22	12.92	63.45	---	---	Peak	2	17325.00	48.87	68.30	-19.43	56.47	41.96	15.79	65.35	---	---
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																										
1	11550.00	47.60	74.00	-26.40	58.91	39.22	12.92	63.45	---	---	Peak																																																																																						
2	17325.00	49.28	68.30	-19.02	56.88	41.96	15.79	65.35	---	---	Peak																																																																																						
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																										
1	11550.00	47.45	74.00	-26.55	58.76	39.22	12.92	63.45	---	---	Peak																																																																																						
2	17325.00	48.87	68.30	-19.43	56.47	41.96	15.79	65.35	---	---	Peak																																																																																						



Mode	45																																																																																																																																																																																																	
	LF																																																																																																																																																																																																	
	U-NII-3_5.725-5.85_802.11ac VHT80_CH155_5775MHz																																																																																																																																																																																																	
ANT	5																																																																																																																																																																																																	
Pol.	Horizontal	Vertical																																																																																																																																																																																																
Peak	<table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr><td>1</td><td>30.00</td><td>25.20</td><td>40.00</td><td>-14.80</td><td>31.37</td><td>24.90</td><td>0.53</td><td>31.60</td><td>---</td><td>---</td><td>Peak</td></tr> <tr><td>2</td><td>102.75</td><td>25.24</td><td>43.50</td><td>-18.26</td><td>38.89</td><td>17.21</td><td>1.03</td><td>31.89</td><td>---</td><td>---</td><td>Peak</td></tr> <tr><td>3</td><td>188.11</td><td>27.04</td><td>43.50</td><td>-16.46</td><td>41.71</td><td>15.56</td><td>1.39</td><td>31.62</td><td>---</td><td>---</td><td>Peak</td></tr> <tr><td>4</td><td>224.97</td><td>26.39</td><td>46.00</td><td>-19.61</td><td>40.37</td><td>16.08</td><td>1.54</td><td>31.60</td><td>---</td><td>---</td><td>Peak</td></tr> <tr><td>5</td><td>656.62</td><td>27.22</td><td>46.00</td><td>-18.78</td><td>30.79</td><td>24.97</td><td>2.66</td><td>31.20</td><td>---</td><td>---</td><td>Peak</td></tr> <tr><td>6</td><td>933.07</td><td>30.20</td><td>46.00</td><td>-15.80</td><td>30.82</td><td>27.00</td><td>3.21</td><td>30.83</td><td>---</td><td>---</td><td>Peak</td></tr> </tbody> </table>	Peak	Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	30.00	25.20	40.00	-14.80	31.37	24.90	0.53	31.60	---	---	Peak	2	102.75	25.24	43.50	-18.26	38.89	17.21	1.03	31.89	---	---	Peak	3	188.11	27.04	43.50	-16.46	41.71	15.56	1.39	31.62	---	---	Peak	4	224.97	26.39	46.00	-19.61	40.37	16.08	1.54	31.60	---	---	Peak	5	656.62	27.22	46.00	-18.78	30.79	24.97	2.66	31.20	---	---	Peak	6	933.07	30.20	46.00	-15.80	30.82	27.00	3.21	30.83	---	---	Peak	<table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr><td>1</td><td>30.00</td><td>26.66</td><td>40.00</td><td>-13.34</td><td>32.83</td><td>24.90</td><td>0.53</td><td>31.60</td><td>---</td><td>---</td><td>Peak</td></tr> <tr><td>2</td><td>56.19</td><td>30.52</td><td>40.00</td><td>-9.48</td><td>48.47</td><td>13.10</td><td>0.75</td><td>31.80</td><td>---</td><td>---</td><td>Peak</td></tr> <tr><td>3</td><td>99.84</td><td>27.46</td><td>43.50</td><td>-16.04</td><td>41.24</td><td>17.10</td><td>1.02</td><td>31.90</td><td>---</td><td>---</td><td>Peak</td></tr> <tr><td>4</td><td>153.19</td><td>29.52</td><td>43.50</td><td>-13.98</td><td>43.28</td><td>16.67</td><td>1.26</td><td>31.69</td><td>---</td><td>---</td><td>Peak</td></tr> <tr><td>5</td><td>761.38</td><td>29.57</td><td>46.00</td><td>-16.43</td><td>31.98</td><td>25.90</td><td>2.87</td><td>31.18</td><td>---</td><td>---</td><td>Peak</td></tr> <tr><td>6</td><td>939.86</td><td>29.86</td><td>46.00</td><td>-16.14</td><td>30.40</td><td>27.06</td><td>3.22</td><td>30.82</td><td>---</td><td>---</td><td>Peak</td></tr> </tbody> </table>	Peak	Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	30.00	26.66	40.00	-13.34	32.83	24.90	0.53	31.60	---	---	Peak	2	56.19	30.52	40.00	-9.48	48.47	13.10	0.75	31.80	---	---	Peak	3	99.84	27.46	43.50	-16.04	41.24	17.10	1.02	31.90	---	---	Peak	4	153.19	29.52	43.50	-13.98	43.28	16.67	1.26	31.69	---	---	Peak	5	761.38	29.57	46.00	-16.43	31.98	25.90	2.87	31.18	---	---	Peak	6	939.86	29.86	46.00	-16.14	30.40	27.06	3.22	30.82	---	---	Peak
	Peak	Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																																								
1	30.00	25.20	40.00	-14.80	31.37	24.90	0.53	31.60	---	---	Peak																																																																																																																																																																																							
2	102.75	25.24	43.50	-18.26	38.89	17.21	1.03	31.89	---	---	Peak																																																																																																																																																																																							
3	188.11	27.04	43.50	-16.46	41.71	15.56	1.39	31.62	---	---	Peak																																																																																																																																																																																							
4	224.97	26.39	46.00	-19.61	40.37	16.08	1.54	31.60	---	---	Peak																																																																																																																																																																																							
5	656.62	27.22	46.00	-18.78	30.79	24.97	2.66	31.20	---	---	Peak																																																																																																																																																																																							
6	933.07	30.20	46.00	-15.80	30.82	27.00	3.21	30.83	---	---	Peak																																																																																																																																																																																							
Peak	Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																																								
1	30.00	26.66	40.00	-13.34	32.83	24.90	0.53	31.60	---	---	Peak																																																																																																																																																																																							
2	56.19	30.52	40.00	-9.48	48.47	13.10	0.75	31.80	---	---	Peak																																																																																																																																																																																							
3	99.84	27.46	43.50	-16.04	41.24	17.10	1.02	31.90	---	---	Peak																																																																																																																																																																																							
4	153.19	29.52	43.50	-13.98	43.28	16.67	1.26	31.69	---	---	Peak																																																																																																																																																																																							
5	761.38	29.57	46.00	-16.43	31.98	25.90	2.87	31.18	---	---	Peak																																																																																																																																																																																							
6	939.86	29.86	46.00	-16.14	30.40	27.06	3.22	30.82	---	---	Peak																																																																																																																																																																																							



Mode	46																																																																															
	Band Edge - L																																																																															
	Co-location U-NII-2A_5.25-5.35_802.11ac VHT40_CH62_5310MHz+BLE_CH39(2M)+LTE B13 Link																																																																															
ANT	5																																																																															
Pol.	Horizontal	Fundamental																																																																														
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>cm</th> <th>deg</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5075.02</td> <td>52.33</td> <td>74.00</td> <td>-21.67</td> <td>40.47</td> <td>36.15</td> <td>8.40</td> <td>32.69</td> <td>100</td> <td>132</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor	cm	deg		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5075.02	52.33	74.00	-21.67	40.47	36.15	8.40	32.69	100	132	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>cm</th> <th>deg</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5310.00</td> <td>97.75</td> <td>-----</td> <td>-----</td> <td>85.20</td> <td>36.01</td> <td>9.18</td> <td>32.64</td> <td>100</td> <td>132</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor	cm	deg		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5310.00	97.75	-----	-----	85.20	36.01	9.18	32.64	100	132	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																							
Freq	Level	Line	Level	Factor	Loss Factor	cm	deg																																																																									
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	5075.02	52.33	74.00	-21.67	40.47	36.15	8.40	32.69	100	132	PEAK																																																																					
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	Level	Factor	Loss Factor	cm	deg																																																																									
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	5310.00	97.75	-----	-----	85.20	36.01	9.18	32.64	100	132	PEAK																																																																					
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>cm</th> <th>deg</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5002.17</td> <td>43.34</td> <td>54.00</td> <td>-10.66</td> <td>31.51</td> <td>36.20</td> <td>8.33</td> <td>32.70</td> <td>100</td> <td>132</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor	cm	deg		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5002.17	43.34	54.00	-10.66	31.51	36.20	8.33	32.70	100	132	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>cm</th> <th>deg</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5310.00</td> <td>90.77</td> <td>-----</td> <td>-----</td> <td>88.20</td> <td>30.70</td> <td>5.46</td> <td>33.59</td> <td>100</td> <td>132</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor	cm	deg		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5310.00	90.77	-----	-----	88.20	30.70	5.46	33.59	100	132	AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	Level	Factor	Loss Factor	cm	deg																																																																									
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	5002.17	43.34	54.00	-10.66	31.51	36.20	8.33	32.70	100	132	AVERAGE																																																																					
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	Level	Factor	Loss Factor	cm	deg																																																																									
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	5310.00	90.77	-----	-----	88.20	30.70	5.46	33.59	100	132	AVERAGE																																																																					



Mode	46																																								
	Band Edge - R																																								
	Co-location U-NII-2A_5.25-5.35_802.11ac VHT40_CH62_5310MHz+BLE_CH39(2M)+LTE B13 Link																																								
ANT	5																																								
Pol.	Horizontal	Fundamental																																							
Peak	<p>Date: 2024-04-15</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>cm</th> <th>deg</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5353.20</td> <td>61.32</td> <td>74.00</td> <td>-12.68</td> <td>48.58</td> <td>35.99</td> <td>9.38</td> <td>32.63</td> <td>100</td> <td>132</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor	cm	deg		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5353.20	61.32	74.00	-12.68	48.58	35.99	9.38	32.63	100	132	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																
Freq	Level	Line	Level	Factor	Loss Factor	cm	deg																																		
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																	
1	5353.20	61.32	74.00	-12.68	48.58	35.99	9.38	32.63	100	132	PEAK																														
Blank																																									
Avg	<p>Date: 2024-04-15</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>cm</th> <th>deg</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5350.80</td> <td>48.64</td> <td>54.00</td> <td>-5.36</td> <td>35.91</td> <td>35.99</td> <td>9.37</td> <td>32.63</td> <td>100</td> <td>132</td> <td>AVERAGE</td> </tr> </tbody> </table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor	cm	deg		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5350.80	48.64	54.00	-5.36	35.91	35.99	9.37	32.63	100	132	AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																
Freq	Level	Line	Level	Factor	Loss Factor	cm	deg																																		
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																	
1	5350.80	48.64	54.00	-5.36	35.91	35.99	9.37	32.63	100	132	AVERAGE																														
Blank																																									



Mode	46																																																																																	
	Band Edge - L																																																																																	
	Co-location U-NII-2A_5.25-5.35_802.11ac VHT40_CH62_5310MHz+BLE_CH39(2M)+LTE B13 Link																																																																																	
ANT	5																																																																																	
Pol.	Vertical	Fundamental																																																																																
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5078.43</td> <td>52.22</td> <td>74.00</td> <td>-21.78</td> <td>40.35</td> <td>36.15</td> <td>8.40</td> <td>32.68</td> <td>400</td> <td>137</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5078.43	52.22	74.00	-21.78	40.35	36.15	8.40	32.68	400	137	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5310.00</td> <td>91.67</td> <td>-----</td> <td>-----</td> <td>79.12</td> <td>36.01</td> <td>9.18</td> <td>32.64</td> <td>400</td> <td>137</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5310.00	91.67	-----	-----	79.12	36.01	9.18	32.64	400	137	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																									
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	5078.43	52.22	74.00	-21.78	40.35	36.15	8.40	32.68	400	137	PEAK																																																																							
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	5310.00	91.67	-----	-----	79.12	36.01	9.18	32.64	400	137	PEAK																																																																							
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5006.82</td> <td>43.32</td> <td>54.00</td> <td>-10.68</td> <td>31.50</td> <td>36.20</td> <td>8.32</td> <td>32.70</td> <td>400</td> <td>137</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5006.82	43.32	54.00	-10.68	31.50	36.20	8.32	32.70	400	137	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5310.00</td> <td>84.31</td> <td>-----</td> <td>-----</td> <td>71.76</td> <td>36.01</td> <td>9.18</td> <td>32.64</td> <td>400</td> <td>137</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5310.00	84.31	-----	-----	71.76	36.01	9.18	32.64	400	137	AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	5006.82	43.32	54.00	-10.68	31.50	36.20	8.32	32.70	400	137	AVERAGE																																																																							
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	5310.00	84.31	-----	-----	71.76	36.01	9.18	32.64	400	137	AVERAGE																																																																							



Mode	46																																				
	Band Edge - R																																				
	Co-location U-NII-2A_5.25-5.35_802.11ac VHT40_CH62_5310MHz+BLE_CH39(2M)+LTE B13 Link																																				
ANT	5																																				
Pol.	Vertical	Fundamental																																			
Peak																																					
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5352.90</td> <td>56.13</td> <td>74.00</td> <td>-17.87</td> <td>43.39</td> <td>35.99</td> <td>9.38</td> <td>32.63</td> <td>400 137 PEAK</td> </tr> </tbody> </table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5352.90	56.13	74.00	-17.87	43.39	35.99	9.38	32.63
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																													
Freq	Level	Line	Level	Factor	Loss Factor																																
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																													
1 5352.90	56.13	74.00	-17.87	43.39	35.99	9.38	32.63	400 137 PEAK																													
Avg																																					
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5350.35</td> <td>45.62</td> <td>54.00</td> <td>-8.38</td> <td>32.89</td> <td>35.99</td> <td>9.37</td> <td>32.63</td> <td>400 137 AVERAGE</td> </tr> </tbody> </table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5350.35	45.62	54.00	-8.38	32.89	35.99	9.37	32.63
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																													
Freq	Level	Line	Level	Factor	Loss Factor																																
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																													
1 5350.35	45.62	54.00	-8.38	32.89	35.99	9.37	32.63	400 137 AVERAGE																													



		46																																																																								
Mode	Band Edge																																																																									
	Co-location U-NII-2A_5.25-5.35_802.11ac VHT40_CH62_5310MHz+BLE_CH39(2M)+LTE B13 Link																																																																									
ANT	6																																																																									
Pol.	Horizontal	Fundamental																																																																								
Peak	<p style="text-align: right;">Date: 2024-04-15</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 2483.52</td> <td>49.74</td> <td>74.00</td> <td>-24.26</td> <td>47.17</td> <td>30.70</td> <td>5.46</td> <td>33.59</td> <td>152 316 PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 2483.52	49.74	74.00	-24.26	47.17	30.70	5.46	33.59	152 316 PEAK	<p style="text-align: right;">Date: 2024-04-15</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 2480.00</td> <td>97.53</td> <td>74.00</td> <td>-23.47</td> <td>94.96</td> <td>30.70</td> <td>5.46</td> <td>33.59</td> <td>152 316 PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 2480.00	97.53	74.00	-23.47	94.96	30.70	5.46	33.59	152 316 PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																	
Freq	Level	Line	Level	Factor	Loss Factor																																																																					
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 2483.52	49.74	74.00	-24.26	47.17	30.70	5.46	33.59	152 316 PEAK																																																																		
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	Level	Factor	Loss Factor																																																																					
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 2480.00	97.53	74.00	-23.47	94.96	30.70	5.46	33.59	152 316 PEAK																																																																		
Avg	<p style="text-align: right;">Date: 2024-04-15</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 2483.52</td> <td>38.75</td> <td>54.00</td> <td>-15.25</td> <td>36.18</td> <td>30.70</td> <td>5.46</td> <td>33.59</td> <td>152 316 AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 2483.52	38.75	54.00	-15.25	36.18	30.70	5.46	33.59	152 316 AVERAGE	<p style="text-align: right;">Date: 2024-04-15</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 2480.00</td> <td>95.53</td> <td>54.00</td> <td>-41.53</td> <td>92.96</td> <td>30.70</td> <td>5.46</td> <td>33.59</td> <td>152 316 AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 2480.00	95.53	54.00	-41.53	92.96	30.70	5.46	33.59	152 316 AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	Level	Factor	Loss Factor																																																																					
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 2483.52	38.75	54.00	-15.25	36.18	30.70	5.46	33.59	152 316 AVERAGE																																																																		
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	Level	Factor	Loss Factor																																																																					
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 2480.00	95.53	54.00	-41.53	92.96	30.70	5.46	33.59	152 316 AVERAGE																																																																		



		46																																																																														
Mode	Band Edge																																																																															
	Co-location U-NII-2A_5.25-5.35_802.11ac VHT40_CH62_5310MHz+BLE_CH39(2M)+LTE B13 Link																																																																															
ANT	6																																																																															
Pol.	Vertical	Fundamental																																																																														
Peak	<p style="text-align: right;">Date: 2024-04-15</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th></th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.62</td> <td>49.03</td> <td>74.00</td> <td>-24.97</td> <td>46.46</td> <td>30.70</td> <td>5.46</td> <td>33.59</td> <td>100</td> <td>214 PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	2483.62	49.03	74.00	-24.97	46.46	30.70	5.46	33.59	100	214 PEAK	<p style="text-align: right;">Date: 2024-04-15</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th></th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2480.00</td> <td>96.63</td> <td>-----</td> <td>-----</td> <td>94.06</td> <td>30.70</td> <td>5.46</td> <td>33.59</td> <td>100</td> <td>214 PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	2480.00	96.63	-----	-----	94.06	30.70	5.46	33.59	100	214 PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																							
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																									
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																							
1	2483.62	49.03	74.00	-24.97	46.46	30.70	5.46	33.59	100	214 PEAK																																																																						
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																									
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																							
1	2480.00	96.63	-----	-----	94.06	30.70	5.46	33.59	100	214 PEAK																																																																						
Avg	<p style="text-align: right;">Date: 2024-04-15</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th></th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.52</td> <td>37.69</td> <td>54.00</td> <td>-16.31</td> <td>35.12</td> <td>30.70</td> <td>5.46</td> <td>33.59</td> <td>100</td> <td>214 AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	2483.52	37.69	54.00	-16.31	35.12	30.70	5.46	33.59	100	214 AVERAGE	<p style="text-align: right;">Date: 2024-04-15</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th></th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2480.00</td> <td>94.59</td> <td>-----</td> <td>-----</td> <td>92.02</td> <td>30.70</td> <td>5.46</td> <td>33.59</td> <td>100</td> <td>214 AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	2480.00	94.59	-----	-----	92.02	30.70	5.46	33.59	100	214 AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																							
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																									
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																							
1	2483.52	37.69	54.00	-16.31	35.12	30.70	5.46	33.59	100	214 AVERAGE																																																																						
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																									
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																							
1	2480.00	94.59	-----	-----	92.02	30.70	5.46	33.59	100	214 AVERAGE																																																																						



Mode	46																																																																								
	Harmonic																																																																								
	Co-location U-NII-2A_5.25-5.35_802.11ac VHT40_CH62_5310MHz+BLE_CH39(2M)+LTE B13 Link																																																																								
ANT	5																																																																								
Pol.	Horizontal	Vertical																																																																							
Peak Avg																																																																									
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>Tpos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4960.00</td> <td>49.48</td> <td>74.00</td> <td>-24.52</td> <td>37.63</td> <td>36.10</td> <td>8.46</td> <td>32.71</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>7440.00</td> <td>43.75</td> <td>74.00</td> <td>-30.25</td> <td>30.28</td> <td>36.82</td> <td>10.17</td> <td>33.52</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>3</td> <td>10620.00</td> <td>47.60</td> <td>74.00</td> <td>-26.40</td> <td>29.80</td> <td>38.85</td> <td>12.25</td> <td>33.30</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>4</td> <td>15930.00</td> <td>45.62</td> <td>74.00</td> <td>-28.38</td> <td>23.91</td> <td>41.04</td> <td>14.76</td> <td>34.09</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Apos	Tpos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	4960.00	49.48	74.00	-24.52	37.63	36.10	8.46	32.71	---	---	Peak	2	7440.00	43.75	74.00	-30.25	30.28	36.82	10.17	33.52	---	---	Peak	3	10620.00	47.60	74.00	-26.40	29.80	38.85	12.25	33.30	---	---	Peak	4	15930.00	45.62	74.00	-28.38	23.91	41.04	14.76	34.09	---	---
Limit	Read	Ant	Cable	Preamp	Apos	Tpos	Remark																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																		
1	4960.00	49.48	74.00	-24.52	37.63	36.10	8.46	32.71	---	---	Peak																																																														
2	7440.00	43.75	74.00	-30.25	30.28	36.82	10.17	33.52	---	---	Peak																																																														
3	10620.00	47.60	74.00	-26.40	29.80	38.85	12.25	33.30	---	---	Peak																																																														
4	15930.00	45.62	74.00	-28.38	23.91	41.04	14.76	34.09	---	---	Peak																																																														


Note: For all the above plots, the frequency points over limit line are fundamental signals, which can be ignored.



Appendix D. Duty Cycle Plots


Band	Duty Cycle(%)	T(ms)	1/T(kHz)	VBW Setting
802.11a	98.28	-	-	10Hz
802.11ac VHT20	98.16	-	-	10Hz
802.11ac VHT40	96.32	0.949	1.053	3KHz
802.11ac VHT80	92.24	0.465	2.150	3KHz

802.11a






802.11ac VHT20



802.11ac VHT40





802.11ac VHT80

