






6.1.1. Bandwidth:15MHz







7. Frequency Stability

7.1. Test Results

7.1.1. Frequency Error Vs Voltage

SCS	Bandwidth	Channel	RB Config	Modulation	Temperature	Voltage	Deviation Result		Verdict
							(Hz)	(ppm)	
15KHz	20MHz	MCH	Outer_Full	DFT-QPSK	NT	LV	4.20	0.005021	Pass
15KHz	20MHz	MCH	Outer_Full	DFT-QPSK	NT	NV	1.50	0.001793	Pass
15KHz	20MHz	MCH	Outer_Full	DFT-QPSK	NT	HV	2.60	0.003108	Pass

7.1.2. Frequency Error Vs Temperature

SCS	Bandwidth	Channel	RB Config	Modulation	Temperature	Voltage	Deviation Result		Verdict
							(Hz)	(ppm)	
15KHz	20MHz	MCH	Outer_Full	DFT-QPSK	-30°C	NV	-0.80	-0.000956	Pass
15KHz	20MHz	MCH	Outer_Full	DFT-QPSK	-20°C	NV	2.20	0.002630	Pass
15KHz	20MHz	MCH	Outer_Full	DFT-QPSK	-10°C	NV	-1.90	-0.002271	Pass
15KHz	20MHz	MCH	Outer_Full	DFT-QPSK	0°C	NV	2.10	0.002510	Pass
15KHz	20MHz	MCH	Outer_Full	DFT-QPSK	10°C	NV	-0.30	-0.000359	Pass
15KHz	20MHz	MCH	Outer_Full	DFT-QPSK	20°C	NV	2.20	0.002630	Pass
15KHz	20MHz	MCH	Outer_Full	DFT-QPSK	30°C	NV	0.40	0.000478	Pass
15KHz	20MHz	MCH	Outer_Full	DFT-QPSK	40°C	NV	2.80	0.003347	Pass
15KHz	20MHz	MCH	Outer_Full	DFT-QPSK	50°C	NV	1.60	0.001913	Pass

The End