






6.1.1. Bandwidth:15MHz







7. Frequency Stability

7.1. Test Results

7.1.1. Frequency Error Vs Voltage

SCS	Bandwidth	Channel	RB Config	Modulation	Temperature	Voltage	Deviation Result		Verdict
							(Hz)	(ppm)	
15KHz	20MHz	MCH	Outer_Full	DFT-QPSK	NT	LV	1.60	0.001913	Pass
15KHz	20MHz	MCH	Outer_Full	DFT-QPSK	NT	NV	-2.00	-0.002391	Pass
15KHz	20MHz	MCH	Outer_Full	DFT-QPSK	NT	HV	-0.70	-0.000837	Pass

7.1.2. Frequency Error Vs Temperature

SCS	Bandwidth	Channel	RB Config	Modulation	Temperature	Voltage	Deviation Result		Verdict
							(Hz)	(ppm)	
15KHz	20MHz	MCH	Outer_Full	DFT-QPSK	-30°C	NV	1.00	0.001195	Pass
15KHz	20MHz	MCH	Outer_Full	DFT-QPSK	-20°C	NV	0.60	0.000717	Pass
15KHz	20MHz	MCH	Outer_Full	DFT-QPSK	-10°C	NV	-1.90	-0.002271	Pass
15KHz	20MHz	MCH	Outer_Full	DFT-QPSK	0°C	NV	0.50	0.000598	Pass
15KHz	20MHz	MCH	Outer_Full	DFT-QPSK	10°C	NV	3.10	0.003706	Pass
15KHz	20MHz	MCH	Outer_Full	DFT-QPSK	20°C	NV	2.20	0.002630	Pass
15KHz	20MHz	MCH	Outer_Full	DFT-QPSK	30°C	NV	3.50	0.004184	Pass
15KHz	20MHz	MCH	Outer_Full	DFT-QPSK	40°C	NV	0.20	0.000239	Pass
15KHz	20MHz	MCH	Outer_Full	DFT-QPSK	50°C	NV	2.80	0.003347	Pass

The End