



Mode	136																																									
	Band Edge - R																																									
	U-NII-2C_5.47-5.725_ 802.11be EHT160 _CH114_Puncturing 40M ④ _5570MHz																																									
ANT	5+7																																									
Pol.	Vertical	Fundamental																																								
Peak	<p>Date: 2024-03-18</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5759.74</td> <td>59.33</td> <td>68.30</td> <td>-8.97</td> <td>45.24</td> <td>36.26</td> <td>10.09</td> <td>32.26</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>347</td> <td>257 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 5759.74	59.33	68.30	-8.97	45.24	36.26	10.09	32.26							347	257 PEAK	Blank
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																			
1 5759.74	59.33	68.30	-8.97	45.24	36.26	10.09	32.26																																			
						347	257 PEAK																																			



Mode	137																																																																																																															
	Band Edge - L																																																																																																															
	U-NII-3_5.725-5.85_802.11be EHT80_CH155_Puncturing 20M ①_5775MHz																																																																																																															
ANT	5+7																																																																																																															
Pol.	Horizontal	Fundamental																																																																																																														
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>Tpos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5649.00</td> <td>54.74</td> <td>68.30</td> <td>-13.56</td> <td>40.92</td> <td>36.11</td> <td>9.86</td> <td>32.15</td> <td>100</td> <td>61</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5654.60</td> <td>59.93</td> <td>71.71</td> <td>-11.78</td> <td>46.09</td> <td>36.12</td> <td>9.87</td> <td>32.15</td> <td>100</td> <td>61</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5712.18</td> <td>66.37</td> <td>108.61</td> <td>-42.24</td> <td>52.39</td> <td>36.20</td> <td>9.99</td> <td>32.21</td> <td>100</td> <td>61</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5720.05</td> <td>63.57</td> <td>110.91</td> <td>-47.34</td> <td>49.57</td> <td>36.21</td> <td>10.01</td> <td>32.22</td> <td>100</td> <td>61</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	Tpos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5649.00	54.74	68.30	-13.56	40.92	36.11	9.86	32.15	100	61	PEAK	2	5654.60	59.93	71.71	-11.78	46.09	36.12	9.87	32.15	100	61	PEAK	3	5712.18	66.37	108.61	-42.24	52.39	36.20	9.99	32.21	100	61	PEAK	4	5720.05	63.57	110.91	-47.34	49.57	36.21	10.01	32.22	100	61	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>Tpos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5775.00</td> <td>104.58</td> <td>-----</td> <td>-----</td> <td>90.49</td> <td>36.26</td> <td>10.09</td> <td>32.26</td> <td>100</td> <td>61</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	Tpos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5775.00	104.58	-----	-----	90.49	36.26	10.09	32.26	100	61	PEAK
	Limit	Read	Ant	Cable	Preamp	Apos	Tpos	Remark																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																								
1	5649.00	54.74	68.30	-13.56	40.92	36.11	9.86	32.15	100	61	PEAK																																																																																																					
2	5654.60	59.93	71.71	-11.78	46.09	36.12	9.87	32.15	100	61	PEAK																																																																																																					
3	5712.18	66.37	108.61	-42.24	52.39	36.20	9.99	32.21	100	61	PEAK																																																																																																					
4	5720.05	63.57	110.91	-47.34	49.57	36.21	10.01	32.22	100	61	PEAK																																																																																																					
Limit	Read	Ant	Cable	Preamp	Apos	Tpos	Remark																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																								
1	5775.00	104.58	-----	-----	90.49	36.26	10.09	32.26	100	61	PEAK																																																																																																					
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>Tpos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5775.00</td> <td>95.93</td> <td>-----</td> <td>-----</td> <td>81.75</td> <td>36.31</td> <td>10.16</td> <td>32.29</td> <td>100</td> <td>61</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	Tpos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5775.00	95.93	-----	-----	81.75	36.31	10.16	32.29	100	61	AVERAGE																																																																									
Limit	Read	Ant	Cable	Preamp	Apos	Tpos	Remark																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																								
1	5775.00	95.93	-----	-----	81.75	36.31	10.16	32.29	100	61	AVERAGE																																																																																																					



Mode	137																																																																									
	Band Edge - R																																																																									
	U-NII-3_5.725-5.85_802.11be EHT80_CH155_Puncturing 20M ④_5775MHz																																																																									
ANT	5+7																																																																									
Pol.	Horizontal	Fundamental																																																																								
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5854.10</td> <td>58.19</td> <td>112.85</td> <td>-54.66</td> <td>43.85</td> <td>36.40</td> <td>10.29</td> <td>32.35</td> <td>100</td> <td>61</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5874.40</td> <td>55.71</td> <td>105.37</td> <td>-49.66</td> <td>41.33</td> <td>36.42</td> <td>10.33</td> <td>32.37</td> <td>100</td> <td>61</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5924.98</td> <td>50.97</td> <td>68.32</td> <td>-17.35</td> <td>36.46</td> <td>36.49</td> <td>10.44</td> <td>32.42</td> <td>100</td> <td>61</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5949.30</td> <td>52.80</td> <td>68.30</td> <td>-15.50</td> <td>38.23</td> <td>36.53</td> <td>10.49</td> <td>32.45</td> <td>100</td> <td>61</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5854.10	58.19	112.85	-54.66	43.85	36.40	10.29	32.35	100	61	PEAK	2	5874.40	55.71	105.37	-49.66	41.33	36.42	10.33	32.37	100	61	PEAK	3	5924.98	50.97	68.32	-17.35	36.46	36.49	10.44	32.42	100	61	PEAK	4	5949.30	52.80	68.30	-15.50	38.23	36.53	10.49	32.45	100	61	PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																			
1	5854.10	58.19	112.85	-54.66	43.85	36.40	10.29	32.35	100	61	PEAK																																																															
2	5874.40	55.71	105.37	-49.66	41.33	36.42	10.33	32.37	100	61	PEAK																																																															
3	5924.98	50.97	68.32	-17.35	36.46	36.49	10.44	32.42	100	61	PEAK																																																															
4	5949.30	52.80	68.30	-15.50	38.23	36.53	10.49	32.45	100	61	PEAK																																																															



		137																																																																																												
Mode		Band Edge - L																																																																																												
		U-NII-3_5.725-5.85_802.11be EHT80_CH155_Puncturing 20M ● 5775MHz																																																																																												
ANT		5+7																																																																																												
Pol.	Vertical	Fundamental																																																																																												
Peak	<p style="text-align: right;">Date: 2024-03-18</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5647.95</td> <td>57.89</td> <td>68.30</td> <td>-10.41</td> <td>44.07</td> <td>36.11</td> <td>9.86</td> <td>32.15</td> <td>293</td> <td>252</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5650.05</td> <td>55.35</td> <td>68.34</td> <td>-12.99</td> <td>41.53</td> <td>36.11</td> <td>9.86</td> <td>32.15</td> <td>293</td> <td>252</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5711.30</td> <td>67.41</td> <td>108.37</td> <td>-40.96</td> <td>53.43</td> <td>36.20</td> <td>9.99</td> <td>32.21</td> <td>293</td> <td>252</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5720.23</td> <td>61.88</td> <td>111.31</td> <td>-49.43</td> <td>47.88</td> <td>36.21</td> <td>10.01</td> <td>32.22</td> <td>293</td> <td>252</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Apos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor	cm	deg	1	5647.95	57.89	68.30	-10.41	44.07	36.11	9.86	32.15	293	252	PEAK	2	5650.05	55.35	68.34	-12.99	41.53	36.11	9.86	32.15	293	252	PEAK	3	5711.30	67.41	108.37	-40.96	53.43	36.20	9.99	32.21	293	252	PEAK	4	5720.23	61.88	111.31	-49.43	47.88	36.21	10.01	32.22	293	252	PEAK	<p style="text-align: right;">Date: 2024-03-18</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5775.00</td> <td>102.99</td> <td>-----</td> <td>-----</td> <td>88.81</td> <td>36.31</td> <td>10.16</td> <td>32.29</td> <td>293</td> <td>252</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Apos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor	cm	deg	1	5775.00	102.99	-----	-----	88.81	36.31	10.16	32.29	293	252	PEAK
	Limit	Read	Ant	Cable	Apos	TPos	Remark																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss Factor	cm	deg																																																																																						
1	5647.95	57.89	68.30	-10.41	44.07	36.11	9.86	32.15	293	252	PEAK																																																																																			
2	5650.05	55.35	68.34	-12.99	41.53	36.11	9.86	32.15	293	252	PEAK																																																																																			
3	5711.30	67.41	108.37	-40.96	53.43	36.20	9.99	32.21	293	252	PEAK																																																																																			
4	5720.23	61.88	111.31	-49.43	47.88	36.21	10.01	32.22	293	252	PEAK																																																																																			
Limit	Read	Ant	Cable	Apos	TPos	Remark																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss Factor	cm	deg																																																																																						
1	5775.00	102.99	-----	-----	88.81	36.31	10.16	32.29	293	252	PEAK																																																																																			
Avg	Blank	<p style="text-align: right;">Date: 2024-03-18</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5775.00</td> <td>94.56</td> <td>-----</td> <td>-----</td> <td>80.40</td> <td>36.30</td> <td>10.15</td> <td>32.29</td> <td>293</td> <td>252</td> <td>AVERAGE</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Apos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor	cm	deg	1	5775.00	94.56	-----	-----	80.40	36.30	10.15	32.29	293	252	AVERAGE																																																															
Limit	Read	Ant	Cable	Apos	TPos	Remark																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss Factor	cm	deg																																																																																						
1	5775.00	94.56	-----	-----	80.40	36.30	10.15	32.29	293	252	AVERAGE																																																																																			



Mode	137																																																																									
	Band Edge - R																																																																									
	U-NII-3_5.725-5.85_802.11be EHT80_CH155_Puncturing 20M ④_5775MHz																																																																									
ANT	5+7																																																																									
Pol.	Vertical	Fundamental																																																																								
Peak	<p>Date: 2024-03-18</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5854.98</td> <td>55.95</td> <td>110.86</td> <td>-54.91</td> <td>41.61</td> <td>36.40</td> <td>10.29</td> <td>32.35</td> <td>293</td> <td>252</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5863.73</td> <td>60.62</td> <td>108.35</td> <td>-47.73</td> <td>46.26</td> <td>36.41</td> <td>10.31</td> <td>32.36</td> <td>293</td> <td>252</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5924.98</td> <td>51.67</td> <td>68.32</td> <td>-16.65</td> <td>37.16</td> <td>36.49</td> <td>10.44</td> <td>32.42</td> <td>293</td> <td>252</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5929.18</td> <td>52.83</td> <td>68.30</td> <td>-15.47</td> <td>38.31</td> <td>36.50</td> <td>10.45</td> <td>32.43</td> <td>293</td> <td>252</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5854.98	55.95	110.86	-54.91	41.61	36.40	10.29	32.35	293	252	PEAK	2	5863.73	60.62	108.35	-47.73	46.26	36.41	10.31	32.36	293	252	PEAK	3	5924.98	51.67	68.32	-16.65	37.16	36.49	10.44	32.42	293	252	PEAK	4	5929.18	52.83	68.30	-15.47	38.31	36.50	10.45	32.43	293	252	PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																			
1	5854.98	55.95	110.86	-54.91	41.61	36.40	10.29	32.35	293	252	PEAK																																																															
2	5863.73	60.62	108.35	-47.73	46.26	36.41	10.31	32.36	293	252	PEAK																																																															
3	5924.98	51.67	68.32	-16.65	37.16	36.49	10.44	32.42	293	252	PEAK																																																															
4	5929.18	52.83	68.30	-15.47	38.31	36.50	10.45	32.43	293	252	PEAK																																																															



		138																																																																								
Mode	Band Edge - L																																																																									
	U-NII-2A_5.25-5.35_802.11be EHT160_CH50_Puncturing 20M 7_5250MHz																																																																									
ANT	5+7																																																																									
Pol.	Horizontal	Fundamental																																																																								
Peak	<p style="text-align: right;">Date: 2024-03-18</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5122.25</td> <td>54.82</td> <td>74.00</td> <td>-19.18</td> <td>42.76</td> <td>36.13</td> <td>8.47</td> <td>32.54</td> <td>100</td> <td>74</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	5122.25	54.82	74.00	-19.18	42.76	36.13	8.47	32.54	100	74	PEAK	<p style="text-align: right;">Date: 2024-03-18</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5250.00</td> <td>96.09</td> <td>-----</td> <td>-----</td> <td>83.45</td> <td>36.04</td> <td>8.93</td> <td>32.33</td> <td>100</td> <td>74</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	5250.00	96.09	-----	-----	83.45	36.04	8.93	32.33	100	74	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																			
1	5122.25	54.82	74.00	-19.18	42.76	36.13	8.47	32.54	100	74	PEAK																																																															
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																			
1	5250.00	96.09	-----	-----	83.45	36.04	8.93	32.33	100	74	PEAK																																																															
Avg	<p style="text-align: right;">Date: 2024-03-18</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5128.00</td> <td>44.91</td> <td>54.00</td> <td>-9.09</td> <td>32.82</td> <td>36.12</td> <td>8.49</td> <td>32.52</td> <td>100</td> <td>74</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	5128.00	44.91	54.00	-9.09	32.82	36.12	8.49	32.52	100	74	AVERAGE	<p style="text-align: right;">Date: 2024-03-18</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5250.00</td> <td>85.80</td> <td>-----</td> <td>-----</td> <td>73.26</td> <td>36.05</td> <td>8.84</td> <td>32.35</td> <td>100</td> <td>74</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	5250.00	85.80	-----	-----	73.26	36.05	8.84	32.35	100	74	AVERAGE
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																			
1	5128.00	44.91	54.00	-9.09	32.82	36.12	8.49	32.52	100	74	AVERAGE																																																															
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																			
1	5250.00	85.80	-----	-----	73.26	36.05	8.84	32.35	100	74	AVERAGE																																																															



Mode	138																																		
	Band Edge - R																																		
	U-NII-2A_5.25-5.35_802.11be EHT160_CH50_Puncturing 20M 7_5250MHz																																		
ANT	5+7																																		
Pol.	Horizontal	Fundamental																																	
Peak																																			
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 5367.18</td> <td>55.32</td> <td>74.00</td> <td>-18.68</td> <td>42.08</td> <td>35.98</td> <td>9.45</td> <td>32.19</td> <td>100</td> <td>74 PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1 5367.18	55.32	74.00	-18.68	42.08	35.98	9.45	32.19	100
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																												
1 5367.18	55.32	74.00	-18.68	42.08	35.98	9.45	32.19	100	74 PEAK																										
Avg																																			
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 5363.19</td> <td>44.79</td> <td>54.00</td> <td>-9.21</td> <td>31.57</td> <td>35.98</td> <td>9.43</td> <td>32.19</td> <td>100</td> <td>74 AVERAGE</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1 5363.19	44.79	54.00	-9.21	31.57	35.98	9.43	32.19	100
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																												
1 5363.19	44.79	54.00	-9.21	31.57	35.98	9.43	32.19	100	74 AVERAGE																										



	138																																																																																	
Mode	Band Edge - L																																																																																	
	U-NII-2A_5.25-5.35_802.11be EHT160_CH50_Puncturing 20M_7_5250MHz																																																																																	
ANT	5+7																																																																																	
Pol.	Vertical	Fundamental																																																																																
Peak	<p style="text-align: right;">Date: 2024-03-18</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 5145.50</td> <td>57.81</td> <td>74.00</td> <td>-16.19</td> <td>45.67</td> <td>36.11</td> <td>8.53</td> <td>32.50</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>289</td> <td>259 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1 5145.50	57.81	74.00	-16.19	45.67	36.11	8.53	32.50							289	259 PEAK	<p style="text-align: right;">Date: 2024-03-18</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 5250.00</td> <td>98.78</td> <td>-----</td> <td>-----</td> <td>86.39</td> <td>36.07</td> <td>8.71</td> <td>32.39</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>289</td> <td>259 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1 5250.00	98.78	-----	-----	86.39	36.07	8.71	32.39							289	259 PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																											
1 5145.50	57.81	74.00	-16.19	45.67	36.11	8.53	32.50																																																																											
						289	259 PEAK																																																																											
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																											
1 5250.00	98.78	-----	-----	86.39	36.07	8.71	32.39																																																																											
						289	259 PEAK																																																																											
Avg	<p style="text-align: right;">Date: 2024-03-18</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 5117.25</td> <td>44.32</td> <td>54.00</td> <td>-9.68</td> <td>32.25</td> <td>36.13</td> <td>8.48</td> <td>32.54</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>289</td> <td>259 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1 5117.25	44.32	54.00	-9.68	32.25	36.13	8.48	32.54							289	259 AVERAGE	<p style="text-align: right;">Date: 2024-03-18</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 5250.00</td> <td>87.96</td> <td>-----</td> <td>-----</td> <td>75.46</td> <td>36.05</td> <td>8.81</td> <td>32.36</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>289</td> <td>259 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1 5250.00	87.96	-----	-----	75.46	36.05	8.81	32.36							289	259 AVERAGE
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																											
1 5117.25	44.32	54.00	-9.68	32.25	36.13	8.48	32.54																																																																											
						289	259 AVERAGE																																																																											
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																											
1 5250.00	87.96	-----	-----	75.46	36.05	8.81	32.36																																																																											
						289	259 AVERAGE																																																																											



Mode	138																																									
	Band Edge - R																																									
	U-NII-2A_5.25-5.35_802.11be EHT160_CH50_Puncturing 20M 7_5250MHz																																									
ANT	5+7																																									
Pol.	Vertical	Fundamental																																								
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 5408.34</td> <td>61.42</td> <td>74.00</td> <td>-12.58</td> <td>47.93</td> <td>35.96</td> <td>9.66</td> <td>32.13</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>289</td> <td>259 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1 5408.34	61.42	74.00	-12.58	47.93	35.96	9.66	32.13							289	259 PEAK	Blank
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																			
1 5408.34	61.42	74.00	-12.58	47.93	35.96	9.66	32.13																																			
						289	259 PEAK																																			
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 5362.56</td> <td>50.17</td> <td>54.00</td> <td>-3.83</td> <td>36.95</td> <td>35.98</td> <td>9.43</td> <td>32.19</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>289</td> <td>259 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1 5362.56	50.17	54.00	-3.83	36.95	35.98	9.43	32.19							289	259 AVERAGE	Blank
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																			
1 5362.56	50.17	54.00	-3.83	36.95	35.98	9.43	32.19																																			
						289	259 AVERAGE																																			



		139																																																																																				
Mode	Band Edge - L																																																																																					
	U-NII-2C_5.47-5.725_802.11be EHT160_CH114_Puncturing 20M [®] _5570MHz																																																																																					
ANT	5+7																																																																																					
Pol.	Horizontal	Fundamental																																																																																				
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5419.30</td> <td>57.28</td> <td>74.00</td> <td>-16.72</td> <td>43.77</td> <td>35.95</td> <td>9.67</td> <td>32.11</td> <td>100</td> <td>73</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5466.82</td> <td>57.62</td> <td>68.30</td> <td>-10.68</td> <td>44.06</td> <td>35.92</td> <td>9.69</td> <td>32.05</td> <td>100</td> <td>73</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5419.30	57.28	74.00	-16.72	43.77	35.95	9.67	32.11	100	73	PEAK	2	5466.82	57.62	68.30	-10.68	44.06	35.92	9.69	32.05	100	73	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5570.00</td> <td>99.26</td> <td>-----</td> <td>-----</td> <td>85.60</td> <td>35.99</td> <td>9.74</td> <td>32.07</td> <td>100</td> <td>73</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5570.00	99.26	-----	-----	85.60	35.99	9.74	32.07	100	73	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																															
1	5419.30	57.28	74.00	-16.72	43.77	35.95	9.67	32.11	100	73	PEAK																																																																											
2	5466.82	57.62	68.30	-10.68	44.06	35.92	9.69	32.05	100	73	PEAK																																																																											
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																															
1	5570.00	99.26	-----	-----	85.60	35.99	9.74	32.07	100	73	PEAK																																																																											
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5447.24</td> <td>48.26</td> <td>54.00</td> <td>-5.74</td> <td>34.72</td> <td>35.93</td> <td>9.68</td> <td>32.07</td> <td>100</td> <td>73</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5447.24	48.26	54.00	-5.74	34.72	35.93	9.68	32.07	100	73	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5570.00</td> <td>90.73</td> <td>-----</td> <td>-----</td> <td>77.07</td> <td>35.99</td> <td>9.74</td> <td>32.07</td> <td>100</td> <td>73</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5570.00	90.73	-----	-----	77.07	35.99	9.74	32.07	100	73	AVERAGE												
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																															
1	5447.24	48.26	54.00	-5.74	34.72	35.93	9.68	32.07	100	73	AVERAGE																																																																											
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																															
1	5570.00	90.73	-----	-----	77.07	35.99	9.74	32.07	100	73	AVERAGE																																																																											



Mode	139																																			
	Band Edge - R																																			
	U-NII-2C_5.47-5.725_802.11be EHT160_CH114_Puncturing 20M [®] _5570MHz																																			
ANT	5+7																																			
Pol.	Horizontal	Fundamental																																		
Peak	<p>Date: 2024-03-18</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5738.87</td> <td>58.24</td> <td>68.30</td> <td>-10.06</td> <td>44.20</td> <td>36.23</td> <td>10.05</td> <td>32.24</td> <td>100</td> <td>73 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 5738.87	58.24	68.30	-10.06	44.20	36.23	10.05	32.24	100	73 PEAK	Blank
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																													
1 5738.87	58.24	68.30	-10.06	44.20	36.23	10.05	32.24	100	73 PEAK																											



	139																																																																																					
Mode	Band Edge - L																																																																																					
	U-NII-2C_5.47-5.725_802.11be EHT160_CH114_Puncturing 20M [®] _5570MHz																																																																																					
ANT	5+7																																																																																					
Pol.	Vertical	Fundamental																																																																																				
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5447.24</td> <td>59.24</td> <td>74.00</td> <td>-14.76</td> <td>45.70</td> <td>35.93</td> <td>9.68</td> <td>32.07</td> <td>300</td> <td>259</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5462.86</td> <td>56.77</td> <td>68.30</td> <td>-11.53</td> <td>43.21</td> <td>35.92</td> <td>9.69</td> <td>32.05</td> <td>300</td> <td>259</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5447.24	59.24	74.00	-14.76	45.70	35.93	9.68	32.07	300	259	PEAK	2	5462.86	56.77	68.30	-11.53	43.21	35.92	9.69	32.05	300	259	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5570.00</td> <td>99.85</td> <td>-----</td> <td>-----</td> <td>86.19</td> <td>35.98</td> <td>9.74</td> <td>32.06</td> <td>300</td> <td>259</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5570.00	99.85	-----	-----	86.19	35.98	9.74	32.06	300	259	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																															
1	5447.24	59.24	74.00	-14.76	45.70	35.93	9.68	32.07	300	259	PEAK																																																																											
2	5462.86	56.77	68.30	-11.53	43.21	35.92	9.69	32.05	300	259	PEAK																																																																											
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																															
1	5570.00	99.85	-----	-----	86.19	35.98	9.74	32.06	300	259	PEAK																																																																											
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5418.64</td> <td>48.65</td> <td>54.00</td> <td>-5.35</td> <td>35.14</td> <td>35.95</td> <td>9.67</td> <td>32.11</td> <td>300</td> <td>259</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5418.64	48.65	54.00	-5.35	35.14	35.95	9.67	32.11	300	259	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5570.00</td> <td>91.46</td> <td>-----</td> <td>-----</td> <td>77.80</td> <td>35.99</td> <td>9.74</td> <td>32.07</td> <td>300</td> <td>259</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5570.00	91.46	-----	-----	77.80	35.99	9.74	32.07	300	259	AVERAGE												
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																															
1	5418.64	48.65	54.00	-5.35	35.14	35.95	9.67	32.11	300	259	AVERAGE																																																																											
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																															
1	5570.00	91.46	-----	-----	77.80	35.99	9.74	32.07	300	259	AVERAGE																																																																											



Mode	139																																									
	Band Edge - R																																									
	U-NII-2C_5.47-5.725_802.11be EHT160_CH114_Puncturing 20M [®] _5570MHz																																									
ANT	5+7																																									
Pol.	Vertical	Fundamental																																								
Peak	<p>Date: 2024-03-18</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5748.23</td> <td>59.30</td> <td>68.30</td> <td>-9.00</td> <td>45.23</td> <td>36.25</td> <td>10.07</td> <td>32.25</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>300</td> <td>259 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 5748.23	59.30	68.30	-9.00	45.23	36.25	10.07	32.25							300	259 PEAK	Blank
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																			
1 5748.23	59.30	68.30	-9.00	45.23	36.25	10.07	32.25																																			
						300	259 PEAK																																			



Mode	140																																																																																																																																																																															
	LF																																																																																																																																																																															
	U-NII-2C_5.47-5.725_802.11be EHT40_Full RU_5670MHz																																																																																																																																																																															
ANT	5+7																																																																																																																																																																															
Pol.	Horizontal	Vertical																																																																																																																																																																														
QP/ Peak	<p>Date: 2024-03-25</p> <table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>30.97</td> <td>24.44</td> <td>40.00</td> <td>-15.56</td> <td>30.82</td> <td>24.70</td> <td>0.54</td> <td>31.62</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>140.58</td> <td>21.79</td> <td>43.50</td> <td>-21.71</td> <td>34.82</td> <td>17.50</td> <td>1.21</td> <td>31.74</td> <td>Peak</td> </tr> <tr> <td>3</td> <td>189.08</td> <td>31.81</td> <td>43.50</td> <td>-11.69</td> <td>47.33</td> <td>14.70</td> <td>1.40</td> <td>31.62</td> <td>Peak</td> </tr> <tr> <td>4</td> <td>474.26</td> <td>26.38</td> <td>46.00</td> <td>-19.62</td> <td>31.99</td> <td>23.58</td> <td>2.26</td> <td>31.45</td> <td>Peak</td> </tr> <tr> <td>5</td> <td>764.29</td> <td>29.78</td> <td>46.00</td> <td>-16.22</td> <td>29.69</td> <td>28.38</td> <td>2.88</td> <td>31.17</td> <td>Peak</td> </tr> <tr> <td>6</td> <td>936.95</td> <td>33.12</td> <td>46.00</td> <td>-12.88</td> <td>30.62</td> <td>30.12</td> <td>3.21</td> <td>30.83</td> <td>Peak</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	30.97	24.44	40.00	-15.56	30.82	24.70	0.54	31.62	Peak	2	140.58	21.79	43.50	-21.71	34.82	17.50	1.21	31.74	Peak	3	189.08	31.81	43.50	-11.69	47.33	14.70	1.40	31.62	Peak	4	474.26	26.38	46.00	-19.62	31.99	23.58	2.26	31.45	Peak	5	764.29	29.78	46.00	-16.22	29.69	28.38	2.88	31.17	Peak	6	936.95	33.12	46.00	-12.88	30.62	30.12	3.21	30.83	Peak	<p>Date: 2024-03-25</p> <table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>30.97</td> <td>26.96</td> <td>40.00</td> <td>-13.04</td> <td>33.34</td> <td>24.70</td> <td>0.54</td> <td>31.62</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>53.28</td> <td>32.48</td> <td>40.00</td> <td>-7.52</td> <td>50.38</td> <td>13.20</td> <td>0.73</td> <td>31.83</td> <td>Peak</td> </tr> <tr> <td>3</td> <td>189.08</td> <td>30.70</td> <td>43.50</td> <td>-12.80</td> <td>46.22</td> <td>14.70</td> <td>1.40</td> <td>31.62</td> <td>Peak</td> </tr> <tr> <td>4</td> <td>567.38</td> <td>27.17</td> <td>46.00</td> <td>-18.83</td> <td>29.47</td> <td>26.38</td> <td>2.49</td> <td>31.17</td> <td>Peak</td> </tr> <tr> <td>5</td> <td>787.57</td> <td>31.64</td> <td>46.00</td> <td>-14.36</td> <td>31.44</td> <td>28.40</td> <td>2.92</td> <td>31.12</td> <td>Peak</td> </tr> <tr> <td>6</td> <td>955.38</td> <td>33.44</td> <td>46.00</td> <td>-12.56</td> <td>29.91</td> <td>31.10</td> <td>3.24</td> <td>30.81</td> <td>Peak</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	30.97	26.96	40.00	-13.04	33.34	24.70	0.54	31.62	Peak	2	53.28	32.48	40.00	-7.52	50.38	13.20	0.73	31.83	Peak	3	189.08	30.70	43.50	-12.80	46.22	14.70	1.40	31.62	Peak	4	567.38	27.17	46.00	-18.83	29.47	26.38	2.49	31.17	Peak	5	787.57	31.64	46.00	-14.36	31.44	28.40	2.92	31.12	Peak	6	955.38	33.44	46.00	-12.56	29.91	31.10	3.24	30.81	Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																																																																																																								
1	30.97	24.44	40.00	-15.56	30.82	24.70	0.54	31.62	Peak																																																																																																																																																																							
2	140.58	21.79	43.50	-21.71	34.82	17.50	1.21	31.74	Peak																																																																																																																																																																							
3	189.08	31.81	43.50	-11.69	47.33	14.70	1.40	31.62	Peak																																																																																																																																																																							
4	474.26	26.38	46.00	-19.62	31.99	23.58	2.26	31.45	Peak																																																																																																																																																																							
5	764.29	29.78	46.00	-16.22	29.69	28.38	2.88	31.17	Peak																																																																																																																																																																							
6	936.95	33.12	46.00	-12.88	30.62	30.12	3.21	30.83	Peak																																																																																																																																																																							
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																																																																																																								
1	30.97	26.96	40.00	-13.04	33.34	24.70	0.54	31.62	Peak																																																																																																																																																																							
2	53.28	32.48	40.00	-7.52	50.38	13.20	0.73	31.83	Peak																																																																																																																																																																							
3	189.08	30.70	43.50	-12.80	46.22	14.70	1.40	31.62	Peak																																																																																																																																																																							
4	567.38	27.17	46.00	-18.83	29.47	26.38	2.49	31.17	Peak																																																																																																																																																																							
5	787.57	31.64	46.00	-14.36	31.44	28.40	2.92	31.12	Peak																																																																																																																																																																							
6	955.38	33.44	46.00	-12.56	29.91	31.10	3.24	30.81	Peak																																																																																																																																																																							



Mode	141																																																																																																																																																																																													
	LF																																																																																																																																																																																													
	U-NII-3_5.725-5.85_802.11ax HE40_CH151_Full RU_5755MHz																																																																																																																																																																																													
ANT	5+7																																																																																																																																																																																													
Pol.	Horizontal	Vertical																																																																																																																																																																																												
QP/ Peak	<p>Date: 2024-03-25</p> <table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>30.00</td> <td>23.84</td> <td>40.00</td> <td>-16.16</td> <td>29.71</td> <td>25.20</td> <td>0.53</td> <td>31.60</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>138.64</td> <td>22.58</td> <td>43.50</td> <td>-20.92</td> <td>35.52</td> <td>17.60</td> <td>1.21</td> <td>31.75</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>3</td> <td>188.11</td> <td>32.19</td> <td>43.50</td> <td>-11.31</td> <td>47.72</td> <td>14.70</td> <td>1.39</td> <td>31.62</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>4</td> <td>603.27</td> <td>27.77</td> <td>46.00</td> <td>-18.23</td> <td>30.47</td> <td>25.84</td> <td>2.57</td> <td>31.11</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>5</td> <td>777.87</td> <td>31.03</td> <td>46.00</td> <td>-14.97</td> <td>30.87</td> <td>28.40</td> <td>2.90</td> <td>31.14</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>6</td> <td>939.86</td> <td>32.65</td> <td>46.00</td> <td>-13.35</td> <td>29.95</td> <td>30.30</td> <td>3.22</td> <td>30.82</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	30.00	23.84	40.00	-16.16	29.71	25.20	0.53	31.60	---	Peak	2	138.64	22.58	43.50	-20.92	35.52	17.60	1.21	31.75	---	Peak	3	188.11	32.19	43.50	-11.31	47.72	14.70	1.39	31.62	---	Peak	4	603.27	27.77	46.00	-18.23	30.47	25.84	2.57	31.11	---	Peak	5	777.87	31.03	46.00	-14.97	30.87	28.40	2.90	31.14	---	Peak	6	939.86	32.65	46.00	-13.35	29.95	30.30	3.22	30.82	---	Peak	<p>Date: 2024-03-25</p> <table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>30.00</td> <td>26.96</td> <td>40.00</td> <td>-13.04</td> <td>32.83</td> <td>25.20</td> <td>0.53</td> <td>31.60</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>53.28</td> <td>32.45</td> <td>40.00</td> <td>-7.55</td> <td>50.35</td> <td>13.20</td> <td>0.73</td> <td>31.83</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>3</td> <td>189.08</td> <td>30.80</td> <td>43.50</td> <td>-12.70</td> <td>46.32</td> <td>14.70</td> <td>1.40</td> <td>31.62</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>4</td> <td>549.92</td> <td>26.99</td> <td>46.00</td> <td>-19.01</td> <td>30.33</td> <td>25.40</td> <td>2.46</td> <td>31.20</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>5</td> <td>839.95</td> <td>32.39</td> <td>46.00</td> <td>-13.61</td> <td>31.66</td> <td>28.80</td> <td>3.03</td> <td>31.10</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>6</td> <td>951.50</td> <td>32.40</td> <td>46.00</td> <td>-13.60</td> <td>29.07</td> <td>30.90</td> <td>3.23</td> <td>30.80</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	30.00	26.96	40.00	-13.04	32.83	25.20	0.53	31.60	---	Peak	2	53.28	32.45	40.00	-7.55	50.35	13.20	0.73	31.83	---	Peak	3	189.08	30.80	43.50	-12.70	46.32	14.70	1.40	31.62	---	Peak	4	549.92	26.99	46.00	-19.01	30.33	25.40	2.46	31.20	---	Peak	5	839.95	32.39	46.00	-13.61	31.66	28.80	3.03	31.10	---	Peak	6	951.50	32.40	46.00	-13.60	29.07	30.90	3.23	30.80	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																																					
1	30.00	23.84	40.00	-16.16	29.71	25.20	0.53	31.60	---	Peak																																																																																																																																																																																				
2	138.64	22.58	43.50	-20.92	35.52	17.60	1.21	31.75	---	Peak																																																																																																																																																																																				
3	188.11	32.19	43.50	-11.31	47.72	14.70	1.39	31.62	---	Peak																																																																																																																																																																																				
4	603.27	27.77	46.00	-18.23	30.47	25.84	2.57	31.11	---	Peak																																																																																																																																																																																				
5	777.87	31.03	46.00	-14.97	30.87	28.40	2.90	31.14	---	Peak																																																																																																																																																																																				
6	939.86	32.65	46.00	-13.35	29.95	30.30	3.22	30.82	---	Peak																																																																																																																																																																																				
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																																					
1	30.00	26.96	40.00	-13.04	32.83	25.20	0.53	31.60	---	Peak																																																																																																																																																																																				
2	53.28	32.45	40.00	-7.55	50.35	13.20	0.73	31.83	---	Peak																																																																																																																																																																																				
3	189.08	30.80	43.50	-12.70	46.32	14.70	1.40	31.62	---	Peak																																																																																																																																																																																				
4	549.92	26.99	46.00	-19.01	30.33	25.40	2.46	31.20	---	Peak																																																																																																																																																																																				
5	839.95	32.39	46.00	-13.61	31.66	28.80	3.03	31.10	---	Peak																																																																																																																																																																																				
6	951.50	32.40	46.00	-13.60	29.07	30.90	3.23	30.80	---	Peak																																																																																																																																																																																				







Mode	144																																																																																						
	Band Edge - L																																																																																						
	U-NII-2C_5.47-5.725_802.11be EHT 40_CH134_Full RU_5670MHz																																																																																						
ANT	5+7																																																																																						
Pol.	Horizontal	Fundamental																																																																																					
Peak	<p>Date: 2024-03-13</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5444.40</td> <td>51.96</td> <td>74.00</td> <td>-22.04</td> <td>38.43</td> <td>35.93</td> <td>9.68</td> <td>32.08</td> <td>100</td> <td>293 PEAK</td> </tr> <tr> <td>2</td> <td>5469.36</td> <td>52.43</td> <td>68.30</td> <td>-15.87</td> <td>38.86</td> <td>35.92</td> <td>9.69</td> <td>32.04</td> <td>100</td> <td>293 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5444.40	51.96	74.00	-22.04	38.43	35.93	9.68	32.08	100	293 PEAK	2	5469.36	52.43	68.30	-15.87	38.86	35.92	9.69	32.04	100	293 PEAK	<p>Date: 2024-03-13</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5670.00</td> <td>106.25</td> <td>-----</td> <td>-----</td> <td>92.38</td> <td>36.14</td> <td>9.90</td> <td>32.17</td> <td>100</td> <td>293 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5670.00	106.25	-----	-----	92.38	36.14	9.90	32.17	100	293 PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																														
1	5444.40	51.96	74.00	-22.04	38.43	35.93	9.68	32.08	100	293 PEAK																																																																													
2	5469.36	52.43	68.30	-15.87	38.86	35.92	9.69	32.04	100	293 PEAK																																																																													
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																														
1	5670.00	106.25	-----	-----	92.38	36.14	9.90	32.17	100	293 PEAK																																																																													
Avg	<p>Date: 2024-03-13</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5458.16</td> <td>42.81</td> <td>54.00</td> <td>-11.19</td> <td>29.25</td> <td>35.93</td> <td>9.69</td> <td>32.06</td> <td>100</td> <td>293 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5458.16	42.81	54.00	-11.19	29.25	35.93	9.69	32.06	100	293 AVERAGE	<p>Date: 2024-03-13</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5670.00</td> <td>98.76</td> <td>-----</td> <td>-----</td> <td>84.89</td> <td>36.14</td> <td>9.90</td> <td>32.17</td> <td>100</td> <td>293 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5670.00	98.76	-----	-----	84.89	36.14	9.90	32.17	100	293 AVERAGE											
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																														
1	5458.16	42.81	54.00	-11.19	29.25	35.93	9.69	32.06	100	293 AVERAGE																																																																													
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																														
1	5670.00	98.76	-----	-----	84.89	36.14	9.90	32.17	100	293 AVERAGE																																																																													



Mode	144																																									
	Band Edge - R																																									
	U-NII-2C_5.47-5.725_ 802.11be EHT 40_CH134_Full RU_5670MHz																																									
ANT	5+7																																									
Pol.	Horizontal	Fundamental																																								
Peak	<p>Date: 2024-03-13</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5730.61</td> <td>57.90</td> <td>68.30</td> <td>-10.40</td> <td>43.88</td> <td>36.22</td> <td>10.03</td> <td>32.23</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>100</td> <td>293 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 5730.61	57.90	68.30	-10.40	43.88	36.22	10.03	32.23							100	293 PEAK	Blank
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																			
1 5730.61	57.90	68.30	-10.40	43.88	36.22	10.03	32.23																																			
						100	293 PEAK																																			



Mode	144																																																																																			
	Band Edge - L																																																																																			
	U-NII-2C_5.47-5.725_802.11be EHT 40_CH134_Full RU_5670MHz																																																																																			
ANT	5+7																																																																																			
Pol.	Vertical	Fundamental																																																																																		
Peak	 <p>Date: 2024-03-13</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5446.32</td> <td>52.41</td> <td>74.00</td> <td>-21.59</td> <td>38.88</td> <td>35.93</td> <td>9.68</td> <td>32.08</td> <td>304</td> <td>123</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5468.72</td> <td>51.41</td> <td>68.30</td> <td>-16.89</td> <td>37.84</td> <td>35.92</td> <td>9.69</td> <td>32.04</td> <td>304</td> <td>123</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable Preamp	APos	TPos	Remark	Freq Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5446.32	52.41	74.00	-21.59	38.88	35.93	9.68	32.08	304	123	PEAK	2	5468.72	51.41	68.30	-16.89	37.84	35.92	9.69	32.04	304	123	PEAK	 <p>Date: 2024-03-13</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5670.00</td> <td>103.66</td> <td>-----</td> <td>-----</td> <td>89.78</td> <td>36.14</td> <td>9.91</td> <td>32.17</td> <td>304</td> <td>123</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable Preamp	APos	TPos	Remark	Freq Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5670.00	103.66	-----	-----	89.78	36.14	9.91	32.17	304	123	PEAK
	Limit	Read	Ant	Cable Preamp	APos	TPos	Remark																																																																													
Freq Level	Line	Margin	Level	Factor	Loss Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																												
1	5446.32	52.41	74.00	-21.59	38.88	35.93	9.68	32.08	304	123	PEAK																																																																									
2	5468.72	51.41	68.30	-16.89	37.84	35.92	9.69	32.04	304	123	PEAK																																																																									
Limit	Read	Ant	Cable Preamp	APos	TPos	Remark																																																																														
Freq Level	Line	Margin	Level	Factor	Loss Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																												
1	5670.00	103.66	-----	-----	89.78	36.14	9.91	32.17	304	123	PEAK																																																																									
Avg	 <p>Date: 2024-03-13</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5448.24</td> <td>42.63</td> <td>54.00</td> <td>-11.37</td> <td>29.09</td> <td>35.93</td> <td>9.68</td> <td>32.07</td> <td>304</td> <td>123</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable Preamp	APos	TPos	Remark	Freq Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5448.24	42.63	54.00	-11.37	29.09	35.93	9.68	32.07	304	123	AVERAGE	 <p>Date: 2024-03-13</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5670.00</td> <td>93.73</td> <td>-----</td> <td>-----</td> <td>79.90</td> <td>36.12</td> <td>9.87</td> <td>32.16</td> <td>304</td> <td>123</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable Preamp	APos	TPos	Remark	Freq Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5670.00	93.73	-----	-----	79.90	36.12	9.87	32.16	304	123	AVERAGE												
Limit	Read	Ant	Cable Preamp	APos	TPos	Remark																																																																														
Freq Level	Line	Margin	Level	Factor	Loss Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																												
1	5448.24	42.63	54.00	-11.37	29.09	35.93	9.68	32.07	304	123	AVERAGE																																																																									
Limit	Read	Ant	Cable Preamp	APos	TPos	Remark																																																																														
Freq Level	Line	Margin	Level	Factor	Loss Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																												
1	5670.00	93.73	-----	-----	79.90	36.12	9.87	32.16	304	123	AVERAGE																																																																									



Mode	144																																									
	Band Edge - R																																									
	U-NII-2C_5.47-5.725_ 802.11be EHT 40_CH134_Full RU_5670MHz																																									
ANT	5+7																																									
Pol.	Vertical	Fundamental																																								
Peak	<p>Date: 2024-03-13</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5739.64</td> <td>56.22</td> <td>68.30</td> <td>-12.08</td> <td>42.17</td> <td>36.24</td> <td>10.05</td> <td>32.24</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>304</td> <td>123 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 5739.64	56.22	68.30	-12.08	42.17	36.24	10.05	32.24							304	123 PEAK	Blank
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																			
1 5739.64	56.22	68.30	-12.08	42.17	36.24	10.05	32.24																																			
						304	123 PEAK																																			



Mode	144																																																																																																				
	Harmonic																																																																																																				
	U-NII-2C_5.47-5.725_802.11be EHT 40_CH134_Full RU_5670MHz																																																																																																				
ANT	5+7																																																																																																				
Pol.	Horizontal	Vertical																																																																																																			
Peak Avg																																																																																																					
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11340.00</td> <td>47.18</td> <td>74.00</td> <td>-26.82</td> <td>58.71</td> <td>39.14</td> <td>12.77</td> <td>63.44</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>17010.00</td> <td>49.47</td> <td>68.30</td> <td>-18.83</td> <td>57.50</td> <td>41.61</td> <td>15.55</td> <td>65.19</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11340.00	47.18	74.00	-26.82	58.71	39.14	12.77	63.44	---	---	Peak	2	17010.00	49.47	68.30	-18.83	57.50	41.61	15.55	65.19	---	---	Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11340.00</td> <td>47.16</td> <td>74.00</td> <td>-26.84</td> <td>58.69</td> <td>39.14</td> <td>12.77</td> <td>63.44</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>17010.00</td> <td>48.86</td> <td>68.30</td> <td>-19.44</td> <td>56.89</td> <td>41.61</td> <td>15.55</td> <td>65.19</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11340.00	47.16	74.00	-26.84	58.69	39.14	12.77	63.44	---	---	Peak	2	17010.00	48.86	68.30	-19.44	56.89	41.61	15.55	65.19	---	---
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																												
1	11340.00	47.18	74.00	-26.82	58.71	39.14	12.77	63.44	---	---	Peak																																																																																										
2	17010.00	49.47	68.30	-18.83	57.50	41.61	15.55	65.19	---	---	Peak																																																																																										
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																												
1	11340.00	47.16	74.00	-26.84	58.69	39.14	12.77	63.44	---	---	Peak																																																																																										
2	17010.00	48.86	68.30	-19.44	56.89	41.61	15.55	65.19	---	---	Peak																																																																																										



Mode	145																																																																																													
	Band Edge - L																																																																																													
	U-NII-3_5.725-5.85_802.11ax HE40_CH151_Full RU_5755MHz																																																																																													
ANT	5+7																																																																																													
Pol.	Horizontal	Fundamental																																																																																												
Peak	<p>Date: 2024-03-13</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5630.07</td> <td>55.29</td> <td>68.30</td> <td>-13.01</td> <td>41.52</td> <td>36.08</td> <td>9.82</td> <td>32.13</td> <td>100</td> <td>296</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5650.22</td> <td>52.97</td> <td>68.46</td> <td>-15.49</td> <td>39.15</td> <td>36.11</td> <td>9.86</td> <td>32.15</td> <td>100</td> <td>296</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5713.15</td> <td>65.06</td> <td>108.88</td> <td>-43.82</td> <td>51.08</td> <td>36.20</td> <td>9.99</td> <td>32.21</td> <td>100</td> <td>296</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5720.28</td> <td>60.94</td> <td>111.44</td> <td>-50.50</td> <td>46.94</td> <td>36.21</td> <td>10.01</td> <td>32.22</td> <td>100</td> <td>296</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Apos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor	cm	deg	1	5630.07	55.29	68.30	-13.01	41.52	36.08	9.82	32.13	100	296	PEAK	2	5650.22	52.97	68.46	-15.49	39.15	36.11	9.86	32.15	100	296	PEAK	3	5713.15	65.06	108.88	-43.82	51.08	36.20	9.99	32.21	100	296	PEAK	4	5720.28	60.94	111.44	-50.50	46.94	36.21	10.01	32.22	100	296	PEAK	<p>Date: 2024-03-13</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5755.00</td> <td>107.37</td> <td>-----</td> <td>-----</td> <td>93.29</td> <td>36.25</td> <td>10.08</td> <td>32.25</td> <td>100</td> <td>296</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Apos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor	cm	deg	1	5755.00	107.37	-----	-----	93.29	36.25	10.08	32.25	100	296	PEAK
	Limit	Read	Ant	Cable	Apos	TPos	Remark																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss Factor	cm	deg																																																																																						
1	5630.07	55.29	68.30	-13.01	41.52	36.08	9.82	32.13	100	296	PEAK																																																																																			
2	5650.22	52.97	68.46	-15.49	39.15	36.11	9.86	32.15	100	296	PEAK																																																																																			
3	5713.15	65.06	108.88	-43.82	51.08	36.20	9.99	32.21	100	296	PEAK																																																																																			
4	5720.28	60.94	111.44	-50.50	46.94	36.21	10.01	32.22	100	296	PEAK																																																																																			
Limit	Read	Ant	Cable	Apos	TPos	Remark																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss Factor	cm	deg																																																																																						
1	5755.00	107.37	-----	-----	93.29	36.25	10.08	32.25	100	296	PEAK																																																																																			
Avg	Blank	<p>Date: 2024-03-13</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5755.00</td> <td>99.33</td> <td>-----</td> <td>-----</td> <td>85.25</td> <td>36.25</td> <td>10.08</td> <td>32.25</td> <td>100</td> <td>296</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Apos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor	cm	deg	1	5755.00	99.33	-----	-----	85.25	36.25	10.08	32.25	100	296	AVERAGE																																																																
Limit	Read	Ant	Cable	Apos	TPos	Remark																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss Factor	cm	deg																																																																																						
1	5755.00	99.33	-----	-----	85.25	36.25	10.08	32.25	100	296	AVERAGE																																																																																			



Mode	145																																																															
	Band Edge - R																																																															
	U-NII-3_5.725-5.85_802.11ax HE40_CH151_Full RU_5755MHz																																																															
ANT	5+7																																																															
Pol.	Horizontal	Fundamental																																																														
Peak	<p>Level (dBuV/m) vs Frequency (MHz) plot. The plot shows a signal level that starts at approximately 105 dBuV/m at 5755 MHz and drops to about 50 dBuV/m by 5794 MHz. A red limit line is shown at approximately 135 dBuV/m. Four peaks are marked with vertical lines and numbered 1 through 4. A red label 'PEAK BE(B4)_16.24' is present near the 5911 MHz mark.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>Tpos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5854.84</td> <td>51.66</td> <td>111.17</td> <td>-59.51</td> <td>37.32</td> <td>36.40</td> <td>10.29</td> <td>32.35</td> <td>100</td> <td>296 PEAK</td> </tr> <tr> <td>2</td> <td>5873.56</td> <td>52.85</td> <td>105.60</td> <td>-52.75</td> <td>38.47</td> <td>36.42</td> <td>10.33</td> <td>32.37</td> <td>100</td> <td>296 PEAK</td> </tr> <tr> <td>3</td> <td>5924.85</td> <td>50.82</td> <td>68.41</td> <td>-17.59</td> <td>36.31</td> <td>36.49</td> <td>10.44</td> <td>32.42</td> <td>100</td> <td>296 PEAK</td> </tr> <tr> <td>4</td> <td>5933.04</td> <td>53.64</td> <td>68.30</td> <td>-14.66</td> <td>39.10</td> <td>36.51</td> <td>10.46</td> <td>32.43</td> <td>100</td> <td>296 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	Tpos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	cm	deg	Remark	1	5854.84	51.66	111.17	-59.51	37.32	36.40	10.29	32.35	100	296 PEAK	2	5873.56	52.85	105.60	-52.75	38.47	36.42	10.33	32.37	100	296 PEAK	3	5924.85	50.82	68.41	-17.59	36.31	36.49	10.44	32.42	100	296 PEAK	4	5933.04	53.64	68.30	-14.66	39.10	36.51	10.46	32.43	100	296 PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Apos	Tpos																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	cm	deg	Remark																																																						
1	5854.84	51.66	111.17	-59.51	37.32	36.40	10.29	32.35	100	296 PEAK																																																						
2	5873.56	52.85	105.60	-52.75	38.47	36.42	10.33	32.37	100	296 PEAK																																																						
3	5924.85	50.82	68.41	-17.59	36.31	36.49	10.44	32.42	100	296 PEAK																																																						
4	5933.04	53.64	68.30	-14.66	39.10	36.51	10.46	32.43	100	296 PEAK																																																						



Mode	145																																																																																																	
	Band Edge - L																																																																																																	
	U-NII-3_5.725-5.85_802.11ax HE40_CH151_Full RU_5755MHz																																																																																																	
ANT	5+7																																																																																																	
Pol.	Vertical	Fundamental																																																																																																
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5624.18</td> <td>53.07</td> <td>68.30</td> <td>-15.23</td> <td>39.31</td> <td>36.07</td> <td>9.81</td> <td>32.12</td> <td>400</td> <td>79 PEAK</td> </tr> <tr> <td>2 5650.07</td> <td>51.92</td> <td>68.35</td> <td>-16.43</td> <td>38.10</td> <td>36.11</td> <td>9.86</td> <td>32.15</td> <td>400</td> <td>79 PEAK</td> </tr> <tr> <td>3 5718.73</td> <td>59.82</td> <td>110.44</td> <td>-50.62</td> <td>45.82</td> <td>36.21</td> <td>10.01</td> <td>32.22</td> <td>400</td> <td>79 PEAK</td> </tr> <tr> <td>4 5720.13</td> <td>54.49</td> <td>111.09</td> <td>-56.60</td> <td>40.49</td> <td>36.21</td> <td>10.01</td> <td>32.22</td> <td>400</td> <td>79 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Apos	TPos	Remark	Freq Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 5624.18	53.07	68.30	-15.23	39.31	36.07	9.81	32.12	400	79 PEAK	2 5650.07	51.92	68.35	-16.43	38.10	36.11	9.86	32.15	400	79 PEAK	3 5718.73	59.82	110.44	-50.62	45.82	36.21	10.01	32.22	400	79 PEAK	4 5720.13	54.49	111.09	-56.60	40.49	36.21	10.01	32.22	400	79 PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5755.00</td> <td>97.31</td> <td>-----</td> <td>-----</td> <td>83.19</td> <td>36.28</td> <td>10.11</td> <td>32.27</td> <td>400</td> <td>79 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Apos	TPos	Remark	Freq Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 5755.00	97.31	-----	-----	83.19	36.28	10.11	32.27	400	79 PEAK
	Limit	Read	Ant	Cable	Apos	TPos	Remark																																																																																											
Freq Level	Line	Margin	Level	Factor	Loss Factor																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																										
1 5624.18	53.07	68.30	-15.23	39.31	36.07	9.81	32.12	400	79 PEAK																																																																																									
2 5650.07	51.92	68.35	-16.43	38.10	36.11	9.86	32.15	400	79 PEAK																																																																																									
3 5718.73	59.82	110.44	-50.62	45.82	36.21	10.01	32.22	400	79 PEAK																																																																																									
4 5720.13	54.49	111.09	-56.60	40.49	36.21	10.01	32.22	400	79 PEAK																																																																																									
Limit	Read	Ant	Cable	Apos	TPos	Remark																																																																																												
Freq Level	Line	Margin	Level	Factor	Loss Factor																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																										
1 5755.00	97.31	-----	-----	83.19	36.28	10.11	32.27	400	79 PEAK																																																																																									
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5755.00</td> <td>88.76</td> <td>-----</td> <td>-----</td> <td>74.64</td> <td>36.28</td> <td>10.11</td> <td>32.27</td> <td>400</td> <td>79 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Apos	TPos	Remark	Freq Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 5755.00	88.76	-----	-----	74.64	36.28	10.11	32.27	400	79 AVERAGE																																																															
Limit	Read	Ant	Cable	Apos	TPos	Remark																																																																																												
Freq Level	Line	Margin	Level	Factor	Loss Factor																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																										
1 5755.00	88.76	-----	-----	74.64	36.28	10.11	32.27	400	79 AVERAGE																																																																																									



Mode	145																																																															
	Band Edge - R																																																															
	U-NII-3_5.725-5.85_802.11ax HE40_CH151_Full RU_5755MHz																																																															
ANT	5+7																																																															
Pol.	Vertical	Fundamental																																																														
Peak	<p>Date: 2024-03-13</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5854.84</td> <td>51.39</td> <td>111.17</td> <td>-59.78</td> <td>37.05</td> <td>36.40</td> <td>10.29</td> <td>32.35</td> <td>400</td> <td>79 PEAK</td> </tr> <tr> <td>2</td> <td>5873.56</td> <td>51.50</td> <td>105.60</td> <td>-54.10</td> <td>37.12</td> <td>36.42</td> <td>10.33</td> <td>32.37</td> <td>400</td> <td>79 PEAK</td> </tr> <tr> <td>3</td> <td>5924.65</td> <td>51.08</td> <td>68.56</td> <td>-17.48</td> <td>36.57</td> <td>36.49</td> <td>10.44</td> <td>32.42</td> <td>400</td> <td>79 PEAK</td> </tr> <tr> <td>4</td> <td>5933.23</td> <td>52.88</td> <td>68.30</td> <td>-15.42</td> <td>38.34</td> <td>36.51</td> <td>10.46</td> <td>32.43</td> <td>400</td> <td>79 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	cm	deg	Remark	1	5854.84	51.39	111.17	-59.78	37.05	36.40	10.29	32.35	400	79 PEAK	2	5873.56	51.50	105.60	-54.10	37.12	36.42	10.33	32.37	400	79 PEAK	3	5924.65	51.08	68.56	-17.48	36.57	36.49	10.44	32.42	400	79 PEAK	4	5933.23	52.88	68.30	-15.42	38.34	36.51	10.46	32.43	400	79 PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Apos	TPos																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	cm	deg	Remark																																																						
1	5854.84	51.39	111.17	-59.78	37.05	36.40	10.29	32.35	400	79 PEAK																																																						
2	5873.56	51.50	105.60	-54.10	37.12	36.42	10.33	32.37	400	79 PEAK																																																						
3	5924.65	51.08	68.56	-17.48	36.57	36.49	10.44	32.42	400	79 PEAK																																																						
4	5933.23	52.88	68.30	-15.42	38.34	36.51	10.46	32.43	400	79 PEAK																																																						



Mode	145																																																																																																				
	Harmonic																																																																																																				
	U-NII-3_5.725-5.85_802.11ax HE40_CH151_Full RU_5755MHz																																																																																																				
ANT	5+7																																																																																																				
Pol.	Horizontal	Vertical																																																																																																			
Peak Avg	<p>Date: 2024-03-28</p>	<p>Date: 2024-03-28</p>																																																																																																			
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11510.00</td> <td>46.92</td> <td>74.00</td> <td>-27.08</td> <td>58.28</td> <td>39.20</td> <td>12.89</td> <td>63.45</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>17265.00</td> <td>49.27</td> <td>68.30</td> <td>-19.03</td> <td>56.96</td> <td>41.89</td> <td>15.74</td> <td>65.32</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11510.00	46.92	74.00	-27.08	58.28	39.20	12.89	63.45	---	---	Peak	2	17265.00	49.27	68.30	-19.03	56.96	41.89	15.74	65.32	---	---	Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11510.00</td> <td>47.52</td> <td>74.00</td> <td>-26.48</td> <td>58.88</td> <td>39.20</td> <td>12.89</td> <td>63.45</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>17265.00</td> <td>48.58</td> <td>68.30</td> <td>-19.72</td> <td>56.27</td> <td>41.89</td> <td>15.74</td> <td>65.32</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11510.00	47.52	74.00	-26.48	58.88	39.20	12.89	63.45	---	---	Peak	2	17265.00	48.58	68.30	-19.72	56.27	41.89	15.74	65.32	---	---
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																												
1	11510.00	46.92	74.00	-27.08	58.28	39.20	12.89	63.45	---	---	Peak																																																																																										
2	17265.00	49.27	68.30	-19.03	56.96	41.89	15.74	65.32	---	---	Peak																																																																																										
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																												
1	11510.00	47.52	74.00	-26.48	58.88	39.20	12.89	63.45	---	---	Peak																																																																																										
2	17265.00	48.58	68.30	-19.72	56.27	41.89	15.74	65.32	---	---	Peak																																																																																										



		142																																																																																				
Mode		Band Edge - L																																																																																				
		U-NII-2C_5.47-5.725_802.11be EHT40_CH134_5670MHz+11ax HE20_CH01+LTE B48 Link																																																																																				
Pol.		Horizontal	Fundamental																																																																																			
Peak	<p style="text-align: right;">Date: 2024-03-26</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5438.64</td> <td>52.45</td> <td>74.00</td> <td>-21.55</td> <td>38.92</td> <td>35.94</td> <td>9.68</td> <td>32.09</td> <td>100</td> <td>296</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5462.96</td> <td>52.54</td> <td>68.30</td> <td>-15.76</td> <td>38.98</td> <td>35.92</td> <td>9.69</td> <td>32.05</td> <td>100</td> <td>296</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	5438.64	52.45	74.00	-21.55	38.92	35.94	9.68	32.09	100	296	PEAK	2	5462.96	52.54	68.30	-15.76	38.98	35.92	9.69	32.05	100	296	PEAK	<p style="text-align: right;">Date: 2024-03-26</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5670.00</td> <td>105.85</td> <td>-----</td> <td>-----</td> <td>91.98</td> <td>36.14</td> <td>9.90</td> <td>32.17</td> <td>100</td> <td>296</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	5670.00	105.85	-----	-----	91.98	36.14	9.90	32.17	100	296	PEAK
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																															
1	5438.64	52.45	74.00	-21.55	38.92	35.94	9.68	32.09	100	296	PEAK																																																																											
2	5462.96	52.54	68.30	-15.76	38.98	35.92	9.69	32.05	100	296	PEAK																																																																											
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																															
1	5670.00	105.85	-----	-----	91.98	36.14	9.90	32.17	100	296	PEAK																																																																											
Avg	<p style="text-align: right;">Date: 2024-03-26</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5452.72</td> <td>42.83</td> <td>54.00</td> <td>-11.17</td> <td>29.29</td> <td>35.93</td> <td>9.68</td> <td>32.07</td> <td>100</td> <td>296</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	5452.72	42.83	54.00	-11.17	29.29	35.93	9.68	32.07	100	296	AVERAGE	<p style="text-align: right;">Date: 2024-03-26</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5670.00</td> <td>98.46</td> <td>-----</td> <td>-----</td> <td>84.59</td> <td>36.14</td> <td>9.90</td> <td>32.17</td> <td>100</td> <td>296</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	5670.00	98.46	-----	-----	84.59	36.14	9.90	32.17	100	296	AVERAGE												
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																															
1	5452.72	42.83	54.00	-11.17	29.29	35.93	9.68	32.07	100	296	AVERAGE																																																																											
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																															
1	5670.00	98.46	-----	-----	84.59	36.14	9.90	32.17	100	296	AVERAGE																																																																											



Mode	142																																									
	Band Edge - R																																									
	U-NII-2C_5.47-5.725_802.11be EHT40_CH134_5670MHz+11ax HE20_CH01+LTE B48 Link																																									
Pol.	Horizontal	Fundamental																																								
Peak	<p>Date: 2024-03-26</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5728.05</td> <td>64.31</td> <td>68.30</td> <td>-3.99</td> <td>50.29</td> <td>36.22</td> <td>10.03</td> <td>32.23</td> <td>100</td> <td>296 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	cm	deg	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5728.05	64.31	68.30	-3.99	50.29	36.22	10.03	32.23	100	296 PEAK	Blank
Limit	Read	Ant	Cable	Preamp	APos	TPos																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	cm	deg	Remark																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																	
1	5728.05	64.31	68.30	-3.99	50.29	36.22	10.03	32.23	100	296 PEAK																																







		142																																																																																										
Mode	Band Edge - L																																																																																											
	U-NII-2C_5.47-5.725_802.11be EHT40_CH134_5670MHz+11ax HE20_CH01+LTE B48 Link																																																																																											
Pol.	Vertical	Fundamental																																																																																										
Peak	<p style="text-align: right;">Date: 2024-03-26</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5441.52</td> <td>53.05</td> <td>74.00</td> <td>-20.95</td> <td>39.51</td> <td>35.94</td> <td>9.68</td> <td>32.08</td> <td>303</td> <td>251</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5465.84</td> <td>52.24</td> <td>68.30</td> <td>-16.06</td> <td>38.68</td> <td>35.92</td> <td>9.69</td> <td>32.05</td> <td>303</td> <td>251</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5441.52	53.05	74.00	-20.95	39.51	35.94	9.68	32.08	303	251	PEAK	2	5465.84	52.24	68.30	-16.06	38.68	35.92	9.69	32.05	303	251	PEAK	<p style="text-align: right;">Date: 2024-03-26</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5670.00</td> <td>110.21</td> <td>-----</td> <td>-----</td> <td>102.81</td> <td>33.07</td> <td>6.78</td> <td>32.45</td> <td>303</td> <td>251</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5670.00	110.21	-----	-----	102.81	33.07	6.78	32.45	303	251	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss Factor	cm	deg																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																				
1	5441.52	53.05	74.00	-20.95	39.51	35.94	9.68	32.08	303	251	PEAK																																																																																	
2	5465.84	52.24	68.30	-16.06	38.68	35.92	9.69	32.05	303	251	PEAK																																																																																	
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss Factor	cm	deg																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																				
1	5670.00	110.21	-----	-----	102.81	33.07	6.78	32.45	303	251	PEAK																																																																																	
Avg	<p style="text-align: right;">Date: 2024-03-26</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5459.44</td> <td>42.91</td> <td>54.00</td> <td>-11.09</td> <td>29.36</td> <td>35.92</td> <td>9.69</td> <td>32.06</td> <td>303</td> <td>251</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5459.44	42.91	54.00	-11.09	29.36	35.92	9.69	32.06	303	251	AVERAGE	<p style="text-align: right;">Date: 2024-03-26</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5670.00</td> <td>107.78</td> <td>-----</td> <td>-----</td> <td>100.38</td> <td>33.07</td> <td>6.78</td> <td>32.45</td> <td>303</td> <td>251</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5670.00	107.78	-----	-----	100.38	33.07	6.78	32.45	303	251	AVERAGE												
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss Factor	cm	deg																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																				
1	5459.44	42.91	54.00	-11.09	29.36	35.92	9.69	32.06	303	251	AVERAGE																																																																																	
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss Factor	cm	deg																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																				
1	5670.00	107.78	-----	-----	100.38	33.07	6.78	32.45	303	251	AVERAGE																																																																																	



Mode	142																																					
	Band Edge - R																																					
	U-NII-2C_5.47-5.725_802.11be EHT40_CH134_5670MHz+11ax HE20_CH01+LTE B48 Link																																					
Pol.	Vertical	Fundamental																																				
Peak	<p>Date: 2024-03-26</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5728.05</td> <td>61.03</td> <td>68.30</td> <td>-7.27</td> <td>47.01</td> <td>36.22</td> <td>10.03</td> <td>32.23</td> <td>303</td> <td>251</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5728.05	61.03	68.30	-7.27	47.01	36.22	10.03	32.23	303	251	PEAK	Blank
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																															
1	5728.05	61.03	68.30	-7.27	47.01	36.22	10.03	32.23	303	251	PEAK																											



		142																																																																														
Mode	Band Edge																																																																															
	U-NII-2C_5.47-5.725_802.11be EHT40_CH134_5670MHz+11ax HE20_CH01+LTE B48 Link																																																																															
Pol.	Horizontal		Fundamental																																																																													
Peak	 <p>Date: 2024-03-26</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2389.56</td> <td>61.82</td> <td>74.00</td> <td>-12.18</td> <td>58.99</td> <td>30.72</td> <td>5.36</td> <td>33.25</td> <td>104</td> <td>44 PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.56	61.82	74.00	-12.18	58.99	30.72	5.36	33.25	104	44 PEAK	 <p>Date: 2024-03-26</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2412.00</td> <td>107.45</td> <td>-----</td> <td>-----</td> <td>104.59</td> <td>30.72</td> <td>5.37</td> <td>33.23</td> <td>104</td> <td>44 PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	107.45	-----	-----	104.59	30.72	5.37	33.23	104	44 PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																							
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1	2389.56	61.82	74.00	-12.18	58.99	30.72	5.36	33.25	104	44 PEAK																																																																						
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1	2412.00	107.45	-----	-----	104.59	30.72	5.37	33.23	104	44 PEAK																																																																						
Avg	 <p>Date: 2024-03-26</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2389.56</td> <td>49.29</td> <td>54.00</td> <td>-4.71</td> <td>46.46</td> <td>30.72</td> <td>5.36</td> <td>33.25</td> <td>104</td> <td>44 AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.56	49.29	54.00	-4.71	46.46	30.72	5.36	33.25	104	44 AVERAGE	 <p>Date: 2024-03-26</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2412.00</td> <td>98.06</td> <td>-----</td> <td>-----</td> <td>95.20</td> <td>30.72</td> <td>5.37</td> <td>33.23</td> <td>104</td> <td>44 AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	98.06	-----	-----	95.20	30.72	5.37	33.23	104	44 AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1	2389.56	49.29	54.00	-4.71	46.46	30.72	5.36	33.25	104	44 AVERAGE																																																																						
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1	2412.00	98.06	-----	-----	95.20	30.72	5.37	33.23	104	44 AVERAGE																																																																						







		142																																																																																
Mode	Band Edge																																																																																	
	U-NII-2C_5.47-5.725_802.11be EHT40_CH134_5670MHz+11ax HE20_CH01+LTE B48 Link																																																																																	
Pol.	Vertical	Fundamental																																																																																
Peak	<p style="text-align: right;">Date: 2024-03-26</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2387.87</td> <td>57.41</td> <td>74.00</td> <td>-16.59</td> <td>54.59</td> <td>30.72</td> <td>5.36</td> <td>33.26</td> <td>400</td> <td>159</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2387.87	57.41	74.00	-16.59	54.59	30.72	5.36	33.26	400	159	PEAK	<p style="text-align: right;">Date: 2024-03-26</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2412.00</td> <td>103.29</td> <td>-----</td> <td>-----</td> <td>100.43</td> <td>30.72</td> <td>5.37</td> <td>33.23</td> <td>400</td> <td>159</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	103.29	-----	-----	100.43	30.72	5.37	33.23	400	159	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																									
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	2387.87	57.41	74.00	-16.59	54.59	30.72	5.36	33.26	400	159	PEAK																																																																							
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	2412.00	103.29	-----	-----	100.43	30.72	5.37	33.23	400	159	PEAK																																																																							
Avg	<p style="text-align: right;">Date: 2024-03-26</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2389.69</td> <td>44.99</td> <td>54.00</td> <td>-9.01</td> <td>42.16</td> <td>30.72</td> <td>5.36</td> <td>33.25</td> <td>400</td> <td>159</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.69	44.99	54.00	-9.01	42.16	30.72	5.36	33.25	400	159	AVERAGE	<p style="text-align: right;">Date: 2024-03-26</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2412.00</td> <td>93.88</td> <td>-----</td> <td>-----</td> <td>91.02</td> <td>30.72</td> <td>5.37</td> <td>33.23</td> <td>400</td> <td>159</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	93.88	-----	-----	91.02	30.72	5.37	33.23	400	159	AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	2389.69	44.99	54.00	-9.01	42.16	30.72	5.36	33.25	400	159	AVERAGE																																																																							
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	2412.00	93.88	-----	-----	91.02	30.72	5.37	33.23	400	159	AVERAGE																																																																							



Mode	142																																																																																																																											
	Harmonic																																																																																																																											
	U-NII-2C_5.47-5.725_802.11be EHT40_CH134_5670MHz+11ax HE20_CH01+LTE B48 Link																																																																																																																											
Pol.	Horizontal	Vertical																																																																																																																										
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4824.00</td> <td>49.11</td> <td>74.00</td> <td>-24.89</td> <td>37.43</td> <td>35.78</td> <td>8.88</td> <td>32.98</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>11340.00</td> <td>48.55</td> <td>74.00</td> <td>-25.45</td> <td>29.81</td> <td>39.14</td> <td>12.77</td> <td>33.17</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>3</td> <td>17010.00</td> <td>48.52</td> <td>68.30</td> <td>-19.78</td> <td>26.16</td> <td>41.61</td> <td>15.55</td> <td>34.80</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq Level	Line	Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	4824.00	49.11	74.00	-24.89	37.43	35.78	8.88	32.98	---	---	Peak	2	11340.00	48.55	74.00	-25.45	29.81	39.14	12.77	33.17	---	---	Peak	3	17010.00	48.52	68.30	-19.78	26.16	41.61	15.55	34.80	---	---	Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4824.00</td> <td>48.37</td> <td>74.00</td> <td>-25.63</td> <td>36.45</td> <td>35.78</td> <td>8.88</td> <td>32.74</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>11340.00</td> <td>48.81</td> <td>74.00</td> <td>-25.19</td> <td>30.47</td> <td>39.14</td> <td>12.77</td> <td>33.57</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>3</td> <td>17010.00</td> <td>49.28</td> <td>68.30</td> <td>-19.02</td> <td>26.61</td> <td>41.61</td> <td>15.55</td> <td>34.49</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq Level	Line	Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	4824.00	48.37	74.00	-25.63	36.45	35.78	8.88	32.74	---	---	Peak	2	11340.00	48.81	74.00	-25.19	30.47	39.14	12.77	33.57	---	---	Peak	3	17010.00	49.28	68.30	-19.02	26.61	41.61	15.55	34.49	---	---	Peak
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																					
Freq Level	Line	Margin	Level	Factor	Loss Factor																																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																																				
1	4824.00	49.11	74.00	-24.89	37.43	35.78	8.88	32.98	---	---	Peak																																																																																																																	
2	11340.00	48.55	74.00	-25.45	29.81	39.14	12.77	33.17	---	---	Peak																																																																																																																	
3	17010.00	48.52	68.30	-19.78	26.16	41.61	15.55	34.80	---	---	Peak																																																																																																																	
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																					
Freq Level	Line	Margin	Level	Factor	Loss Factor																																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																																				
1	4824.00	48.37	74.00	-25.63	36.45	35.78	8.88	32.74	---	---	Peak																																																																																																																	
2	11340.00	48.81	74.00	-25.19	30.47	39.14	12.77	33.57	---	---	Peak																																																																																																																	
3	17010.00	49.28	68.30	-19.02	26.61	41.61	15.55	34.49	---	---	Peak																																																																																																																	







		143																																																																											
Mode		Band Edge - L																																																																											
		U-NII-2C_5.47-5.725_802.11be EHT40_CH134_Full RU_5670MHz Bluetooth-LE_GSKF_CH39+LTE B48 Link																																																																											
Pol.	Horizontal	Fundamental																																																																											
Peak	 <p style="text-align: right;">Date: 2024-03-25</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5457.20</td> <td>51.94</td> <td>74.00</td> <td>-22.06</td> <td>38.38</td> <td>35.93</td> <td>9.69 32.06</td> <td>100 296 PEAK</td> </tr> <tr> <td>2</td> <td>5469.36</td> <td>52.38</td> <td>68.30</td> <td>-15.92</td> <td>38.81</td> <td>35.92</td> <td>9.69 32.04</td> <td>100 296 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5457.20	51.94	74.00	-22.06	38.38	35.93	9.69 32.06	100 296 PEAK	2	5469.36	52.38	68.30	-15.92	38.81	35.92	9.69 32.04	100 296 PEAK	 <p style="text-align: right;">Date: 2024-03-25</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5662.00</td> <td>106.25</td> <td>-----</td> <td>-----</td> <td>92.39</td> <td>36.13</td> <td>9.89 32.16</td> <td>100 296 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5662.00	106.25	-----	-----	92.39	36.13	9.89 32.16	100 296 PEAK
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																						
1	5457.20	51.94	74.00	-22.06	38.38	35.93	9.69 32.06	100 296 PEAK																																																																					
2	5469.36	52.38	68.30	-15.92	38.81	35.92	9.69 32.04	100 296 PEAK																																																																					
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																						
1	5662.00	106.25	-----	-----	92.39	36.13	9.89 32.16	100 296 PEAK																																																																					
Avg	 <p style="text-align: right;">Date: 2024-03-25</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5458.80</td> <td>42.72</td> <td>54.00</td> <td>-11.28</td> <td>29.17</td> <td>35.92</td> <td>9.69 32.06</td> <td>100 296 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5458.80	42.72	54.00	-11.28	29.17	35.92	9.69 32.06	100 296 AVERAGE	 <p style="text-align: right;">Date: 2024-03-25</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5670.00</td> <td>97.62</td> <td>-----</td> <td>-----</td> <td>83.75</td> <td>36.14</td> <td>9.90 32.17</td> <td>100 296 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5670.00	97.62	-----	-----	83.75	36.14	9.90 32.17	100 296 AVERAGE									
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																						
1	5458.80	42.72	54.00	-11.28	29.17	35.92	9.69 32.06	100 296 AVERAGE																																																																					
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																						
1	5670.00	97.62	-----	-----	83.75	36.14	9.90 32.17	100 296 AVERAGE																																																																					



Mode	143																																					
	Band Edge - R																																					
	U-NII-2C_5.47-5.725_802.11be EHT40_CH134_Full RU_5670MHz Bluetooth-LE_GSKF_CH39+LTE B48 Link																																					
Pol.	Horizontal	Fundamental																																				
Peak	<p>Date: 2024-03-25</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5731.09</td> <td>65.26</td> <td>68.30</td> <td>-3.04</td> <td>51.24</td> <td>36.22</td> <td>10.03</td> <td>32.23</td> <td>100</td> <td>296</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5731.09	65.26	68.30	-3.04	51.24	36.22	10.03	32.23	100	296	PEAK	Blank
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																															
1	5731.09	65.26	68.30	-3.04	51.24	36.22	10.03	32.23	100	296	PEAK																											



		143																																																																																										
Mode	Band Edge - L																																																																																											
	U-NII-2C_5.47-5.725_802.11be EHT40_CH134_Full RU_5670MHz Bluetooth-LE_GSKF_CH39+LTE B48 Link																																																																																											
Pol.	Vertical	Fundamental																																																																																										
Peak	 <p style="text-align: right;">Date: 2024-03-25</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5392.24</td> <td>51.78</td> <td>74.00</td> <td>-22.22</td> <td>38.39</td> <td>35.96</td> <td>9.58</td> <td>32.15</td> <td>381</td> <td>237</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5465.20</td> <td>52.43</td> <td>68.30</td> <td>-15.87</td> <td>38.87</td> <td>35.92</td> <td>9.69</td> <td>32.05</td> <td>381</td> <td>237</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5392.24	51.78	74.00	-22.22	38.39	35.96	9.58	32.15	381	237	PEAK	2	5465.20	52.43	68.30	-15.87	38.87	35.92	9.69	32.05	381	237	PEAK	 <p style="text-align: right;">Date: 2024-03-25</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5670.00</td> <td>101.39</td> <td>-----</td> <td>-----</td> <td>87.52</td> <td>36.14</td> <td>9.90</td> <td>32.17</td> <td>381</td> <td>237</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5670.00	101.39	-----	-----	87.52	36.14	9.90	32.17	381	237	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss Factor	cm	deg																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																				
1	5392.24	51.78	74.00	-22.22	38.39	35.96	9.58	32.15	381	237	PEAK																																																																																	
2	5465.20	52.43	68.30	-15.87	38.87	35.92	9.69	32.05	381	237	PEAK																																																																																	
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss Factor	cm	deg																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																				
1	5670.00	101.39	-----	-----	87.52	36.14	9.90	32.17	381	237	PEAK																																																																																	
Avg	 <p style="text-align: right;">Date: 2024-03-25</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5413.68</td> <td>42.75</td> <td>54.00</td> <td>-11.25</td> <td>29.26</td> <td>35.95</td> <td>9.66</td> <td>32.12</td> <td>381</td> <td>237</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5413.68	42.75	54.00	-11.25	29.26	35.95	9.66	32.12	381	237	AVERAGE	 <p style="text-align: right;">Date: 2024-03-25</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5670.00</td> <td>93.72</td> <td>-----</td> <td>-----</td> <td>79.85</td> <td>36.14</td> <td>9.90</td> <td>32.17</td> <td>381</td> <td>237</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5670.00	93.72	-----	-----	79.85	36.14	9.90	32.17	381	237	AVERAGE												
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss Factor	cm	deg																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																				
1	5413.68	42.75	54.00	-11.25	29.26	35.95	9.66	32.12	381	237	AVERAGE																																																																																	
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss Factor	cm	deg																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																				
1	5670.00	93.72	-----	-----	79.85	36.14	9.90	32.17	381	237	AVERAGE																																																																																	



Mode	143																																																	
	Band Edge - R																																																	
	U-NII-2C_5.47-5.725_802.11be EHT40_CH134_Full RU_5670MHz Bluetooth-LE_GSKF_CH39+LTE B48 Link																																																	
Pol.	Vertical	Fundamental																																																
Peak	<p>Date: 2024-03-25</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5727.57</td> <td>63.66</td> <td>68.30</td> <td>-4.64</td> <td>49.65</td> <td>36.22</td> <td>10.02</td> <td>32.23</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>cm</td> <td>deg</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>381</td> <td>237 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 5727.57	63.66	68.30	-4.64	49.65	36.22	10.02	32.23							cm	deg							381	237 PEAK	Blank
Limit	Read	Ant	Cable	Preamp	APos	TPos																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																											
1 5727.57	63.66	68.30	-4.64	49.65	36.22	10.02	32.23																																											
						cm	deg																																											
						381	237 PEAK																																											



		143																																																																														
Mode	Band Edge																																																																															
	U-NII-2C_5.47-5.725_802.11be EHT40_CH134_Full RU_5670MHz Bluetooth-LE_GSKF_CH39+LTE B48 Link																																																																															
Pol.	Horizontal	Fundamental																																																																														
Peak	<p style="text-align: right;">Date: 2024-03-26</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th colspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.58</td> <td>60.93</td> <td>74.00</td> <td>-13.07</td> <td>57.89</td> <td>30.70</td> <td>5.46</td> <td>33.12</td> <td>300</td> <td>303 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.58	60.93	74.00	-13.07	57.89	30.70	5.46	33.12	300	303 PEAK	<p style="text-align: right;">Date: 2024-03-26</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th colspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2480.00</td> <td>102.30</td> <td>-----</td> <td>-----</td> <td>99.27</td> <td>30.70</td> <td>5.46</td> <td>33.13</td> <td>300</td> <td>303 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	102.30	-----	-----	99.27	30.70	5.46	33.13	300	303 PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1	2483.58	60.93	74.00	-13.07	57.89	30.70	5.46	33.12	300	303 PEAK																																																																						
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1	2480.00	102.30	-----	-----	99.27	30.70	5.46	33.13	300	303 PEAK																																																																						
Avg	<p style="text-align: right;">Date: 2024-03-26</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th colspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.52</td> <td>47.42</td> <td>54.00</td> <td>-6.58</td> <td>44.38</td> <td>30.70</td> <td>5.46</td> <td>33.12</td> <td>300</td> <td>303 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.52	47.42	54.00	-6.58	44.38	30.70	5.46	33.12	300	303 AVERAGE	<p style="text-align: right;">Date: 2024-03-26</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th colspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2480.00</td> <td>99.84</td> <td>-----</td> <td>-----</td> <td>96.81</td> <td>30.70</td> <td>5.46</td> <td>33.13</td> <td>300</td> <td>303 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	99.84	-----	-----	96.81	30.70	5.46	33.13	300	303 AVERAGE
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1	2483.52	47.42	54.00	-6.58	44.38	30.70	5.46	33.12	300	303 AVERAGE																																																																						
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1	2480.00	99.84	-----	-----	96.81	30.70	5.46	33.13	300	303 AVERAGE																																																																						



		143																																																																																
Mode	Band Edge																																																																																	
	U-NII-2C_5.47-5.725_802.11be EHT40_CH134_Full RU_5670MHz Bluetooth-LE_GSKF_CH39+LTE B48 Link																																																																																	
Pol.	Vertical	Fundamental																																																																																
Peak	<p style="text-align: right;">Date: 2024-03-26</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th colspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.54</td> <td>64.09</td> <td>74.00</td> <td>-9.91</td> <td>61.05</td> <td>30.70</td> <td>5.46</td> <td>33.12</td> <td>200</td> <td>303</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.54	64.09	74.00	-9.91	61.05	30.70	5.46	33.12	200	303	PEAK	<p style="text-align: right;">Date: 2024-03-26</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th colspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2480.00</td> <td>106.28</td> <td>-----</td> <td>-----</td> <td>103.25</td> <td>30.70</td> <td>5.46</td> <td>33.13</td> <td>200</td> <td>303</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	106.28	-----	-----	103.25	30.70	5.46	33.13	200	303	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	2483.54	64.09	74.00	-9.91	61.05	30.70	5.46	33.12	200	303	PEAK																																																																							
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	2480.00	106.28	-----	-----	103.25	30.70	5.46	33.13	200	303	PEAK																																																																							
Avg	<p style="text-align: right;">Date: 2024-03-26</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th colspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.52</td> <td>50.86</td> <td>54.00</td> <td>-3.14</td> <td>47.82</td> <td>30.70</td> <td>5.46</td> <td>33.12</td> <td>200</td> <td>303</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.52	50.86	54.00	-3.14	47.82	30.70	5.46	33.12	200	303	AVERAGE	<p style="text-align: right;">Date: 2024-03-26</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th colspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2480.00</td> <td>104.43</td> <td>-----</td> <td>-----</td> <td>101.40</td> <td>30.70</td> <td>5.46</td> <td>33.13</td> <td>200</td> <td>303</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	104.43	-----	-----	101.40	30.70	5.46	33.13	200	303	AVERAGE
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	2483.52	50.86	54.00	-3.14	47.82	30.70	5.46	33.12	200	303	AVERAGE																																																																							
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	2480.00	104.43	-----	-----	101.40	30.70	5.46	33.13	200	303	AVERAGE																																																																							



Mode	143																																																																																																																																																	
	Harmonic																																																																																																																																																	
	U-NII-2C_5.47-5.725_802.11be EHT40_CH134_Full RU_5670MHz Bluetooth-LE_GSKF_CH39+LTE B48 Link																																																																																																																																																	
Pol.	Horizontal	Vertical																																																																																																																																																
Peak Avg	<p>Date: 2024-03-27</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4960.00</td> <td>49.07</td> <td>74.00</td> <td>-24.93</td> <td>37.27</td> <td>36.10</td> <td>8.46</td> <td>32.76</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>7440.00</td> <td>45.38</td> <td>74.00</td> <td>-28.62</td> <td>31.71</td> <td>36.82</td> <td>10.17</td> <td>33.32</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>3</td> <td>11340.00</td> <td>47.11</td> <td>74.00</td> <td>-26.89</td> <td>28.37</td> <td>39.14</td> <td>12.77</td> <td>33.17</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>4</td> <td>17010.00</td> <td>50.58</td> <td>68.30</td> <td>-17.72</td> <td>28.22</td> <td>41.61</td> <td>15.55</td> <td>34.80</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	4960.00	49.07	74.00	-24.93	37.27	36.10	8.46	32.76	---	---	Peak	2	7440.00	45.38	74.00	-28.62	31.71	36.82	10.17	33.32	---	---	Peak	3	11340.00	47.11	74.00	-26.89	28.37	39.14	12.77	33.17	---	---	Peak	4	17010.00	50.58	68.30	-17.72	28.22	41.61	15.55	34.80	---	---	Peak	<p>Date: 2024-03-27</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4960.00</td> <td>49.16</td> <td>74.00</td> <td>-24.84</td> <td>37.36</td> <td>36.10</td> <td>8.46</td> <td>32.76</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>7440.00</td> <td>44.93</td> <td>74.00</td> <td>-29.07</td> <td>31.26</td> <td>36.82</td> <td>10.17</td> <td>33.32</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>3</td> <td>11340.00</td> <td>48.40</td> <td>74.00</td> <td>-25.60</td> <td>29.66</td> <td>39.14</td> <td>12.77</td> <td>33.17</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>4</td> <td>17010.00</td> <td>49.11</td> <td>68.30</td> <td>-19.19</td> <td>26.75</td> <td>41.61</td> <td>15.55</td> <td>34.80</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	4960.00	49.16	74.00	-24.84	37.36	36.10	8.46	32.76	---	---	Peak	2	7440.00	44.93	74.00	-29.07	31.26	36.82	10.17	33.32	---	---	Peak	3	11340.00	48.40	74.00	-25.60	29.66	39.14	12.77	33.17	---	---	Peak	4	17010.00	49.11	68.30	-19.19	26.75	41.61	15.55	34.80	---	---	Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																																																											
1	4960.00	49.07	74.00	-24.93	37.27	36.10	8.46	32.76	---	---	Peak																																																																																																																																							
2	7440.00	45.38	74.00	-28.62	31.71	36.82	10.17	33.32	---	---	Peak																																																																																																																																							
3	11340.00	47.11	74.00	-26.89	28.37	39.14	12.77	33.17	---	---	Peak																																																																																																																																							
4	17010.00	50.58	68.30	-17.72	28.22	41.61	15.55	34.80	---	---	Peak																																																																																																																																							
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																																																											
1	4960.00	49.16	74.00	-24.84	37.36	36.10	8.46	32.76	---	---	Peak																																																																																																																																							
2	7440.00	44.93	74.00	-29.07	31.26	36.82	10.17	33.32	---	---	Peak																																																																																																																																							
3	11340.00	48.40	74.00	-25.60	29.66	39.14	12.77	33.17	---	---	Peak																																																																																																																																							
4	17010.00	49.11	68.30	-19.19	26.75	41.61	15.55	34.80	---	---	Peak																																																																																																																																							

Note: For all plots above, the over limit line signals are Fundamental signal which can be ignored.




Appendix D. Duty Cycle Plots


Band	Duty Cycle(%)	T(ms)	1/T(kHz)	VBW Setting
11a	99.06	-	-	10Hz
11n HT20	100.00	-	-	10Hz
11n HT40	99.44	-	-	10Hz
11ac VHT80	99.26	-	-	10Hz
11ac VHT160	98.14	-	-	10Hz
11ax HE20	100.00	-	-	10Hz
11ax HE40	99.63	-	-	10Hz
11ax HE80	100.00	-	-	10Hz
11ax HE160	100.00	-	-	10Hz
11be EHT20	99.72	-	-	10Hz
11be EHT40	99.63	-	-	10Hz
11be EHT80	99.62	-	-	10Hz
11be EHT160	99.55	-	-	10Hz



802.11a




802.11n HT20






802.11n HT40




802.11ac VHT80






802.11ac VHT160




802.11ax HE20






802.11ax HE40




802.11ax HE80






802.11ax HE160




802.11be EHT20






802.11be EHT40



802.11be EHT80





802.11be EHT160

