




N77(10M)_DFT-s-
OFDM_BPSK_Edge_1RB_Left_Low_CH




N77(10M)_DFT-s-
OFDM_QPSK_Edge_1RB_Left_Low_CH



N77(10M)_DFT-s-
OFDM_BPSK_Outer_Full_Low_CH




N77(10M)_DFT-s-
OFDM_QPSK_Outer_Full_Low_CH



N77(10M)_DFT-s-
OFDM_BPSK_Edge_1RB_Right_High_CH




N77(10M)_DFT-s-
OFDM_QPSK_Edge_1RB_Right_High_CH




N77(10M)_DFT-s-OFDM_BPSK_Outer_Full_High_CH




N77(10M)_DFT-s-OFDM_QPSK_Outer_Full_High_CH




N77(50M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_Low_CH




N77(50M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_Low_CH



N77(50M)_DFT-s-OFDM_BPSK_Outer_Full_Low_CH




N77(50M)_DFT-s-OFDM_QPSK_Outer_Full_Low_CH




N77(50M)_DFT-s-OFDM_BPSK_Edge_1RB_Right_High_CH




N77(50M)_DFT-s-OFDM_QPSK_Edge_1RB_Right_High_CH




N77(50M)_DFT-s-OFDM_BPSK_Outer_Full_High_CH




N77(50M)_DFT-s-OFDM_QPSK_Outer_Full_High_CH




N77(100M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_Low_CH




N77(100M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_Low_CH




N77(100M)_DFT-s-OFDM_BPSK_Outer_Full_Low_CH




N77(100M)_DFT-s-OFDM_QPSK_Outer_Full_Low_CH




N77(100M)_DFT-s-OFDM_BPSK_Edge_1RB_Right_High_CH




N77(100M)_DFT-s-OFDM_QPSK_Edge_1RB_Right_High_CH



N77(100M)_DFT-s-OFDM_BPSK_Outer_Full_High_CH



N77(100M)_DFT-s-OFDM_QPSK_Outer_Full_High_CH



FR1 N78 MIMO

Transmitter Conducted Output Power And EIRP, (G_T - L_C)= -2.2dB

NR Band	SCS (kHz)	Bandwidth (MHz)	Arfcn	Freq (MHz)	Modulation	RB	ANT3 Power(dBm)	ANT6 Power(dBm)	Conducted Power(dBm)	EIRP (dBm)	EIRP (W)
78	30	10	647000	3705	CP-OFDM QPSK	1@1	20.05	20.49	23.29	21.09	0.1285
78	30	10	647000	3705	CP-OFDM 16 QAM	1@1	19.7	19.74	22.73	20.53	0.1130
78	30	10	650000	3750	CP-OFDM QPSK	1@1	20.07	19.92	23.01	20.81	0.1205
78	30	10	650000	3750	CP-OFDM 16 QAM	1@1	19.59	19.21	22.41	20.21	0.1050
78	30	10	653000	3795	CP-OFDM QPSK	1@1	20.11	20.02	23.08	20.88	0.1225
78	30	10	653000	3795	CP-OFDM 16 QAM	1@1	19.56	19.16	22.37	20.17	0.1040
78	30	15	647168	3707.52	CP-OFDM QPSK	1@1	20.13	20.57	23.37	21.17	0.1309
78	30	15	647168	3707.52	CP-OFDM 16 QAM	1@1	19.47	19.62	22.56	20.36	0.1086
78	30	15	650000	3750	CP-OFDM QPSK	1@1	20.11	19.93	23.03	20.83	0.1211
78	30	15	650000	3750	CP-OFDM 16 QAM	1@1	19.57	19.19	22.39	20.19	0.1045
78	30	15	652832	3792.48	CP-OFDM QPSK	1@1	20.06	19.75	22.92	20.72	0.1180
78	30	15	652832	3792.48	CP-OFDM 16 QAM	1@1	19.49	18.91	22.22	20.02	0.1005
78	30	20	647334	3710.01	CP-OFDM QPSK	1@1	19.87	20.35	23.13	20.93	0.1239
78	30	20	647334	3710.01	CP-OFDM 16 QAM	1@1	19.35	19.51	22.44	20.24	0.1057
78	30	20	650000	3750	CP-OFDM QPSK	1@1	20.05	19.89	22.98	20.78	0.1197
78	30	20	650000	3750	CP-OFDM 16 QAM	1@1	19.48	19.19	22.35	20.15	0.1035
78	30	20	652666	3789.99	CP-OFDM QPSK	1@1	19.93	19.54	22.75	20.55	0.1135
78	30	20	652666	3789.99	CP-OFDM 16 QAM	1@1	19.44	18.86	22.17	19.97	0.0993
78	30	25	647500	3712.5	CP-OFDM QPSK	1@1	20.06	20.47	23.28	21.08	0.1282
78	30	25	647500	3712.5	CP-OFDM 16 QAM	1@1	19.52	19.71	22.63	20.43	0.1104
78	30	25	650000	3750	CP-OFDM QPSK	1@1	20.06	20.05	23.07	20.87	0.1222
78	30	25	650000	3750	CP-OFDM 16 QAM	1@1	19.68	19.33	22.52	20.32	0.1076
78	30	25	652500	3787.5	CP-OFDM QPSK	1@1	20.05	19.66	22.87	20.67	0.1167
78	30	25	652500	3787.5	CP-OFDM 16 QAM	1@1	19.64	19.14	22.41	20.21	0.1050
78	30	30	647668	3715.02	CP-OFDM QPSK	1@1	20.13	20.54	23.35	21.15	0.1303
78	30	30	647668	3715.02	CP-OFDM 16 QAM	1@1	19.43	19.76	22.61	20.41	0.1099
78	30	30	650000	3750	CP-OFDM QPSK	1@1	20.13	20.14	23.15	20.95	0.1245
78	30	30	650000	3750	CP-OFDM 16 QAM	1@1	19.53	19.43	22.49	20.29	0.1069
78	30	30	652332	3784.98	CP-OFDM QPSK	1@1	19.94	19.58	22.77	20.57	0.1140
78	30	30	652332	3784.98	CP-OFDM 16 QAM	1@1	19.41	18.85	22.15	19.95	0.0989
78	30	40	648000	3720	CP-OFDM QPSK	1@1	19.98	20.34	23.17	20.97	0.1250
78	30	40	648000	3720	CP-OFDM 16 QAM	1@1	19.49	19.55	22.53	20.33	0.1079

78	30	40	650000	3750	CP-OFDM QPSK	1@1	20.17	20.26	23.23	21.03	0.1268
78	30	40	650000	3750	CP-OFDM 16 QAM	1@1	19.49	19.53	22.52	20.32	0.1076
78	30	40	652000	3780	CP-OFDM QPSK	1@1	19.98	19.64	22.82	20.62	0.1153
78	30	40	652000	3780	CP-OFDM 16 QAM	1@1	19.51	18.75	22.16	19.96	0.0991
78	30	50	648334	3725.01	CP-OFDM QPSK	1@1	20.1	20.56	23.35	21.15	0.1303
78	30	50	648334	3725.01	CP-OFDM 16 QAM	1@1	19.61	19.7	22.67	20.47	0.1114
78	30	50	650000	3750	CP-OFDM QPSK	1@1	20.28	20.51	23.41	21.21	0.1321
78	30	50	650000	3750	CP-OFDM 16 QAM	1@1	19.72	19.74	22.74	20.54	0.1132
78	30	50	651666	3774.99	CP-OFDM QPSK	1@1	20.14	19.69	22.93	20.73	0.1183
78	30	50	651666	3774.99	CP-OFDM 16 QAM	1@1	19.56	18.96	22.28	20.08	0.1019
78	30	60	648668	3730.02	CP-OFDM QPSK	1@1	19.94	20.44	23.21	21.01	0.1262
78	30	60	648668	3730.02	CP-OFDM 16 QAM	1@1	19.42	19.94	22.70	20.5	0.1122
78	30	60	650000	3750	CP-OFDM QPSK	1@1	20.06	20.4	23.24	21.04	0.1271
78	30	60	650000	3750	CP-OFDM 16 QAM	1@1	19.48	19.41	22.46	20.26	0.1062
78	30	60	651332	3769.98	CP-OFDM QPSK	1@1	20.04	19.91	22.99	20.79	0.1199
78	30	60	651332	3769.98	CP-OFDM 16 QAM	1@1	19.43	19.03	22.24	20.04	0.1009
78	30	70	649000	3735	CP-OFDM QPSK	1@1	20.17	20.55	23.37	21.17	0.1309
78	30	70	649000	3735	CP-OFDM 16 QAM	1@1	19.61	19.98	22.81	20.61	0.1151
78	30	70	650000	3750	CP-OFDM QPSK	1@1	20.17	20.57	23.38	21.18	0.1312
78	30	70	650000	3750	CP-OFDM 16 QAM	1@1	19.56	19.84	22.71	20.51	0.1125
78	30	70	651000	3765	CP-OFDM QPSK	1@1	20.19	20.29	23.25	21.05	0.1274
78	30	70	651000	3765	CP-OFDM 16 QAM	1@1	19.55	19.56	22.57	20.37	0.1089
78	30	80	649334	3740.01	CP-OFDM QPSK	1@1	20.08	20.52	23.32	21.12	0.1294
78	30	80	649334	3740.01	CP-OFDM 16 QAM	1@1	19.72	19.84	22.79	20.59	0.1146
78	30	80	650000	3750	CP-OFDM QPSK	1@1	20.28	20.66	23.48	21.28	0.1343
78	30	80	650000	3750	CP-OFDM 16 QAM	1@1	19.49	19.87	22.69	20.49	0.1119
78	30	80	650666	3759.99	CP-OFDM QPSK	1@1	20.07	20.49	23.30	21.1	0.1288
78	30	80	650666	3759.99	CP-OFDM 16 QAM	1@1	19.57	19.94	22.77	20.57	0.1140
78	30	90	649668	3745.02	CP-OFDM QPSK	1@1	20.17	20.59	23.40	21.2	0.1318
78	30	90	649668	3745.02	CP-OFDM 16 QAM	1@1	19.66	19.76	22.72	20.52	0.1127
78	30	90	650000	3750	CP-OFDM QPSK	1@1	20.09	20.64	23.38	21.18	0.1312
78	30	90	650000	3750	CP-OFDM 16 QAM	1@1	19.6	19.89	22.76	20.56	0.1138
78	30	90	650332	3754.98	CP-OFDM QPSK	1@1	20.19	20.58	23.40	21.2	0.1318
78	30	90	650332	3754.98	CP-OFDM 16 QAM	1@1	19.56	19.88	22.73	20.53	0.1130
78	30	100	650000	3750	CP-OFDM QPSK	137@68	20.1	19.87	23.00	20.8	0.1202
78	30	100	650000	3750	CP-OFDM QPSK	1@1	20.27	20.72	23.51	21.31	0.1352
78	30	100	650000	3750	CP-OFDM QPSK	1@271	20.37	20.39	23.39	21.19	0.1315
78	30	100	650000	3750	CP-OFDM 16 QAM	137@68	19.71	19.39	22.56	20.36	0.1086
78	30	100	650000	3750	CP-OFDM 16 QAM	1@1	19.76	19.92	22.85	20.65	0.1161

78	30	100	650000	3750	CP-OFDM 16 QAM	1@271	19.72	19.56	22.65	20.45	0.1109
78	30	100	650000	3750	CP-OFDM 64 QAM	137@68	18.13	17.83	20.99	18.79	0.0757
78	30	100	650000	3750	CP-OFDM 64 QAM	1@1	18.21	18.29	21.26	19.06	0.0805
78	30	100	650000	3750	CP-OFDM 64 QAM	1@271	18.2	17.91	21.07	18.87	0.0771
78	30	100	650000	3750	CP-OFDM 256 QAM	137@68	15.12	15.01	18.08	15.88	0.0387
78	30	100	650000	3750	CP-OFDM 256 QAM	1@1	15.1	15.74	18.44	16.24	0.0421
78	30	100	650000	3750	CP-OFDM 256 QAM	1@271	15.15	15.23	18.20	16	0.0398



Appendix B. Test Results of Radiated Test

Radiated Spurious Emission

Test Engineer :	Shunping You	Temperature :	22~25°C
		Relative Humidity :	48~52%

RSE pre-scanned harmonic for different antennas, choose the worst antenna perform final test and record in the report.

n77 SA / NR 100MHz / QPSK(ANT4)									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA. Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	7402.4	-55.36	-13	-42.36	-80.17	-58.69	8.25	11.58	H
	11103.6	-50.29	-13	-37.29	-79.96	-51.84	10.45	12.00	H
	14804.8	-47.25	-13	-34.25	-79.51	-48.96	11.74	13.45	H
	7402.4	-54.96	-13	-41.96	-80.08	-58.29	8.25	11.58	V
	11103.6	-48.52	-13	-35.52	-77.92	-50.07	10.45	12.00	V
	14804.8	-45.17	-13	-32.17	-79.61	-46.88	11.74	13.45	V
Middle	7582.36	-55.55	-13	-42.55	-80.03	-57.07	11.98	13.50	H
	11373.54	-46.91	-13	-33.91	-77.80	-46.91	13.60	13.60	H
	15164.72	-46.65	-13	-33.65	-79.98	-46.25	15.50	15.10	H
	7582.36	-55.17	-13	-42.17	-80.13	-56.69	11.98	13.50	V
	11373.54	-49.49	-13	-36.49	-80.34	-49.49	13.60	13.60	V
	15164.72	-44.69	-13	-31.69	-79.6	-44.29	15.50	15.10	V
Highest	7762.4	-55.94	-13	-42.94	-79.94	-59.24	8.32	11.62	H
	11643.6	-48.64	-13	-35.64	-79.94	-50.32	10.52	12.20	H
	15524.8	-45.71	-13	-32.71	-79.67	-47.41	11.85	13.55	H
	7762.4	-55.34	-13	-42.34	-79.99	-58.64	8.32	11.62	V
	11643.6	-48.64	-13	-35.64	-79.9	-50.32	10.52	12.20	V
	15524.8	-45.94	-13	-32.94	-79.73	-47.64	11.85	13.55	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



EN-DC_14A_n77A / LTE 10MHz + NR 100MHz / QPSK(0+4)									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA. Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
NR n77 Lowest	7402.4	-54.75	-13	-41.75	-79.56	-58.08	8.25	11.58	H
	11103.6	-50.05	-13	-37.05	-79.72	-51.60	10.45	12.00	H
	14804.8	-46.81	-13	-33.81	-79.07	-48.52	11.74	13.45	H
	7402.4	-54.63	-13	-41.63	-79.75	-57.96	8.25	11.58	V
	11103.6	-50.48	-13	-37.48	-79.88	-52.03	10.45	12.00	V
	14804.8	-44.70	-13	-31.70	-79.14	-46.41	11.74	13.45	V
LTE Band14	1577	-63.70	-42.15	-21.55	-72.61	-66.95	4.00	9.40	H
	2365.5	-62.80	-13	-49.80	-74.60	-66.37	4.88	10.60	H
	3154	-59.83	-13	-46.83	-74.42	-64.76	5.52	12.60	H
	1577	-63.77	-42.15	-21.62	-72.44	-67.02	4.00	9.40	V
	2365.5	-62.60	-13	-49.60	-74.34	-66.17	4.88	10.60	V
	3154	-60.29	-13	-47.29	-74.64	-65.22	5.52	12.60	V
NR n77 Middle	7582.36	-54.98	-13	-41.98	-79.46	-56.50	11.98	13.50	H
	11373.54	-48.97	-13	-35.97	-79.86	-48.97	13.60	13.60	H
	15164.72	-46.08	-13	-33.08	-79.41	-45.68	15.50	15.10	H
	7582.36	-54.75	-13	-41.75	-79.71	-56.27	11.98	13.50	V
	11373.54	-49.27	-13	-36.27	-80.12	-49.27	13.60	13.60	V
	15164.72	-44.33	-13	-31.33	-79.24	-43.93	15.50	15.10	V
LTE Band14	1577	-63.58	-42.15	-21.43	-72.49	-66.83	4.00	9.40	H
	2365.5	-62.82	-13	-49.82	-74.62	-66.39	4.88	10.60	H
	3154	-60.23	-13	-47.23	-74.82	-65.16	5.52	12.60	H
	1577	-63.65	-42.15	-21.50	-72.32	-66.90	4.00	9.40	V
	2365.5	-63.06	-13	-50.06	-74.80	-66.63	4.88	10.60	V
	3154	-60.33	-13	-47.33	-74.68	-65.26	5.52	12.60	V
NR n77 Highest	7762.4	-55.24	-13	-42.24	-79.24	-58.54	8.32	11.62	H
	11643.6	-48.25	-13	-35.25	-79.55	-49.93	10.52	12.20	H
	15524.8	-45.29	-13	-32.29	-79.25	-46.99	11.85	13.55	H
	7762.4	-54.72	-13	-41.72	-79.37	-58.02	8.32	11.62	V
	11643.6	-48.60	-13	-35.60	-79.86	-50.28	10.52	12.20	V
	15524.8	-45.47	-13	-32.47	-79.26	-47.17	11.85	13.55	V
LTE Band14	1577	-63.72	-42.15	-21.57	-72.63	-66.97	4.00	9.40	H
	2365.5	-62.69	-13	-49.69	-74.49	-66.26	4.88	10.60	H
	3154	-60.40	-13	-47.40	-74.99	-65.33	5.52	12.60	H
	1577	-63.83	-42.15	-21.68	-72.50	-67.08	4.00	9.40	V
	2365.5	-63.04	-13	-50.04	-74.78	-66.61	4.88	10.60	V
	3154	-60.70	-13	-47.70	-75.05	-65.63	5.52	12.60	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



EN-DC_30A_n77A / LTE 30MHz + NR 100MHz / QPSK(0+4) for other PA									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA. Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
NR n77 Lowest	7402.4	-58.27	-13	-45.27	-51.76	-61.60	8.25	11.58	H
	11103.6	-53.39	-13	-40.39	-53.22	-54.94	10.45	12.00	H
	14804.8	-52.35	-13	-39.35	-54.72	-54.06	11.74	13.45	H
	7402.4	-57.21	-13	-44.21	-51.01	-60.54	8.25	11.58	V
	11103.6	-54.14	-13	-41.14	-53.7	-55.69	10.45	12.00	V
	14804.8	-50.19	-13	-37.19	-54.74	-51.90	11.74	13.45	V
LTE Band30	4612.50	-65.47	-40	-25.47	-51.55	-71.72	6.45	12.70	H
	6918.75	-60.08	-40	-20.08	-51.67	-63.48	8.40	11.80	H
	9225.00	-55.64	-40	-15.64	-52.77	-57.99	9.65	12.00	H
	4612.50	-65.82	-40	-25.82	-52.08	-72.07	6.45	12.70	V
	6918.75	-59.94	-40	-19.94	-51.84	-63.34	8.40	11.80	V
	9225.00	-56.04	-40	-16.04	-52.69	-58.39	9.65	12.00	V
NR n77 Middle	7582.36	-58.89	-13	-45.89	-52.07	-60.41	11.98	13.50	H
	11373.54	-53.79	-13	-40.79	-54.80	-53.79	13.60	13.60	H
	15164.72	-51.92	-13	-38.92	-55.32	-51.52	15.50	15.10	H
	7582.36	-58.21	-13	-45.21	-51.87	-59.73	11.98	13.50	V
	11373.54	-53.89	-13	-40.89	-54.86	-53.89	13.60	13.60	V
	15164.72	-50.30	-13	-37.30	-55.28	-49.90	15.50	15.10	V
LTE Band30	4612.50	-65.44	-40	-25.44	-51.52	-71.69	6.45	12.70	H
	6918.75	-60.38	-40	-20.38	-51.97	-63.78	8.40	11.80	H
	9225.00	-55.76	-40	-15.76	-52.89	-58.11	9.65	12.00	H
	4612.50	-65.89	-40	-25.89	-52.15	-72.14	6.45	12.70	V
	6918.75	-59.96	-40	-19.96	-51.86	-63.36	8.40	11.80	V
	9225.00	-56.18	-40	-16.18	-52.83	-58.53	9.65	12.00	V
NR n77 Highest	7762.4	-58.63	-13	-45.63	-51.44	-61.93	8.32	11.62	H
	11643.6	-53.15	-13	-40.15	-54.54	-54.83	10.52	12.20	H
	15524.8	-49.62	-13	-36.62	-53.60	-51.32	11.85	13.55	H
	7762.4	-57.89	-13	-44.89	-51.35	-61.19	8.32	11.62	V
	11643.6	-53.17	-13	-40.17	-54.52	-54.85	10.52	12.20	V
	15524.8	-50.89	-13	-37.89	-54.7	-52.59	11.85	13.55	V
LTE Band30	4612.50	-65.42	-40	-25.42	-51.50	-71.67	6.45	12.70	H
	6918.75	-60.09	-40	-20.09	-51.68	-63.49	8.40	11.80	H
	9225.00	-55.62	-40	-15.62	-52.75	-57.97	9.65	12.00	H
	4612.50	-65.88	-40	-25.88	-52.14	-72.13	6.45	12.70	V
	6918.75	-60.15	-40	-20.15	-52.05	-63.55	8.40	11.80	V
	9225.00	-55.94	-40	-15.94	-52.59	-58.29	9.65	12.00	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



n77 UL MIMO / NR 100+100MHz / QPSK(ANT4+8)									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA. Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	7402.4	-54.76	-13	-41.76	-79.57	-56.28	11.98	13.50	H
	11103.6	-50.46	-13	-37.46	-80.13	-50.46	13.60	13.60	H
	14804.8	-48.10	-13	-35.10	-80.36	-47.70	15.50	15.10	H
	7402.4	-54.85	-13	-41.85	-79.97	-56.37	11.98	13.50	V
	11103.6	-50.95	-13	-37.95	-80.35	-50.95	13.60	13.60	V
	14804.8	-45.78	-13	-32.78	-80.22	-45.38	15.50	15.10	V
Middle	7582.36	-55.15	-13	-42.15	-79.63	-58.48	8.25	11.58	H
	11373.54	-49.71	-13	-36.71	-80.60	-51.26	10.45	12.00	H
	15164.72	-47.53	-13	-34.53	-80.86	-49.24	11.74	13.45	H
	7582.36	-54.64	-13	-41.64	-79.6	-57.97	8.25	11.58	V
	11373.54	-49.40	-13	-36.40	-80.25	-50.95	10.45	12.00	V
	15164.72	-46.08	-13	-33.08	-80.99	-47.79	11.74	13.45	V
Highest	7762.4	-55.47	-13	-42.47	-79.47	-58.77	8.32	11.62	H
	11643.6	-49.07	-13	-36.07	-80.37	-50.75	10.52	12.20	H
	15524.8	-46.39	-13	-33.39	-80.35	-48.09	11.85	13.55	H
	7762.4	-55.02	-13	-42.02	-79.67	-58.32	8.32	11.62	V
	11643.6	-48.63	-13	-35.63	-79.89	-50.31	10.52	12.20	V
	15524.8	-46.50	-13	-33.50	-80.29	-48.20	11.85	13.55	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.