





	142																																																																																	
Mode	Band Edge																																																																																	
	U-NII-5_5.925-6.425_802.11be EHT20_CH2_Full RU_5935MHz																																																																																	
ANT	5+7																																																																																	
Pol.	Horizontal	Fundamental																																																																																
Peak	 <p>Date: 2024-03-09</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5924.84</td> <td>70.56</td> <td>88.20</td> <td>-17.64</td> <td>56.05</td> <td>36.49</td> <td>10.44</td> <td>32.42</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>184 329 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 5924.84	70.56	88.20	-17.64	56.05	36.49	10.44	32.42								184 329 PEAK	 <p>Date: 2024-03-09</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5935.00</td> <td>80.23</td> <td>-----</td> <td>-----</td> <td>65.71</td> <td>36.50</td> <td>10.45</td> <td>32.43</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>184 329 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 5935.00	80.23	-----	-----	65.71	36.50	10.45	32.43								184 329 PEAK
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																											
1 5924.84	70.56	88.20	-17.64	56.05	36.49	10.44	32.42																																																																											
							184 329 PEAK																																																																											
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																											
1 5935.00	80.23	-----	-----	65.71	36.50	10.45	32.43																																																																											
							184 329 PEAK																																																																											
Avg	 <p>Date: 2024-03-09</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5924.97</td> <td>64.34</td> <td>68.20</td> <td>-3.86</td> <td>49.83</td> <td>36.49</td> <td>10.44</td> <td>32.42</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>184 329 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 5924.97	64.34	68.20	-3.86	49.83	36.49	10.44	32.42								184 329 AVERAGE	 <p>Date: 2024-03-09</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5935.00</td> <td>73.63</td> <td>99.20</td> <td>-25.57</td> <td>59.11</td> <td>36.50</td> <td>10.45</td> <td>32.43</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>184 329 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 5935.00	73.63	99.20	-25.57	59.11	36.50	10.45	32.43								184 329 AVERAGE
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																											
1 5924.97	64.34	68.20	-3.86	49.83	36.49	10.44	32.42																																																																											
							184 329 AVERAGE																																																																											
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																											
1 5935.00	73.63	99.20	-25.57	59.11	36.50	10.45	32.43																																																																											
							184 329 AVERAGE																																																																											



	<b>142</b>																																																																	
<b>Mode</b>	<b>Band Edge</b>																																																																	
	<b>U-NII-5_5.925-6.425_802.11be EHT20_CH2_Full RU_5935MHz</b>																																																																	
<b>ANT</b>	<b>5+7</b>																																																																	
<b>Pol.</b>	<b>Vertical</b>	<b>Fundamental</b>																																																																
<b>Peak</b>	<div style="text-align:right; font-size:small;">Date: 2024-03-09</div> <table border="1" style="width:100%; border-collapse: collapse; font-size: x-small;"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 5924.84</td> <td>70.66</td> <td>88.20</td> <td>-17.54</td> <td>56.15</td> <td>36.49</td> <td>10.44 32.42</td> <td>400 254 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1 5924.84	70.66	88.20	-17.54	56.15	36.49	10.44 32.42	400 254 PEAK	<div style="text-align:right; font-size:small;">Date: 2024-03-09</div> <table border="1" style="width:100%; border-collapse: collapse; font-size: x-small;"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 5935.00</td> <td>80.91</td> <td>-----</td> <td>-----</td> <td>66.36</td> <td>36.52</td> <td>10.47 32.44</td> <td>400 254 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1 5935.00	80.91	-----	-----	66.36	36.52	10.47 32.44	400 254 PEAK
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																											
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																											
1 5924.84	70.66	88.20	-17.54	56.15	36.49	10.44 32.42	400 254 PEAK																																																											
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																											
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																											
1 5935.00	80.91	-----	-----	66.36	36.52	10.47 32.44	400 254 PEAK																																																											
<b>Avg</b>	<div style="text-align:right; font-size:small;">Date: 2024-03-09</div> <table border="1" style="width:100%; border-collapse: collapse; font-size: x-small;"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 5924.97</td> <td>64.79</td> <td>68.20</td> <td>-3.41</td> <td>50.28</td> <td>36.49</td> <td>10.44 32.42</td> <td>400 254 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1 5924.97	64.79	68.20	-3.41	50.28	36.49	10.44 32.42	400 254 AVERAGE	<div style="text-align:right; font-size:small;">Date: 2024-03-09</div> <table border="1" style="width:100%; border-collapse: collapse; font-size: x-small;"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 5935.00</td> <td>73.16</td> <td>99.20</td> <td>-26.04</td> <td>58.61</td> <td>36.52</td> <td>10.47 32.44</td> <td>400 254 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1 5935.00	73.16	99.20	-26.04	58.61	36.52	10.47 32.44	400 254 AVERAGE
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																											
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																											
1 5924.97	64.79	68.20	-3.41	50.28	36.49	10.44 32.42	400 254 AVERAGE																																																											
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																											
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																											
1 5935.00	73.16	99.20	-26.04	58.61	36.52	10.47 32.44	400 254 AVERAGE																																																											



	<b>142</b>																																																																																																
<b>Mode</b>	<b>Harmonic</b>																																																																																																
	<b>U-NII-5_5.925-6.425_802.11be EHT20_CH2_Full RU_5935MHz</b>																																																																																																
<b>ANT</b>	<b>5+7</b>																																																																																																
<b>Pol.</b>	<b>Horizontal</b>	<b>Vertical</b>																																																																																															
<b>Peak Avg</b>																																																																																																	
	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/n</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11870.00</td> <td>47.72</td> <td>74.00</td> <td>-26.28</td> <td>58.68</td> <td>39.35</td> <td>13.15</td> <td>63.46</td> <td>--- Peak</td> </tr> <tr> <td>2</td> <td>17805.00</td> <td>48.21</td> <td>74.00</td> <td>-25.79</td> <td>55.17</td> <td>42.49</td> <td>16.15</td> <td>65.60</td> <td>--- Peak</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/n	dB	dB	cm	deg	1	11870.00	47.72	74.00	-26.28	58.68	39.35	13.15	63.46	--- Peak	2	17805.00	48.21	74.00	-25.79	55.17	42.49	16.15	65.60	--- Peak	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/n</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11870.00</td> <td>47.45</td> <td>74.00</td> <td>-26.55</td> <td>58.41</td> <td>39.35</td> <td>13.15</td> <td>63.46</td> <td>--- Peak</td> </tr> <tr> <td>2</td> <td>17805.00</td> <td>48.37</td> <td>74.00</td> <td>-25.63</td> <td>55.33</td> <td>42.49</td> <td>16.15</td> <td>65.60</td> <td>--- Peak</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/n	dB	dB	cm	deg	1	11870.00	47.45	74.00	-26.55	58.41	39.35	13.15	63.46	--- Peak	2	17805.00	48.37	74.00	-25.63	55.33	42.49	16.15	65.60
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/n	dB	dB	cm	deg																																																																																								
1	11870.00	47.72	74.00	-26.28	58.68	39.35	13.15	63.46	--- Peak																																																																																								
2	17805.00	48.21	74.00	-25.79	55.17	42.49	16.15	65.60	--- Peak																																																																																								
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/n	dB	dB	cm	deg																																																																																								
1	11870.00	47.45	74.00	-26.55	58.41	39.35	13.15	63.46	--- Peak																																																																																								
2	17805.00	48.37	74.00	-25.63	55.33	42.49	16.15	65.60	--- Peak																																																																																								







		143																																																																								
Mode	Band Edge																																																																									
	U-NII-5 5.925-6.425 802.11be EHT20_CH2_Single RU_5935MHz																																																																									
ANT	5+7																																																																									
Pol.	Horizontal	Fundamental																																																																								
Peak																																																																										
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5924.97</td> <td>70.16</td> <td>88.20</td> <td>-18.04</td> <td>55.65</td> <td>36.49</td> <td>10.44</td> <td>32.42</td> <td>205 337 PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5924.97	70.16	88.20	-18.04	55.65	36.49	10.44	32.42	205 337 PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5935.00</td> <td>79.53</td> <td>-----</td> <td>-----</td> <td>65.01</td> <td>36.50</td> <td>10.45</td> <td>32.43</td> <td>205 337 PEAK</td> </tr> </tbody> </table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5935.00	79.53	-----	-----	65.01	36.50	10.45	32.43
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 5924.97	70.16	88.20	-18.04	55.65	36.49	10.44	32.42	205 337 PEAK																																																																		
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 5935.00	79.53	-----	-----	65.01	36.50	10.45	32.43	205 337 PEAK																																																																		
Avg																																																																										
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5924.97</td> <td>60.21</td> <td>68.20</td> <td>-7.99</td> <td>45.70</td> <td>36.49</td> <td>10.44</td> <td>32.42</td> <td>205 337 AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5924.97	60.21	68.20	-7.99	45.70	36.49	10.44	32.42	205 337 AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5935.00</td> <td>71.55</td> <td>-----</td> <td>-----</td> <td>57.03</td> <td>36.50</td> <td>10.45</td> <td>32.43</td> <td>205 337 AVERAGE</td> </tr> </tbody> </table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5935.00	71.55	-----	-----	57.03	36.50	10.45	32.43
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 5924.97	60.21	68.20	-7.99	45.70	36.49	10.44	32.42	205 337 AVERAGE																																																																		
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 5935.00	71.55	-----	-----	57.03	36.50	10.45	32.43	205 337 AVERAGE																																																																		



		143																																																																																	
Mode	Band Edge																																																																																		
	U-NII-5 5.925-6.425_802.11be EHT20_CH2_Single RU_5935MHz																																																																																		
ANT	5+7																																																																																		
Pol.	Vertical	Fundamental																																																																																	
Peak	<p style="text-align: right;">Date: 2024-03-21</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5924.97</td> <td>71.21</td> <td>88.20</td> <td>-16.99</td> <td>56.70</td> <td>36.49</td> <td>10.44</td> <td>32.42</td> <td>375</td> <td>93</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.97	71.21	88.20	-16.99	56.70	36.49	10.44	32.42	375	93	PEAK	<p style="text-align: right;">Date: 2024-03-21</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5935.00</td> <td>80.07</td> <td>-----</td> <td>-----</td> <td>65.55</td> <td>36.50</td> <td>10.45</td> <td>32.43</td> <td>375</td> <td>93</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5935.00	80.07	-----	-----	65.55	36.50	10.45	32.43	375	93	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																										
1	5924.97	71.21	88.20	-16.99	56.70	36.49	10.44	32.42	375	93	PEAK																																																																								
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																										
1	5935.00	80.07	-----	-----	65.55	36.50	10.45	32.43	375	93	PEAK																																																																								
Avg	<p style="text-align: right;">Date: 2024-03-21</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5924.97</td> <td>61.78</td> <td>-6.42</td> <td>47.27</td> <td>36.49</td> <td>10.44</td> <td>32.42</td> <td>375</td> <td>93</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.97	61.78	-6.42	47.27	36.49	10.44	32.42	375	93	AVERAGE	<p style="text-align: right;">Date: 2024-03-21</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5935.00</td> <td>72.68</td> <td>-----</td> <td>-----</td> <td>58.16</td> <td>36.50</td> <td>10.45</td> <td>32.43</td> <td>375</td> <td>93</td> <td>AVERAGE</td> </tr> </tbody> </table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5935.00	72.68	-----	-----	58.16	36.50	10.45	32.43	375	93	AVERAGE	
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																										
1	5924.97	61.78	-6.42	47.27	36.49	10.44	32.42	375	93	AVERAGE																																																																									
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																										
1	5935.00	72.68	-----	-----	58.16	36.50	10.45	32.43	375	93	AVERAGE																																																																								



		<b>144</b>																																																																														
<b>Mode</b>		<b>Band Edge</b>																																																																														
		<b>U-NII-5 5.925-6.425 802.11be EHT20_CH2_Small RU_5935MHz</b>																																																																														
<b>ANT</b>		<b>5+7</b>																																																																														
<b>Pol.</b>	<b>Horizontal</b>	<b>Fundamental</b>																																																																														
<b>Peak</b>	 <p style="text-align: right;">Date: 2024-03-21</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5924.97</td> <td>67.72</td> <td>88.20</td> <td>-20.48</td> <td>53.21</td> <td>36.49</td> <td>10.44</td> <td>32.42</td> <td>205</td> <td>334</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5924.97	67.72	88.20	-20.48	53.21	36.49	10.44	32.42	205	334	PEAK	 <p style="text-align: right;">Date: 2024-03-21</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5935.00</td> <td>78.14</td> <td>-----</td> <td>-----</td> <td>63.62</td> <td>36.50</td> <td>10.45</td> <td>32.43</td> <td>205</td> <td>334</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5935.00	78.14	-----	-----	63.62	36.50	10.45	32.43	205	334	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																							
Freq	Level	Line	Level	Factor	Loss Factor																																																																											
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	5924.97	67.72	88.20	-20.48	53.21	36.49	10.44	32.42	205	334	PEAK																																																																					
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	Level	Factor	Loss Factor																																																																											
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	5935.00	78.14	-----	-----	63.62	36.50	10.45	32.43	205	334	PEAK																																																																					
<b>Avg</b>	 <p style="text-align: right;">Date: 2024-03-21</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5924.97</td> <td>61.67</td> <td>68.20</td> <td>-6.53</td> <td>47.16</td> <td>36.49</td> <td>10.44</td> <td>32.42</td> <td>205</td> <td>334</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5924.97	61.67	68.20	-6.53	47.16	36.49	10.44	32.42	205	334	AVERAGE	 <p style="text-align: right;">Date: 2024-03-21</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5935.00</td> <td>70.93</td> <td>-----</td> <td>-----</td> <td>56.41</td> <td>36.50</td> <td>10.45</td> <td>32.43</td> <td>205</td> <td>334</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5935.00	70.93	-----	-----	56.41	36.50	10.45	32.43	205	334	AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																							
Freq	Level	Line	Level	Factor	Loss Factor																																																																											
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	5924.97	61.67	68.20	-6.53	47.16	36.49	10.44	32.42	205	334	AVERAGE																																																																					
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	Level	Factor	Loss Factor																																																																											
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	5935.00	70.93	-----	-----	56.41	36.50	10.45	32.43	205	334	AVERAGE																																																																					



	<b>144</b>																																																																															
<b>Mode</b>	<b>Band Edge</b>																																																																															
	<b>U-NII-5 5.925-6.425 802.11be EHT20_CH2_Small RU_5935MHz</b>																																																																															
<b>ANT</b>	<b>5+7</b>																																																																															
<b>Pol.</b>	<b>Vertical</b>	<b>Fundamental</b>																																																																														
<b>Peak</b>	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5924.97</td> <td>69.69</td> <td>88.20</td> <td>-18.51</td> <td>55.18</td> <td>36.49</td> <td>10.44</td> <td>32.42</td> <td>400</td> <td>81</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5924.97	69.69	88.20	-18.51	55.18	36.49	10.44	32.42	400	81	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5935.00</td> <td>80.81</td> <td>-----</td> <td>-----</td> <td>66.29</td> <td>36.50</td> <td>10.45</td> <td>32.43</td> <td>400</td> <td>81</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5935.00	80.81	-----	-----	66.29	36.50	10.45	32.43	400	81	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																							
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																									
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	5924.97	69.69	88.20	-18.51	55.18	36.49	10.44	32.42	400	81	PEAK																																																																					
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																									
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	5935.00	80.81	-----	-----	66.29	36.50	10.45	32.43	400	81	PEAK																																																																					
<b>Avg</b>	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5924.97</td> <td>63.88</td> <td>68.20</td> <td>-4.32</td> <td>49.37</td> <td>36.49</td> <td>10.44</td> <td>32.42</td> <td>400</td> <td>81</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5924.97	63.88	68.20	-4.32	49.37	36.49	10.44	32.42	400	81	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5935.00</td> <td>73.39</td> <td>-----</td> <td>-----</td> <td>58.87</td> <td>36.50</td> <td>10.45</td> <td>32.43</td> <td>400</td> <td>81</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5935.00	73.39	-----	-----	58.87	36.50	10.45	32.43	400	81	AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																									
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	5924.97	63.88	68.20	-4.32	49.37	36.49	10.44	32.42	400	81	AVERAGE																																																																					
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																									
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	5935.00	73.39	-----	-----	58.87	36.50	10.45	32.43	400	81	AVERAGE																																																																					



	145																																																																																					
Mode	Band Edge																																																																																					
	U-NII-8_6.875-7.125_802.11a_CH233_7115MHz																																																																																					
ANT	5+7																																																																																					
Pol.	Horizontal	Fundamental																																																																																				
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7125.28</td> <td>72.87</td> <td>88.20</td> <td>-15.33</td> <td>59.30</td> <td>36.95</td> <td>10.20</td> <td>33.58</td> <td>272</td> <td>16</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>7287.26</td> <td>51.67</td> <td>74.00</td> <td>-22.33</td> <td>38.27</td> <td>36.89</td> <td>10.18</td> <td>33.67</td> <td>272</td> <td>16</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	7125.28	72.87	88.20	-15.33	59.30	36.95	10.20	33.58	272	16	PEAK	2	7287.26	51.67	74.00	-22.33	38.27	36.89	10.18	33.67	272	16	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7115.00</td> <td>88.67</td> <td>-----</td> <td>-----</td> <td>75.09</td> <td>36.95</td> <td>10.20</td> <td>33.57</td> <td>272</td> <td>16</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	7115.00	88.67	-----	-----	75.09	36.95	10.20	33.57	272	16	PEAK
	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																															
1	7125.28	72.87	88.20	-15.33	59.30	36.95	10.20	33.58	272	16	PEAK																																																																											
2	7287.26	51.67	74.00	-22.33	38.27	36.89	10.18	33.67	272	16	PEAK																																																																											
Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																															
1	7115.00	88.67	-----	-----	75.09	36.95	10.20	33.57	272	16	PEAK																																																																											
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7125.28</td> <td>62.68</td> <td>68.20</td> <td>-5.52</td> <td>49.11</td> <td>36.95</td> <td>10.20</td> <td>33.58</td> <td>272</td> <td>16</td> <td>AVERAGE</td> </tr> <tr> <td>2</td> <td>7329.98</td> <td>41.14</td> <td>54.00</td> <td>-12.86</td> <td>27.79</td> <td>36.87</td> <td>10.18</td> <td>33.70</td> <td>272</td> <td>16</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	7125.28	62.68	68.20	-5.52	49.11	36.95	10.20	33.58	272	16	AVERAGE	2	7329.98	41.14	54.00	-12.86	27.79	36.87	10.18	33.70	272	16	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7115.00</td> <td>81.78</td> <td>-----</td> <td>-----</td> <td>68.20</td> <td>36.95</td> <td>10.20</td> <td>33.57</td> <td>272</td> <td>16</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	7115.00	81.78	-----	-----	68.20	36.95	10.20	33.57	272	16	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																															
1	7125.28	62.68	68.20	-5.52	49.11	36.95	10.20	33.58	272	16	AVERAGE																																																																											
2	7329.98	41.14	54.00	-12.86	27.79	36.87	10.18	33.70	272	16	AVERAGE																																																																											
Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																															
1	7115.00	81.78	-----	-----	68.20	36.95	10.20	33.57	272	16	AVERAGE																																																																											





		145																																																																																													
Mode		Band Edge																																																																																													
		U-NII-8_6.875-7.125_802.11a_CH233_7115MHz																																																																																													
ANT		5+7																																																																																													
Pol.		Vertical	Fundamental																																																																																												
Peak																																																																																															
	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7125.28</td> <td>74.33</td> <td>88.20</td> <td>-13.87</td> <td>60.76</td> <td>36.95</td> <td>10.20</td> <td>33.58</td> <td>204</td> <td>360</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>7291.71</td> <td>51.45</td> <td>74.00</td> <td>-22.55</td> <td>38.07</td> <td>36.88</td> <td>10.18</td> <td>33.68</td> <td>204</td> <td>360</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Apos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7125.28	74.33	88.20	-13.87	60.76	36.95	10.20	33.58	204	360	PEAK	2	7291.71	51.45	74.00	-22.55	38.07	36.88	10.18	33.68	204	360	PEAK	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7115.00</td> <td>91.24</td> <td>-----</td> <td>-----</td> <td>77.66</td> <td>36.95</td> <td>10.20</td> <td>33.57</td> <td>204</td> <td>360</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Apos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7115.00	91.24	-----	-----	77.66	36.95	10.20	33.57	204	360
	Limit	Read	Ant	Cable	Preamp	Apos	TPos																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	7125.28	74.33	88.20	-13.87	60.76	36.95	10.20	33.58	204	360	PEAK																																																																																				
2	7291.71	51.45	74.00	-22.55	38.07	36.88	10.18	33.68	204	360	PEAK																																																																																				
	Limit	Read	Ant	Cable	Preamp	Apos	TPos																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	7115.00	91.24	-----	-----	77.66	36.95	10.20	33.57	204	360	PEAK																																																																																				
Avg																																																																																															
	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7125.28</td> <td>64.62</td> <td>68.20</td> <td>-3.58</td> <td>51.05</td> <td>36.95</td> <td>10.20</td> <td>33.58</td> <td>204</td> <td>360</td> <td>AVERAGE</td> </tr> <tr> <td>2</td> <td>7251.66</td> <td>41.13</td> <td>54.00</td> <td>-12.87</td> <td>27.70</td> <td>36.90</td> <td>10.18</td> <td>33.65</td> <td>204</td> <td>360</td> <td>AVERAGE</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Apos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7125.28	64.62	68.20	-3.58	51.05	36.95	10.20	33.58	204	360	AVERAGE	2	7251.66	41.13	54.00	-12.87	27.70	36.90	10.18	33.65	204	360	AVERAGE	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7115.00</td> <td>84.22</td> <td>-----</td> <td>-----</td> <td>70.64</td> <td>36.95</td> <td>10.20</td> <td>33.57</td> <td>204</td> <td>360</td> <td>AVERAGE</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Apos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7115.00	84.22	-----	-----	70.64	36.95	10.20	33.57	204	360
	Limit	Read	Ant	Cable	Preamp	Apos	TPos																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	7125.28	64.62	68.20	-3.58	51.05	36.95	10.20	33.58	204	360	AVERAGE																																																																																				
2	7251.66	41.13	54.00	-12.87	27.70	36.90	10.18	33.65	204	360	AVERAGE																																																																																				
	Limit	Read	Ant	Cable	Preamp	Apos	TPos																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	7115.00	84.22	-----	-----	70.64	36.95	10.20	33.57	204	360	AVERAGE																																																																																				



Mode	145																																																																		
	Harmonic																																																																		
	U-NII-8_6.875-7.125_802.11a_CH233_7115MHz																																																																		
ANT	5+7																																																																		
Pol.	Horizontal	Vertical																																																																	
Peak Avg																																																																			
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 14230.00</td> <td>49.06</td> <td>88.20</td> <td>-39.14</td> <td>58.59</td> <td>40.38</td> <td>13.98</td> <td>63.89</td> <td>--- --- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 14230.00	49.06	88.20	-39.14	58.59	40.38	13.98	63.89	--- --- Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 14230.00</td> <td>48.83</td> <td>88.20</td> <td>-39.37</td> <td>58.36</td> <td>40.38</td> <td>13.98</td> <td>63.89</td> <td>--- --- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 14230.00	48.83	88.20	-39.37	58.36	40.38	13.98	63.89
Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																												
1 14230.00	49.06	88.20	-39.14	58.59	40.38	13.98	63.89	--- --- Peak																																																											
Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																												
1 14230.00	48.83	88.20	-39.37	58.36	40.38	13.98	63.89	--- --- Peak																																																											



		146																																																																																				
Mode	Band Edge																																																																																					
	U-NII-8_6.875-7.125_802.11ax HE20_CH233_Full RU_7115MHz																																																																																					
ANT	5+7																																																																																					
Pol.	Horizontal	Fundamental																																																																																				
Peak																																																																																						
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7125.28</td> <td>69.96</td> <td>88.20</td> <td>-18.24</td> <td>56.39</td> <td>36.95</td> <td>10.20</td> <td>33.58</td> <td>300</td> <td>71</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>7319.30</td> <td>50.24</td> <td>74.00</td> <td>-23.76</td> <td>36.88</td> <td>36.87</td> <td>10.18</td> <td>33.69</td> <td>300</td> <td>71</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	7125.28	69.96	88.20	-18.24	56.39	36.95	10.20	33.58	300	71	PEAK	2	7319.30	50.24	74.00	-23.76	36.88	36.87	10.18	33.69	300	71	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7115.00</td> <td>81.53</td> <td>-----</td> <td>-----</td> <td>67.96</td> <td>36.95</td> <td>10.20</td> <td>33.58</td> <td>300</td> <td>71</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	7115.00	81.53	-----	-----	67.96	36.95	10.20	33.58	300	71
Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																															
1	7125.28	69.96	88.20	-18.24	56.39	36.95	10.20	33.58	300	71	PEAK																																																																											
2	7319.30	50.24	74.00	-23.76	36.88	36.87	10.18	33.69	300	71	PEAK																																																																											
Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																															
1	7115.00	81.53	-----	-----	67.96	36.95	10.20	33.58	300	71	PEAK																																																																											
Avg																																																																																						
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7125.28</td> <td>62.35</td> <td>68.20</td> <td>-5.85</td> <td>48.78</td> <td>36.95</td> <td>10.20</td> <td>33.58</td> <td>300</td> <td>71</td> <td>AVERAGE</td> </tr> <tr> <td>2</td> <td>7331.76</td> <td>41.21</td> <td>54.00</td> <td>-12.79</td> <td>27.86</td> <td>36.87</td> <td>10.18</td> <td>33.70</td> <td>300</td> <td>71</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	7125.28	62.35	68.20	-5.85	48.78	36.95	10.20	33.58	300	71	AVERAGE	2	7331.76	41.21	54.00	-12.79	27.86	36.87	10.18	33.70	300	71	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7115.00</td> <td>73.66</td> <td>99.20</td> <td>-25.54</td> <td>60.08</td> <td>36.95</td> <td>10.20</td> <td>33.57</td> <td>100</td> <td>131</td> <td>AVERAGE</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	7115.00	73.66	99.20	-25.54	60.08	36.95	10.20	33.57	100	131
Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																															
1	7125.28	62.35	68.20	-5.85	48.78	36.95	10.20	33.58	300	71	AVERAGE																																																																											
2	7331.76	41.21	54.00	-12.79	27.86	36.87	10.18	33.70	300	71	AVERAGE																																																																											
Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																															
1	7115.00	73.66	99.20	-25.54	60.08	36.95	10.20	33.57	100	131	AVERAGE																																																																											







	146																																																																																											
Mode	Band Edge																																																																																											
	U-NII-8_6.875-7.125_802.11ax HE20_CH233_Full RU_7115MHZ																																																																																											
ANT	5+7																																																																																											
Pol.	Vertical	Fundamental																																																																																										
Peak	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7125.28</td> <td>72.55</td> <td>88.20</td> <td>-15.65</td> <td>58.98</td> <td>36.95</td> <td>10.20</td> <td>33.58</td> <td>251</td> <td>68</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>7310.84</td> <td>51.22</td> <td>74.00</td> <td>-22.78</td> <td>37.85</td> <td>36.88</td> <td>10.18</td> <td>33.69</td> <td>251</td> <td>68</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Apos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	7125.28	72.55	88.20	-15.65	58.98	36.95	10.20	33.58	251	68	PEAK	2	7310.84	51.22	74.00	-22.78	37.85	36.88	10.18	33.69	251	68	PEAK	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7115.00</td> <td>83.97</td> <td>-----</td> <td>-----</td> <td>70.40</td> <td>36.95</td> <td>10.20</td> <td>33.58</td> <td>251</td> <td>68</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Apos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	7115.00	83.97	-----	-----	70.40	36.95	10.20	33.58	251	68	PEAK
		Limit	Read	Ant	Cable	Preamp	Apos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																																				
1	7125.28	72.55	88.20	-15.65	58.98	36.95	10.20	33.58	251	68	PEAK																																																																																	
2	7310.84	51.22	74.00	-22.78	37.85	36.88	10.18	33.69	251	68	PEAK																																																																																	
	Limit	Read	Ant	Cable	Preamp	Apos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																																				
1	7115.00	83.97	-----	-----	70.40	36.95	10.20	33.58	251	68	PEAK																																																																																	
Avg	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7125.28</td> <td>65.15</td> <td>68.20</td> <td>-3.05</td> <td>51.58</td> <td>36.95</td> <td>10.20</td> <td>33.58</td> <td>251</td> <td>68</td> <td>AVERAGE</td> </tr> <tr> <td>2</td> <td>7325.97</td> <td>41.14</td> <td>54.00</td> <td>-12.86</td> <td>27.79</td> <td>36.87</td> <td>10.18</td> <td>33.70</td> <td>251</td> <td>68</td> <td>AVERAGE</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Apos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	7125.28	65.15	68.20	-3.05	51.58	36.95	10.20	33.58	251	68	AVERAGE	2	7325.97	41.14	54.00	-12.86	27.79	36.87	10.18	33.70	251	68	AVERAGE	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7115.00</td> <td>76.56</td> <td>99.20</td> <td>-22.64</td> <td>62.96</td> <td>36.96</td> <td>10.20</td> <td>33.56</td> <td>263</td> <td>247</td> <td>AVERAGE</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Apos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	7115.00	76.56	99.20	-22.64	62.96	36.96	10.20	33.56	263	247	AVERAGE
		Limit	Read	Ant	Cable	Preamp	Apos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																																				
1	7125.28	65.15	68.20	-3.05	51.58	36.95	10.20	33.58	251	68	AVERAGE																																																																																	
2	7325.97	41.14	54.00	-12.86	27.79	36.87	10.18	33.70	251	68	AVERAGE																																																																																	
	Limit	Read	Ant	Cable	Preamp	Apos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																																				
1	7115.00	76.56	99.20	-22.64	62.96	36.96	10.20	33.56	263	247	AVERAGE																																																																																	



Mode	146																																																																		
	Harmonic																																																																		
	U-NII-8_6.875-7.125_802.11ax HE20_CH233_Full RU_7115MHz																																																																		
ANT	5+7																																																																		
Pol.	Horizontal	Vertical																																																																	
Peak Avg																																																																			
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 14230.00</td> <td>49.36</td> <td>88.20</td> <td>-38.84</td> <td>58.89</td> <td>40.38</td> <td>13.98</td> <td>63.89</td> <td>--- --- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 14230.00	49.36	88.20	-38.84	58.89	40.38	13.98	63.89	--- --- Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 14230.00</td> <td>48.85</td> <td>88.20</td> <td>-39.35</td> <td>58.38</td> <td>40.38</td> <td>13.98</td> <td>63.89</td> <td>--- --- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 14230.00	48.85	88.20	-39.35	58.38	40.38	13.98	63.89
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																												
1 14230.00	49.36	88.20	-38.84	58.89	40.38	13.98	63.89	--- --- Peak																																																											
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																												
1 14230.00	48.85	88.20	-39.35	58.38	40.38	13.98	63.89	--- --- Peak																																																											



	147																																																																																											
Mode	Band Edge																																																																																											
	U-NII-8_6.875-7.125_802.11ax HE20_CH233_Partial RU_7115MHz																																																																																											
ANT	5+7																																																																																											
Pol.	Horizontal	Fundamental																																																																																										
Peak	 <p>Date: 2024-03-21</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7125.28</td> <td>67.01</td> <td>88.20</td> <td>-21.19</td> <td>53.44</td> <td>36.95</td> <td>10.20</td> <td>33.58</td> <td>100</td> <td>162</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>7296.16</td> <td>53.16</td> <td>74.00</td> <td>-20.84</td> <td>39.78</td> <td>36.88</td> <td>10.18</td> <td>33.68</td> <td>100</td> <td>162</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	1	7125.28	67.01	88.20	-21.19	53.44	36.95	10.20	33.58	100	162	PEAK	2	7296.16	53.16	74.00	-20.84	39.78	36.88	10.18	33.68	100	162	PEAK	 <p>Date: 2024-03-21</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7115.00</td> <td>81.32</td> <td>-----</td> <td>-----</td> <td>67.75</td> <td>36.95</td> <td>10.20</td> <td>33.58</td> <td>100</td> <td>162</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	1	7115.00	81.32	-----	-----	67.75	36.95	10.20	33.58	100	162	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																					
MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg																																																																																				
1	7125.28	67.01	88.20	-21.19	53.44	36.95	10.20	33.58	100	162	PEAK																																																																																	
2	7296.16	53.16	74.00	-20.84	39.78	36.88	10.18	33.68	100	162	PEAK																																																																																	
Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																					
MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg																																																																																				
1	7115.00	81.32	-----	-----	67.75	36.95	10.20	33.58	100	162	PEAK																																																																																	
Avg	 <p>Date: 2024-03-21</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7125.28</td> <td>59.70</td> <td>68.20</td> <td>-8.50</td> <td>46.13</td> <td>36.95</td> <td>10.20</td> <td>33.58</td> <td>100</td> <td>162</td> <td>AVERAGE</td> </tr> <tr> <td>2</td> <td>7289.48</td> <td>43.22</td> <td>54.00</td> <td>-10.78</td> <td>29.83</td> <td>36.88</td> <td>10.18</td> <td>33.67</td> <td>100</td> <td>162</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	1	7125.28	59.70	68.20	-8.50	46.13	36.95	10.20	33.58	100	162	AVERAGE	2	7289.48	43.22	54.00	-10.78	29.83	36.88	10.18	33.67	100	162	AVERAGE	 <p>Date: 2024-03-21</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7115.00</td> <td>73.41</td> <td>-----</td> <td>-----</td> <td>59.84</td> <td>36.95</td> <td>10.20</td> <td>33.58</td> <td>100</td> <td>162</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	1	7115.00	73.41	-----	-----	59.84	36.95	10.20	33.58	100	162	AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																					
MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg																																																																																				
1	7125.28	59.70	68.20	-8.50	46.13	36.95	10.20	33.58	100	162	AVERAGE																																																																																	
2	7289.48	43.22	54.00	-10.78	29.83	36.88	10.18	33.67	100	162	AVERAGE																																																																																	
Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																					
MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg																																																																																				
1	7115.00	73.41	-----	-----	59.84	36.95	10.20	33.58	100	162	AVERAGE																																																																																	







	147																																																																																											
<b>Mode</b>	<b>Band Edge</b>																																																																																											
	<b>U-NII-8_6.875-7.125_802.11ax HE20_CH233_Partial RU_7115MHz</b>																																																																																											
<b>ANT</b>	<b>5+7</b>																																																																																											
<b>Pol.</b>	<b>Vertical</b>	<b>Fundamental</b>																																																																																										
<b>Peak</b>	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7125.28</td> <td>74.64</td> <td>88.20</td> <td>-13.56</td> <td>61.07</td> <td>36.95</td> <td>10.20</td> <td>33.58</td> <td>161</td> <td>318</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>7283.25</td> <td>52.75</td> <td>74.00</td> <td>-21.25</td> <td>39.35</td> <td>36.89</td> <td>10.18</td> <td>33.67</td> <td>161</td> <td>318</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7125.28	74.64	88.20	-13.56	61.07	36.95	10.20	33.58	161	318	PEAK	2	7283.25	52.75	74.00	-21.25	39.35	36.89	10.18	33.67	161	318	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7115.00</td> <td>83.78</td> <td>-----</td> <td>-----</td> <td>70.20</td> <td>36.95</td> <td>10.20</td> <td>33.57</td> <td>161</td> <td>318</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7115.00	83.78	-----	-----	70.20	36.95	10.20	33.57	161	318	PEAK
Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																																				
Freq	Level	Line	Level	Factor	Loss Factor																																																																																							
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	7125.28	74.64	88.20	-13.56	61.07	36.95	10.20	33.58	161	318	PEAK																																																																																	
2	7283.25	52.75	74.00	-21.25	39.35	36.89	10.18	33.67	161	318	PEAK																																																																																	
Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																																				
Freq	Level	Line	Level	Factor	Loss Factor																																																																																							
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	7115.00	83.78	-----	-----	70.20	36.95	10.20	33.57	161	318	PEAK																																																																																	
<b>Avg</b>	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7125.28</td> <td>63.40</td> <td>68.20</td> <td>-4.80</td> <td>49.83</td> <td>36.95</td> <td>10.20</td> <td>33.58</td> <td>161</td> <td>318</td> <td>AVERAGE</td> </tr> <tr> <td>2</td> <td>7292.60</td> <td>43.29</td> <td>54.00</td> <td>-10.71</td> <td>29.91</td> <td>36.88</td> <td>10.18</td> <td>33.68</td> <td>161</td> <td>318</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7125.28	63.40	68.20	-4.80	49.83	36.95	10.20	33.58	161	318	AVERAGE	2	7292.60	43.29	54.00	-10.71	29.91	36.88	10.18	33.68	161	318	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7115.00</td> <td>76.86</td> <td>-----</td> <td>-----</td> <td>63.29</td> <td>36.95</td> <td>10.20</td> <td>33.58</td> <td>161</td> <td>318</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7115.00	76.86	-----	-----	63.29	36.95	10.20	33.58	161	318	AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																																				
Freq	Level	Line	Level	Factor	Loss Factor																																																																																							
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	7125.28	63.40	68.20	-4.80	49.83	36.95	10.20	33.58	161	318	AVERAGE																																																																																	
2	7292.60	43.29	54.00	-10.71	29.91	36.88	10.18	33.68	161	318	AVERAGE																																																																																	
Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																																				
Freq	Level	Line	Level	Factor	Loss Factor																																																																																							
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	7115.00	76.86	-----	-----	63.29	36.95	10.20	33.58	161	318	AVERAGE																																																																																	



	148																																																																																					
Mode	Band Edge																																																																																					
	U-NII-8_6.875-7.125_802.11be EHT20_CH233_Full RU_7115MHz																																																																																					
ANT	5+7																																																																																					
Pol.	Horizontal	Fundamental																																																																																				
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7125.28</td> <td>72.09</td> <td>88.20</td> <td>-16.11</td> <td>58.52</td> <td>36.95</td> <td>10.20</td> <td>33.58</td> <td>100</td> <td>131</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>7252.10</td> <td>53.10</td> <td>74.00</td> <td>-20.90</td> <td>39.67</td> <td>36.90</td> <td>10.18</td> <td>33.65</td> <td>100</td> <td>131</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	7125.28	72.09	88.20	-16.11	58.52	36.95	10.20	33.58	100	131	PEAK	2	7252.10	53.10	74.00	-20.90	39.67	36.90	10.18	33.65	100	131	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7115.00</td> <td>82.67</td> <td>-----</td> <td>-----</td> <td>69.09</td> <td>36.95</td> <td>10.20</td> <td>33.57</td> <td>100</td> <td>131</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	7115.00	82.67	-----	-----	69.09	36.95	10.20	33.57	100	131	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																															
1	7125.28	72.09	88.20	-16.11	58.52	36.95	10.20	33.58	100	131	PEAK																																																																											
2	7252.10	53.10	74.00	-20.90	39.67	36.90	10.18	33.65	100	131	PEAK																																																																											
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																															
1	7115.00	82.67	-----	-----	69.09	36.95	10.20	33.57	100	131	PEAK																																																																											
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7125.28</td> <td>62.77</td> <td>68.20</td> <td>-5.43</td> <td>49.20</td> <td>36.95</td> <td>10.20</td> <td>33.58</td> <td>100</td> <td>131</td> <td>AVERAGE</td> </tr> <tr> <td>2</td> <td>7255.22</td> <td>43.22</td> <td>54.00</td> <td>-10.78</td> <td>29.79</td> <td>36.90</td> <td>10.18</td> <td>33.65</td> <td>100</td> <td>131</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	7125.28	62.77	68.20	-5.43	49.20	36.95	10.20	33.58	100	131	AVERAGE	2	7255.22	43.22	54.00	-10.78	29.79	36.90	10.18	33.65	100	131	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7115.00</td> <td>73.66</td> <td>99.20</td> <td>-25.54</td> <td>60.08</td> <td>36.95</td> <td>10.20</td> <td>33.57</td> <td>100</td> <td>131</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	7115.00	73.66	99.20	-25.54	60.08	36.95	10.20	33.57	100	131	AVERAGE
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																															
1	7125.28	62.77	68.20	-5.43	49.20	36.95	10.20	33.58	100	131	AVERAGE																																																																											
2	7255.22	43.22	54.00	-10.78	29.79	36.90	10.18	33.65	100	131	AVERAGE																																																																											
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																															
1	7115.00	73.66	99.20	-25.54	60.08	36.95	10.20	33.57	100	131	AVERAGE																																																																											





	148																																																																																					
Mode	Band Edge																																																																																					
	U-NII-8_6.875-7.125_802.11be EHT20_CH233_Full RU_7115MHz																																																																																					
ANT	5+7																																																																																					
Pol.	Vertical	Fundamental																																																																																				
Peak	 <p style="text-align: right;">Date: 2024-03-09</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7125.28</td> <td>73.37</td> <td>88.20</td> <td>-14.83</td> <td>59.80</td> <td>36.95</td> <td>10.20</td> <td>33.58</td> <td>263</td> <td>247</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>7289.48</td> <td>52.97</td> <td>74.00</td> <td>-21.03</td> <td>39.58</td> <td>36.88</td> <td>10.18</td> <td>33.67</td> <td>263</td> <td>247</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	7125.28	73.37	88.20	-14.83	59.80	36.95	10.20	33.58	263	247	PEAK	2	7289.48	52.97	74.00	-21.03	39.58	36.88	10.18	33.67	263	247	PEAK	 <p style="text-align: right;">Date: 2024-03-09</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7115.00</td> <td>85.67</td> <td>-----</td> <td>-----</td> <td>72.09</td> <td>36.95</td> <td>10.20</td> <td>33.57</td> <td>263</td> <td>247</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	7115.00	85.67	-----	-----	72.09	36.95	10.20	33.57	263	247	PEAK
	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																															
1	7125.28	73.37	88.20	-14.83	59.80	36.95	10.20	33.58	263	247	PEAK																																																																											
2	7289.48	52.97	74.00	-21.03	39.58	36.88	10.18	33.67	263	247	PEAK																																																																											
Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																															
1	7115.00	85.67	-----	-----	72.09	36.95	10.20	33.57	263	247	PEAK																																																																											
Avg	 <p style="text-align: right;">Date: 2024-03-09</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7125.28</td> <td>65.10</td> <td>68.20</td> <td>-3.10</td> <td>51.53</td> <td>36.95</td> <td>10.20</td> <td>33.58</td> <td>263</td> <td>247</td> <td>AVERAGE</td> </tr> <tr> <td>2</td> <td>7257.44</td> <td>43.21</td> <td>54.00</td> <td>-10.79</td> <td>29.78</td> <td>36.90</td> <td>10.18</td> <td>33.65</td> <td>263</td> <td>247</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	7125.28	65.10	68.20	-3.10	51.53	36.95	10.20	33.58	263	247	AVERAGE	2	7257.44	43.21	54.00	-10.79	29.78	36.90	10.18	33.65	263	247	AVERAGE	 <p style="text-align: right;">Date: 2024-03-09</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7115.00</td> <td>76.56</td> <td>99.20</td> <td>-22.64</td> <td>62.96</td> <td>36.96</td> <td>10.20</td> <td>33.56</td> <td>263</td> <td>247</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	7115.00	76.56	99.20	-22.64	62.96	36.96	10.20	33.56	263	247	AVERAGE
Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																															
1	7125.28	65.10	68.20	-3.10	51.53	36.95	10.20	33.58	263	247	AVERAGE																																																																											
2	7257.44	43.21	54.00	-10.79	29.78	36.90	10.18	33.65	263	247	AVERAGE																																																																											
Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																															
1	7115.00	76.56	99.20	-22.64	62.96	36.96	10.20	33.56	263	247	AVERAGE																																																																											







Mode	148																																																																		
	Harmonic																																																																		
	U-NII-8_6.875-7.125_802.11be EHT20_CH233_Full RU_7115MHz																																																																		
ANT	5+7																																																																		
Pol.	Horizontal	Vertical																																																																	
Peak Avg	<p>Date: 2024-03-11</p>	<p>Date: 2024-03-11</p>																																																																	
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 14230.00</td> <td>48.98</td> <td>88.20</td> <td>-39.22</td> <td>58.51</td> <td>40.38</td> <td>13.98</td> <td>63.89</td> <td>--- --- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 14230.00	48.98	88.20	-39.22	58.51	40.38	13.98	63.89	--- --- Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 14230.00</td> <td>49.31</td> <td>88.20</td> <td>-38.89</td> <td>58.84</td> <td>40.38</td> <td>13.98</td> <td>63.89</td> <td>--- --- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 14230.00	49.31	88.20	-38.89	58.84	40.38	13.98	63.89
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																												
1 14230.00	48.98	88.20	-39.22	58.51	40.38	13.98	63.89	--- --- Peak																																																											
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																												
1 14230.00	49.31	88.20	-38.89	58.84	40.38	13.98	63.89	--- --- Peak																																																											



		149																																																																																											
Mode		Band Edge																																																																																											
		U-NII-8_6.875-7.125_802.11be EHT20_CH233_Single RU_7115MHz																																																																																											
ANT		5+7																																																																																											
Pol.		Horizontal	Fundamental																																																																																										
Peak		<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7125.28</td> <td>68.53</td> <td>88.20</td> <td>-19.67</td> <td>54.96</td> <td>36.95</td> <td>10.20</td> <td>33.58</td> <td>100</td> <td>163</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>7275.69</td> <td>52.25</td> <td>74.00</td> <td>-21.75</td> <td>38.85</td> <td>36.89</td> <td>10.18</td> <td>33.67</td> <td>100</td> <td>163</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7125.28	68.53	88.20	-19.67	54.96	36.95	10.20	33.58	100	163	PEAK	2	7275.69	52.25	74.00	-21.75	38.85	36.89	10.18	33.67	100	163	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7115.00</td> <td>82.35</td> <td>-----</td> <td>-----</td> <td>68.77</td> <td>36.95</td> <td>10.20</td> <td>33.57</td> <td>100</td> <td>163</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7115.00	82.35	-----	-----	68.77	36.95	10.20	33.57	100	163	PEAK
Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																																					
Freq	Level	Line	Level	Factor	Loss Factor																																																																																								
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	7125.28	68.53	88.20	-19.67	54.96	36.95	10.20	33.58	100	163	PEAK																																																																																		
2	7275.69	52.25	74.00	-21.75	38.85	36.89	10.18	33.67	100	163	PEAK																																																																																		
Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																																					
Freq	Level	Line	Level	Factor	Loss Factor																																																																																								
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	7115.00	82.35	-----	-----	68.77	36.95	10.20	33.57	100	163	PEAK																																																																																		
Avg		<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7125.28</td> <td>59.20</td> <td>68.20</td> <td>-9.00</td> <td>45.63</td> <td>36.95</td> <td>10.20</td> <td>33.58</td> <td>100</td> <td>163</td> <td>AVERAGE</td> </tr> <tr> <td>2</td> <td>7260.56</td> <td>43.11</td> <td>54.00</td> <td>-10.89</td> <td>29.69</td> <td>36.90</td> <td>10.18</td> <td>33.66</td> <td>100</td> <td>163</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7125.28	59.20	68.20	-9.00	45.63	36.95	10.20	33.58	100	163	AVERAGE	2	7260.56	43.11	54.00	-10.89	29.69	36.90	10.18	33.66	100	163	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7115.00</td> <td>72.83</td> <td>-----</td> <td>-----</td> <td>59.25</td> <td>36.95</td> <td>10.20</td> <td>33.57</td> <td>100</td> <td>163</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7115.00	72.83	-----	-----	59.25	36.95	10.20	33.57	100	163	AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																																					
Freq	Level	Line	Level	Factor	Loss Factor																																																																																								
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	7125.28	59.20	68.20	-9.00	45.63	36.95	10.20	33.58	100	163	AVERAGE																																																																																		
2	7260.56	43.11	54.00	-10.89	29.69	36.90	10.18	33.66	100	163	AVERAGE																																																																																		
Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																																					
Freq	Level	Line	Level	Factor	Loss Factor																																																																																								
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	7115.00	72.83	-----	-----	59.25	36.95	10.20	33.57	100	163	AVERAGE																																																																																		







		149																																																																																										
Mode	Band Edge																																																																																											
	U-NII-8_6.875-7.125_802.11be EHT20_CH233_Single RU_7115MHz																																																																																											
ANT	5+7																																																																																											
Pol.	Vertical	Fundamental																																																																																										
Peak	 <p style="text-align: right;">Date: 2024-03-21</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7125.28</td> <td>66.71</td> <td>88.20</td> <td>-21.49</td> <td>53.14</td> <td>36.95</td> <td>10.20</td> <td>33.58</td> <td>400</td> <td>102</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>7252.55</td> <td>53.34</td> <td>74.00</td> <td>-20.66</td> <td>39.91</td> <td>36.90</td> <td>10.18</td> <td>33.65</td> <td>400</td> <td>102</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7125.28	66.71	88.20	-21.49	53.14	36.95	10.20	33.58	400	102	PEAK	2	7252.55	53.34	74.00	-20.66	39.91	36.90	10.18	33.65	400	102	PEAK	 <p style="text-align: right;">Date: 2024-03-21</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7115.00</td> <td>81.40</td> <td>-----</td> <td>-----</td> <td>67.82</td> <td>36.95</td> <td>10.20</td> <td>33.57</td> <td>400</td> <td>102</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7115.00	81.40	-----	-----	67.82	36.95	10.20	33.57	400	102	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																																			
Freq	Level	Line	Level	Factor	Loss Factor																																																																																							
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	7125.28	66.71	88.20	-21.49	53.14	36.95	10.20	33.58	400	102	PEAK																																																																																	
2	7252.55	53.34	74.00	-20.66	39.91	36.90	10.18	33.65	400	102	PEAK																																																																																	
Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																																				
Freq	Level	Line	Level	Factor	Loss Factor																																																																																							
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	7115.00	81.40	-----	-----	67.82	36.95	10.20	33.57	400	102	PEAK																																																																																	
Avg	 <p style="text-align: right;">Date: 2024-03-21</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7125.28</td> <td>60.29</td> <td>68.20</td> <td>-7.91</td> <td>46.72</td> <td>36.95</td> <td>10.20</td> <td>33.58</td> <td>400</td> <td>102</td> <td>AVERAGE</td> </tr> <tr> <td>2</td> <td>7256.11</td> <td>43.10</td> <td>54.00</td> <td>-10.90</td> <td>29.67</td> <td>36.90</td> <td>10.18</td> <td>33.65</td> <td>400</td> <td>102</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7125.28	60.29	68.20	-7.91	46.72	36.95	10.20	33.58	400	102	AVERAGE	2	7256.11	43.10	54.00	-10.90	29.67	36.90	10.18	33.65	400	102	AVERAGE	 <p style="text-align: right;">Date: 2024-03-21</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7115.00</td> <td>74.24</td> <td>-----</td> <td>-----</td> <td>60.66</td> <td>36.95</td> <td>10.20</td> <td>33.57</td> <td>400</td> <td>102</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7115.00	74.24	-----	-----	60.66	36.95	10.20	33.57	400	102	AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																																			
Freq	Level	Line	Level	Factor	Loss Factor																																																																																							
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	7125.28	60.29	68.20	-7.91	46.72	36.95	10.20	33.58	400	102	AVERAGE																																																																																	
2	7256.11	43.10	54.00	-10.90	29.67	36.90	10.18	33.65	400	102	AVERAGE																																																																																	
Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																																				
Freq	Level	Line	Level	Factor	Loss Factor																																																																																							
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	7115.00	74.24	-----	-----	60.66	36.95	10.20	33.57	400	102	AVERAGE																																																																																	







		<b>150</b>																																																								
<b>Mode</b>		<b>Band Edge</b>																																																								
		<b>U-NII-8_6.875-7.125_802.11be EHT20_CH233_Small RU_7115MHz</b>																																																								
<b>ANT</b>		<b>5+7</b>																																																								
<b>Pol.</b>	<b>Horizontal</b>	<b>Fundamental</b>																																																								
<b>Peak</b>	<table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line (dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 7125.28 66.97 88.20 -21.23</td> <td>53.40</td> <td>36.95</td> <td>10.20</td> <td>33.58</td> <td>100</td> <td>160</td> <td>PEAK</td> </tr> <tr> <td>2 7328.20 52.48 74.00 -21.52</td> <td>39.13</td> <td>36.87</td> <td>10.18</td> <td>33.70</td> <td>100</td> <td>160</td> <td>PEAK</td> </tr> </tbody> </table>	Limit Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq Level Line (dB)	Level	Factor	Loss	Factor	cm	deg		1 7125.28 66.97 88.20 -21.23	53.40	36.95	10.20	33.58	100	160	PEAK	2 7328.20 52.48 74.00 -21.52	39.13	36.87	10.18	33.70	100	160	PEAK	<table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line (dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 7115.00 80.40</td> <td>66.82</td> <td>36.95</td> <td>10.20</td> <td>33.57</td> <td>100</td> <td>160</td> <td>PEAK</td> </tr> </tbody> </table>	Limit Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq Level Line (dB)	Level	Factor	Loss	Factor	cm	deg		1 7115.00 80.40	66.82	36.95	10.20	33.57	100	160	PEAK
	Limit Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																		
Freq Level Line (dB)	Level	Factor	Loss	Factor	cm	deg																																																				
1 7125.28 66.97 88.20 -21.23	53.40	36.95	10.20	33.58	100	160	PEAK																																																			
2 7328.20 52.48 74.00 -21.52	39.13	36.87	10.18	33.70	100	160	PEAK																																																			
Limit Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																			
Freq Level Line (dB)	Level	Factor	Loss	Factor	cm	deg																																																				
1 7115.00 80.40	66.82	36.95	10.20	33.57	100	160	PEAK																																																			
<b>Avg</b>	<table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line (dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 7125.28 60.75 68.20 -7.45</td> <td>47.18</td> <td>36.95</td> <td>10.20</td> <td>33.58</td> <td>100</td> <td>160</td> <td>AVERAGE</td> </tr> <tr> <td>2 7260.56 43.10 54.00 -10.90</td> <td>29.68</td> <td>36.90</td> <td>10.18</td> <td>33.66</td> <td>100</td> <td>160</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq Level Line (dB)	Level	Factor	Loss	Factor	cm	deg		1 7125.28 60.75 68.20 -7.45	47.18	36.95	10.20	33.58	100	160	AVERAGE	2 7260.56 43.10 54.00 -10.90	29.68	36.90	10.18	33.66	100	160	AVERAGE	<table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line (dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 7115.00 72.35</td> <td>58.77</td> <td>36.95</td> <td>10.20</td> <td>33.57</td> <td>100</td> <td>160</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq Level Line (dB)	Level	Factor	Loss	Factor	cm	deg		1 7115.00 72.35	58.77	36.95	10.20	33.57	100	160	AVERAGE
	Limit Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																		
Freq Level Line (dB)	Level	Factor	Loss	Factor	cm	deg																																																				
1 7125.28 60.75 68.20 -7.45	47.18	36.95	10.20	33.58	100	160	AVERAGE																																																			
2 7260.56 43.10 54.00 -10.90	29.68	36.90	10.18	33.66	100	160	AVERAGE																																																			
Limit Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																			
Freq Level Line (dB)	Level	Factor	Loss	Factor	cm	deg																																																				
1 7115.00 72.35	58.77	36.95	10.20	33.57	100	160	AVERAGE																																																			



		<b>150</b>																																																																																												
<b>Mode</b>		<b>Band Edge</b>																																																																																												
		<b>U-NII-8_6.875-7.125_802.11be EHT20_CH233_Small RU_7115MHz</b>																																																																																												
<b>ANT</b>		<b>5+7</b>																																																																																												
<b>Pol.</b>	<b>Vertical</b>	<b>Fundamental</b>																																																																																												
<b>Peak</b>	 <p style="text-align: right;">Date: 2024-03-21</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7125.28</td> <td>70.99</td> <td>88.20</td> <td>-17.21</td> <td>57.42</td> <td>36.95</td> <td>10.20</td> <td>33.58</td> <td>135</td> <td>321</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>7326.42</td> <td>52.42</td> <td>74.00</td> <td>-21.58</td> <td>39.07</td> <td>36.87</td> <td>10.18</td> <td>33.70</td> <td>135</td> <td>321</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7125.28	70.99	88.20	-17.21	57.42	36.95	10.20	33.58	135	321	PEAK	2	7326.42	52.42	74.00	-21.58	39.07	36.87	10.18	33.70	135	321	PEAK	 <p style="text-align: right;">Date: 2024-03-21</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7115.00</td> <td>82.01</td> <td>-----</td> <td>-----</td> <td>68.44</td> <td>36.95</td> <td>10.20</td> <td>33.58</td> <td>135</td> <td>321</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7115.00	82.01	-----	-----	68.44	36.95	10.20	33.58	135	321	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																																					
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	7125.28	70.99	88.20	-17.21	57.42	36.95	10.20	33.58	135	321	PEAK																																																																																			
2	7326.42	52.42	74.00	-21.58	39.07	36.87	10.18	33.70	135	321	PEAK																																																																																			
Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																																						
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	7115.00	82.01	-----	-----	68.44	36.95	10.20	33.58	135	321	PEAK																																																																																			
<b>Avg</b>	 <p style="text-align: right;">Date: 2024-03-21</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7125.28</td> <td>63.71</td> <td>68.20</td> <td>-4.49</td> <td>50.14</td> <td>36.95</td> <td>10.20</td> <td>33.58</td> <td>135</td> <td>321</td> <td>AVERAGE</td> </tr> <tr> <td>2</td> <td>7252.55</td> <td>43.29</td> <td>54.00</td> <td>-10.71</td> <td>29.86</td> <td>36.90</td> <td>10.18</td> <td>33.65</td> <td>135</td> <td>321</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7125.28	63.71	68.20	-4.49	50.14	36.95	10.20	33.58	135	321	AVERAGE	2	7252.55	43.29	54.00	-10.71	29.86	36.90	10.18	33.65	135	321	AVERAGE	 <p style="text-align: right;">Date: 2024-03-21</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7115.00</td> <td>75.16</td> <td>-----</td> <td>-----</td> <td>61.59</td> <td>36.95</td> <td>10.20</td> <td>33.58</td> <td>135</td> <td>321</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7115.00	75.16	-----	-----	61.59	36.95	10.20	33.58	135	321	AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																																					
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	7125.28	63.71	68.20	-4.49	50.14	36.95	10.20	33.58	135	321	AVERAGE																																																																																			
2	7252.55	43.29	54.00	-10.71	29.86	36.90	10.18	33.65	135	321	AVERAGE																																																																																			
Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																																						
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	7115.00	75.16	-----	-----	61.59	36.95	10.20	33.58	135	321	AVERAGE																																																																																			



		153																																																																																				
Mode	Band Edge																																																																																					
	U-NII-8_6.875-7.125_802.11ax HE20_CH233_Full RU_7115MHz																																																																																					
ANT	5+7																																																																																					
Pol.	Horizontal	Fundamental																																																																																				
Peak	 <p style="text-align: right;">Date: 2024-03-13</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7125.28</td> <td>69.80</td> <td>88.20</td> <td>-18.40</td> <td>56.23</td> <td>36.95</td> <td>10.20</td> <td>33.58</td> <td>394</td> <td>126</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>7269.46</td> <td>52.58</td> <td>74.00</td> <td>-21.42</td> <td>39.17</td> <td>36.89</td> <td>10.18</td> <td>33.66</td> <td>394</td> <td>126</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	7125.28	69.80	88.20	-18.40	56.23	36.95	10.20	33.58	394	126	PEAK	2	7269.46	52.58	74.00	-21.42	39.17	36.89	10.18	33.66	394	126	PEAK	 <p style="text-align: right;">Date: 2024-03-13</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7115.00</td> <td>83.78</td> <td>-----</td> <td>-----</td> <td>70.21</td> <td>36.95</td> <td>10.20</td> <td>33.58</td> <td>394</td> <td>126</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	7115.00	83.78	-----	-----	70.21	36.95	10.20	33.58	394	126	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																															
1	7125.28	69.80	88.20	-18.40	56.23	36.95	10.20	33.58	394	126	PEAK																																																																											
2	7269.46	52.58	74.00	-21.42	39.17	36.89	10.18	33.66	394	126	PEAK																																																																											
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																															
1	7115.00	83.78	-----	-----	70.21	36.95	10.20	33.58	394	126	PEAK																																																																											
Avg	 <p style="text-align: right;">Date: 2024-03-13</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7125.28</td> <td>63.53</td> <td>68.20</td> <td>-4.67</td> <td>49.96</td> <td>36.95</td> <td>10.20</td> <td>33.58</td> <td>394</td> <td>126</td> <td>AVERAGE</td> </tr> <tr> <td>2</td> <td>7266.79</td> <td>43.19</td> <td>54.00</td> <td>-10.81</td> <td>29.78</td> <td>36.89</td> <td>10.18</td> <td>33.66</td> <td>394</td> <td>126</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	7125.28	63.53	68.20	-4.67	49.96	36.95	10.20	33.58	394	126	AVERAGE	2	7266.79	43.19	54.00	-10.81	29.78	36.89	10.18	33.66	394	126	AVERAGE	 <p style="text-align: right;">Date: 2024-03-13</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7115.00</td> <td>74.76</td> <td>68.20</td> <td>6.56</td> <td>61.19</td> <td>36.95</td> <td>10.20</td> <td>33.58</td> <td>394</td> <td>126</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	7115.00	74.76	68.20	6.56	61.19	36.95	10.20	33.58	394	126	AVERAGE
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																															
1	7125.28	63.53	68.20	-4.67	49.96	36.95	10.20	33.58	394	126	AVERAGE																																																																											
2	7266.79	43.19	54.00	-10.81	29.78	36.89	10.18	33.66	394	126	AVERAGE																																																																											
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																															
1	7115.00	74.76	68.20	6.56	61.19	36.95	10.20	33.58	394	126	AVERAGE																																																																											





		153																																																																													
Mode	Band Edge																																																																														
	U-NII-8_6.875-7.125_802.11ax HE20_CH233_Full RU_7115MHz																																																																														
ANT	5+7																																																																														
Pol.	Vertical	Fundamental																																																																													
Peak																																																																															
	<table border="1"> <thead> <tr> <th>Limit Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Read Level</th> <th>Ant Factor</th> <th>Cable Loss</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 7125.28</td> <td>72.36</td> <td>88.20</td> <td>-15.84</td> <td>58.79</td> <td>36.95</td> <td>10.20</td> <td>33.58</td> <td>100</td> <td>221</td> <td>PEAK</td> </tr> <tr> <td>2 7317.52</td> <td>52.35</td> <td>74.00</td> <td>-21.65</td> <td>38.99</td> <td>36.87</td> <td>10.18</td> <td>33.69</td> <td>100</td> <td>221</td> <td>PEAK</td> </tr> </tbody> </table>	Limit Freq	Level	Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1 7125.28	72.36	88.20	-15.84	58.79	36.95	10.20	33.58	100	221	PEAK	2 7317.52	52.35	74.00	-21.65	38.99	36.87	10.18	33.69	100	221	PEAK	<table border="1"> <thead> <tr> <th>Limit Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Read Level</th> <th>Ant Factor</th> <th>Cable Loss</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 7115.00</td> <td>84.55</td> <td>-----</td> <td>-----</td> <td>70.97</td> <td>36.95</td> <td>10.20</td> <td>33.57</td> <td>100</td> <td>221</td> <td>PEAK</td> </tr> </tbody> </table>		Limit Freq	Level	Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1 7115.00	84.55	-----	-----	70.97	36.95	10.20	33.57	100	221
Limit Freq	Level	Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp	APos	TPos	Remark																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																						
1 7125.28	72.36	88.20	-15.84	58.79	36.95	10.20	33.58	100	221	PEAK																																																																					
2 7317.52	52.35	74.00	-21.65	38.99	36.87	10.18	33.69	100	221	PEAK																																																																					
Limit Freq	Level	Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp	APos	TPos	Remark																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																						
1 7115.00	84.55	-----	-----	70.97	36.95	10.20	33.57	100	221	PEAK																																																																					
Avg																																																																															
	<table border="1"> <thead> <tr> <th>Limit Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Read Level</th> <th>Ant Factor</th> <th>Cable Loss</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 7125.28</td> <td>62.67</td> <td>68.20</td> <td>-5.53</td> <td>49.10</td> <td>36.95</td> <td>10.20</td> <td>33.58</td> <td>100</td> <td>221</td> <td>AVERAGE</td> </tr> <tr> <td>2 7259.67</td> <td>43.24</td> <td>54.00</td> <td>-10.76</td> <td>29.82</td> <td>36.90</td> <td>10.18</td> <td>33.66</td> <td>100</td> <td>221</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit Freq	Level	Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1 7125.28	62.67	68.20	-5.53	49.10	36.95	10.20	33.58	100	221	AVERAGE	2 7259.67	43.24	54.00	-10.76	29.82	36.90	10.18	33.66	100	221	AVERAGE	<table border="1"> <thead> <tr> <th>Limit Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Read Level</th> <th>Ant Factor</th> <th>Cable Loss</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 7115.00</td> <td>74.63</td> <td>99.20</td> <td>-24.57</td> <td>61.05</td> <td>36.95</td> <td>10.20</td> <td>33.57</td> <td>100</td> <td>221</td> <td>AVERAGE</td> </tr> </tbody> </table>		Limit Freq	Level	Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1 7115.00	74.63	99.20	-24.57	61.05	36.95	10.20	33.57	100	221
Limit Freq	Level	Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp	APos	TPos	Remark																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																						
1 7125.28	62.67	68.20	-5.53	49.10	36.95	10.20	33.58	100	221	AVERAGE																																																																					
2 7259.67	43.24	54.00	-10.76	29.82	36.90	10.18	33.66	100	221	AVERAGE																																																																					
Limit Freq	Level	Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp	APos	TPos	Remark																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																						
1 7115.00	74.63	99.20	-24.57	61.05	36.95	10.20	33.57	100	221	AVERAGE																																																																					









Mode	153																																																																		
	Harmonic																																																																		
	U-NII-8_6.875-7.125_802.11ax HE20_CH233_Full RU_7115MHz																																																																		
ANT	5+7																																																																		
Pol.	Horizontal	Vertical																																																																	
Peak Avg																																																																			
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 14230.00</td> <td>49.74</td> <td>88.20</td> <td>-38.46</td> <td>59.27</td> <td>40.38</td> <td>13.98</td> <td>63.89</td> <td>--- --- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 14230.00	49.74	88.20	-38.46	59.27	40.38	13.98	63.89	--- --- Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 14230.00</td> <td>49.71</td> <td>88.20</td> <td>-38.49</td> <td>59.24</td> <td>40.38</td> <td>13.98</td> <td>63.89</td> <td>--- --- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 14230.00	49.71	88.20	-38.49	59.24	40.38	13.98	63.89
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																												
1 14230.00	49.74	88.20	-38.46	59.27	40.38	13.98	63.89	--- --- Peak																																																											
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																												
1 14230.00	49.71	88.20	-38.49	59.24	40.38	13.98	63.89	--- --- Peak																																																											







Mode	154																																																																																					
	Band Edge																																																																																					
	U-NII-8_6.875-7.125_802.11ax HE20_CH233_Full RU_7115MHz+802.11ax HE20_CH01+LTE B48 Link																																																																																					
ANT	5+7																																																																																					
Pol.	Horizontal	Fundamental																																																																																				
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7125.28</td> <td>69.72</td> <td>88.20</td> <td>-18.48</td> <td>56.15</td> <td>36.95</td> <td>10.20</td> <td>33.58</td> <td>300</td> <td>350</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>7299.27</td> <td>52.84</td> <td>74.00</td> <td>-21.16</td> <td>39.46</td> <td>36.88</td> <td>10.18</td> <td>33.68</td> <td>300</td> <td>350</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	7125.28	69.72	88.20	-18.48	56.15	36.95	10.20	33.58	300	350	PEAK	2	7299.27	52.84	74.00	-21.16	39.46	36.88	10.18	33.68	300	350	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7115.00</td> <td>81.96</td> <td>-----</td> <td>-----</td> <td>74.58</td> <td>33.06</td> <td>6.78</td> <td>32.46</td> <td>300</td> <td>350</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	7115.00	81.96	-----	-----	74.58	33.06	6.78	32.46	300	350	PEAK
	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																															
1	7125.28	69.72	88.20	-18.48	56.15	36.95	10.20	33.58	300	350	PEAK																																																																											
2	7299.27	52.84	74.00	-21.16	39.46	36.88	10.18	33.68	300	350	PEAK																																																																											
Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																															
1	7115.00	81.96	-----	-----	74.58	33.06	6.78	32.46	300	350	PEAK																																																																											
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7125.28</td> <td>61.74</td> <td>68.20</td> <td>-6.46</td> <td>48.17</td> <td>36.95</td> <td>10.20</td> <td>33.58</td> <td>300</td> <td>350</td> <td>AVERAGE</td> </tr> <tr> <td>2</td> <td>7273.91</td> <td>43.31</td> <td>54.00</td> <td>-10.69</td> <td>29.90</td> <td>36.89</td> <td>10.18</td> <td>33.66</td> <td>300</td> <td>350</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	7125.28	61.74	68.20	-6.46	48.17	36.95	10.20	33.58	300	350	AVERAGE	2	7273.91	43.31	54.00	-10.69	29.90	36.89	10.18	33.66	300	350	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7115.00</td> <td>72.81</td> <td>-----</td> <td>-----</td> <td>65.43</td> <td>33.06</td> <td>6.78</td> <td>32.46</td> <td>300</td> <td>350</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	7115.00	72.81	-----	-----	65.43	33.06	6.78	32.46	300	350	AVERAGE
Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																															
1	7125.28	61.74	68.20	-6.46	48.17	36.95	10.20	33.58	300	350	AVERAGE																																																																											
2	7273.91	43.31	54.00	-10.69	29.90	36.89	10.18	33.66	300	350	AVERAGE																																																																											
Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																															
1	7115.00	72.81	-----	-----	65.43	33.06	6.78	32.46	300	350	AVERAGE																																																																											



		<b>154</b>																																																																																				
<b>Mode</b>	<b>Band Edge</b>																																																																																					
	<b>U-NII-8_6.875-7.125_802.11ax HE20_CH233_Full RU_7115MHz+802.11ax HE20_CH01+LTE B48 Link</b>																																																																																					
<b>ANT</b>	<b>5+7</b>																																																																																					
<b>Pol.</b>	<b>Vertical</b>	<b>Fundamental</b>																																																																																				
<b>Peak</b>	 <p style="text-align: right;">Date: 2024-03-27</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7125.28</td> <td>70.69</td> <td>88.20</td> <td>-17.51</td> <td>57.12</td> <td>36.95</td> <td>10.20</td> <td>33.58</td> <td>347</td> <td>305</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>7257.00</td> <td>54.13</td> <td>74.00</td> <td>-19.87</td> <td>40.70</td> <td>36.90</td> <td>10.18</td> <td>33.65</td> <td>347</td> <td>305</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	7125.28	70.69	88.20	-17.51	57.12	36.95	10.20	33.58	347	305	PEAK	2	7257.00	54.13	74.00	-19.87	40.70	36.90	10.18	33.65	347	305	PEAK	 <p style="text-align: right;">Date: 2024-03-27</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7115.00</td> <td>84.66</td> <td>-----</td> <td>-----</td> <td>77.28</td> <td>33.06</td> <td>6.78</td> <td>32.46</td> <td>347</td> <td>305</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	7115.00	84.66	-----	-----	77.28	33.06	6.78	32.46	347	305	PEAK
	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																															
1	7125.28	70.69	88.20	-17.51	57.12	36.95	10.20	33.58	347	305	PEAK																																																																											
2	7257.00	54.13	74.00	-19.87	40.70	36.90	10.18	33.65	347	305	PEAK																																																																											
Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																															
1	7115.00	84.66	-----	-----	77.28	33.06	6.78	32.46	347	305	PEAK																																																																											
<b>Avg</b>	 <p style="text-align: right;">Date: 2024-03-27</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7125.28</td> <td>63.98</td> <td>68.20</td> <td>-4.22</td> <td>50.41</td> <td>36.95</td> <td>10.20</td> <td>33.58</td> <td>347</td> <td>305</td> <td>AVERAGE</td> </tr> <tr> <td>2</td> <td>7289.93</td> <td>43.13</td> <td>54.00</td> <td>-10.87</td> <td>29.74</td> <td>36.88</td> <td>10.18</td> <td>33.67</td> <td>347</td> <td>305</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	7125.28	63.98	68.20	-4.22	50.41	36.95	10.20	33.58	347	305	AVERAGE	2	7289.93	43.13	54.00	-10.87	29.74	36.88	10.18	33.67	347	305	AVERAGE	 <p style="text-align: right;">Date: 2024-03-27</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7115.00</td> <td>75.91</td> <td>-----</td> <td>-----</td> <td>68.53</td> <td>33.06</td> <td>6.78</td> <td>32.46</td> <td>347</td> <td>305</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	7115.00	75.91	-----	-----	68.53	33.06	6.78	32.46	347	305	AVERAGE
Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																															
1	7125.28	63.98	68.20	-4.22	50.41	36.95	10.20	33.58	347	305	AVERAGE																																																																											
2	7289.93	43.13	54.00	-10.87	29.74	36.88	10.18	33.67	347	305	AVERAGE																																																																											
Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																															
1	7115.00	75.91	-----	-----	68.53	33.06	6.78	32.46	347	305	AVERAGE																																																																											



		<b>154</b>																																																																														
<b>Mode</b>	<b>Band Edge</b>																																																																															
	<b>U-NII-8_6.875-7.125_802.11ax HE20_CH233_Full RU_7115MHz+802.11ax HE20_CH01+LTE B48 Link</b>																																																																															
<b>ANT</b>	<b>5+7</b>																																																																															
<b>Pol.</b>	<b>Horizontal</b>	<b>Fundamental</b>																																																																														
<b>Peak</b>	 <p style="text-align: right;">Date: 2024-03-26</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2389.43</td> <td>62.98</td> <td>74.00</td> <td>-11.02</td> <td>60.15</td> <td>30.72</td> <td>5.36</td> <td>33.25</td> <td>400</td> <td>123</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2389.43	62.98	74.00	-11.02	60.15	30.72	5.36	33.25	400	123	PEAK	 <p style="text-align: right;">Date: 2024-03-26</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2412.00</td> <td>103.45</td> <td>-----</td> <td>-----</td> <td>100.59</td> <td>30.72</td> <td>5.37</td> <td>33.23</td> <td>400</td> <td>123</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	103.45	-----	-----	100.59	30.72	5.37	33.23	400	123	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																							
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																									
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	2389.43	62.98	74.00	-11.02	60.15	30.72	5.36	33.25	400	123	PEAK																																																																					
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																									
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	2412.00	103.45	-----	-----	100.59	30.72	5.37	33.23	400	123	PEAK																																																																					
<b>Avg</b>	 <p style="text-align: right;">Date: 2024-03-26</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2389.95</td> <td>50.34</td> <td>54.00</td> <td>-3.66</td> <td>47.51</td> <td>30.72</td> <td>5.36</td> <td>33.25</td> <td>400</td> <td>123</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2389.95	50.34	54.00	-3.66	47.51	30.72	5.36	33.25	400	123	AVERAGE	 <p style="text-align: right;">Date: 2024-03-26</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2412.00</td> <td>95.04</td> <td>-----</td> <td>-----</td> <td>92.18</td> <td>30.72</td> <td>5.37</td> <td>33.23</td> <td>400</td> <td>123</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	95.04	-----	-----	92.18	30.72	5.37	33.23	400	123	AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																							
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																									
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	2389.95	50.34	54.00	-3.66	47.51	30.72	5.36	33.25	400	123	AVERAGE																																																																					
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																									
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	2412.00	95.04	-----	-----	92.18	30.72	5.37	33.23	400	123	AVERAGE																																																																					



		<b>154</b>																																																																															
<b>Mode</b>	<b>Band Edge</b>																																																																																
	<b>U-NII-8_6.875-7.125_802.11ax HE20_CH233_Full RU_7115MHz+802.11ax HE20_CH01+LTE B48 Link</b>																																																																																
<b>ANT</b>	<b>5+7</b>																																																																																
<b>Pol.</b>	<b>Vertical</b>	<b>Fundamental</b>																																																																															
<b>Peak</b>																																																																																	
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2388.00</td> <td>61.98</td> <td>74.00</td> <td>-12.02</td> <td>59.16</td> <td>30.72</td> <td>5.36</td> <td>33.26</td> <td>400</td> <td>187</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2388.00	61.98	74.00	-12.02	59.16	30.72	5.36	33.26	400	187	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2412.00</td> <td>103.56</td> <td>-----</td> <td>-----</td> <td>100.70</td> <td>30.72</td> <td>5.37</td> <td>33.23</td> <td>400</td> <td>187</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	103.56	-----	-----	100.70	30.72	5.37	33.23	400	187
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																									
Freq	Level	Line	Level	Factor	Loss Factor																																																																												
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	2388.00	61.98	74.00	-12.02	59.16	30.72	5.36	33.26	400	187	PEAK																																																																						
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																									
Freq	Level	Line	Level	Factor	Loss Factor																																																																												
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	2412.00	103.56	-----	-----	100.70	30.72	5.37	33.23	400	187	PEAK																																																																						
<b>Avg</b>																																																																																	
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2389.95</td> <td>48.36</td> <td>54.00</td> <td>-5.64</td> <td>45.53</td> <td>30.72</td> <td>5.36</td> <td>33.25</td> <td>400</td> <td>187</td> <td>AVERAGE</td> </tr> </tbody> </table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2389.95	48.36	54.00	-5.64	45.53	30.72	5.36	33.25	400	187	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2412.00</td> <td>94.26</td> <td>-----</td> <td>-----</td> <td>91.40</td> <td>30.72</td> <td>5.37</td> <td>33.23</td> <td>400</td> <td>187</td> <td>AVERAGE</td> </tr> </tbody> </table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	94.26	-----	-----	91.40	30.72	5.37	33.23	400	187
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																									
Freq	Level	Line	Level	Factor	Loss Factor																																																																												
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	2389.95	48.36	54.00	-5.64	45.53	30.72	5.36	33.25	400	187	AVERAGE																																																																						
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																									
Freq	Level	Line	Level	Factor	Loss Factor																																																																												
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	2412.00	94.26	-----	-----	91.40	30.72	5.37	33.23	400	187	AVERAGE																																																																						







Mode	154																																																																																											
	Harmonic																																																																																											
	U-NII-8_6.875-7.125_802.11ax HE20_CH233_Full RU_7115MHz+802.11ax HE20_CH01+LTE B48 Link																																																																																											
ANT	5+7																																																																																											
Pol.	Horizontal	Vertical																																																																																										
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4824.00</td> <td>48.56</td> <td>74.00</td> <td>-25.44</td> <td>36.88</td> <td>35.78</td> <td>8.88</td> <td>32.98</td> <td>--- Peak</td> </tr> <tr> <td>2</td> <td>14230.00</td> <td>47.87</td> <td>88.20</td> <td>-40.33</td> <td>28.19</td> <td>40.38</td> <td>13.98</td> <td>34.68</td> <td>--- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq Level	Line	Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	4824.00	48.56	74.00	-25.44	36.88	35.78	8.88	32.98	--- Peak	2	14230.00	47.87	88.20	-40.33	28.19	40.38	13.98	34.68	--- Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4824.00</td> <td>48.82</td> <td>74.00</td> <td>-25.18</td> <td>37.14</td> <td>35.78</td> <td>8.88</td> <td>32.98</td> <td>--- Peak</td> </tr> <tr> <td>2</td> <td>14230.00</td> <td>49.00</td> <td>88.20</td> <td>-39.20</td> <td>29.32</td> <td>40.38</td> <td>13.98</td> <td>34.68</td> <td>--- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq Level	Line	Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	4824.00	48.82	74.00	-25.18	37.14	35.78	8.88	32.98	--- Peak	2	14230.00	49.00	88.20	-39.20	29.32	40.38	13.98	34.68	--- Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																				
Freq Level	Line	Margin	Level	Factor	Loss Factor																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																				
1	4824.00	48.56	74.00	-25.44	36.88	35.78	8.88	32.98	--- Peak																																																																																			
2	14230.00	47.87	88.20	-40.33	28.19	40.38	13.98	34.68	--- Peak																																																																																			
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																					
Freq Level	Line	Margin	Level	Factor	Loss Factor																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																				
1	4824.00	48.82	74.00	-25.18	37.14	35.78	8.88	32.98	--- Peak																																																																																			
2	14230.00	49.00	88.20	-39.20	29.32	40.38	13.98	34.68	--- Peak																																																																																			

Note: the three highest signals over limit are WWAN + WLAN 2.4G + WLAN 6G fundamental signals.



Mode	155																																																																									
	Band Edge																																																																									
	U-NII-8_6.875-7.125_802.11ax HE20_CH233_Full RU_7115MHz+ Bluetooth-LE_GSKF_CH39+LTE B48 Link																																																																									
ANT	5+7																																																																									
Pol.	Horizontal	Fundamental																																																																								
Peak	<table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line (dB)</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz dBuV/m dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 7125.28 70.93 88.20 -17.27</td> <td>57.36</td> <td>36.95</td> <td>10.20</td> <td>33.58</td> <td>400</td> <td>286</td> <td>PEAK</td> </tr> <tr> <td>2 7317.96 52.66 74.00 -21.34</td> <td>39.30</td> <td>36.87</td> <td>10.18</td> <td>33.69</td> <td>400</td> <td>286</td> <td>PEAK</td> </tr> </tbody> </table>	Limit Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq Level Line (dB)	Level Factor	Loss Factor						MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1 7125.28 70.93 88.20 -17.27	57.36	36.95	10.20	33.58	400	286	PEAK	2 7317.96 52.66 74.00 -21.34	39.30	36.87	10.18	33.69	400	286	PEAK	<table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line (dB)</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz dBuV/m dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 7115.00 110.29</td> <td>102.91</td> <td>33.06</td> <td>6.78</td> <td>32.46</td> <td>400</td> <td>286</td> <td>PEAK</td> </tr> </tbody> </table>	Limit Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq Level Line (dB)	Level Factor	Loss Factor						MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1 7115.00 110.29	102.91	33.06	6.78	32.46	400	286	PEAK
	Limit Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																		
Freq Level Line (dB)	Level Factor	Loss Factor																																																																								
MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																				
1 7125.28 70.93 88.20 -17.27	57.36	36.95	10.20	33.58	400	286	PEAK																																																																			
2 7317.96 52.66 74.00 -21.34	39.30	36.87	10.18	33.69	400	286	PEAK																																																																			
Limit Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																			
Freq Level Line (dB)	Level Factor	Loss Factor																																																																								
MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																				
1 7115.00 110.29	102.91	33.06	6.78	32.46	400	286	PEAK																																																																			
Avg	<table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line (dB)</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz dBuV/m dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 7125.28 61.93 68.20 -6.27</td> <td>48.36</td> <td>36.95</td> <td>10.20</td> <td>33.58</td> <td>400</td> <td>286</td> <td>AVERAGE</td> </tr> <tr> <td>2 7251.21 43.18 54.00 -10.82</td> <td>29.75</td> <td>36.90</td> <td>10.18</td> <td>33.65</td> <td>400</td> <td>286</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq Level Line (dB)	Level Factor	Loss Factor						MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1 7125.28 61.93 68.20 -6.27	48.36	36.95	10.20	33.58	400	286	AVERAGE	2 7251.21 43.18 54.00 -10.82	29.75	36.90	10.18	33.65	400	286	AVERAGE	<table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line (dB)</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz dBuV/m dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 7115.00 106.56</td> <td>99.18</td> <td>33.06</td> <td>6.78</td> <td>32.46</td> <td>400</td> <td>286</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq Level Line (dB)	Level Factor	Loss Factor						MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1 7115.00 106.56	99.18	33.06	6.78	32.46	400	286	AVERAGE
	Limit Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																		
Freq Level Line (dB)	Level Factor	Loss Factor																																																																								
MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																				
1 7125.28 61.93 68.20 -6.27	48.36	36.95	10.20	33.58	400	286	AVERAGE																																																																			
2 7251.21 43.18 54.00 -10.82	29.75	36.90	10.18	33.65	400	286	AVERAGE																																																																			
Limit Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																			
Freq Level Line (dB)	Level Factor	Loss Factor																																																																								
MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																				
1 7115.00 106.56	99.18	33.06	6.78	32.46	400	286	AVERAGE																																																																			



		152																																																																																											
Mode		Band Edge																																																																																											
		U-NII-8 6.875-7.125_802.11ax HE20_CH233_Full RU_7115MHz+ Bluetooth-LE_GSKF_CH39+LTE B48 Link																																																																																											
ANT		5+7																																																																																											
Pol.		Vertical	Fundamental																																																																																										
Peak	 <p style="text-align: right;">Date: 2024-03-26</p>		 <p style="text-align: right;">Date: 2024-03-26</p>																																																																																										
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7125.28</td> <td>70.28</td> <td>88.20</td> <td>-17.92</td> <td>56.71</td> <td>36.95</td> <td>10.20</td> <td>33.58</td> <td>300</td> <td>306</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>7285.92</td> <td>53.17</td> <td>74.00</td> <td>-20.83</td> <td>39.77</td> <td>36.89</td> <td>10.18</td> <td>33.67</td> <td>300</td> <td>306</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7125.28	70.28	88.20	-17.92	56.71	36.95	10.20	33.58	300	306	PEAK	2	7285.92	53.17	74.00	-20.83	39.77	36.89	10.18	33.67	300	306	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7115.00</td> <td>111.17</td> <td>-----</td> <td>-----</td> <td>103.79</td> <td>33.06</td> <td>6.78</td> <td>32.46</td> <td>300</td> <td>306</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7115.00	111.17	-----	-----	103.79	33.06	6.78	32.46	300	306
Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																																					
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																						
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	7125.28	70.28	88.20	-17.92	56.71	36.95	10.20	33.58	300	306	PEAK																																																																																		
2	7285.92	53.17	74.00	-20.83	39.77	36.89	10.18	33.67	300	306	PEAK																																																																																		
Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																																					
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																						
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	7115.00	111.17	-----	-----	103.79	33.06	6.78	32.46	300	306	PEAK																																																																																		
Avg	 <p style="text-align: right;">Date: 2024-03-26</p>		 <p style="text-align: right;">Date: 2024-03-26</p>																																																																																										
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7125.28</td> <td>63.14</td> <td>68.20</td> <td>-5.06</td> <td>49.57</td> <td>36.95</td> <td>10.20</td> <td>33.58</td> <td>300</td> <td>306</td> <td>AVERAGE</td> </tr> <tr> <td>2</td> <td>7251.66</td> <td>43.22</td> <td>54.00</td> <td>-10.78</td> <td>29.79</td> <td>36.90</td> <td>10.18</td> <td>33.65</td> <td>300</td> <td>306</td> <td>AVERAGE</td> </tr> </tbody> </table>		Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7125.28	63.14	68.20	-5.06	49.57	36.95	10.20	33.58	300	306	AVERAGE	2	7251.66	43.22	54.00	-10.78	29.79	36.90	10.18	33.65	300	306	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7115.00</td> <td>107.62</td> <td>-----</td> <td>-----</td> <td>100.24</td> <td>33.06</td> <td>6.78</td> <td>32.46</td> <td>300</td> <td>306</td> <td>AVERAGE</td> </tr> </tbody> </table>		Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7115.00	107.62	-----	-----	100.24	33.06	6.78	32.46	300	306
Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																																					
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																						
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	7125.28	63.14	68.20	-5.06	49.57	36.95	10.20	33.58	300	306	AVERAGE																																																																																		
2	7251.66	43.22	54.00	-10.78	29.79	36.90	10.18	33.65	300	306	AVERAGE																																																																																		
Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																																					
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																						
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	7115.00	107.62	-----	-----	100.24	33.06	6.78	32.46	300	306	AVERAGE																																																																																		





		152																																																																														
Mode	Band Edge																																																																															
	U-NII-8_6.875-7.125_802.11ax HE20_CH233_Full RU_7115MHz+ Bluetooth-LE_GSKF_CH39+LTE B48 Link																																																																															
ANT	5+7																																																																															
Pol.	Horizontal	Fundamental																																																																														
Peak	<p style="text-align: right;">Date: 2024-03-26</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.52</td> <td>60.51</td> <td>74.00</td> <td>-13.49</td> <td>57.47</td> <td>30.70</td> <td>5.46</td> <td>33.12</td> <td>379</td> <td>298</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2483.52	60.51	74.00	-13.49	57.47	30.70	5.46	33.12	379	298	PEAK	<p style="text-align: right;">Date: 2024-03-26</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2480.00</td> <td>102.16</td> <td>-----</td> <td>-----</td> <td>99.13</td> <td>30.70</td> <td>5.46</td> <td>33.13</td> <td>379</td> <td>298</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	102.16	-----	-----	99.13	30.70	5.46	33.13	379	298	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																							
Freq	Level	Line	Level	Factor	Loss Factor																																																																											
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	2483.52	60.51	74.00	-13.49	57.47	30.70	5.46	33.12	379	298	PEAK																																																																					
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	Level	Factor	Loss Factor																																																																											
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	2480.00	102.16	-----	-----	99.13	30.70	5.46	33.13	379	298	PEAK																																																																					
Avg	<p style="text-align: right;">Date: 2024-03-26</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.52</td> <td>47.79</td> <td>54.00</td> <td>-6.21</td> <td>44.75</td> <td>30.70</td> <td>5.46</td> <td>33.12</td> <td>379</td> <td>298</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2483.52	47.79	54.00	-6.21	44.75	30.70	5.46	33.12	379	298	AVERAGE	<p style="text-align: right;">Date: 2024-03-26</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2480.00</td> <td>100.99</td> <td>-----</td> <td>-----</td> <td>97.96</td> <td>30.70</td> <td>5.46</td> <td>33.13</td> <td>379</td> <td>298</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	100.99	-----	-----	97.96	30.70	5.46	33.13	379	298	AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																							
Freq	Level	Line	Level	Factor	Loss Factor																																																																											
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	2483.52	47.79	54.00	-6.21	44.75	30.70	5.46	33.12	379	298	AVERAGE																																																																					
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	Level	Factor	Loss Factor																																																																											
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	2480.00	100.99	-----	-----	97.96	30.70	5.46	33.13	379	298	AVERAGE																																																																					



		152																																																																														
Mode	Band Edge																																																																															
	U-NII-8_6.875-7.125_802.11ax HE20_CH233_Full RU_7115MHz+ Bluetooth-LE_GSKF_CH39+LTE B48 Link																																																																															
ANT	5+7																																																																															
Pol.	Vertical	Fundamental																																																																														
Peak	<p style="text-align: right;">Date: 2024-03-26</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.52</td> <td>63.72</td> <td>74.00</td> <td>-10.28</td> <td>60.68</td> <td>30.70</td> <td>5.46</td> <td>33.12</td> <td>200</td> <td>268</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2483.52	63.72	74.00	-10.28	60.68	30.70	5.46	33.12	200	268	PEAK	<p style="text-align: right;">Date: 2024-03-26</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2480.00</td> <td>105.50</td> <td>-----</td> <td>-----</td> <td>102.47</td> <td>30.70</td> <td>5.46</td> <td>33.13</td> <td>200</td> <td>268</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	105.50	-----	-----	102.47	30.70	5.46	33.13	200	268	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																							
Freq	Level	Line	Level	Factor	Loss Factor																																																																											
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	2483.52	63.72	74.00	-10.28	60.68	30.70	5.46	33.12	200	268	PEAK																																																																					
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	Level	Factor	Loss Factor																																																																											
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	2480.00	105.50	-----	-----	102.47	30.70	5.46	33.13	200	268	PEAK																																																																					
Avg	<p style="text-align: right;">Date: 2024-03-26</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.52</td> <td>50.88</td> <td>54.00</td> <td>-3.12</td> <td>47.84</td> <td>30.70</td> <td>5.46</td> <td>33.12</td> <td>200</td> <td>268</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2483.52	50.88	54.00	-3.12	47.84	30.70	5.46	33.12	200	268	AVERAGE	<p style="text-align: right;">Date: 2024-03-26</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2480.00</td> <td>103.94</td> <td>-----</td> <td>-----</td> <td>100.91</td> <td>30.70</td> <td>5.46</td> <td>33.13</td> <td>200</td> <td>268</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	103.94	-----	-----	100.91	30.70	5.46	33.13	200	268	AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																							
Freq	Level	Line	Level	Factor	Loss Factor																																																																											
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	2483.52	50.88	54.00	-3.12	47.84	30.70	5.46	33.12	200	268	AVERAGE																																																																					
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	Level	Factor	Loss Factor																																																																											
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	2480.00	103.94	-----	-----	100.91	30.70	5.46	33.13	200	268	AVERAGE																																																																					



Mode	152																																																																																																																											
	Harmonic																																																																																																																											
	U-NII-8_6.875-7.125_802.11ax HE20_CH233_Full RU_7115MHz+ Bluetooth-LE_GSKF_CH39+LTE B48 Link																																																																																																																											
ANT	5+7																																																																																																																											
Pol.	Horizontal	Vertical																																																																																																																										
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4960.00</td> <td>49.82</td> <td>74.00</td> <td>-24.18</td> <td>38.02</td> <td>36.10</td> <td>8.46</td> <td>32.76</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>7440.00</td> <td>42.37</td> <td>74.00</td> <td>-31.63</td> <td>28.70</td> <td>36.82</td> <td>10.17</td> <td>33.32</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>3</td> <td>14230.00</td> <td>46.88</td> <td>88.20</td> <td>-41.32</td> <td>27.20</td> <td>40.38</td> <td>13.98</td> <td>34.68</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	4960.00	49.82	74.00	-24.18	38.02	36.10	8.46	32.76	---	---	Peak	2	7440.00	42.37	74.00	-31.63	28.70	36.82	10.17	33.32	---	---	Peak	3	14230.00	46.88	88.20	-41.32	27.20	40.38	13.98	34.68	---	---	Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4960.00</td> <td>48.79</td> <td>74.00</td> <td>-25.21</td> <td>36.99</td> <td>36.10</td> <td>8.46</td> <td>32.76</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>7440.00</td> <td>42.76</td> <td>74.00</td> <td>-31.24</td> <td>29.09</td> <td>36.82</td> <td>10.17</td> <td>33.32</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>3</td> <td>14230.00</td> <td>47.54</td> <td>88.20</td> <td>-40.66</td> <td>27.86</td> <td>40.38</td> <td>13.98</td> <td>34.68</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	4960.00	48.79	74.00	-25.21	36.99	36.10	8.46	32.76	---	---	Peak	2	7440.00	42.76	74.00	-31.24	29.09	36.82	10.17	33.32	---	---	Peak	3	14230.00	47.54	88.20	-40.66	27.86	40.38	13.98	34.68	---	---	Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																																				
1	4960.00	49.82	74.00	-24.18	38.02	36.10	8.46	32.76	---	---	Peak																																																																																																																	
2	7440.00	42.37	74.00	-31.63	28.70	36.82	10.17	33.32	---	---	Peak																																																																																																																	
3	14230.00	46.88	88.20	-41.32	27.20	40.38	13.98	34.68	---	---	Peak																																																																																																																	
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																																				
1	4960.00	48.79	74.00	-25.21	36.99	36.10	8.46	32.76	---	---	Peak																																																																																																																	
2	7440.00	42.76	74.00	-31.24	29.09	36.82	10.17	33.32	---	---	Peak																																																																																																																	
3	14230.00	47.54	88.20	-40.66	27.86	40.38	13.98	34.68	---	---	Peak																																																																																																																	


Note: the three highest signals over limit are WWAN + BLE + WLAN 6G fundamental signals.

## Appendix D. Duty Cycle Plots


Band	Duty Cycle(%)	T(ms)	1/T(kHz)	VBW Setting
11a	99.05	-	-	10Hz
11ax HE20	99.62	-	-	10Hz
11ax HE40	99.63	-	-	10Hz
11ax HE80	99.62	-	-	10Hz
11ax HE160	99.77	-	-	10Hz
11be EHT20	99.62	-	-	10Hz
11be EHT40	99.81	-	-	10Hz
11be EHT80	99.62	-	-	10Hz
11be EHT160	99.55	-	-	10Hz
11be EHT320	98.85	-	-	10Hz



802.11a




802.11ax HE20






802.11ax HE40




802.11ax HE80






802.11ax HE160




802.11be EHT20






802.11be EHT40




802.11be EHT80







802.11be EHT160



802.11be EHT320

