




## Appendix B. AC Conducted Emission Test Results

Test Engineer :	FangMing Liang	Temperature :	22~24°C
		Relative Humidity :	44~50%
Test Voltage :	120Vac / 60Hz	Phase :	Line
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		




Site : CO01-SZ  
 Condition: FCC 15E\_QP AC LISN 100063\_L LINE

	Freq	Level	Over Limit	Limit Line	Read Level	LISN Factor	Cable Loss	Remark
	MHz	dBuV	dB	dBuV	dBuV	dB	dB	
1	0.15	39.22	-16.78	56.00	18.70	10.39	10.13	Average
2 *	0.15	53.92	-12.08	66.00	33.40	10.39	10.13	QP
3	0.20	38.23	-15.44	53.67	17.60	10.48	10.15	Average
4	0.20	50.63	-13.04	63.67	30.00	10.48	10.15	QP
5	0.22	37.08	-15.71	52.79	16.60	10.33	10.15	Average
6	0.22	48.48	-14.31	62.79	28.00	10.33	10.15	QP
7	0.26	29.86	-21.61	51.47	9.60	10.11	10.15	Average
8	0.26	40.46	-21.01	61.47	20.20	10.11	10.15	QP
9	0.59	31.13	-14.87	46.00	10.80	10.17	10.16	Average
10	0.59	37.33	-18.67	56.00	17.00	10.17	10.16	QP
11	22.06	33.40	-16.60	50.00	12.59	10.16	10.65	Average
12	22.06	38.40	-21.60	60.00	17.59	10.16	10.65	QP



Test Engineer :	FangMing Liang	Temperature :	22~24°C
		Relative Humidity :	44~50%
Test Voltage :	120Vac / 60Hz	Phase :	Neutral
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		



Site : CO01-SZ  
 Condition: FCC 15E\_QP AC LISN 100063\_N NEUTRAL

	Freq	Level	Over	Limit	Read	LISN	Cable	Remark
	MHz	dBuV	Limit	Line	Level	Factor	Loss	
			dB	dBuV	dBuV	dB	dB	
1	0.15	37.46	-18.54	56.00	17.20	10.13	10.13	Average
2 *	0.15	49.96	-16.04	66.00	29.70	10.13	10.13	QP
3	0.22	34.86	-17.80	52.66	14.50	10.21	10.15	Average
4	0.22	43.46	-19.20	62.66	23.10	10.21	10.15	QP
5	0.27	32.56	-18.47	51.03	12.10	10.31	10.15	Average
6	0.27	41.36	-19.67	61.03	20.90	10.31	10.15	QP
7	0.60	29.82	-16.18	46.00	9.50	10.16	10.16	Average
8	0.60	37.32	-18.68	56.00	17.00	10.16	10.16	QP
9	0.99	23.99	-22.01	46.00	3.60	10.23	10.16	Average
10	0.99	34.19	-21.81	56.00	13.80	10.23	10.16	QP
11	22.54	28.29	-21.71	50.00	7.49	10.13	10.67	Average
12	22.54	33.49	-26.51	60.00	12.69	10.13	10.67	QP

Note:

- Level(dBμV) = Read Level(dBμV) + LISN Factor(dB) + Cable Loss(dB)
- Over Limit(dB) = Level(dBμV) – Limit Line(dBμV)



## Appendix C. Radiated Spurious Emission Test Data

Test Engineer :	Kuang Jia	Relative Humidity:	50%
		Temperature:	20°C~22°C

### Radiated Spurious Emission Test Modes

Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 1	U-NII-1	5.15-5.25	5+7	802.11a	36	5180	6Mbps	-	-
Mode 2	U-NII-1	5.15-5.25	5+7	802.11a	44	5220	6Mbps	-	-
Mode 3	U-NII-1	5.15-5.25	5+7	802.11a	48	5240	6Mbps	-	-
Mode 4	U-NII-2A	5.25-5.35	5+7	802.11a	52	5280	6Mbps	-	-
Mode 5	U-NII-2A	5.25-5.35	5+7	802.11a	60	5300	6Mbps	-	-
Mode 6	U-NII-2A	5.25-5.35	5+7	802.11a	64	5320	6Mbps	-	-
Mode 7	U-NII-2C	5.47-5.725	5+7	802.11a	100	5500	6Mbps	-	-
Mode 8	U-NII-2C	5.47-5.725	5+7	802.11a	116	5580	6Mbps	-	-
Mode 9	U-NII-2C	5.47-5.725	5+7	802.11a	140	5700	6Mbps	-	-
Mode 10	U-NII-1	5.15-5.25	5+7	802.11n HT20	36	5180	MCS0	-	-
Mode 11	U-NII-1	5.15-5.25	5+7	802.11n HT20	44	5220	MCS0	-	-
Mode 12	U-NII-1	5.15-5.25	5+7	802.11n HT20	48	5240	MCS0	-	-
Mode 13	U-NII-2A	5.25-5.35	5+7	802.11n HT20	52	5280	MCS0	-	-
Mode 14	U-NII-2A	5.25-5.35	5+7	802.11n HT20	60	5300	MCS0	-	-
Mode 15	U-NII-2A	5.25-5.35	5+7	802.11n HT20	64	5320	MCS0	-	-
Mode 16	U-NII-2C	5.47-5.725	5+7	802.11n HT20	100	5500	MCS0	-	-
Mode 17	U-NII-2C	5.47-5.725	5+7	802.11n HT20	116	5580	MCS0	-	-
Mode 18	U-NII-2C	5.47-5.725	5+7	802.11n HT20	140	5700	MCS0	-	-
Mode 19	U-NII-1	5.15-5.25	5+7	802.11n HT40	38	5190	MCS0	-	-
Mode 20	U-NII-1	5.15-5.25	5+7	802.11n HT40	46	5230	MCS0	-	-
Mode 21	U-NII-2A	5.25-5.35	5+7	802.11n HT40	54	5270	MCS0	-	-
Mode 22	U-NII-2A	5.25-5.35	5+7	802.11n HT40	62	5310	MCS0	-	-
Mode 23	U-NII-2C	5.47-5.725	5+7	802.11n HT40	102	5510	MCS0	-	-
Mode 24	U-NII-2C	5.47-5.725	5+7	802.11n HT40	134	5670	MCS0	-	-
Mode 25	U-NII-1	5.15-5.25	5+7	802.11ac VHT80	42	5210	MCS0	-	-
Mode 26	U-NII-2A	5.25-5.35	5+7	802.11ac VHT80	58	5290	MCS0	-	-
Mode 27	U-NII-2C	5.47-5.725	5+7	802.11ac VHT80	106	5530	MCS0	-	-
Mode 28	U-NII-2C	5.47-5.725	5+7	802.11ac VHT80	122	5610	MCS0	-	-
Mode 29	U-NII-2A	5.25-5.35	5+7	802.11ac VHT160	50	5250	MCS0	-	-
Mode 30	U-NII-2C	5.47-5.725	5+7	802.11ac VHT160	114	5570	MCS0	-	-
Mode 31	Straddle channels	5.47-5.85	5+7	802.11a	144	5720	6Mbps	-	-
Mode 32	Straddle channels	5.47-5.85	5+7	802.11n HT20	144	5720	MCS0	-	-
Mode 33	Straddle channels	5.47-5.85	5+7	802.11n HT40	142	5710	MCS0	-	-
Mode 34	Straddle channels	5.47-5.85	5+7	802.11n HT80	138	5690	MCS0	-	-
Mode 35	U-NII-1	5.15-5.25	5+7	802.11ax HE20	36	5180	MCS0	Full RU	-
Mode 36	U-NII-1	5.15-5.25	5+7	802.11ax HE20	44	5220	MCS0	Full RU	-
Mode 37	U-NII-1	5.15-5.25	5+7	802.11ax HE20	48	5240	MCS0	Full RU	-
Mode 38	U-NII-2A	5.25-5.35	5+7	802.11ax HE20	52	5280	MCS0	Full RU	-
Mode 39	U-NII-2A	5.25-5.35	5+7	802.11ax HE20	60	5300	MCS0	Full RU	-
Mode 40	U-NII-2A	5.25-5.35	5+7	802.11ax HE20	64	5320	MCS0	Full RU	-



Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 41	U-NII-2C	5.47-5.725	5+7	802.11ax HE20	100	5500	MCS0	Full RU	-
Mode 42	U-NII-2C	5.47-5.725	5+7	802.11ax HE20	116	5580	MCS0	Full RU	-
Mode 43	U-NII-2C	5.47-5.725	5+7	802.11ax HE20	140	5700	MCS0	Full RU	-
Mode 44	U-NII-1	5.15-5.25	5+7	802.11ax HE40	38	5190	MCS0	Full RU	-
Mode 45	U-NII-1	5.15-5.25	5+7	802.11ax HE40	46	5230	MCS0	Full RU	-
Mode 46	U-NII-2A	5.25-5.35	5+7	802.11ax HE40	54	5270	MCS0	Full RU	-
Mode 47	U-NII-2A	5.25-5.35	5+7	802.11ax HE40	62	5310	MCS0	Full RU	-
Mode 48	U-NII-2C	5.47-5.725	5+7	802.11ax HE40	102	5510	MCS0	Full RU	-
Mode 49	U-NII-2C	5.47-5.725	5+7	802.11ax HE40	134	5670	MCS0	Full RU	-
Mode 50	U-NII-1	5.15-5.25	5+7	802.11ax HE80	42	5210	MCS0	Full RU	-
Mode 51	U-NII-2A	5.25-5.35	5+7	802.11ax HE80	58	5290	MCS0	Full RU	-
Mode 52	U-NII-2C	5.47-5.725	5+7	802.11ax HE80	106	5530	MCS0	Full RU	-
Mode 53	U-NII-2C	5.47-5.725	5+7	802.11ax HE80	122	5610	MCS0	Full RU	-
Mode 54	U-NII-2A	5.25-5.35	5+7	802.11ax HE160	50	5250	MCS0	Full RU	-
Mode 55	U-NII-2C	5.47-5.725	5+7	802.11ax HE160	114	5570	MCS0	Full RU	-
Mode 56	Straddle channels	5.47-5.85	5+7	802.11ax HE20	144	5720	MCS0	Full RU	-
Mode 57	Straddle channels	5.47-5.85	5+7	802.11ax HE40	142	5710	MCS0	Full RU	-
Mode 58	Straddle channels	5.47-5.85	5+7	802.11ax HE80	138	5690	MCS0	Full RU	-
Mode 59	U-NII-1	5.15-5.25	5+7	802.11ax HE20	36	5180	MCS0	Partial RU	106/53
Mode 60	U-NII-2A	5.25-5.35	5+7	802.11ax HE20	64	5320	MCS0	Partial RU	26/8
Mode 61	U-NII-2C	5.47-5.725	5+7	802.11ax HE20	100	5500	MCS0	Partial RU	52/37
Mode 62	U-NII-2C	5.47-5.725	5+7	802.11ax HE20	140	5700	MCS0	Partial RU	52/40
Mode 63	U-NII-1	5.15-5.25	5+7	802.11be EHT20	36	5180	MCS0	Full RU	-
Mode 64	U-NII-1	5.15-5.25	5+7	802.11be EHT20	44	5220	MCS0	Full RU	-
Mode 65	U-NII-1	5.15-5.25	5+7	802.11be EHT20	48	5240	MCS0	Full RU	-
Mode 66	U-NII-2A	5.25-5.35	5+7	802.11be EHT20	52	5280	MCS0	Full RU	-
Mode 67	U-NII-2A	5.25-5.35	5+7	802.11be EHT20	60	5300	MCS0	Full RU	-
Mode 68	U-NII-2A	5.25-5.35	5+7	802.11be EHT20	64	5320	MCS0	Full RU	-
Mode 69	U-NII-2C	5.47-5.725	5+7	802.11be EHT20	100	5500	MCS0	Full RU	-
Mode 70	U-NII-2C	5.47-5.725	5+7	802.11be EHT20	116	5580	MCS0	Full RU	-
Mode 71	U-NII-2C	5.47-5.725	5+7	802.11be EHT20	140	5700	MCS0	Full RU	-
Mode 72	U-NII-1	5.15-5.25	5+7	802.11be EHT40	38	5190	MCS0	Full RU	-
Mode 73	U-NII-1	5.15-5.25	5+7	802.11be EHT40	46	5230	MCS0	Full RU	-
Mode 74	U-NII-2A	5.25-5.35	5+7	802.11be EHT40	54	5270	MCS0	Full RU	-
Mode 75	U-NII-2A	5.25-5.35	5+7	802.11be EHT40	62	5310	MCS0	Full RU	-
Mode 76	U-NII-2C	5.47-5.725	5+7	802.11be EHT40	102	5510	MCS0	Full RU	-
Mode 77	U-NII-2C	5.47-5.725	5+7	802.11be EHT40	134	5670	MCS0	Full RU	-
Mode 78	U-NII-1	5.15-5.25	5+7	802.11be EHT80	42	5210	MCS0	Full RU	-
Mode 79	U-NII-2A	5.25-5.35	5+7	802.11be EHT80	58	5290	MCS0	Full RU	-
Mode 80	U-NII-2C	5.47-5.725	5+7	802.11be EHT80	106	5530	MCS0	Full RU	-
Mode 81	U-NII-2C	5.47-5.725	5+7	802.11be EHT80	122	5610	MCS0	Full RU	-
Mode 82	U-NII-2A	5.25-5.35	5+7	802.11be EHT160	50	5250	MCS0	Full RU	-
Mode 83	U-NII-2C	5.47-5.725	5+7	802.11be EHT160	114	5570	MCS0	Full RU	-
Mode 84	Straddle channels	5.47-5.85	5+7	802.11be EHT20	144	5720	MCS0	Full RU	-
Mode 85	Straddle channels	5.47-5.85	5+7	802.11be EHT40	142	5710	MCS0	Full RU	-
Mode 86	Straddle channels	5.47-5.85	5+7	802.11be EHT80	138	5690	MCS0	Full RU	-
Mode 87	U-NII-1	5.15-5.25	5+7	802.11be EHT20	36	5180	MCS0	Single RU	106/53



Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 88	U-NII-2A	5.25-5.35	5+7	802.11be EHT20	64	5320	MCS0	Single RU	52/40
Mode 89	U-NII-2C	5.47-5.725	5+7	802.11be EHT20	100	5500	MCS0	Single RU	52/37
Mode 90	U-NII-2C	5.47-5.725	5+7	802.11be EHT20	140	5700	MCS0	Single RU	106/54
Mode 91	U-NII-1	5.15-5.25	5+7	802.11be EHT20	36	5180	MCS0	Small RU	52+26
Mode 92	U-NII-2A	5.25-5.35	5+7	802.11be EHT20	64	5320	MCS0	Small RU	52+26
Mode 93	U-NII-2C	5.47-5.725	5+7	802.11be EHT20	100	5500	MCS0	Small RU	106+26
Mode 94	U-NII-2C	5.47-5.725	5+7	802.11be EHT20	140	5700	MCS0	Small RU	106+26
Mode 95	U-NII-3	5.725-5.85	5+7	802.11a	149	5745	6Mbps	-	-
Mode 96	U-NII-3	5.725-5.85	5+7	802.11a	157	5785	6Mbps	-	-
Mode 97	U-NII-3	5.725-5.85	5+7	802.11a	165	5825	6Mbps	-	-
Mode 98	U-NII-3	5.725-5.85	5+7	802.11n HT20	149	5745	MCS0	-	-
Mode 99	U-NII-3	5.725-5.85	5+7	802.11n HT20	157	5785	MCS0	-	-
Mode 100	U-NII-3	5.725-5.85	5+7	802.11n HT20	165	5825	MCS0	-	-
Mode 101	U-NII-3	5.725-5.85	5+7	802.11n HT40	151	5755	MCS0	-	-
Mode 102	U-NII-3	5.725-5.85	5+7	802.11n HT40	159	5795	MCS0	-	-
Mode 103	U-NII-3	5.725-5.85	5+7	802.11ac VHT80	155	5775	MCS0	-	-
Mode 104	U-NII-3	5.725-5.85	5+7	802.11ax HE20	149	5745	MCS0	Full RU	-
Mode 105	U-NII-3	5.725-5.85	5+7	802.11ax HE20	157	5785	MCS0	Full RU	-
Mode 106	U-NII-3	5.725-5.85	5+7	802.11ax HE20	165	5825	MCS0	Full RU	-
Mode 107	U-NII-3	5.725-5.85	5+7	802.11ax HE40	151	5755	MCS0	Full RU	-
Mode 108	U-NII-3	5.725-5.85	5+7	802.11ax HE40	159	5795	MCS0	Full RU	-
Mode 109	U-NII-3	5.725-5.85	5+7	802.11ax HE80	155	5775	MCS0	Full RU	-
Mode 110	U-NII-3	5.725-5.85	5+7	802.11ax HE20	149	5745	MCS0	Partial RU	52/37
Mode 111	U-NII-3	5.725-5.85	5+7	802.11ax HE20	165	5825	MCS0	Partial RU	52/40
Mode 112	U-NII-3	5.725-5.85	5+7	802.11be EHT20	149	5745	MCS0	Full RU	-
Mode 113	U-NII-3	5.725-5.85	5+7	802.11be EHT20	157	5785	MCS0	Full RU	-
Mode 114	U-NII-3	5.725-5.85	5+7	802.11be EHT20	165	5825	MCS0	Full RU	-
Mode 115	U-NII-3	5.725-5.85	5+7	802.11be EHT40	151	5755	MCS0	Full RU	-
Mode 116	U-NII-3	5.725-5.85	5+7	802.11be EHT40	159	5795	MCS0	Full RU	-
Mode 117	U-NII-3	5.725-5.85	5+7	802.11be EHT80	155	5775	MCS0	Full RU	-
Mode 118	U-NII-3	5.725-5.85	5+7	802.11be EHT20	149	5745	MCS0	Single RU	52/37
Mode 119	U-NII-3	5.725-5.85	5+7	802.11be EHT20	165	5825	MCS0	Single RU	106/54
Mode 120	U-NII-3	5.725-5.85	5+7	802.11be EHT20	149	5745	MCS0	Small RU	106+26
Mode 121	U-NII-3	5.725-5.85	5+7	802.11be EHT20	165	5825	MCS0	Small RU	106+26
Mode 122	U-NII-1	5.15-5.25	5+7	802.11be EHT80	42	5210	MCS0	Large RU 484+242	④
Mode 123	U-NII-2A	5.25-5.35	5+7	802.11be EHT80	58	5290	MCS0	Large RU 484+242	①
Mode 124	U-NII-2C	5.47-5.725	5+7	802.11be EHT80	106	5530	MCS0	Large RU 484+242	④
Mode 125	U-NII-2C	5.47-5.725	5+7	802.11be EHT80	122	5610	MCS0	Large RU 484+242	①
Mode 126	U-NII-2A	5.25-5.35	5+7	802.11be EHT160	50	5250	MCS0	Large RU 996+484	3
Mode 127	U-NII-2C	5.47-5.725	5+7	802.11be EHT160	114	5570	MCS0	Large RU 996+484	④
Mode 128	U-NII-3	5.725-5.85	5+7	802.11be EHT80	155	5775	MCS0	Large RU 484+242	④
Mode 131	U-NII-1	5.15-5.25	5+7	802.11be EHT80	42	5210	MCS0	Puncturing 20M	④
Mode 132	U-NII-2A	5.25-5.35	5+7	802.11be EHT80	58	5290	MCS0	Puncturing 20M	①
Mode 133	U-NII-2C	5.47-5.725	5+7	802.11be EHT80	106	5530	MCS0	Puncturing	④





Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
								20M	
Mode 134	U-NII-2C	5.47-5.725	5+7	802.11be EHT80	122	5610	MCS0	Puncturing 20M	①
Mode 135	U-NII-2A	5.25-5.35	5+7	802.11be EHT160	50	5250	MCS0	Puncturing 40M	3
Mode 136	U-NII-2C	5.47-5.725	5+7	802.11be EHT160	114	5570	MCS0	Puncturing 40M	④
Mode 137	U-NII-3	5.725-5.85	5+7	802.11be EHT80	155	5775	MCS0	Puncturing 20M	④
Mode 138	U-NII-2A	5.25-5.35	5+7	802.11be EHT160	50	5250	MCS0	Puncturing 20M	7
Mode 139	U-NII-2C	5.47-5.725	5+7	802.11be EHT160	114	5570	MCS0	Puncturing 20M	⑧
Mode 140	U-NII-2C	5.47-5.725	5+7	802.11be EHT40	134	5670	MCS0	Full RU	LF
Mode 141	U-NII-3	5.725-5.85	5+7	802.11ax HE40	151	5755	MCS0	Full RU	LF
Mode 144	U-NII-2C	5.47-5.725	5+7	802.11be EHT40	134	5670	MCS0	Full RU	Fold up
Mode 145	U-NII-3	5.725-5.85	5+7	802.11ax HE40	151	5755	MCS0	Full RU	Fold up

**Simultaneous transmission**

Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 142	CO-TX		4	LTE B48 Link	-	-	-	-	
			5+7	802.11be EHT40	134	5670	MCS0	-	
			5+7	802.11ax HE20	01	2412	MCS0	Full RU	
Mode 143	CO-TX		4	LTE B48 Link	-	-	-	-	
			5+7	802.11be EHT40	134	5670	MCS0		
			5+7	Bluetooth-LE_GSFK	39	2480	2Mbps		



Summary of each worse mode

Table with 11 columns: Mode, Modulation, Ch., Freq. (MHz), Level (dBuV/m), Limit (dBuV/m), Margin (dB), Pol., Peak Avg., Result, Remark. It contains 48 rows of test data for various frequencies and modulation types.



Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
26	802.11ac VHT80	58	-	-	-	-	-	-	-	Harmonic
27	802.11ac VHT80	106	5447.56	49.06	54.00	-4.94	H	AVERAGE	Pass	Band Edge
27	802.11ac VHT80	106	-	-	-	-	-	-	-	Harmonic
28	802.11ac VHT80	122	5449.32	43.69	54.00	-10.31	H	AVERAGE	Pass	Band Edge
28	802.11ac VHT80	122	-	-	-	-	-	-	-	Harmonic
29	802.11ac VHT160	50	5116.25	50.71	54.00	-3.29	H	AVERAGE	Pass	Band Edge
29	802.11ac VHT160	50	-	-	-	-	-	-	-	Harmonic
30	802.11ac VHT160	114	5465.72	64.86	68.30	-3.44	H	PEAK	Pass	Band Edge
30	802.11ac VHT160	114	-	-	-	-	-	-	-	Harmonic
31	802.11a	144	-	-	-	-	-	-	-	Band Edge
31	802.11a	144	17160.00	47.67	68.30	-20.63	V	Peak	Pass	Harmonic
32	802.11n HT20	144	5459.45	40.49	54.00	-13.51	H	Average	Pass	Band Edge
32	802.11n HT20	144	17160.00	47.66	68.30	-20.64	V	Peak	Pass	Harmonic
33	802.11n HT40	142	5460.00	40.83	54.00	-13.17	V	Average	Pass	Band Edge
33	802.11n HT40	142	-	-	-	-	-	-	-	Harmonic
34	802.11n HT80	138	5460.00	41.46	54.00	-12.54	V	Average	Pass	Band Edge
34	802.11n HT80	138	-	-	-	-	-	-	-	Harmonic
35	802.11ax HE20	36	5148.86	47.39	54.00	-6.61	V	AVERAGE	Pass	Band Edge
35	802.11ax HE20	36	10360.00	47.44	68.30	-20.86	V	Peak	Pass	Harmonic
36	802.11ax HE20	44	-	-	-	-	-	-	-	Band Edge
36	802.11ax HE20	44	10440.00	47.00	68.30	-21.30	V	Peak	Pass	Harmonic
37	802.11ax HE20	48	-	-	-	-	-	-	-	Band Edge
37	802.11ax HE20	48	10480.00	47.68	68.30	-20.62	H	Peak	Pass	Harmonic
38	802.11ax HE20	52	-	-	-	-	-	-	-	Band Edge
38	802.11ax HE20	52	10520.00	47.07	68.30	-21.23	V	Peak	Pass	Harmonic
39	802.11ax HE20	60	-	-	-	-	-	-	-	Band Edge
39	802.11ax HE20	60	10600.00	48.39	74.00	-25.61	V	Peak	Pass	Harmonic
40	802.11ax HE20	64	5354.44	49.81	54.00	-4.19	V	AVERAGE	Pass	Band Edge
40	802.11ax HE20	64	15960.00	49.95	74.00	-24.05	H	Peak	Pass	Harmonic
41	802.11ax HE20	100	5453.05	44.80	54.00	-9.20	H	AVERAGE	Pass	Band Edge
41	802.11ax HE20	100	16500.00	48.55	68.30	-19.75	V	Peak	Pass	Harmonic
42	802.11ax HE20	116	-	-	-	-	-	-	-	Band Edge
42	802.11ax HE20	116	16740.00	50.73	68.30	-17.57	V	Peak	Pass	Harmonic
43	802.11ax HE20	140	5725.03	62.33	68.30	-5.97	H	PEAK	Pass	Band Edge
43	802.11ax HE20	140	17100.00	50.50	68.30	-17.80	H	Peak	Pass	Harmonic
44	802.11ax HE40	38	5121.03	48.01	54.00	-5.99	V	AVERAGE	Pass	Band Edge
44	802.11ax HE40	38	-	-	-	-	-	-	-	Harmonic
45	802.11ax HE40	46	5149.73	47.98	54.00	-6.02	H	AVERAGE	Pass	Band Edge
45	802.11ax HE40	46	-	-	-	-	-	-	-	Harmonic
46	802.11ax HE40	54	5350.18	47.31	54.00	-6.69	H	AVERAGE	Pass	Band Edge
46	802.11ax HE40	54	-	-	-	-	-	-	-	Harmonic
47	802.11ax HE40	62	5361.90	50.43	54.00	-3.57	V	AVERAGE	Pass	Band Edge
47	802.11ax HE40	62	-	-	-	-	-	-	-	Harmonic
48	802.11ax HE40	102	5459.92	47.57	54.00	-6.43	V	AVERAGE	Pass	Band Edge
48	802.11ax HE40	102	-	-	-	-	-	-	-	Harmonic
49	802.11ax HE40	134	5750.18	61.59	68.30	-6.71	H	PEAK	Pass	Band Edge
49	802.11ax HE40	134	-	-	-	-	-	-	-	Harmonic
50	802.11ax HE80	42	5122.43	50.66	54.00	-3.34	H	AVERAGE	Pass	Band Edge
50	802.11ax HE80	42	-	-	-	-	-	-	-	Harmonic
51	802.11ax HE80	58	5364.80	50.68	54.00	-3.32	V	AVERAGE	Pass	Band Edge
51	802.11ax HE80	58	-	-	-	-	-	-	-	Harmonic
52	802.11ax HE80	106	5445.40	48.54	54.00	-5.46	H	AVERAGE	Pass	Band Edge
52	802.11ax HE80	106	-	-	-	-	-	-	-	Harmonic



Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
53	802.11ax HE80	122	5458.68	43.78	54.00	-10.22	H	AVERAGE	Pass	Band Edge
53	802.11ax HE80	122	-	-	-	-	-	-	-	Harmonic
54	802.11ax HE160	50	5427.45	48.43	54.00	-5.57	H	AVERAGE	Pass	Band Edge
54	802.11ax HE160	50	10500.00	47.72	68.30	-20.58	H	Peak	Pass	Harmonic
55	802.11ax HE160	114	5443.72	49.21	54.00	-4.79	V	AVERAGE	Pass	Band Edge
55	802.11ax HE160	114	16710.00	50.31	68.30	-17.99	V	Peak	Pass	Harmonic
56	802.11ax HE20	144	5459.45	40.65	54.00	-13.35	H	Average	Pass	Band Edge
56	802.11ax HE20	144	17160.00	49.56	68.30	-18.74	H	Peak	Pass	Harmonic
57	802.11ax HE40	142	5460.00	40.99	54.00	-13.01	H	Average	Pass	Band Edge
57	802.11ax HE40	142	-	-	-	-	-	-	-	Harmonic
58	802.11ax HE80	138	5460.00	41.41	54.00	-12.59	V	Average	Pass	Band Edge
58	802.11ax HE80	138	-	-	-	-	-	-	-	Harmonic
59	802.11ax HE20	36	5125.82	43.09	54.00	-10.91	V	AVERAGE	Pass	Band Edge
59	802.11ax HE20	36	-	-	-	-	-	-	-	Harmonic
60	802.11ax HE20	64	5454.68	42.82	54.00	-11.18	V	AVERAGE	Pass	Band Edge
60	802.11ax HE20	64	-	-	-	-	-	-	-	Harmonic
61	802.11ax HE20	100	5458.15	43.48	54.00	-10.52	H	AVERAGE	Pass	Band Edge
61	802.11ax HE20	100	-	-	-	-	-	-	-	Harmonic
62	802.11ax HE20	140	5730.94	54.35	68.30	-13.95	V	PEAK	Pass	Band Edge
62	802.11ax HE20	140	-	-	-	-	-	-	-	Harmonic
63	802.11be EHT20	36	5149.22	46.51	54.00	-7.49	V	AVERAGE	Pass	Band Edge
63	802.11be EHT20	36	10360.00	47.23	68.30	-21.07	H	Peak	Pass	Harmonic
64	802.11be EHT20	44	-	-	-	-	-	-	-	Band Edge
64	802.11be EHT20	44	10440.00	47.35	68.30	-20.95	V	Peak	Pass	Harmonic
65	802.11be EHT20	48	-	-	-	-	-	-	-	Band Edge
65	802.11be EHT20	48	10480.00	47.21	68.30	-21.09	V	Peak	Pass	Harmonic
66	802.11be EHT20	52	-	-	-	-	-	-	-	Band Edge
66	802.11be EHT20	52	10520.00	46.86	68.30	-21.44	H	Peak	Pass	Harmonic
67	802.11be EHT20	60	-	-	-	-	-	-	-	Band Edge
67	802.11be EHT20	60	15900.00	49.51	74.00	-24.49	V	Peak	Pass	Harmonic
68	802.11be EHT20	64	5354.16	48.93	54.00	-5.07	V	AVERAGE	Pass	Band Edge
68	802.11be EHT20	64	15960.00	48.51	74.00	-25.49	H	Peak	Pass	Harmonic
69	802.11be EHT20	100	5456.20	45.80	54.00	-8.20	H	AVERAGE	Pass	Band Edge
69	802.11be EHT20	100	16500.00	49.46	68.30	-18.84	H	Peak	Pass	Harmonic
70	802.11be EHT20	116	-	-	-	-	-	-	-	Band Edge
70	802.11be EHT20	116	16740.00	50.07	68.30	-18.23	H	Peak	Pass	Harmonic
71	802.11be EHT20	140	5725.35	65.04	68.30	-3.26	H	PEAK	Pass	Band Edge
71	802.11be EHT20	140	17100.00	50.56	68.30	-17.74	H	Peak	Pass	Harmonic
72	802.11be EHT40	38	5142.12	48.48	54.00	-5.52	V	AVERAGE	Pass	Band Edge
72	802.11be EHT40	38	-	-	-	-	-	-	-	Harmonic
73	802.11be EHT40	46	5141.91	50.39	54.00	-3.61	V	AVERAGE	Pass	Band Edge
73	802.11be EHT40	46	-	-	-	-	-	-	-	Harmonic
74	802.11be EHT40	54	5358.73	46.73	54.00	-7.27	V	AVERAGE	Pass	Band Edge
74	802.11be EHT40	54	-	-	-	-	-	-	-	Harmonic
75	802.11be EHT40	62	5360.55	50.65	54.00	-3.35	V	AVERAGE	Pass	Band Edge
75	802.11be EHT40	62	-	-	-	-	-	-	-	Harmonic
76	802.11be EHT40	102	5465.52	64.92	68.30	-3.38	H	PEAK	Pass	Band Edge
76	802.11be EHT40	102	-	-	-	-	-	-	-	Harmonic
77	802.11be EHT40	134	5727.86	65.28	68.30	-3.02	V	PEAK	Pass	Band Edge
77	802.11be EHT40	134	17010.00	49.69	68.30	-18.61	V	Peak	Pass	Harmonic
78	802.11be EHT80	42	5122.43	49.60	54.00	-4.40	V	AVERAGE	Pass	Band Edge
78	802.11be EHT80	42	-	-	-	-	-	-	-	Harmonic
79	802.11be EHT80	58	5363.27	50.67	54.00	-3.33	V	AVERAGE	Pass	Band Edge



Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
79	802.11be EHT80	58	-	-	-	-	-	-	-	Harmonic
80	802.11be EHT80	106	5443.78	50.85	54.00	-3.15	V	AVERAGE	Pass	Band Edge
80	802.11be EHT80	106	-	-	-	-	-	-	-	Harmonic
81	802.11be EHT80	122	5459.98	45.14	54.00	-8.86	V	AVERAGE	Pass	Band Edge
81	802.11be EHT80	122	-	-	-	-	-	-	-	Harmonic
82	802.11be EHT160	50	5122.25	49.68	54.00	-4.32	V	AVERAGE	Pass	Band Edge
82	802.11be EHT160	50	-	-	-	-	-	-	-	Harmonic
83	802.11be EHT160	114	5442.40	49.94	54.00	-4.06	V	AVERAGE	Pass	Band Edge
83	802.11be EHT160	114	-	-	-	-	-	-	-	Harmonic
84	802.11be EHT20	144	5460.00	40.76	54.00	-13.24	H	Average	Pass	Band Edge
84	802.11be EHT20	144	17160.00	49.23	68.30	-19.07	V	Peak	Pass	Harmonic
85	802.11be EHT40	142	5460.00	41.28	54.00	-12.72	V	Average	Pass	Band Edge
85	802.11be EHT40	142	-	-	-	-	-	-	-	Harmonic
86	802.11be EHT80	138	5460.00	41.84	54.00	-12.16	V	Average	Pass	Band Edge
86	802.11be EHT80	138	-	-	-	-	-	-	-	Harmonic
87	802.11be EHT20	36	5148.14	43.09	54.00	-10.91	V	AVERAGE	Pass	Band Edge
87	802.11be EHT20	36	-	-	-	-	-	-	-	Harmonic
88	802.11be EHT20	64	5459.72	42.71	54.00	-11.29	H	AVERAGE	Pass	Band Edge
88	802.11be EHT20	64	-	-	-	-	-	-	-	Harmonic
89	802.11be EHT20	100	5457.40	43.54	54.00	-10.46	H	AVERAGE	Pass	Band Edge
89	802.11be EHT20	100	-	-	-	-	-	-	-	Harmonic
90	802.11be EHT20	140	5738.22	54.33	68.30	-13.97	H	PEAK	Pass	Band Edge
90	802.11be EHT20	140	-	-	-	-	-	-	-	Harmonic
91	802.11be EHT20	36	5147.06	44.19	54.00	-9.81	V	AVERAGE	Pass	Band Edge
91	802.11be EHT20	36	-	-	-	-	-	-	-	Harmonic
92	802.11be EHT20	64	5356.96	43.37	54.00	-10.63	H	AVERAGE	Pass	Band Edge
92	802.11be EHT20	64	-	-	-	-	-	-	-	Harmonic
93	802.11be EHT20	100	5456.95	43.84	54.00	-10.16	H	AVERAGE	Pass	Band Edge
93	802.11be EHT20	100	-	-	-	-	-	-	-	Harmonic
94	802.11be EHT20	140	5726.72	54.74	68.30	-13.56	V	PEAK	Pass	Band Edge
94	802.11be EHT20	140	-	-	-	-	-	-	-	Harmonic
95	802.11a	149	-	-	-	-	-	-	-	Band Edge
95	802.11a	149	17235.00	50.31	68.30	-17.99	V	Peak	Pass	Harmonic
96	802.11a	157	-	-	-	-	-	-	-	Band Edge
96	802.11a	157	17355.00	50.34	68.30	-17.96	H	Peak	Pass	Harmonic
97	802.11a	165	-	-	-	-	-	-	-	Band Edge
97	802.11a	165	17475.00	50.51	68.30	-17.79	H	Peak	Pass	Harmonic
98	802.11n HT20	149	5633.79	53.39	68.30	-14.91	H	PEAK	Pass	Band Edge
98	802.11n HT20	149	17235.00	50.49	68.30	-17.81	V	Peak	Pass	Harmonic
99	802.11n HT20	157	-	-	-	-	-	-	-	Band Edge
99	802.11n HT20	157	17355.00	49.98	68.30	-18.32	H	Peak	Pass	Harmonic
100	802.11n HT20	165	5949.50	54.02	68.30	-14.28	H	PEAK	Pass	Band Edge
100	802.11n HT20	165	17475.00	51.61	68.30	-16.69	V	Peak	Pass	Harmonic
101	802.11n HT40	151	5649.91	56.07	68.30	-12.23	H	PEAK	Pass	Band Edge
101	802.11n HT40	151	-	-	-	-	-	-	-	Harmonic
102	802.11n HT40	159	5649.53	54.45	68.30	-13.85	H	PEAK	Pass	Band Edge
102	802.11n HT40	159	-	-	-	-	-	-	-	Harmonic
103	802.11ac VHT80	155	5641.13	55.39	68.30	-12.91	V	PEAK	Pass	Band Edge
103	802.11ac VHT80	155	-	-	-	-	-	-	-	Harmonic
104	802.11ax HE20	149	5610.44	53.05	68.30	-15.25	V	PEAK	Pass	Band Edge
104	802.11ax HE20	149	17235.00	48.84	68.30	-19.46	H	Peak	Pass	Harmonic
105	802.11ax HE20	157	-	-	-	-	-	-	-	Band Edge
105	802.11ax HE20	157	17355.00	50.33	68.30	-17.97	V	Peak	Pass	Harmonic



Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
106	802.11ax HE20	165	5928.13	52.82	68.30	-15.48	H	PEAK	Pass	Band Edge
106	802.11ax HE20	165	17475.00	50.56	68.30	-17.74	H	Peak	Pass	Harmonic
107	802.11ax HE40	151	5648.21	61.04	68.30	-7.26	V	PEAK	Pass	Band Edge
107	802.11ax HE40	151	17265.00	49.04	68.30	-19.26	H	Peak	Pass	Harmonic
108	802.11ax HE40	159	5635.30	53.96	68.30	-14.34	V	PEAK	Pass	Band Edge
108	802.11ax HE40	159	-	-	-	-	-	-	-	Harmonic
109	802.11ax HE80	155	5633.08	54.64	68.30	-13.66	V	PEAK	Pass	Band Edge
109	802.11ax HE80	155	-	-	-	-	-	-	-	Harmonic
110	802.11ax HE20	149	5606.67	53.56	68.30	-14.74	V	PEAK	Pass	Band Edge
110	802.11ax HE20	149	-	-	-	-	-	-	-	Harmonic
111	802.11ax HE20	165	5934.75	53.97	68.30	-14.33	V	PEAK	Pass	Band Edge
111	802.11ax HE20	165	-	-	-	-	-	-	-	Harmonic
112	802.11be EHT20	149	5635.82	53.84	68.30	-14.46	H	PEAK	Pass	Band Edge
112	802.11be EHT20	149	17235.00	49.83	68.30	-18.47	H	Peak	Pass	Harmonic
113	802.11be EHT20	157	-	-	-	-	-	-	-	Band Edge
113	802.11be EHT20	157	17355.00	50.93	68.30	-17.37	H	Peak	Pass	Harmonic
114	802.11be EHT20	165	5946.88	52.76	68.30	-15.54	H	PEAK	Pass	Band Edge
114	802.11be EHT20	165	17475.00	51.50	68.30	-16.80	H	Peak	Pass	Harmonic
115	802.11be EHT40	151	5640.15	56.05	68.30	-12.25	V	PEAK	Pass	Band Edge
115	802.11be EHT40	151	-	-	-	-	-	-	-	Harmonic
116	802.11be EHT40	159	5939.77	53.70	68.30	-14.60	V	PEAK	Pass	Band Edge
116	802.11be EHT40	159	-	-	-	-	-	-	-	Harmonic
117	802.11be EHT80	155	5645.50	54.34	68.30	-13.96	V	PEAK	Pass	Band Edge
117	802.11be EHT80	155	-	-	-	-	-	-	-	Harmonic
118	802.11be EHT20	149	5635.82	53.93	68.30	-14.37	H	PEAK	Pass	Band Edge
118	802.11be EHT20	149	-	-	-	-	-	-	-	Harmonic
119	802.11be EHT20	165	5935.63	53.78	68.30	-14.52	H	PEAK	Pass	Band Edge
119	802.11be EHT20	165	-	-	-	-	-	-	-	Harmonic
120	802.11be EHT20	149	5643.07	54.10	68.30	-14.20	H	PEAK	Pass	Band Edge
120	802.11be EHT20	149	-	-	-	-	-	-	-	Harmonic
121	802.11be EHT20	165	5941.13	52.99	68.30	-15.31	V	PEAK	Pass	Band Edge
121	802.11be EHT20	165	-	-	-	-	-	-	-	Harmonic
122	802.11be EHT80	42	5140.70	45.65	54.00	-8.35	V	AVERAGE	Pass	Band Edge
122	802.11be EHT80	42	-	-	-	-	-	-	-	Harmonic
123	802.11be EHT80	58	5362.59	50.13	54.00	-3.87	V	AVERAGE	Pass	Band Edge
123	802.11be EHT80	58	-	-	-	-	-	-	-	Harmonic
124	802.11be EHT80	106	5459.98	47.82	54.00	-6.18	V	AVERAGE	Pass	Band Edge
124	802.11be EHT80	106	-	-	-	-	-	-	-	Harmonic
125	802.11be EHT80	122	5438.66	43.81	54.00	-10.19	V	AVERAGE	Pass	Band Edge
125	802.11be EHT80	122	-	-	-	-	-	-	-	Harmonic
126	802.11be EHT160	50	5118.00	48.82	54.00	-5.18	V	AVERAGE	Pass	Band Edge
126	802.11be EHT160	50	-	-	-	-	-	-	-	Harmonic
127	802.11be EHT160	114	5418.20	48.39	54.00	-5.61	V	AVERAGE	Pass	Band Edge
127	802.11be EHT160	114	-	-	-	-	-	-	-	Harmonic
128	802.11be EHT80	155	5647.43	54.58	68.30	-13.72	V	PEAK	Pass	Band Edge
128	802.11be EHT80	155	-	-	-	-	-	-	-	Harmonic
131	802.11be EHT80	42	5149.52	50.37	54.00	-3.63	V	AVERAGE	Pass	Band Edge
131	802.11be EHT80	42	-	-	-	-	-	-	-	Harmonic
132	802.11be EHT80	58	5357.32	50.90	54.00	-3.10	V	AVERAGE	Pass	Band Edge
132	802.11be EHT80	58	-	-	-	-	-	-	-	Harmonic
133	802.11be EHT80	106	5459.98	49.26	54.00	-4.74	V	AVERAGE	Pass	Band Edge
133	802.11be EHT80	106	-	-	-	-	-	-	-	Harmonic
134	802.11be EHT80	122	5727.03	58.85	68.30	-9.45	H	PEAK	Pass	Band Edge



Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
134	802.11be EHT80	122	-	-	-	-	-	-	-	Harmonic
135	802.11be EHT160	50	5147.25	50.35	54.00	-3.65	V	AVERAGE	Pass	Band Edge
135	802.11be EHT160	50	-	-	-	-	-	-	-	Harmonic
136	802.11be EHT160	114	5442.84	49.68	54.00	-4.32	V	AVERAGE	Pass	Band Edge
136	802.11be EHT160	114	-	-	-	-	-	-	-	Harmonic
137	802.11be EHT80	155	5647.95	57.89	68.30	-10.41	V	PEAK	Pass	Band Edge
137	802.11be EHT80	155	-	-	-	-	-	-	-	Harmonic
138	802.11be EHT160	50	5362.56	50.17	54.00	-3.83	V	AVERAGE	Pass	Band Edge
138	802.11be EHT160	50	-	-	-	-	-	-	-	Harmonic
139	802.11be EHT160	114	5418.64	48.65	54.00	-5.35	V	AVERAGE	Pass	Band Edge
139	802.11be EHT160	114	-	-	-	-	-	-	-	Harmonic
140	802.11be EHT40-LF	134	53.28	32.48	40.00	-7.52	V	PEAK	Pass	LF
141	802.11ax HE40-LF	151	53.28	32.45	40.00	-7.55	V	PEAK	Pass	LF
144	802.11be EHT40	134	5730.61	57.90	68.30	-10.40	H	PEAK	Pass	Band Edge
144	802.11be EHT40	134	17010.00	49.47	68.30	-18.83	H	Peak	Pass	Harmonic
145	802.11ax HE40	151	5630.07	55.29	68.30	-13.01	H	PEAK	Pass	Band Edge
145	802.11ax HE40	151	17265.00	49.27	68.30	-19.03	H	Peak	Pass	Harmonic

**Simultaneous transmission**

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
142	CO-TX		5728.05	64.31	68.30	-3.99	H	PEAK	Pass	Band Edge
144			17010.00	49.28	68.30	-19.02	V	PEAK	Pass	Harmonic
143	CO-TX		5731.09	65.26	68.30	-3.04	H	PEAK	Pass	Band Edge
148			17010.00	50.58	68.30	-17.72	H	PEAK	Pass	Harmonic



Mode	1																																																																																																
	Harmonic																																																																																																
	U-NII-1_5.15-5.25_802.11a_CH36_5180MHz																																																																																																
ANT	5+7																																																																																																
Pol.	Horizontal	Vertical																																																																																															
Peak Avg	<p style="text-align: right;">Date: 2024-03-08</p>	<p style="text-align: right;">Date: 2024-03-08</p>																																																																																															
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10360.00</td> <td>48.42</td> <td>68.30</td> <td>-19.88</td> <td>61.28</td> <td>38.74</td> <td>12.06</td> <td>63.66</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>15540.00</td> <td>49.19</td> <td>74.00</td> <td>-24.81</td> <td>57.87</td> <td>40.73</td> <td>14.58</td> <td>63.99</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	10360.00	48.42	68.30	-19.88	61.28	38.74	12.06	63.66	---	---	Peak	2	15540.00	49.19	74.00	-24.81	57.87	40.73	14.58	63.99	---	---	Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10360.00</td> <td>49.62</td> <td>68.30</td> <td>-18.68</td> <td>62.48</td> <td>38.74</td> <td>12.06</td> <td>63.66</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>15540.00</td> <td>50.76</td> <td>74.00</td> <td>-23.24</td> <td>59.44</td> <td>40.73</td> <td>14.58</td> <td>63.99</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	10360.00	49.62	68.30	-18.68	62.48	38.74	12.06	63.66	---	---	Peak	2	15540.00	50.76	74.00	-23.24	59.44	40.73	14.58	63.99	---	---
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																										
1	10360.00	48.42	68.30	-19.88	61.28	38.74	12.06	63.66	---	---	Peak																																																																																						
2	15540.00	49.19	74.00	-24.81	57.87	40.73	14.58	63.99	---	---	Peak																																																																																						
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																										
1	10360.00	49.62	68.30	-18.68	62.48	38.74	12.06	63.66	---	---	Peak																																																																																						
2	15540.00	50.76	74.00	-23.24	59.44	40.73	14.58	63.99	---	---	Peak																																																																																						





Mode	2																																																																																																	
	Harmonic																																																																																																	
	U-NII-1_5.15-5.25_802.11a_CH44_5220MHz																																																																																																	
ANT	5+7																																																																																																	
Pol.	Horizontal	Vertical																																																																																																
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10440.00</td> <td>48.62</td> <td>68.30</td> <td>-19.68</td> <td>61.35</td> <td>38.78</td> <td>12.12</td> <td>63.63</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>15660.00</td> <td>49.88</td> <td>74.00</td> <td>-24.12</td> <td>58.44</td> <td>40.83</td> <td>14.64</td> <td>64.03</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	10440.00	48.62	68.30	-19.68	61.35	38.78	12.12	63.63	---	---	Peak	2	15660.00	49.88	74.00	-24.12	58.44	40.83	14.64	64.03	---	---	Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10440.00</td> <td>48.99</td> <td>68.30</td> <td>-19.31</td> <td>61.72</td> <td>38.78</td> <td>12.12</td> <td>63.63</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>15660.00</td> <td>49.32</td> <td>74.00</td> <td>-24.68</td> <td>57.88</td> <td>40.83</td> <td>14.64</td> <td>64.03</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	10440.00	48.99	68.30	-19.31	61.72	38.78	12.12	63.63	---	---	Peak	2	15660.00	49.32	74.00	-24.68	57.88	40.83	14.64	64.03	---	---	Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																											
1	10440.00	48.62	68.30	-19.68	61.35	38.78	12.12	63.63	---	---	Peak																																																																																							
2	15660.00	49.88	74.00	-24.12	58.44	40.83	14.64	64.03	---	---	Peak																																																																																							
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																											
1	10440.00	48.99	68.30	-19.31	61.72	38.78	12.12	63.63	---	---	Peak																																																																																							
2	15660.00	49.32	74.00	-24.68	57.88	40.83	14.64	64.03	---	---	Peak																																																																																							



Mode	3																																																																																																					
	Harmonic																																																																																																					
	U-NII-1_5.15-5.25_802.11a_CH48_5240MHz																																																																																																					
ANT	5+7																																																																																																					
Pol.	Horizontal	Vertical																																																																																																				
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10480.00</td> <td>49.77</td> <td>68.30</td> <td>-18.53</td> <td>62.44</td> <td>38.79</td> <td>12.15</td> <td>63.61</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>15720.00</td> <td>49.63</td> <td>74.00</td> <td>-24.37</td> <td>58.14</td> <td>40.88</td> <td>14.66</td> <td>64.05</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10480.00	49.77	68.30	-18.53	62.44	38.79	12.15	63.61	---	---	Peak	2	15720.00	49.63	74.00	-24.37	58.14	40.88	14.66	64.05	---	---	Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10480.00</td> <td>49.67</td> <td>68.30</td> <td>-18.63</td> <td>62.34</td> <td>38.79</td> <td>12.15</td> <td>63.61</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>15720.00</td> <td>49.39</td> <td>74.00</td> <td>-24.61</td> <td>57.90</td> <td>40.88</td> <td>14.66</td> <td>64.05</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10480.00	49.67	68.30	-18.63	62.34	38.79	12.15	63.61	---	---	Peak	2	15720.00	49.39	74.00	-24.61	57.90	40.88	14.66	64.05	---	---	Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	10480.00	49.77	68.30	-18.53	62.44	38.79	12.15	63.61	---	---	Peak																																																																																											
2	15720.00	49.63	74.00	-24.37	58.14	40.88	14.66	64.05	---	---	Peak																																																																																											
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	10480.00	49.67	68.30	-18.63	62.34	38.79	12.15	63.61	---	---	Peak																																																																																											
2	15720.00	49.39	74.00	-24.61	57.90	40.88	14.66	64.05	---	---	Peak																																																																																											



Mode	4																																																																																																
	Harmonic																																																																																																
	U-NII-2A_5.25-5.35_802.11a_CH52_5280MHz																																																																																																
ANT	5+7																																																																																																
Pol.	Horizontal	Vertical																																																																																															
Peak Avg																																																																																																	
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10520.00</td> <td>48.21</td> <td>68.30</td> <td>-20.09</td> <td>60.82</td> <td>38.81</td> <td>12.18</td> <td>63.60</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>15780.00</td> <td>50.27</td> <td>74.00</td> <td>-23.73</td> <td>58.73</td> <td>40.92</td> <td>14.69</td> <td>64.07</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	10520.00	48.21	68.30	-20.09	60.82	38.81	12.18	63.60	---	---	Peak	2	15780.00	50.27	74.00	-23.73	58.73	40.92	14.69	64.07	---	---	Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10520.00</td> <td>48.65</td> <td>68.30</td> <td>-19.65</td> <td>61.26</td> <td>38.81</td> <td>12.18</td> <td>63.60</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>15780.00</td> <td>49.29</td> <td>74.00</td> <td>-24.71</td> <td>57.75</td> <td>40.92</td> <td>14.69</td> <td>64.07</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	10520.00	48.65	68.30	-19.65	61.26	38.81	12.18	63.60	---	---	Peak	2	15780.00	49.29	74.00	-24.71	57.75	40.92	14.69	64.07	---	---
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																										
1	10520.00	48.21	68.30	-20.09	60.82	38.81	12.18	63.60	---	---	Peak																																																																																						
2	15780.00	50.27	74.00	-23.73	58.73	40.92	14.69	64.07	---	---	Peak																																																																																						
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																										
1	10520.00	48.65	68.30	-19.65	61.26	38.81	12.18	63.60	---	---	Peak																																																																																						
2	15780.00	49.29	74.00	-24.71	57.75	40.92	14.69	64.07	---	---	Peak																																																																																						



Mode	5																																																																																									
	Harmonic																																																																																									
	U-NII-2A_5.25-5.35_802.11a_CH60_5300MHz																																																																																									
ANT	5+7																																																																																									
Pol.	Horizontal	Vertical																																																																																								
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10600.00</td> <td>49.28</td> <td>74.00</td> <td>-24.72</td> <td>61.78</td> <td>38.84</td> <td>12.23</td> <td>63.57</td> <td>--- Peak</td> </tr> <tr> <td>2</td> <td>15900.00</td> <td>49.11</td> <td>74.00</td> <td>-24.89</td> <td>57.45</td> <td>41.02</td> <td>14.75</td> <td>64.11</td> <td>--- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	10600.00	49.28	74.00	-24.72	61.78	38.84	12.23	63.57	--- Peak	2	15900.00	49.11	74.00	-24.89	57.45	41.02	14.75	64.11	--- Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10600.00</td> <td>49.23</td> <td>74.00</td> <td>-24.77</td> <td>61.73</td> <td>38.84</td> <td>12.23</td> <td>63.57</td> <td>--- Peak</td> </tr> <tr> <td>2</td> <td>15900.00</td> <td>48.59</td> <td>74.00</td> <td>-25.41</td> <td>56.93</td> <td>41.02</td> <td>14.75</td> <td>64.11</td> <td>--- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	10600.00	49.23	74.00	-24.77	61.73	38.84	12.23	63.57	--- Peak	2	15900.00	48.59	74.00	-25.41	56.93	41.02	14.75	64.11	--- Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																			
1	10600.00	49.28	74.00	-24.72	61.78	38.84	12.23	63.57	--- Peak																																																																																	
2	15900.00	49.11	74.00	-24.89	57.45	41.02	14.75	64.11	--- Peak																																																																																	
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																			
1	10600.00	49.23	74.00	-24.77	61.73	38.84	12.23	63.57	--- Peak																																																																																	
2	15900.00	48.59	74.00	-25.41	56.93	41.02	14.75	64.11	--- Peak																																																																																	



Mode	6																																																																																									
	Harmonic																																																																																									
	U-NII-2A_5.25-5.35_802.11a_CH64_5320MHz																																																																																									
ANT	5+7																																																																																									
Pol.	Horizontal	Vertical																																																																																								
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10640.00</td> <td>48.24</td> <td>74.00</td> <td>-25.76</td> <td>60.67</td> <td>38.86</td> <td>12.26</td> <td>63.55</td> <td>--- Peak</td> </tr> <tr> <td>2</td> <td>15960.00</td> <td>49.18</td> <td>74.00</td> <td>-24.82</td> <td>57.47</td> <td>41.07</td> <td>14.77</td> <td>64.13</td> <td>--- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	10640.00	48.24	74.00	-25.76	60.67	38.86	12.26	63.55	--- Peak	2	15960.00	49.18	74.00	-24.82	57.47	41.07	14.77	64.13	--- Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10640.00</td> <td>49.56</td> <td>74.00</td> <td>-24.44</td> <td>61.99</td> <td>38.86</td> <td>12.26</td> <td>63.55</td> <td>--- Peak</td> </tr> <tr> <td>2</td> <td>15960.00</td> <td>50.22</td> <td>74.00</td> <td>-23.78</td> <td>58.51</td> <td>41.07</td> <td>14.77</td> <td>64.13</td> <td>--- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	10640.00	49.56	74.00	-24.44	61.99	38.86	12.26	63.55	--- Peak	2	15960.00	50.22	74.00	-23.78	58.51	41.07	14.77	64.13	--- Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																			
1	10640.00	48.24	74.00	-25.76	60.67	38.86	12.26	63.55	--- Peak																																																																																	
2	15960.00	49.18	74.00	-24.82	57.47	41.07	14.77	64.13	--- Peak																																																																																	
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																			
1	10640.00	49.56	74.00	-24.44	61.99	38.86	12.26	63.55	--- Peak																																																																																	
2	15960.00	50.22	74.00	-23.78	58.51	41.07	14.77	64.13	--- Peak																																																																																	



Mode	7																																																																																																	
	Harmonic																																																																																																	
	U-NII-2C_5.47-5.725_802.11a_CH100_5500MHz																																																																																																	
ANT	5+7																																																																																																	
Pol.	Horizontal	Vertical																																																																																																
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11000.00</td> <td>50.28</td> <td>74.00</td> <td>-23.72</td> <td>62.18</td> <td>39.00</td> <td>12.52</td> <td>63.42</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>16500.00</td> <td>48.73</td> <td>68.30</td> <td>-19.57</td> <td>56.87</td> <td>41.35</td> <td>15.17</td> <td>64.66</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	11000.00	50.28	74.00	-23.72	62.18	39.00	12.52	63.42	---	---	Peak	2	16500.00	48.73	68.30	-19.57	56.87	41.35	15.17	64.66	---	---	Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11000.00</td> <td>49.84</td> <td>74.00</td> <td>-24.16</td> <td>61.74</td> <td>39.00</td> <td>12.52</td> <td>63.42</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>16500.00</td> <td>49.88</td> <td>68.30</td> <td>-18.42</td> <td>58.02</td> <td>41.35</td> <td>15.17</td> <td>64.66</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	11000.00	49.84	74.00	-24.16	61.74	39.00	12.52	63.42	---	---	Peak	2	16500.00	49.88	68.30	-18.42	58.02	41.35	15.17	64.66	---	---	Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																											
1	11000.00	50.28	74.00	-23.72	62.18	39.00	12.52	63.42	---	---	Peak																																																																																							
2	16500.00	48.73	68.30	-19.57	56.87	41.35	15.17	64.66	---	---	Peak																																																																																							
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																											
1	11000.00	49.84	74.00	-24.16	61.74	39.00	12.52	63.42	---	---	Peak																																																																																							
2	16500.00	49.88	68.30	-18.42	58.02	41.35	15.17	64.66	---	---	Peak																																																																																							



Mode	8																																																																																																
	Harmonic																																																																																																
	U-NII-2C_5.47-5.725_802.11a_CH116_5580MHz																																																																																																
ANT	5+7																																																																																																
Pol.	Horizontal	Vertical																																																																																															
Peak Avg																																																																																																	
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11160.00</td> <td>50.00</td> <td>74.00</td> <td>-24.00</td> <td>61.73</td> <td>39.06</td> <td>12.64</td> <td>63.43</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>16740.00</td> <td>49.83</td> <td>68.30</td> <td>-18.47</td> <td>57.92</td> <td>41.47</td> <td>15.35</td> <td>64.91</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	11160.00	50.00	74.00	-24.00	61.73	39.06	12.64	63.43	---	---	Peak	2	16740.00	49.83	68.30	-18.47	57.92	41.47	15.35	64.91	---	---	Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11160.00</td> <td>50.43</td> <td>74.00</td> <td>-23.57</td> <td>62.16</td> <td>39.06</td> <td>12.64</td> <td>63.43</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>16740.00</td> <td>49.97</td> <td>68.30</td> <td>-18.33</td> <td>58.06</td> <td>41.47</td> <td>15.35</td> <td>64.91</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	11160.00	50.43	74.00	-23.57	62.16	39.06	12.64	63.43	---	---	Peak	2	16740.00	49.97	68.30	-18.33	58.06	41.47	15.35	64.91	---	---
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																										
1	11160.00	50.00	74.00	-24.00	61.73	39.06	12.64	63.43	---	---	Peak																																																																																						
2	16740.00	49.83	68.30	-18.47	57.92	41.47	15.35	64.91	---	---	Peak																																																																																						
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																										
1	11160.00	50.43	74.00	-23.57	62.16	39.06	12.64	63.43	---	---	Peak																																																																																						
2	16740.00	49.97	68.30	-18.33	58.06	41.47	15.35	64.91	---	---	Peak																																																																																						







Mode	9																																																																																																	
	Harmonic																																																																																																	
	U-NII-2C_5.47-5.725_802.11a_CH140_5700MHz																																																																																																	
ANT	5+7																																																																																																	
Pol.	Horizontal	Vertical																																																																																																
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11400.00</td> <td>50.34</td> <td>74.00</td> <td>-23.66</td> <td>61.81</td> <td>39.16</td> <td>12.81</td> <td>63.44</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>17100.00</td> <td>50.00</td> <td>68.30</td> <td>-18.30</td> <td>57.90</td> <td>41.71</td> <td>15.62</td> <td>65.23</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	11400.00	50.34	74.00	-23.66	61.81	39.16	12.81	63.44	---	---	Peak	2	17100.00	50.00	68.30	-18.30	57.90	41.71	15.62	65.23	---	---	Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11400.00</td> <td>50.44</td> <td>74.00</td> <td>-23.56</td> <td>61.91</td> <td>39.16</td> <td>12.81</td> <td>63.44</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>17100.00</td> <td>50.51</td> <td>68.30</td> <td>-17.79</td> <td>58.41</td> <td>41.71</td> <td>15.62</td> <td>65.23</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	11400.00	50.44	74.00	-23.56	61.91	39.16	12.81	63.44	---	---	Peak	2	17100.00	50.51	68.30	-17.79	58.41	41.71	15.62	65.23	---	---	Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																											
1	11400.00	50.34	74.00	-23.66	61.81	39.16	12.81	63.44	---	---	Peak																																																																																							
2	17100.00	50.00	68.30	-18.30	57.90	41.71	15.62	65.23	---	---	Peak																																																																																							
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																											
1	11400.00	50.44	74.00	-23.56	61.91	39.16	12.81	63.44	---	---	Peak																																																																																							
2	17100.00	50.51	68.30	-17.79	58.41	41.71	15.62	65.23	---	---	Peak																																																																																							





Mode	10																																																																									
	Band Edge																																																																									
	U-NII-1_5.15-5.25_802.11n HT20_CH36_5180MHz																																																																									
ANT	5+7																																																																									
Pol.	Horizontal	Fundamental																																																																								
Peak	<p style="text-align: right;">Date: 2024-03-02</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5148.86</td> <td>57.75</td> <td>74.00</td> <td>-16.25</td> <td>45.60</td> <td>36.11</td> <td>8.53</td> <td>32.49</td> <td>100 298 PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5148.86	57.75	74.00	-16.25	45.60	36.11	8.53	32.49	100 298 PEAK	<p style="text-align: right;">Date: 2024-03-02</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5180.00</td> <td>106.93</td> <td>-----</td> <td>-----</td> <td>94.67</td> <td>36.09</td> <td>8.61</td> <td>32.44</td> <td>100 298 PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5180.00	106.93	-----	-----	94.67	36.09	8.61	32.44	100 298 PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 5148.86	57.75	74.00	-16.25	45.60	36.11	8.53	32.49	100 298 PEAK																																																																		
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 5180.00	106.93	-----	-----	94.67	36.09	8.61	32.44	100 298 PEAK																																																																		
Avg	<p style="text-align: right;">Date: 2024-03-02</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5149.94</td> <td>47.66</td> <td>54.00</td> <td>-6.34</td> <td>35.50</td> <td>36.11</td> <td>8.54</td> <td>32.49</td> <td>100 298 AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5149.94	47.66	54.00	-6.34	35.50	36.11	8.54	32.49	100 298 AVERAGE	<p style="text-align: right;">Date: 2024-03-02</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5180.00</td> <td>100.65</td> <td>-----</td> <td>-----</td> <td>88.39</td> <td>36.09</td> <td>8.61</td> <td>32.44</td> <td>100 298 AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5180.00	100.65	-----	-----	88.39	36.09	8.61	32.44	100 298 AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 5149.94	47.66	54.00	-6.34	35.50	36.11	8.54	32.49	100 298 AVERAGE																																																																		
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 5180.00	100.65	-----	-----	88.39	36.09	8.61	32.44	100 298 AVERAGE																																																																		



Mode	10																																																																															
	Band Edge																																																																															
	U-NII-1_5.15-5.25_802.11n_HT20_CH36_5180MHz																																																																															
ANT	5+7																																																																															
Pol.	Vertical	Fundamental																																																																														
Peak	 <p style="text-align: right;">Date: 2024-03-02</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5149.58</td> <td>58.62</td> <td>74.00</td> <td>-15.38</td> <td>46.47</td> <td>36.11</td> <td>8.53</td> <td>32.49</td> <td>305</td> <td>251</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5149.58	58.62	74.00	-15.38	46.47	36.11	8.53	32.49	305	251	PEAK	 <p style="text-align: right;">Date: 2024-03-02</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5180.00</td> <td>109.34</td> <td>-----</td> <td>-----</td> <td>97.13</td> <td>36.10</td> <td>8.57</td> <td>32.46</td> <td>305</td> <td>251</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	109.34	-----	-----	97.13	36.10	8.57	32.46	305	251	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																							
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																									
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	5149.58	58.62	74.00	-15.38	46.47	36.11	8.53	32.49	305	251	PEAK																																																																					
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																									
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	5180.00	109.34	-----	-----	97.13	36.10	8.57	32.46	305	251	PEAK																																																																					
Avg	 <p style="text-align: right;">Date: 2024-03-02</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5149.76</td> <td>48.47</td> <td>54.00</td> <td>-5.53</td> <td>36.31</td> <td>36.11</td> <td>8.54</td> <td>32.49</td> <td>305</td> <td>251</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5149.76	48.47	54.00	-5.53	36.31	36.11	8.54	32.49	305	251	AVERAGE	 <p style="text-align: right;">Date: 2024-03-02</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5180.00</td> <td>102.57</td> <td>-----</td> <td>-----</td> <td>90.36</td> <td>36.10</td> <td>8.57</td> <td>32.46</td> <td>305</td> <td>251</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	102.57	-----	-----	90.36	36.10	8.57	32.46	305	251	AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																									
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	5149.76	48.47	54.00	-5.53	36.31	36.11	8.54	32.49	305	251	AVERAGE																																																																					
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																									
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	5180.00	102.57	-----	-----	90.36	36.10	8.57	32.46	305	251	AVERAGE																																																																					



Mode	10																																																																																																					
	Harmonic																																																																																																					
	U-NII-1_5.15-5.25_802.11n HT20_CH36_5180MHz																																																																																																					
ANT	5+7																																																																																																					
Pol.	Horizontal	Vertical																																																																																																				
Peak Avg	<p style="text-align: right;">Date: 2024-03-09</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10360.00</td> <td>47.87</td> <td>68.30</td> <td>-20.43</td> <td>60.73</td> <td>38.74</td> <td>12.06</td> <td>63.66</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>15540.00</td> <td>49.63</td> <td>74.00</td> <td>-24.37</td> <td>58.31</td> <td>40.73</td> <td>14.58</td> <td>63.99</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10360.00	47.87	68.30	-20.43	60.73	38.74	12.06	63.66	---	---	Peak	2	15540.00	49.63	74.00	-24.37	58.31	40.73	14.58	63.99	---	---	Peak	<p style="text-align: right;">Date: 2024-03-09</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10360.00</td> <td>47.45</td> <td>68.30</td> <td>-20.85</td> <td>60.31</td> <td>38.74</td> <td>12.06</td> <td>63.66</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>15540.00</td> <td>50.14</td> <td>74.00</td> <td>-23.86</td> <td>58.82</td> <td>40.73</td> <td>14.58</td> <td>63.99</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10360.00	47.45	68.30	-20.85	60.31	38.74	12.06	63.66	---	---	Peak	2	15540.00	50.14	74.00	-23.86	58.82	40.73	14.58	63.99	---	---	Peak
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	10360.00	47.87	68.30	-20.43	60.73	38.74	12.06	63.66	---	---	Peak																																																																																											
2	15540.00	49.63	74.00	-24.37	58.31	40.73	14.58	63.99	---	---	Peak																																																																																											
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	10360.00	47.45	68.30	-20.85	60.31	38.74	12.06	63.66	---	---	Peak																																																																																											
2	15540.00	50.14	74.00	-23.86	58.82	40.73	14.58	63.99	---	---	Peak																																																																																											



Mode	11																																																																																																
	Harmonic																																																																																																
	U-NII-1_5.15-5.25_802.11n_HT20_CH44_5220MHz																																																																																																
ANT	5+7																																																																																																
Pol.	Horizontal	Vertical																																																																																															
Peak Avg																																																																																																	
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10440.00</td> <td>46.99</td> <td>68.30</td> <td>-21.31</td> <td>59.72</td> <td>38.78</td> <td>12.12</td> <td>63.63</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>15660.00</td> <td>49.78</td> <td>74.00</td> <td>-24.22</td> <td>58.34</td> <td>40.83</td> <td>14.64</td> <td>64.03</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	10440.00	46.99	68.30	-21.31	59.72	38.78	12.12	63.63	---	---	Peak	2	15660.00	49.78	74.00	-24.22	58.34	40.83	14.64	64.03	---	---	Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10440.00</td> <td>48.08</td> <td>68.30</td> <td>-20.22</td> <td>60.81</td> <td>38.78</td> <td>12.12</td> <td>63.63</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>15660.00</td> <td>49.71</td> <td>74.00</td> <td>-24.29</td> <td>58.27</td> <td>40.83</td> <td>14.64</td> <td>64.03</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	10440.00	48.08	68.30	-20.22	60.81	38.78	12.12	63.63	---	---	Peak	2	15660.00	49.71	74.00	-24.29	58.27	40.83	14.64	64.03	---	---
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																										
1	10440.00	46.99	68.30	-21.31	59.72	38.78	12.12	63.63	---	---	Peak																																																																																						
2	15660.00	49.78	74.00	-24.22	58.34	40.83	14.64	64.03	---	---	Peak																																																																																						
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																										
1	10440.00	48.08	68.30	-20.22	60.81	38.78	12.12	63.63	---	---	Peak																																																																																						
2	15660.00	49.71	74.00	-24.29	58.27	40.83	14.64	64.03	---	---	Peak																																																																																						



Mode	12																																																																																																
	Harmonic																																																																																																
	U-NII-1_5.15-5.25_802.11n_HT20_CH48_5240MHz																																																																																																
ANT	5+7																																																																																																
Pol.	Horizontal	Vertical																																																																																															
Peak Avg																																																																																																	
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10480.00</td> <td>46.88</td> <td>68.30</td> <td>-21.42</td> <td>59.55</td> <td>38.79</td> <td>12.15</td> <td>63.61</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>15720.00</td> <td>48.48</td> <td>74.00</td> <td>-25.52</td> <td>56.99</td> <td>40.88</td> <td>14.66</td> <td>64.05</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	10480.00	46.88	68.30	-21.42	59.55	38.79	12.15	63.61	---	---	Peak	2	15720.00	48.48	74.00	-25.52	56.99	40.88	14.66	64.05	---	---	Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10480.00</td> <td>47.81</td> <td>68.30</td> <td>-20.49</td> <td>60.48</td> <td>38.79</td> <td>12.15</td> <td>63.61</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>15720.00</td> <td>49.04</td> <td>74.00</td> <td>-24.96</td> <td>57.55</td> <td>40.88</td> <td>14.66</td> <td>64.05</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	10480.00	47.81	68.30	-20.49	60.48	38.79	12.15	63.61	---	---	Peak	2	15720.00	49.04	74.00	-24.96	57.55	40.88	14.66	64.05	---	---
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																										
1	10480.00	46.88	68.30	-21.42	59.55	38.79	12.15	63.61	---	---	Peak																																																																																						
2	15720.00	48.48	74.00	-25.52	56.99	40.88	14.66	64.05	---	---	Peak																																																																																						
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																										
1	10480.00	47.81	68.30	-20.49	60.48	38.79	12.15	63.61	---	---	Peak																																																																																						
2	15720.00	49.04	74.00	-24.96	57.55	40.88	14.66	64.05	---	---	Peak																																																																																						



Mode	13																																																																																																				
	Harmonic																																																																																																				
	U-NII-2A_5.25-5.35_802.11n_HT20_CH52_5280MHz																																																																																																				
ANT	5+7																																																																																																				
Pol.	Horizontal	Vertical																																																																																																			
Peak Avg	<p>Date: 2024-03-09</p>	<p>Date: 2024-03-09</p>																																																																																																			
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10520.00</td> <td>47.67</td> <td>68.30</td> <td>-20.63</td> <td>60.28</td> <td>38.81</td> <td>12.18</td> <td>63.60</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>15780.00</td> <td>49.08</td> <td>74.00</td> <td>-24.92</td> <td>57.54</td> <td>40.92</td> <td>14.69</td> <td>64.07</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10520.00	47.67	68.30	-20.63	60.28	38.81	12.18	63.60	---	---	Peak	2	15780.00	49.08	74.00	-24.92	57.54	40.92	14.69	64.07	---	---	Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10520.00</td> <td>47.52</td> <td>68.30</td> <td>-20.78</td> <td>60.13</td> <td>38.81</td> <td>12.18</td> <td>63.60</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>15780.00</td> <td>49.55</td> <td>74.00</td> <td>-24.45</td> <td>58.01</td> <td>40.92</td> <td>14.69</td> <td>64.07</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10520.00	47.52	68.30	-20.78	60.13	38.81	12.18	63.60	---	---	Peak	2	15780.00	49.55	74.00	-24.45	58.01	40.92	14.69	64.07	---	---
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																												
1	10520.00	47.67	68.30	-20.63	60.28	38.81	12.18	63.60	---	---	Peak																																																																																										
2	15780.00	49.08	74.00	-24.92	57.54	40.92	14.69	64.07	---	---	Peak																																																																																										
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																												
1	10520.00	47.52	68.30	-20.78	60.13	38.81	12.18	63.60	---	---	Peak																																																																																										
2	15780.00	49.55	74.00	-24.45	58.01	40.92	14.69	64.07	---	---	Peak																																																																																										



Mode	14																																																																																																
	Harmonic																																																																																																
	U-NII-2A_5.25-5.35_802.11n_HT20_CH60_5300MHz																																																																																																
ANT	5+7																																																																																																
Pol.	Horizontal	Vertical																																																																																															
Peak Avg	<p>Date: 2024-03-09</p>	<p>Date: 2024-03-09</p>																																																																																															
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10600.00</td> <td>47.24</td> <td>74.00</td> <td>-26.76</td> <td>59.74</td> <td>38.84</td> <td>12.23</td> <td>63.57</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>15900.00</td> <td>50.22</td> <td>74.00</td> <td>-23.78</td> <td>58.56</td> <td>41.02</td> <td>14.75</td> <td>64.11</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	10600.00	47.24	74.00	-26.76	59.74	38.84	12.23	63.57	---	---	Peak	2	15900.00	50.22	74.00	-23.78	58.56	41.02	14.75	64.11	---	---	Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10600.00</td> <td>47.08</td> <td>74.00</td> <td>-26.92</td> <td>59.58</td> <td>38.84</td> <td>12.23</td> <td>63.57</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>15900.00</td> <td>50.52</td> <td>74.00</td> <td>-23.48</td> <td>58.86</td> <td>41.02</td> <td>14.75</td> <td>64.11</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	10600.00	47.08	74.00	-26.92	59.58	38.84	12.23	63.57	---	---	Peak	2	15900.00	50.52	74.00	-23.48	58.86	41.02	14.75	64.11	---	---
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																										
1	10600.00	47.24	74.00	-26.76	59.74	38.84	12.23	63.57	---	---	Peak																																																																																						
2	15900.00	50.22	74.00	-23.78	58.56	41.02	14.75	64.11	---	---	Peak																																																																																						
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																										
1	10600.00	47.08	74.00	-26.92	59.58	38.84	12.23	63.57	---	---	Peak																																																																																						
2	15900.00	50.52	74.00	-23.48	58.86	41.02	14.75	64.11	---	---	Peak																																																																																						



Mode	15																																																																									
	Band Edge																																																																									
	U-NII-2A_5.25-5.35_802.11n HT20_CH64_5320MHz																																																																									
ANT	5+7																																																																									
Pol.	Horizontal	Fundamental																																																																								
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5352.06</td> <td>58.01</td> <td>74.00</td> <td>-15.99</td> <td>44.85</td> <td>35.99</td> <td>9.38</td> <td>32.21</td> <td>100 60 PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5352.06	58.01	74.00	-15.99	44.85	35.99	9.38	32.21	100 60 PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5320.00</td> <td>109.16</td> <td>-----</td> <td>-----</td> <td>96.23</td> <td>36.01</td> <td>9.18</td> <td>32.26</td> <td>100 60 PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5320.00	109.16	-----	-----	96.23	36.01	9.18	32.26	100 60 PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																	
Freq	Level	Line	Level	Factor	Loss Factor																																																																					
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 5352.06	58.01	74.00	-15.99	44.85	35.99	9.38	32.21	100 60 PEAK																																																																		
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	Level	Factor	Loss Factor																																																																					
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 5320.00	109.16	-----	-----	96.23	36.01	9.18	32.26	100 60 PEAK																																																																		
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5356.96</td> <td>47.59</td> <td>54.00</td> <td>-6.41</td> <td>34.40</td> <td>35.99</td> <td>9.40</td> <td>32.20</td> <td>100 60 AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5356.96	47.59	54.00	-6.41	34.40	35.99	9.40	32.20	100 60 AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5320.00</td> <td>102.18</td> <td>-----</td> <td>-----</td> <td>89.25</td> <td>36.01</td> <td>9.18</td> <td>32.26</td> <td>100 60 AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5320.00	102.18	-----	-----	89.25	36.01	9.18	32.26	100 60 AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	Level	Factor	Loss Factor																																																																					
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 5356.96	47.59	54.00	-6.41	34.40	35.99	9.40	32.20	100 60 AVERAGE																																																																		
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	Level	Factor	Loss Factor																																																																					
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 5320.00	102.18	-----	-----	89.25	36.01	9.18	32.26	100 60 AVERAGE																																																																		





Mode	15																																																																									
	Band Edge																																																																									
	U-NII-2A_5.25-5.35_802.11n HT20_CH64_5320MHz																																																																									
ANT	5+7																																																																									
Pol.	Vertical	Fundamental																																																																								
Peak	<p style="text-align: right;">Date: 2024-03-02</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5351.92</td> <td>61.00</td> <td>74.00</td> <td>-13.00</td> <td>47.85</td> <td>35.99</td> <td>9.37</td> <td>32.21</td> <td>321 245 PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5351.92	61.00	74.00	-13.00	47.85	35.99	9.37	32.21	321 245 PEAK	<p style="text-align: right;">Date: 2024-03-02</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5320.00</td> <td>110.49</td> <td>-----</td> <td>-----</td> <td>97.49</td> <td>36.00</td> <td>9.24</td> <td>32.24</td> <td>321 245 PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5320.00	110.49	-----	-----	97.49	36.00	9.24	32.24	321 245 PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 5351.92	61.00	74.00	-13.00	47.85	35.99	9.37	32.21	321 245 PEAK																																																																		
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 5320.00	110.49	-----	-----	97.49	36.00	9.24	32.24	321 245 PEAK																																																																		
Avg	<p style="text-align: right;">Date: 2024-03-02</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5350.52</td> <td>49.73</td> <td>54.00</td> <td>-4.27</td> <td>36.58</td> <td>35.99</td> <td>9.37</td> <td>32.21</td> <td>321 245 AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5350.52	49.73	54.00	-4.27	36.58	35.99	9.37	32.21	321 245 AVERAGE	<p style="text-align: right;">Date: 2024-03-02</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5320.00</td> <td>103.05</td> <td>-----</td> <td>-----</td> <td>90.05</td> <td>36.00</td> <td>9.24</td> <td>32.24</td> <td>321 245 AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5320.00	103.05	-----	-----	90.05	36.00	9.24	32.24	321 245 AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 5350.52	49.73	54.00	-4.27	36.58	35.99	9.37	32.21	321 245 AVERAGE																																																																		
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 5320.00	103.05	-----	-----	90.05	36.00	9.24	32.24	321 245 AVERAGE																																																																		



Mode	15																																																																																																
	Harmonic																																																																																																
	U-NII-2A_5.25-5.35_802.11n_HT20_CH64_5320MHz																																																																																																
ANT	5+7																																																																																																
Pol.	Horizontal	Vertical																																																																																															
Peak Avg	<p>Date: 2024-03-09</p>	<p>Date: 2024-03-09</p>																																																																																															
	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10640.00</td> <td>46.91</td> <td>74.00</td> <td>-27.09</td> <td>59.34</td> <td>38.86</td> <td>12.26</td> <td>63.55</td> <td>--- Peak</td> </tr> <tr> <td>2</td> <td>15960.00</td> <td>49.53</td> <td>74.00</td> <td>-24.47</td> <td>57.82</td> <td>41.07</td> <td>14.77</td> <td>64.13</td> <td>--- Peak</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10640.00	46.91	74.00	-27.09	59.34	38.86	12.26	63.55	--- Peak	2	15960.00	49.53	74.00	-24.47	57.82	41.07	14.77	64.13	--- Peak	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10640.00</td> <td>48.57</td> <td>74.00</td> <td>-25.43</td> <td>61.00</td> <td>38.86</td> <td>12.26</td> <td>63.55</td> <td>--- Peak</td> </tr> <tr> <td>2</td> <td>15960.00</td> <td>49.28</td> <td>74.00</td> <td>-24.72</td> <td>57.57</td> <td>41.07</td> <td>14.77</td> <td>64.13</td> <td>--- Peak</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10640.00	48.57	74.00	-25.43	61.00	38.86	12.26	63.55	--- Peak	2	15960.00	49.28	74.00	-24.72	57.57	41.07	14.77	64.13
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	10640.00	46.91	74.00	-27.09	59.34	38.86	12.26	63.55	--- Peak																																																																																								
2	15960.00	49.53	74.00	-24.47	57.82	41.07	14.77	64.13	--- Peak																																																																																								
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	10640.00	48.57	74.00	-25.43	61.00	38.86	12.26	63.55	--- Peak																																																																																								
2	15960.00	49.28	74.00	-24.72	57.57	41.07	14.77	64.13	--- Peak																																																																																								



Mode	16																																																																																														
	Band Edge																																																																																														
	U-NII-2C_5.47-5.725_802.11n HT20_CH100_5500MHz																																																																																														
ANT	5+7																																																																																														
Pol.	Horizontal	Fundamental																																																																																													
Peak	<p>Date: 2024-03-02</p> <table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th></th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5452.60</td> <td>53.31</td> <td>74.00</td> <td>-20.69</td> <td>39.77</td> <td>35.93</td> <td>9.68</td> <td>32.07</td> <td>100</td> <td>297 PEAK</td> </tr> <tr> <td>2</td> <td>5470.00</td> <td>55.72</td> <td>68.30</td> <td>-12.58</td> <td>42.15</td> <td>35.92</td> <td>9.69</td> <td>32.04</td> <td>100</td> <td>297 PEAK</td> </tr> </tbody> </table>	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg		1	5452.60	53.31	74.00	-20.69	39.77	35.93	9.68	32.07	100	297 PEAK	2	5470.00	55.72	68.30	-12.58	42.15	35.92	9.69	32.04	100	297 PEAK	<p>Date: 2024-03-02</p> <table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th></th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5500.00</td> <td>108.39</td> <td>-----</td> <td>-----</td> <td>94.80</td> <td>35.90</td> <td>9.70</td> <td>32.01</td> <td>100</td> <td>297 PEAK</td> </tr> </tbody> </table>	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg		1	5500.00	108.39	-----	-----	94.80	35.90	9.70	32.01	100	297 PEAK
	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																							
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	APos	TPos	Remark																																																																																					
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	5452.60	53.31	74.00	-20.69	39.77	35.93	9.68	32.07	100	297 PEAK																																																																																					
2	5470.00	55.72	68.30	-12.58	42.15	35.92	9.69	32.04	100	297 PEAK																																																																																					
Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																								
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	APos	TPos	Remark																																																																																					
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	5500.00	108.39	-----	-----	94.80	35.90	9.70	32.01	100	297 PEAK																																																																																					
Avg	<p>Date: 2024-03-02</p> <table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th></th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5454.40</td> <td>43.86</td> <td>54.00</td> <td>-10.14</td> <td>30.31</td> <td>35.93</td> <td>9.68</td> <td>32.06</td> <td>100</td> <td>297 AVERAGE</td> </tr> </tbody> </table>	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg		1	5454.40	43.86	54.00	-10.14	30.31	35.93	9.68	32.06	100	297 AVERAGE	<p>Date: 2024-03-02</p> <table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th></th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5500.00</td> <td>101.01</td> <td>-----</td> <td>-----</td> <td>87.42</td> <td>35.90</td> <td>9.70</td> <td>32.01</td> <td>100</td> <td>297 AVERAGE</td> </tr> </tbody> </table>	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg		1	5500.00	101.01	-----	-----	87.42	35.90	9.70	32.01	100	297 AVERAGE											
Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																								
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	APos	TPos	Remark																																																																																					
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	5454.40	43.86	54.00	-10.14	30.31	35.93	9.68	32.06	100	297 AVERAGE																																																																																					
Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																								
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	APos	TPos	Remark																																																																																					
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	5500.00	101.01	-----	-----	87.42	35.90	9.70	32.01	100	297 AVERAGE																																																																																					



Mode	16																																																									
	Band Edge																																																									
	U-NII-2C_5.47-5.725_802.11n HT20_CH100_5500MHz																																																									
ANT	5+7																																																									
Pol.	Vertical	Fundamental																																																								
Peak	<table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line (dB)</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5454.55 54.51 74.00 -19.49 40.96 35.93 9.68 32.06 342 255 PEAK</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>2 5469.25 58.18 68.30 -10.12 44.61 35.92 9.69 32.04 342 255 PEAK</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq Level Line (dB)	Level Factor	Loss Factor			cm	deg		1 5454.55 54.51 74.00 -19.49 40.96 35.93 9.68 32.06 342 255 PEAK								2 5469.25 58.18 68.30 -10.12 44.61 35.92 9.69 32.04 342 255 PEAK								<table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line (dB)</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5500.00 109.51 ----- 95.92 35.90 9.70 32.01 342 255 PEAK</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq Level Line (dB)	Level Factor	Loss Factor			cm	deg		1 5500.00 109.51 ----- 95.92 35.90 9.70 32.01 342 255 PEAK							
	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																		
Freq Level Line (dB)	Level Factor	Loss Factor			cm	deg																																																				
1 5454.55 54.51 74.00 -19.49 40.96 35.93 9.68 32.06 342 255 PEAK																																																										
2 5469.25 58.18 68.30 -10.12 44.61 35.92 9.69 32.04 342 255 PEAK																																																										
Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																			
Freq Level Line (dB)	Level Factor	Loss Factor			cm	deg																																																				
1 5500.00 109.51 ----- 95.92 35.90 9.70 32.01 342 255 PEAK																																																										
Avg	<table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line (dB)</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5455.30 44.83 54.00 -9.17 31.28 35.93 9.68 32.06 342 255 AVERAGE</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq Level Line (dB)	Level Factor	Loss Factor			cm	deg		1 5455.30 44.83 54.00 -9.17 31.28 35.93 9.68 32.06 342 255 AVERAGE								<table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line (dB)</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5500.00 102.22 ----- 88.63 35.90 9.70 32.01 342 255 AVERAGE</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq Level Line (dB)	Level Factor	Loss Factor			cm	deg		1 5500.00 102.22 ----- 88.63 35.90 9.70 32.01 342 255 AVERAGE															
Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																			
Freq Level Line (dB)	Level Factor	Loss Factor			cm	deg																																																				
1 5455.30 44.83 54.00 -9.17 31.28 35.93 9.68 32.06 342 255 AVERAGE																																																										
Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																			
Freq Level Line (dB)	Level Factor	Loss Factor			cm	deg																																																				
1 5500.00 102.22 ----- 88.63 35.90 9.70 32.01 342 255 AVERAGE																																																										



Mode	16																																																																																														
	Harmonic																																																																																														
	U-NII-2C_5.47-5.725_802.11n HT20_CH100_5500MHz																																																																																														
ANT	5+7																																																																																														
Pol.	Horizontal	Vertical																																																																																													
Peak Avg																																																																																															
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11000.00</td> <td>48.33</td> <td>74.00</td> <td>-25.67</td> <td>60.23</td> <td>39.00</td> <td>12.52</td> <td>63.42</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2 16500.00</td> <td>48.40</td> <td>68.30</td> <td>-19.90</td> <td>56.54</td> <td>41.35</td> <td>15.17</td> <td>64.66</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 11000.00	48.33	74.00	-25.67	60.23	39.00	12.52	63.42	---	---	Peak	2 16500.00	48.40	68.30	-19.90	56.54	41.35	15.17	64.66	---	---	Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11000.00</td> <td>48.86</td> <td>74.00</td> <td>-25.14</td> <td>60.76</td> <td>39.00</td> <td>12.52</td> <td>63.42</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2 16500.00</td> <td>48.01</td> <td>68.30</td> <td>-20.29</td> <td>56.15</td> <td>41.35</td> <td>15.17</td> <td>64.66</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 11000.00	48.86	74.00	-25.14	60.76	39.00	12.52	63.42	---	---	Peak	2 16500.00	48.01	68.30	-20.29	56.15	41.35	15.17	64.66	---	---
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																							
1 11000.00	48.33	74.00	-25.67	60.23	39.00	12.52	63.42	---	---	Peak																																																																																					
2 16500.00	48.40	68.30	-19.90	56.54	41.35	15.17	64.66	---	---	Peak																																																																																					
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																							
1 11000.00	48.86	74.00	-25.14	60.76	39.00	12.52	63.42	---	---	Peak																																																																																					
2 16500.00	48.01	68.30	-20.29	56.15	41.35	15.17	64.66	---	---	Peak																																																																																					



Mode	17																																																																																																
	Harmonic																																																																																																
	U-NII-2C_5.47-5.725_802.11n HT20_CH116_5580MHz																																																																																																
ANT	5+7																																																																																																
Pol.	Horizontal	Vertical																																																																																															
Peak Avg	<p style="text-align: right;">Date: 2024-03-09</p>	<p style="text-align: right;">Date: 2024-03-09</p>																																																																																															
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11160.00</td> <td>49.43</td> <td>74.00</td> <td>-24.57</td> <td>61.16</td> <td>39.06</td> <td>12.64</td> <td>63.43</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>16740.00</td> <td>47.30</td> <td>68.30</td> <td>-21.00</td> <td>55.39</td> <td>41.47</td> <td>15.35</td> <td>64.91</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	11160.00	49.43	74.00	-24.57	61.16	39.06	12.64	63.43	---	---	Peak	2	16740.00	47.30	68.30	-21.00	55.39	41.47	15.35	64.91	---	---	Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11160.00</td> <td>48.97</td> <td>74.00</td> <td>-25.03</td> <td>60.70</td> <td>39.06</td> <td>12.64</td> <td>63.43</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>16740.00</td> <td>49.29</td> <td>68.30</td> <td>-19.01</td> <td>57.38</td> <td>41.47</td> <td>15.35</td> <td>64.91</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	11160.00	48.97	74.00	-25.03	60.70	39.06	12.64	63.43	---	---	Peak	2	16740.00	49.29	68.30	-19.01	57.38	41.47	15.35	64.91	---	---
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																										
1	11160.00	49.43	74.00	-24.57	61.16	39.06	12.64	63.43	---	---	Peak																																																																																						
2	16740.00	47.30	68.30	-21.00	55.39	41.47	15.35	64.91	---	---	Peak																																																																																						
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																										
1	11160.00	48.97	74.00	-25.03	60.70	39.06	12.64	63.43	---	---	Peak																																																																																						
2	16740.00	49.29	68.30	-19.01	57.38	41.47	15.35	64.91	---	---	Peak																																																																																						



Mode	18																																																																																	
	Band Edge																																																																																	
	U-NII-2C_5.47-5.725_802.11n HT20_CH140_5700MHz																																																																																	
ANT	5+7																																																																																	
Pol.	Horizontal	Fundamental																																																																																
Peak	<p style="text-align: right;">Date: 2024-03-02</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5729.51</td> <td>57.85</td> <td>68.30</td> <td>-10.45</td> <td>43.83</td> <td>36.22</td> <td>10.03</td> <td>32.23</td> <td>101</td> <td>295</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5729.51	57.85	68.30	-10.45	43.83	36.22	10.03	32.23	101	295	PEAK	<p style="text-align: right;">Date: 2024-03-02</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5700.00</td> <td>109.51</td> <td>-----</td> <td>-----</td> <td>95.57</td> <td>36.18</td> <td>9.96</td> <td>32.20</td> <td>101</td> <td>295</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	109.51	-----	-----	95.57	36.18	9.96	32.20	101	295	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																									
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	5729.51	57.85	68.30	-10.45	43.83	36.22	10.03	32.23	101	295	PEAK																																																																							
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	5700.00	109.51	-----	-----	95.57	36.18	9.96	32.20	101	295	PEAK																																																																							
Avg	Blank	<p style="text-align: right;">Date: 2024-03-02</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5700.00</td> <td>101.96</td> <td>-----</td> <td>-----</td> <td>88.02</td> <td>36.18</td> <td>9.96</td> <td>32.20</td> <td>101</td> <td>295</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	101.96	-----	-----	88.02	36.18	9.96	32.20	101	295	AVERAGE																																								
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	5700.00	101.96	-----	-----	88.02	36.18	9.96	32.20	101	295	AVERAGE																																																																							



Mode	18																																																													
	Band Edge																																																													
	U-NII-2C_5.47-5.725_802.11n HT20_CH140_5700MHz																																																													
ANT	5+7																																																													
Pol.	Vertical	Fundamental																																																												
Peak	<table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5759.74</td> <td>54.45</td> <td>68.30</td> <td>-13.85</td> <td>40.36</td> <td>36.26</td> <td>10.09</td> <td>32.26</td> <td>227</td> <td>216</td> <td>PEAK</td> </tr> </tbody> </table>	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	cm	deg	1	5759.74	54.45	68.30	-13.85	40.36	36.26	10.09	32.26	227	216	PEAK	<table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5700.00</td> <td>99.73</td> <td>-----</td> <td>-----</td> <td>85.79</td> <td>36.18</td> <td>9.96</td> <td>32.20</td> <td>227</td> <td>216</td> <td>PEAK</td> </tr> </tbody> </table>	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	cm	deg	1	5700.00	99.73	-----	-----	85.79	36.18	9.96	32.20	227	216	PEAK
	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																						
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	cm	deg																																																					
1	5759.74	54.45	68.30	-13.85	40.36	36.26	10.09	32.26	227	216	PEAK																																																			
Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																							
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	cm	deg																																																					
1	5700.00	99.73	-----	-----	85.79	36.18	9.96	32.20	227	216	PEAK																																																			
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5700.00</td> <td>92.72</td> <td>-----</td> <td>-----</td> <td>78.78</td> <td>36.18</td> <td>9.96</td> <td>32.20</td> <td>227</td> <td>216</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	cm	deg	1	5700.00	92.72	-----	-----	78.78	36.18	9.96	32.20	227	216	AVERAGE																														
Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																							
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	cm	deg																																																					
1	5700.00	92.72	-----	-----	78.78	36.18	9.96	32.20	227	216	AVERAGE																																																			





Mode	18																																																																																																
	Harmonic																																																																																																
	U-NII-2C_5.47-5.725_802.11n_HT20_CH140_5700MHz																																																																																																
ANT	5+7																																																																																																
Pol.	Horizontal	Vertical																																																																																															
Peak Avg	<p style="text-align: right;">Date: 2024-03-09</p>	<p style="text-align: right;">Date: 2024-03-09</p>																																																																																															
	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11400.00</td> <td>48.25</td> <td>74.00</td> <td>-25.75</td> <td>59.72</td> <td>39.16</td> <td>12.81</td> <td>63.44</td> <td>--- Peak</td> </tr> <tr> <td>2</td> <td>17100.00</td> <td>49.14</td> <td>68.30</td> <td>-19.16</td> <td>57.04</td> <td>41.71</td> <td>15.62</td> <td>65.23</td> <td>--- Peak</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11400.00	48.25	74.00	-25.75	59.72	39.16	12.81	63.44	--- Peak	2	17100.00	49.14	68.30	-19.16	57.04	41.71	15.62	65.23	--- Peak	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11400.00</td> <td>47.90</td> <td>74.00</td> <td>-26.10</td> <td>59.37</td> <td>39.16</td> <td>12.81</td> <td>63.44</td> <td>--- Peak</td> </tr> <tr> <td>2</td> <td>17100.00</td> <td>48.83</td> <td>68.30</td> <td>-19.47</td> <td>56.73</td> <td>41.71</td> <td>15.62</td> <td>65.23</td> <td>--- Peak</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11400.00	47.90	74.00	-26.10	59.37	39.16	12.81	63.44	--- Peak	2	17100.00	48.83	68.30	-19.47	56.73	41.71	15.62	65.23
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	11400.00	48.25	74.00	-25.75	59.72	39.16	12.81	63.44	--- Peak																																																																																								
2	17100.00	49.14	68.30	-19.16	57.04	41.71	15.62	65.23	--- Peak																																																																																								
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	11400.00	47.90	74.00	-26.10	59.37	39.16	12.81	63.44	--- Peak																																																																																								
2	17100.00	48.83	68.30	-19.47	56.73	41.71	15.62	65.23	--- Peak																																																																																								







Mode	19																																																																							
	Band Edge - L																																																																							
	U-NII-1_5.15-5.25_802.11n_HT40_CH38_5190MHz																																																																							
ANT	5+7																																																																							
Pol.	Horizontal	Fundamental																																																																						
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5147.25</td> <td>61.99</td> <td>74.00</td> <td>-12.01</td> <td>49.84</td> <td>36.11</td> <td>8.53</td> <td>32.49</td> <td>100</td> <td>61 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 5147.25	61.99	74.00	-12.01	49.84	36.11	8.53	32.49	100	61 PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5190.00</td> <td>103.44</td> <td>-----</td> <td>-----</td> <td>91.13</td> <td>36.08</td> <td>8.64</td> <td>32.41</td> <td>100</td> <td>61 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 5190.00	103.44	-----	-----	91.13	36.08	8.64	32.41	100	61 PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																
1 5147.25	61.99	74.00	-12.01	49.84	36.11	8.53	32.49	100	61 PEAK																																																															
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																
1 5190.00	103.44	-----	-----	91.13	36.08	8.64	32.41	100	61 PEAK																																																															
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5148.77</td> <td>50.63</td> <td>54.00</td> <td>-3.37</td> <td>38.48</td> <td>36.11</td> <td>8.53</td> <td>32.49</td> <td>100</td> <td>61 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 5148.77	50.63	54.00	-3.37	38.48	36.11	8.53	32.49	100	61 AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5190.00</td> <td>96.40</td> <td>-----</td> <td>-----</td> <td>84.09</td> <td>36.08</td> <td>8.64</td> <td>32.41</td> <td>100</td> <td>61 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 5190.00	96.40	-----	-----	84.09	36.08	8.64	32.41	100	61 AVERAGE
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																
1 5148.77	50.63	54.00	-3.37	38.48	36.11	8.53	32.49	100	61 AVERAGE																																																															
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																
1 5190.00	96.40	-----	-----	84.09	36.08	8.64	32.41	100	61 AVERAGE																																																															



	19																																												
Mode	Band Edge - R																																												
	U-NII-1_5.15-5.25_802.11n HT40_CH38_5190MHz																																												
ANT	5+7																																												
Pol.	Horizontal	Fundamental																																											
Peak																																													
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> <tr> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5366.04</td> <td>52.43</td> <td>74.00</td> <td>-21.57</td> <td>39.19</td> <td>35.98</td> <td>9.45</td> <td>32.19</td> <td>100</td> <td>61</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB							cm	deg	1	5366.04	52.43	74.00	-21.57	39.19	35.98	9.45	32.19	100	61
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																						
						cm	deg																																						
1	5366.04	52.43	74.00	-21.57	39.19	35.98	9.45	32.19	100	61	PEAK																																		
Avg																																													
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> <tr> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5458.92</td> <td>42.29</td> <td>54.00</td> <td>-11.71</td> <td>28.74</td> <td>35.92</td> <td>9.69</td> <td>32.06</td> <td>100</td> <td>61</td> <td>AVERAGE</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB							cm	deg	1	5458.92	42.29	54.00	-11.71	28.74	35.92	9.69	32.06	100	61
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																						
						cm	deg																																						
1	5458.92	42.29	54.00	-11.71	28.74	35.92	9.69	32.06	100	61	AVERAGE																																		



Mode	19																																																																											
	Band Edge - L																																																																											
	U-NII-1_5.15-5.25_802.11n_HT40_CH38_5190MHz																																																																											
ANT	5+7																																																																											
Pol.	Vertical	Fundamental																																																																										
Peak	 <p style="text-align: right;">Date: 2024-03-02</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5119.89</td> <td>61.92</td> <td>74.00</td> <td>-12.08</td> <td>49.84</td> <td>36.13</td> <td>8.48</td> <td>32.53</td> <td>369</td> <td>255</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5119.89	61.92	74.00	-12.08	49.84	36.13	8.48	32.53	369	255	PEAK	 <p style="text-align: right;">Date: 2024-03-02</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5190.00</td> <td>101.57</td> <td>-----</td> <td>-----</td> <td>89.28</td> <td>36.08</td> <td>8.63</td> <td>32.42</td> <td>369</td> <td>255</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5190.00	101.57	-----	-----	89.28	36.08	8.63	32.42	369	255	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																				
1	5119.89	61.92	74.00	-12.08	49.84	36.13	8.48	32.53	369	255	PEAK																																																																	
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																				
1	5190.00	101.57	-----	-----	89.28	36.08	8.63	32.42	369	255	PEAK																																																																	
Avg	 <p style="text-align: right;">Date: 2024-03-02</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5143.07</td> <td>49.64</td> <td>54.00</td> <td>-4.36</td> <td>37.51</td> <td>36.11</td> <td>8.52</td> <td>32.50</td> <td>369</td> <td>255</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5143.07	49.64	54.00	-4.36	37.51	36.11	8.52	32.50	369	255	AVERAGE	 <p style="text-align: right;">Date: 2024-03-02</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5190.00</td> <td>95.03</td> <td>-----</td> <td>-----</td> <td>82.74</td> <td>36.08</td> <td>8.63</td> <td>32.42</td> <td>369</td> <td>255</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5190.00	95.03	-----	-----	82.74	36.08	8.63	32.42	369	255	AVERAGE
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																				
1	5143.07	49.64	54.00	-4.36	37.51	36.11	8.52	32.50	369	255	AVERAGE																																																																	
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																				
1	5190.00	95.03	-----	-----	82.74	36.08	8.63	32.42	369	255	AVERAGE																																																																	



Mode	19																																			
	Band Edge - R																																			
	U-NII-1_5.15-5.25_802.11n HT40_CH38_5190MHz																																			
ANT	5+7																																			
Pol.	Vertical	Fundamental																																		
Peak																																				
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 5448.93</td> <td>52.47</td> <td>74.00</td> <td>-21.53</td> <td>38.93</td> <td>35.93</td> <td>9.68</td> <td>32.07</td> <td>369</td> <td>255</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1 5448.93	52.47	74.00	-21.53	38.93	35.93	9.68	32.07	369	255
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																													
1 5448.93	52.47	74.00	-21.53	38.93	35.93	9.68	32.07	369	255	PEAK																										
Avg																																				
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 5405.73</td> <td>42.42</td> <td>54.00</td> <td>-11.58</td> <td>28.94</td> <td>35.96</td> <td>9.65</td> <td>32.13</td> <td>369</td> <td>255</td> <td>AVERAGE</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1 5405.73	42.42	54.00	-11.58	28.94	35.96	9.65	32.13	369	255
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																													
1 5405.73	42.42	54.00	-11.58	28.94	35.96	9.65	32.13	369	255	AVERAGE																										



Mode	20																																																																									
	Band Edge - L																																																																									
	U-NII-1_5.15-5.25_802.11n HT40_CH46_5230MHz																																																																									
ANT	5+7																																																																									
Pol.	Horizontal	Fundamental																																																																								
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5149.27</td> <td>59.86</td> <td>74.00</td> <td>-14.14</td> <td>47.71</td> <td>36.11</td> <td>8.53</td> <td>32.49</td> <td>100</td> <td>62</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5149.27	59.86	74.00	-14.14	47.71	36.11	8.53	32.49	100	62	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5230.00</td> <td>104.71</td> <td>-----</td> <td>-----</td> <td>92.32</td> <td>36.07</td> <td>8.71</td> <td>32.39</td> <td>100</td> <td>62</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5230.00	104.71	-----	-----	92.32	36.07	8.71	32.39	100	62	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																			
1	5149.27	59.86	74.00	-14.14	47.71	36.11	8.53	32.49	100	62	PEAK																																																															
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																			
1	5230.00	104.71	-----	-----	92.32	36.07	8.71	32.39	100	62	PEAK																																																															
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5149.27</td> <td>48.01</td> <td>54.00</td> <td>-5.99</td> <td>35.86</td> <td>36.11</td> <td>8.53</td> <td>32.49</td> <td>100</td> <td>62</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5149.27	48.01	54.00	-5.99	35.86	36.11	8.53	32.49	100	62	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5230.00</td> <td>98.28</td> <td>-----</td> <td>-----</td> <td>85.89</td> <td>36.07</td> <td>8.71</td> <td>32.39</td> <td>100</td> <td>62</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5230.00	98.28	-----	-----	85.89	36.07	8.71	32.39	100	62	AVERAGE
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																			
1	5149.27	48.01	54.00	-5.99	35.86	36.11	8.53	32.49	100	62	AVERAGE																																																															
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																			
1	5230.00	98.28	-----	-----	85.89	36.07	8.71	32.39	100	62	AVERAGE																																																															



Mode	20																																			
	Band Edge - R																																			
	U-NII-1_5.15-5.25_802.11n HT40_CH46_5230MHz																																			
ANT	5+7																																			
Pol.	Horizontal	Fundamental																																		
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5351.67</td> <td>54.60</td> <td>74.00</td> <td>-19.40</td> <td>41.45</td> <td>35.99</td> <td>9.37</td> <td>32.21</td> <td>100</td> <td>62 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 5351.67	54.60	74.00	-19.40	41.45	35.99	9.37	32.21	100	62 PEAK	Blank
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																													
1 5351.67	54.60	74.00	-19.40	41.45	35.99	9.37	32.21	100	62 PEAK																											
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5350.29</td> <td>44.29</td> <td>54.00</td> <td>-9.71</td> <td>31.14</td> <td>35.99</td> <td>9.37</td> <td>32.21</td> <td>100</td> <td>62 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 5350.29	44.29	54.00	-9.71	31.14	35.99	9.37	32.21	100	62 AVERAGE	Blank
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																													
1 5350.29	44.29	54.00	-9.71	31.14	35.99	9.37	32.21	100	62 AVERAGE																											



Mode	20																																																																																																																	
	Band Edge - L																																																																																																																	
	U-NII-1_5.15-5.25_802.11n HT40_CH46_5230MHz																																																																																																																	
ANT	5+7																																																																																																																	
Pol.	Vertical	Fundamental																																																																																																																
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 5138.46</td> <td>59.04</td> <td>74.00</td> <td>-14.96</td> <td>46.92</td> <td>36.12</td> <td>8.51</td> <td>32.51</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>325</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>250</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1 5138.46	59.04	74.00	-14.96	46.92	36.12	8.51	32.51								325								250								PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 5230.00</td> <td>105.13</td> <td>-----</td> <td>-----</td> <td>92.77</td> <td>36.07</td> <td>8.68</td> <td>32.39</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>325</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>250</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1 5230.00	105.13	-----	-----	92.77	36.07	8.68	32.39								325								250								PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																																																											
1 5138.46	59.04	74.00	-14.96	46.92	36.12	8.51	32.51																																																																																																											
							325																																																																																																											
							250																																																																																																											
							PEAK																																																																																																											
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																																																											
1 5230.00	105.13	-----	-----	92.77	36.07	8.68	32.39																																																																																																											
							325																																																																																																											
							250																																																																																																											
							PEAK																																																																																																											
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 5139.15</td> <td>48.70</td> <td>54.00</td> <td>-5.30</td> <td>36.57</td> <td>36.12</td> <td>8.52</td> <td>32.51</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>325</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>250</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1 5139.15	48.70	54.00	-5.30	36.57	36.12	8.52	32.51								325								250								AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 5230.00</td> <td>98.14</td> <td>-----</td> <td>-----</td> <td>85.78</td> <td>36.07</td> <td>8.68</td> <td>32.39</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>325</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>250</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1 5230.00	98.14	-----	-----	85.78	36.07	8.68	32.39								325								250								AVERAGE
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																																																											
1 5139.15	48.70	54.00	-5.30	36.57	36.12	8.52	32.51																																																																																																											
							325																																																																																																											
							250																																																																																																											
							AVERAGE																																																																																																											
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																																																											
1 5230.00	98.14	-----	-----	85.78	36.07	8.68	32.39																																																																																																											
							325																																																																																																											
							250																																																																																																											
							AVERAGE																																																																																																											





Mode	20																																						
	Band Edge - R																																						
	U-NII-1_5.15-5.25_802.11n HT40_CH46_5230MHz																																						
ANT	5+7																																						
Pol.	Vertical	Fundamental																																					
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5356.27</td> <td>53.24</td> <td>74.00</td> <td>-20.76</td> <td>40.05</td> <td>35.99</td> <td>9.40</td> <td>32.20</td> <td>325</td> <td>250</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5356.27	53.24	74.00	-20.76	40.05	35.99	9.40	32.20	325	250	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																
1	5356.27	53.24	74.00	-20.76	40.05	35.99	9.40	32.20	325	250	PEAK																												
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5358.57</td> <td>43.48</td> <td>54.00</td> <td>-10.52</td> <td>30.29</td> <td>35.98</td> <td>9.41</td> <td>32.20</td> <td>325</td> <td>250</td> <td>AVERAGE</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5358.57	43.48	54.00	-10.52	30.29	35.98	9.41	32.20	325	250	AVERAGE	Blank
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																
1	5358.57	43.48	54.00	-10.52	30.29	35.98	9.41	32.20	325	250	AVERAGE																												



Mode	21																																																																					
	Band Edge - L																																																																					
	U-NII-2A_5.25-5.35_802.11n_HT40_CH54_5270MHz																																																																					
ANT	5+7																																																																					
Pol.	Horizontal	Fundamental																																																																				
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 5072.90</td> <td>51.64</td> <td>74.00</td> <td>-22.36</td> <td>39.69</td> <td>36.16</td> <td>8.39</td> <td>32.60</td> <td>100</td> <td>62 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1 5072.90	51.64	74.00	-22.36	39.69	36.16	8.39	32.60	100	62 PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 5270.00</td> <td>106.40</td> <td>-----</td> <td>-----</td> <td>93.65</td> <td>36.03</td> <td>9.02</td> <td>32.30</td> <td>100</td> <td>62 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1 5270.00	106.40	-----	-----	93.65	36.03	9.02	32.30	100	62 PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																														
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																															
1 5072.90	51.64	74.00	-22.36	39.69	36.16	8.39	32.60	100	62 PEAK																																																													
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																															
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																															
1 5270.00	106.40	-----	-----	93.65	36.03	9.02	32.30	100	62 PEAK																																																													
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 5149.31</td> <td>41.79</td> <td>54.00</td> <td>-12.21</td> <td>29.64</td> <td>36.11</td> <td>8.53</td> <td>32.49</td> <td>100</td> <td>62 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1 5149.31	41.79	54.00	-12.21	29.64	36.11	8.53	32.49	100	62 AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 5270.00</td> <td>99.26</td> <td>-----</td> <td>-----</td> <td>86.51</td> <td>36.03</td> <td>9.02</td> <td>32.30</td> <td>100</td> <td>62 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1 5270.00	99.26	-----	-----	86.51	36.03	9.02	32.30	100	62 AVERAGE
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																															
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																															
1 5149.31	41.79	54.00	-12.21	29.64	36.11	8.53	32.49	100	62 AVERAGE																																																													
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																															
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																															
1 5270.00	99.26	-----	-----	86.51	36.03	9.02	32.30	100	62 AVERAGE																																																													



	21																																													
Mode	Band Edge - R																																													
	U-NII-2A_5.25-5.35_802.11n HT40_CH54_5270MHz																																													
ANT	5+7																																													
Pol.	Horizontal	Fundamental																																												
Peak	<p style="text-align: right;">Date: 2024-03-02</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> <tr> <th>cm</th> <th>deg</th> <th colspan="6"></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5350.56</td> <td>56.74</td> <td>74.00</td> <td>-17.26</td> <td>43.59</td> <td>35.99</td> <td>9.37</td> <td>32.21</td> <td>100</td> <td>62</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg							1	5350.56	56.74	74.00	-17.26	43.59	35.99	9.37	32.21	100	62	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																							
cm	deg																																													
1	5350.56	56.74	74.00	-17.26	43.59	35.99	9.37	32.21	100	62	PEAK																																			
Blank																																														
Avg	<p style="text-align: right;">Date: 2024-03-02</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> <tr> <th>cm</th> <th>deg</th> <th colspan="6"></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5350.18</td> <td>46.13</td> <td>54.00</td> <td>-7.87</td> <td>32.98</td> <td>35.99</td> <td>9.37</td> <td>32.21</td> <td>100</td> <td>62</td> <td>AVERAGE</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg							1	5350.18	46.13	54.00	-7.87	32.98	35.99	9.37	32.21	100	62	AVERAGE
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																							
cm	deg																																													
1	5350.18	46.13	54.00	-7.87	32.98	35.99	9.37	32.21	100	62	AVERAGE																																			
Blank																																														



Mode	21																																																																									
	Band Edge - L																																																																									
	U-NII-2A_5.25-5.35_802.11n_HT40_CH54_5270MHz																																																																									
ANT	5+7																																																																									
Pol.	Vertical	Fundamental																																																																								
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5136.35</td> <td>52.09</td> <td>74.00</td> <td>-21.91</td> <td>39.97</td> <td>36.12</td> <td>8.51</td> <td>32.51</td> <td>298</td> <td>247</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	5136.35	52.09	74.00	-21.91	39.97	36.12	8.51	32.51	298	247	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5270.00</td> <td>105.50</td> <td>-----</td> <td>-----</td> <td>92.79</td> <td>36.03</td> <td>8.99</td> <td>32.31</td> <td>298</td> <td>247</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	5270.00	105.50	-----	-----	92.79	36.03	8.99	32.31	298	247	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																			
1	5136.35	52.09	74.00	-21.91	39.97	36.12	8.51	32.51	298	247	PEAK																																																															
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																			
1	5270.00	105.50	-----	-----	92.79	36.03	8.99	32.31	298	247	PEAK																																																															
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5122.31</td> <td>41.35</td> <td>54.00</td> <td>-12.65</td> <td>29.27</td> <td>36.13</td> <td>8.48</td> <td>32.53</td> <td>298</td> <td>247</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	5122.31	41.35	54.00	-12.65	29.27	36.13	8.48	32.53	298	247	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5270.00</td> <td>98.29</td> <td>-----</td> <td>-----</td> <td>85.58</td> <td>36.03</td> <td>8.99</td> <td>32.31</td> <td>298</td> <td>247</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	5270.00	98.29	-----	-----	85.58	36.03	8.99	32.31	298	247	AVERAGE
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																			
1	5122.31	41.35	54.00	-12.65	29.27	36.13	8.48	32.53	298	247	AVERAGE																																																															
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																			
1	5270.00	98.29	-----	-----	85.58	36.03	8.99	32.31	298	247	AVERAGE																																																															



	21																																												
Mode	Band Edge - R																																												
	U-NII-2A_5.25-5.35_802.11n HT40_CH54_5270MHz																																												
ANT	5+7																																												
Pol.	Vertical	Fundamental																																											
Peak																																													
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> <tr> <th>cm</th> <th>deg</th> <th colspan="6"></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5352.65</td> <td>57.24</td> <td>74.00</td> <td>-16.76</td> <td>44.08</td> <td>35.99</td> <td>9.38</td> <td>32.21</td> <td>298</td> <td>247</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg							1	5352.65	57.24	74.00	-16.76	44.08	35.99	9.38	32.21	298	247
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																						
cm	deg																																												
1	5352.65	57.24	74.00	-16.76	44.08	35.99	9.38	32.21	298	247	PEAK																																		
Avg																																													
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> <tr> <th>cm</th> <th>deg</th> <th colspan="6"></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5361.39</td> <td>46.86</td> <td>54.00</td> <td>-7.14</td> <td>33.65</td> <td>35.98</td> <td>9.42</td> <td>32.19</td> <td>298</td> <td>247</td> <td>AVERAGE</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg							1	5361.39	46.86	54.00	-7.14	33.65	35.98	9.42	32.19	298	247
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																						
cm	deg																																												
1	5361.39	46.86	54.00	-7.14	33.65	35.98	9.42	32.19	298	247	AVERAGE																																		



		22																																																																								
Mode	Band Edge - L																																																																									
	U-NII-2A_5.25-5.35_802.11n HT40_CH62_5310MHz																																																																									
ANT	5+7																																																																									
Pol.	Horizontal	Fundamental																																																																								
Peak																																																																										
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5133.92</td> <td>50.20</td> <td>74.00</td> <td>-23.80</td> <td>38.08</td> <td>36.12</td> <td>8.51</td> <td>32.51</td> <td>100</td> <td>61</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5133.92	50.20	74.00	-23.80	38.08	36.12	8.51	32.51	100	61	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5310.00</td> <td>104.43</td> <td>-----</td> <td>-----</td> <td>91.43</td> <td>36.00</td> <td>9.24</td> <td>32.24</td> <td>100</td> <td>61</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5310.00	104.43	-----	-----	91.43	36.00	9.24	32.24	100	61
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																			
1	5133.92	50.20	74.00	-23.80	38.08	36.12	8.51	32.51	100	61	PEAK																																																															
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																			
1	5310.00	104.43	-----	-----	91.43	36.00	9.24	32.24	100	61	PEAK																																																															
Avg																																																																										
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5145.39</td> <td>40.72</td> <td>54.00</td> <td>-13.28</td> <td>28.58</td> <td>36.11</td> <td>8.53</td> <td>32.50</td> <td>100</td> <td>61</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5145.39	40.72	54.00	-13.28	28.58	36.11	8.53	32.50	100	61	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5310.00</td> <td>97.46</td> <td>-----</td> <td>-----</td> <td>84.56</td> <td>36.02</td> <td>9.15</td> <td>32.27</td> <td>100</td> <td>61</td> <td>AVERAGE</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5310.00	97.46	-----	-----	84.56	36.02	9.15	32.27	100	61
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																			
1	5145.39	40.72	54.00	-13.28	28.58	36.11	8.53	32.50	100	61	AVERAGE																																																															
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																			
1	5310.00	97.46	-----	-----	84.56	36.02	9.15	32.27	100	61	AVERAGE																																																															



	<b>22</b>																																								
<b>Mode</b>	<b>Band Edge - R</b>																																								
	<b>U-NII-2A_5.25-5.35_802.11n HT40_CH62_5310MHz</b>																																								
<b>ANT</b>	<b>5+7</b>																																								
<b>Pol.</b>	<b>Horizontal</b>	<b>Fundamental</b>																																							
<b>Peak</b>	<p style="text-align: right;">Date: 2024-03-02</p> <table border="1" style="width: 100%; border-collapse: collapse; font-size: small;"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5360.85</td> <td>60.11</td> <td>74.00</td> <td>-13.89</td> <td>46.90</td> <td>35.98</td> <td>9.42</td> <td>32.19</td> <td>100</td> <td>61 PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5360.85	60.11	74.00	-13.89	46.90	35.98	9.42	32.19	100	61 PEAK	<b>Blank</b>
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																
1	5360.85	60.11	74.00	-13.89	46.90	35.98	9.42	32.19	100	61 PEAK																															
<b>Avg</b>	<p style="text-align: right;">Date: 2024-03-02</p> <table border="1" style="width: 100%; border-collapse: collapse; font-size: small;"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5361.15</td> <td>47.90</td> <td>54.00</td> <td>-6.10</td> <td>34.69</td> <td>35.98</td> <td>9.42</td> <td>32.19</td> <td>100</td> <td>61 AVERAGE</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5361.15	47.90	54.00	-6.10	34.69	35.98	9.42	32.19	100	61 AVERAGE	<b>Blank</b>
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																
1	5361.15	47.90	54.00	-6.10	34.69	35.98	9.42	32.19	100	61 AVERAGE																															



	22																																																																											
Mode	Band Edge - L																																																																											
	U-NII-2A_5.25-5.35_802.11n_HT40_CH62_5310MHz																																																																											
ANT	5+7																																																																											
Pol.	Vertical	Fundamental																																																																										
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5066.34</td> <td>50.54</td> <td>74.00</td> <td>-23.46</td> <td>38.61</td> <td>36.16</td> <td>8.38</td> <td>32.61</td> <td>300</td> <td>254</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5066.34	50.54	74.00	-23.46	38.61	36.16	8.38	32.61	300	254	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5310.00</td> <td>104.57</td> <td>-----</td> <td>-----</td> <td>91.60</td> <td>36.01</td> <td>9.21</td> <td>32.25</td> <td>300</td> <td>254</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5310.00	104.57	-----	-----	91.60	36.01	9.21	32.25	300	254	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																				
1	5066.34	50.54	74.00	-23.46	38.61	36.16	8.38	32.61	300	254	PEAK																																																																	
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																				
1	5310.00	104.57	-----	-----	91.60	36.01	9.21	32.25	300	254	PEAK																																																																	
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5061.69</td> <td>40.76</td> <td>54.00</td> <td>-13.24</td> <td>28.84</td> <td>36.16</td> <td>8.37</td> <td>32.61</td> <td>300</td> <td>254</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5061.69	40.76	54.00	-13.24	28.84	36.16	8.37	32.61	300	254	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5310.00</td> <td>97.47</td> <td>-----</td> <td>-----</td> <td>84.50</td> <td>36.01</td> <td>9.21</td> <td>32.25</td> <td>300</td> <td>254</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5310.00	97.47	-----	-----	84.50	36.01	9.21	32.25	300	254	AVERAGE
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																				
1	5061.69	40.76	54.00	-13.24	28.84	36.16	8.37	32.61	300	254	AVERAGE																																																																	
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																				
1	5310.00	97.47	-----	-----	84.50	36.01	9.21	32.25	300	254	AVERAGE																																																																	





	22																																												
Mode	Band Edge - R																																												
	U-NII-2A_5.25-5.35_802.11n HT40_CH62_5310MHz																																												
ANT	5+7																																												
Pol.	Vertical	Fundamental																																											
Peak																																													
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> <tr> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5357.70</td> <td>64.10</td> <td>74.00</td> <td>-9.90</td> <td>50.91</td> <td>35.99</td> <td>9.40</td> <td>32.20</td> <td>300</td> <td>254</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB							cm	deg	1	5357.70	64.10	74.00	-9.90	50.91	35.99	9.40	32.20	300	254
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																						
						cm	deg																																						
1	5357.70	64.10	74.00	-9.90	50.91	35.99	9.40	32.20	300	254	PEAK																																		
Avg																																													
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> <tr> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5358.15</td> <td>49.95</td> <td>54.00</td> <td>-4.05</td> <td>36.75</td> <td>35.99</td> <td>9.41</td> <td>32.20</td> <td>300</td> <td>254</td> <td>AVERAGE</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB							cm	deg	1	5358.15	49.95	54.00	-4.05	36.75	35.99	9.41	32.20	300	254
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																						
						cm	deg																																						
1	5358.15	49.95	54.00	-4.05	36.75	35.99	9.41	32.20	300	254	AVERAGE																																		