








## 6. Conducted Spurious Emission




### 6.1. Test Plots


































## 7. Frequency Stability

### 7.1. Test Results

#### 7.1.1. Frequency Error Vs Voltage

SCS	Bandwidth	Channel	RB Config	Modulation	Temperature	Voltage	Deviation Result		Verdict
							(Hz)	(ppm)	
15KHz	40MHz	MCH	Outer_Full	DFT-QPSK	NT	LV	-3.60	-0.001420	Pass
15KHz	40MHz	MCH	Outer_Full	DFT-QPSK	NT	NV	-3.80	-0.001499	Pass
15KHz	40MHz	MCH	Outer_Full	DFT-QPSK	NT	HV	-7.60	-0.002998	Pass

#### 7.1.2. Frequency Error Vs Temperature

SCS	Bandwidth	Channel	RB Config	Modulation	Temperature	Voltage	Deviation Result		Verdict
							(Hz)	(ppm)	
15KHz	40MHz	MCH	Outer_Full	DFT-QPSK	-30°C	NV	-3.40	-0.001341	Pass
15KHz	40MHz	MCH	Outer_Full	DFT-QPSK	-20°C	NV	-5.60	-0.002209	Pass
15KHz	40MHz	MCH	Outer_Full	DFT-QPSK	-10°C	NV	-6.00	-0.002367	Pass
15KHz	40MHz	MCH	Outer_Full	DFT-QPSK	0°C	NV	-6.50	-0.002564	Pass
15KHz	40MHz	MCH	Outer_Full	DFT-QPSK	10°C	NV	-3.90	-0.001538	Pass
15KHz	40MHz	MCH	Outer_Full	DFT-QPSK	20°C	NV	-2.40	-0.000947	Pass
15KHz	40MHz	MCH	Outer_Full	DFT-QPSK	30°C	NV	-6.50	-0.002564	Pass
15KHz	40MHz	MCH	Outer_Full	DFT-QPSK	40°C	NV	-10.30	-0.004063	Pass
15KHz	40MHz	MCH	Outer_Full	DFT-QPSK	50°C	NV	-6.70	-0.002643	Pass

The End