





6. Conducted Spurious Emission


6.1. Test Plots














7. Frequency Stability

7.1. Test Results

7.1.1. Frequency Error Vs Voltage

SCS	Bandwidth	Channel	RB Config	Modulation	Temperature	Voltage	Deviation Result		Verdict
							(Hz)	(ppm)	
15KHz	40MHz	MCH	Outer_Full	DFT-QPSK	NT	LV	-6.10	-0.003496	Pass
15KHz	40MHz	MCH	Outer_Full	DFT-QPSK	NT	NV	-5.40	-0.003095	Pass
15KHz	40MHz	MCH	Outer_Full	DFT-QPSK	NT	HV	-6.20	-0.003553	Pass

7.1.2. Frequency Error Vs Temperature

SCS	Bandwidth	Channel	RB Config	Modulation	Temperature	Voltage	Deviation Result		Verdict
							(Hz)	(ppm)	
15KHz	40MHz	MCH	Outer_Full	DFT-QPSK	-30°C	NV	-5.00	-0.002865	Pass
15KHz	40MHz	MCH	Outer_Full	DFT-QPSK	-20°C	NV	-2.80	-0.001605	Pass
15KHz	40MHz	MCH	Outer_Full	DFT-QPSK	-10°C	NV	-2.90	-0.001662	Pass
15KHz	40MHz	MCH	Outer_Full	DFT-QPSK	0°C	NV	1.90	0.001089	Pass
15KHz	40MHz	MCH	Outer_Full	DFT-QPSK	10°C	NV	-2.70	-0.001547	Pass
15KHz	40MHz	MCH	Outer_Full	DFT-QPSK	20°C	NV	-2.90	-0.001662	Pass
15KHz	40MHz	MCH	Outer_Full	DFT-QPSK	30°C	NV	-3.60	-0.002063	Pass
15KHz	40MHz	MCH	Outer_Full	DFT-QPSK	40°C	NV	-5.20	-0.002980	Pass
15KHz	40MHz	MCH	Outer_Full	DFT-QPSK	50°C	NV	-5.70	-0.003266	Pass

The End