




LTE Band 66C / 20MHz+15MHz

QPSK

Lowest Band Edge / 1RB0 and 1RB74

Highest Band Edge / 1RB0 and 1RB74





Date: 30.OCT.2023 20:42:23

Date: 30.OCT.2023 20:55:27

Lowest Band Edge / 1RB99 and 1RB0

Highest Band Edge / 1RB99 and 1RB0





Date: 30.OCT.2023 20:43:17

Date: 30.OCT.2023 21:01:49

Lowest Band Edge / Full RB

Highest Band Edge / Full RB



Date: 30.OCT.2023 20:36:02

Date: 30.OCT.2023 20:54:32





LTE Band 66C / 20MHz+15MHz

16QAM

Lowest Band Edge / 1RB0 and 1RB74

Highest Band Edge / 1RB0 and 1RB74





Date: 30_OCT_2023 20:41:28

Date: 30_OCT_2023 20:56:21

Lowest Band Edge / 1RB99 and 1RB0

Highest Band Edge / 1RB99 and 1RB0





Date: 30_OCT_2023 20:44:11

Date: 30_OCT_2023 21:00:54

Lowest Band Edge / Full RB

Highest Band Edge / Full RB



Date: 30_OCT_2023 20:36:57

Date: 30_OCT_2023 20:53:38





LTE Band 66C / 20MHz+15MHz

64QAM

Lowest Band Edge / 1RB0 and 1RB74

Highest Band Edge / 1RB0 and 1RB74





Date: 30_OCT_2023 20:40:34

Date: 30_OCT_2023 20:57:17

Lowest Band Edge / 1RB99 and 1RB0

Highest Band Edge / 1RB99 and 1RB0





Date: 30_OCT_2023 20:45:06

Date: 30_OCT_2023 21:00:00

Lowest Band Edge / Full RB

Highest Band Edge / Full RB



Date: 30_OCT_2023 20:37:51

Date: 30_OCT_2023 20:52:44





LTE Band 66C / 20MHz+15MHz

256QAM

Lowest Band Edge / 1RB0 and 1RB74

Highest Band Edge / 1RB0 and 1RB74





Date: 30_OCT_2023 20:39:40

Date: 30_OCT_2023 20:58:11

Lowest Band Edge / 1RB99 and 1RB0

Highest Band Edge / 1RB99 and 1RB0





Date: 30_OCT_2023 20:46:00

Date: 30_OCT_2023 20:59:06

Lowest Band Edge / Full RB

Highest Band Edge / Full RB



Date: 30_OCT_2023 20:38:45

Date: 30_OCT_2023 20:51:49




LTE Band 66C / 20MHz+20MHz


QPSK

Lowest Band Edge / 1RB0 and 1RB99

Highest Band Edge / 1RB0 and 1RB99




Date: 30_OCT_2023 22:00:13




Date: 30_OCT_2023 22:13:16

Lowest Band Edge / 1RB99 and 1RB0

Highest Band Edge / 1RB99 and 1RB0




Date: 30_OCT_2023 22:01:07




Date: 30_OCT_2023 22:19:37

Lowest Band Edge / Full RB

Highest Band Edge / Full RB



Date: 30_OCT_2023 21:53:52




Date: 30_OCT_2023 22:12:22



LTE Band 66C / 20MHz+20MHz


16QAM

Lowest Band Edge / 1RB0 and 1RB99




Date: 30.OCT.2023 21:59:18

Highest Band Edge / 1RB0 and 1RB99




Date: 30.OCT.2023 22:14:11

Lowest Band Edge / 1RB99 and 1RB0




Date: 30.OCT.2023 22:02:01

Highest Band Edge / 1RB99 and 1RB0




Date: 30.OCT.2023 22:18:43

Lowest Band Edge / Full RB



Date: 30.OCT.2023 21:54:47

Highest Band Edge / Full RB




Date: 30.OCT.2023 22:11:27



LTE Band 66C / 20MHz+20MHz


64QAM

Lowest Band Edge / 1RB0 and 1RB9




Date: 30_OCT_2023 21:58:24

Highest Band Edge / 1RB0 and 1RB9




Date: 30_OCT_2023 22:15:05

Lowest Band Edge / 1RB99 and 1RB0




Date: 30_OCT_2023 22:02:55

Highest Band Edge / 1RB99 and 1RB0




Date: 30_OCT_2023 22:17:49

Lowest Band Edge / Full RB



Date: 30_OCT_2023 21:55:41

Highest Band Edge / Full RB



Date: 30_OCT_2023 22:10:33




LTE Band 66C / 20MHz+20MHz


256QAM

Lowest Band Edge / 1RB0 and 1RB9

Highest Band Edge / 1RB0 and 1RB9




Date: 30_OCT_2023 21:57:30




Date: 30_OCT_2023 22:16:00

Lowest Band Edge / 1RB99 and 1RB0

Highest Band Edge / 1RB99 and 1RB0




Date: 30_OCT_2023 22:03:49




Date: 30_OCT_2023 22:16:54

Lowest Band Edge / Full RB

Highest Band Edge / Full RB






Date: 30_OCT_2023 21:56:35



Date: 30_OCT_2023 22:09:38




Conducted Spurious Emission






LTE Band 66C / 10MHz+15MHz QPSK Lowest Channel / 1RB24 and 1RB0

LTE Band 66C / 10MHz+15MHz QPSK Middle Channel / 1RB24 and 1RB0




Date: 30.OCT.2023 18:02:07



Date: 30.OCT.2023 18:03:45

LTE Band 66C / 10MHz+15MHz QPSK Highest Channel / 1RB24 and 1RB0





Date: 30.OCT.2023 18:05:23



LTE Band 66C / 10MHz+20MHz QPSK Lowest Channel / 1RB49 and 1RB0


LTE Band 66C / 10MHz+20MHz QPSK Middle Channel / 1RB49 and 1RB0



Date: 30.OCT.2023 18:56:15

Date: 30.OCT.2023 18:57:53

LTE Band 66C / 10MHz+20MHz QPSK Highest Channel / 1RB49 and 1RB0




Date: 30.OCT.2023 18:59:31




LTE Band 66C / 15MHz+10MHz QPSK Lowest Channel / 1RB24 and 1RB0

LTE Band 66C / 15MHz+10MHz QPSK Middle Channel / 1RB24 and 1RB0




Date: 30.OCT.2023 18:28:52



Date: 30.OCT.2023 18:30:30

LTE Band 66C / 15MHz+10MHz QPSK Highest Channel / 1RB24 and 1RB0





Date: 30.OCT.2023 18:32:08



LTE Band 66C / 15MHz+15MHz QPSK Lowest Channel / 1RB24 and 1RB0


LTE Band 66C / 15MHz+15MHz QPSK Middle Channel / 1RB24 and 1RB0



Date: 30.OCT.2023 19:49:50

Date: 30.OCT.2023 19:51:26

LTE Band 66C / 15MHz+15MHz QPSK Highest Channel / 1RB24 and 1RB0





Date: 30.OCT.2023 19:53:05



LTE Band 66C / 15MHz+20MHz QPSK Lowest Channel / 1RB74 and 1RB0


LTE Band 66C / 15MHz+20MHz QPSK Middle Channel / 1RB74 and 1RB0






Date: 30.OCT.2023 20:19:52

Date: 30.OCT.2023 20:22:27

LTE Band 66C / 15MHz+20MHz QPSK Highest Channel / 1RB74 and 1RB0




Date: 30.OCT.2023 20:24:06






LTE Band 66C / 20MHz+10MHz QPSK Lowest Channel / 1RB99 and 1RB0

LTE Band 66C / 20MHz+10MHz QPSK Middle Channel / 1RB99 and 1RB0




Date: 30.OCT.2023 19:23:00



Date: 30.OCT.2023 19:24:38

LTE Band 66C / 20MHz+10MHz QPSK Highest Channel / 1RB99 and 1RB0





Date: 30.OCT.2023 19:26:17



LTE Band 66C / 20MHz+15MHz QPSK Lowest Channel / 1RB99 and 1RB0


LTE Band 66C / 20MHz+15MHz QPSK Middle Channel / 1RB99 and 1RB0



Date: 30.OCT.2023 20:47:35

Date: 30.OCT.2023 20:49:15

LTE Band 66C / 20MHz+15MHz QPSK Highest Channel / 1RB99 and 1RB0





Date: 30.OCT.2023 20:50:53



LTE Band 66C / 20MHz+20MHz QPSK Lowest Channel / 1RB99 and 1RB0


LTE Band 66C / 20MHz+20MHz QPSK Middle Channel / 1RB99 and 1RB0



Date: 30.OCT.2023 22:05:24

Date: 30.OCT.2023 22:07:03

LTE Band 66C / 20MHz+20MHz QPSK Highest Channel / 1RB99 and 1RB0



Date: 30.OCT.2023 22:08:42



Frequency Stability

Test Conditions		LTE Band 66C (QPSK) / Middle Channel	Limit
Temperature (°C)	Voltage (Volt)	BW 20+20MHz	Note 2.
		Deviation (ppm)	Result
50	Normal Voltage	0.0021	PASS
40	Normal Voltage	0.0028	
30	Normal Voltage	0.0039	
20(Ref.)	Normal Voltage	0.0000	
10	Normal Voltage	0.0046	
0	Normal Voltage	0.0023	
-10	Normal Voltage	0.0037	
-20	Normal Voltage	0.0012	
-30	Normal Voltage	0.0006	
20	Maximum Voltage	0.0019	
20	Normal Voltage	0.0022	
20	Battery End Point	0.0014	

Note:

1. Normal Voltage =3.91 V. ; Battery End Point (BEP) =3.4 V. ; Maximum Voltage =4.5 V.
2. Note: The frequency fundamental emissions stay within the authorized frequency block.



Appendix B. Test Results of Radiated Test

Radiated Spurious Emission

Test Engineer :	Chris Chen	Temperature :	23~25°C
		Relative Humidity :	41~42%

Pre-scanned harmonic for the different antennas, we choose the worst antenna mode to perform final test and record in the report.

LTE Band 25 / 20MHz / QPSK / ANT4								
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	3705	-64.04	-13	-51.04	-76.30	2.64	14.90	H
	5553	-62.66	-13	-49.66	-74.52	2.94	14.80	H
	7404	-60.00	-13	-47.00	-69.77	3.39	13.16	H
	3702	-64.46	-13	-51.46	-76.72	2.64	14.90	V
	5553	-62.65	-13	-49.65	-74.51	2.94	14.80	V
	7410	-58.94	-13	-45.94	-68.71	3.39	13.16	V
Middle	3744	-65.55	-13	-52.55	-77.81	2.64	14.90	H
	5616	-58.62	-13	-45.62	-70.48	2.94	14.80	H
	7482	-59.88	-13	-46.88	-69.65	3.39	13.16	H
	3744	-65.24	-13	-52.24	-77.50	2.64	14.90	V
	5616	-63.21	-13	-50.21	-75.07	2.94	14.80	V
	7482	-59.66	-13	-46.66	-69.43	3.39	13.16	V
Highest	3795	-64.28	-13	-51.28	-76.54	2.64	14.90	H
	5685	-62.95	-13	-49.95	-74.81	2.94	14.80	H
	7590	-58.71	-13	-45.71	-68.48	3.39	13.16	H
	3795	-64.32	-13	-51.32	-76.58	2.64	14.90	V
	5685	-63.76	-13	-50.76	-75.62	2.94	14.80	V
	7590	-59.09	-13	-46.09	-68.86	3.39	13.16	V



LTE Band 25(Other PA) / 20MHz / QPSK / ANT0								
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	3705	-58.09	-13	-45.09	-70.35	2.641	14.90	H
	5550	-56.94	-13	-43.94	-68.80	2.94	14.80	H
	7410	-54.01	-13	-41.01	-63.78	3.39	13.16	H
	3705	-57.95	-13	-44.95	-70.21	2.64	14.90	V
	5550	-57.15	-13	-44.15	-69.01	2.94	14.80	V
	7410	-54.13	-13	-41.13	-63.90	3.39	13.16	V
Middle	3735	-57.93	-13	-44.93	-70.19	2.64	14.90	H
	5610	-56.85	-13	-43.85	-68.71	2.94	14.80	H
	7485	-53.79	-13	-40.79	-63.56	3.39	13.16	H
	3735	-57.77	-13	-44.77	-70.03	2.64	14.90	V
	5610	-56.16	-13	-43.16	-68.02	2.94	14.80	V
	7485	-53.69	-13	-40.69	-63.46	3.39	13.16	V
Highest	3795	-57.94	-13	-44.94	-70.20	2.64	14.90	H
	5685	-56.68	-13	-43.68	-68.54	2.94	14.80	H
	7590	-53.49	-13	-40.49	-63.26	3.39	13.16	H
	3795	-58.21	-13	-45.21	-70.47	2.64	14.90	V
	5685	-57.26	-13	-44.26	-69.12	2.94	14.80	V
	7590	-53.51	-13	-40.51	-63.28	3.39	13.16	V

LTE Band 26 / 15MHz / QPSK / ANT0								
Channel	Frequency (MHz)	ERP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	1648	-64.47	-13	-51.47	-71.44	1.58	10.70	H
	2472	-59.98	-13	-46.98	-68.23	2.102	12.50	H
	3296	-59.68	-13	-46.68	-68.57	2.856	13.90	H
	1648	-63.11	-13	-50.11	-70.08	1.58	10.70	V
	2472	-58.06	-13	-45.06	-66.31	2.10	12.50	V
	3296	-59.39	-13	-46.39	-68.28	2.86	13.90	V
Middle	1656	-63.92	-13	-50.92	-70.89	1.58	10.70	H
	2488	-59.72	-13	-46.72	-67.97	2.102	12.50	H
	3320	-59.65	-13	-46.65	-68.54	2.856	13.90	H
	1656	-62.73	-13	-49.73	-69.70	1.58	10.70	V
	2488	-57.92	-13	-44.92	-66.17	2.10	12.50	V
	3320	-59.37	-13	-46.37	-68.26	2.86	13.90	V
Highest	1672	-63.27	-13	-50.27	-70.24	1.58	10.70	H
	2504	-59.07	-13	-46.07	-67.32	2.102	12.50	H
	3336	-59.62	-13	-46.62	-68.51	2.856	13.90	H
	1672	-62.47	-13	-49.47	-69.44	1.58	10.70	V
	2504	-57.95	-13	-44.95	-66.20	2.10	12.50	V
	3336	-59.85	-13	-46.85	-68.74	2.86	13.90	V



LTE Band 66 / 20MHz / QPSK / ANT4								
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	3420	-67.63	-13	-54.63	-78.37	2.604	13.34	H
	5133	-62.77	-13	-49.77	-73.28	3.011	13.52	H
	6844	-62.29	-13	-49.29	-72.49	3.271	13.47	H
	3420	-67.16	-13	-54.16	-77.90	2.604	13.34	V
	5130	-61.62	-13	-48.62	-72.13	3.011	13.52	V
	6840	-61.69	-13	-48.69	-71.89	3.271	13.47	V
Middle	3465	-66.46	-13	-53.46	-77.20	2.604	13.34	H
	5208	-64.25	-13	-51.25	-74.76	3.011	13.52	H
	6944	-60.99	-13	-47.99	-71.19	3.271	13.47	H
	3465	-67.68	-13	-54.68	-78.42	2.604	13.34	V
	5208	-64.20	-13	-51.20	-74.71	3.011	13.52	V
	6944	-61.58	-13	-48.58	-71.78	3.271	13.47	V
Highest	3522	-64.32	-13	-51.32	-75.06	2.604	13.34	H
	5283	-64.06	-13	-51.06	-74.57	3.011	13.52	H
	7050	-60.71	-13	-47.71	-70.91	3.271	13.47	H
	3525	-64.17	-13	-51.17	-74.91	2.604	13.34	V
	5283	-64.01	-13	-51.01	-74.52	3.011	13.52	V
	7050	-59.67	-13	-46.67	-69.87	3.271	13.47	V

LTE Band 66 (Other PA) / 20MHz / QPSK / ANT0								
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	3420	-58.55	-13	-45.55	-69.29	2.604	13.34	H
	5130	-55.90	-13	-42.90	-66.41	3.011	13.52	H
	6840	-56.25	-13	-43.25	-66.45	3.271	13.47	H
	3420	-58.87	-13	-45.87	-69.61	2.604	13.34	V
	5130	-56.54	-13	-43.54	-67.05	3.011	13.52	V
	6840	-56.29	-13	-43.29	-66.49	3.271	13.47	V
Middle	3465	-48.45	-13	-35.45	-59.19	2.604	13.34	H
	5205	-56.13	-13	-43.13	-66.64	3.011	13.52	H
	6945	-55.58	-13	-42.58	-65.78	3.271	13.47	H
	3465	-51.96	-13	-38.96	-62.70	2.604	13.34	V
	5205	-56.46	-13	-43.46	-66.97	3.011	13.52	V
	6945	-55.79	-13	-42.79	-65.99	3.271	13.47	V
Highest	3525	-58.86	-13	-45.86	-69.60	2.604	13.34	H
	5280	-56.71	-13	-43.71	-67.22	3.011	13.52	H
	7050	-55.25	-13	-42.25	-65.45	3.271	13.47	H
	3525	-59.37	-13	-46.37	-70.11	2.604	13.34	V
	5280	-56.81	-13	-43.81	-67.32	3.011	13.52	V
	7050	-54.63	-13	-41.63	-64.83	3.271	13.47	V



LTE Band 66B_CA / 10MHz + 10MHz / QPSK / ANT0								
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	3420	-58.62	-13	-45.62	-69.36	2.604	13.34	H
	5130	-56.22	-13	-43.22	-66.73	3.011	13.52	H
	6840	-55.70	-13	-42.70	-65.90	3.271	13.47	H
	3420	-58.19	-13	-45.19	-68.93	2.604	13.34	V
	5130	-56.19	-13	-43.19	-66.70	3.011	13.52	V
	6840	-55.82	-13	-42.82	-66.02	3.271	13.47	V
	3435	-58.34	-13	-45.34	-69.08	2.604	13.34	H
	5160	-56.18	-13	-43.18	-66.69	3.011	13.52	H
	6885	-55.66	-13	-42.66	-65.86	3.271	13.47	H
	3435	-58.71	-13	-45.71	-69.45	2.604	13.34	V
	5160	-56.11	-13	-43.11	-66.62	3.011	13.52	V
6885	-55.73	-13	-42.73	-65.93	3.271	13.47	V	
Middle	3495	-58.39	-13	-45.39	-69.13	2.604	13.34	H
	5235	-56.51	-13	-43.51	-67.02	3.011	13.52	H
	6990	-55.19	-13	-42.19	-65.39	3.271	13.47	H
	3495	-58.69	-13	-45.69	-69.43	2.604	13.34	V
	5235	-56.54	-13	-43.54	-67.05	3.011	13.52	V
	6990	-55.37	-13	-42.37	-65.57	3.271	13.47	V
	3510	-58.31	-13	-45.31	-69.05	2.604	13.34	H
	5265	-56.15	-13	-43.15	-66.66	3.011	13.52	H
	7020	-55.33	-13	-42.33	-65.53	3.271	13.47	H
	3510	-58.40	-13	-45.40	-69.14	2.604	13.34	V
	5265	-56.11	-13	-43.11	-66.62	3.011	13.52	V
7020	-54.90	-13	-41.90	-65.10	3.271	13.47	V	
Highest	3525	-58.84	-13	-45.84	-69.58	2.604	13.34	H
	5280	-56.49	-13	-43.49	-67.00	3.011	13.52	H
	7050	-55.30	-13	-42.30	-65.50	3.271	13.47	H
	3525	-59.21	-13	-46.21	-69.95	2.604	13.34	V
	5280	-56.35	-13	-43.35	-66.86	3.011	13.52	V
	7050	-55.41	-13	-42.41	-65.61	3.271	13.47	V
	3540	-58.49	-13	-45.49	-69.23	2.604	13.34	H
	5310	-56.85	-13	-43.85	-67.36	3.011	13.52	H
	7080	-55.03	-13	-42.03	-65.23	3.271	13.47	H
	3540	-59.26	-13	-46.26	-70.00	2.604	13.34	V
	5310	-56.83	-13	-43.83	-67.34	3.011	13.52	V
7080	-55.16	-13	-42.16	-65.36	3.271	13.47	V	



LTE Band 66C_CA / 20MHz + 20MHz / QPSK / ANT0								
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	3422.18	-64.87	-13	-51.87	-75.61	2.604	13.34	H
	5133.27	-62.02	-13	-49.02	-72.53	3.011	13.52	H
	6844.36	-59.66	-13	-46.66	-69.86	3.271	13.47	H
	3422.18	-64.14	-13	-51.14	-74.88	2.604	13.34	V
	5133.27	-61.85	-13	-48.85	-72.36	3.011	13.52	V
	6844.36	-59.58	-13	-46.58	-69.78	3.271	13.47	V
	3461.78	-64.27	-13	-51.27	-75.01	2.604	13.34	H
	5192.67	-61.74	-13	-48.74	-72.25	3.011	13.52	H
	6923.56	-59.20	-13	-46.20	-69.40	3.271	13.47	H
	3461.78	-64.38	-13	-51.38	-75.12	2.604	13.34	V
	5192.67	-61.52	-13	-48.52	-72.03	3.011	13.52	V
6923.56	-59.40	-13	-46.40	-69.60	3.271	13.47	V	
Middle	3472.38	-64.68	-13	-51.68	-75.42	2.604	13.34	H
	5208.57	-61.41	-13	-48.41	-71.92	3.011	13.52	H
	6944.76	-59.23	-13	-46.23	-69.43	3.271	13.47	H
	3472.38	-64.03	-13	-51.03	-74.77	2.604	13.34	V
	5208.57	-61.48	-13	-48.48	-71.99	3.011	13.52	V
	6944.76	-59.27	-13	-46.27	-69.47	3.271	13.47	V
	3511.98	-64.36	-13	-51.36	-75.10	2.604	13.34	H
	5267.97	-61.52	-13	-48.52	-72.03	3.011	13.52	H
	7023.96	-59.12	-13	-46.12	-69.32	3.271	13.47	H
	3511.98	-63.58	-13	-50.58	-74.32	2.604	13.34	V
	5267.97	-61.62	-13	-48.62	-72.13	3.011	13.52	V
7023.96	-59.31	-13	-46.31	-69.51	3.271	13.47	V	
Highest	3480	-58.99	-13	-45.99	-69.73	2.604	13.34	H
	5220	-56.63	-13	-43.63	-67.14	3.011	13.52	H
	6960	-55.88	-13	-42.88	-66.08	3.271	13.47	H
	3480	-59.10	-13	-46.10	-69.84	2.604	13.34	V
	5220	-56.60	-13	-43.60	-67.11	3.011	13.52	V
	6960	-55.42	-13	-42.42	-65.62	3.271	13.47	V
	3525	-58.60	-13	-45.60	-69.34	2.604	13.34	H
	5280	-56.56	-13	-43.56	-67.07	3.011	13.52	H
	7050	-55.24	-13	-42.24	-65.44	3.271	13.47	H
	3525	-59.13	-13	-46.13	-69.87	2.604	13.34	V
	5280	-56.54	-13	-43.54	-67.05	3.011	13.52	V
7050	-55.06	-13	-42.06	-65.26	3.271	13.47	V	



LTE Band 5B_CA / 10MHz + 10MHz / QPSK / ANTO								
Channel	Frequency (MHz)	ERP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	1648.00	-66.22	-13	-53.22	-69.46	1.11	6.50	H
	2472.00	-62.09	-13	-49.09	-64.71	1.43	6.20	H
	3296.00	-61.75	-13	-48.75	-66.19	1.71	8.30	H
	1648.00	-65.52	-13	-52.52	-68.76	1.11	6.50	V
	2472.00	-60.40	-13	-47.40	-63.02	1.43	6.20	V
	3296.00	-61.72	-13	-48.72	-66.16	1.71	8.30	V
	1648.00	-66.22	-13	-53.22	-69.46	1.11	6.50	H
	2472.00	-62.09	-13	-49.09	-64.71	1.43	6.20	H
	3296.00	-61.75	-13	-48.75	-66.19	1.71	8.30	H
	1672.00	-64.81	-13	-51.81	-68.05	1.11	6.50	V
	2504.00	-60.45	-13	-47.45	-63.07	1.43	6.20	V
3336.00	-62.17	-13	-49.17	-66.61	1.71	8.30	V	
Middle	1656.00	-63.83	-13	-50.83	-67.07	1.11	6.50	H
	2480.00	-60.19	-13	-47.19	-62.81	1.43	6.20	H
	3312.00	-59.57	-13	-46.57	-64.01	1.71	8.30	H
	1656.00	-64.97	-13	-51.97	-68.21	1.11	6.50	V
	2480.00	-60.56	-13	-47.56	-63.18	1.43	6.20	V
	3312.00	-61.68	-13	-48.68	-66.12	1.71	8.30	V
	1672.00	-63.52	-13	-50.52	-66.76	1.11	6.50	H
	2512.00	-59.29	-13	-46.29	-61.91	1.43	6.20	H
	3352.00	-59.26	-13	-46.26	-63.70	1.71	8.30	H
	1672.00	-64.76	-13	-51.76	-68.00	1.11	6.50	V
	2512.00	-60.85	-13	-47.85	-63.47	1.43	6.20	V
3352.00	-61.01	-13	-48.01	-65.45	1.71	8.30	V	
Highest	1656.00	-66.17	-13	-53.17	-69.41	1.11	6.50	H
	2488.00	-61.97	-13	-48.97	-64.59	1.43	6.20	H
	3320.00	-61.41	-13	-48.41	-65.85	1.71	8.30	H
	1656.00	-64.95	-13	-51.95	-68.19	1.11	6.50	V
	2488.00	-60.17	-13	-47.17	-62.79	1.43	6.20	V
	3320.00	-61.45	-13	-48.45	-65.89	1.71	8.30	V
	1680.00	-65.43	-13	-52.43	-68.67	1.11	6.50	H
	2520.00	-61.72	-13	-48.72	-64.34	1.43	6.20	H
	3360.00	-61.74	-13	-48.74	-66.18	1.71	8.30	H
	1680.00	-64.40	-13	-51.40	-67.64	1.11	6.50	V
	2520.00	-61.09	-13	-48.09	-63.71	1.43	6.20	V
3360.00	-61.98	-13	-48.98	-66.42	1.71	8.30	V	

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.