



<802.11ax Partial RU>

Maximum power spectral density

Test Result

Test Mode	Antenna	Freq(MHz)	Ru Size	Ru Index	Result [dBm/MHz]	Limit [dBm/MHz]	Verdict
11AX20 MIMO	Ant5	5180	26Tone	RU0	3.45	≤11.00	PASS
			52Tone	RU37	3.58	≤11.00	PASS
			106Tone	RU53	3.87	≤11.00	PASS
	Ant4	5180	26Tone	RU0	5.45	≤11.00	PASS
			52Tone	RU37	5.5	≤11.00	PASS
			106Tone	RU53	5.63	≤11.00	PASS
	total	5180	26Tone	RU0	7.57	≤11.00	PASS
			52Tone	RU37	7.66	≤11.00	PASS
			106Tone	RU53	7.85	≤11.00	PASS
	Ant5	5220	26Tone	RU0	5.6	≤11.00	PASS
			52Tone	RU37	5.29	≤11.00	PASS
			106Tone	RU53	5.36	≤11.00	PASS
	Ant4	5220	26Tone	RU0	7.17	≤11.00	PASS
			52Tone	RU37	6.84	≤11.00	PASS
			106Tone	RU53	6.86	≤11.00	PASS
	total	5220	26Tone	RU0	9.47	≤11.00	PASS
			52Tone	RU37	9.14	≤11.00	PASS
			106Tone	RU53	9.18	≤11.00	PASS
	Ant5	5240	26Tone	RU8	5.69	≤11.00	PASS
			52Tone	RU40	5.83	≤11.00	PASS
			106Tone	RU54	5.9	≤11.00	PASS
	Ant4	5240	26Tone	RU8	6.6	≤11.00	PASS
			52Tone	RU40	6.78	≤11.00	PASS
			106Tone	RU54	6.83	≤11.00	PASS
	total	5240	26Tone	RU8	9.18	≤11.00	PASS
			52Tone	RU40	9.34	≤11.00	PASS
			106Tone	RU54	9.40	≤11.00	PASS
	Ant5	5260	26Tone	RU0	5.92	≤11.00	PASS
			52Tone	RU37	6.07	≤11.00	PASS
			106Tone	RU53	5.67	≤11.00	PASS
	Ant4	5260	26Tone	RU0	6.86	≤11.00	PASS
			52Tone	RU37	6.85	≤11.00	PASS
			106Tone	RU53	6.64	≤11.00	PASS
	total	5260	26Tone	RU0	9.43	≤11.00	PASS
			52Tone	RU37	9.49	≤11.00	PASS
			106Tone	RU53	9.19	≤11.00	PASS
Ant5	5300	26Tone	RU0	6.23	≤11.00	PASS	
		52Tone	RU37	6.31	≤11.00	PASS	
		106Tone	RU53	6.02	≤11.00	PASS	
Ant4	5300	26Tone	RU0	6.82	≤11.00	PASS	
		52Tone	RU37	6.8	≤11.00	PASS	



		106Tone	RU53	6.42	≤11.00	PASS
total	5300	26Tone	RU0	9.55	≤11.00	PASS
		52Tone	RU37	9.57	≤11.00	PASS
		106Tone	RU53	9.23	≤11.00	PASS
Ant5	5320	26Tone	RU8	4.49	≤11.00	PASS
		52Tone	RU40	4.63	≤11.00	PASS
		106Tone	RU54	4.69	≤11.00	PASS
Ant4	5320	26Tone	RU8	4.38	≤11.00	PASS
		52Tone	RU40	4.44	≤11.00	PASS
		106Tone	RU54	4.56	≤11.00	PASS
total	5320	26Tone	RU8	7.45	≤11.00	PASS
		52Tone	RU40	7.55	≤11.00	PASS
		106Tone	RU54	7.64	≤11.00	PASS
Ant5	5500	26Tone	RU0	5.43	≤11.00	PASS
		52Tone	RU37	5.64	≤11.00	PASS
		106Tone	RU53	5.67	≤11.00	PASS
Ant4	5500	26Tone	RU0	6.4	≤11.00	PASS
		52Tone	RU37	6.49	≤11.00	PASS
		106Tone	RU53	6.67	≤11.00	PASS
total	5500	26Tone	RU0	8.95	≤11.00	PASS
		52Tone	RU37	9.10	≤11.00	PASS
		106Tone	RU53	9.21	≤11.00	PASS
Ant5	5580	26Tone	RU0	5.87	≤11.00	PASS
		52Tone	RU37	5.68	≤11.00	PASS
		106Tone	RU53	5.71	≤11.00	PASS
Ant4	5580	26Tone	RU0	6.54	≤11.00	PASS
		52Tone	RU37	6.81	≤11.00	PASS
		106Tone	RU53	6.7	≤11.00	PASS
total	5580	26Tone	RU0	9.23	≤11.00	PASS
		52Tone	RU37	9.29	≤11.00	PASS
		106Tone	RU53	9.24	≤11.00	PASS
Ant5	5700	26Tone	RU8	3.9	≤11.00	PASS
		52Tone	RU40	3.98	≤11.00	PASS
		106Tone	RU54	3.98	≤11.00	PASS
Ant4	5700	26Tone	RU8	4.74	≤11.00	PASS
		52Tone	RU40	4.98	≤11.00	PASS
		106Tone	RU54	4.95	≤11.00	PASS
total	5700	26Tone	RU8	7.35	≤11.00	PASS
		52Tone	RU40	7.52	≤11.00	PASS
		106Tone	RU54	7.50	≤11.00	PASS
Ant5	5720	26Tone	RU8	5.79	≤11.00	PASS
		52Tone	RU40	5.84	≤11.00	PASS
		106Tone	RU54	5.82	≤11.00	PASS
Ant4	5720	26Tone	RU8	6.47	≤11.00	PASS
		52Tone	RU40	6.61	≤11.00	PASS
		106Tone	RU54	6.34	≤11.00	PASS
total	5720	26Tone	RU8	9.15	≤11.00	PASS
		52Tone	RU40	9.25	≤11.00	PASS
		106Tone	RU54	9.10	≤11.00	PASS
Ant5	5745	26Tone	RU0	4.19	≤30.00	PASS




		52Tone	RU37	3.98	≤30.00	PASS
		106Tone	RU53	4	≤30.00	PASS
Ant4	5745	26Tone	RU0	4.96	≤30.00	PASS
		52Tone	RU37	4.91	≤30.00	PASS
total	5745	106Tone	RU53	4.83	≤30.00	PASS
		26Tone	RU0	7.60	≤30.00	PASS
		52Tone	RU37	7.48	≤30.00	PASS
Ant5	5785	106Tone	RU53	7.45	≤30.00	PASS
		26Tone	RU0	4.05	≤30.00	PASS
		52Tone	RU37	4.05	≤30.00	PASS
Ant4	5785	106Tone	RU53	4.05	≤30.00	PASS
		26Tone	RU0	4.78	≤30.00	PASS
		52Tone	RU37	4.84	≤30.00	PASS
total	5785	106Tone	RU53	4.88	≤30.00	PASS
		26Tone	RU0	7.44	≤30.00	PASS
		52Tone	RU37	7.47	≤30.00	PASS
Ant5	5825	106Tone	RU53	7.50	≤30.00	PASS
		26Tone	RU8	3.83	≤30.00	PASS
		52Tone	RU40	3.7	≤30.00	PASS
Ant4	5825	106Tone	RU54	3.77	≤30.00	PASS
		26Tone	RU8	4.45	≤30.00	PASS
		52Tone	RU40	4.28	≤30.00	PASS
total	5825	106Tone	RU54	4.14	≤30.00	PASS
		26Tone	RU8	7.16	≤30.00	PASS
		52Tone	RU40	7.01	≤30.00	PASS
		106Tone	RU54	6.97	≤30.00	PASS

Note: 1.The Result and Limit Unit is dBm/500 kHz in the band 5.725–5.85 GHz.
 2.The Duty Cycle Factor and is compensated in the graph.




Test Graphs






11AX20MIMO_Ant5_5180_106Tone_RU53



Date: 9 JAN 2024 21:22:17


11AX20MIMO_Ant4_5180_26Tone_RU0



Date: 9 JAN 2024 21:19:56




11AX20MIMO_Ant4_5180_52Tone_RU37



Date: 9 JAN 2024 21:21:01


11AX20MIMO_Ant4_5180_106Tone_RU53



Date: 9 JAN 2024 21:22:29




11AX20MIMO_Ant5_5220_26Tone_RU0



Date: 2, JAN 2024 21:43:03


11AX20MIMO_Ant5_5220_52Tone_RU37



Date: 2, JAN 2024 21:46:14




11AX20MIMO_Ant5_5220_106Tone_RU53



Date: 2 JAN 2024 21:46:57


11AX20MIMO_Ant4_5220_26Tone_RU0



Date: 2 JAN 2024 21:43:14




11AX20MIMO_Ant4_5220_52Tone_RU37



Date: 2, JAN 2024 21:46:25


11AX20MIMO_Ant4_5220_106Tone_RU53



Date: 2, JAN 2024 21:47:08




11AX20MIMO_Ant5_5240_26Tone_RU8



Date: 2, JAN 2024 21:49:54


11AX20MIMO_Ant5_5240_52Tone_RU40



Date: 2, JAN 2024 21:51:00




11AX20MIMO_Ant5_5240_106Tone_RU54



Date: 2, JAN 2024 21:53:48


11AX20MIMO_Ant4_5240_26Tone_RU8



Date: 2, JAN 2024 21:50:06




11AX20MIMO_Ant4_5240_52Tone_RU40



Date: 2, JAN 2024 21:51:35


11AX20MIMO_Ant4_5240_106Tone_RU54



Date: 2, JAN 2024 21:54:16




11AX20MIMO_Ant5_5260_26Tone_RU0



Date: 2, JAN 2024 21:56:38


11AX20MIMO_Ant5_5260_52Tone_RU37



Date: 2, JAN 2024 21:57:33




11AX20MIMO_Ant5_5260_106Tone_RU53



Date: 2, JAN 2024 21:59:24


11AX20MIMO_Ant4_5260_26Tone_RU0



Date: 2, JAN 2024 21:56:50




11AX20MIMO_Ant4_5260_52Tone_RU37



Date: 2, JAN 2024 21:57:44


11AX20MIMO_Ant4_5260_106Tone_RU53



Date: 2, JAN 2024 21:59:35




11AX20MIMO_Ant5_5300_26Tone_RU0



Date: 2 JAN 2024 22:00:45


11AX20MIMO_Ant5_5300_52Tone_RU37




Date: 2 JAN 2024 22:01:34



11AX20MIMO_Ant5_5300_106Tone_RU53




11AX20MIMO_Ant4_5300_26Tone_RU0






11AX20MIMO_Ant4_5300_52Tone_RU37



Date: 2 JAN 2024 22:01:45


11AX20MIMO_Ant4_5300_106Tone_RU53



Date: 2 JAN 2024 22:03:34




11AX20MIMO_Ant5_5320_26Tone_RU8



Date: 9 JAN 2024 21:29:22


11AX20MIMO_Ant5_5320_52Tone_RU40



Date: 9 JAN 2024 21:30:34




11AX20MIMO_Ant5_5320_106Tone_RU54



Date: 9 JAN 2024 21:31:32


11AX20MIMO_Ant4_5320_26Tone_RU8



Date: 9 JAN 2024 21:29:33




11AX20MIMO_Ant4_5320_52Tone_RU40



Date: 9 JAN 2024 21:30:45


11AX20MIMO_Ant4_5320_106Tone_RU54



Date: 9 JAN 2024 21:31:44




11AX20MIMO_Ant5_5500_26Tone_RU0



Date: 9 JAN 2024 21:33:50


11AX20MIMO_Ant5_5500_52Tone_RU37



Date: 9 JAN 2024 21:34:44




11AX20MIMO_Ant5_5500_106Tone_RU53



Date: 9 JAN 2024 21:35:33


11AX20MIMO_Ant4_5500_26Tone_RU0



Date: 9 JAN 2024 21:34:01




11AX20MIMO_Ant4_5500_52Tone_RU37



Date: 9 JAN 2024 21:34:56


11AX20MIMO_Ant4_5500_106Tone_RU53



Date: 9 JAN 2024 21:35:44




11AX20MIMO_Ant5_5580_26Tone_RU0



Date: 2 JAN 2024 22:12:17


11AX20MIMO_Ant5_5580_52Tone_RU37



Date: 2 JAN 2024 22:13:02




11AX20MIMO_Ant5_5580_106Tone_RU53



Date: 2 JAN 2024 22:14:24


11AX20MIMO_Ant4_5580_26Tone_RU0



Date: 2 JAN 2024 22:12:28




11AX20MIMO_Ant4_5580_52Tone_RU37



Date: 2, JAN 2024 22:13:14


11AX20MIMO_Ant4_5580_106Tone_RU53



Date: 2, JAN 2024 22:14:35




11AX20MIMO_Ant5_5700_26Tone_RU8



Date: 9 JAN 2024 21:37:38


11AX20MIMO_Ant5_5700_52Tone_RU40



Date: 9 JAN 2024 21:38:39




11AX20MIMO_Ant5_5700_106Tone_RU54



Date: 9 JAN 2024 21:39:34


11AX20MIMO_Ant4_5700_26Tone_RU8



Date: 9 JAN 2024 21:37:50




11AX20MIMO_Ant4_5700_52Tone_RU40



Date: 9 JAN 2024 21:38:50


11AX20MIMO_Ant4_5700_106Tone_RU54



Date: 9 JAN 2024 21:39:45




11AX20MIMO_Ant5_5720_26Tone_RU8



Date: 2 JAN 2024 23:07:07


11AX20MIMO_Ant5_5720_52Tone_RU40



Date: 2 JAN 2024 23:07:51




11AX20MIMO_Ant5_5720_106Tone_RU54



Date: 2 JAN 2024 23:08:35


11AX20MIMO_Ant4_5720_26Tone_RU8



Date: 2 JAN 2024 23:07:18




11AX20MIMO_Ant4_5720_52Tone_RU40



Date: 2, JAN 2024 23:08:02


11AX20MIMO_Ant4_5720_106Tone_RU54



Date: 2, JAN 2024 23:08:46




11AX20MIMO_Ant5_5745_26Tone_RU0



Date: 2 JAN 2024 23:10:34


11AX20MIMO_Ant5_5745_52Tone_RU37



Date: 2 JAN 2024 23:11:17




11AX20MIMO_Ant5_5745_106Tone_RU53



Date: 2 JAN 2024 23:12:03


11AX20MIMO_Ant4_5745_26Tone_RU0



Date: 2 JAN 2024 23:10:46




11AX20MIMO_Ant4_5745_52Tone_RU37



Date: 2 JAN 2024 23:11:29


11AX20MIMO_Ant4_5745_106Tone_RU53



Date: 2 JAN 2024 23:12:14




11AX20MIMO_Ant5_5785_26Tone_RU0



Date: 2, JAN 2024 23:13:13


11AX20MIMO_Ant5_5785_52Tone_RU37



Date: 2, JAN 2024 23:14:05




11AX20MIMO_Ant5_5785_106Tone_RU53



Date: 2 JAN 2024 23:14:49


11AX20MIMO_Ant4_5785_26Tone_RU0



Date: 2 JAN 2024 23:13:25




11AX20MIMO_Ant4_5785_52Tone_RU37



Date: 2 JAN 2024 23:14:17


11AX20MIMO_Ant4_5785_106Tone_RU53



Date: 2 JAN 2024 23:15:01




11AX20MIMO_Ant5_5825_26Tone_RU8



Date: 2 JAN 2024 23:15:53


11AX20MIMO_Ant5_5825_52Tone_RU40



Date: 2 JAN 2024 23:16:36




11AX20MIMO_Ant5_5825_106Tone_RU54



Date: 2, JAN 2024 23:17:18


11AX20MIMO_Ant4_5825_26Tone_RU8



Date: 2, JAN 2024 23:16:04




11AX20MIMO_Ant4_5825_52Tone_RU40



Date: 2, JAN 2024 23:16:49

11AX20MIMO_Ant4_5825_106Tone_RU54




Date: 2, JAN 2024 23:17:29



Appendix B. AC Conducted Emission Test Results

Test Engineer :	Amos Zhang	Temperature :	25.3~26.2°C
		Relative Humidity :	38~40%
Test Voltage :	120Vac / 60Hz	Phase :	Line
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		




Site : CO01-KS
 Condition : 15E RSS247-QP LISN-060105-L 2023 LINE

	Freq	Level	Over	Limit	Read	LISN	Cable	
	MHz	dBuV	Limit	Line	Level	Factor	Loss	Remark
			dB	dBuV	dBuV	dB	dB	
1	0.175	42.65	-22.07	64.72	32.20	0.04	10.41	QP
2 *	0.175	39.65	-15.07	54.72	29.20	0.04	10.41	Average
3	0.270	36.19	-24.93	61.12	25.80	0.04	10.35	QP
4	0.270	24.29	-26.83	51.12	13.90	0.04	10.35	Average
5	0.373	33.80	-24.63	58.43	23.50	0.01	10.29	QP
6	0.373	30.60	-17.83	48.43	20.30	0.01	10.29	Average
7	0.529	33.97	-22.03	56.00	23.80	-0.04	10.21	QP
8	0.529	27.37	-18.63	46.00	17.20	-0.04	10.21	Average
9	0.933	33.50	-22.50	56.00	23.49	-0.09	10.10	QP
10	0.933	23.20	-22.80	46.00	13.19	-0.09	10.10	Average
11	1.141	34.48	-21.52	56.00	24.50	-0.11	10.09	QP
12	1.141	23.28	-22.72	46.00	13.30	-0.11	10.09	Average



Test Engineer :	Amos Zhang	Temperature :	25.3~26.2°C
		Relative Humidity :	38~40%
Test Voltage :	120Vac / 60Hz	Phase :	Neutral
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		



Site : CO01-KS
 Condition : 15E RSS247-QP LISN-060105-N 2023 NEUTRAL

	Freq	Level	Over	Limit	Read	LISN	Cable	Remark
	MHz	dBuV	Limit	Line	Level	Factor	Loss	
			dB	dBuV	dBuV	dB	dB	
1	0.187	43.96	-20.19	64.15	33.50	0.05	10.41	QP
2 *	0.187	40.76	-13.39	54.15	30.30	0.05	10.41	Average
3	0.206	41.25	-22.11	63.36	30.81	0.04	10.40	QP
4	0.206	36.65	-16.71	53.36	26.21	0.04	10.40	Average
5	0.398	35.72	-22.18	57.90	25.50	-0.06	10.28	QP
6	0.398	28.02	-19.88	47.90	17.80	-0.06	10.28	Average
7	0.521	31.94	-24.06	56.00	21.80	-0.07	10.21	QP
8	0.521	24.44	-21.56	46.00	14.30	-0.07	10.21	Average
9	0.822	32.12	-23.88	56.00	22.09	-0.08	10.11	QP
10	0.822	23.92	-22.08	46.00	13.89	-0.08	10.11	Average
11	1.027	30.79	-25.21	56.00	20.80	-0.10	10.09	QP
12	1.027	24.59	-21.41	46.00	14.60	-0.10	10.09	Average

Note:

- Level(dBμV) = Read Level(dBμV) + LISN Factor(dB) + Cable Loss(dB)
- Over Limit(dB) = Level(dBμV) – Limit Line(dBμV)



Appendix C. Radiated Spurious Emission Test Data

Test Engineer :	Jian kang jiang	Relative Humidity :	41 ~ 42%
		Temperature :	22 ~ 23°C

Radiated Spurious Emission Test Modes

Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 1	U-NII-1	5.15-5.25	CDD 5+4	802.11a	36	5180	6Mbps	-	-
Mode 2	U-NII-1	5.15-5.25	CDD 5+4	802.11a	44	5220	6Mbps	-	-
Mode 3	U-NII-1	5.15-5.25	CDD 5+4	802.11a	48	5240	6Mbps	-	-
Mode 4	U-NII-1	5.15-5.25	CDD 5+4	802.11ax HE20	36	5180	MCS0	Full RU	-
Mode 5	U-NII-1	5.15-5.25	CDD 5+4	802.11ax HE20	44	5220	MCS0	Full RU	-
Mode 6	U-NII-1	5.15-5.25	CDD 5+4	802.11ax HE20	48	5240	MCS0	Full RU	-
Mode 7	U-NII-1	5.15-5.25	CDD 5+4	802.11ax HE40	38	5190	MCS0	Full RU	-
Mode 8	U-NII-1	5.15-5.25	CDD 5+4	802.11ax HE40	46	5230	MCS0	Full RU	-
Mode 9	U-NII-1	5.15-5.25	CDD 5+4	802.11ax HE80	42	5210	MCS0	-	-
Mode 10	U-NII-1	5.15-5.25	CDD 5+4	802.11ax HE20	36	5180	MCS0	Partial_26/0RU	-
Mode 11	U-NII-1	5.15-5.25	CDD 5+4	802.11ax HE20	36	5180	MCS0	Partial_52/37RU	-
Mode 12	U-NII-1	5.15-5.25	CDD 5+4	802.11ax HE20	36	5180	MCS0	Partial_106/53RU	-
Mode 13	U-NII-2A	5.25-5.35	CDD 5+4	802.11a	52	5260	6Mbps	-	-
Mode 14	U-NII-2A	5.25-5.35	CDD 5+4	802.11a	60	5300	6Mbps	-	-
Mode 15	U-NII-2A	5.25-5.35	CDD 5+4	802.11a	64	5320	6Mbps	-	-
Mode 16	U-NII-2A	5.25-5.35	CDD 5+4	802.11ax HE20	52	5260	MCS0	Full RU	-
Mode 17	U-NII-2A	5.25-5.35	CDD 5+4	802.11ax HE20	60	5300	MCS0	Full RU	-
Mode 18	U-NII-2A	5.25-5.35	CDD 5+4	802.11ax HE20	64	5320	MCS0	Full RU	-
Mode 19	U-NII-2A	5.25-5.35	CDD 5+4	802.11ax HE40	54	5270	MCS0	Full RU	-
Mode 20	U-NII-2A	5.25-5.35	CDD 5+4	802.11ax HE40	62	5310	MCS0	Full RU	-
Mode 21	U-NII-2A	5.25-5.35	CDD 5+4	802.11ax HE80	58	5290	MCS0	Full RU	-
Mode 22	U-NII-2A	5.25-5.35	CDD 5+4	802.11ax HE160	50	5250	MCS0	Full RU	-
Mode 23	U-NII-2A	5.25-5.35	CDD 5+4	802.11ax HE20	64	5320	MCS0	Partial_26/8RU	-
Mode 24	U-NII-2A	5.25-5.35	CDD 5+4	802.11ax HE20	64	5320	MCS0	Partial_52/40RU	-
Mode 25	U-NII-2A	5.25-5.35	CDD 5+4	802.11ax HE20	64	5320	MCS0	Partial_106/54RU	-
Mode 26	U-NII-2C	5.47-5.725	CDD 5+4	802.11a	100	5500	6Mbps	-	-
Mode 27	U-NII-2C	5.47-5.725	CDD 5+4	802.11a	116	5580	6Mbps	-	-
Mode 28	U-NII-2C	5.47-5.725	CDD 5+4	802.11a	140	5700	6Mbps	-	-
Mode 29	U-NII-2C	5.47-5.725	CDD 5+4	802.11ax HE20	100	5500	MCS0	Full RU	-
Mode 30	U-NII-2C	5.47-5.725	CDD 5+4	802.11ax HE20	116	5580	MCS0	Full RU	-
Mode 31	U-NII-2C	5.47-5.725	CDD 5+4	802.11ax HE20	140	5700	MCS0	Full RU	-
Mode 32	U-NII-2C	5.47-5.725	CDD 5+4	802.11ax HE40	102	5510	MCS0	Full RU	-
Mode 33	U-NII-2C	5.47-5.725	CDD 5+4	802.11ax HE40	110	5550	MCS0	Full RU	-
Mode 34	U-NII-2C	5.47-5.725	CDD 5+4	802.11ax HE40	134	5670	MCS0	Full RU	-
Mode 35	U-NII-2C	5.47-5.725	CDD 5+4	802.11ax HE80	106	5530	MCS0	Full RU	-



Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 36	U-NII-2C	5.47-5.725	CDD 5+4	802.11ax HE80	122	5610	MCS0	Full RU	-
Mode 37	U-NII-2C	5.47-5.725	CDD 5+4	802.11ax HE160	114	5570	MCS0	Full RU	-
Mode 38	U-NII-2C	5.47-5.725	CDD 5+4	802.11ax HE20	100	5500	MCS0	Partial_26/0RU	-
Mode 39	U-NII-2C	5.47-5.725	CDD 5+4	802.11ax HE20	140	5700	MCS0	Partial_26/8RU	-
Mode 40	U-NII-2C	5.47-5.725	CDD 5+4	802.11ax HE20	100	5500	MCS0	Partial_52/37RU	-
Mode 41	U-NII-2C	5.47-5.725	CDD 5+4	802.11ax HE20	140	5700	MCS0	Partial_52/40RU	-
Mode 42	U-NII-2C	5.47-5.725	CDD 5+4	802.11ax HE20	100	5500	MCS0	Partial_106/53RU	-
Mode 43	U-NII-2C	5.47-5.725	CDD 5+4	802.11ax HE20	140	5700	MCS0	Partial_106/54RU	-
Mode 44	U-NII-2C	5.47-5.725	CDD 5+4	802.11a	144	5720	6Mbps	-	-
Mode 45	U-NII-2C	5.47-5.725	CDD 5+4	802.11ax HE20	144	5720	MCS0	Full RU	-
Mode 46	U-NII-2C	5.47-5.725	CDD 5+4	802.11ax HE40	142	5710	MCS0	Full RU	-
Mode 47	U-NII-2C	5.47-5.725	CDD 5+4	802.11ax HE80	138	5690	MCS0	Full RU	-
Mode 48	U-NII-2A	5.25-5.35	CDD 5+4	802.11a	64	5320	6Mbps	-	LF
Mode 49	U-NII-3	5.725-5.85	CDD 5+4	802.11a	149	5745	6Mbps	-	-
Mode 50	U-NII-3	5.725-5.85	CDD 5+4	802.11a	157	5785	6Mbps	-	-
Mode 51	U-NII-3	5.725-5.85	CDD 5+4	802.11a	165	5825	6Mbps	-	-
Mode 52	U-NII-3	5.725-5.85	CDD 5+4	802.11ax HE20	149	5745	MCS0	Full RU	-
Mode 53	U-NII-3	5.725-5.85	CDD 5+4	802.11ax HE20	157	5785	MCS0	Full RU	-
Mode 54	U-NII-3	5.725-5.85	CDD 5+4	802.11ax HE20	165	5825	MCS0	Full RU	-
Mode 55	U-NII-3	5.725-5.85	CDD 5+4	802.11ax HE40	151	5755	MCS0	Full RU	-
Mode 56	U-NII-3	5.725-5.85	CDD 5+4	802.11ax HE40	159	5795	MCS0	Full RU	-
Mode 57	U-NII-3	5.725-5.85	CDD 5+4	802.11ax HE80	155	5775	MCS0	Full RU	-
Mode 58	U-NII-3	5.725-5.85	CDD 5+4	802.11ax HE20	149	5745	MCS0	Partial_26/0RU	-
Mode 59	U-NII-3	5.725-5.85	CDD 5+4	802.11ax HE20	165	5825	MCS0	Partial_26/8RU	-
Mode 60	U-NII-3	5.725-5.85	CDD 5+4	802.11ax HE20	149	5745	MCS0	Partial_52/37RU	-
Mode 61	U-NII-3	5.725-5.85	CDD 5+4	802.11ax HE20	165	5825	MCS0	Partial_52/40RU	-
Mode 62	U-NII-3	5.725-5.85	CDD 5+4	802.11ax HE20	149	5745	MCS0	Partial_106/53RU	-
Mode 63	U-NII-3	5.725-5.85	CDD 5+4	802.11ax HE20	165	5825	MCS0	Partial_106/54RU	-
Mode 64	U-NII-3	5.725-5.85	CDD 5+4	802.11ax HE40	159	5795	MCS0	Full RU	LF
Mode 65	U-NII-2A	5.25-5.35	CDD 5+4	802.11a	64	5320	6Mbps	-	-
	-	2400-2483.5	3	Bluetooth-LE	39	2480	2Mbps	-	-
WWAN Part 96 Band 48-BW=20M									
Mode 66	U-NII-2A	5.25-5.35	CDD 5+4	802.11a	64	5320	6Mbps	-	-
	-	2400-2483.5	6	Bluetooth-LE	39	2480	2Mbps	-	-
WWAN Part 96 Band 48-BW=20M									



Summary of each worse mode

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
1	802.11a	36	5148.80	49.12	54.00	-4.88	H	AVERAGE	Pass	Band Edge
	802.11a	36	15547.00	46.26	54.00	-7.74	H	AVERAGE	Pass	Harmonic
2	802.11a	44	-	-	-	-	-	-	-	Band Edge
	802.11a	44	15660.00	48.62	54.00	-5.38	H	AVERAGE	Pass	Harmonic
3	802.11a	48	5352.20	43.33	54.00	-10.67	H	AVERAGE	Pass	Band Edge
	802.11a	48	15720.00	48.70	54.00	-5.30	H	AVERAGE	Pass	Harmonic
4	802.11ax HE20	36	5147.84	50.73	54.00	-3.27	H	AVERAGE	Pass	Band Edge
	802.11ax HE20	36	15540.00	44.86	54.00	-9.14	H	AVERAGE	Pass	Harmonic
5	802.11ax HE20	44	-	-	-	-	-	-	-	Band Edge
	802.11ax HE20	44	15660.00	48.30	54.00	-5.70	H	AVERAGE	Pass	Harmonic
6	802.11ax HE20	48	5353.30	43.43	54.00	-10.57	H	AVERAGE	Pass	Band Edge
6	802.11ax HE20	48	15720.00	48.75	54.00	-5.25	H	AVERAGE	Pass	Harmonic
7	802.11ax HE40	38	5147.60	50.57	54.00	-3.43	H	AVERAGE	Pass	Band Edge
7	802.11ax HE40	38	15570.00	41.16	54.00	-12.84	H	AVERAGE	Pass	Harmonic
8	802.11ax HE40	46	5146.28	50.15	54.00	-3.85	H	AVERAGE	Pass	Band Edge
8	802.11ax HE40	46	15690.00	44.48	54.00	-9.52	H	AVERAGE	Pass	Harmonic
9	802.11ax HE80	42	5147.21	50.29	54.00	-3.71	H	AVERAGE	Pass	Band Edge
9	802.11ax HE80	42	7825.00	48.80	68.20	-19.40	V	PEAK	Pass	Harmonic
10	802.11ax HE20	36	5101.60	42.23	54.00	-11.77	H	AVERAGE	Pass	Band Edge
10	802.11ax HE20	36	-	-	-	-	-	-	-	Harmonic
11	802.11ax HE20	36	5143.84	42.46	54.00	-11.54	H	AVERAGE	Pass	Band Edge
11	802.11ax HE20	36	-	-	-	-	-	-	-	Harmonic
12	802.11ax HE20	36	5148.48	43.54	54.00	-10.46	H	AVERAGE	Pass	Band Edge
12	802.11ax HE20	36	-	-	-	-	-	-	-	Harmonic
13	802.11a	52	-	-	-	-	-	-	-	Band Edge
13	802.11a	52	15780.00	49.11	54.00	-4.89	H	AVERAGE	Pass	Harmonic
14	802.11a	60	-	-	-	-	-	-	-	Band Edge
14	802.11a	60	15900.00	49.12	54.00	-4.88	H	AVERAGE	Pass	Harmonic
15	802.11a	64	5350.10	50.83	54.00	-3.17	V	AVERAGE	Pass	Band Edge
15	802.11a	64	15960.00	44.11	54.00	-9.89	H	AVERAGE	Pass	Harmonic
16	802.11ax HE20	52	-	-	-	-	-	-	-	Band Edge
16	802.11ax HE20	52	15780.00	48.26	54.00	-5.74	H	AVERAGE	Pass	Harmonic
17	802.11ax HE20	60	-	-	-	-	-	-	-	Band Edge
17	802.11ax HE20	60	15900.00	47.51	54.00	-6.49	H	AVERAGE	Pass	Harmonic
18	802.11ax HE20	64	5350.10	49.02	54.00	-4.98	V	AVERAGE	Pass	Band Edge
18	802.11ax HE20	64	15960.00	43.52	54.00	-10.48	H	AVERAGE	Pass	Harmonic
19	802.11ax HE40	54	5354.74	50.76	54.00	-3.24	H	AVERAGE	Pass	Band Edge
19	802.11ax HE40	54	15810.00	44.28	54.00	-9.72	H	AVERAGE	Pass	Harmonic
20	802.11ax HE40	62	5350.05	50.04	54.00	-3.96	V	AVERAGE	Pass	Band Edge
20	802.11ax HE40	62	10620.00	45.34	74.00	-28.66	V	PEAK	Pass	Harmonic



Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
21	802.11ax HE80	58	5355.45	49.57	54.00	-4.43	H	AVERAGE	Pass	Band Edge
21	802.11ax HE80	58	10580.00	45.98	68.20	-22.22	V	PEAK	Pass	Harmonic
22	802.11ax HE160	50	5356.05	50.78	54.00	-3.22	H	AVERAGE	Pass	Band Edge
22	802.11ax HE160	50	7000.00	62.07	68.20	-6.13	H	PEAK	Pass	Harmonic
23	802.11ax HE20	64	5455.24	41.40	54.00	-12.60	H	AVERAGE	Pass	Band Edge
23	802.11ax HE20	64	-	-	-	-	-	-	-	Harmonic
24	802.11ax HE20	64	5350.10	41.87	54.00	-12.13	V	AVERAGE	Pass	Band Edge
24	802.11ax HE20	64	-	-	-	-	-	-	-	Harmonic
25	802.11ax HE20	64	5350.10	42.69	54.00	-11.31	V	AVERAGE	Pass	Band Edge
25	802.11ax HE20	64	-	-	-	-	-	-	-	Harmonic
26	802.11a	100	5468.80	64.61	68.20	-3.59	V	PEAK	Pass	Band Edge
26	802.11a	100	11000.00	46.27	74.00	-27.73	V	PEAK	Pass	Harmonic
27	802.11a	116	-	-	-	-	-	-	-	Band Edge
27	802.11a	116	11160.00	37.77	54.00	-16.23	H	AVERAGE	Pass	Harmonic
28	802.11a	140	5728.21	64.78	68.20	-3.42	H	PEAK	Pass	Band Edge
28	802.11a	140	11400.00	46.99	74.00	-27.01	H	PEAK	Pass	Harmonic
29	802.11ax HE20	100	5468.35	64.98	68.20	-3.22	H	PEAK	Pass	Band Edge
29	802.11ax HE20	100	11000.00	46.19	74.00	-27.81	V	PEAK	Pass	Harmonic
30	802.11ax HE20	116	-	-	-	-	-	-	-	Band Edge
30	802.11ax HE20	116	11160.00	37.15	54.00	-16.85	V	AVERAGE	Pass	Harmonic
31	802.11ax HE20	140	5726.39	63.87	68.20	-4.33	H	PEAK	Pass	Band Edge
31	802.11ax HE20	140	11400.00	46.67	74.00	-27.33	H	PEAK	Pass	Harmonic
32	802.11ax HE40	102	5456.40	48.74	54.00	-5.26	H	AVERAGE	Pass	Band Edge
32	802.11ax HE40	102	11020.00	45.29	74.00	-28.71	V	PEAK	Pass	Harmonic
33	802.11ax HE40	110	5459.40	48.91	54.00	-5.09	V	AVERAGE	Pass	Band Edge
34	802.11ax HE40	134	5725.29	64.54	68.20	-3.66	H	PEAK	Pass	Band Edge
34	802.11ax HE40	134	11340.00	45.75	74.00	-28.25	H	PEAK	Pass	Harmonic
35	802.11ax HE80	106	5455.84	50.35	54.00	-3.65	H	AVERAGE	Pass	Band Edge
35	802.11ax HE80	106	11060.00	45.74	74.00	-28.26	V	PEAK	Pass	Harmonic
36	802.11ax HE80	122	5736.33	64.04	68.20	-4.16	H	PEAK	Pass	Band Edge
36	802.11ax HE80	122	11220.00	45.33	74.00	-28.67	V	PEAK	Pass	Harmonic
37	802.11ax HE160	114	5728.93	64.97	68.20	-3.23	V	PEAK	Pass	Band Edge
37	802.11ax HE160	114	11140.00	45.96	74.00	-28.04	H	PEAK	Pass	Harmonic
38	802.11ax HE20	100	5459.65	41.57	54.00	-12.43	V	AVERAGE	Pass	Band Edge
38	802.11ax HE20	100	-	-	-	-	-	-	-	Harmonic
39	802.11ax HE20	140	5749.34	55.17	68.20	-13.03	V	PEAK	Pass	Band Edge
39	802.11ax HE20	140	-	-	-	-	-	-	-	Harmonic
40	802.11ax HE20	100	5456.65	41.97	54.00	-12.03	H	AVERAGE	Pass	Band Edge
40	802.11ax HE20	100	-	-	-	-	-	-	-	Harmonic
41	802.11ax HE20	140	5745.05	57.10	68.20	-11.10	V	PEAK	Pass	Band Edge
41	802.11ax HE20	140	-	-	-	-	-	-	-	Harmonic
42	802.11ax HE20	100	5459.95	41.82	54.00	-12.18	H	AVERAGE	Pass	Band Edge
42	802.11ax HE20	100	-	-	-	-	-	-	-	Harmonic







Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
43	802.11ax HE20	140	5727.17	64.60	68.20	-3.60	V	PEAK	Pass	Band Edge
43	802.11ax HE20	140	-	-	-	-	-	-	-	Harmonic
44	802.11a	144	-	-	-	-	-	-	-	Band Edge
44	802.11a	144	17164.00	58.71	68.20	-9.49	H	PEAK	Pass	Harmonic
45	802.11ax HE20	144	-	-	-	-	-	-	-	Band Edge
45	802.11ax HE20	144	17175.00	53.70	68.20	-14.50	H	Peak	Pass	Harmonic
46	802.11ax HE40	142	-	-	-	-	-	-	-	Band Edge
46	802.11ax HE40	142	17153.00	52.95	68.20	-15.25	H	PEAK	Pass	Harmonic
47	802.11ax HE80	138	-	-	-	-	-	-	-	Band Edge
47	802.11ax HE80	138	11380.00	46.85	74.00	-27.15	H	PEAK	Pass	Harmonic
48	802.11a	64	152.22	32.76	43.50	-10.74	V	PEAK	Pass	LF
49	802.11a	149	5649.45	56.27	68.20	-11.93	V	PEAK	Pass	Band Edge
49	802.11a	149	17241.00	55.43	68.20	-12.77	H	PEAK	Pass	Harmonic
50	802.11a	157	5925.25	55.72	68.20	-12.48	V	PEAK	Pass	Band Edge
50	802.11a	157	11570.00	39.82	54.00	-14.18	H	AVERAGE	Pass	Harmonic
51	802.11a	165	5925.00	57.19	68.20	-11.01	H	PEAK	Pass	Band Edge
51	802.11a	165	11650.00	41.43	54.00	-12.57	H	AVERAGE	Pass	Harmonic
52	802.11ax HE20	149	5649.88	63.43	68.20	-4.77	H	PEAK	Pass	Band Edge
52	802.11ax HE20	149	17241.00	53.21	68.20	-14.99	H	PEAK	Pass	Harmonic
53	802.11ax HE20	157	5630.34	56.59	68.20	-11.61	H	PEAK	Pass	Band Edge
53	802.11ax HE20	157	17351.00	54.08	68.20	-14.12	H	PEAK	Pass	Harmonic
54	802.11ax HE20	165	5934.13	55.76	68.20	-12.44	V	PEAK	Pass	Band Edge
54	802.11ax HE20	165	17483.00	55.32	68.20	-12.88	H	PEAK	Pass	Harmonic
55	802.11ax HE40	151	5629.76	63.71	68.20	-4.49	V	PEAK	Pass	Band Edge
55	802.11ax HE40	151	11510.00	45.46	74.00	-28.54	H	PEAK	Pass	Harmonic
56	802.11ax HE40	159	5650.12	64.47	68.29	-3.82	H	PEAK	Pass	Band Edge
56	802.11ax HE40	159	11590.00	46.28	74.00	-27.72	H	PEAK	Pass	Harmonic
57	802.11ax HE80	155	5642.00	61.98	68.20	-6.22	H	PEAK	Pass	Band Edge
57	802.11ax HE80	155	11550.00	46.25	74.00	-27.75	V	PEAK	Pass	Harmonic
58	802.11ax HE20	149	5629.44	53.48	68.20	-14.72	V	PEAK	Pass	Band Edge
58	802.11ax HE20	149	-	-	-	-	-	-	-	Harmonic
59	802.11ax HE20	165	5943.13	54.74	68.20	-13.46	V	PEAK	Pass	Band Edge
59	802.11ax HE20	165	-	-	-	-	-	-	-	Harmonic
60	802.11ax HE20	149	5605.22	53.48	68.20	-14.72	V	PEAK	Pass	Band Edge
60	802.11ax HE20	149	-	-	-	-	-	-	-	Harmonic
61	802.11ax HE20	165	5927.50	54.60	68.20	-13.60	V	PEAK	Pass	Band Edge
61	802.11ax HE20	165	-	-	-	-	-	-	-	Harmonic
62	802.11ax HE20	149	5640.31	53.97	68.20	-14.23	H	PEAK	Pass	Band Edge
62	802.11ax HE20	149	-	-	-	-	-	-	-	Harmonic
63	802.11ax HE20	165	5932.50	55.05	68.20	-13.15	V	PEAK	Pass	Band Edge
63	802.11ax HE20	165	-	-	-	-	-	-	-	Harmonic
64	802.11ax HE40	159	553.80	38.08	46.00	-7.92	V	PEAK	Pass	LF







Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
65	802.11a	64	2836.00	47.24	54.00	-6.76	H	Average	Pass	Band Edge
	802.11a	64	10640.00	45.13	74.00	-28.87	V	PEAK	Pass	Harmonic
	Bluetooth-LE_GSKF	39	2483.50	42.34	54.00	-11.66	H	AVERAGE	Pass	Band Edge
	Bluetooth-LE_GSKF	39	7440.00	46.83	74.00	-27.17	V	PEAK	Pass	Harmonic
66	802.11a	64	2842.00	45.00	54.00	-9.00	V	Average	Pass	Band Edge
	802.11a	64	10640.00	45.78	74.00	-28.22	V	PEAK	Pass	Harmonic
	Bluetooth-LE_GSKF	39	2483.50	48.29	54.00	-5.71	H	AVERAGE	Pass	Band Edge
	Bluetooth-LE_GSKF	39	7440.00	39.48	54.00	-14.52	V	AVERAGE	Pass	Harmonic



Mode	1																																																																																			
	Band Edge																																																																																			
	U-NII-1_5.15-5.25_802.11a_CH36_5180MHz																																																																																			
ANT	CDD 5+4																																																																																			
Pol.	Horizontal	Fundamental																																																																																		
Peak	 <table border="1" data-bbox="268 1131 774 1254"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5148.96</td> <td>61.08</td> <td>74.00</td> <td>-12.92</td> <td>48.89</td> <td>34.20</td> <td>9.79</td> <td>31.00</td> <td>0.00</td> <td>100</td> <td>242</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5148.96	61.08	74.00	-12.92	48.89	34.20	9.79	31.00	0.00	100	242	PEAK	 <table border="1" data-bbox="906 1131 1412 1254"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5180.00</td> <td>111.61</td> <td>-----</td> <td>-----</td> <td>99.32</td> <td>34.30</td> <td>9.81</td> <td>31.82</td> <td>0.00</td> <td>100</td> <td>242</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	111.61	-----	-----	99.32	34.30	9.81	31.82	0.00	100	242	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5148.96	61.08	74.00	-12.92	48.89	34.20	9.79	31.00	0.00	100	242	PEAK																																																																								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5180.00	111.61	-----	-----	99.32	34.30	9.81	31.82	0.00	100	242	PEAK																																																																								
Avg	 <table border="1" data-bbox="268 1818 774 1942"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5148.80</td> <td>49.12</td> <td>54.00</td> <td>-4.88</td> <td>36.93</td> <td>34.20</td> <td>9.79</td> <td>31.00</td> <td>0.00</td> <td>100</td> <td>242</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5148.80	49.12	54.00	-4.88	36.93	34.20	9.79	31.00	0.00	100	242	AVERAGE	 <table border="1" data-bbox="906 1818 1412 1942"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5180.00</td> <td>103.56</td> <td>-----</td> <td>-----</td> <td>91.24</td> <td>34.33</td> <td>9.81</td> <td>31.82</td> <td>0.00</td> <td>100</td> <td>242</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	103.56	-----	-----	91.24	34.33	9.81	31.82	0.00	100	242	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5148.80	49.12	54.00	-4.88	36.93	34.20	9.79	31.00	0.00	100	242	AVERAGE																																																																								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5180.00	103.56	-----	-----	91.24	34.33	9.81	31.82	0.00	100	242	AVERAGE																																																																								



		1																																																																																										
Mode		Band Edge																																																																																										
		U-NII-1_5.15-5.25_802.11a_CH36_5180MHz																																																																																										
ANT		CDD 5+4																																																																																										
Pol.		Vertical					Fundamental																																																																																					
Peak	 <p>Level (dBuV/m) vs Frequency (MHz) for Vertical polarization. The plot shows a peak at approximately 5180 MHz. A red horizontal line indicates the limit at 65.0 dBuV/m. The measured peak level is 58.84 dBuV/m.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5147.68</td> <td>58.84</td> <td>74.00</td> <td>-15.16</td> <td>46.66</td> <td>34.20</td> <td>9.78</td> <td>31.00</td> <td>0.00</td> <td>311</td> <td>282</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	5147.68	58.84	74.00	-15.16	46.66	34.20	9.78	31.00	0.00	311	282	PEAK	 <p>Level (dBuV/m) vs Frequency (MHz) for Fundamental polarization. The plot shows a peak at approximately 5180 MHz. A red horizontal line indicates the limit at 65.0 dBuV/m. The measured peak level is 108.62 dBuV/m.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5180.00</td> <td>108.62</td> <td>-----</td> <td>-----</td> <td>96.28</td> <td>34.35</td> <td>9.82</td> <td>31.83</td> <td>0.00</td> <td>311</td> <td>282</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	5180.00	108.62	-----	-----	96.28	34.35	9.82	31.83	0.00	311	282	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Factor	cm	deg																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																	
1	5147.68	58.84	74.00	-15.16	46.66	34.20	9.78	31.00	0.00	311	282	PEAK																																																																																
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Factor	cm	deg																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																	
1	5180.00	108.62	-----	-----	96.28	34.35	9.82	31.83	0.00	311	282	PEAK																																																																																
Avg	 <p>Level (dBuV/m) vs Frequency (MHz) for Vertical polarization. The plot shows the average spectrum. A red horizontal line indicates the limit at 54.00 dBuV/m. The measured average level is 47.36 dBuV/m.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5149.76</td> <td>47.36</td> <td>54.00</td> <td>-6.64</td> <td>35.17</td> <td>34.20</td> <td>9.79</td> <td>31.00</td> <td>0.00</td> <td>311</td> <td>282</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	5149.76	47.36	54.00	-6.64	35.17	34.20	9.79	31.00	0.00	311	282	AVERAGE	 <p>Level (dBuV/m) vs Frequency (MHz) for Fundamental polarization. The plot shows the average spectrum. A red horizontal line indicates the limit at 54.00 dBuV/m. The measured average level is 88.39 dBuV/m.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5180.00</td> <td>100.71</td> <td>-----</td> <td>-----</td> <td>88.39</td> <td>34.33</td> <td>9.81</td> <td>31.82</td> <td>0.00</td> <td>311</td> <td>282</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	5180.00	100.71	-----	-----	88.39	34.33	9.81	31.82	0.00	311	282	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Factor	cm	deg																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																	
1	5149.76	47.36	54.00	-6.64	35.17	34.20	9.79	31.00	0.00	311	282	AVERAGE																																																																																
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Factor	cm	deg																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																	
1	5180.00	100.71	-----	-----	88.39	34.33	9.81	31.82	0.00	311	282	AVERAGE																																																																																







Mode	1																																																																																																																																																															
	Harmonic																																																																																																																																																															
	U-NII-1_5.15-5.25_802.11a_CH36_5180MHz																																																																																																																																																															
ANT	CDD 5+4																																																																																																																																																															
Pol.	Horizontal	Vertical																																																																																																																																																														
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7770.00</td> <td>48.51</td> <td>68.20</td> <td>-19.69</td> <td>61.11</td> <td>35.90</td> <td>12.12</td> <td>60.62</td> <td>0.00</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>10360.00</td> <td>45.16</td> <td>68.20</td> <td>-23.04</td> <td>54.47</td> <td>37.46</td> <td>14.13</td> <td>60.90</td> <td>0.00</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>3</td> <td>15547.00</td> <td>53.30</td> <td>74.00</td> <td>-20.70</td> <td>55.04</td> <td>40.29</td> <td>17.52</td> <td>59.55</td> <td>0.00</td> <td>240</td> <td>360</td> <td>Peak</td> </tr> <tr> <td>4</td> <td>15547.00</td> <td>46.26</td> <td>54.00</td> <td>-7.74</td> <td>48.00</td> <td>40.29</td> <td>17.52</td> <td>59.55</td> <td>0.00</td> <td>240</td> <td>360</td> <td>Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	7770.00	48.51	68.20	-19.69	61.11	35.90	12.12	60.62	0.00	---	---	Peak	2	10360.00	45.16	68.20	-23.04	54.47	37.46	14.13	60.90	0.00	---	---	Peak	3	15547.00	53.30	74.00	-20.70	55.04	40.29	17.52	59.55	0.00	240	360	Peak	4	15547.00	46.26	54.00	-7.74	48.00	40.29	17.52	59.55	0.00	240	360	Average	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7770.00</td> <td>49.30</td> <td>68.20</td> <td>-18.90</td> <td>61.90</td> <td>35.90</td> <td>12.12</td> <td>60.62</td> <td>0.00</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>10360.00</td> <td>48.06</td> <td>68.20</td> <td>-20.14</td> <td>57.37</td> <td>37.46</td> <td>14.13</td> <td>60.90</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>15540.00</td> <td>50.59</td> <td>74.00</td> <td>-23.41</td> <td>52.35</td> <td>40.28</td> <td>17.52</td> <td>59.56</td> <td>0.00</td> <td>315</td> <td>56</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>15540.00</td> <td>41.28</td> <td>54.00</td> <td>-12.72</td> <td>43.03</td> <td>40.28</td> <td>17.52</td> <td>59.55</td> <td>0.00</td> <td>315</td> <td>56</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	7770.00	49.30	68.20	-18.90	61.90	35.90	12.12	60.62	0.00	---	---	Peak	2	10360.00	48.06	68.20	-20.14	57.37	37.46	14.13	60.90	0.00	---	---	PEAK	3	15540.00	50.59	74.00	-23.41	52.35	40.28	17.52	59.56	0.00	315	56	PEAK	4	15540.00	41.28	54.00	-12.72	43.03	40.28	17.52	59.55	0.00	315	56	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																																																																								
1	7770.00	48.51	68.20	-19.69	61.11	35.90	12.12	60.62	0.00	---	---	Peak																																																																																																																																																				
2	10360.00	45.16	68.20	-23.04	54.47	37.46	14.13	60.90	0.00	---	---	Peak																																																																																																																																																				
3	15547.00	53.30	74.00	-20.70	55.04	40.29	17.52	59.55	0.00	240	360	Peak																																																																																																																																																				
4	15547.00	46.26	54.00	-7.74	48.00	40.29	17.52	59.55	0.00	240	360	Average																																																																																																																																																				
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																																																																								
1	7770.00	49.30	68.20	-18.90	61.90	35.90	12.12	60.62	0.00	---	---	Peak																																																																																																																																																				
2	10360.00	48.06	68.20	-20.14	57.37	37.46	14.13	60.90	0.00	---	---	PEAK																																																																																																																																																				
3	15540.00	50.59	74.00	-23.41	52.35	40.28	17.52	59.56	0.00	315	56	PEAK																																																																																																																																																				
4	15540.00	41.28	54.00	-12.72	43.03	40.28	17.52	59.55	0.00	315	56	AVERAGE																																																																																																																																																				



Mode	2																																																																																																																																																															
	Harmonic																																																																																																																																																															
	U-NII-1_5.15-5.25_802.11a_CH44_5220MHz																																																																																																																																																															
ANT	CDD 5+4																																																																																																																																																															
Pol.	Horizontal	Vertical																																																																																																																																																														
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7836.00</td> <td>46.36</td> <td>68.20</td> <td>-21.84</td> <td>58.84</td> <td>35.90</td> <td>12.20</td> <td>60.58</td> <td>0.00</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>10440.00</td> <td>46.79</td> <td>68.20</td> <td>-21.41</td> <td>55.93</td> <td>37.58</td> <td>14.18</td> <td>60.90</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>15660.00</td> <td>58.78</td> <td>74.00</td> <td>-15.22</td> <td>60.14</td> <td>40.46</td> <td>17.58</td> <td>59.40</td> <td>0.00</td> <td>266</td> <td>360</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>15660.00</td> <td>48.62</td> <td>54.00</td> <td>-5.38</td> <td>49.98</td> <td>40.46</td> <td>17.58</td> <td>59.40</td> <td>0.00</td> <td>266</td> <td>360</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	7836.00	46.36	68.20	-21.84	58.84	35.90	12.20	60.58	0.00	---	---	Peak	2	10440.00	46.79	68.20	-21.41	55.93	37.58	14.18	60.90	0.00	---	---	PEAK	3	15660.00	58.78	74.00	-15.22	60.14	40.46	17.58	59.40	0.00	266	360	PEAK	4	15660.00	48.62	54.00	-5.38	49.98	40.46	17.58	59.40	0.00	266	360	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7836.00</td> <td>47.28</td> <td>68.20</td> <td>-20.92</td> <td>59.76</td> <td>35.90</td> <td>12.20</td> <td>60.58</td> <td>0.00</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>10440.00</td> <td>48.02</td> <td>68.20</td> <td>-20.18</td> <td>57.16</td> <td>37.58</td> <td>14.18</td> <td>60.90</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>15660.00</td> <td>55.23</td> <td>74.00</td> <td>-18.77</td> <td>56.59</td> <td>40.46</td> <td>17.58</td> <td>59.40</td> <td>0.00</td> <td>304</td> <td>57</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>15660.00</td> <td>44.43</td> <td>54.00</td> <td>-9.57</td> <td>45.79</td> <td>40.46</td> <td>17.58</td> <td>59.40</td> <td>0.00</td> <td>304</td> <td>57</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	7836.00	47.28	68.20	-20.92	59.76	35.90	12.20	60.58	0.00	---	---	Peak	2	10440.00	48.02	68.20	-20.18	57.16	37.58	14.18	60.90	0.00	---	---	PEAK	3	15660.00	55.23	74.00	-18.77	56.59	40.46	17.58	59.40	0.00	304	57	PEAK	4	15660.00	44.43	54.00	-9.57	45.79	40.46	17.58	59.40	0.00	304	57	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																																																																								
1	7836.00	46.36	68.20	-21.84	58.84	35.90	12.20	60.58	0.00	---	---	Peak																																																																																																																																																				
2	10440.00	46.79	68.20	-21.41	55.93	37.58	14.18	60.90	0.00	---	---	PEAK																																																																																																																																																				
3	15660.00	58.78	74.00	-15.22	60.14	40.46	17.58	59.40	0.00	266	360	PEAK																																																																																																																																																				
4	15660.00	48.62	54.00	-5.38	49.98	40.46	17.58	59.40	0.00	266	360	AVERAGE																																																																																																																																																				
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																																																																								
1	7836.00	47.28	68.20	-20.92	59.76	35.90	12.20	60.58	0.00	---	---	Peak																																																																																																																																																				
2	10440.00	48.02	68.20	-20.18	57.16	37.58	14.18	60.90	0.00	---	---	PEAK																																																																																																																																																				
3	15660.00	55.23	74.00	-18.77	56.59	40.46	17.58	59.40	0.00	304	57	PEAK																																																																																																																																																				
4	15660.00	44.43	54.00	-9.57	45.79	40.46	17.58	59.40	0.00	304	57	AVERAGE																																																																																																																																																				



Mode	3																																																																																											
	Band Edge																																																																																											
	U-NII-1_5.15-5.25_802.11a_CH48_5240MHz																																																																																											
ANT	CDD 5+4																																																																																											
Pol.	Horizontal	Fundamental																																																																																										
Peak	 <table border="1" data-bbox="255 1120 798 1254"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5352.64</td> <td>53.66</td> <td>74.00</td> <td>-20.34</td> <td>41.17</td> <td>34.51</td> <td>9.91</td> <td>31.93</td> <td>0.00</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>101 247 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 5352.64	53.66	74.00	-20.34	41.17	34.51	9.91	31.93	0.00									101 247 PEAK	 <table border="1" data-bbox="877 1120 1420 1254"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5240.00</td> <td>113.49</td> <td>-----</td> <td>-----</td> <td>101.10</td> <td>34.40</td> <td>9.85</td> <td>31.86</td> <td>0.00</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>101 247 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 5240.00	113.49	-----	-----	101.10	34.40	9.85	31.86	0.00									101 247 PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																				
1 5352.64	53.66	74.00	-20.34	41.17	34.51	9.91	31.93	0.00																																																																																				
								101 247 PEAK																																																																																				
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																				
1 5240.00	113.49	-----	-----	101.10	34.40	9.85	31.86	0.00																																																																																				
								101 247 PEAK																																																																																				
Avg	 <table border="1" data-bbox="255 1814 798 1948"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5352.20</td> <td>43.33</td> <td>54.00</td> <td>-10.67</td> <td>30.84</td> <td>34.51</td> <td>9.91</td> <td>31.93</td> <td>0.00</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>101 247 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 5352.20	43.33	54.00	-10.67	30.84	34.51	9.91	31.93	0.00									101 247 AVERAGE	 <table border="1" data-bbox="877 1814 1420 1948"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5240.00</td> <td>105.51</td> <td>-----</td> <td>-----</td> <td>93.12</td> <td>34.40</td> <td>9.85</td> <td>31.86</td> <td>0.00</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>101 247 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 5240.00	105.51	-----	-----	93.12	34.40	9.85	31.86	0.00									101 247 AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																				
1 5352.20	43.33	54.00	-10.67	30.84	34.51	9.91	31.93	0.00																																																																																				
								101 247 AVERAGE																																																																																				
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																				
1 5240.00	105.51	-----	-----	93.12	34.40	9.85	31.86	0.00																																																																																				
								101 247 AVERAGE																																																																																				







Mode	3																																																																															
	Band Edge																																																																															
	U-NII-1_5.15-5.25_802.11a_CH48_5240MHz																																																																															
ANT	CDD 5+4																																																																															
Pol.	Vertical	Fundamental																																																																														
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5404.56</td> <td>54.16</td> <td>74.00</td> <td>-19.84</td> <td>41.48</td> <td>34.70</td> <td>9.94</td> <td>31.96</td> <td>0.00</td> <td>320</td> <td>285</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5404.56	54.16	74.00	-19.84	41.48	34.70	9.94	31.96	0.00	320	285	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5240.00</td> <td>111.91</td> <td>-----</td> <td>-----</td> <td>99.52</td> <td>34.40</td> <td>9.85</td> <td>31.86</td> <td>0.00</td> <td>320</td> <td>285</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5240.00	111.91	-----	-----	99.52	34.40	9.85	31.86	0.00	320	285	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Remark																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1	5404.56	54.16	74.00	-19.84	41.48	34.70	9.94	31.96	0.00	320	285	PEAK																																																																				
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Remark																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1	5240.00	111.91	-----	-----	99.52	34.40	9.85	31.86	0.00	320	285	PEAK																																																																				
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5353.74</td> <td>42.60</td> <td>54.00</td> <td>-11.40</td> <td>30.11</td> <td>34.51</td> <td>9.91</td> <td>31.93</td> <td>0.00</td> <td>320</td> <td>285</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5353.74	42.60	54.00	-11.40	30.11	34.51	9.91	31.93	0.00	320	285	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5240.00</td> <td>103.50</td> <td>-----</td> <td>-----</td> <td>91.11</td> <td>34.40</td> <td>9.85</td> <td>31.86</td> <td>0.00</td> <td>320</td> <td>285</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5240.00	103.50	-----	-----	91.11	34.40	9.85	31.86	0.00	320	285	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Remark																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1	5353.74	42.60	54.00	-11.40	30.11	34.51	9.91	31.93	0.00	320	285	AVERAGE																																																																				
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Remark																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1	5240.00	103.50	-----	-----	91.11	34.40	9.85	31.86	0.00	320	285	AVERAGE																																																																				







Mode	3																																																																																																																																																															
	Harmonic																																																																																																																																																															
	U-NII-1_5.15-5.25_802.11a_CH48_5240MHz																																																																																																																																																															
ANT	CDD 5+4																																																																																																																																																															
Pol.	Horizontal	Vertical																																																																																																																																																														
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7869.00</td> <td>46.29</td> <td>68.20</td> <td>-21.91</td> <td>58.72</td> <td>35.90</td> <td>12.24</td> <td>60.57</td> <td>0.00</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>10480.00</td> <td>47.39</td> <td>68.20</td> <td>-20.81</td> <td>56.41</td> <td>37.66</td> <td>14.21</td> <td>60.89</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>15720.00</td> <td>58.40</td> <td>74.00</td> <td>-15.60</td> <td>59.55</td> <td>40.56</td> <td>17.61</td> <td>59.32</td> <td>0.00</td> <td>234</td> <td>357</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>15720.00</td> <td>48.70</td> <td>54.00</td> <td>-5.30</td> <td>49.84</td> <td>40.57</td> <td>17.61</td> <td>59.32</td> <td>0.00</td> <td>234</td> <td>357</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	7869.00	46.29	68.20	-21.91	58.72	35.90	12.24	60.57	0.00	---	---	Peak	2	10480.00	47.39	68.20	-20.81	56.41	37.66	14.21	60.89	0.00	---	---	PEAK	3	15720.00	58.40	74.00	-15.60	59.55	40.56	17.61	59.32	0.00	234	357	PEAK	4	15720.00	48.70	54.00	-5.30	49.84	40.57	17.61	59.32	0.00	234	357	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7869.00</td> <td>45.62</td> <td>68.20</td> <td>-22.58</td> <td>58.05</td> <td>35.90</td> <td>12.24</td> <td>60.57</td> <td>0.00</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>10480.00</td> <td>49.20</td> <td>68.20</td> <td>-19.00</td> <td>58.22</td> <td>37.66</td> <td>14.21</td> <td>60.89</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>15720.00</td> <td>54.25</td> <td>74.00</td> <td>-19.75</td> <td>55.40</td> <td>40.56</td> <td>17.61</td> <td>59.32</td> <td>0.00</td> <td>349</td> <td>56</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>15720.00</td> <td>43.85</td> <td>54.00</td> <td>-10.15</td> <td>45.00</td> <td>40.56</td> <td>17.61</td> <td>59.32</td> <td>0.00</td> <td>349</td> <td>56</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	7869.00	45.62	68.20	-22.58	58.05	35.90	12.24	60.57	0.00	---	---	Peak	2	10480.00	49.20	68.20	-19.00	58.22	37.66	14.21	60.89	0.00	---	---	PEAK	3	15720.00	54.25	74.00	-19.75	55.40	40.56	17.61	59.32	0.00	349	56	PEAK	4	15720.00	43.85	54.00	-10.15	45.00	40.56	17.61	59.32	0.00	349	56	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																																																																								
1	7869.00	46.29	68.20	-21.91	58.72	35.90	12.24	60.57	0.00	---	---	Peak																																																																																																																																																				
2	10480.00	47.39	68.20	-20.81	56.41	37.66	14.21	60.89	0.00	---	---	PEAK																																																																																																																																																				
3	15720.00	58.40	74.00	-15.60	59.55	40.56	17.61	59.32	0.00	234	357	PEAK																																																																																																																																																				
4	15720.00	48.70	54.00	-5.30	49.84	40.57	17.61	59.32	0.00	234	357	AVERAGE																																																																																																																																																				
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																																																																								
1	7869.00	45.62	68.20	-22.58	58.05	35.90	12.24	60.57	0.00	---	---	Peak																																																																																																																																																				
2	10480.00	49.20	68.20	-19.00	58.22	37.66	14.21	60.89	0.00	---	---	PEAK																																																																																																																																																				
3	15720.00	54.25	74.00	-19.75	55.40	40.56	17.61	59.32	0.00	349	56	PEAK																																																																																																																																																				
4	15720.00	43.85	54.00	-10.15	45.00	40.56	17.61	59.32	0.00	349	56	AVERAGE																																																																																																																																																				



Mode	4																																																																			
	Band Edge																																																																			
	U-NII-1_5.15-5.25_802.11ax HE20_CH36_Full RU_5180MHz																																																																			
ANT	CDD 5+4																																																																			
Pol.	Horizontal	Fundamental																																																																		
Peak	 <table border="1" data-bbox="255 1120 798 1254"> <thead> <tr> <th>Limit Freq</th> <th>Limit Level</th> <th>Read Level</th> <th>Line Margin</th> <th>Ant Level</th> <th>Cable Loss</th> <th>Preamp Loss</th> <th>Aux Factor</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5145.76</td> <td>65.50</td> <td>74.00</td> <td>-8.50</td> <td>53.32</td> <td>34.20</td> <td>9.78</td> <td>31.00</td> <td>0.00</td> <td>108</td> <td>244 PEAK</td> </tr> </tbody> </table>	Limit Freq	Limit Level	Read Level	Line Margin	Ant Level	Cable Loss	Preamp Loss	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5145.76	65.50	74.00	-8.50	53.32	34.20	9.78	31.00	0.00	108	244 PEAK	 <table border="1" data-bbox="877 1120 1420 1254"> <thead> <tr> <th>Limit Freq</th> <th>Limit Level</th> <th>Read Level</th> <th>Line Margin</th> <th>Ant Level</th> <th>Cable Loss</th> <th>Preamp Loss</th> <th>Aux Factor</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5180.00</td> <td>111.43</td> <td>-----</td> <td>-----</td> <td>99.14</td> <td>34.30</td> <td>9.81</td> <td>31.82</td> <td>0.00</td> <td>108</td> <td>244 PEAK</td> </tr> </tbody> </table>	Limit Freq	Limit Level	Read Level	Line Margin	Ant Level	Cable Loss	Preamp Loss	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5180.00	111.43	-----	-----	99.14	34.30	9.81	31.82	0.00	108	244 PEAK
Limit Freq	Limit Level	Read Level	Line Margin	Ant Level	Cable Loss	Preamp Loss	Aux Factor	APos	TPos	Remark																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																										
1 5145.76	65.50	74.00	-8.50	53.32	34.20	9.78	31.00	0.00	108	244 PEAK																																																										
Limit Freq	Limit Level	Read Level	Line Margin	Ant Level	Cable Loss	Preamp Loss	Aux Factor	APos	TPos	Remark																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																										
1 5180.00	111.43	-----	-----	99.14	34.30	9.81	31.82	0.00	108	244 PEAK																																																										
Avg	 <table border="1" data-bbox="255 1814 798 1948"> <thead> <tr> <th>Limit Freq</th> <th>Limit Level</th> <th>Read Level</th> <th>Line Margin</th> <th>Ant Level</th> <th>Cable Loss</th> <th>Preamp Loss</th> <th>Aux Factor</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5147.84</td> <td>50.73</td> <td>54.00</td> <td>-3.27</td> <td>38.55</td> <td>34.20</td> <td>9.78</td> <td>31.00</td> <td>0.00</td> <td>108</td> <td>244 AVERAGE</td> </tr> </tbody> </table>	Limit Freq	Limit Level	Read Level	Line Margin	Ant Level	Cable Loss	Preamp Loss	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5147.84	50.73	54.00	-3.27	38.55	34.20	9.78	31.00	0.00	108	244 AVERAGE	 <table border="1" data-bbox="877 1814 1420 1948"> <thead> <tr> <th>Limit Freq</th> <th>Limit Level</th> <th>Read Level</th> <th>Line Margin</th> <th>Ant Level</th> <th>Cable Loss</th> <th>Preamp Loss</th> <th>Aux Factor</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5180.00</td> <td>102.85</td> <td>-----</td> <td>-----</td> <td>90.56</td> <td>34.30</td> <td>9.81</td> <td>31.82</td> <td>0.00</td> <td>108</td> <td>244 AVERAGE</td> </tr> </tbody> </table>	Limit Freq	Limit Level	Read Level	Line Margin	Ant Level	Cable Loss	Preamp Loss	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5180.00	102.85	-----	-----	90.56	34.30	9.81	31.82	0.00	108	244 AVERAGE
Limit Freq	Limit Level	Read Level	Line Margin	Ant Level	Cable Loss	Preamp Loss	Aux Factor	APos	TPos	Remark																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																										
1 5147.84	50.73	54.00	-3.27	38.55	34.20	9.78	31.00	0.00	108	244 AVERAGE																																																										
Limit Freq	Limit Level	Read Level	Line Margin	Ant Level	Cable Loss	Preamp Loss	Aux Factor	APos	TPos	Remark																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																										
1 5180.00	102.85	-----	-----	90.56	34.30	9.81	31.82	0.00	108	244 AVERAGE																																																										



Mode	4																																																																																	
	Band Edge																																																																																	
	U-NII-1_5.15-5.25_802.11ax HE20_CH36_Full RU_5180MHz																																																																																	
ANT	CDD 5+4																																																																																	
Pol.	Vertical	Fundamental																																																																																
Peak	 <table border="1" data-bbox="268 1131 782 1254"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5148.16</td> <td>65.65</td> <td>74.00</td> <td>-8.35</td> <td>53.46</td> <td>34.20</td> <td>9.79</td> <td>31.00</td> <td>0.00</td> <td>320</td> <td>281</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5148.16	65.65	74.00	-8.35	53.46	34.20	9.79	31.00	0.00	320	281	PEAK	 <table border="1" data-bbox="906 1131 1420 1254"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5180.00</td> <td>107.87</td> <td>-----</td> <td>-----</td> <td>95.58</td> <td>34.30</td> <td>9.81</td> <td>31.82</td> <td>0.00</td> <td>320</td> <td>281</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5180.00	107.87	-----	-----	95.58	34.30	9.81	31.82	0.00	320	281	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																										
1	5148.16	65.65	74.00	-8.35	53.46	34.20	9.79	31.00	0.00	320	281	PEAK																																																																						
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																										
1	5180.00	107.87	-----	-----	95.58	34.30	9.81	31.82	0.00	320	281	PEAK																																																																						
Avg	 <table border="1" data-bbox="268 1818 782 1942"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5149.44</td> <td>48.57</td> <td>54.00</td> <td>-5.43</td> <td>36.38</td> <td>34.20</td> <td>9.79</td> <td>31.00</td> <td>0.00</td> <td>320</td> <td>281</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5149.44	48.57	54.00	-5.43	36.38	34.20	9.79	31.00	0.00	320	281	AVERAGE	 <table border="1" data-bbox="906 1818 1420 1942"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5180.00</td> <td>99.57</td> <td>-----</td> <td>-----</td> <td>87.28</td> <td>34.30</td> <td>9.81</td> <td>31.82</td> <td>0.00</td> <td>320</td> <td>281</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5180.00	99.57	-----	-----	87.28	34.30	9.81	31.82	0.00	320	281	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																										
1	5149.44	48.57	54.00	-5.43	36.38	34.20	9.79	31.00	0.00	320	281	AVERAGE																																																																						
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																										
1	5180.00	99.57	-----	-----	87.28	34.30	9.81	31.82	0.00	320	281	AVERAGE																																																																						







Mode	4																																																																																																																																						
	Harmonic																																																																																																																																						
	U-NII-1_5.15-5.25_802.11ax HE20_CH36_Full RU_5180MHz																																																																																																																																						
ANT	CDD 5+4																																																																																																																																						
Pol.	Horizontal	Vertical																																																																																																																																					
Peak Avg																																																																																																																																							
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 7770.00</td> <td>49.25</td> <td>68.20</td> <td>-18.95</td> <td>61.85</td> <td>35.90</td> <td>12.12</td> <td>60.62</td> <td>0.00</td> <td>--- --- Peak</td> </tr> <tr> <td>2 10360.00</td> <td>48.28</td> <td>68.20</td> <td>-19.92</td> <td>57.59</td> <td>37.46</td> <td>14.13</td> <td>60.90</td> <td>0.00</td> <td>--- --- PEAK</td> </tr> <tr> <td>3 15540.00</td> <td>56.93</td> <td>74.00</td> <td>-17.07</td> <td>58.69</td> <td>40.28</td> <td>17.52</td> <td>59.56</td> <td>0.00</td> <td>282 360 PEAK</td> </tr> <tr> <td>4 15540.00</td> <td>44.86</td> <td>54.00</td> <td>-9.14</td> <td>46.62</td> <td>40.28</td> <td>17.52</td> <td>59.56</td> <td>0.00</td> <td>282 360 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 7770.00	49.25	68.20	-18.95	61.85	35.90	12.12	60.62	0.00	--- --- Peak	2 10360.00	48.28	68.20	-19.92	57.59	37.46	14.13	60.90	0.00	--- --- PEAK	3 15540.00	56.93	74.00	-17.07	58.69	40.28	17.52	59.56	0.00	282 360 PEAK	4 15540.00	44.86	54.00	-9.14	46.62	40.28	17.52	59.56	0.00	282 360 AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 7770.00</td> <td>49.41</td> <td>68.20</td> <td>-18.79</td> <td>62.01</td> <td>35.90</td> <td>12.12</td> <td>60.62</td> <td>0.00</td> <td>--- --- Peak</td> </tr> <tr> <td>2 10360.00</td> <td>48.30</td> <td>68.20</td> <td>-19.90</td> <td>57.61</td> <td>37.46</td> <td>14.13</td> <td>60.90</td> <td>0.00</td> <td>--- --- PEAK</td> </tr> <tr> <td>3 15540.00</td> <td>54.22</td> <td>74.00</td> <td>-19.78</td> <td>55.98</td> <td>40.28</td> <td>17.52</td> <td>59.56</td> <td>0.00</td> <td>102 334 PEAK</td> </tr> <tr> <td>4 15540.00</td> <td>42.07</td> <td>54.00</td> <td>-11.93</td> <td>43.83</td> <td>40.28</td> <td>17.52</td> <td>59.56</td> <td>0.00</td> <td>102 334 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 7770.00	49.41	68.20	-18.79	62.01	35.90	12.12	60.62	0.00	--- --- Peak	2 10360.00	48.30	68.20	-19.90	57.61	37.46	14.13	60.90	0.00	--- --- PEAK	3 15540.00	54.22	74.00	-19.78	55.98	40.28	17.52	59.56	0.00	102 334 PEAK	4 15540.00	42.07	54.00	-11.93	43.83	40.28	17.52	59.56	0.00
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																																															
1 7770.00	49.25	68.20	-18.95	61.85	35.90	12.12	60.62	0.00	--- --- Peak																																																																																																																														
2 10360.00	48.28	68.20	-19.92	57.59	37.46	14.13	60.90	0.00	--- --- PEAK																																																																																																																														
3 15540.00	56.93	74.00	-17.07	58.69	40.28	17.52	59.56	0.00	282 360 PEAK																																																																																																																														
4 15540.00	44.86	54.00	-9.14	46.62	40.28	17.52	59.56	0.00	282 360 AVERAGE																																																																																																																														
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																																															
1 7770.00	49.41	68.20	-18.79	62.01	35.90	12.12	60.62	0.00	--- --- Peak																																																																																																																														
2 10360.00	48.30	68.20	-19.90	57.61	37.46	14.13	60.90	0.00	--- --- PEAK																																																																																																																														
3 15540.00	54.22	74.00	-19.78	55.98	40.28	17.52	59.56	0.00	102 334 PEAK																																																																																																																														
4 15540.00	42.07	54.00	-11.93	43.83	40.28	17.52	59.56	0.00	102 334 AVERAGE																																																																																																																														







Mode	5																																																																																																																																																														
	Harmonic																																																																																																																																																														
	U-NII-1_5.15-5.25_802.11ax HE20_CH44_Full RU_5220MHz																																																																																																																																																														
ANT	CDD 5+4																																																																																																																																																														
Pol.	Horizontal	Vertical																																																																																																																																																													
Peak Avg																																																																																																																																																															
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7836.00</td> <td>46.56</td> <td>68.20</td> <td>-21.64</td> <td>59.04</td> <td>35.90</td> <td>12.20</td> <td>60.58</td> <td>0.00</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>10440.00</td> <td>47.79</td> <td>68.20</td> <td>-20.41</td> <td>56.93</td> <td>37.58</td> <td>14.18</td> <td>60.90</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>15660.00</td> <td>60.54</td> <td>74.00</td> <td>-13.46</td> <td>61.90</td> <td>40.46</td> <td>17.58</td> <td>59.40</td> <td>0.00</td> <td>251</td> <td>0</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>15660.00</td> <td>48.30</td> <td>54.00</td> <td>-5.70</td> <td>49.66</td> <td>40.46</td> <td>17.58</td> <td>59.40</td> <td>0.00</td> <td>251</td> <td>0</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	7836.00	46.56	68.20	-21.64	59.04	35.90	12.20	60.58	0.00	---	---	Peak	2	10440.00	47.79	68.20	-20.41	56.93	37.58	14.18	60.90	0.00	---	---	PEAK	3	15660.00	60.54	74.00	-13.46	61.90	40.46	17.58	59.40	0.00	251	0	PEAK	4	15660.00	48.30	54.00	-5.70	49.66	40.46	17.58	59.40	0.00	251	0	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7836.00</td> <td>47.92</td> <td>68.20</td> <td>-20.28</td> <td>60.40</td> <td>35.90</td> <td>12.20</td> <td>60.58</td> <td>0.00</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>10440.00</td> <td>47.93</td> <td>68.20</td> <td>-20.27</td> <td>57.07</td> <td>37.58</td> <td>14.18</td> <td>60.90</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>15660.00</td> <td>54.07</td> <td>74.00</td> <td>-19.93</td> <td>55.43</td> <td>40.46</td> <td>17.58</td> <td>59.40</td> <td>0.00</td> <td>211</td> <td>11</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>15660.00</td> <td>43.90</td> <td>54.00</td> <td>-10.10</td> <td>45.26</td> <td>40.46</td> <td>17.58</td> <td>59.40</td> <td>0.00</td> <td>211</td> <td>11</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	7836.00	47.92	68.20	-20.28	60.40	35.90	12.20	60.58	0.00	---	---	Peak	2	10440.00	47.93	68.20	-20.27	57.07	37.58	14.18	60.90	0.00	---	---	PEAK	3	15660.00	54.07	74.00	-19.93	55.43	40.46	17.58	59.40	0.00	211	11	PEAK	4	15660.00	43.90	54.00	-10.10	45.26	40.46	17.58	59.40	0.00	211	11
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																																																																							
1	7836.00	46.56	68.20	-21.64	59.04	35.90	12.20	60.58	0.00	---	---	Peak																																																																																																																																																			
2	10440.00	47.79	68.20	-20.41	56.93	37.58	14.18	60.90	0.00	---	---	PEAK																																																																																																																																																			
3	15660.00	60.54	74.00	-13.46	61.90	40.46	17.58	59.40	0.00	251	0	PEAK																																																																																																																																																			
4	15660.00	48.30	54.00	-5.70	49.66	40.46	17.58	59.40	0.00	251	0	AVERAGE																																																																																																																																																			
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																																																																							
1	7836.00	47.92	68.20	-20.28	60.40	35.90	12.20	60.58	0.00	---	---	Peak																																																																																																																																																			
2	10440.00	47.93	68.20	-20.27	57.07	37.58	14.18	60.90	0.00	---	---	PEAK																																																																																																																																																			
3	15660.00	54.07	74.00	-19.93	55.43	40.46	17.58	59.40	0.00	211	11	PEAK																																																																																																																																																			
4	15660.00	43.90	54.00	-10.10	45.26	40.46	17.58	59.40	0.00	211	11	AVERAGE																																																																																																																																																			



		6																																																																														
Mode	Band Edge																																																																															
	U-NII-1_5.15-5.25_802.11ax HE20_CH48_Full RU_5240MHz																																																																															
ANT	CDD 5+4																																																																															
Pol.	Horizontal	Fundamental																																																																														
Peak	 <p>Level (dBuV/m)</p> <p>Frequency (MHz)</p> <p>U-NII-1-U-NII-2A-U-NII-2C</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5399.50</td> <td>54.24</td> <td>74.00</td> <td>-19.76</td> <td>41.55</td> <td>34.70</td> <td>9.94</td> <td>31.95</td> <td>0.00</td> <td>107</td> <td>247</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5399.50	54.24	74.00	-19.76	41.55	34.70	9.94	31.95	0.00	107	247	PEAK	 <p>Level (dBuV/m)</p> <p>Frequency (MHz)</p> <p>U-NII-1-U-NII-2A-U-NII-2C</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5240.00</td> <td>114.36</td> <td>-----</td> <td>-----</td> <td>101.97</td> <td>34.40</td> <td>9.85</td> <td>31.86</td> <td>0.00</td> <td>107</td> <td>247</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5240.00	114.36	-----	-----	101.97	34.40	9.85	31.86	0.00	107	247	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1	5399.50	54.24	74.00	-19.76	41.55	34.70	9.94	31.95	0.00	107	247	PEAK																																																																				
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1	5240.00	114.36	-----	-----	101.97	34.40	9.85	31.86	0.00	107	247	PEAK																																																																				
Avg	 <p>Level (dBuV/m)</p> <p>Frequency (MHz)</p> <p>U-NII-1-U-NII-2A-U-NII-2C(AVG)</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5353.30</td> <td>43.43</td> <td>54.00</td> <td>-10.57</td> <td>30.94</td> <td>34.51</td> <td>9.91</td> <td>31.93</td> <td>0.00</td> <td>107</td> <td>247</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5353.30	43.43	54.00	-10.57	30.94	34.51	9.91	31.93	0.00	107	247	AVERAGE	 <p>Level (dBuV/m)</p> <p>Frequency (MHz)</p> <p>U-NII-1-U-NII-2A-U-NII-2C(AVG)</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5240.00</td> <td>104.67</td> <td>-----</td> <td>-----</td> <td>92.28</td> <td>34.40</td> <td>9.85</td> <td>31.86</td> <td>0.00</td> <td>107</td> <td>247</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5240.00	104.67	-----	-----	92.28	34.40	9.85	31.86	0.00	107	247	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1	5353.30	43.43	54.00	-10.57	30.94	34.51	9.91	31.93	0.00	107	247	AVERAGE																																																																				
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1	5240.00	104.67	-----	-----	92.28	34.40	9.85	31.86	0.00	107	247	AVERAGE																																																																				



		6																																																																																								
Mode		Band Edge																																																																																								
		U-NII-1_5.15-5.25_802.11ax HE20_CH48_Full RU_5240MHz																																																																																								
ANT		CDD 5+4																																																																																								
Pol.		Vertical					Fundamental																																																																																			
Peak	 <p>Level (dBuV/m)</p> <p>113.8 97.5 81.3 65.0 48.8 32.5 16.3</p> <p>5240 5284 5328 5372 5416 5460</p> <p>Frequency (MHz)</p> <p>U-NII-1-U-NII-2A-U-NII-2C</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5377.28</td> <td>54.09</td> <td>74.00</td> <td>-19.91</td> <td>41.49</td> <td>34.61</td> <td>9.93</td> <td>31.94</td> <td>0.00</td> <td>341</td> <td>285</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5377.28	54.09	74.00	-19.91	41.49	34.61	9.93	31.94	0.00	341	285	PEAK	 <p>Level (dBuV/m)</p> <p>113.8 97.5 81.3 65.0 48.8 32.5 16.3</p> <p>1000 2200 3400 4600 5800 7000</p> <p>Frequency (MHz)</p> <p>U-NII-1-U-NII-2A-U-NII-2C</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5240.00</td> <td>110.78</td> <td>-----</td> <td>-----</td> <td>98.39</td> <td>34.40</td> <td>9.85</td> <td>31.86</td> <td>0.00</td> <td>341</td> <td>285</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5240.00	110.78	-----	-----	98.39	34.40	9.85	31.86	0.00	341	285	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	5377.28	54.09	74.00	-19.91	41.49	34.61	9.93	31.94	0.00	341	285	PEAK																																																																														
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	5240.00	110.78	-----	-----	98.39	34.40	9.85	31.86	0.00	341	285	PEAK																																																																														
Avg	 <p>Level (dBuV/m)</p> <p>113.8 97.5 81.3 65.0 48.8 32.5 16.3</p> <p>5240 5284 5328 5372 5416 5460</p> <p>Frequency (MHz)</p> <p>U-NII-1-U-NII-2A-U-NII-2C(AVG)</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5357.92</td> <td>42.94</td> <td>54.00</td> <td>-11.06</td> <td>30.42</td> <td>34.53</td> <td>9.92</td> <td>31.93</td> <td>0.00</td> <td>341</td> <td>285</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5357.92	42.94	54.00	-11.06	30.42	34.53	9.92	31.93	0.00	341	285	AVERAGE	 <p>Level (dBuV/m)</p> <p>113.8 97.5 81.3 65.0 48.8 32.5 16.3</p> <p>1000 2200 3400 4600 5800 7000</p> <p>Frequency (MHz)</p> <p>U-NII-1-U-NII-2A-U-NII-2C(AVG)</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5240.00</td> <td>102.58</td> <td>-----</td> <td>-----</td> <td>90.19</td> <td>34.40</td> <td>9.85</td> <td>31.86</td> <td>0.00</td> <td>341</td> <td>285</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5240.00	102.58	-----	-----	90.19	34.40	9.85	31.86	0.00	341	285	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	5357.92	42.94	54.00	-11.06	30.42	34.53	9.92	31.93	0.00	341	285	AVERAGE																																																																														
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	5240.00	102.58	-----	-----	90.19	34.40	9.85	31.86	0.00	341	285	AVERAGE																																																																														



Mode	6																																																																																																																																																														
	Harmonic																																																																																																																																																														
	U-NII-1_5.15-5.25_802.11ax HE20_CH48_Full RU_5240MHz																																																																																																																																																														
ANT	CDD 5+4																																																																																																																																																														
Pol.	Horizontal	Vertical																																																																																																																																																													
Peak Avg																																																																																																																																																															
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7869.00</td> <td>45.83</td> <td>68.20</td> <td>-22.37</td> <td>58.26</td> <td>35.90</td> <td>12.24</td> <td>60.57</td> <td>0.00</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>10480.00</td> <td>47.34</td> <td>68.20</td> <td>-20.86</td> <td>56.36</td> <td>37.66</td> <td>14.21</td> <td>60.89</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>15720.00</td> <td>59.74</td> <td>74.00</td> <td>-14.26</td> <td>60.89</td> <td>40.56</td> <td>17.61</td> <td>59.32</td> <td>0.00</td> <td>249</td> <td>0</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>15720.00</td> <td>48.75</td> <td>54.00</td> <td>-5.25</td> <td>49.89</td> <td>40.57</td> <td>17.61</td> <td>59.32</td> <td>0.00</td> <td>249</td> <td>0</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	7869.00	45.83	68.20	-22.37	58.26	35.90	12.24	60.57	0.00	---	---	Peak	2	10480.00	47.34	68.20	-20.86	56.36	37.66	14.21	60.89	0.00	---	---	PEAK	3	15720.00	59.74	74.00	-14.26	60.89	40.56	17.61	59.32	0.00	249	0	PEAK	4	15720.00	48.75	54.00	-5.25	49.89	40.57	17.61	59.32	0.00	249	0	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7869.00</td> <td>48.07</td> <td>68.20</td> <td>-20.13</td> <td>60.50</td> <td>35.90</td> <td>12.24</td> <td>60.57</td> <td>0.00</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>10480.00</td> <td>48.14</td> <td>68.20</td> <td>-20.06</td> <td>57.16</td> <td>37.66</td> <td>14.21</td> <td>60.89</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>15720.00</td> <td>56.67</td> <td>74.00</td> <td>-17.33</td> <td>57.82</td> <td>40.56</td> <td>17.61</td> <td>59.32</td> <td>0.00</td> <td>224</td> <td>9</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>15720.00</td> <td>45.40</td> <td>54.00</td> <td>-8.60</td> <td>46.55</td> <td>40.56</td> <td>17.61</td> <td>59.32</td> <td>0.00</td> <td>224</td> <td>9</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	7869.00	48.07	68.20	-20.13	60.50	35.90	12.24	60.57	0.00	---	---	Peak	2	10480.00	48.14	68.20	-20.06	57.16	37.66	14.21	60.89	0.00	---	---	PEAK	3	15720.00	56.67	74.00	-17.33	57.82	40.56	17.61	59.32	0.00	224	9	PEAK	4	15720.00	45.40	54.00	-8.60	46.55	40.56	17.61	59.32	0.00	224	9
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																																																																							
1	7869.00	45.83	68.20	-22.37	58.26	35.90	12.24	60.57	0.00	---	---	Peak																																																																																																																																																			
2	10480.00	47.34	68.20	-20.86	56.36	37.66	14.21	60.89	0.00	---	---	PEAK																																																																																																																																																			
3	15720.00	59.74	74.00	-14.26	60.89	40.56	17.61	59.32	0.00	249	0	PEAK																																																																																																																																																			
4	15720.00	48.75	54.00	-5.25	49.89	40.57	17.61	59.32	0.00	249	0	AVERAGE																																																																																																																																																			
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																																																																							
1	7869.00	48.07	68.20	-20.13	60.50	35.90	12.24	60.57	0.00	---	---	Peak																																																																																																																																																			
2	10480.00	48.14	68.20	-20.06	57.16	37.66	14.21	60.89	0.00	---	---	PEAK																																																																																																																																																			
3	15720.00	56.67	74.00	-17.33	57.82	40.56	17.61	59.32	0.00	224	9	PEAK																																																																																																																																																			
4	15720.00	45.40	54.00	-8.60	46.55	40.56	17.61	59.32	0.00	224	9	AVERAGE																																																																																																																																																			







Mode	7																																																																							
	Band Edge - L																																																																							
	U-NII-1_5.15-5.25_802.11ax HE40_CH38_Full RU_5190MHz																																																																							
ANT	CDD 5+4																																																																							
Pol.	Horizontal	Fundamental																																																																						
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5146.40</td> <td>64.84</td> <td>74.00</td> <td>-9.16</td> <td>52.66</td> <td>34.20</td> <td>9.78</td> <td>31.00</td> <td>0.00</td> <td>100</td> <td>251 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 5146.40	64.84	74.00	-9.16	52.66	34.20	9.78	31.00	0.00	100	251 PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5190.00</td> <td>110.60</td> <td>-----</td> <td>-----</td> <td>98.22</td> <td>34.38</td> <td>9.83</td> <td>31.83</td> <td>0.00</td> <td>100</td> <td>251 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 5190.00	110.60	-----	-----	98.22	34.38	9.83	31.83	0.00	100	251 PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																	
1 5146.40	64.84	74.00	-9.16	52.66	34.20	9.78	31.00	0.00	100	251 PEAK																																																														
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																	
1 5190.00	110.60	-----	-----	98.22	34.38	9.83	31.83	0.00	100	251 PEAK																																																														
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5147.60</td> <td>50.57</td> <td>54.00</td> <td>-3.43</td> <td>38.39</td> <td>34.20</td> <td>9.78</td> <td>31.00</td> <td>0.00</td> <td>100</td> <td>251 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 5147.60	50.57	54.00	-3.43	38.39	34.20	9.78	31.00	0.00	100	251 AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5190.00</td> <td>98.82</td> <td>-----</td> <td>-----</td> <td>86.44</td> <td>34.38</td> <td>9.83</td> <td>31.83</td> <td>0.00</td> <td>100</td> <td>251 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 5190.00	98.82	-----	-----	86.44	34.38	9.83	31.83	0.00	100	251 AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																	
1 5147.60	50.57	54.00	-3.43	38.39	34.20	9.78	31.00	0.00	100	251 AVERAGE																																																														
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																	
1 5190.00	98.82	-----	-----	86.44	34.38	9.83	31.83	0.00	100	251 AVERAGE																																																														



Mode	7																																												
	Band Edge - R																																												
	U-NII-1_5.15-5.25_802.11ax HE40_CH38_Full RU_5190MHz																																												
ANT	CDD 5+4																																												
Pol.	Horizontal	Fundamental																																											
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5355.24</td> <td>52.65</td> <td>74.00</td> <td>-21.35</td> <td>40.15</td> <td>34.52</td> <td>9.91</td> <td>31.93</td> <td>0.00</td> <td>100</td> <td>251</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5355.24	52.65	74.00	-21.35	40.15	34.52	9.91	31.93	0.00	100	251	PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																			
1 5355.24	52.65	74.00	-21.35	40.15	34.52	9.91	31.93	0.00	100	251	PEAK																																		
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5350.11</td> <td>41.95</td> <td>54.00</td> <td>-12.05</td> <td>29.46</td> <td>34.50</td> <td>9.91</td> <td>31.92</td> <td>0.00</td> <td>100</td> <td>251</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5350.11	41.95	54.00	-12.05	29.46	34.50	9.91	31.92	0.00	100	251	AVERAGE	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																			
1 5350.11	41.95	54.00	-12.05	29.46	34.50	9.91	31.92	0.00	100	251	AVERAGE																																		



		7																																																																																								
Mode	Band Edge - L																																																																																									
	U-NII-1_5.15-5.25_802.11ax HE40_CH38_Full RU_5190MHz																																																																																									
ANT	CDD 5+4																																																																																									
Pol.	Vertical	Fundamental																																																																																								
Peak	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5149.40</td> <td>60.38</td> <td>74.00</td> <td>-13.62</td> <td>48.19</td> <td>34.20</td> <td>9.79</td> <td>31.00</td> <td>0.00</td> <td>306</td> <td>284</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor		cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5149.40	60.38	74.00	-13.62	48.19	34.20	9.79	31.00	0.00	306	284	PEAK	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5190.00</td> <td>105.49</td> <td>-----</td> <td>-----</td> <td>93.17</td> <td>34.33</td> <td>9.81</td> <td>31.82</td> <td>0.00</td> <td>306</td> <td>284</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor		cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5190.00	105.49	-----	-----	93.17	34.33	9.81	31.82	0.00	306	284	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																		
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor		cm	deg																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	5149.40	60.38	74.00	-13.62	48.19	34.20	9.79	31.00	0.00	306	284	PEAK																																																																														
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																			
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor		cm	deg																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	5190.00	105.49	-----	-----	93.17	34.33	9.81	31.82	0.00	306	284	PEAK																																																																														
Avg	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5149.70</td> <td>48.46</td> <td>54.00</td> <td>-5.54</td> <td>36.27</td> <td>34.20</td> <td>9.79</td> <td>31.00</td> <td>0.00</td> <td>306</td> <td>284</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor		cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5149.70	48.46	54.00	-5.54	36.27	34.20	9.79	31.00	0.00	306	284	AVERAGE	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5190.00</td> <td>96.60</td> <td>-----</td> <td>-----</td> <td>84.28</td> <td>34.40</td> <td>9.83</td> <td>31.83</td> <td>0.00</td> <td>306</td> <td>284</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor		cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5190.00	96.60	-----	-----	84.28	34.40	9.83	31.83	0.00	306	284	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																		
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor		cm	deg																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	5149.70	48.46	54.00	-5.54	36.27	34.20	9.79	31.00	0.00	306	284	AVERAGE																																																																														
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																			
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor		cm	deg																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	5190.00	96.60	-----	-----	84.28	34.40	9.83	31.83	0.00	306	284	AVERAGE																																																																														



Mode	7																																												
	Band Edge - R																																												
	U-NII-1_5.15-5.25_802.11ax HE40_CH38_Full RU_5190MHz																																												
ANT	CDD 5+4																																												
Pol.	Vertical	Fundamental																																											
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5365.50</td> <td>52.36</td> <td>74.00</td> <td>-21.64</td> <td>39.81</td> <td>34.56</td> <td>9.92</td> <td>31.93</td> <td>0.00</td> <td>306</td> <td>284</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5365.50	52.36	74.00	-21.64	39.81	34.56	9.92	31.93	0.00	306	284	PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																			
1 5365.50	52.36	74.00	-21.64	39.81	34.56	9.92	31.93	0.00	306	284	PEAK																																		
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5350.11</td> <td>41.83</td> <td>54.00</td> <td>-12.17</td> <td>29.34</td> <td>34.50</td> <td>9.91</td> <td>31.92</td> <td>0.00</td> <td>306</td> <td>284</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5350.11	41.83	54.00	-12.17	29.34	34.50	9.91	31.92	0.00	306	284	AVERAGE	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																			
1 5350.11	41.83	54.00	-12.17	29.34	34.50	9.91	31.92	0.00	306	284	AVERAGE																																		



Mode	7																																																																																																																																								
	Harmonic																																																																																																																																								
	U-NII-1_5.15-5.25_802.11ax HE40_CH38_Full RU_5190MHz																																																																																																																																								
ANT	CDD 5+4																																																																																																																																								
Pol.	Horizontal	Vertical																																																																																																																																							
Peak Avg																																																																																																																																									
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7792.00</td> <td>48.83</td> <td>68.20</td> <td>-19.37</td> <td>61.39</td> <td>35.90</td> <td>12.14</td> <td>60.60</td> <td>0.00</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>10380.00</td> <td>45.40</td> <td>68.20</td> <td>-22.80</td> <td>54.68</td> <td>37.48</td> <td>14.14</td> <td>60.90</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>15570.00</td> <td>48.69</td> <td>74.00</td> <td>-25.31</td> <td>50.34</td> <td>40.34</td> <td>17.53</td> <td>59.52</td> <td>0.00</td> <td>336</td> <td>360</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>15570.00</td> <td>41.16</td> <td>54.00</td> <td>-12.84</td> <td>42.81</td> <td>40.34</td> <td>17.53</td> <td>59.52</td> <td>0.00</td> <td>336</td> <td>360</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7792.00	48.83	68.20	-19.37	61.39	35.90	12.14	60.60	0.00	---	---	Peak	2	10380.00	45.40	68.20	-22.80	54.68	37.48	14.14	60.90	0.00	---	---	PEAK	3	15570.00	48.69	74.00	-25.31	50.34	40.34	17.53	59.52	0.00	336	360	PEAK	4	15570.00	41.16	54.00	-12.84	42.81	40.34	17.53	59.52	0.00	336	360	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7792.00</td> <td>50.06</td> <td>68.20</td> <td>-18.14</td> <td>62.62</td> <td>35.90</td> <td>12.14</td> <td>60.60</td> <td>0.00</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>10380.00</td> <td>47.04</td> <td>68.20</td> <td>-21.16</td> <td>56.32</td> <td>37.48</td> <td>14.14</td> <td>60.90</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7792.00	50.06	68.20	-18.14	62.62	35.90	12.14	60.60	0.00	---	---	Peak	2	10380.00	47.04	68.20	-21.16	56.32	37.48	14.14	60.90	0.00	---	---
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																															
1	7792.00	48.83	68.20	-19.37	61.39	35.90	12.14	60.60	0.00	---	---	Peak																																																																																																																													
2	10380.00	45.40	68.20	-22.80	54.68	37.48	14.14	60.90	0.00	---	---	PEAK																																																																																																																													
3	15570.00	48.69	74.00	-25.31	50.34	40.34	17.53	59.52	0.00	336	360	PEAK																																																																																																																													
4	15570.00	41.16	54.00	-12.84	42.81	40.34	17.53	59.52	0.00	336	360	AVERAGE																																																																																																																													
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																															
1	7792.00	50.06	68.20	-18.14	62.62	35.90	12.14	60.60	0.00	---	---	Peak																																																																																																																													
2	10380.00	47.04	68.20	-21.16	56.32	37.48	14.14	60.90	0.00	---	---	PEAK																																																																																																																													



Mode	8																																																																																																																	
	Band Edge - L																																																																																																																	
	U-NII-1_5.15-5.25_802.11ax HE40_CH46_Full RU_5230MHz																																																																																																																	
ANT	CDD 5+4																																																																																																																	
Pol.	Horizontal	Fundamental																																																																																																																
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5145.13</td> <td>63.53</td> <td>74.00</td> <td>-10.47</td> <td>51.35</td> <td>34.20</td> <td>9.78</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td>31.00</td> <td>0.00</td> <td>102</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>250</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5145.13	63.53	74.00	-10.47	51.35	34.20	9.78						31.00	0.00	102								250								PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5230.00</td> <td>111.51</td> <td>-----</td> <td>-----</td> <td>99.12</td> <td>34.40</td> <td>9.85</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td>31.86</td> <td>0.00</td> <td>102</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>250</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5230.00	111.51	-----	-----	99.12	34.40	9.85						31.86	0.00	102								250								PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																											
1	5145.13	63.53	74.00	-10.47	51.35	34.20	9.78																																																																																																											
					31.00	0.00	102																																																																																																											
							250																																																																																																											
							PEAK																																																																																																											
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																											
1	5230.00	111.51	-----	-----	99.12	34.40	9.85																																																																																																											
					31.86	0.00	102																																																																																																											
							250																																																																																																											
							PEAK																																																																																																											
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5146.28</td> <td>50.15</td> <td>54.00</td> <td>-3.85</td> <td>37.97</td> <td>34.20</td> <td>9.78</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td>31.00</td> <td>0.00</td> <td>102</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>250</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5146.28	50.15	54.00	-3.85	37.97	34.20	9.78						31.00	0.00	102								250								AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5230.00</td> <td>101.12</td> <td>-----</td> <td>-----</td> <td>88.73</td> <td>34.40</td> <td>9.84</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td>31.85</td> <td>0.00</td> <td>102</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>250</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5230.00	101.12	-----	-----	88.73	34.40	9.84						31.85	0.00	102								250								AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																											
1	5146.28	50.15	54.00	-3.85	37.97	34.20	9.78																																																																																																											
					31.00	0.00	102																																																																																																											
							250																																																																																																											
							AVERAGE																																																																																																											
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																											
1	5230.00	101.12	-----	-----	88.73	34.40	9.84																																																																																																											
					31.85	0.00	102																																																																																																											
							250																																																																																																											
							AVERAGE																																																																																																											



Mode	8																																								
	Band Edge - R																																								
	U-NII-1_5.15-5.25_802.11ax HE40_CH46_Full RU_5230MHz																																								
ANT	CDD 5+4																																								
Pol.	Horizontal	Fundamental																																							
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5354.20</td> <td>59.18</td> <td>74.00</td> <td>-14.82</td> <td>46.68</td> <td>34.52</td> <td>9.91</td> <td>31.93</td> <td>0.00</td> <td>102</td> <td>250 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5354.20	59.18	74.00	-14.82	46.68	34.52	9.91	31.93	0.00	102	250 PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																
1 5354.20	59.18	74.00	-14.82	46.68	34.52	9.91	31.93	0.00	102	250 PEAK																															
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5366.16</td> <td>46.49</td> <td>54.00</td> <td>-7.51</td> <td>33.94</td> <td>34.56</td> <td>9.92</td> <td>31.93</td> <td>0.00</td> <td>102</td> <td>250 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5366.16	46.49	54.00	-7.51	33.94	34.56	9.92	31.93	0.00	102	250 AVERAGE	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																
1 5366.16	46.49	54.00	-7.51	33.94	34.56	9.92	31.93	0.00	102	250 AVERAGE																															



Mode	8																																																																																																																	
	Band Edge - L																																																																																																																	
	U-NII-1_5.15-5.25_802.11ax HE40_CH46_Full RU_5230MHz																																																																																																																	
ANT	CDD 5+4																																																																																																																	
Pol.	Vertical	Fundamental																																																																																																																
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5149.96</td> <td>59.07</td> <td>74.00</td> <td>-14.93</td> <td>46.88</td> <td>34.20</td> <td>9.79</td> <td>31.00</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>0.00</td> <td>322</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>285</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 5149.96	59.07	74.00	-14.93	46.88	34.20	9.79	31.00							0.00	322								285								PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5230.00</td> <td>107.21</td> <td>-----</td> <td>-----</td> <td>94.81</td> <td>34.40</td> <td>9.84</td> <td>31.84</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>0.00</td> <td>322</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>285</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 5230.00	107.21	-----	-----	94.81	34.40	9.84	31.84							0.00	322								285								PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																											
1 5149.96	59.07	74.00	-14.93	46.88	34.20	9.79	31.00																																																																																																											
						0.00	322																																																																																																											
							285																																																																																																											
							PEAK																																																																																																											
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																											
1 5230.00	107.21	-----	-----	94.81	34.40	9.84	31.84																																																																																																											
						0.00	322																																																																																																											
							285																																																																																																											
							PEAK																																																																																																											
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5149.50</td> <td>46.98</td> <td>54.00</td> <td>-7.02</td> <td>34.79</td> <td>34.20</td> <td>9.79</td> <td>31.00</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>0.00</td> <td>322</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>285</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 5149.50	46.98	54.00	-7.02	34.79	34.20	9.79	31.00							0.00	322								285								AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5230.00</td> <td>99.16</td> <td>-----</td> <td>-----</td> <td>86.77</td> <td>34.40</td> <td>9.85</td> <td>31.86</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>0.00</td> <td>322</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>285</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 5230.00	99.16	-----	-----	86.77	34.40	9.85	31.86							0.00	322								285								AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																											
1 5149.50	46.98	54.00	-7.02	34.79	34.20	9.79	31.00																																																																																																											
						0.00	322																																																																																																											
							285																																																																																																											
							AVERAGE																																																																																																											
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																											
1 5230.00	99.16	-----	-----	86.77	34.40	9.85	31.86																																																																																																											
						0.00	322																																																																																																											
							285																																																																																																											
							AVERAGE																																																																																																											



Mode	8																																												
	Band Edge - R																																												
	U-NII-1_5.15-5.25_802.11ax HE40_CH46_Full RU_5230MHz																																												
ANT	CDD 5+4																																												
Pol.	Vertical	Fundamental																																											
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5371.45</td> <td>58.40</td> <td>74.00</td> <td>-15.60</td> <td>45.83</td> <td>34.59</td> <td>9.92</td> <td>31.94</td> <td>0.00</td> <td>322</td> <td>285</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5371.45	58.40	74.00	-15.60	45.83	34.59	9.92	31.94	0.00	322	285	PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																			
1 5371.45	58.40	74.00	-15.60	45.83	34.59	9.92	31.94	0.00	322	285	PEAK																																		
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5369.38</td> <td>46.06</td> <td>54.00</td> <td>-7.94</td> <td>33.50</td> <td>34.58</td> <td>9.92</td> <td>31.94</td> <td>0.00</td> <td>322</td> <td>285</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5369.38	46.06	54.00	-7.94	33.50	34.58	9.92	31.94	0.00	322	285	AVERAGE	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																			
1 5369.38	46.06	54.00	-7.94	33.50	34.58	9.92	31.94	0.00	322	285	AVERAGE																																		



Mode	8																																																											
	Harmonic																																																											
	U-NII-1_5.15-5.25_802.11ax HE40_CH46_Full RU_5230MHz																																																											
ANT	CDD 5+4																																																											
Pol.	Horizontal	Vertical																																																										
Peak Avg																																																												
	<table border="1"> <thead> <tr> <th rowspan="2">Limit</th> <th rowspan="2">Read</th> <th rowspan="2">Ant</th> <th rowspan="2">Cable</th> <th rowspan="2">Preamp</th> <th rowspan="2">Aux</th> <th rowspan="2">APos</th> <th rowspan="2">TPos</th> <th rowspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10460.00</td> <td>46.09</td> <td>68.20</td> <td>-22.11</td> <td>55.16</td> <td>37.62</td> <td>14.20</td> <td>60.89</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>15690.00</td> <td>52.33</td> <td>74.00</td> <td>-21.67</td> <td>53.61</td> <td>40.49</td> <td>17.59</td> <td>59.36</td> <td>0.00</td> <td>250</td> <td>0</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>15690.00</td> <td>44.48</td> <td>54.00</td> <td>-9.52</td> <td>45.76</td> <td>40.49</td> <td>17.59</td> <td>59.36</td> <td>0.00</td> <td>250</td> <td>0</td> <td>AVERAGE</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	1	10460.00	46.09	68.20	-22.11	55.16	37.62	14.20	60.89	0.00	---	---	PEAK	2	15690.00	52.33	74.00	-21.67	53.61	40.49	17.59	59.36	0.00	250	0	PEAK	3	15690.00	44.48	54.00	-9.52	45.76	40.49	17.59	59.36	0.00	250	0
Limit	Read	Ant										Cable	Preamp	Aux	APos	TPos	Remark																																											
			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor							cm	deg																																									
1	10460.00	46.09	68.20	-22.11	55.16	37.62	14.20	60.89	0.00	---	---	PEAK																																																
2	15690.00	52.33	74.00	-21.67	53.61	40.49	17.59	59.36	0.00	250	0	PEAK																																																
3	15690.00	44.48	54.00	-9.52	45.76	40.49	17.59	59.36	0.00	250	0	AVERAGE																																																



		9																																																																										
Mode		Band Edge - L																																																																										
		U-NII-1_5.15-5.25_802.11ax HE80_CH42_5210MHz																																																																										
ANT		CDD 5+4																																																																										
Pol.	Horizontal	Fundamental																																																																										
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5145.32</td> <td>63.16</td> <td>74.00</td> <td>-10.84</td> <td>50.98</td> <td>34.20</td> <td>9.78</td> <td>31.00</td> <td>0.00</td> <td>110</td> <td>247</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5145.32	63.16	74.00	-10.84	50.98	34.20	9.78	31.00	0.00	110	247	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5210.00</td> <td>104.39</td> <td>-----</td> <td>-----</td> <td>91.99</td> <td>34.40</td> <td>9.84</td> <td>31.84</td> <td>0.00</td> <td>110</td> <td>247</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5210.00	104.39	-----	-----	91.99	34.40	9.84	31.84	0.00	110	247	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																					
1	5145.32	63.16	74.00	-10.84	50.98	34.20	9.78	31.00	0.00	110	247	PEAK																																																																
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																					
1	5210.00	104.39	-----	-----	91.99	34.40	9.84	31.84	0.00	110	247	PEAK																																																																
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5147.21</td> <td>50.29</td> <td>54.00</td> <td>-3.71</td> <td>38.11</td> <td>34.20</td> <td>9.78</td> <td>31.00</td> <td>0.00</td> <td>110</td> <td>247</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5147.21	50.29	54.00	-3.71	38.11	34.20	9.78	31.00	0.00	110	247	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5210.00</td> <td>95.66</td> <td>-----</td> <td>-----</td> <td>83.27</td> <td>34.40</td> <td>9.83</td> <td>31.84</td> <td>0.00</td> <td>110</td> <td>247</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5210.00	95.66	-----	-----	83.27	34.40	9.83	31.84	0.00	110	247	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																					
1	5147.21	50.29	54.00	-3.71	38.11	34.20	9.78	31.00	0.00	110	247	AVERAGE																																																																
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																					
1	5210.00	95.66	-----	-----	83.27	34.40	9.83	31.84	0.00	110	247	AVERAGE																																																																



Mode	9																																												
	Band Edge - R																																												
	U-NII-1_5.15-5.25_802.11ax HE80_CH42_5210MHz																																												
ANT	CDD 5+4																																												
Pol.	Horizontal	Fundamental																																											
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5366.75</td> <td>54.25</td> <td>74.00</td> <td>-19.75</td> <td>41.61</td> <td>34.66</td> <td>9.93</td> <td>31.95</td> <td>0.00</td> <td>110</td> <td>247</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5366.75	54.25	74.00	-19.75	41.61	34.66	9.93	31.95	0.00	110	247	PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																			
1 5366.75	54.25	74.00	-19.75	41.61	34.66	9.93	31.95	0.00	110	247	PEAK																																		
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5366.75</td> <td>42.80</td> <td>54.00</td> <td>-11.20</td> <td>30.24</td> <td>34.57</td> <td>9.92</td> <td>31.93</td> <td>0.00</td> <td>110</td> <td>247</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5366.75	42.80	54.00	-11.20	30.24	34.57	9.92	31.93	0.00	110	247	AVERAGE	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																			
1 5366.75	42.80	54.00	-11.20	30.24	34.57	9.92	31.93	0.00	110	247	AVERAGE																																		



Mode	9																																																																																																																	
	Band Edge - L																																																																																																																	
	U-NII-1_5.15-5.25_802.11ax HE80_CH42_5210MHz																																																																																																																	
ANT	CDD 5+4																																																																																																																	
Pol.	Vertical	Fundamental																																																																																																																
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5137.34</td> <td>57.97</td> <td>74.00</td> <td>-16.03</td> <td>45.79</td> <td>34.20</td> <td>9.78</td> <td>31.00</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>0.00</td> <td>303</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>284</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 5137.34	57.97	74.00	-16.03	45.79	34.20	9.78	31.00							0.00	303								284								PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5210.00</td> <td>102.19</td> <td>-----</td> <td>-----</td> <td>89.79</td> <td>34.40</td> <td>9.85</td> <td>31.85</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>0.00</td> <td>303</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>284</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 5210.00	102.19	-----	-----	89.79	34.40	9.85	31.85							0.00	303								284								PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																											
1 5137.34	57.97	74.00	-16.03	45.79	34.20	9.78	31.00																																																																																																											
						0.00	303																																																																																																											
							284																																																																																																											
							PEAK																																																																																																											
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																											
1 5210.00	102.19	-----	-----	89.79	34.40	9.85	31.85																																																																																																											
						0.00	303																																																																																																											
							284																																																																																																											
							PEAK																																																																																																											
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5149.52</td> <td>47.00</td> <td>54.00</td> <td>-6.92</td> <td>34.89</td> <td>34.20</td> <td>9.79</td> <td>31.00</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>0.00</td> <td>303</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>284</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 5149.52	47.00	54.00	-6.92	34.89	34.20	9.79	31.00							0.00	303								284								AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5210.00</td> <td>92.84</td> <td>-----</td> <td>-----</td> <td>80.44</td> <td>34.40</td> <td>9.84</td> <td>31.84</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>0.00</td> <td>303</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>284</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 5210.00	92.84	-----	-----	80.44	34.40	9.84	31.84							0.00	303								284								AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																											
1 5149.52	47.00	54.00	-6.92	34.89	34.20	9.79	31.00																																																																																																											
						0.00	303																																																																																																											
							284																																																																																																											
							AVERAGE																																																																																																											
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																											
1 5210.00	92.84	-----	-----	80.44	34.40	9.84	31.84																																																																																																											
						0.00	303																																																																																																											
							284																																																																																																											
							AVERAGE																																																																																																											



Mode	9																																												
	Band Edge - R																																												
	U-NII-1_5.15-5.25_802.11ax HE80_CH42_5210MHz																																												
ANT	CDD 5+4																																												
Pol.	Vertical	Fundamental																																											
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5353.00</td> <td>53.43</td> <td>74.00</td> <td>-20.57</td> <td>40.94</td> <td>34.51</td> <td>9.91</td> <td>31.93</td> <td>0.00</td> <td>303</td> <td>284</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5353.00	53.43	74.00	-20.57	40.94	34.51	9.91	31.93	0.00	303	284	PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																			
1 5353.00	53.43	74.00	-20.57	40.94	34.51	9.91	31.93	0.00	303	284	PEAK																																		
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5350.75</td> <td>42.57</td> <td>54.00</td> <td>-11.43</td> <td>30.00</td> <td>34.50</td> <td>9.91</td> <td>31.92</td> <td>0.00</td> <td>303</td> <td>284</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5350.75	42.57	54.00	-11.43	30.00	34.50	9.91	31.92	0.00	303	284	AVERAGE	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																			
1 5350.75	42.57	54.00	-11.43	30.00	34.50	9.91	31.92	0.00	303	284	AVERAGE																																		



Mode	9																																																																																																											
	Harmonic																																																																																																											
	U-NII-1_5.15-5.25_802.11ax HE80_CH42_5210MHz																																																																																																											
ANT	CDD 5+4																																																																																																											
Pol.	Horizontal	Vertical																																																																																																										
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7825.00</td> <td>47.41</td> <td>68.20</td> <td>-20.79</td> <td>59.92</td> <td>35.90</td> <td>12.18</td> <td>60.59</td> <td>0.00</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>10420.00</td> <td>45.90</td> <td>68.20</td> <td>-22.30</td> <td>55.09</td> <td>37.54</td> <td>14.17</td> <td>60.90</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	7825.00	47.41	68.20	-20.79	59.92	35.90	12.18	60.59	0.00	---	---	Peak	2	10420.00	45.90	68.20	-22.30	55.09	37.54	14.17	60.90	0.00	---	---	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7825.00</td> <td>48.80</td> <td>68.20</td> <td>-19.40</td> <td>61.31</td> <td>35.90</td> <td>12.18</td> <td>60.59</td> <td>0.00</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>10420.00</td> <td>45.90</td> <td>68.20</td> <td>-22.30</td> <td>55.09</td> <td>37.54</td> <td>14.17</td> <td>60.90</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	7825.00	48.80	68.20	-19.40	61.31	35.90	12.18	60.59	0.00	---	---	Peak	2	10420.00	45.90	68.20	-22.30	55.09	37.54	14.17	60.90	0.00	---	---	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																				
1	7825.00	47.41	68.20	-20.79	59.92	35.90	12.18	60.59	0.00	---	---	Peak																																																																																																
2	10420.00	45.90	68.20	-22.30	55.09	37.54	14.17	60.90	0.00	---	---	PEAK																																																																																																
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																				
1	7825.00	48.80	68.20	-19.40	61.31	35.90	12.18	60.59	0.00	---	---	Peak																																																																																																
2	10420.00	45.90	68.20	-22.30	55.09	37.54	14.17	60.90	0.00	---	---	PEAK																																																																																																



Mode	10																																																																																	
	Band Edge																																																																																	
	U-NII-1_5.15-5.25_802.11ax HE20_CH36_Partial_26/0RU_5180MHz																																																																																	
ANT	CDD 5+4																																																																																	
Pol.	Horizontal	Fundamental																																																																																
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5129.12</td> <td>54.54</td> <td>74.00</td> <td>-19.46</td> <td>42.36</td> <td>34.20</td> <td>9.77</td> <td>31.79</td> <td>0.00</td> <td>327</td> <td>282</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	5129.12	54.54	74.00	-19.46	42.36	34.20	9.77	31.79	0.00	327	282	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5180.00</td> <td>107.58</td> <td>-----</td> <td>-----</td> <td>95.32</td> <td>34.28</td> <td>9.80</td> <td>31.82</td> <td>0.00</td> <td>327</td> <td>282</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	5180.00	107.58	-----	-----	95.32	34.28	9.80	31.82	0.00	327	282	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																										
1	5129.12	54.54	74.00	-19.46	42.36	34.20	9.77	31.79	0.00	327	282	PEAK																																																																						
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																										
1	5180.00	107.58	-----	-----	95.32	34.28	9.80	31.82	0.00	327	282	PEAK																																																																						
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5101.60</td> <td>42.23</td> <td>54.00</td> <td>-11.77</td> <td>30.06</td> <td>34.20</td> <td>9.74</td> <td>31.77</td> <td>0.00</td> <td>327</td> <td>282</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	5101.60	42.23	54.00	-11.77	30.06	34.20	9.74	31.77	0.00	327	282	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5180.00</td> <td>100.00</td> <td>-----</td> <td>-----</td> <td>87.82</td> <td>34.28</td> <td>9.80</td> <td>31.82</td> <td>0.00</td> <td>327</td> <td>282</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	5180.00	100.00	-----	-----	87.82	34.28	9.80	31.82	0.00	327	282	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																										
1	5101.60	42.23	54.00	-11.77	30.06	34.20	9.74	31.77	0.00	327	282	AVERAGE																																																																						
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																										
1	5180.00	100.00	-----	-----	87.82	34.28	9.80	31.82	0.00	327	282	AVERAGE																																																																						







Mode	10																																																																																									
	Band Edge																																																																																									
	U-NII-1_5.15-5.25_802.11ax HE20_CH36_Partial_26/0RU_5180MHz																																																																																									
ANT	CDD 5+4																																																																																									
Pol.	Vertical	Fundamental																																																																																								
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5108.00</td> <td>54.58</td> <td>74.00</td> <td>-19.42</td> <td>42.41</td> <td>34.20</td> <td>9.75</td> <td>31.78</td> <td>0.00</td> <td>336</td> <td>98</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5108.00	54.58	74.00	-19.42	42.41	34.20	9.75	31.78	0.00	336	98	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5180.00</td> <td>108.10</td> <td>-----</td> <td>-----</td> <td>95.84</td> <td>34.28</td> <td>9.80</td> <td>31.82</td> <td>0.00</td> <td>336</td> <td>98</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5180.00	108.10	-----	-----	95.84	34.28	9.80	31.82	0.00	336	98	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	5108.00	54.58	74.00	-19.42	42.41	34.20	9.75	31.78	0.00	336	98	PEAK																																																																														
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	5180.00	108.10	-----	-----	95.84	34.28	9.80	31.82	0.00	336	98	PEAK																																																																														
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5138.24</td> <td>42.13</td> <td>54.00</td> <td>-11.87</td> <td>29.95</td> <td>34.20</td> <td>9.78</td> <td>31.00</td> <td>0.00</td> <td>336</td> <td>98</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5138.24	42.13	54.00	-11.87	29.95	34.20	9.78	31.00	0.00	336	98	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5180.00</td> <td>101.30</td> <td>-----</td> <td>-----</td> <td>89.12</td> <td>34.28</td> <td>9.80</td> <td>31.82</td> <td>0.00</td> <td>336</td> <td>98</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5180.00	101.30	-----	-----	89.12	34.28	9.80	31.82	0.00	336	98	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	5138.24	42.13	54.00	-11.87	29.95	34.20	9.78	31.00	0.00	336	98	AVERAGE																																																																														
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	5180.00	101.30	-----	-----	89.12	34.28	9.80	31.82	0.00	336	98	AVERAGE																																																																														



Mode	11																																																																																									
	Band Edge																																																																																									
	U-NII-1_5.15-5.25_802.11ax HE20_CH36_Partial_52/37RU_5180MHz																																																																																									
ANT	CDD 5+4																																																																																									
Pol.	Horizontal	Fundamental																																																																																								
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5131.04</td> <td>53.90</td> <td>74.00</td> <td>-20.10</td> <td>41.72</td> <td>34.20</td> <td>9.77</td> <td>31.79</td> <td>0.00</td> <td>122</td> <td>231</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5131.04	53.90	74.00	-20.10	41.72	34.20	9.77	31.79	0.00	122	231	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5180.00</td> <td>108.41</td> <td>-----</td> <td>-----</td> <td>96.12</td> <td>34.30</td> <td>9.81</td> <td>31.82</td> <td>0.00</td> <td>122</td> <td>231</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5180.00	108.41	-----	-----	96.12	34.30	9.81	31.82	0.00	122	231	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	5131.04	53.90	74.00	-20.10	41.72	34.20	9.77	31.79	0.00	122	231	PEAK																																																																														
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	5180.00	108.41	-----	-----	96.12	34.30	9.81	31.82	0.00	122	231	PEAK																																																																														
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5143.84</td> <td>42.46</td> <td>54.00</td> <td>-11.54</td> <td>30.28</td> <td>34.20</td> <td>9.78</td> <td>31.00</td> <td>0.00</td> <td>122</td> <td>231</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5143.84	42.46	54.00	-11.54	30.28	34.20	9.78	31.00	0.00	122	231	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5180.00</td> <td>99.78</td> <td>-----</td> <td>-----</td> <td>87.49</td> <td>34.30</td> <td>9.81</td> <td>31.82</td> <td>0.00</td> <td>122</td> <td>231</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5180.00	99.78	-----	-----	87.49	34.30	9.81	31.82	0.00	122	231	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	5143.84	42.46	54.00	-11.54	30.28	34.20	9.78	31.00	0.00	122	231	AVERAGE																																																																														
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	5180.00	99.78	-----	-----	87.49	34.30	9.81	31.82	0.00	122	231	AVERAGE																																																																														



Mode	11																																																																																	
	Band Edge																																																																																	
	U-NII-1_5.15-5.25_802.11ax HE20_CH36_Partial_52/37RU_5180MHz																																																																																	
ANT	CDD 5+4																																																																																	
Pol.	Vertical	Fundamental																																																																																
Peak	 <table border="1" data-bbox="268 1131 782 1254"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5107.36</td> <td>54.25</td> <td>74.00</td> <td>-19.75</td> <td>42.08</td> <td>34.20</td> <td>9.75</td> <td>31.78</td> <td>0.00</td> <td>300</td> <td>100</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	5107.36	54.25	74.00	-19.75	42.08	34.20	9.75	31.78	0.00	300	100	PEAK	 <table border="1" data-bbox="906 1131 1420 1254"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5180.00</td> <td>109.44</td> <td>-----</td> <td>-----</td> <td>97.18</td> <td>34.28</td> <td>9.80</td> <td>31.82</td> <td>0.00</td> <td>300</td> <td>100</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	5180.00	109.44	-----	-----	97.18	34.28	9.80	31.82	0.00	300	100	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																										
1	5107.36	54.25	74.00	-19.75	42.08	34.20	9.75	31.78	0.00	300	100	PEAK																																																																						
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																										
1	5180.00	109.44	-----	-----	97.18	34.28	9.80	31.82	0.00	300	100	PEAK																																																																						
Avg	 <table border="1" data-bbox="268 1814 782 1937"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5149.92</td> <td>42.32</td> <td>54.00</td> <td>-11.68</td> <td>30.13</td> <td>34.20</td> <td>9.79</td> <td>31.00</td> <td>0.00</td> <td>300</td> <td>100</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	5149.92	42.32	54.00	-11.68	30.13	34.20	9.79	31.00	0.00	300	100	AVERAGE	 <table border="1" data-bbox="906 1814 1420 1937"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5180.00</td> <td>100.86</td> <td>-----</td> <td>-----</td> <td>88.60</td> <td>34.28</td> <td>9.80</td> <td>31.82</td> <td>0.00</td> <td>300</td> <td>100</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	5180.00	100.86	-----	-----	88.60	34.28	9.80	31.82	0.00	300	100	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																										
1	5149.92	42.32	54.00	-11.68	30.13	34.20	9.79	31.00	0.00	300	100	AVERAGE																																																																						
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																										
1	5180.00	100.86	-----	-----	88.60	34.28	9.80	31.82	0.00	300	100	AVERAGE																																																																						