











Mode	12																																																																																															
	Band Edge																																																																																															
	U-NII-1_5.15-5.25_802.11ax HE20_CH36_Partial_106/53RU_5180MHz																																																																																															
ANT	CDD 5+4																																																																																															
Pol.	Horizontal	Fundamental																																																																																														
Peak	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5147.36</td> <td>58.60</td> <td>74.00</td> <td>-15.40</td> <td>46.42</td> <td>34.20</td> <td>9.78</td> <td>31.00</td> <td>0.00</td> <td>100</td> <td>308</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Factor	cm	deg	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	Remark	1	5147.36	58.60	74.00	-15.40	46.42	34.20	9.78	31.00	0.00	100	308	PEAK	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5180.00</td> <td>110.17</td> <td>-----</td> <td>-----</td> <td>97.88</td> <td>34.30</td> <td>9.81</td> <td>31.82</td> <td>0.00</td> <td>100</td> <td>308</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Factor	cm	deg	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	Remark	1	5180.00	110.17	-----	-----	97.88	34.30	9.81	31.82	0.00	100	308	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Factor	cm	deg	Remark																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	Remark																																																																																				
1	5147.36	58.60	74.00	-15.40	46.42	34.20	9.78	31.00	0.00	100	308	PEAK																																																																																				
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Factor	cm	deg	Remark																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	Remark																																																																																				
1	5180.00	110.17	-----	-----	97.88	34.30	9.81	31.82	0.00	100	308	PEAK																																																																																				
Avg	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5148.48</td> <td>43.54</td> <td>54.00</td> <td>-10.46</td> <td>31.35</td> <td>34.20</td> <td>9.79</td> <td>31.00</td> <td>0.00</td> <td>100</td> <td>308</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Factor	cm	deg	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	Remark	1	5148.48	43.54	54.00	-10.46	31.35	34.20	9.79	31.00	0.00	100	308	AVERAGE	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5180.00</td> <td>101.86</td> <td>-----</td> <td>-----</td> <td>89.57</td> <td>34.30</td> <td>9.81</td> <td>31.82</td> <td>0.00</td> <td>100</td> <td>308</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Factor	cm	deg	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	Remark	1	5180.00	101.86	-----	-----	89.57	34.30	9.81	31.82	0.00	100	308	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Factor	cm	deg	Remark																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	Remark																																																																																				
1	5148.48	43.54	54.00	-10.46	31.35	34.20	9.79	31.00	0.00	100	308	AVERAGE																																																																																				
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Factor	cm	deg	Remark																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	Remark																																																																																				
1	5180.00	101.86	-----	-----	89.57	34.30	9.81	31.82	0.00	100	308	AVERAGE																																																																																				



Mode	12																																																																																			
	Band Edge																																																																																			
	U-NII-1_5.15-5.25_802.11ax HE20_CH36_Partial_106/53RU_5180MHz																																																																																			
ANT	CDD 5+4																																																																																			
Pol.	Vertical	Fundamental																																																																																		
Peak	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5149.76</td> <td>55.37</td> <td>74.00</td> <td>-18.63</td> <td>43.18</td> <td>34.20</td> <td>9.79</td> <td>31.00</td> <td>0.00</td> <td>300</td> <td>100</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5149.76	55.37	74.00	-18.63	43.18	34.20	9.79	31.00	0.00	300	100	PEAK	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5180.00</td> <td>107.74</td> <td>-----</td> <td>-----</td> <td>95.48</td> <td>34.28</td> <td>9.80</td> <td>31.82</td> <td>0.00</td> <td>300</td> <td>100</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	107.74	-----	-----	95.48	34.28	9.80	31.82	0.00	300	100	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																											
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Factor																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5149.76	55.37	74.00	-18.63	43.18	34.20	9.79	31.00	0.00	300	100	PEAK																																																																								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Factor																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5180.00	107.74	-----	-----	95.48	34.28	9.80	31.82	0.00	300	100	PEAK																																																																								
Avg	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5149.92</td> <td>42.97</td> <td>54.00</td> <td>-11.03</td> <td>30.78</td> <td>34.20</td> <td>9.79</td> <td>31.00</td> <td>0.00</td> <td>300</td> <td>100</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5149.92	42.97	54.00	-11.03	30.78	34.20	9.79	31.00	0.00	300	100	AVERAGE	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5180.00</td> <td>99.77</td> <td>-----</td> <td>-----</td> <td>87.51</td> <td>34.28</td> <td>9.80</td> <td>31.82</td> <td>0.00</td> <td>300</td> <td>100</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	99.77	-----	-----	87.51	34.28	9.80	31.82	0.00	300	100	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Factor																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5149.92	42.97	54.00	-11.03	30.78	34.20	9.79	31.00	0.00	300	100	AVERAGE																																																																								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Factor																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5180.00	99.77	-----	-----	87.51	34.28	9.80	31.82	0.00	300	100	AVERAGE																																																																								



Mode	13																																																																																																																																																																																	
	Harmonic																																																																																																																																																																																	
	U-NII-2A_5.25-5.35_802.11a_CH52_5260MHz																																																																																																																																																																																	
ANT	CDD 5+4																																																																																																																																																																																	
Pol.	Horizontal	Vertical																																																																																																																																																																																
Peak Avg																																																																																																																																																																																		
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 7364.00</td> <td>51.98</td> <td>74.00</td> <td>-22.02</td> <td>65.05</td> <td>35.77</td> <td>11.71</td> <td>60.55</td> <td>0.00</td> <td>293</td> <td>30</td> <td>PEAK</td> </tr> <tr> <td>2 7364.00</td> <td>43.36</td> <td>54.00</td> <td>-10.64</td> <td>56.43</td> <td>35.77</td> <td>11.71</td> <td>60.55</td> <td>0.00</td> <td>293</td> <td>30</td> <td>AVERAGE</td> </tr> <tr> <td>3 10520.00</td> <td>47.00</td> <td>68.20</td> <td>-21.20</td> <td>55.91</td> <td>37.74</td> <td>14.24</td> <td>60.89</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> <tr> <td>4 15780.00</td> <td>57.79</td> <td>74.00</td> <td>-16.21</td> <td>58.65</td> <td>40.74</td> <td>17.64</td> <td>59.24</td> <td>0.00</td> <td>248</td> <td>0</td> <td>PEAK</td> </tr> <tr> <td>5 15780.00</td> <td>49.11</td> <td>54.00</td> <td>-4.89</td> <td>49.96</td> <td>40.75</td> <td>17.64</td> <td>59.24</td> <td>0.00</td> <td>248</td> <td>0</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 7364.00	51.98	74.00	-22.02	65.05	35.77	11.71	60.55	0.00	293	30	PEAK	2 7364.00	43.36	54.00	-10.64	56.43	35.77	11.71	60.55	0.00	293	30	AVERAGE	3 10520.00	47.00	68.20	-21.20	55.91	37.74	14.24	60.89	0.00	---	---	PEAK	4 15780.00	57.79	74.00	-16.21	58.65	40.74	17.64	59.24	0.00	248	0	PEAK	5 15780.00	49.11	54.00	-4.89	49.96	40.75	17.64	59.24	0.00	248	0	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 7364.00</td> <td>50.08</td> <td>74.00</td> <td>-23.92</td> <td>63.15</td> <td>35.77</td> <td>11.71</td> <td>60.55</td> <td>0.00</td> <td>369</td> <td>5</td> <td>PEAK</td> </tr> <tr> <td>2 7364.00</td> <td>42.00</td> <td>54.00</td> <td>-12.00</td> <td>55.07</td> <td>35.77</td> <td>11.71</td> <td>60.55</td> <td>0.00</td> <td>369</td> <td>5</td> <td>AVERAGE</td> </tr> <tr> <td>3 10520.00</td> <td>48.14</td> <td>68.20</td> <td>-20.06</td> <td>57.05</td> <td>37.74</td> <td>14.24</td> <td>60.89</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> <tr> <td>4 15780.00</td> <td>53.96</td> <td>74.00</td> <td>-20.04</td> <td>54.82</td> <td>40.74</td> <td>17.64</td> <td>59.24</td> <td>0.00</td> <td>169</td> <td>331</td> <td>PEAK</td> </tr> <tr> <td>5 15780.00</td> <td>45.27</td> <td>54.00</td> <td>-8.73</td> <td>46.14</td> <td>40.73</td> <td>17.64</td> <td>59.24</td> <td>0.00</td> <td>169</td> <td>331</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 7364.00	50.08	74.00	-23.92	63.15	35.77	11.71	60.55	0.00	369	5	PEAK	2 7364.00	42.00	54.00	-12.00	55.07	35.77	11.71	60.55	0.00	369	5	AVERAGE	3 10520.00	48.14	68.20	-20.06	57.05	37.74	14.24	60.89	0.00	---	---	PEAK	4 15780.00	53.96	74.00	-20.04	54.82	40.74	17.64	59.24	0.00	169	331	PEAK	5 15780.00	45.27	54.00	-8.73	46.14	40.73	17.64	59.24	0.00	169	331
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																									
1 7364.00	51.98	74.00	-22.02	65.05	35.77	11.71	60.55	0.00	293	30	PEAK																																																																																																																																																																							
2 7364.00	43.36	54.00	-10.64	56.43	35.77	11.71	60.55	0.00	293	30	AVERAGE																																																																																																																																																																							
3 10520.00	47.00	68.20	-21.20	55.91	37.74	14.24	60.89	0.00	---	---	PEAK																																																																																																																																																																							
4 15780.00	57.79	74.00	-16.21	58.65	40.74	17.64	59.24	0.00	248	0	PEAK																																																																																																																																																																							
5 15780.00	49.11	54.00	-4.89	49.96	40.75	17.64	59.24	0.00	248	0	AVERAGE																																																																																																																																																																							
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																								
1 7364.00	50.08	74.00	-23.92	63.15	35.77	11.71	60.55	0.00	369	5	PEAK																																																																																																																																																																							
2 7364.00	42.00	54.00	-12.00	55.07	35.77	11.71	60.55	0.00	369	5	AVERAGE																																																																																																																																																																							
3 10520.00	48.14	68.20	-20.06	57.05	37.74	14.24	60.89	0.00	---	---	PEAK																																																																																																																																																																							
4 15780.00	53.96	74.00	-20.04	54.82	40.74	17.64	59.24	0.00	169	331	PEAK																																																																																																																																																																							
5 15780.00	45.27	54.00	-8.73	46.14	40.73	17.64	59.24	0.00	169	331	AVERAGE																																																																																																																																																																							



Mode	14																																																																																																																																																																																								
	Harmonic																																																																																																																																																																																								
	U-NII-2A_5.25-5.35_802.11a_CH60_5300MHz																																																																																																																																																																																								
ANT	CDD 5+4																																																																																																																																																																																								
Pol.	Horizontal	Vertical																																																																																																																																																																																							
Peak Avg																																																																																																																																																																																									
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7420.00</td> <td>48.11</td> <td>74.00</td> <td>-25.89</td> <td>61.29</td> <td>35.70</td> <td>11.75</td> <td>60.63</td> <td>0.00</td> <td>100</td> <td>43</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>7420.00</td> <td>42.78</td> <td>54.00</td> <td>-11.22</td> <td>55.96</td> <td>35.70</td> <td>11.75</td> <td>60.63</td> <td>0.00</td> <td>100</td> <td>43</td> <td>AVERAGE</td> </tr> <tr> <td>3</td> <td>10600.01</td> <td>45.59</td> <td>74.00</td> <td>-28.41</td> <td>54.29</td> <td>37.90</td> <td>14.29</td> <td>60.89</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>15900.00</td> <td>58.46</td> <td>74.00</td> <td>-15.54</td> <td>58.94</td> <td>40.90</td> <td>17.70</td> <td>59.08</td> <td>0.00</td> <td>199</td> <td>10</td> <td>PEAK</td> </tr> <tr> <td>5</td> <td>15900.00</td> <td>49.12</td> <td>54.00</td> <td>-4.88</td> <td>49.60</td> <td>40.90</td> <td>17.70</td> <td>59.08</td> <td>0.00</td> <td>199</td> <td>10</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	7420.00	48.11	74.00	-25.89	61.29	35.70	11.75	60.63	0.00	100	43	PEAK	2	7420.00	42.78	54.00	-11.22	55.96	35.70	11.75	60.63	0.00	100	43	AVERAGE	3	10600.01	45.59	74.00	-28.41	54.29	37.90	14.29	60.89	0.00	---	---	PEAK	4	15900.00	58.46	74.00	-15.54	58.94	40.90	17.70	59.08	0.00	199	10	PEAK	5	15900.00	49.12	54.00	-4.88	49.60	40.90	17.70	59.08	0.00	199	10	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7420.00</td> <td>50.60</td> <td>74.00</td> <td>-23.40</td> <td>63.78</td> <td>35.70</td> <td>11.75</td> <td>60.63</td> <td>0.00</td> <td>256</td> <td>0</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>7420.00</td> <td>44.84</td> <td>54.00</td> <td>-9.16</td> <td>58.02</td> <td>35.70</td> <td>11.75</td> <td>60.63</td> <td>0.00</td> <td>256</td> <td>0</td> <td>AVERAGE</td> </tr> <tr> <td>3</td> <td>10600.01</td> <td>45.85</td> <td>74.00</td> <td>-28.15</td> <td>54.55</td> <td>37.90</td> <td>14.29</td> <td>60.89</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>15900.00</td> <td>55.87</td> <td>74.00</td> <td>-18.13</td> <td>56.35</td> <td>40.90</td> <td>17.70</td> <td>59.08</td> <td>0.00</td> <td>101</td> <td>330</td> <td>PEAK</td> </tr> <tr> <td>5</td> <td>15900.00</td> <td>45.85</td> <td>54.00</td> <td>-8.15</td> <td>46.33</td> <td>40.90</td> <td>17.70</td> <td>59.08</td> <td>0.00</td> <td>101</td> <td>330</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	7420.00	50.60	74.00	-23.40	63.78	35.70	11.75	60.63	0.00	256	0	PEAK	2	7420.00	44.84	54.00	-9.16	58.02	35.70	11.75	60.63	0.00	256	0	AVERAGE	3	10600.01	45.85	74.00	-28.15	54.55	37.90	14.29	60.89	0.00	---	---	PEAK	4	15900.00	55.87	74.00	-18.13	56.35	40.90	17.70	59.08	0.00	101	330	PEAK	5	15900.00	45.85	54.00	-8.15	46.33	40.90	17.70	59.08	0.00	101	330
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																																																																																																	
1	7420.00	48.11	74.00	-25.89	61.29	35.70	11.75	60.63	0.00	100	43	PEAK																																																																																																																																																																													
2	7420.00	42.78	54.00	-11.22	55.96	35.70	11.75	60.63	0.00	100	43	AVERAGE																																																																																																																																																																													
3	10600.01	45.59	74.00	-28.41	54.29	37.90	14.29	60.89	0.00	---	---	PEAK																																																																																																																																																																													
4	15900.00	58.46	74.00	-15.54	58.94	40.90	17.70	59.08	0.00	199	10	PEAK																																																																																																																																																																													
5	15900.00	49.12	54.00	-4.88	49.60	40.90	17.70	59.08	0.00	199	10	AVERAGE																																																																																																																																																																													
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																																																																																																	
1	7420.00	50.60	74.00	-23.40	63.78	35.70	11.75	60.63	0.00	256	0	PEAK																																																																																																																																																																													
2	7420.00	44.84	54.00	-9.16	58.02	35.70	11.75	60.63	0.00	256	0	AVERAGE																																																																																																																																																																													
3	10600.01	45.85	74.00	-28.15	54.55	37.90	14.29	60.89	0.00	---	---	PEAK																																																																																																																																																																													
4	15900.00	55.87	74.00	-18.13	56.35	40.90	17.70	59.08	0.00	101	330	PEAK																																																																																																																																																																													
5	15900.00	45.85	54.00	-8.15	46.33	40.90	17.70	59.08	0.00	101	330	AVERAGE																																																																																																																																																																													



Mode	15																																																																													
	Band Edge																																																																													
	U-NII-2A_5.25-5.35_802.11a_CH64_5320MHz																																																																													
ANT	CDD 5+4																																																																													
Pol.	Horizontal	Fundamental																																																																												
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5352.06</td> <td>112.18</td> <td>62.06</td> <td>74.00</td> <td>-11.94</td> <td>49.57</td> <td>34.51</td> <td>9.91</td> <td>31.93</td> <td>0.00</td> <td>100</td> <td>250</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5352.06	112.18	62.06	74.00	-11.94	49.57	34.51	9.91	31.93	0.00	100	250	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5320.00</td> <td>112.18</td> <td>62.06</td> <td>74.00</td> <td>-11.94</td> <td>49.57</td> <td>34.51</td> <td>9.91</td> <td>31.93</td> <td>0.00</td> <td>100</td> <td>250</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5320.00	112.18	62.06	74.00	-11.94	49.57	34.51	9.91	31.93	0.00	100	250	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																							
1	5352.06	112.18	62.06	74.00	-11.94	49.57	34.51	9.91	31.93	0.00	100	250	PEAK																																																																	
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																							
1	5320.00	112.18	62.06	74.00	-11.94	49.57	34.51	9.91	31.93	0.00	100	250	PEAK																																																																	
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5352.90</td> <td>103.91</td> <td>50.20</td> <td>54.00</td> <td>-3.80</td> <td>37.71</td> <td>34.51</td> <td>9.91</td> <td>31.93</td> <td>0.00</td> <td>100</td> <td>250</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5352.90	103.91	50.20	54.00	-3.80	37.71	34.51	9.91	31.93	0.00	100	250	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5320.00</td> <td>103.91</td> <td>50.20</td> <td>54.00</td> <td>-3.80</td> <td>37.71</td> <td>34.51</td> <td>9.91</td> <td>31.93</td> <td>0.00</td> <td>100</td> <td>250</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5320.00	103.91	50.20	54.00	-3.80	37.71	34.51	9.91	31.93	0.00	100	250	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																							
1	5352.90	103.91	50.20	54.00	-3.80	37.71	34.51	9.91	31.93	0.00	100	250	AVERAGE																																																																	
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																							
1	5320.00	103.91	50.20	54.00	-3.80	37.71	34.51	9.91	31.93	0.00	100	250	AVERAGE																																																																	



Mode	15																																																																																																																																																	
	Band Edge																																																																																																																																																	
	U-NII-2A_5.25-5.35_802.11a_CH64_5320MHz																																																																																																																																																	
ANT	CDD 5+4																																																																																																																																																	
Pol.	Vertical	Fundamental																																																																																																																																																
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5354.16</td> <td>65.12</td> <td>74.00</td> <td>-8.88</td> <td>52.62</td> <td>34.52</td> <td>9.91</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>31.93</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>0.00</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>309</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>290</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5354.16	65.12	74.00	-8.88	52.62	34.52	9.91								31.93								0.00								309								290								PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5320.00</td> <td>111.19</td> <td>-----</td> <td>-----</td> <td>98.63</td> <td>34.57</td> <td>9.89</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>31.90</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>0.00</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>309</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>290</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5320.00	111.19	-----	-----	98.63	34.57	9.89								31.90								0.00								309								290								PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																																																											
1	5354.16	65.12	74.00	-8.88	52.62	34.52	9.91																																																																																																																																											
							31.93																																																																																																																																											
							0.00																																																																																																																																											
							309																																																																																																																																											
							290																																																																																																																																											
							PEAK																																																																																																																																											
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																																																											
1	5320.00	111.19	-----	-----	98.63	34.57	9.89																																																																																																																																											
							31.90																																																																																																																																											
							0.00																																																																																																																																											
							309																																																																																																																																											
							290																																																																																																																																											
							PEAK																																																																																																																																											
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5350.10</td> <td>50.83</td> <td>54.00</td> <td>-3.17</td> <td>38.34</td> <td>34.50</td> <td>9.91</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>31.92</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>0.00</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>309</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>290</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5350.10	50.83	54.00	-3.17	38.34	34.50	9.91								31.92								0.00								309								290								AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5320.00</td> <td>102.44</td> <td>-----</td> <td>-----</td> <td>89.88</td> <td>34.57</td> <td>9.89</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>31.90</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>0.00</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>309</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>290</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5320.00	102.44	-----	-----	89.88	34.57	9.89								31.90								0.00								309								290								AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																																																											
1	5350.10	50.83	54.00	-3.17	38.34	34.50	9.91																																																																																																																																											
							31.92																																																																																																																																											
							0.00																																																																																																																																											
							309																																																																																																																																											
							290																																																																																																																																											
							AVERAGE																																																																																																																																											
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																																																											
1	5320.00	102.44	-----	-----	89.88	34.57	9.89																																																																																																																																											
							31.90																																																																																																																																											
							0.00																																																																																																																																											
							309																																																																																																																																											
							290																																																																																																																																											
							AVERAGE																																																																																																																																											



Mode	15																																																																																																																																															
	Harmonic																																																																																																																																															
	U-NII-2A_5.25-5.35_802.11a_CH64_5320MHz																																																																																																																																															
ANT	CDD 5+4																																																																																																																																															
Pol.	Horizontal	Vertical																																																																																																																																														
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7448.00</td> <td>46.31</td> <td>74.00</td> <td>-27.69</td> <td>59.50</td> <td>35.70</td> <td>11.78</td> <td>60.67</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>10640.00</td> <td>44.40</td> <td>74.00</td> <td>-29.60</td> <td>53.07</td> <td>37.90</td> <td>14.32</td> <td>60.89</td> <td>0.00</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>3</td> <td>15960.00</td> <td>54.46</td> <td>74.00</td> <td>-19.54</td> <td>54.77</td> <td>40.96</td> <td>17.73</td> <td>59.00</td> <td>0.00</td> <td>232</td> <td>0</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>15960.00</td> <td>44.11</td> <td>54.00</td> <td>-9.89</td> <td>44.42</td> <td>40.96</td> <td>17.73</td> <td>59.00</td> <td>0.00</td> <td>232</td> <td>0</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	1	7448.00	46.31	74.00	-27.69	59.50	35.70	11.78	60.67	0.00	---	---	PEAK	2	10640.00	44.40	74.00	-29.60	53.07	37.90	14.32	60.89	0.00	---	---	Peak	3	15960.00	54.46	74.00	-19.54	54.77	40.96	17.73	59.00	0.00	232	0	PEAK	4	15960.00	44.11	54.00	-9.89	44.42	40.96	17.73	59.00	0.00	232	0	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7448.00</td> <td>45.93</td> <td>74.00</td> <td>-28.07</td> <td>59.12</td> <td>35.70</td> <td>11.78</td> <td>60.67</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>10640.00</td> <td>44.48</td> <td>74.00</td> <td>-29.52</td> <td>53.15</td> <td>37.90</td> <td>14.32</td> <td>60.89</td> <td>0.00</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>3</td> <td>15960.00</td> <td>51.60</td> <td>74.00</td> <td>-22.40</td> <td>51.91</td> <td>40.96</td> <td>17.73</td> <td>59.00</td> <td>0.00</td> <td>170</td> <td>331</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>15960.00</td> <td>42.69</td> <td>54.00</td> <td>-11.31</td> <td>43.00</td> <td>40.96</td> <td>17.73</td> <td>59.00</td> <td>0.00</td> <td>170</td> <td>331</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	1	7448.00	45.93	74.00	-28.07	59.12	35.70	11.78	60.67	0.00	---	---	PEAK	2	10640.00	44.48	74.00	-29.52	53.15	37.90	14.32	60.89	0.00	---	---	Peak	3	15960.00	51.60	74.00	-22.40	51.91	40.96	17.73	59.00	0.00	170	331	PEAK	4	15960.00	42.69	54.00	-11.31	43.00	40.96	17.73	59.00	0.00	170	331	AVERAGE
	Limit	Read	Ant	Cable	Aux	APos	TPos	Remark																																																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																																																																						
1	7448.00	46.31	74.00	-27.69	59.50	35.70	11.78	60.67	0.00	---	---	PEAK																																																																																																																																				
2	10640.00	44.40	74.00	-29.60	53.07	37.90	14.32	60.89	0.00	---	---	Peak																																																																																																																																				
3	15960.00	54.46	74.00	-19.54	54.77	40.96	17.73	59.00	0.00	232	0	PEAK																																																																																																																																				
4	15960.00	44.11	54.00	-9.89	44.42	40.96	17.73	59.00	0.00	232	0	AVERAGE																																																																																																																																				
Limit	Read	Ant	Cable	Aux	APos	TPos	Remark																																																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																																																																						
1	7448.00	45.93	74.00	-28.07	59.12	35.70	11.78	60.67	0.00	---	---	PEAK																																																																																																																																				
2	10640.00	44.48	74.00	-29.52	53.15	37.90	14.32	60.89	0.00	---	---	Peak																																																																																																																																				
3	15960.00	51.60	74.00	-22.40	51.91	40.96	17.73	59.00	0.00	170	331	PEAK																																																																																																																																				
4	15960.00	42.69	54.00	-11.31	43.00	40.96	17.73	59.00	0.00	170	331	AVERAGE																																																																																																																																				
Peak Avg																																																																																																																																																







Mode	16																																																																																																																																																														
	Harmonic																																																																																																																																																														
	U-NII-2A_5.25-5.35_802.11ax HE20_CH52_Full RU_5260MHz																																																																																																																																																														
ANT	CDD 5+4																																																																																																																																																														
Pol.	Horizontal	Vertical																																																																																																																																																													
Peak Avg																																																																																																																																																															
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7364.00</td> <td>45.52</td> <td>74.00</td> <td>-28.48</td> <td>58.59</td> <td>35.77</td> <td>11.71</td> <td>60.55</td> <td>0.00</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>10520.00</td> <td>46.54</td> <td>68.20</td> <td>-21.66</td> <td>55.45</td> <td>37.74</td> <td>14.24</td> <td>60.89</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>15780.00</td> <td>59.50</td> <td>74.00</td> <td>-14.50</td> <td>60.36</td> <td>40.74</td> <td>17.64</td> <td>59.24</td> <td>0.00</td> <td>275</td> <td>360</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>15780.00</td> <td>48.26</td> <td>54.00</td> <td>-5.74</td> <td>49.11</td> <td>40.75</td> <td>17.64</td> <td>59.24</td> <td>0.00</td> <td>275</td> <td>360</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	7364.00	45.52	74.00	-28.48	58.59	35.77	11.71	60.55	0.00	---	---	Peak	2	10520.00	46.54	68.20	-21.66	55.45	37.74	14.24	60.89	0.00	---	---	PEAK	3	15780.00	59.50	74.00	-14.50	60.36	40.74	17.64	59.24	0.00	275	360	PEAK	4	15780.00	48.26	54.00	-5.74	49.11	40.75	17.64	59.24	0.00	275	360	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7364.00</td> <td>45.24</td> <td>74.00</td> <td>-28.76</td> <td>58.31</td> <td>35.77</td> <td>11.71</td> <td>60.55</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>10520.00</td> <td>48.54</td> <td>68.20</td> <td>-19.66</td> <td>57.45</td> <td>37.74</td> <td>14.24</td> <td>60.89</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>15780.00</td> <td>56.48</td> <td>74.00</td> <td>-17.52</td> <td>57.34</td> <td>40.74</td> <td>17.64</td> <td>59.24</td> <td>0.00</td> <td>334</td> <td>58</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>15780.00</td> <td>43.46</td> <td>54.00</td> <td>-10.54</td> <td>44.31</td> <td>40.75</td> <td>17.64</td> <td>59.24</td> <td>0.00</td> <td>334</td> <td>58</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	7364.00	45.24	74.00	-28.76	58.31	35.77	11.71	60.55	0.00	---	---	PEAK	2	10520.00	48.54	68.20	-19.66	57.45	37.74	14.24	60.89	0.00	---	---	PEAK	3	15780.00	56.48	74.00	-17.52	57.34	40.74	17.64	59.24	0.00	334	58	PEAK	4	15780.00	43.46	54.00	-10.54	44.31	40.75	17.64	59.24	0.00	334	58
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																																																																							
1	7364.00	45.52	74.00	-28.48	58.59	35.77	11.71	60.55	0.00	---	---	Peak																																																																																																																																																			
2	10520.00	46.54	68.20	-21.66	55.45	37.74	14.24	60.89	0.00	---	---	PEAK																																																																																																																																																			
3	15780.00	59.50	74.00	-14.50	60.36	40.74	17.64	59.24	0.00	275	360	PEAK																																																																																																																																																			
4	15780.00	48.26	54.00	-5.74	49.11	40.75	17.64	59.24	0.00	275	360	AVERAGE																																																																																																																																																			
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																																																																							
1	7364.00	45.24	74.00	-28.76	58.31	35.77	11.71	60.55	0.00	---	---	PEAK																																																																																																																																																			
2	10520.00	48.54	68.20	-19.66	57.45	37.74	14.24	60.89	0.00	---	---	PEAK																																																																																																																																																			
3	15780.00	56.48	74.00	-17.52	57.34	40.74	17.64	59.24	0.00	334	58	PEAK																																																																																																																																																			
4	15780.00	43.46	54.00	-10.54	44.31	40.75	17.64	59.24	0.00	334	58	AVERAGE																																																																																																																																																			









		17																																																																																																																																																							
<b>Mode</b>		Harmonic																																																																																																																																																							
		U-NII-2A_5.25-5.35_802.11ax HE20_CH60_Full RU_5300MHz																																																																																																																																																							
<b>ANT</b>		CDD 5+4																																																																																																																																																							
<b>Pol.</b>	<b>Horizontal</b>	<b>Vertical</b>																																																																																																																																																							
<b>Peak</b> <b>Avg</b>																																																																																																																																																									
	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7420.00</td> <td>45.25</td> <td>74.00</td> <td>-28.75</td> <td>58.43</td> <td>35.70</td> <td>11.75</td> <td>60.63</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>10600.01</td> <td>44.45</td> <td>74.00</td> <td>-29.55</td> <td>53.15</td> <td>37.90</td> <td>14.29</td> <td>60.89</td> <td>0.00</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>3</td> <td>15900.00</td> <td>60.63</td> <td>74.00</td> <td>-13.37</td> <td>61.11</td> <td>40.90</td> <td>17.70</td> <td>59.08</td> <td>0.00</td> <td>236</td> <td>360</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>15900.00</td> <td>47.51</td> <td>54.00</td> <td>-6.49</td> <td>48.00</td> <td>40.90</td> <td>17.70</td> <td>59.09</td> <td>0.00</td> <td>236</td> <td>360</td> <td>AVERAGE</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	1	7420.00	45.25	74.00	-28.75	58.43	35.70	11.75	60.63	0.00	---	---	PEAK	2	10600.01	44.45	74.00	-29.55	53.15	37.90	14.29	60.89	0.00	---	---	Peak	3	15900.00	60.63	74.00	-13.37	61.11	40.90	17.70	59.08	0.00	236	360	PEAK	4	15900.00	47.51	54.00	-6.49	48.00	40.90	17.70	59.09	0.00	236	360	AVERAGE	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10600.01</td> <td>46.11</td> <td>74.00</td> <td>-27.89</td> <td>54.81</td> <td>37.90</td> <td>14.29</td> <td>60.89</td> <td>0.00</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>15900.00</td> <td>53.99</td> <td>74.00</td> <td>-20.01</td> <td>54.47</td> <td>40.90</td> <td>17.70</td> <td>59.08</td> <td>0.00</td> <td>100</td> <td>100</td> <td>333 Peak</td> </tr> <tr> <td>3</td> <td>15900.00</td> <td>43.38</td> <td>54.00</td> <td>-10.62</td> <td>43.86</td> <td>40.90</td> <td>17.70</td> <td>59.08</td> <td>0.00</td> <td>100</td> <td>100</td> <td>333 Average</td> </tr> </tbody> </table>			Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	1	10600.01	46.11	74.00	-27.89	54.81	37.90	14.29	60.89	0.00	---	---	Peak	2	15900.00	53.99	74.00	-20.01	54.47	40.90	17.70	59.08	0.00	100	100	333 Peak	3	15900.00	43.38	54.00	-10.62	43.86	40.90	17.70	59.08	0.00	100	100
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm																																																																																																																																																
1	7420.00	45.25	74.00	-28.75	58.43	35.70	11.75	60.63	0.00	---	---	PEAK																																																																																																																																													
2	10600.01	44.45	74.00	-29.55	53.15	37.90	14.29	60.89	0.00	---	---	Peak																																																																																																																																													
3	15900.00	60.63	74.00	-13.37	61.11	40.90	17.70	59.08	0.00	236	360	PEAK																																																																																																																																													
4	15900.00	47.51	54.00	-6.49	48.00	40.90	17.70	59.09	0.00	236	360	AVERAGE																																																																																																																																													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm																																																																																																																																																
1	10600.01	46.11	74.00	-27.89	54.81	37.90	14.29	60.89	0.00	---	---	Peak																																																																																																																																													
2	15900.00	53.99	74.00	-20.01	54.47	40.90	17.70	59.08	0.00	100	100	333 Peak																																																																																																																																													
3	15900.00	43.38	54.00	-10.62	43.86	40.90	17.70	59.08	0.00	100	100	333 Average																																																																																																																																													



Mode	18																																																																																									
	Band Edge																																																																																									
	U-NII-2A_5.25-5.35_802.11ax HE20_CH64_Full RU_5320MHz																																																																																									
ANT	CDD 5+4																																																																																									
Pol.	Horizontal	Fundamental																																																																																								
Peak	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5354.02</td> <td>62.44</td> <td>74.00</td> <td>-11.56</td> <td>49.94</td> <td>34.52</td> <td>9.91</td> <td>31.93</td> <td>0.00</td> <td>100</td> <td>250</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5354.02	62.44	74.00	-11.56	49.94	34.52	9.91	31.93	0.00	100	250	PEAK	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5320.00</td> <td>111.67</td> <td>-----</td> <td>-----</td> <td>99.13</td> <td>34.55</td> <td>9.90</td> <td>31.91</td> <td>0.00</td> <td>100</td> <td>250</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5320.00	111.67	-----	-----	99.13	34.55	9.90	31.91	0.00	100	250	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	5354.02	62.44	74.00	-11.56	49.94	34.52	9.91	31.93	0.00	100	250	PEAK																																																																														
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	5320.00	111.67	-----	-----	99.13	34.55	9.90	31.91	0.00	100	250	PEAK																																																																														
Avg	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5355.00</td> <td>47.85</td> <td>54.00</td> <td>-6.15</td> <td>35.35</td> <td>34.52</td> <td>9.91</td> <td>31.93</td> <td>0.00</td> <td>100</td> <td>250</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5355.00	47.85	54.00	-6.15	35.35	34.52	9.91	31.93	0.00	100	250	AVERAGE	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5320.00</td> <td>102.60</td> <td>-----</td> <td>-----</td> <td>90.12</td> <td>34.57</td> <td>9.89</td> <td>31.90</td> <td>0.00</td> <td>100</td> <td>250</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5320.00	102.60	-----	-----	90.12	34.57	9.89	31.90	0.00	100	250	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	5355.00	47.85	54.00	-6.15	35.35	34.52	9.91	31.93	0.00	100	250	AVERAGE																																																																														
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	5320.00	102.60	-----	-----	90.12	34.57	9.89	31.90	0.00	100	250	AVERAGE																																																																														



Mode	18																																																																																															
	Band Edge																																																																																															
	U-NII-2A_5.25-5.35_802.11ax HE20_CH64_Full RU_5320MHz																																																																																															
ANT	CDD 5+4																																																																																															
Pol.	Vertical	Fundamental																																																																																														
Peak	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5350.24</td> <td>62.61</td> <td>74.00</td> <td>-11.39</td> <td>50.12</td> <td>34.50</td> <td>9.91</td> <td>31.92</td> <td>0.00</td> <td>310</td> <td>289</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Factor	cm	deg	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	Remark	1	5350.24	62.61	74.00	-11.39	50.12	34.50	9.91	31.92	0.00	310	289	PEAK	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5320.00</td> <td>109.76</td> <td>-----</td> <td>-----</td> <td>97.21</td> <td>34.56</td> <td>9.90</td> <td>31.91</td> <td>0.00</td> <td>310</td> <td>289</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Factor	cm	deg	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	Remark	1	5320.00	109.76	-----	-----	97.21	34.56	9.90	31.91	0.00	310	289	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Factor	cm	deg	Remark																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	Remark																																																																																				
1	5350.24	62.61	74.00	-11.39	50.12	34.50	9.91	31.92	0.00	310	289	PEAK																																																																																				
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Factor	cm	deg	Remark																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	Remark																																																																																				
1	5320.00	109.76	-----	-----	97.21	34.56	9.90	31.91	0.00	310	289	PEAK																																																																																				
Avg	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5350.10</td> <td>49.02</td> <td>54.00</td> <td>-4.98</td> <td>36.53</td> <td>34.50</td> <td>9.91</td> <td>31.92</td> <td>0.00</td> <td>310</td> <td>289</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Factor	cm	deg	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	Remark	1	5350.10	49.02	54.00	-4.98	36.53	34.50	9.91	31.92	0.00	310	289	AVERAGE	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5320.00</td> <td>102.00</td> <td>-----</td> <td>-----</td> <td>89.45</td> <td>34.56</td> <td>9.90</td> <td>31.91</td> <td>0.00</td> <td>310</td> <td>289</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Factor	cm	deg	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	Remark	1	5320.00	102.00	-----	-----	89.45	34.56	9.90	31.91	0.00	310	289	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Factor	cm	deg	Remark																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	Remark																																																																																				
1	5350.10	49.02	54.00	-4.98	36.53	34.50	9.91	31.92	0.00	310	289	AVERAGE																																																																																				
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Factor	cm	deg	Remark																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	Remark																																																																																				
1	5320.00	102.00	-----	-----	89.45	34.56	9.90	31.91	0.00	310	289	AVERAGE																																																																																				



Mode	18																																																																																																														
	Harmonic																																																																																																														
	U-NII-2A_5.25-5.35_802.11ax HE20_CH64_Full RU_5320MHz																																																																																																														
ANT	CDD 5+4																																																																																																														
Pol.	Horizontal	Vertical																																																																																																													
Peak Avg																																																																																																															
	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10640.00</td> <td>45.98</td> <td>74.00</td> <td>-28.02</td> <td>54.65</td> <td>37.90</td> <td>14.32</td> <td>60.89</td> <td>0.00</td> <td>---</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>15960.00</td> <td>55.00</td> <td>74.00</td> <td>-19.00</td> <td>55.31</td> <td>40.96</td> <td>17.73</td> <td>59.00</td> <td>0.00</td> <td>248</td> <td>0 PEAK</td> </tr> <tr> <td>3</td> <td>15960.00</td> <td>43.52</td> <td>54.00</td> <td>-10.48</td> <td>43.83</td> <td>40.96</td> <td>17.73</td> <td>59.00</td> <td>0.00</td> <td>248</td> <td>0 AVERAGE</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10640.00	45.98	74.00	-28.02	54.65	37.90	14.32	60.89	0.00	---	PEAK	2	15960.00	55.00	74.00	-19.00	55.31	40.96	17.73	59.00	0.00	248	0 PEAK	3	15960.00	43.52	54.00	-10.48	43.83	40.96	17.73	59.00	0.00	248	0 AVERAGE	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10640.00</td> <td>46.55</td> <td>74.00</td> <td>-27.45</td> <td>55.22</td> <td>37.90</td> <td>14.32</td> <td>60.89</td> <td>0.00</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10640.00	46.55	74.00	-27.45	55.22	37.90	14.32	60.89	0.00	---
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	10640.00	45.98	74.00	-28.02	54.65	37.90	14.32	60.89	0.00	---	PEAK																																																																																																				
2	15960.00	55.00	74.00	-19.00	55.31	40.96	17.73	59.00	0.00	248	0 PEAK																																																																																																				
3	15960.00	43.52	54.00	-10.48	43.83	40.96	17.73	59.00	0.00	248	0 AVERAGE																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	10640.00	46.55	74.00	-27.45	55.22	37.90	14.32	60.89	0.00	---	PEAK																																																																																																				



Mode	19																																																																																	
	Band Edge - L																																																																																	
	U-NII-2A_5.25-5.35_802.11ax HE40_CH54_Full RU_5270MHz																																																																																	
ANT	CDD 5+4																																																																																	
Pol.	Horizontal	Fundamental																																																																																
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5137.16</td> <td>62.70</td> <td>74.00</td> <td>-11.30</td> <td>50.52</td> <td>34.20</td> <td>9.78</td> <td>31.00</td> <td>0.00</td> <td>100</td> <td>249</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5137.16	62.70	74.00	-11.30	50.52	34.20	9.78	31.00	0.00	100	249	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5270.00</td> <td>109.52</td> <td>-----</td> <td>-----</td> <td>97.11</td> <td>34.42</td> <td>9.86</td> <td>31.87</td> <td>0.00</td> <td>100</td> <td>249</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5270.00	109.52	-----	-----	97.11	34.42	9.86	31.87	0.00	100	249	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																										
1	5137.16	62.70	74.00	-11.30	50.52	34.20	9.78	31.00	0.00	100	249	PEAK																																																																						
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																										
1	5270.00	109.52	-----	-----	97.11	34.42	9.86	31.87	0.00	100	249	PEAK																																																																						
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5125.82</td> <td>49.73</td> <td>54.00</td> <td>-4.27</td> <td>37.55</td> <td>34.20</td> <td>9.77</td> <td>31.79</td> <td>0.00</td> <td>100</td> <td>249</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5125.82	49.73	54.00	-4.27	37.55	34.20	9.77	31.79	0.00	100	249	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5270.00</td> <td>101.51</td> <td>-----</td> <td>-----</td> <td>89.05</td> <td>34.46</td> <td>9.87</td> <td>31.87</td> <td>0.00</td> <td>100</td> <td>249</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5270.00	101.51	-----	-----	89.05	34.46	9.87	31.87	0.00	100	249	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																										
1	5125.82	49.73	54.00	-4.27	37.55	34.20	9.77	31.79	0.00	100	249	AVERAGE																																																																						
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																										
1	5270.00	101.51	-----	-----	89.05	34.46	9.87	31.87	0.00	100	249	AVERAGE																																																																						



Mode	19																																												
	Band Edge - R																																												
	U-NII-2A_5.25-5.35_802.11ax HE40_CH54_Full RU_5270MHz																																												
ANT	CDD 5+4																																												
Pol.	Horizontal	Fundamental																																											
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5366.14</td> <td>62.89</td> <td>74.00</td> <td>-11.11</td> <td>50.34</td> <td>34.56</td> <td>9.92</td> <td>31.93</td> <td>0.00</td> <td>100</td> <td>249</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5366.14	62.89	74.00	-11.11	50.34	34.56	9.92	31.93	0.00	100	249	PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																			
1 5366.14	62.89	74.00	-11.11	50.34	34.56	9.92	31.93	0.00	100	249	PEAK																																		
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5354.74</td> <td>50.76</td> <td>54.00</td> <td>-3.24</td> <td>38.26</td> <td>34.52</td> <td>9.91</td> <td>31.93</td> <td>0.00</td> <td>100</td> <td>249</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5354.74	50.76	54.00	-3.24	38.26	34.52	9.91	31.93	0.00	100	249	AVERAGE	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																			
1 5354.74	50.76	54.00	-3.24	38.26	34.52	9.91	31.93	0.00	100	249	AVERAGE																																		



Mode	19																																																																											
	Band Edge - L																																																																											
	U-NII-2A_5.25-5.35_802.11ax HE40_CH54_Full RU_5270MHz																																																																											
ANT	CDD 5+4																																																																											
Pol.	Vertical	Fundamental																																																																										
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5148.50</td> <td>57.98</td> <td>74.00</td> <td>-16.02</td> <td>45.79</td> <td>34.20</td> <td>9.79</td> <td>31.00</td> <td>0.00</td> <td>281</td> <td>286</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5148.50	57.98	74.00	-16.02	45.79	34.20	9.79	31.00	0.00	281	286	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5270.00</td> <td>109.06</td> <td>-----</td> <td>-----</td> <td>96.63</td> <td>34.44</td> <td>9.86</td> <td>31.87</td> <td>0.00</td> <td>281</td> <td>286</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5270.00	109.06	-----	-----	96.63	34.44	9.86	31.87	0.00	281	286	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																					
1	5148.50	57.98	74.00	-16.02	45.79	34.20	9.79	31.00	0.00	281	286	PEAK																																																																
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																					
1	5270.00	109.06	-----	-----	96.63	34.44	9.86	31.87	0.00	281	286	PEAK																																																																
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5138.24</td> <td>45.10</td> <td>54.00</td> <td>-8.90</td> <td>32.92</td> <td>34.20</td> <td>9.78</td> <td>31.00</td> <td>0.00</td> <td>281</td> <td>286</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5138.24	45.10	54.00	-8.90	32.92	34.20	9.78	31.00	0.00	281	286	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5270.00</td> <td>99.60</td> <td>-----</td> <td>-----</td> <td>87.10</td> <td>34.51</td> <td>9.87</td> <td>31.88</td> <td>0.00</td> <td>281</td> <td>286</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5270.00	99.60	-----	-----	87.10	34.51	9.87	31.88	0.00	281	286	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																					
1	5138.24	45.10	54.00	-8.90	32.92	34.20	9.78	31.00	0.00	281	286	AVERAGE																																																																
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																					
1	5270.00	99.60	-----	-----	87.10	34.51	9.87	31.88	0.00	281	286	AVERAGE																																																																



Mode	19																																											
	Band Edge - R																																											
	U-NII-2A_5.25-5.35_802.11ax HE40_CH54_Full RU_5270MHz																																											
ANT	CDD 5+4																																											
Pol.	Vertical	Fundamental																																										
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5360.25</td> <td>61.13</td> <td>74.00</td> <td>-12.87</td> <td>48.60</td> <td>34.54</td> <td>9.92</td> <td>31.93</td> <td>0.00</td> <td>281</td> <td>286 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5360.25	61.13	74.00	-12.87	48.60	34.54	9.92	31.93	0.00	281	286 PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																		
1 5360.25	61.13	74.00	-12.87	48.60	34.54	9.92	31.93	0.00	281	286 PEAK																																		
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5350.18</td> <td>49.83</td> <td>54.00</td> <td>-4.17</td> <td>37.34</td> <td>34.50</td> <td>9.91</td> <td>31.92</td> <td>0.00</td> <td>281</td> <td>286 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5350.18	49.83	54.00	-4.17	37.34	34.50	9.91	31.92	0.00	281	286 AVERAGE	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																		
1 5350.18	49.83	54.00	-4.17	37.34	34.50	9.91	31.92	0.00	281	286 AVERAGE																																		





Mode	19																																																																																																																								
	Harmonic																																																																																																																								
	U-NII-2A_5.25-5.35_802.11ax HE40_CH54_Full RU_5270MHz																																																																																																																								
ANT	CDD 5+4																																																																																																																								
Pol.	Horizontal	Vertical																																																																																																																							
Peak Avg																																																																																																																									
	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 10540.00</td> <td>45.12</td> <td>68.20</td> <td>-23.08</td> <td>53.98</td> <td>37.78</td> <td>14.25</td> <td>60.89</td> <td>0.00</td> <td>---</td> </tr> <tr> <td>2 15810.00</td> <td>53.23</td> <td>74.00</td> <td>-20.77</td> <td>53.97</td> <td>40.81</td> <td>17.65</td> <td>59.20</td> <td>0.00</td> <td>274 360 Peak</td> </tr> <tr> <td>3 15810.00</td> <td>44.28</td> <td>54.00</td> <td>-9.72</td> <td>45.04</td> <td>40.80</td> <td>17.65</td> <td>59.21</td> <td>0.00</td> <td>274 360 AVERAGE</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	1 10540.00	45.12	68.20	-23.08	53.98	37.78	14.25	60.89	0.00	---	2 15810.00	53.23	74.00	-20.77	53.97	40.81	17.65	59.20	0.00	274 360 Peak	3 15810.00	44.28	54.00	-9.72	45.04	40.80	17.65	59.21	0.00	274 360 AVERAGE	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 10540.00</td> <td>45.32</td> <td>68.20</td> <td>-22.88</td> <td>54.18</td> <td>37.78</td> <td>14.25</td> <td>60.89</td> <td>0.00</td> <td>---</td> </tr> <tr> <td>2 15810.00</td> <td>53.23</td> <td>74.00</td> <td>-20.77</td> <td>53.97</td> <td>40.81</td> <td>17.65</td> <td>59.20</td> <td>0.00</td> <td>274 360 Peak</td> </tr> <tr> <td>3 15810.00</td> <td>44.28</td> <td>54.00</td> <td>-9.72</td> <td>45.04</td> <td>40.80</td> <td>17.65</td> <td>59.21</td> <td>0.00</td> <td>274 360 AVERAGE</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	1 10540.00	45.32	68.20	-22.88	54.18	37.78	14.25	60.89	0.00	---	2 15810.00	53.23	74.00	-20.77	53.97	40.81	17.65	59.20	0.00	274 360 Peak	3 15810.00	44.28	54.00	-9.72	45.04	40.80	17.65	59.21	0.00
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm																																																																																																																
1 10540.00	45.12	68.20	-23.08	53.98	37.78	14.25	60.89	0.00	---																																																																																																																
2 15810.00	53.23	74.00	-20.77	53.97	40.81	17.65	59.20	0.00	274 360 Peak																																																																																																																
3 15810.00	44.28	54.00	-9.72	45.04	40.80	17.65	59.21	0.00	274 360 AVERAGE																																																																																																																
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm																																																																																																																
1 10540.00	45.32	68.20	-22.88	54.18	37.78	14.25	60.89	0.00	---																																																																																																																
2 15810.00	53.23	74.00	-20.77	53.97	40.81	17.65	59.20	0.00	274 360 Peak																																																																																																																
3 15810.00	44.28	54.00	-9.72	45.04	40.80	17.65	59.21	0.00	274 360 AVERAGE																																																																																																																







Mode	20																																																																														
	Band Edge - L																																																																														
	U-NII-2A_5.25-5.35_802.11ax HE40_CH62_Full RU_5310MHz																																																																														
ANT	CDD 5+4																																																																														
Pol.	Horizontal	Fundamental																																																																													
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5144.15</td> <td>55.88</td> <td>74.00</td> <td>-18.12</td> <td>43.70</td> <td>34.20</td> <td>9.78</td> <td>31.00</td> <td>0.00</td> <td>101</td> <td>249</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5144.15	55.88	74.00	-18.12	43.70	34.20	9.78	31.00	0.00	101	249	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5310.00</td> <td>108.89</td> <td>-----</td> <td>96.32</td> <td>34.58</td> <td>9.89</td> <td>31.90</td> <td>0.00</td> <td>101</td> <td>249</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5310.00	108.89	-----	96.32	34.58	9.89	31.90	0.00	101	249	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																							
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Remark																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																						
1	5144.15	55.88	74.00	-18.12	43.70	34.20	9.78	31.00	0.00	101	249	PEAK																																																																			
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																								
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Remark																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																						
1	5310.00	108.89	-----	96.32	34.58	9.89	31.90	0.00	101	249	PEAK																																																																				
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5144.15</td> <td>43.55</td> <td>54.00</td> <td>-10.45</td> <td>31.37</td> <td>34.20</td> <td>9.78</td> <td>31.00</td> <td>0.00</td> <td>101</td> <td>249</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5144.15	43.55	54.00	-10.45	31.37	34.20	9.78	31.00	0.00	101	249	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5310.00</td> <td>99.90</td> <td>-----</td> <td>87.33</td> <td>34.58</td> <td>9.89</td> <td>31.90</td> <td>0.00</td> <td>101</td> <td>249</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5310.00	99.90	-----	87.33	34.58	9.89	31.90	0.00	101	249	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																								
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Remark																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																						
1	5144.15	43.55	54.00	-10.45	31.37	34.20	9.78	31.00	0.00	101	249	AVERAGE																																																																			
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																								
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Remark																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																						
1	5310.00	99.90	-----	87.33	34.58	9.89	31.90	0.00	101	249	AVERAGE																																																																				



Mode	20																																												
	Band Edge - R																																												
	U-NII-2A_5.25-5.35_802.11ax HE40_CH62_Full RU_5310MHz																																												
ANT	CDD 5+4																																												
Pol.	Horizontal	Fundamental																																											
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5365.20</td> <td>62.74</td> <td>74.00</td> <td>-11.26</td> <td>50.19</td> <td>34.56</td> <td>9.92</td> <td>31.93</td> <td>0.00</td> <td>101</td> <td>249</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5365.20	62.74	74.00	-11.26	50.19	34.56	9.92	31.93	0.00	101	249	PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																			
1 5365.20	62.74	74.00	-11.26	50.19	34.56	9.92	31.93	0.00	101	249	PEAK																																		
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5355.45</td> <td>49.46</td> <td>54.00</td> <td>-4.54</td> <td>36.96</td> <td>34.52</td> <td>9.91</td> <td>31.93</td> <td>0.00</td> <td>101</td> <td>249</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5355.45	49.46	54.00	-4.54	36.96	34.52	9.91	31.93	0.00	101	249	AVERAGE	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																			
1 5355.45	49.46	54.00	-4.54	36.96	34.52	9.91	31.93	0.00	101	249	AVERAGE																																		



Mode	20																																																																															
	Band Edge - L																																																																															
	U-NII-2A_5.25-5.35_802.11ax HE40_CH62_Full RU_5310MHz																																																																															
ANT	CDD 5+4																																																																															
Pol.	Vertical	Fundamental																																																																														
Peak	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5020.15</td> <td>53.64</td> <td>74.00</td> <td>-20.36</td> <td>41.56</td> <td>34.14</td> <td>9.67</td> <td>31.73</td> <td>0.00</td> <td>313</td> <td>284</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5020.15	53.64	74.00	-20.36	41.56	34.14	9.67	31.73	0.00	313	284	PEAK	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5310.00</td> <td>108.09</td> <td>-----</td> <td>-----</td> <td>95.50</td> <td>34.60</td> <td>9.89</td> <td>31.90</td> <td>0.00</td> <td>313</td> <td>284</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5310.00	108.09	-----	-----	95.50	34.60	9.89	31.90	0.00	313	284	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																								
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Remark																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1	5020.15	53.64	74.00	-20.36	41.56	34.14	9.67	31.73	0.00	313	284	PEAK																																																																				
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																									
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Remark																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1	5310.00	108.09	-----	-----	95.50	34.60	9.89	31.90	0.00	313	284	PEAK																																																																				
Avg	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5147.25</td> <td>42.84</td> <td>54.00</td> <td>-11.16</td> <td>30.66</td> <td>34.20</td> <td>9.78</td> <td>31.00</td> <td>0.00</td> <td>313</td> <td>284</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5147.25	42.84	54.00	-11.16	30.66	34.20	9.78	31.00	0.00	313	284	AVERAGE	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5310.00</td> <td>98.42</td> <td>-----</td> <td>-----</td> <td>85.83</td> <td>34.60</td> <td>9.89</td> <td>31.90</td> <td>0.00</td> <td>313</td> <td>284</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5310.00	98.42	-----	-----	85.83	34.60	9.89	31.90	0.00	313	284	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																									
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Remark																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1	5147.25	42.84	54.00	-11.16	30.66	34.20	9.78	31.00	0.00	313	284	AVERAGE																																																																				
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																									
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Remark																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1	5310.00	98.42	-----	-----	85.83	34.60	9.89	31.90	0.00	313	284	AVERAGE																																																																				







Mode	20																																												
	Band Edge - R																																												
	U-NII-2A_5.25-5.35_802.11ax HE40_CH62_Full RU_5310MHz																																												
ANT	CDD 5+4																																												
Pol.	Vertical	Fundamental																																											
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5350.05</td> <td>62.58</td> <td>74.00</td> <td>-11.42</td> <td>50.09</td> <td>34.50</td> <td>9.91</td> <td>31.92</td> <td>0.00</td> <td>313</td> <td>284</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5350.05	62.58	74.00	-11.42	50.09	34.50	9.91	31.92	0.00	313	284	PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																			
1 5350.05	62.58	74.00	-11.42	50.09	34.50	9.91	31.92	0.00	313	284	PEAK																																		
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5350.05</td> <td>50.04</td> <td>54.00</td> <td>-3.96</td> <td>37.55</td> <td>34.50</td> <td>9.91</td> <td>31.92</td> <td>0.00</td> <td>313</td> <td>284</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5350.05	50.04	54.00	-3.96	37.55	34.50	9.91	31.92	0.00	313	284	AVERAGE	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																			
1 5350.05	50.04	54.00	-3.96	37.55	34.50	9.91	31.92	0.00	313	284	AVERAGE																																		



Mode	20																																																																																																																	
	Harmonic																																																																																																																	
	U-NII-2A_5.25-5.35_802.11ax HE40_CH62_Full RU_5310MHz																																																																																																																	
ANT	CDD 5+4																																																																																																																	
Pol.	Horizontal	Vertical																																																																																																																
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 10620.00</td> <td>44.76</td> <td>74.00</td> <td>-29.24</td> <td>53.44</td> <td>37.90</td> <td>14.31</td> <td>60.89</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td>0.00</td> <td></td> <td></td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>cm</td> <td>deg</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 10620.00	44.76	74.00	-29.24	53.44	37.90	14.31	60.89						0.00									cm	deg								PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 10620.00</td> <td>45.34</td> <td>74.00</td> <td>-28.66</td> <td>54.02</td> <td>37.90</td> <td>14.31</td> <td>60.89</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td>0.00</td> <td></td> <td></td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>cm</td> <td>deg</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 10620.00	45.34	74.00	-28.66	54.02	37.90	14.31	60.89						0.00									cm	deg								PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																											
1 10620.00	44.76	74.00	-29.24	53.44	37.90	14.31	60.89																																																																																																											
					0.00																																																																																																													
						cm	deg																																																																																																											
							PEAK																																																																																																											
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																											
1 10620.00	45.34	74.00	-28.66	54.02	37.90	14.31	60.89																																																																																																											
					0.00																																																																																																													
						cm	deg																																																																																																											
							PEAK																																																																																																											



Mode	21																																																																																																	
	Band Edge - L																																																																																																	
	U-NII-2A_5.25-5.35_802.11ax HE80_CH58_Full RU_5290MHz																																																																																																	
ANT	CDD 5+4																																																																																																	
Pol.	Horizontal	Fundamental																																																																																																
Peak	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5118.32</td> <td>55.21</td> <td>74.00</td> <td>-18.79</td> <td>43.03</td> <td>34.20</td> <td>9.76</td> <td>31.78</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>0.00</td> <td>100</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>249 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 5118.32	55.21	74.00	-18.79	43.03	34.20	9.76	31.78							0.00	100								249 PEAK	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5290.00</td> <td>104.87</td> <td>-----</td> <td>-----</td> <td>92.41</td> <td>34.46</td> <td>9.87</td> <td>31.87</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>0.00</td> <td>100</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>249 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 5290.00	104.87	-----	-----	92.41	34.46	9.87	31.87							0.00	100								249 PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																											
1 5118.32	55.21	74.00	-18.79	43.03	34.20	9.76	31.78																																																																																											
						0.00	100																																																																																											
							249 PEAK																																																																																											
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																											
1 5290.00	104.87	-----	-----	92.41	34.46	9.87	31.87																																																																																											
						0.00	100																																																																																											
							249 PEAK																																																																																											
Avg	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5135.14</td> <td>43.10</td> <td>54.00</td> <td>-10.90</td> <td>30.92</td> <td>34.20</td> <td>9.77</td> <td>31.79</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>0.00</td> <td>100</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>249 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 5135.14	43.10	54.00	-10.90	30.92	34.20	9.77	31.79							0.00	100								249 AVERAGE	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5290.00</td> <td>95.37</td> <td>-----</td> <td>-----</td> <td>82.00</td> <td>34.58</td> <td>9.88</td> <td>31.89</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>0.00</td> <td>100</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>249 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 5290.00	95.37	-----	-----	82.00	34.58	9.88	31.89							0.00	100								249 AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																											
1 5135.14	43.10	54.00	-10.90	30.92	34.20	9.77	31.79																																																																																											
						0.00	100																																																																																											
							249 AVERAGE																																																																																											
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																											
1 5290.00	95.37	-----	-----	82.00	34.58	9.88	31.89																																																																																											
						0.00	100																																																																																											
							249 AVERAGE																																																																																											



Mode	21																																												
	Band Edge - R																																												
	U-NII-2A_5.25-5.35_802.11ax HE80_CH58_Full RU_5290MHz																																												
ANT	CDD 5+4																																												
Pol.	Horizontal	Fundamental																																											
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5355.28</td> <td>60.21</td> <td>74.00</td> <td>-13.79</td> <td>47.71</td> <td>34.52</td> <td>9.91</td> <td>31.93</td> <td>0.00</td> <td>100</td> <td>249</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5355.28	60.21	74.00	-13.79	47.71	34.52	9.91	31.93	0.00	100	249	PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																			
1 5355.28	60.21	74.00	-13.79	47.71	34.52	9.91	31.93	0.00	100	249	PEAK																																		
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5355.45</td> <td>49.57</td> <td>54.00</td> <td>-4.43</td> <td>37.07</td> <td>34.52</td> <td>9.91</td> <td>31.93</td> <td>0.00</td> <td>100</td> <td>249</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5355.45	49.57	54.00	-4.43	37.07	34.52	9.91	31.93	0.00	100	249	AVERAGE	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																			
1 5355.45	49.57	54.00	-4.43	37.07	34.52	9.91	31.93	0.00	100	249	AVERAGE																																		





Mode	21																																																																	
	Band Edge - L																																																																	
	U-NII-2A_5.25-5.35_802.11ax HE80_CH58_Full RU_5290MHz																																																																	
ANT	CDD 5+4																																																																	
Pol.	Vertical	Fundamental																																																																
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq Level Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz dBuV/m dBuV/m dB</th> <th>dBuV dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5092.51 54.77 74.00 -19.23</td> <td>42.60 34.20</td> <td>9.74</td> <td>31.77</td> <td>0.00</td> <td>314</td> <td>282</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq Level Line Margin	Level Factor	Loss Factor	Loss Factor	Factor	Factor	cm	deg	MHz dBuV/m dBuV/m dB	dBuV dB/m	dB	dB	dB	dB	cm	deg	1 5092.51 54.77 74.00 -19.23	42.60 34.20	9.74	31.77	0.00	314	282	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq Level Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz dBuV/m dBuV/m dB</th> <th>dBuV dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5290.00 102.77</td> <td>90.18 34.60</td> <td>9.89</td> <td>31.90</td> <td>0.00</td> <td>314</td> <td>282</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq Level Line Margin	Level Factor	Loss Factor	Loss Factor	Factor	Factor	cm	deg	MHz dBuV/m dBuV/m dB	dBuV dB/m	dB	dB	dB	dB	cm	deg	1 5290.00 102.77	90.18 34.60	9.89	31.90	0.00	314	282	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq Level Line Margin	Level Factor	Loss Factor	Loss Factor	Factor	Factor	cm	deg																																																											
MHz dBuV/m dBuV/m dB	dBuV dB/m	dB	dB	dB	dB	cm	deg																																																											
1 5092.51 54.77 74.00 -19.23	42.60 34.20	9.74	31.77	0.00	314	282	PEAK																																																											
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																											
Freq Level Line Margin	Level Factor	Loss Factor	Loss Factor	Factor	Factor	cm	deg																																																											
MHz dBuV/m dBuV/m dB	dBuV dB/m	dB	dB	dB	dB	cm	deg																																																											
1 5290.00 102.77	90.18 34.60	9.89	31.90	0.00	314	282	PEAK																																																											
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq Level Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz dBuV/m dBuV/m dB</th> <th>dBuV dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5136.30 42.86 54.00 -11.14</td> <td>30.68 34.20</td> <td>9.77</td> <td>31.79</td> <td>0.00</td> <td>314</td> <td>282</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq Level Line Margin	Level Factor	Loss Factor	Loss Factor	Factor	Factor	cm	deg	MHz dBuV/m dBuV/m dB	dBuV dB/m	dB	dB	dB	dB	cm	deg	1 5136.30 42.86 54.00 -11.14	30.68 34.20	9.77	31.79	0.00	314	282	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq Level Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz dBuV/m dBuV/m dB</th> <th>dBuV dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5290.00 93.82</td> <td>81.23 34.60</td> <td>9.89</td> <td>31.90</td> <td>0.00</td> <td>314</td> <td>282</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq Level Line Margin	Level Factor	Loss Factor	Loss Factor	Factor	Factor	cm	deg	MHz dBuV/m dBuV/m dB	dBuV dB/m	dB	dB	dB	dB	cm	deg	1 5290.00 93.82	81.23 34.60	9.89	31.90	0.00	314	282	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																											
Freq Level Line Margin	Level Factor	Loss Factor	Loss Factor	Factor	Factor	cm	deg																																																											
MHz dBuV/m dBuV/m dB	dBuV dB/m	dB	dB	dB	dB	cm	deg																																																											
1 5136.30 42.86 54.00 -11.14	30.68 34.20	9.77	31.79	0.00	314	282	AVERAGE																																																											
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																											
Freq Level Line Margin	Level Factor	Loss Factor	Loss Factor	Factor	Factor	cm	deg																																																											
MHz dBuV/m dBuV/m dB	dBuV dB/m	dB	dB	dB	dB	cm	deg																																																											
1 5290.00 93.82	81.23 34.60	9.89	31.90	0.00	314	282	AVERAGE																																																											



Mode	21																																											
	Band Edge - R																																											
	U-NII-2A_5.25-5.35_802.11ax HE80_CH58_Full RU_5290MHz																																											
ANT	CDD 5+4																																											
Pol.	Vertical	Fundamental																																										
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5359.36</td> <td>58.76</td> <td>74.00</td> <td>-15.24</td> <td>46.23</td> <td>34.54</td> <td>9.92</td> <td>31.93</td> <td>0.00</td> <td>314</td> <td>282</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5359.36	58.76	74.00	-15.24	46.23	34.54	9.92	31.93	0.00	314	282	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																		
1 5359.36	58.76	74.00	-15.24	46.23	34.54	9.92	31.93	0.00	314	282																																		
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5350.35</td> <td>48.56</td> <td>54.00</td> <td>-5.44</td> <td>36.07</td> <td>34.50</td> <td>9.91</td> <td>31.92</td> <td>0.00</td> <td>314</td> <td>282</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5350.35	48.56	54.00	-5.44	36.07	34.50	9.91	31.92	0.00	314	282	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																		
1 5350.35	48.56	54.00	-5.44	36.07	34.50	9.91	31.92	0.00	314	282																																		



Mode	21																																																																																																																																	
	Harmonic																																																																																																																																	
	U-NII-2A_5.25-5.35_802.11ax HE80_CH58_Full RU_5290MHz																																																																																																																																	
ANT	CDD 5+4																																																																																																																																	
Pol.	Horizontal	Vertical																																																																																																																																
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 10580.00</td> <td>45.83</td> <td>68.20</td> <td>-22.37</td> <td>54.58</td> <td>37.86</td> <td>14.28</td> <td>60.89</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td>0.00</td> <td></td> <td>---</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>deg</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>---</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 10580.00	45.83	68.20	-22.37	54.58	37.86	14.28	60.89						0.00		---								deg								---								PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 10580.00</td> <td>45.98</td> <td>68.20</td> <td>-22.22</td> <td>54.73</td> <td>37.86</td> <td>14.28</td> <td>60.89</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td>0.00</td> <td></td> <td>---</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>deg</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>---</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 10580.00	45.98	68.20	-22.22	54.73	37.86	14.28	60.89						0.00		---								deg								---								PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																																											
1 10580.00	45.83	68.20	-22.37	54.58	37.86	14.28	60.89																																																																																																																											
					0.00		---																																																																																																																											
							deg																																																																																																																											
							---																																																																																																																											
							PEAK																																																																																																																											
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																																											
1 10580.00	45.98	68.20	-22.22	54.73	37.86	14.28	60.89																																																																																																																											
					0.00		---																																																																																																																											
							deg																																																																																																																											
							---																																																																																																																											
							PEAK																																																																																																																											







<b>22</b>																																																																														
<b>Mode</b>																																																																														
<b>Band Edge - L</b>																																																																														
<b>U-NII-2A_5.25-5.35_802.11ax HE160_CH50_Full RU_5250MHz</b>																																																																														
<b>ANT</b>																																																																														
<b>CDD 5+4</b>																																																																														
<b>Pol.</b>																																																																														
<b>Horizontal</b>	<b>Fundamental</b>																																																																													
<b>Peak</b>	<b>Fundamental</b>																																																																													
<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5188.50</td> <td>59.12</td> <td>74.00</td> <td>-14.88</td> <td>46.95</td> <td>34.20</td> <td>9.75</td> <td>31.78</td> <td>0.00</td> <td>102</td> <td>248</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5188.50	59.12	74.00	-14.88	46.95	34.20	9.75	31.78	0.00	102	248	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5250.00</td> <td>101.15</td> <td>-----</td> <td>88.58</td> <td>34.58</td> <td>9.89</td> <td>31.90</td> <td>0.00</td> <td>102</td> <td>248</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5250.00	101.15	-----	88.58	34.58	9.89	31.90	0.00	102	248	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Remark																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																					
1	5188.50	59.12	74.00	-14.88	46.95	34.20	9.75	31.78	0.00	102	248	PEAK																																																																		
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Remark																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																					
1	5250.00	101.15	-----	88.58	34.58	9.89	31.90	0.00	102	248	PEAK																																																																			
<b>Avg</b>	<b>Avg</b>																																																																													
<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5117.00</td> <td>47.16</td> <td>54.00</td> <td>-6.84</td> <td>34.98</td> <td>34.20</td> <td>9.76</td> <td>31.78</td> <td>0.00</td> <td>102</td> <td>248</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5117.00	47.16	54.00	-6.84	34.98	34.20	9.76	31.78	0.00	102	248	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5250.00</td> <td>91.58</td> <td>-----</td> <td>79.17</td> <td>34.42</td> <td>9.86</td> <td>31.87</td> <td>0.00</td> <td>102</td> <td>248</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5250.00	91.58	-----	79.17	34.42	9.86	31.87	0.00	102	248	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Remark																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																					
1	5117.00	47.16	54.00	-6.84	34.98	34.20	9.76	31.78	0.00	102	248	AVERAGE																																																																		
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Remark																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																					
1	5250.00	91.58	-----	79.17	34.42	9.86	31.87	0.00	102	248	AVERAGE																																																																			



Mode	22																																											
	Band Edge - R																																											
	U-NII-2A_5.25-5.35_802.11ax HE160_CH50_Full RU_5250MHz																																											
ANT	CDD 5+4																																											
Pol.	Horizontal	Fundamental																																										
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5395.11</td> <td>62.48</td> <td>74.00</td> <td>-11.52</td> <td>49.81</td> <td>34.68</td> <td>9.94</td> <td>31.95</td> <td>0.00</td> <td>102</td> <td>248</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5395.11	62.48	74.00	-11.52	49.81	34.68	9.94	31.95	0.00	102	248	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																		
1 5395.11	62.48	74.00	-11.52	49.81	34.68	9.94	31.95	0.00	102	248																																		
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5356.05</td> <td>50.78</td> <td>54.00</td> <td>-3.22</td> <td>38.28</td> <td>34.52</td> <td>9.91</td> <td>31.93</td> <td>0.00</td> <td>102</td> <td>248</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5356.05	50.78	54.00	-3.22	38.28	34.52	9.91	31.93	0.00	102	248	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																		
1 5356.05	50.78	54.00	-3.22	38.28	34.52	9.91	31.93	0.00	102	248																																		



Mode	22																																																																									
	Band Edge - L																																																																									
	U-NII-2A_5.25-5.35_802.11ax HE160_CH50_Full RU_5250MHz																																																																									
ANT	CDD 5+4																																																																									
Pol.	Vertical	Fundamental																																																																								
Peak	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5067.50</td> <td>56.29</td> <td>74.00</td> <td>-17.71</td> <td>44.13</td> <td>34.20</td> <td>9.71</td> <td>31.75</td> <td>0.00</td> <td>335</td> <td>287</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 5067.50	56.29	74.00	-17.71	44.13	34.20	9.71	31.75	0.00	335	287	PEAK	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5250.00</td> <td>98.74</td> <td>-----</td> <td>-----</td> <td>86.24</td> <td>34.51</td> <td>9.87</td> <td>31.88</td> <td>0.00</td> <td>335</td> <td>287</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 5250.00	98.74	-----	-----	86.24	34.51	9.87	31.88	0.00	335	287	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																			
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																			
1 5067.50	56.29	74.00	-17.71	44.13	34.20	9.71	31.75	0.00	335	287	PEAK																																																															
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																			
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																			
1 5250.00	98.74	-----	-----	86.24	34.51	9.87	31.88	0.00	335	287	PEAK																																																															
Avg	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5140.00</td> <td>44.52</td> <td>54.00</td> <td>-9.48</td> <td>32.34</td> <td>34.20</td> <td>9.78</td> <td>31.00</td> <td>0.00</td> <td>335</td> <td>287</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 5140.00	44.52	54.00	-9.48	32.34	34.20	9.78	31.00	0.00	335	287	AVERAGE	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5250.00</td> <td>89.69</td> <td>-----</td> <td>-----</td> <td>77.14</td> <td>34.56</td> <td>9.88</td> <td>31.89</td> <td>0.00</td> <td>335</td> <td>287</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 5250.00	89.69	-----	-----	77.14	34.56	9.88	31.89	0.00	335	287	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																			
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																			
1 5140.00	44.52	54.00	-9.48	32.34	34.20	9.78	31.00	0.00	335	287	AVERAGE																																																															
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																			
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																			
1 5250.00	89.69	-----	-----	77.14	34.56	9.88	31.89	0.00	335	287	AVERAGE																																																															



Mode	22																																											
	Band Edge - R																																											
	U-NII-2A_5.25-5.35_802.11ax HE160_CH50_Full RU_5250MHz																																											
ANT	CDD 5+4																																											
Pol.	Vertical	Fundamental																																										
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5404.56</td> <td>60.63</td> <td>74.00</td> <td>-13.37</td> <td>47.95</td> <td>34.70</td> <td>9.94</td> <td>31.96</td> <td>0.00</td> <td>335</td> <td>287</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5404.56	60.63	74.00	-13.37	47.95	34.70	9.94	31.96	0.00	335	287	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																		
1 5404.56	60.63	74.00	-13.37	47.95	34.70	9.94	31.96	0.00	335	287																																		
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5369.49</td> <td>48.97</td> <td>54.00</td> <td>-5.03</td> <td>36.41</td> <td>34.58</td> <td>9.92</td> <td>31.94</td> <td>0.00</td> <td>335</td> <td>287</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5369.49	48.97	54.00	-5.03	36.41	34.58	9.92	31.94	0.00	335	287	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																		
1 5369.49	48.97	54.00	-5.03	36.41	34.58	9.92	31.94	0.00	335	287																																		



Mode	22																																																																																																															
	Harmonic																																																																																																															
	U-NII-2A_5.25-5.35_802.11ax HE160_CH50_Full RU_5250MHz																																																																																																															
ANT	CDD 5+4																																																																																																															
Pol.	Horizontal	Vertical																																																																																																														
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7000.00</td> <td>62.07</td> <td>68.20</td> <td>-6.13</td> <td>74.88</td> <td>35.70</td> <td>11.49</td> <td>60.00</td> <td>0.00</td> <td>130</td> <td>205</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>10500.00</td> <td>46.53</td> <td>68.20</td> <td>-21.67</td> <td>55.50</td> <td>37.70</td> <td>14.22</td> <td>60.89</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7000.00	62.07	68.20	-6.13	74.88	35.70	11.49	60.00	0.00	130	205	Peak	2	10500.00	46.53	68.20	-21.67	55.50	37.70	14.22	60.89	0.00	---	---	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7000.00</td> <td>59.49</td> <td>68.20</td> <td>-8.71</td> <td>72.30</td> <td>35.70</td> <td>11.49</td> <td>60.00</td> <td>0.00</td> <td>300</td> <td>2</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>10500.00</td> <td>45.33</td> <td>68.20</td> <td>-22.87</td> <td>54.30</td> <td>37.70</td> <td>14.22</td> <td>60.89</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7000.00	59.49	68.20	-8.71	72.30	35.70	11.49	60.00	0.00	300	2	Peak	2	10500.00	45.33	68.20	-22.87	54.30	37.70	14.22	60.89	0.00	---	---	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																						
1	7000.00	62.07	68.20	-6.13	74.88	35.70	11.49	60.00	0.00	130	205	Peak																																																																																																				
2	10500.00	46.53	68.20	-21.67	55.50	37.70	14.22	60.89	0.00	---	---	PEAK																																																																																																				
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																						
1	7000.00	59.49	68.20	-8.71	72.30	35.70	11.49	60.00	0.00	300	2	Peak																																																																																																				
2	10500.00	45.33	68.20	-22.87	54.30	37.70	14.22	60.89	0.00	---	---	PEAK																																																																																																				





Mode	23																																																																																																																	
	Band Edge																																																																																																																	
	U-NII-2A_5.25-5.35_802.11ax HE20_CH64_Partial_26/8RU_5320MHz																																																																																																																	
ANT	CDD 5+4																																																																																																																	
Pol.	Horizontal	Fundamental																																																																																																																
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5359.34</td> <td>52.55</td> <td>74.00</td> <td>-21.45</td> <td>40.02</td> <td>34.54</td> <td>9.92</td> <td>31.93</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>0.00</td> <td>100</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>308</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 5359.34	52.55	74.00	-21.45	40.02	34.54	9.92	31.93							0.00	100								308								PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5320.00</td> <td>109.05</td> <td>-----</td> <td>-----</td> <td>96.51</td> <td>34.55</td> <td>9.90</td> <td>31.91</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>0.00</td> <td>100</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>308</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 5320.00	109.05	-----	-----	96.51	34.55	9.90	31.91							0.00	100								308								PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																											
1 5359.34	52.55	74.00	-21.45	40.02	34.54	9.92	31.93																																																																																																											
						0.00	100																																																																																																											
							308																																																																																																											
							PEAK																																																																																																											
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																											
1 5320.00	109.05	-----	-----	96.51	34.55	9.90	31.91																																																																																																											
						0.00	100																																																																																																											
							308																																																																																																											
							PEAK																																																																																																											
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5455.24</td> <td>41.40</td> <td>54.00</td> <td>-12.60</td> <td>28.67</td> <td>34.70</td> <td>10.02</td> <td>31.99</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>0.00</td> <td>100</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>308</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 5455.24	41.40	54.00	-12.60	28.67	34.70	10.02	31.99							0.00	100								308								AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5320.00</td> <td>101.13</td> <td>-----</td> <td>-----</td> <td>88.59</td> <td>34.55</td> <td>9.90</td> <td>31.91</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>0.00</td> <td>100</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>308</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 5320.00	101.13	-----	-----	88.59	34.55	9.90	31.91							0.00	100								308								AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																											
1 5455.24	41.40	54.00	-12.60	28.67	34.70	10.02	31.99																																																																																																											
						0.00	100																																																																																																											
							308																																																																																																											
							AVERAGE																																																																																																											
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																											
1 5320.00	101.13	-----	-----	88.59	34.55	9.90	31.91																																																																																																											
						0.00	100																																																																																																											
							308																																																																																																											
							AVERAGE																																																																																																											







Mode	23																																																																																																																																	
	Band Edge																																																																																																																																	
	U-NII-2A_5.25-5.35_802.11ax HE20_CH64_Partial_26/8RU_5320MHz																																																																																																																																	
ANT	CDD 5+4																																																																																																																																	
Pol.	Vertical	Fundamental																																																																																																																																
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5444.60</td> <td>52.69</td> <td>74.00</td> <td>-21.31</td> <td>39.97</td> <td>34.70</td> <td>10.00</td> <td>31.98</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>0.00</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>310</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>110</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 5444.60	52.69	74.00	-21.31	39.97	34.70	10.00	31.98								0.00								310								110								PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5320.00</td> <td>110.80</td> <td>-----</td> <td>-----</td> <td>98.26</td> <td>34.55</td> <td>9.90</td> <td>31.91</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>0.00</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>310</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>110</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 5320.00	110.80	-----	-----	98.26	34.55	9.90	31.91								0.00								310								110								PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																																											
1 5444.60	52.69	74.00	-21.31	39.97	34.70	10.00	31.98																																																																																																																											
							0.00																																																																																																																											
							310																																																																																																																											
							110																																																																																																																											
							PEAK																																																																																																																											
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																																											
1 5320.00	110.80	-----	-----	98.26	34.55	9.90	31.91																																																																																																																											
							0.00																																																																																																																											
							310																																																																																																																											
							110																																																																																																																											
							PEAK																																																																																																																											
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5456.50</td> <td>41.38</td> <td>54.00</td> <td>-12.62</td> <td>28.65</td> <td>34.70</td> <td>10.02</td> <td>31.99</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>0.00</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>310</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>110</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 5456.50	41.38	54.00	-12.62	28.65	34.70	10.02	31.99								0.00								310								110								AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5320.00</td> <td>102.55</td> <td>-----</td> <td>-----</td> <td>90.01</td> <td>34.55</td> <td>9.90</td> <td>31.91</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>0.00</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>310</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>110</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 5320.00	102.55	-----	-----	90.01	34.55	9.90	31.91								0.00								310								110								AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																																											
1 5456.50	41.38	54.00	-12.62	28.65	34.70	10.02	31.99																																																																																																																											
							0.00																																																																																																																											
							310																																																																																																																											
							110																																																																																																																											
							AVERAGE																																																																																																																											
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																																											
1 5320.00	102.55	-----	-----	90.01	34.55	9.90	31.91																																																																																																																											
							0.00																																																																																																																											
							310																																																																																																																											
							110																																																																																																																											
							AVERAGE																																																																																																																											







	<b>24</b>																																																																																	
<b>Mode</b>	<b>Band Edge</b>																																																																																	
	<b>U-NII-2A_5.25-5.35_802.11ax HE20_CH64_Partial_52/40RU_5320MHz</b>																																																																																	
<b>ANT</b>	<b>CDD 5+4</b>																																																																																	
<b>Pol.</b>	<b>Horizontal</b>	<b>Fundamental</b>																																																																																
<b>Peak</b>	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5348.38</td> <td>53.69</td> <td>74.00</td> <td>-20.31</td> <td>40.96</td> <td>34.70</td> <td>10.01</td> <td>31.98</td> <td>0.00</td> <td>100</td> <td>308</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5348.38	53.69	74.00	-20.31	40.96	34.70	10.01	31.98	0.00	100	308	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5320.00</td> <td>110.07</td> <td>-----</td> <td>-----</td> <td>97.53</td> <td>34.55</td> <td>9.90</td> <td>31.91</td> <td>0.00</td> <td>100</td> <td>308</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5320.00	110.07	-----	-----	97.53	34.55	9.90	31.91	0.00	100	308	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1 5348.38	53.69	74.00	-20.31	40.96	34.70	10.01	31.98	0.00	100	308	PEAK																																																																							
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1 5320.00	110.07	-----	-----	97.53	34.55	9.90	31.91	0.00	100	308	PEAK																																																																							
<b>Avg</b>	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5350.38</td> <td>41.64</td> <td>54.00</td> <td>-12.36</td> <td>29.15</td> <td>34.50</td> <td>9.91</td> <td>31.92</td> <td>0.00</td> <td>100</td> <td>308</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5350.38	41.64	54.00	-12.36	29.15	34.50	9.91	31.92	0.00	100	308	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5320.00</td> <td>101.90</td> <td>-----</td> <td>-----</td> <td>89.36</td> <td>34.55</td> <td>9.90</td> <td>31.91</td> <td>0.00</td> <td>100</td> <td>308</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5320.00	101.90	-----	-----	89.36	34.55	9.90	31.91	0.00	100	308	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1 5350.38	41.64	54.00	-12.36	29.15	34.50	9.91	31.92	0.00	100	308	AVERAGE																																																																							
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1 5320.00	101.90	-----	-----	89.36	34.55	9.90	31.91	0.00	100	308	AVERAGE																																																																							



		24																																																																
Mode	Band Edge																																																																	
	U-NII-2A_5.25-5.35_802.11ax HE20_CH64_Partial_52/40RU_5320MHz																																																																	
ANT	CDD 5+4																																																																	
Pol.	Vertical	Fundamental																																																																
Peak	 <p>Level (dBuV/m) vs Frequency (MHz) for Vertical polarization. The plot shows a peak at 5338.30 MHz with a level of 110 dBuV/m. A red limit line is shown at 81.3 dBuV/m.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5338.30</td> <td>110.47</td> <td>-20.67</td> <td>40.62</td> <td>34.70</td> <td>9.99</td> <td>31.98</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5338.30	110.47	-20.67	40.62	34.70	9.99	31.98	 <p>Level (dBuV/m) vs Frequency (MHz) for Fundamental polarization. The plot shows a peak at 5320.00 MHz with a level of 110 dBuV/m. A red limit line is shown at 81.3 dBuV/m.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5320.00</td> <td>110.47</td> <td>-20.67</td> <td>40.62</td> <td>34.70</td> <td>9.99</td> <td>31.98</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5320.00	110.47	-20.67	40.62	34.70	9.99	31.98
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																											
1	5338.30	110.47	-20.67	40.62	34.70	9.99	31.98																																																											
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																											
1	5320.00	110.47	-20.67	40.62	34.70	9.99	31.98																																																											
Avg	 <p>Level (dBuV/m) vs Frequency (MHz) for Vertical polarization (Average). The plot shows a peak at 5350.10 MHz with a level of 110 dBuV/m. A red limit line is shown at 81.3 dBuV/m.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5350.10</td> <td>110.47</td> <td>-20.67</td> <td>40.62</td> <td>34.70</td> <td>9.99</td> <td>31.98</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5350.10	110.47	-20.67	40.62	34.70	9.99	31.98	 <p>Level (dBuV/m) vs Frequency (MHz) for Fundamental polarization (Average). The plot shows a peak at 5320.00 MHz with a level of 110 dBuV/m. A red limit line is shown at 81.3 dBuV/m.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5320.00</td> <td>110.47</td> <td>-20.67</td> <td>40.62</td> <td>34.70</td> <td>9.99</td> <td>31.98</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5320.00	110.47	-20.67	40.62	34.70	9.99	31.98
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																											
1	5350.10	110.47	-20.67	40.62	34.70	9.99	31.98																																																											
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																											
1	5320.00	110.47	-20.67	40.62	34.70	9.99	31.98																																																											







Mode	25																																																																																							
	Band Edge																																																																																							
	U-NII-2A_5.25-5.35_802.11ax HE20_CH64_Partial_106/54RU_5320MHz																																																																																							
ANT	CDD 5+4																																																																																							
Pol.	Horizontal	Fundamental																																																																																						
Peak	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5353.74</td> <td>59.10</td> <td>74.00</td> <td>-14.90</td> <td>46.61</td> <td>34.51</td> <td>9.91</td> <td>31.93</td> <td>0.00</td> <td>100</td> <td>311 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5353.74	59.10	74.00	-14.90	46.61	34.51	9.91	31.93	0.00	100	311 PEAK	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5320.00</td> <td>110.64</td> <td>-----</td> <td>-----</td> <td>98.10</td> <td>34.55</td> <td>9.90</td> <td>31.91</td> <td>0.00</td> <td>100</td> <td>311 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5320.00	110.64	-----	-----	98.10	34.55	9.90	31.91	0.00	100	311 PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1	5353.74	59.10	74.00	-14.90	46.61	34.51	9.91	31.93	0.00	100	311 PEAK																																																																													
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1	5320.00	110.64	-----	-----	98.10	34.55	9.90	31.91	0.00	100	311 PEAK																																																																													
Avg	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5350.10</td> <td>42.03</td> <td>54.00</td> <td>-11.97</td> <td>29.54</td> <td>34.50</td> <td>9.91</td> <td>31.92</td> <td>0.00</td> <td>100</td> <td>311 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5350.10	42.03	54.00	-11.97	29.54	34.50	9.91	31.92	0.00	100	311 AVERAGE	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5320.00</td> <td>102.00</td> <td>-----</td> <td>-----</td> <td>89.46</td> <td>34.55</td> <td>9.90</td> <td>31.91</td> <td>0.00</td> <td>100</td> <td>311 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5320.00	102.00	-----	-----	89.46	34.55	9.90	31.91	0.00	100	311 AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1	5350.10	42.03	54.00	-11.97	29.54	34.50	9.91	31.92	0.00	100	311 AVERAGE																																																																													
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1	5320.00	102.00	-----	-----	89.46	34.55	9.90	31.91	0.00	100	311 AVERAGE																																																																													







Mode	25																																																																																											
	Band Edge																																																																																											
	U-NII-2A_5.25-5.35_802.11ax HE20_CH64_Partial_106/54RU_5320MHz																																																																																											
ANT	CDD 5+4																																																																																											
Pol.	Vertical	Fundamental																																																																																										
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5356.26</td> <td>56.44</td> <td>74.00</td> <td>-17.56</td> <td>43.93</td> <td>34.53</td> <td>9.91</td> <td>31.93</td> <td>0.00</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>311</td> <td>112 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 5356.26	56.44	74.00	-17.56	43.93	34.53	9.91	31.93	0.00								311	112 PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5320.00</td> <td>109.83</td> <td>-----</td> <td>-----</td> <td>97.29</td> <td>34.55</td> <td>9.90</td> <td>31.91</td> <td>0.00</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>311</td> <td>112 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 5320.00	109.83	-----	-----	97.29	34.55	9.90	31.91	0.00								311	112 PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																				
1 5356.26	56.44	74.00	-17.56	43.93	34.53	9.91	31.93	0.00																																																																																				
							311	112 PEAK																																																																																				
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																				
1 5320.00	109.83	-----	-----	97.29	34.55	9.90	31.91	0.00																																																																																				
							311	112 PEAK																																																																																				
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5350.10</td> <td>42.69</td> <td>54.00</td> <td>-11.31</td> <td>30.20</td> <td>34.50</td> <td>9.91</td> <td>31.92</td> <td>0.00</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>311</td> <td>112 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 5350.10	42.69	54.00	-11.31	30.20	34.50	9.91	31.92	0.00								311	112 AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5320.00</td> <td>101.90</td> <td>-----</td> <td>-----</td> <td>89.36</td> <td>34.55</td> <td>9.90</td> <td>31.91</td> <td>0.00</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>311</td> <td>112 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 5320.00	101.90	-----	-----	89.36	34.55	9.90	31.91	0.00								311	112 AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																				
1 5350.10	42.69	54.00	-11.31	30.20	34.50	9.91	31.92	0.00																																																																																				
							311	112 AVERAGE																																																																																				
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																				
1 5320.00	101.90	-----	-----	89.36	34.55	9.90	31.91	0.00																																																																																				
							311	112 AVERAGE																																																																																				



Mode	26																																																																																																
	Band Edge																																																																																																
	U-NII-2C_5.47-5.725_802.11a_CH100_5500MHz																																																																																																
ANT	CDD 5+4																																																																																																
Pol.	Horizontal	Fundamental																																																																																															
Peak	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5457.40</td> <td>60.86</td> <td>74.00</td> <td>-13.14</td> <td>48.13</td> <td>34.70</td> <td>10.02</td> <td>31.99</td> <td>0.00</td> <td>100</td> <td>252</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5467.75</td> <td>63.28</td> <td>68.20</td> <td>-4.92</td> <td>50.54</td> <td>34.70</td> <td>10.04</td> <td>32.00</td> <td>0.00</td> <td>100</td> <td>252</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5457.40	60.86	74.00	-13.14	48.13	34.70	10.02	31.99	0.00	100	252	PEAK	2	5467.75	63.28	68.20	-4.92	50.54	34.70	10.04	32.00	0.00	100	252	PEAK	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5500.00</td> <td>111.27</td> <td>-----</td> <td>-----</td> <td>98.49</td> <td>34.70</td> <td>10.09</td> <td>32.01</td> <td>0.00</td> <td>100</td> <td>252</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	111.27	-----	-----	98.49	34.70	10.09	32.01	0.00	100	252	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5457.40	60.86	74.00	-13.14	48.13	34.70	10.02	31.99	0.00	100	252	PEAK																																																																																					
2	5467.75	63.28	68.20	-4.92	50.54	34.70	10.04	32.00	0.00	100	252	PEAK																																																																																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5500.00	111.27	-----	-----	98.49	34.70	10.09	32.01	0.00	100	252	PEAK																																																																																					
Avg	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5458.00</td> <td>48.81</td> <td>54.00</td> <td>-5.19</td> <td>36.00</td> <td>34.70</td> <td>10.02</td> <td>31.99</td> <td>0.00</td> <td>100</td> <td>252</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5458.00	48.81	54.00	-5.19	36.00	34.70	10.02	31.99	0.00	100	252	AVERAGE	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5500.00</td> <td>103.91</td> <td>-----</td> <td>-----</td> <td>91.14</td> <td>34.69</td> <td>10.10</td> <td>32.02</td> <td>0.00</td> <td>100</td> <td>252</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	103.91	-----	-----	91.14	34.69	10.10	32.02	0.00	100	252	AVERAGE													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5458.00	48.81	54.00	-5.19	36.00	34.70	10.02	31.99	0.00	100	252	AVERAGE																																																																																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5500.00	103.91	-----	-----	91.14	34.69	10.10	32.02	0.00	100	252	AVERAGE																																																																																					



	26																																																																																																
Mode	Band Edge																																																																																																
	U-NII-2C_5.47-5.725_802.11a_CH100_5500MHz																																																																																																
ANT	CDD 5+4																																																																																																
Pol.	Vertical	Fundamental																																																																																															
Peak	 <table border="1" data-bbox="255 1097 798 1254"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5459.20</td> <td>59.38</td> <td>74.00</td> <td>-14.62</td> <td>46.64</td> <td>34.70</td> <td>10.03</td> <td>31.99</td> <td>0.00</td> <td>292</td> <td>296</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5468.80</td> <td>64.61</td> <td>68.20</td> <td>-3.59</td> <td>51.87</td> <td>34.70</td> <td>10.04</td> <td>32.00</td> <td>0.00</td> <td>292</td> <td>296</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.20	59.38	74.00	-14.62	46.64	34.70	10.03	31.99	0.00	292	296	PEAK	2	5468.80	64.61	68.20	-3.59	51.87	34.70	10.04	32.00	0.00	292	296	PEAK	 <table border="1" data-bbox="877 1097 1436 1254"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5500.00</td> <td>110.43</td> <td>-----</td> <td>-----</td> <td>97.65</td> <td>34.70</td> <td>10.09</td> <td>32.01</td> <td>0.00</td> <td>292</td> <td>296</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	110.43	-----	-----	97.65	34.70	10.09	32.01	0.00	292	296	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5459.20	59.38	74.00	-14.62	46.64	34.70	10.03	31.99	0.00	292	296	PEAK																																																																																					
2	5468.80	64.61	68.20	-3.59	51.87	34.70	10.04	32.00	0.00	292	296	PEAK																																																																																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5500.00	110.43	-----	-----	97.65	34.70	10.09	32.01	0.00	292	296	PEAK																																																																																					
Avg	 <table border="1" data-bbox="255 1792 798 1926"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5459.80</td> <td>47.74</td> <td>54.00</td> <td>-6.26</td> <td>35.00</td> <td>34.70</td> <td>10.03</td> <td>31.99</td> <td>0.00</td> <td>292</td> <td>296</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.80	47.74	54.00	-6.26	35.00	34.70	10.03	31.99	0.00	292	296	AVERAGE	 <table border="1" data-bbox="877 1792 1436 1926"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5500.00</td> <td>102.82</td> <td>-----</td> <td>-----</td> <td>90.04</td> <td>34.70</td> <td>10.09</td> <td>32.01</td> <td>0.00</td> <td>292</td> <td>296</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	102.82	-----	-----	90.04	34.70	10.09	32.01	0.00	292	296	AVERAGE													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5459.80	47.74	54.00	-6.26	35.00	34.70	10.03	31.99	0.00	292	296	AVERAGE																																																																																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5500.00	102.82	-----	-----	90.04	34.70	10.09	32.01	0.00	292	296	AVERAGE																																																																																					








Mode	26																																																																																																																																	
	Harmonic																																																																																																																																	
	U-NII-2C_5.47-5.725_802.11a_CH100_5500MHz																																																																																																																																	
ANT	CDD 5+4																																																																																																																																	
Pol.	Horizontal	Vertical																																																																																																																																
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 11000.00</td> <td>46.03</td> <td>74.00</td> <td>-27.97</td> <td>54.35</td> <td>38.00</td> <td>14.56</td> <td>60.88</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>0.00</td> <td>---</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>deg</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>---</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 11000.00	46.03	74.00	-27.97	54.35	38.00	14.56	60.88							0.00	---								deg								---								PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 11000.00</td> <td>46.27</td> <td>74.00</td> <td>-27.73</td> <td>54.59</td> <td>38.00</td> <td>14.56</td> <td>60.88</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>0.00</td> <td>---</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>deg</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>---</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 11000.00	46.27	74.00	-27.73	54.59	38.00	14.56	60.88							0.00	---								deg								---								PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																																											
1 11000.00	46.03	74.00	-27.97	54.35	38.00	14.56	60.88																																																																																																																											
						0.00	---																																																																																																																											
							deg																																																																																																																											
							---																																																																																																																											
							PEAK																																																																																																																											
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																																											
1 11000.00	46.27	74.00	-27.73	54.59	38.00	14.56	60.88																																																																																																																											
						0.00	---																																																																																																																											
							deg																																																																																																																											
							---																																																																																																																											
							PEAK																																																																																																																											






Mode	27																																																																																											
	Harmonic																																																																																											
	U-NII-2C_5.47-5.725_802.11a_CH116_5580MHz																																																																																											
ANT	CDD 5+4																																																																																											
Pol.	Horizontal	Vertical																																																																																										
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 11160.00</td> <td>47.40</td> <td>74.00</td> <td>-26.60</td> <td>55.53</td> <td>38.06</td> <td>14.68</td> <td>60.87</td> <td>0.00</td> <td>100</td> <td>0</td> <td>PEAK</td> </tr> <tr> <td>2 11160.00</td> <td>37.77</td> <td>54.00</td> <td>-16.23</td> <td>45.90</td> <td>38.06</td> <td>14.68</td> <td>60.87</td> <td>0.00</td> <td>100</td> <td>0</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 11160.00	47.40	74.00	-26.60	55.53	38.06	14.68	60.87	0.00	100	0	PEAK	2 11160.00	37.77	54.00	-16.23	45.90	38.06	14.68	60.87	0.00	100	0	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 11160.00</td> <td>46.40</td> <td>74.00</td> <td>-27.60</td> <td>54.53</td> <td>38.06</td> <td>14.68</td> <td>60.87</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 11160.00	46.40	74.00	-27.60	54.53	38.06	14.68	60.87	0.00	---	---	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																				
1 11160.00	47.40	74.00	-26.60	55.53	38.06	14.68	60.87	0.00	100	0	PEAK																																																																																	
2 11160.00	37.77	54.00	-16.23	45.90	38.06	14.68	60.87	0.00	100	0	AVERAGE																																																																																	
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																				
1 11160.00	46.40	74.00	-27.60	54.53	38.06	14.68	60.87	0.00	---	---	PEAK																																																																																	



Mode	28																																																																										
	Band Edge																																																																										
	U-NII-2C_5.47-5.725_802.11a_CH140_5700MHz																																																																										
ANT	CDD 5+4																																																																										
Pol.	Horizontal	Fundamental																																																																									
Peak	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5728.21</td> <td>64.78</td> <td>68.20</td> <td>-3.42</td> <td>51.82</td> <td>34.64</td> <td>10.35</td> <td>32.03</td> <td>0.00</td> <td>113</td> <td>326</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5728.21	64.78	68.20	-3.42	51.82	34.64	10.35	32.03	0.00	113	326	PEAK	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5700.00</td> <td>113.10</td> <td>-----</td> <td>100.13</td> <td>34.69</td> <td>10.33</td> <td>32.05</td> <td>0.00</td> <td>113</td> <td>326</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5700.00	113.10	-----	100.13	34.69	10.33	32.05	0.00	113	326	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																				
1	5728.21	64.78	68.20	-3.42	51.82	34.64	10.35	32.03	0.00	113	326	PEAK																																																															
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																				
1	5700.00	113.10	-----	100.13	34.69	10.33	32.05	0.00	113	326	PEAK																																																																
Avg	Blank	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5700.00</td> <td>104.83</td> <td>-----</td> <td>91.86</td> <td>34.69</td> <td>10.33</td> <td>32.05</td> <td>0.00</td> <td>113</td> <td>326</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5700.00	104.83	-----	91.86	34.69	10.33	32.05	0.00	113	326	AVERAGE																																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																				
1	5700.00	104.83	-----	91.86	34.69	10.33	32.05	0.00	113	326	AVERAGE																																																																







Mode	28																																																																																																																																	
	Band Edge																																																																																																																																	
	U-NII-2C_5.47-5.725_802.11a_CH140_5700MHz																																																																																																																																	
ANT	CDD 5+4																																																																																																																																	
Pol.	Vertical	Fundamental																																																																																																																																
Peak	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5726.00</td> <td>64.60</td> <td>68.20</td> <td>-3.60</td> <td>51.63</td> <td>34.65</td> <td>10.35</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td>32.03</td> <td>0.00</td> <td></td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>300</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>114</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5726.00	64.60	68.20	-3.60	51.63	34.65	10.35						32.03	0.00									300								114								PEAK	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5700.00</td> <td>110.40</td> <td>-----</td> <td>97.43</td> <td>34.70</td> <td>10.32</td> <td>32.05</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td>0.00</td> <td></td> <td></td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>300</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>114</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5700.00	110.40	-----	97.43	34.70	10.32	32.05						0.00										300								114								PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																																											
1	5726.00	64.60	68.20	-3.60	51.63	34.65	10.35																																																																																																																											
					32.03	0.00																																																																																																																												
							300																																																																																																																											
							114																																																																																																																											
							PEAK																																																																																																																											
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																																											
1	5700.00	110.40	-----	97.43	34.70	10.32	32.05																																																																																																																											
					0.00																																																																																																																													
							300																																																																																																																											
							114																																																																																																																											
							PEAK																																																																																																																											
Avg	Blank	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5700.00</td> <td>104.03</td> <td>-----</td> <td>91.06</td> <td>34.70</td> <td>10.32</td> <td>32.05</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td>0.00</td> <td></td> <td></td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>300</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>114</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5700.00	104.03	-----	91.06	34.70	10.32	32.05						0.00										300								114								AVERAGE																																																																
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																																											
1	5700.00	104.03	-----	91.06	34.70	10.32	32.05																																																																																																																											
					0.00																																																																																																																													
							300																																																																																																																											
							114																																																																																																																											
							AVERAGE																																																																																																																											



Mode	28																																																																																																																	
	Harmonic																																																																																																																	
	U-NII-2C_5.47-5.725_802.11a_CH140_5700MHz																																																																																																																	
ANT	CDD 5+4																																																																																																																	
Pol.	Horizontal	Vertical																																																																																																																
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 11400.00</td> <td>46.99</td> <td>74.00</td> <td>-27.01</td> <td>54.80</td> <td>38.20</td> <td>14.85</td> <td>60.86</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>0.00</td> <td>---</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>deg</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>--- PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 11400.00	46.99	74.00	-27.01	54.80	38.20	14.85	60.86							0.00	---								deg								--- PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 11400.00</td> <td>46.17</td> <td>74.00</td> <td>-27.83</td> <td>53.98</td> <td>38.20</td> <td>14.85</td> <td>60.86</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>0.00</td> <td>---</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>deg</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>--- PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 11400.00	46.17	74.00	-27.83	53.98	38.20	14.85	60.86							0.00	---								deg								--- PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																											
1 11400.00	46.99	74.00	-27.01	54.80	38.20	14.85	60.86																																																																																																											
						0.00	---																																																																																																											
							deg																																																																																																											
							--- PEAK																																																																																																											
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																											
1 11400.00	46.17	74.00	-27.83	53.98	38.20	14.85	60.86																																																																																																											
						0.00	---																																																																																																											
							deg																																																																																																											
							--- PEAK																																																																																																											



	29																																																																																														
Mode	Band Edge																																																																																														
	U-NII-2C_5.47-5.725_802.11ax HE20_CH100_Full RU_5500MHz																																																																																														
ANT	CDD 5+4																																																																																														
Pol.	Horizontal	Fundamental																																																																																													
Peak	 <table border="1" data-bbox="255 1097 798 1254"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5455.60</td> <td>60.95</td> <td>74.00</td> <td>-13.05</td> <td>48.22</td> <td>34.70</td> <td>10.02</td> <td>31.99</td> <td>0.00</td> <td>100</td> <td>62</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5468.35</td> <td>64.98</td> <td>68.20</td> <td>-3.22</td> <td>52.24</td> <td>34.70</td> <td>10.04</td> <td>32.00</td> <td>0.00</td> <td>100</td> <td>62</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5455.60	60.95	74.00	-13.05	48.22	34.70	10.02	31.99	0.00	100	62	PEAK	2	5468.35	64.98	68.20	-3.22	52.24	34.70	10.04	32.00	0.00	100	62	PEAK	 <table border="1" data-bbox="877 1097 1436 1254"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5500.00</td> <td>111.46</td> <td>-----</td> <td>-----</td> <td>98.68</td> <td>34.70</td> <td>10.09</td> <td>32.01</td> <td>0.00</td> <td>100</td> <td>62</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5500.00	111.46	-----	-----	98.68	34.70	10.09	32.01	0.00	100	62	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																							
1	5455.60	60.95	74.00	-13.05	48.22	34.70	10.02	31.99	0.00	100	62	PEAK																																																																																			
2	5468.35	64.98	68.20	-3.22	52.24	34.70	10.04	32.00	0.00	100	62	PEAK																																																																																			
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																							
1	5500.00	111.46	-----	-----	98.68	34.70	10.09	32.01	0.00	100	62	PEAK																																																																																			
Avg	 <table border="1" data-bbox="255 1792 798 1926"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5457.85</td> <td>47.93</td> <td>54.00</td> <td>-6.07</td> <td>35.20</td> <td>34.70</td> <td>10.02</td> <td>31.99</td> <td>0.00</td> <td>100</td> <td>62</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5457.85	47.93	54.00	-6.07	35.20	34.70	10.02	31.99	0.00	100	62	AVERAGE	 <table border="1" data-bbox="877 1792 1436 1926"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5500.00</td> <td>102.32</td> <td>-----</td> <td>-----</td> <td>89.55</td> <td>34.70</td> <td>10.08</td> <td>32.01</td> <td>0.00</td> <td>100</td> <td>62</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5500.00	102.32	-----	-----	89.55	34.70	10.08	32.01	0.00	100	62	AVERAGE													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																							
1	5457.85	47.93	54.00	-6.07	35.20	34.70	10.02	31.99	0.00	100	62	AVERAGE																																																																																			
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																							
1	5500.00	102.32	-----	-----	89.55	34.70	10.08	32.01	0.00	100	62	AVERAGE																																																																																			



<b>29</b>																																																								
<b>Mode</b>																																																								
<b>Band Edge</b>																																																								
<b>U-NII-2C_5.47-5.725_802.11ax HE20_CH100_Full RU_5500MHz</b>																																																								
<b>ANT</b>																																																								
<b>CDD 5+4</b>																																																								
<b>Pol.</b>	<b>Vertical</b>																																																							
<b>Pol.</b>	<b>Fundamental</b>																																																							
<b>Peak</b>	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5459.65</td> <td>61.34</td> <td>74.00</td> <td>-12.66</td> <td>48.60</td> <td>34.70</td> <td>10.03</td> <td>31.99</td> <td>0.00</td> <td>306</td> <td>103</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5470.00</td> <td>64.49</td> <td>68.20</td> <td>-3.71</td> <td>51.75</td> <td>34.70</td> <td>10.04</td> <td>32.00</td> <td>0.00</td> <td>306</td> <td>103</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5459.65	61.34	74.00	-12.66	48.60	34.70	10.03	31.99	0.00	306	103	PEAK	2	5470.00	64.49	68.20	-3.71	51.75	34.70	10.04	32.00	0.00	306	103	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																														
1	5459.65	61.34	74.00	-12.66	48.60	34.70	10.03	31.99	0.00	306	103	PEAK																																												
2	5470.00	64.49	68.20	-3.71	51.75	34.70	10.04	32.00	0.00	306	103	PEAK																																												
<b>Peak</b>	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5500.00</td> <td>109.94</td> <td>-----</td> <td>-----</td> <td>97.16</td> <td>34.70</td> <td>10.09</td> <td>32.01</td> <td>0.00</td> <td>306</td> <td>103</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5500.00	109.94	-----	-----	97.16	34.70	10.09	32.01	0.00	306	103	PEAK													
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																														
1	5500.00	109.94	-----	-----	97.16	34.70	10.09	32.01	0.00	306	103	PEAK																																												
<b>Avg</b>	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5459.80</td> <td>47.46</td> <td>54.00</td> <td>-6.54</td> <td>34.72</td> <td>34.70</td> <td>10.03</td> <td>31.99</td> <td>0.00</td> <td>306</td> <td>103</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5459.80	47.46	54.00	-6.54	34.72	34.70	10.03	31.99	0.00	306	103	AVERAGE													
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																														
1	5459.80	47.46	54.00	-6.54	34.72	34.70	10.03	31.99	0.00	306	103	AVERAGE																																												
<b>Avg</b>	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5500.00</td> <td>101.19</td> <td>-----</td> <td>-----</td> <td>88.41</td> <td>34.70</td> <td>10.09</td> <td>32.01</td> <td>0.00</td> <td>306</td> <td>103</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5500.00	101.19	-----	-----	88.41	34.70	10.09	32.01	0.00	306	103	AVERAGE													
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																														
1	5500.00	101.19	-----	-----	88.41	34.70	10.09	32.01	0.00	306	103	AVERAGE																																												






Mode	29																																																																																																																																	
	Harmonic																																																																																																																																	
	U-NII-2C_5.47-5.725_802.11ax HE20_CH100_Full RU_5500MHz																																																																																																																																	
ANT	CDD 5+4																																																																																																																																	
Pol.	Horizontal	Vertical																																																																																																																																
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 11000.00</td> <td>46.09</td> <td>74.00</td> <td>-27.91</td> <td>54.41</td> <td>38.00</td> <td>14.56</td> <td>60.88</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>0.00</td> <td>---</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>deg</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>---</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 11000.00	46.09	74.00	-27.91	54.41	38.00	14.56	60.88							0.00	---								deg								---								PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 11000.00</td> <td>46.19</td> <td>74.00</td> <td>-27.81</td> <td>54.51</td> <td>38.00</td> <td>14.56</td> <td>60.88</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>0.00</td> <td>---</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>deg</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>---</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 11000.00	46.19	74.00	-27.81	54.51	38.00	14.56	60.88							0.00	---								deg								---								PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																																											
1 11000.00	46.09	74.00	-27.91	54.41	38.00	14.56	60.88																																																																																																																											
						0.00	---																																																																																																																											
							deg																																																																																																																											
							---																																																																																																																											
							PEAK																																																																																																																											
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																																											
1 11000.00	46.19	74.00	-27.81	54.51	38.00	14.56	60.88																																																																																																																											
						0.00	---																																																																																																																											
							deg																																																																																																																											
							---																																																																																																																											
							PEAK																																																																																																																											





Mode	30																																																																																											
	Harmonic																																																																																											
	U-NII-2C_5.47-5.725_802.11ax HE20_CH116_Full RU_5580MHz																																																																																											
ANT	CDD 5+4																																																																																											
Pol.	Horizontal	Vertical																																																																																										
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 11160.00</td> <td>46.69</td> <td>74.00</td> <td>-27.31</td> <td>54.82</td> <td>38.06</td> <td>14.68</td> <td>60.87</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 11160.00	46.69	74.00	-27.31	54.82	38.06	14.68	60.87	0.00	---	---	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 11160.00</td> <td>47.67</td> <td>74.00</td> <td>-26.33</td> <td>55.00</td> <td>38.06</td> <td>14.68</td> <td>60.87</td> <td>0.00</td> <td>300</td> <td>0</td> <td>PEAK</td> </tr> <tr> <td>2 11160.00</td> <td>37.15</td> <td>54.00</td> <td>-16.85</td> <td>45.29</td> <td>38.06</td> <td>14.67</td> <td>60.87</td> <td>0.00</td> <td>300</td> <td>0</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 11160.00	47.67	74.00	-26.33	55.00	38.06	14.68	60.87	0.00	300	0	PEAK	2 11160.00	37.15	54.00	-16.85	45.29	38.06	14.67	60.87	0.00	300	0	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																				
1 11160.00	46.69	74.00	-27.31	54.82	38.06	14.68	60.87	0.00	---	---	PEAK																																																																																	
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																				
1 11160.00	47.67	74.00	-26.33	55.00	38.06	14.68	60.87	0.00	300	0	PEAK																																																																																	
2 11160.00	37.15	54.00	-16.85	45.29	38.06	14.67	60.87	0.00	300	0	AVERAGE																																																																																	



Mode	31																																																																									
	Band Edge																																																																									
	U-NII-2C_5.47-5.725_802.11ax HE20_CH140_Full RU_5700MHz																																																																									
ANT	CDD 5+4																																																																									
Pol.	Horizontal	Fundamental																																																																								
Peak	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5726.39</td> <td>63.87</td> <td>68.20</td> <td>-4.33</td> <td>50.90</td> <td>34.65</td> <td>10.35</td> <td>32.03</td> <td>0.00</td> <td>101</td> <td>306</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 5726.39	63.87	68.20	-4.33	50.90	34.65	10.35	32.03	0.00	101	306	PEAK	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5700.00</td> <td>113.85</td> <td>-----</td> <td>-----</td> <td>100.88</td> <td>34.70</td> <td>10.32</td> <td>32.05</td> <td>0.00</td> <td>101</td> <td>306</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 5700.00	113.85	-----	-----	100.88	34.70	10.32	32.05	0.00	101	306	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																			
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Remark																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																			
1 5726.39	63.87	68.20	-4.33	50.90	34.65	10.35	32.03	0.00	101	306	PEAK																																																															
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																			
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Remark																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																			
1 5700.00	113.85	-----	-----	100.88	34.70	10.32	32.05	0.00	101	306	PEAK																																																															
Avg	Blank	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5700.00</td> <td>103.37</td> <td>-----</td> <td>-----</td> <td>90.40</td> <td>34.70</td> <td>10.32</td> <td>32.05</td> <td>0.00</td> <td>101</td> <td>306</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 5700.00	103.37	-----	-----	90.40	34.70	10.32	32.05	0.00	101	306	AVERAGE																																				
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																			
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Remark																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																			
1 5700.00	103.37	-----	-----	90.40	34.70	10.32	32.05	0.00	101	306	AVERAGE																																																															



Mode	31																																																																																																																	
	Band Edge																																																																																																																	
	U-NII-2C_5.47-5.725_802.11ax HE20_CH140_Full RU_5700MHz																																																																																																																	
ANT	CDD 5+4																																																																																																																	
Pol.	Vertical	Fundamental																																																																																																																
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5725.74</td> <td>63.61</td> <td>68.20</td> <td>-4.59</td> <td>50.64</td> <td>34.65</td> <td>10.35</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td>32.03</td> <td>0.00</td> <td>300</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>114</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5725.74	63.61	68.20	-4.59	50.64	34.65	10.35						32.03	0.00	300								114								PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5700.00</td> <td>110.05</td> <td>-----</td> <td>-----</td> <td>97.08</td> <td>34.69</td> <td>10.33</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td>32.05</td> <td>0.00</td> <td>300</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>114</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5700.00	110.05	-----	-----	97.08	34.69	10.33						32.05	0.00	300								114								PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																											
1	5725.74	63.61	68.20	-4.59	50.64	34.65	10.35																																																																																																											
					32.03	0.00	300																																																																																																											
							114																																																																																																											
							PEAK																																																																																																											
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																											
1	5700.00	110.05	-----	-----	97.08	34.69	10.33																																																																																																											
					32.05	0.00	300																																																																																																											
							114																																																																																																											
							PEAK																																																																																																											
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5700.00</td> <td>102.01</td> <td>-----</td> <td>-----</td> <td>89.04</td> <td>34.70</td> <td>10.32</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td>32.05</td> <td>0.00</td> <td>300</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>114</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5700.00	102.01	-----	-----	89.04	34.70	10.32						32.05	0.00	300								114								AVERAGE																																																								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																											
1	5700.00	102.01	-----	-----	89.04	34.70	10.32																																																																																																											
					32.05	0.00	300																																																																																																											
							114																																																																																																											
							AVERAGE																																																																																																											



Mode	31																																																																																																																																	
	Harmonic																																																																																																																																	
	U-NII-2C_5.47-5.725_802.11ax HE20_CH140_Full RU_5700MHz																																																																																																																																	
ANT	CDD 5+4																																																																																																																																	
Pol.	Horizontal	Vertical																																																																																																																																
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 11400.00</td> <td>46.67</td> <td>74.00</td> <td>-27.33</td> <td>54.48</td> <td>38.20</td> <td>14.85</td> <td>60.86</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>0.00</td> <td>---</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>deg</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>---</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 11400.00	46.67	74.00	-27.33	54.48	38.20	14.85	60.86							0.00	---								deg								---								PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 11400.00</td> <td>45.39</td> <td>74.00</td> <td>-28.61</td> <td>53.20</td> <td>38.20</td> <td>14.85</td> <td>60.86</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>0.00</td> <td>---</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>deg</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>---</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 11400.00	45.39	74.00	-28.61	53.20	38.20	14.85	60.86							0.00	---								deg								---								PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																																											
1 11400.00	46.67	74.00	-27.33	54.48	38.20	14.85	60.86																																																																																																																											
						0.00	---																																																																																																																											
							deg																																																																																																																											
							---																																																																																																																											
							PEAK																																																																																																																											
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																																											
1 11400.00	45.39	74.00	-28.61	53.20	38.20	14.85	60.86																																																																																																																											
						0.00	---																																																																																																																											
							deg																																																																																																																											
							---																																																																																																																											
							PEAK																																																																																																																											



Mode	32																																																																																														
	Band Edge - L																																																																																														
	U-NII-2C_5.47-5.725_802.11ax HE40_CH102_Full RU_5510MHz																																																																																														
ANT	CDD 5+4																																																																																														
Pol.	Horizontal	Fundamental																																																																																													
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5457.04</td> <td>62.15</td> <td>74.00</td> <td>-11.85</td> <td>49.42</td> <td>34.70</td> <td>10.02</td> <td>31.99</td> <td>0.00</td> <td>130</td> <td>62</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5463.44</td> <td>62.84</td> <td>68.20</td> <td>-5.36</td> <td>50.10</td> <td>34.70</td> <td>10.03</td> <td>31.99</td> <td>0.00</td> <td>130</td> <td>62</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5457.04	62.15	74.00	-11.85	49.42	34.70	10.02	31.99	0.00	130	62	PEAK	2	5463.44	62.84	68.20	-5.36	50.10	34.70	10.03	31.99	0.00	130	62	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5510.00</td> <td>108.06</td> <td>-----</td> <td>-----</td> <td>95.30</td> <td>34.68</td> <td>10.10</td> <td>32.02</td> <td>0.00</td> <td>130</td> <td>62</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5510.00	108.06	-----	-----	95.30	34.68	10.10	32.02	0.00	130	62	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																							
1	5457.04	62.15	74.00	-11.85	49.42	34.70	10.02	31.99	0.00	130	62	PEAK																																																																																			
2	5463.44	62.84	68.20	-5.36	50.10	34.70	10.03	31.99	0.00	130	62	PEAK																																																																																			
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																							
1	5510.00	108.06	-----	-----	95.30	34.68	10.10	32.02	0.00	130	62	PEAK																																																																																			
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5456.40</td> <td>48.74</td> <td>54.00</td> <td>-5.26</td> <td>36.01</td> <td>34.70</td> <td>10.02</td> <td>31.99</td> <td>0.00</td> <td>130</td> <td>62</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5456.40	48.74	54.00	-5.26	36.01	34.70	10.02	31.99	0.00	130	62	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5510.00</td> <td>99.07</td> <td>-----</td> <td>-----</td> <td>86.30</td> <td>34.69</td> <td>10.10</td> <td>32.02</td> <td>0.00</td> <td>130</td> <td>62</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5510.00	99.07	-----	-----	86.30	34.69	10.10	32.02	0.00	130	62	AVERAGE													
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																							
1	5456.40	48.74	54.00	-5.26	36.01	34.70	10.02	31.99	0.00	130	62	AVERAGE																																																																																			
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																							
1	5510.00	99.07	-----	-----	86.30	34.69	10.10	32.02	0.00	130	62	AVERAGE																																																																																			



Mode	32																																								
	Band Edge - R																																								
	U-NII-2C_5.47-5.725_802.11ax HE40_CH102_Full RU_5510MHz																																								
ANT	CDD 5+4																																								
Pol.	Horizontal	Fundamental																																							
Peak	<p>Level (dBuV/m)</p> <p>Frequency (MHz)</p> <p>U-NII-1-U-NII-2A-U-NII-2C</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5736.95</td> <td>53.95</td> <td>68.20</td> <td>-14.25</td> <td>40.99</td> <td>34.63</td> <td>10.35</td> <td>32.02</td> <td>0.00</td> <td>130</td> <td>62 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5736.95	53.95	68.20	-14.25	40.99	34.63	10.35	32.02	0.00	130	62 PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																
1 5736.95	53.95	68.20	-14.25	40.99	34.63	10.35	32.02	0.00	130	62 PEAK																															



Mode	32																																																																																															
	Band Edge - L																																																																																															
	U-NII-2C_5.47-5.725_802.11ax HE40_CH102_Full RU_5510MHz																																																																																															
ANT	CDD 5+4																																																																																															
Pol.	Vertical	Fundamental																																																																																														
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5448.72</td> <td>59.27</td> <td>74.00</td> <td>-14.73</td> <td>46.54</td> <td>34.70</td> <td>10.01</td> <td>31.98</td> <td>0.00</td> <td>325</td> <td>105</td> <td>PEAK</td> </tr> <tr> <td>2 5468.40</td> <td>62.17</td> <td>68.20</td> <td>-6.03</td> <td>49.43</td> <td>34.70</td> <td>10.04</td> <td>32.00</td> <td>0.00</td> <td>325</td> <td>105</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5448.72	59.27	74.00	-14.73	46.54	34.70	10.01	31.98	0.00	325	105	PEAK	2 5468.40	62.17	68.20	-6.03	49.43	34.70	10.04	32.00	0.00	325	105	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5510.00</td> <td>106.00</td> <td>-----</td> <td>-----</td> <td>93.30</td> <td>34.70</td> <td>10.09</td> <td>32.01</td> <td>0.00</td> <td>325</td> <td>105</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5510.00	106.00	-----	-----	93.30	34.70	10.09	32.01	0.00	325	105	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																						
1 5448.72	59.27	74.00	-14.73	46.54	34.70	10.01	31.98	0.00	325	105	PEAK																																																																																					
2 5468.40	62.17	68.20	-6.03	49.43	34.70	10.04	32.00	0.00	325	105	PEAK																																																																																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																						
1 5510.00	106.00	-----	-----	93.30	34.70	10.09	32.01	0.00	325	105	PEAK																																																																																					
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5459.76</td> <td>47.85</td> <td>54.00</td> <td>-6.15</td> <td>35.11</td> <td>34.70</td> <td>10.03</td> <td>31.99</td> <td>0.00</td> <td>325</td> <td>105</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5459.76	47.85	54.00	-6.15	35.11	34.70	10.03	31.99	0.00	325	105	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5510.00</td> <td>98.05</td> <td>-----</td> <td>-----</td> <td>85.31</td> <td>34.66</td> <td>10.11</td> <td>32.03</td> <td>0.00</td> <td>325</td> <td>105</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5510.00	98.05	-----	-----	85.31	34.66	10.11	32.03	0.00	325	105	AVERAGE												
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																						
1 5459.76	47.85	54.00	-6.15	35.11	34.70	10.03	31.99	0.00	325	105	AVERAGE																																																																																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																						
1 5510.00	98.05	-----	-----	85.31	34.66	10.11	32.03	0.00	325	105	AVERAGE																																																																																					







Mode	32																																												
	Band Edge - R																																												
	U-NII-2C_5.47-5.725_802.11ax HE40_CH102_Full RU_5510MHz																																												
ANT	CDD 5+4																																												
Pol.	Vertical	Fundamental																																											
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5758.63</td> <td>54.04</td> <td>68.20</td> <td>-14.16</td> <td>41.05</td> <td>34.62</td> <td>10.37</td> <td>32.00</td> <td>0.00</td> <td>325</td> <td>105</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB			1 5758.63	54.04	68.20	-14.16	41.05	34.62	10.37	32.00	0.00	325	105	PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																					
1 5758.63	54.04	68.20	-14.16	41.05	34.62	10.37	32.00	0.00	325	105	PEAK																																		





Mode	32																																																																																																																																	
	Harmonic																																																																																																																																	
	U-NII-2C_5.47-5.725_802.11ax HE40_CH102_Full RU_5510MHz																																																																																																																																	
ANT	CDD 5+4																																																																																																																																	
Pol.	Horizontal	Vertical																																																																																																																																
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 11020.00</td> <td>45.27</td> <td>74.00</td> <td>-28.73</td> <td>53.57</td> <td>38.00</td> <td>14.58</td> <td>60.88</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>0.00</td> <td>---</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>deg</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>---</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 11020.00	45.27	74.00	-28.73	53.57	38.00	14.58	60.88							0.00	---								deg								---								PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 11020.00</td> <td>45.29</td> <td>74.00</td> <td>-28.71</td> <td>53.59</td> <td>38.00</td> <td>14.58</td> <td>60.88</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>0.00</td> <td>---</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>deg</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>---</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 11020.00	45.29	74.00	-28.71	53.59	38.00	14.58	60.88							0.00	---								deg								---								PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																																											
1 11020.00	45.27	74.00	-28.73	53.57	38.00	14.58	60.88																																																																																																																											
						0.00	---																																																																																																																											
							deg																																																																																																																											
							---																																																																																																																											
							PEAK																																																																																																																											
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																																											
1 11020.00	45.29	74.00	-28.71	53.59	38.00	14.58	60.88																																																																																																																											
						0.00	---																																																																																																																											
							deg																																																																																																																											
							---																																																																																																																											
							PEAK																																																																																																																											







Mode	33																																																																																										
	Band Edge - L																																																																																										
	U-NII-2C_5.47-5.725_802.11ax HE40_CH110_Full RU_5550MHz																																																																																										
ANT	CDD 5+4																																																																																										
Pol.	Horizontal	Fundamental																																																																																									
Peak	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5455.60</td> <td>58.03</td> <td>74.00</td> <td>-15.97</td> <td>45.30</td> <td>34.70</td> <td>10.02</td> <td>31.99</td> <td>0.00</td> <td>100</td> <td>303 PEAK</td> </tr> <tr> <td>2 5465.20</td> <td>62.67</td> <td>68.20</td> <td>-5.53</td> <td>49.93</td> <td>34.70</td> <td>10.03</td> <td>31.99</td> <td>0.00</td> <td>100</td> <td>303 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5455.60	58.03	74.00	-15.97	45.30	34.70	10.02	31.99	0.00	100	303 PEAK	2 5465.20	62.67	68.20	-5.53	49.93	34.70	10.03	31.99	0.00	100	303 PEAK	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5550.00</td> <td>109.21</td> <td>-----</td> <td>-----</td> <td>96.49</td> <td>34.60</td> <td>10.16</td> <td>32.04</td> <td>0.00</td> <td>100</td> <td>303 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5550.00	109.21	-----	-----	96.49	34.60	10.16	32.04	0.00	100	303 PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																			
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1 5455.60	58.03	74.00	-15.97	45.30	34.70	10.02	31.99	0.00	100	303 PEAK																																																																																	
2 5465.20	62.67	68.20	-5.53	49.93	34.70	10.03	31.99	0.00	100	303 PEAK																																																																																	
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																			
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1 5550.00	109.21	-----	-----	96.49	34.60	10.16	32.04	0.00	100	303 PEAK																																																																																	
Avg	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5456.20</td> <td>47.14</td> <td>54.00</td> <td>-6.86</td> <td>34.41</td> <td>34.70</td> <td>10.02</td> <td>31.99</td> <td>0.00</td> <td>100</td> <td>303 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5456.20	47.14	54.00	-6.86	34.41	34.70	10.02	31.99	0.00	100	303 AVERAGE	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5550.00</td> <td>99.28</td> <td>-----</td> <td>-----</td> <td>86.56</td> <td>34.60</td> <td>10.16</td> <td>32.04</td> <td>0.00</td> <td>100</td> <td>303 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5550.00	99.28	-----	-----	86.56	34.60	10.16	32.04	0.00	100	303 AVERAGE											
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																			
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1 5456.20	47.14	54.00	-6.86	34.41	34.70	10.02	31.99	0.00	100	303 AVERAGE																																																																																	
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																			
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1 5550.00	99.28	-----	-----	86.56	34.60	10.16	32.04	0.00	100	303 AVERAGE																																																																																	



Mode	33																																								
	Band Edge - R																																								
	U-NII-2C_5.47-5.725_802.11ax HE40_CH110_Full RU_5550MHz																																								
ANT	CDD 5+4																																								
Pol.	Horizontal	Fundamental																																							
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5734.47</td> <td>57.05</td> <td>68.20</td> <td>-11.15</td> <td>44.09</td> <td>34.63</td> <td>10.35</td> <td>32.02</td> <td>0.00</td> <td>100</td> <td>303 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5734.47	57.05	68.20	-11.15	44.09	34.63	10.35	32.02	0.00	100	303 PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																
1 5734.47	57.05	68.20	-11.15	44.09	34.63	10.35	32.02	0.00	100	303 PEAK																															



Mode	33																																																																																													
	Band Edge - L																																																																																													
	U-NII-2C_5.47-5.725_802.11ax HE40_CH110_Full RU_5550MHz																																																																																													
ANT	CDD 5+4																																																																																													
Pol.	Vertical	Fundamental																																																																																												
Peak	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5459.60</td> <td>60.67</td> <td>74.00</td> <td>-13.33</td> <td>47.93</td> <td>34.70</td> <td>10.03</td> <td>31.99</td> <td>0.00</td> <td>286</td> <td>108</td> <td>PEAK</td> </tr> <tr> <td>2 5469.60</td> <td>61.71</td> <td>68.20</td> <td>-6.49</td> <td>48.97</td> <td>34.70</td> <td>10.04</td> <td>32.00</td> <td>0.00</td> <td>286</td> <td>108</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5459.60	60.67	74.00	-13.33	47.93	34.70	10.03	31.99	0.00	286	108	PEAK	2 5469.60	61.71	68.20	-6.49	48.97	34.70	10.04	32.00	0.00	286	108	PEAK	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5550.00</td> <td>109.07</td> <td>-----</td> <td>-----</td> <td>96.35</td> <td>34.60</td> <td>10.16</td> <td>32.04</td> <td>0.00</td> <td>286</td> <td>108</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5550.00	109.07	-----	-----	96.35	34.60	10.16	32.04	0.00	286	108	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1 5459.60	60.67	74.00	-13.33	47.93	34.70	10.03	31.99	0.00	286	108	PEAK																																																																																			
2 5469.60	61.71	68.20	-6.49	48.97	34.70	10.04	32.00	0.00	286	108	PEAK																																																																																			
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1 5550.00	109.07	-----	-----	96.35	34.60	10.16	32.04	0.00	286	108	PEAK																																																																																			
Avg	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5459.40</td> <td>48.91</td> <td>54.00</td> <td>-5.09</td> <td>36.17</td> <td>34.70</td> <td>10.03</td> <td>31.99</td> <td>0.00</td> <td>286</td> <td>108</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5459.40	48.91	54.00	-5.09	36.17	34.70	10.03	31.99	0.00	286	108	AVERAGE	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5550.00</td> <td>100.03</td> <td>-----</td> <td>-----</td> <td>87.31</td> <td>34.60</td> <td>10.16</td> <td>32.04</td> <td>0.00</td> <td>286</td> <td>108</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5550.00	100.03	-----	-----	87.31	34.60	10.16	32.04	0.00	286	108	AVERAGE												
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1 5459.40	48.91	54.00	-5.09	36.17	34.70	10.03	31.99	0.00	286	108	AVERAGE																																																																																			
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1 5550.00	100.03	-----	-----	87.31	34.60	10.16	32.04	0.00	286	108	AVERAGE																																																																																			



Mode	33																																									
	Band Edge - R																																									
	U-NII-2C_5.47-5.725_802.11ax HE40_CH110_Full RU_5550MHz																																									
ANT	CDD 5+4																																									
Pol.	Vertical	Fundamental																																								
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5727.81</td> <td>54.53</td> <td>68.20</td> <td>-13.67</td> <td>41.57</td> <td>34.64</td> <td>10.35</td> <td>32.03</td> <td>0.00</td> <td>286</td> <td>108</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5727.81	54.53	68.20	-13.67	41.57	34.64	10.35	32.03	0.00	286	108	PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																		
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	cm	deg																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																	
1 5727.81	54.53	68.20	-13.67	41.57	34.64	10.35	32.03	0.00	286	108	PEAK																															



Mode	33																																																																																																																																	
	Harmonic																																																																																																																																	
	U-NII-2C_5.47-5.725_802.11ax HE40_CH110_Full RU_5550MHz																																																																																																																																	
ANT	CDD 5+4																																																																																																																																	
Pol.	Horizontal	Vertical																																																																																																																																
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 11100.00</td> <td>45.68</td> <td>74.00</td> <td>-28.32</td> <td>53.92</td> <td>38.00</td> <td>14.63</td> <td>60.87</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>0.00</td> <td>---</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>deg</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>---</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 11100.00	45.68	74.00	-28.32	53.92	38.00	14.63	60.87							0.00	---								deg								---								PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 11100.00</td> <td>45.25</td> <td>74.00</td> <td>-28.75</td> <td>53.49</td> <td>38.00</td> <td>14.63</td> <td>60.87</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>0.00</td> <td>---</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>deg</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>---</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 11100.00	45.25	74.00	-28.75	53.49	38.00	14.63	60.87							0.00	---								deg								---								PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																																											
1 11100.00	45.68	74.00	-28.32	53.92	38.00	14.63	60.87																																																																																																																											
						0.00	---																																																																																																																											
							deg																																																																																																																											
							---																																																																																																																											
							PEAK																																																																																																																											
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																																											
1 11100.00	45.25	74.00	-28.75	53.49	38.00	14.63	60.87																																																																																																																											
						0.00	---																																																																																																																											
							deg																																																																																																																											
							---																																																																																																																											
							PEAK																																																																																																																											







Mode	34																																																																																														
	Band Edge - L																																																																																														
	U-NII-2C_5.47-5.725_802.11ax HE40_CH134_Full RU_5670MHz																																																																																														
ANT	CDD 5+4																																																																																														
Pol.	Horizontal	Fundamental																																																																																													
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5363.76</td> <td>53.25</td> <td>74.00</td> <td>-20.75</td> <td>40.70</td> <td>34.56</td> <td>9.92</td> <td>31.93</td> <td>0.00</td> <td>104</td> <td>306</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5464.88</td> <td>52.55</td> <td>68.20</td> <td>-15.65</td> <td>39.81</td> <td>34.70</td> <td>10.03</td> <td>31.99</td> <td>0.00</td> <td>104</td> <td>306</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5363.76	53.25	74.00	-20.75	40.70	34.56	9.92	31.93	0.00	104	306	PEAK	2	5464.88	52.55	68.20	-15.65	39.81	34.70	10.03	31.99	0.00	104	306	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5670.00</td> <td>110.34</td> <td>-----</td> <td>-----</td> <td>97.53</td> <td>34.61</td> <td>10.29</td> <td>32.09</td> <td>0.00</td> <td>104</td> <td>306</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5670.00	110.34	-----	-----	97.53	34.61	10.29	32.09	0.00	104	306	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																							
1	5363.76	53.25	74.00	-20.75	40.70	34.56	9.92	31.93	0.00	104	306	PEAK																																																																																			
2	5464.88	52.55	68.20	-15.65	39.81	34.70	10.03	31.99	0.00	104	306	PEAK																																																																																			
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																							
1	5670.00	110.34	-----	-----	97.53	34.61	10.29	32.09	0.00	104	306	PEAK																																																																																			
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5456.24</td> <td>41.82</td> <td>54.00</td> <td>-12.18</td> <td>29.09</td> <td>34.70</td> <td>10.02</td> <td>31.99</td> <td>0.00</td> <td>104</td> <td>306</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5456.24	41.82	54.00	-12.18	29.09	34.70	10.02	31.99	0.00	104	306	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5670.00</td> <td>101.12</td> <td>-----</td> <td>-----</td> <td>88.24</td> <td>34.65</td> <td>10.30</td> <td>32.07</td> <td>0.00</td> <td>104</td> <td>306</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5670.00	101.12	-----	-----	88.24	34.65	10.30	32.07	0.00	104	306	AVERAGE													
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																							
1	5456.24	41.82	54.00	-12.18	29.09	34.70	10.02	31.99	0.00	104	306	AVERAGE																																																																																			
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																							
1	5670.00	101.12	-----	-----	88.24	34.65	10.30	32.07	0.00	104	306	AVERAGE																																																																																			



Mode	34																																							
	Band Edge - R																																							
	U-NII-2C_5.47-5.725_802.11ax HE40_CH134_Full RU_5670MHz																																							
ANT	CDD 5+4																																							
Pol.	Horizontal	Fundamental																																						
Peak	<p>Level (dBuV/m)</p> <p>Frequency (MHz)</p> <p>U-NII-1-U-NII-2A-U-NII-2C</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5725.29</td> <td>64.54</td> <td>68.20</td> <td>-3.66</td> <td>51.58</td> <td>34.65</td> <td>10.34</td> <td>32.03</td> <td>0.00</td> <td>104 306 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5725.29	64.54	68.20	-3.66	51.58	34.65	10.34	32.03	0.00	104 306 PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																															
1 5725.29	64.54	68.20	-3.66	51.58	34.65	10.34	32.03	0.00	104 306 PEAK																															





		34																																																																																																					
Mode		Band Edge - L																																																																																																					
		U-NII-2C_5.47-5.725_802.11ax HE40_CH134_Full RU_5670MHz																																																																																																					
ANT		CDD 5+4																																																																																																					
Pol.		Vertical					Fundamental																																																																																																
Peak	 <p>Level (dBuV/m)</p> <p>130</p> <p>113.8</p> <p>97.5</p> <p>81.3</p> <p>65.0</p> <p>48.8</p> <p>32.5</p> <p>16.3</p> <p>0</p> <p>5350 5414. 5478. 5542. 5606. 5670</p> <p>Frequency (MHz)</p> <p>U-NII-1-U-NII-2A-U-NII-2C</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5386.48</td> <td>52.71</td> <td>74.00</td> <td>-21.29</td> <td>40.08</td> <td>34.65</td> <td>9.93</td> <td>31.95</td> <td>0.00</td> <td>265</td> <td>107</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5467.76</td> <td>51.47</td> <td>68.20</td> <td>-16.73</td> <td>38.73</td> <td>34.70</td> <td>10.04</td> <td>32.00</td> <td>0.00</td> <td>265</td> <td>107</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5386.48	52.71	74.00	-21.29	40.08	34.65	9.93	31.95	0.00	265	107	PEAK	2	5467.76	51.47	68.20	-16.73	38.73	34.70	10.04	32.00	0.00	265	107	PEAK	 <p>Level (dBuV/m)</p> <p>130</p> <p>113.8</p> <p>97.5</p> <p>81.3</p> <p>65.0</p> <p>48.8</p> <p>32.5</p> <p>16.3</p> <p>0</p> <p>1000 2200. 3400. 4600. 5800. 7000</p> <p>Frequency (MHz)</p> <p>U-NII-1-U-NII-2A-U-NII-2C</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5670.00</td> <td>108.86</td> <td>-----</td> <td>-----</td> <td>95.96</td> <td>34.66</td> <td>10.31</td> <td>32.07</td> <td>0.00</td> <td>265</td> <td>107</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5670.00	108.86	-----	-----	95.96	34.66	10.31	32.07	0.00	265	107	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																													
1	5386.48	52.71	74.00	-21.29	40.08	34.65	9.93	31.95	0.00	265	107	PEAK																																																																																											
2	5467.76	51.47	68.20	-16.73	38.73	34.70	10.04	32.00	0.00	265	107	PEAK																																																																																											
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																													
1	5670.00	108.86	-----	-----	95.96	34.66	10.31	32.07	0.00	265	107	PEAK																																																																																											
Avg	 <p>Level (dBuV/m)</p> <p>130</p> <p>113.8</p> <p>97.5</p> <p>81.3</p> <p>65.0</p> <p>48.8</p> <p>32.5</p> <p>16.3</p> <p>0</p> <p>5350 5414. 5478. 5542. 5606. 5670</p> <p>Frequency (MHz)</p> <p>U-NII-1-U-NII-2A-U-NII-2C(AVG)</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5455.60</td> <td>41.70</td> <td>54.00</td> <td>-12.30</td> <td>28.97</td> <td>34.70</td> <td>10.02</td> <td>31.99</td> <td>0.00</td> <td>265</td> <td>107</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5455.60	41.70	54.00	-12.30	28.97	34.70	10.02	31.99	0.00	265	107	AVERAGE	 <p>Level (dBuV/m)</p> <p>130</p> <p>113.8</p> <p>97.5</p> <p>81.3</p> <p>65.0</p> <p>48.8</p> <p>32.5</p> <p>16.3</p> <p>0</p> <p>1000 2200. 3400. 4600. 5800. 7000</p> <p>Frequency (MHz)</p> <p>U-NII-1-U-NII-2A-U-NII-2C(AVG)</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5670.00</td> <td>100.39</td> <td>-----</td> <td>-----</td> <td>87.53</td> <td>34.64</td> <td>10.30</td> <td>32.00</td> <td>0.00</td> <td>265</td> <td>107</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5670.00	100.39	-----	-----	87.53	34.64	10.30	32.00	0.00	265	107	AVERAGE													
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																													
1	5455.60	41.70	54.00	-12.30	28.97	34.70	10.02	31.99	0.00	265	107	AVERAGE																																																																																											
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																													
1	5670.00	100.39	-----	-----	87.53	34.64	10.30	32.00	0.00	265	107	AVERAGE																																																																																											







Mode	34																																							
	Band Edge - R																																							
	U-NII-2C_5.47-5.725_802.11ax HE40_CH134_Full RU_5670MHz																																							
ANT	CDD 5+4																																							
Pol.	Vertical	Fundamental																																						
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5739.26</td> <td>59.42</td> <td>68.20</td> <td>-8.78</td> <td>46.46</td> <td>34.62</td> <td>10.36</td> <td>32.02</td> <td>0.00</td> <td>265 107</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5739.26	59.42	68.20	-8.78	46.46	34.62	10.36	32.02	0.00	265 107	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																															
1 5739.26	59.42	68.20	-8.78	46.46	34.62	10.36	32.02	0.00	265 107																															



Mode	34																																																																											
	Harmonic																																																																											
	U-NII-2C_5.47-5.725_802.11ax HE40_CH134_Full RU_5670MHz																																																																											
ANT	CDD 5+4																																																																											
Pol.	Horizontal	Vertical																																																																										
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 11340.00</td> <td>45.75</td> <td>74.00</td> <td>-28.25</td> <td>53.68</td> <td>38.14</td> <td>14.80</td> <td>60.87</td> <td>0.00</td> <td>--- --- PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 11340.00	45.75	74.00	-28.25	53.68	38.14	14.80	60.87	0.00	--- --- PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 11340.00</td> <td>44.16</td> <td>74.00</td> <td>-29.84</td> <td>52.09</td> <td>38.14</td> <td>14.80</td> <td>60.87</td> <td>0.00</td> <td>--- --- PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 11340.00	44.16	74.00	-29.84	52.09	38.14	14.80	60.87	0.00	--- --- PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																				
1 11340.00	45.75	74.00	-28.25	53.68	38.14	14.80	60.87	0.00	--- --- PEAK																																																																			
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																				
1 11340.00	44.16	74.00	-29.84	52.09	38.14	14.80	60.87	0.00	--- --- PEAK																																																																			







Mode	35																																																																																										
	Band Edge - L																																																																																										
	U-NII-2C_5.47-5.725_802.11ax HE80_CH106_Full RU_5530MHz																																																																																										
ANT	CDD 5+4																																																																																										
Pol.	Horizontal	Fundamental																																																																																									
Peak	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5455.30</td> <td>60.82</td> <td>74.00</td> <td>-13.18</td> <td>48.09</td> <td>34.70</td> <td>10.02</td> <td>31.99</td> <td>0.00</td> <td>127</td> <td>60 PEAK</td> </tr> <tr> <td>2 5467.18</td> <td>61.83</td> <td>68.20</td> <td>-6.37</td> <td>49.08</td> <td>34.70</td> <td>10.04</td> <td>31.99</td> <td>0.00</td> <td>127</td> <td>60 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5455.30	60.82	74.00	-13.18	48.09	34.70	10.02	31.99	0.00	127	60 PEAK	2 5467.18	61.83	68.20	-6.37	49.08	34.70	10.04	31.99	0.00	127	60 PEAK	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5530.00</td> <td>104.56</td> <td>-----</td> <td>-----</td> <td>91.82</td> <td>34.65</td> <td>10.12</td> <td>32.03</td> <td>0.00</td> <td>127</td> <td>60 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5530.00	104.56	-----	-----	91.82	34.65	10.12	32.03	0.00	127	60 PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																			
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1 5455.30	60.82	74.00	-13.18	48.09	34.70	10.02	31.99	0.00	127	60 PEAK																																																																																	
2 5467.18	61.83	68.20	-6.37	49.08	34.70	10.04	31.99	0.00	127	60 PEAK																																																																																	
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																			
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1 5530.00	104.56	-----	-----	91.82	34.65	10.12	32.03	0.00	127	60 PEAK																																																																																	
Avg	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5455.84</td> <td>50.35</td> <td>54.00</td> <td>-3.65</td> <td>37.62</td> <td>34.70</td> <td>10.02</td> <td>31.99</td> <td>0.00</td> <td>127</td> <td>60 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5455.84	50.35	54.00	-3.65	37.62	34.70	10.02	31.99	0.00	127	60 AVERAGE	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5530.00</td> <td>95.18</td> <td>-----</td> <td>-----</td> <td>82.44</td> <td>34.65</td> <td>10.12</td> <td>32.03</td> <td>0.00</td> <td>127</td> <td>60 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5530.00	95.18	-----	-----	82.44	34.65	10.12	32.03	0.00	127	60 AVERAGE											
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																			
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1 5455.84	50.35	54.00	-3.65	37.62	34.70	10.02	31.99	0.00	127	60 AVERAGE																																																																																	
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																			
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1 5530.00	95.18	-----	-----	82.44	34.65	10.12	32.03	0.00	127	60 AVERAGE																																																																																	



Mode	35																																								
	Band Edge - R																																								
	U-NII-2C_5.47-5.725_802.11ax HE80_CH106_Full RU_5530MHz																																								
ANT	CDD 5+4																																								
Pol.	Horizontal	Fundamental																																							
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5740.56</td> <td>55.22</td> <td>68.20</td> <td>-12.98</td> <td>42.26</td> <td>34.62</td> <td>10.36</td> <td>32.02</td> <td>0.00</td> <td>127</td> <td>60 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5740.56	55.22	68.20	-12.98	42.26	34.62	10.36	32.02	0.00	127	60 PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																	
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor	cm	deg																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																
1 5740.56	55.22	68.20	-12.98	42.26	34.62	10.36	32.02	0.00	127	60 PEAK																															



Mode	35																																																																																													
	Band Edge - L																																																																																													
	U-NII-2C_5.47-5.725_802.11ax HE80_CH106_Full RU_5530MHz																																																																																													
ANT	CDD 5+4																																																																																													
Pol.	Vertical	Fundamental																																																																																												
Peak	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5458.00</td> <td>59.31</td> <td>74.00</td> <td>-14.69</td> <td>46.58</td> <td>34.70</td> <td>10.02</td> <td>31.99</td> <td>0.00</td> <td>338</td> <td>104</td> <td>PEAK</td> </tr> <tr> <td>2 5469.34</td> <td>60.32</td> <td>68.20</td> <td>-7.88</td> <td>47.58</td> <td>34.70</td> <td>10.04</td> <td>32.00</td> <td>0.00</td> <td>338</td> <td>104</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5458.00	59.31	74.00	-14.69	46.58	34.70	10.02	31.99	0.00	338	104	PEAK	2 5469.34	60.32	68.20	-7.88	47.58	34.70	10.04	32.00	0.00	338	104	PEAK	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5530.00</td> <td>103.30</td> <td>-----</td> <td>-----</td> <td>90.57</td> <td>34.63</td> <td>10.14</td> <td>32.04</td> <td>0.00</td> <td>338</td> <td>104</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5530.00	103.30	-----	-----	90.57	34.63	10.14	32.04	0.00	338	104	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1 5458.00	59.31	74.00	-14.69	46.58	34.70	10.02	31.99	0.00	338	104	PEAK																																																																																			
2 5469.34	60.32	68.20	-7.88	47.58	34.70	10.04	32.00	0.00	338	104	PEAK																																																																																			
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1 5530.00	103.30	-----	-----	90.57	34.63	10.14	32.04	0.00	338	104	PEAK																																																																																			
Avg	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5459.00</td> <td>49.54</td> <td>54.00</td> <td>-4.46</td> <td>36.80</td> <td>34.70</td> <td>10.03</td> <td>31.99</td> <td>0.00</td> <td>338</td> <td>104</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5459.00	49.54	54.00	-4.46	36.80	34.70	10.03	31.99	0.00	338	104	AVERAGE	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5530.00</td> <td>94.40</td> <td>-----</td> <td>-----</td> <td>81.67</td> <td>34.63</td> <td>10.14</td> <td>32.04</td> <td>0.00</td> <td>338</td> <td>104</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5530.00	94.40	-----	-----	81.67	34.63	10.14	32.04	0.00	338	104	AVERAGE												
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1 5459.00	49.54	54.00	-4.46	36.80	34.70	10.03	31.99	0.00	338	104	AVERAGE																																																																																			
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1 5530.00	94.40	-----	-----	81.67	34.63	10.14	32.04	0.00	338	104	AVERAGE																																																																																			







Mode	35																																							
	Band Edge - R																																							
	U-NII-2C_5.47-5.725_802.11ax HE80_CH106_Full RU_5530MHz																																							
ANT	CDD 5+4																																							
Pol.	Vertical	Fundamental																																						
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5754.90</td> <td>54.05</td> <td>68.20</td> <td>-14.15</td> <td>41.08</td> <td>34.61</td> <td>10.37</td> <td>32.01</td> <td>0.00</td> <td>338 104</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5754.90	54.05	68.20	-14.15	41.08	34.61	10.37	32.01	0.00	338 104	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																															
1 5754.90	54.05	68.20	-14.15	41.08	34.61	10.37	32.01	0.00	338 104																															



Mode	35																																																																																																																																	
	Harmonic																																																																																																																																	
	U-NII-2C_5.47-5.725_802.11ax HE80_CH106_Full RU_5530MHz																																																																																																																																	
ANT	CDD 5+4																																																																																																																																	
Pol.	Horizontal	Vertical																																																																																																																																
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 11060.00</td> <td>45.62</td> <td>74.00</td> <td>-28.38</td> <td>53.88</td> <td>38.00</td> <td>14.61</td> <td>60.87</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>0.00</td> <td>---</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>deg</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>---</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 11060.00	45.62	74.00	-28.38	53.88	38.00	14.61	60.87							0.00	---								deg								---								PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 11060.00</td> <td>45.74</td> <td>74.00</td> <td>-28.26</td> <td>54.00</td> <td>38.00</td> <td>14.61</td> <td>60.87</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>0.00</td> <td>---</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>deg</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>---</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 11060.00	45.74	74.00	-28.26	54.00	38.00	14.61	60.87							0.00	---								deg								---								PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																																											
1 11060.00	45.62	74.00	-28.38	53.88	38.00	14.61	60.87																																																																																																																											
						0.00	---																																																																																																																											
							deg																																																																																																																											
							---																																																																																																																											
							PEAK																																																																																																																											
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																																											
1 11060.00	45.74	74.00	-28.26	54.00	38.00	14.61	60.87																																																																																																																											
						0.00	---																																																																																																																											
							deg																																																																																																																											
							---																																																																																																																											
							PEAK																																																																																																																											





Mode	36																																																																																																
	Band Edge - L																																																																																																
	U-NII-2C_5.47-5.725_802.11ax HE80_CH122_Full RU_5610MHz																																																																																																
ANT	CDD 5+4																																																																																																
Pol.	Horizontal	Fundamental																																																																																															
Peak	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5449.00</td> <td>54.87</td> <td>74.00</td> <td>-19.13</td> <td>42.14</td> <td>34.70</td> <td>10.01</td> <td>31.98</td> <td>0.00</td> <td>103</td> <td>307</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5465.02</td> <td>56.03</td> <td>68.20</td> <td>-12.17</td> <td>43.29</td> <td>34.70</td> <td>10.03</td> <td>31.99</td> <td>0.00</td> <td>103</td> <td>307</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5449.00	54.87	74.00	-19.13	42.14	34.70	10.01	31.98	0.00	103	307	PEAK	2	5465.02	56.03	68.20	-12.17	43.29	34.70	10.03	31.99	0.00	103	307	PEAK	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5610.00</td> <td>107.66</td> <td>-----</td> <td>-----</td> <td>94.81</td> <td>34.68</td> <td>10.25</td> <td>32.08</td> <td>0.00</td> <td>103</td> <td>307</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5610.00	107.66	-----	-----	94.81	34.68	10.25	32.08	0.00	103	307	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5449.00	54.87	74.00	-19.13	42.14	34.70	10.01	31.98	0.00	103	307	PEAK																																																																																					
2	5465.02	56.03	68.20	-12.17	43.29	34.70	10.03	31.99	0.00	103	307	PEAK																																																																																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5610.00	107.66	-----	-----	94.81	34.68	10.25	32.08	0.00	103	307	PEAK																																																																																					
Avg	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5456.74</td> <td>44.41</td> <td>54.00</td> <td>-9.59</td> <td>31.68</td> <td>34.70</td> <td>10.02</td> <td>31.99</td> <td>0.00</td> <td>103</td> <td>307</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5456.74	44.41	54.00	-9.59	31.68	34.70	10.02	31.99	0.00	103	307	AVERAGE	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5610.00</td> <td>97.76</td> <td>-----</td> <td>-----</td> <td>84.93</td> <td>34.65</td> <td>10.27</td> <td>32.09</td> <td>0.00</td> <td>103</td> <td>307</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5610.00	97.76	-----	-----	84.93	34.65	10.27	32.09	0.00	103	307	AVERAGE													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5456.74	44.41	54.00	-9.59	31.68	34.70	10.02	31.99	0.00	103	307	AVERAGE																																																																																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5610.00	97.76	-----	-----	84.93	34.65	10.27	32.09	0.00	103	307	AVERAGE																																																																																					



Mode	36																																							
	Band Edge - R																																							
	U-NII-2C_5.47-5.725_802.11ax HE80_CH122_Full RU_5610MHz																																							
ANT	CDD 5+4																																							
Pol.	Horizontal	Fundamental																																						
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5736.33</td> <td>64.04</td> <td>68.20</td> <td>-4.16</td> <td>51.08</td> <td>34.63</td> <td>10.35</td> <td>32.02</td> <td>0.00</td> <td>103 307 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5736.33	64.04	68.20	-4.16	51.08	34.63	10.35	32.02	0.00	103 307 PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor	cm	deg																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																															
1 5736.33	64.04	68.20	-4.16	51.08	34.63	10.35	32.02	0.00	103 307 PEAK																															



<b>36</b>																																																																																												
<b>Mode</b>																																																																																												
<b>Band Edge - L</b>																																																																																												
<b>U-NII-2C_5.47-5.725_802.11ax HE80_CH122_Full RU_5610MHz</b>																																																																																												
<b>ANT</b>																																																																																												
<b>CDD 5+4</b>																																																																																												
<b>Pol.</b>																																																																																												
<b>Vertical</b>	<b>Fundamental</b>																																																																																											
<b>Peak</b>	<b>Fundamental</b>																																																																																											
<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5457.28</td> <td>58.32</td> <td>74.00</td> <td>-15.68</td> <td>45.59</td> <td>34.70</td> <td>10.02</td> <td>31.99</td> <td>0.00</td> <td>293</td> <td>108</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5469.16</td> <td>57.88</td> <td>68.20</td> <td>-10.32</td> <td>45.14</td> <td>34.70</td> <td>10.04</td> <td>32.00</td> <td>0.00</td> <td>293</td> <td>108</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5457.28	58.32	74.00	-15.68	45.59	34.70	10.02	31.99	0.00	293	108	PEAK	2	5469.16	57.88	68.20	-10.32	45.14	34.70	10.04	32.00	0.00	293	108	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5610.00</td> <td>107.43</td> <td>-----</td> <td>-----</td> <td>94.60</td> <td>34.65</td> <td>10.27</td> <td>32.09</td> <td>0.00</td> <td>293</td> <td>108</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5610.00	107.43	-----	-----	94.60	34.65	10.27	32.09	0.00	293	108	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Remark																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	5457.28	58.32	74.00	-15.68	45.59	34.70	10.02	31.99	0.00	293	108	PEAK																																																																																
2	5469.16	57.88	68.20	-10.32	45.14	34.70	10.04	32.00	0.00	293	108	PEAK																																																																																
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Remark																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	5610.00	107.43	-----	-----	94.60	34.65	10.27	32.09	0.00	293	108	PEAK																																																																																
<b>Avg</b>	<b>Fundamental</b>																																																																																											
<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5459.00</td> <td>45.68</td> <td>54.00</td> <td>-8.32</td> <td>32.94</td> <td>34.70</td> <td>10.03</td> <td>31.99</td> <td>0.00</td> <td>293</td> <td>108</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.00	45.68	54.00	-8.32	32.94	34.70	10.03	31.99	0.00	293	108	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5610.00</td> <td>97.15</td> <td>-----</td> <td>-----</td> <td>84.32</td> <td>34.66</td> <td>10.26</td> <td>32.09</td> <td>0.00</td> <td>293</td> <td>108</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5610.00	97.15	-----	-----	84.32	34.66	10.26	32.09	0.00	293	108	AVERAGE													
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Remark																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	5459.00	45.68	54.00	-8.32	32.94	34.70	10.03	31.99	0.00	293	108	AVERAGE																																																																																
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Remark																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	5610.00	97.15	-----	-----	84.32	34.66	10.26	32.09	0.00	293	108	AVERAGE																																																																																







Mode	36																																							
	Band Edge - R																																							
	U-NII-2C_5.47-5.725_802.11ax HE80_CH122_Full RU_5610MHz																																							
ANT	CDD 5+4																																							
Pol.	Vertical	Fundamental																																						
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5728.34</td> <td>63.23</td> <td>68.20</td> <td>-4.97</td> <td>50.27</td> <td>34.64</td> <td>10.35</td> <td>32.03</td> <td>0.00</td> <td>293 108 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5728.34	63.23	68.20	-4.97	50.27	34.64	10.35	32.03	0.00	293 108 PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	cm	deg																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																															
1 5728.34	63.23	68.20	-4.97	50.27	34.64	10.35	32.03	0.00	293 108 PEAK																															



Mode	36																																																																																																																																	
	Harmonic																																																																																																																																	
	U-NII-2C_5.47-5.725_802.11ax HE80_CH122_Full RU_5610MHz																																																																																																																																	
ANT	CDD 5+4																																																																																																																																	
Pol.	Horizontal	Vertical																																																																																																																																
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 11220.00</td> <td>45.08</td> <td>74.00</td> <td>-28.92</td> <td>53.13</td> <td>38.10</td> <td>14.72</td> <td>60.87</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>0.00</td> <td>---</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>deg</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>---</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 11220.00	45.08	74.00	-28.92	53.13	38.10	14.72	60.87							0.00	---								deg								---								PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 11220.00</td> <td>45.33</td> <td>74.00</td> <td>-28.67</td> <td>53.38</td> <td>38.10</td> <td>14.72</td> <td>60.87</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>0.00</td> <td>---</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>deg</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>---</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 11220.00	45.33	74.00	-28.67	53.38	38.10	14.72	60.87							0.00	---								deg								---								PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																																											
1 11220.00	45.08	74.00	-28.92	53.13	38.10	14.72	60.87																																																																																																																											
						0.00	---																																																																																																																											
							deg																																																																																																																											
							---																																																																																																																											
							PEAK																																																																																																																											
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																																											
1 11220.00	45.33	74.00	-28.67	53.38	38.10	14.72	60.87																																																																																																																											
						0.00	---																																																																																																																											
							deg																																																																																																																											
							---																																																																																																																											
							PEAK																																																																																																																											







Mode	37																																																																																														
	Band Edge - L																																																																																														
	U-NII-2C_5.47-5.725_802.11ax HE160_CH114_Full RU_5570MHz																																																																																														
ANT	CDD 5+4																																																																																														
Pol.	Horizontal	Fundamental																																																																																													
Peak	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5407.42</td> <td>60.86</td> <td>74.00</td> <td>-13.14</td> <td>48.17</td> <td>34.70</td> <td>9.95</td> <td>31.96</td> <td>0.00</td> <td>134</td> <td>63</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5467.04</td> <td>59.17</td> <td>68.20</td> <td>-9.03</td> <td>46.42</td> <td>34.70</td> <td>10.04</td> <td>31.99</td> <td>0.00</td> <td>134</td> <td>63</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5407.42	60.86	74.00	-13.14	48.17	34.70	9.95	31.96	0.00	134	63	PEAK	2	5467.04	59.17	68.20	-9.03	46.42	34.70	10.04	31.99	0.00	134	63	PEAK	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5570.00</td> <td>103.81</td> <td>-----</td> <td>-----</td> <td>91.00</td> <td>34.66</td> <td>10.21</td> <td>32.06</td> <td>0.00</td> <td>134</td> <td>63</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5570.00	103.81	-----	-----	91.00	34.66	10.21	32.06	0.00	134	63	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																							
1	5407.42	60.86	74.00	-13.14	48.17	34.70	9.95	31.96	0.00	134	63	PEAK																																																																																			
2	5467.04	59.17	68.20	-9.03	46.42	34.70	10.04	31.99	0.00	134	63	PEAK																																																																																			
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																							
1	5570.00	103.81	-----	-----	91.00	34.66	10.21	32.06	0.00	134	63	PEAK																																																																																			
Avg	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5455.82</td> <td>49.95</td> <td>54.00</td> <td>-4.05</td> <td>37.22</td> <td>34.70</td> <td>10.02</td> <td>31.99</td> <td>0.00</td> <td>134</td> <td>63</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5455.82	49.95	54.00	-4.05	37.22	34.70	10.02	31.99	0.00	134	63	AVERAGE	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5570.00</td> <td>92.83</td> <td>-----</td> <td>-----</td> <td>80.01</td> <td>34.67</td> <td>10.22</td> <td>32.07</td> <td>0.00</td> <td>134</td> <td>63</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5570.00	92.83	-----	-----	80.01	34.67	10.22	32.07	0.00	134	63	AVERAGE													
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																							
1	5455.82	49.95	54.00	-4.05	37.22	34.70	10.02	31.99	0.00	134	63	AVERAGE																																																																																			
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																							
1	5570.00	92.83	-----	-----	80.01	34.67	10.22	32.07	0.00	134	63	AVERAGE																																																																																			



Mode	37																																	
	Band Edge - R																																	
	U-NII-2C_5.47-5.725_802.11ax HE160_CH114_Full RU_5570MHz																																	
ANT	CDD 5+4																																	
Pol.	Horizontal	Fundamental																																
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5725.22</td> <td>64.19</td> <td>68.20</td> <td>-4.01</td> <td>51.23</td> <td>34.65</td> <td>10.34</td> <td>32.03</td> <td>0.00</td> <td>134</td> <td>63 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	1	5725.22	64.19	68.20	-4.01	51.23	34.65	10.34	32.03	0.00	134	63 PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																								
1	5725.22	64.19	68.20	-4.01	51.23	34.65	10.34	32.03	0.00	134	63 PEAK																							



Mode	37																																																																																																		
	Band Edge - L																																																																																																		
	U-NII-2C_5.47-5.725_802.11ax HE160_CH114_Full RU_5570MHz																																																																																																		
ANT	CDD 5+4																																																																																																		
Pol.	Vertical	Fundamental																																																																																																	
Peak	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5447.46</td> <td>60.88</td> <td>74.00</td> <td>-13.12</td> <td>48.15</td> <td>34.70</td> <td>10.01</td> <td>31.98</td> <td>0.00</td> <td>300</td> <td>111</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5468.36</td> <td>56.84</td> <td>68.20</td> <td>-11.36</td> <td>44.10</td> <td>34.70</td> <td>10.04</td> <td>32.00</td> <td>0.00</td> <td>300</td> <td>111</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5447.46	60.88	74.00	-13.12	48.15	34.70	10.01	31.98	0.00	300	111	PEAK	2	5468.36	56.84	68.20	-11.36	44.10	34.70	10.04	32.00	0.00	300	111	PEAK	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5570.00</td> <td>101.38</td> <td>-----</td> <td>-----</td> <td>88.57</td> <td>34.66</td> <td>10.21</td> <td>32.06</td> <td>0.00</td> <td>300</td> <td>111</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5570.00	101.38	-----	-----	88.57	34.66	10.21	32.06	0.00	300	111	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																									
1	5447.46	60.88	74.00	-13.12	48.15	34.70	10.01	31.98	0.00	300	111	PEAK																																																																																							
2	5468.36	56.84	68.20	-11.36	44.10	34.70	10.04	32.00	0.00	300	111	PEAK																																																																																							
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																									
1	5570.00	101.38	-----	-----	88.57	34.66	10.21	32.06	0.00	300	111	PEAK																																																																																							
Avg	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5439.10</td> <td>48.88</td> <td>54.00</td> <td>-5.12</td> <td>36.17</td> <td>34.70</td> <td>9.99</td> <td>31.98</td> <td>0.00</td> <td>300</td> <td>111</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5439.10	48.88	54.00	-5.12	36.17	34.70	9.99	31.98	0.00	300	111	AVERAGE	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5570.00</td> <td>92.55</td> <td>-----</td> <td>-----</td> <td>79.72</td> <td>34.68</td> <td>10.22</td> <td>32.07</td> <td>0.00</td> <td>300</td> <td>111</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5570.00	92.55	-----	-----	79.72	34.68	10.22	32.07	0.00	300	111	AVERAGE													
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																									
1	5439.10	48.88	54.00	-5.12	36.17	34.70	9.99	31.98	0.00	300	111	AVERAGE																																																																																							
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																									
1	5570.00	92.55	-----	-----	79.72	34.68	10.22	32.07	0.00	300	111	AVERAGE																																																																																							





Mode	37																																												
	Band Edge - R																																												
	U-NII-2C_5.47-5.725_802.11ax HE160_CH114_Full RU_5570MHz																																												
ANT	CDD 5+4																																												
Pol.	Vertical	Fundamental																																											
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5728.93</td> <td>64.97</td> <td>68.20</td> <td>-3.23</td> <td>52.01</td> <td>34.64</td> <td>10.35</td> <td>32.03</td> <td>0.00</td> <td>300</td> <td>111</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5728.93	64.97	68.20	-3.23	52.01	34.64	10.35	32.03	0.00	300	111	PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																			
1 5728.93	64.97	68.20	-3.23	52.01	34.64	10.35	32.03	0.00	300	111	PEAK																																		



Mode	37																																																																										
	Harmonic																																																																										
	U-NII-2C_5.47-5.725_802.11ax HE160_CH114_Full RU_5570MHz																																																																										
ANT	CDD 5+4																																																																										
Pol.	Horizontal	Vertical																																																																									
Peak Avg																																																																											
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 11140.00</td> <td>45.96</td> <td>74.00</td> <td>-28.04</td> <td>54.13</td> <td>38.04</td> <td>14.66</td> <td>60.87</td> <td>0.00</td> <td>--- --- PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 11140.00	45.96	74.00	-28.04	54.13	38.04	14.66	60.87	0.00	--- --- PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 11140.00</td> <td>45.02</td> <td>74.00</td> <td>-28.98</td> <td>53.19</td> <td>38.04</td> <td>14.66</td> <td>60.87</td> <td>0.00</td> <td>--- --- PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 11140.00	45.02	74.00	-28.98	53.19	38.04	14.66	60.87	0.00
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																			
1 11140.00	45.96	74.00	-28.04	54.13	38.04	14.66	60.87	0.00	--- --- PEAK																																																																		
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																			
1 11140.00	45.02	74.00	-28.98	53.19	38.04	14.66	60.87	0.00	--- --- PEAK																																																																		






Mode	38																																																																																										
	Band Edge																																																																																										
	U-NII-2C_5.47-5.725_802.11ax HE20_CH100_Partial_26/0RU_5500MHz																																																																																										
ANT	CDD 5+4																																																																																										
Pol.	Horizontal	Fundamental																																																																																									
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>5416.90</td> <td>53.01</td> <td>74.00</td> <td>-20.99</td> <td>40.31</td> <td>34.70</td> <td>9.96</td> <td>31.96</td> <td>0.00</td> <td>365</td> <td>282 PEAK</td> </tr> <tr> <td>5461.15</td> <td>52.92</td> <td>68.20</td> <td>-15.28</td> <td>40.18</td> <td>34.70</td> <td>10.03</td> <td>31.99</td> <td>0.00</td> <td>365</td> <td>282 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	5416.90	53.01	74.00	-20.99	40.31	34.70	9.96	31.96	0.00	365	282 PEAK	5461.15	52.92	68.20	-15.28	40.18	34.70	10.03	31.99	0.00	365	282 PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>5500.00</td> <td>104.11</td> <td>-----</td> <td>-----</td> <td>91.34</td> <td>34.70</td> <td>10.08</td> <td>32.01</td> <td>0.00</td> <td>365</td> <td>282 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	5500.00	104.11	-----	-----	91.34	34.70	10.08	32.01	0.00	365	282 PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																		
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
5416.90	53.01	74.00	-20.99	40.31	34.70	9.96	31.96	0.00	365	282 PEAK																																																																																	
5461.15	52.92	68.20	-15.28	40.18	34.70	10.03	31.99	0.00	365	282 PEAK																																																																																	
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																			
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
5500.00	104.11	-----	-----	91.34	34.70	10.08	32.01	0.00	365	282 PEAK																																																																																	
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>5458.90</td> <td>41.48</td> <td>54.00</td> <td>-12.52</td> <td>28.75</td> <td>34.70</td> <td>10.02</td> <td>31.99</td> <td>0.00</td> <td>365</td> <td>282 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	5458.90	41.48	54.00	-12.52	28.75	34.70	10.02	31.99	0.00	365	282 AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>5500.00</td> <td>96.34</td> <td>-----</td> <td>-----</td> <td>83.57</td> <td>34.70</td> <td>10.08</td> <td>32.01</td> <td>0.00</td> <td>365</td> <td>282 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	5500.00	96.34	-----	-----	83.57	34.70	10.08	32.01	0.00	365	282 AVERAGE											
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																			
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
5458.90	41.48	54.00	-12.52	28.75	34.70	10.02	31.99	0.00	365	282 AVERAGE																																																																																	
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																			
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
5500.00	96.34	-----	-----	83.57	34.70	10.08	32.01	0.00	365	282 AVERAGE																																																																																	






		<b>38</b>																																																																																																					
<b>Mode</b>	<b>Band Edge</b>																																																																																																						
	<b>U-NII-2C_5.47-5.725_802.11ax HE20_CH100_Partial_26/0RU_5500MHz</b>																																																																																																						
<b>ANT</b>	<b>CDD 5+4</b>																																																																																																						
<b>Pol.</b>	<b>Vertical</b>	<b>Fundamental</b>																																																																																																					
<b>Peak</b>	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>Remark</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5377.75</td> <td>53.02</td> <td>74.00</td> <td>-20.98</td> <td>40.42</td> <td>34.61</td> <td>9.93</td> <td>31.94</td> <td>0.00</td> <td>300</td> <td>94</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5460.85</td> <td>52.71</td> <td>68.20</td> <td>-15.49</td> <td>39.97</td> <td>34.70</td> <td>10.03</td> <td>31.99</td> <td>0.00</td> <td>300</td> <td>94</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5377.75	53.02	74.00	-20.98	40.42	34.61	9.93	31.94	0.00	300	94	PEAK	2	5460.85	52.71	68.20	-15.49	39.97	34.70	10.03	31.99	0.00	300	94	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>Remark</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5500.00</td> <td>108.12</td> <td>-----</td> <td>-----</td> <td>95.35</td> <td>34.70</td> <td>10.08</td> <td>32.01</td> <td>0.00</td> <td>300</td> <td>94</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5500.00	108.12	-----	-----	95.35	34.70	10.08	32.01	0.00	300	94	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor		Remark																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																													
1	5377.75	53.02	74.00	-20.98	40.42	34.61	9.93	31.94	0.00	300	94	PEAK																																																																																											
2	5460.85	52.71	68.20	-15.49	39.97	34.70	10.03	31.99	0.00	300	94	PEAK																																																																																											
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor		Remark																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																													
1	5500.00	108.12	-----	-----	95.35	34.70	10.08	32.01	0.00	300	94	PEAK																																																																																											
<b>Avg</b>	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>Remark</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5459.65</td> <td>41.57</td> <td>54.00</td> <td>-12.43</td> <td>28.83</td> <td>34.70</td> <td>10.03</td> <td>31.99</td> <td>0.00</td> <td>300</td> <td>94</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5459.65	41.57	54.00	-12.43	28.83	34.70	10.03	31.99	0.00	300	94	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>Remark</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5500.00</td> <td>100.70</td> <td>-----</td> <td>-----</td> <td>87.93</td> <td>34.70</td> <td>10.08</td> <td>32.01</td> <td>0.00</td> <td>300</td> <td>94</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5500.00	100.70	-----	-----	87.93	34.70	10.08	32.01	0.00	300	94	AVERAGE													
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor		Remark																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																													
1	5459.65	41.57	54.00	-12.43	28.83	34.70	10.03	31.99	0.00	300	94	AVERAGE																																																																																											
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor		Remark																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																													
1	5500.00	100.70	-----	-----	87.93	34.70	10.08	32.01	0.00	300	94	AVERAGE																																																																																											







Mode	39																																																																															
	Band Edge																																																																															
	U-NII-2C_5.47-5.725_802.11ax HE20_CH140_Partial_26/8RU_5700MHz																																																																															
ANT	CDD 5+4																																																																															
Pol.	Horizontal	Fundamental																																																																														
Peak	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5760.26</td> <td>53.82</td> <td>68.20</td> <td>-14.38</td> <td>40.83</td> <td>34.62</td> <td>10.37</td> <td>32.00</td> <td>0.00</td> <td>114</td> <td>331</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 5760.26	53.82	68.20	-14.38	40.83	34.62	10.37	32.00	0.00	114	331	PEAK	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5700.00</td> <td>111.84</td> <td>-----</td> <td>-----</td> <td>98.87</td> <td>34.68</td> <td>10.33</td> <td>32.04</td> <td>0.00</td> <td>114</td> <td>331</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 5700.00	111.84	-----	-----	98.87	34.68	10.33	32.04	0.00	114	331	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor	cm	deg																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																								
1 5760.26	53.82	68.20	-14.38	40.83	34.62	10.37	32.00	0.00	114	331	PEAK																																																																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor	cm	deg																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																								
1 5700.00	111.84	-----	-----	98.87	34.68	10.33	32.04	0.00	114	331	PEAK																																																																					
Avg	Blank	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5700.00</td> <td>104.46</td> <td>-----</td> <td>-----</td> <td>91.49</td> <td>34.68</td> <td>10.33</td> <td>32.04</td> <td>0.00</td> <td>114</td> <td>331</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 5700.00	104.46	-----	-----	91.49	34.68	10.33	32.04	0.00	114	331	AVERAGE																																							
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor	cm	deg																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																								
1 5700.00	104.46	-----	-----	91.49	34.68	10.33	32.04	0.00	114	331	AVERAGE																																																																					







Mode	39																																																																																																	
	Band Edge																																																																																																	
	U-NII-2C_5.47-5.725_802.11ax HE20_CH140_Partial_26/8RU_5700MHz																																																																																																	
ANT	CDD 5+4																																																																																																	
Pol.	Vertical	Fundamental																																																																																																
Peak	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5749.34</td> <td>55.17</td> <td>68.20</td> <td>-13.03</td> <td>42.22</td> <td>34.60</td> <td>10.36</td> <td>32.01</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>0.00</td> <td>305</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>115 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 5749.34	55.17	68.20	-13.03	42.22	34.60	10.36	32.01							0.00	305								115 PEAK	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5700.00</td> <td>115.82</td> <td>-----</td> <td>-----</td> <td>102.85</td> <td>34.68</td> <td>10.33</td> <td>32.04</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>0.00</td> <td>305</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>115 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 5700.00	115.82	-----	-----	102.85	34.68	10.33	32.04							0.00	305								115 PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Remark																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																											
1 5749.34	55.17	68.20	-13.03	42.22	34.60	10.36	32.01																																																																																											
						0.00	305																																																																																											
							115 PEAK																																																																																											
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Remark																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																											
1 5700.00	115.82	-----	-----	102.85	34.68	10.33	32.04																																																																																											
						0.00	305																																																																																											
							115 PEAK																																																																																											
Avg	Blank	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5700.00</td> <td>105.19</td> <td>-----</td> <td>-----</td> <td>92.22</td> <td>34.68</td> <td>10.33</td> <td>32.04</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>0.00</td> <td>305</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>115 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 5700.00	105.19	-----	-----	92.22	34.68	10.33	32.04							0.00	305								115 AVERAGE																																																
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Remark																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																											
1 5700.00	105.19	-----	-----	92.22	34.68	10.33	32.04																																																																																											
						0.00	305																																																																																											
							115 AVERAGE																																																																																											



	<b>40</b>																																																																																													
<b>Mode</b>	<b>Band Edge</b>																																																																																													
	<b>U-NII-2C_5.47-5.725_802.11ax HE20_CH100_Partial_52/37RU_5500MHz</b>																																																																																													
<b>ANT</b>	<b>CDD 5+4</b>																																																																																													
<b>Pol.</b>	<b>Horizontal</b>	<b>Fundamental</b>																																																																																												
<b>Peak</b>	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5389.15</td> <td>53.88</td> <td>74.00</td> <td>-20.12</td> <td>41.24</td> <td>34.66</td> <td>9.93</td> <td>31.95</td> <td>0.00</td> <td>112</td> <td>68</td> <td>PEAK</td> </tr> <tr> <td>2 5465.80</td> <td>52.47</td> <td>68.20</td> <td>-15.73</td> <td>39.72</td> <td>34.70</td> <td>10.04</td> <td>31.99</td> <td>0.00</td> <td>112</td> <td>68</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5389.15	53.88	74.00	-20.12	41.24	34.66	9.93	31.95	0.00	112	68	PEAK	2 5465.80	52.47	68.20	-15.73	39.72	34.70	10.04	31.99	0.00	112	68	PEAK	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5500.00</td> <td>106.60</td> <td>-----</td> <td>-----</td> <td>93.83</td> <td>34.70</td> <td>10.08</td> <td>32.01</td> <td>0.00</td> <td>112</td> <td>68</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5500.00	106.60	-----	-----	93.83	34.70	10.08	32.01	0.00	112	68	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1 5389.15	53.88	74.00	-20.12	41.24	34.66	9.93	31.95	0.00	112	68	PEAK																																																																																			
2 5465.80	52.47	68.20	-15.73	39.72	34.70	10.04	31.99	0.00	112	68	PEAK																																																																																			
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1 5500.00	106.60	-----	-----	93.83	34.70	10.08	32.01	0.00	112	68	PEAK																																																																																			
<b>Avg</b>	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5456.65</td> <td>41.97</td> <td>54.00</td> <td>-12.03</td> <td>29.24</td> <td>34.70</td> <td>10.02</td> <td>31.99</td> <td>0.00</td> <td>112</td> <td>68</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5456.65	41.97	54.00	-12.03	29.24	34.70	10.02	31.99	0.00	112	68	AVERAGE	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5500.00</td> <td>99.20</td> <td>-----</td> <td>-----</td> <td>86.43</td> <td>34.70</td> <td>10.08</td> <td>32.01</td> <td>0.00</td> <td>112</td> <td>68</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5500.00	99.20	-----	-----	86.43	34.70	10.08	32.01	0.00	112	68	AVERAGE												
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1 5456.65	41.97	54.00	-12.03	29.24	34.70	10.02	31.99	0.00	112	68	AVERAGE																																																																																			
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1 5500.00	99.20	-----	-----	86.43	34.70	10.08	32.01	0.00	112	68	AVERAGE																																																																																			



Mode	40																																																																																											
	Band Edge																																																																																											
	U-NII-2C_5.47-5.725_802.11ax HE20_CH100_Partial_52/37RU_5500MHz																																																																																											
ANT	CDD 5+4																																																																																											
Pol.	Vertical	Fundamental																																																																																										
Peak	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5418.25</td> <td>53.22</td> <td>74.00</td> <td>-20.78</td> <td>40.53</td> <td>34.70</td> <td>9.96</td> <td>31.97</td> <td>0.00</td> <td>350</td> <td>96 PEAK</td> </tr> <tr> <td>2</td> <td>5463.55</td> <td>52.74</td> <td>68.20</td> <td>-15.46</td> <td>40.00</td> <td>34.70</td> <td>10.03</td> <td>31.99</td> <td>0.00</td> <td>350</td> <td>96 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5418.25	53.22	74.00	-20.78	40.53	34.70	9.96	31.97	0.00	350	96 PEAK	2	5463.55	52.74	68.20	-15.46	40.00	34.70	10.03	31.99	0.00	350	96 PEAK	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5500.00</td> <td>109.19</td> <td>-----</td> <td>-----</td> <td>96.42</td> <td>34.70</td> <td>10.08</td> <td>32.01</td> <td>0.00</td> <td>350</td> <td>96 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5500.00	109.19	-----	-----	96.42	34.70	10.08	32.01	0.00	350	96 PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																			
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																				
1	5418.25	53.22	74.00	-20.78	40.53	34.70	9.96	31.97	0.00	350	96 PEAK																																																																																	
2	5463.55	52.74	68.20	-15.46	40.00	34.70	10.03	31.99	0.00	350	96 PEAK																																																																																	
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																				
1	5500.00	109.19	-----	-----	96.42	34.70	10.08	32.01	0.00	350	96 PEAK																																																																																	
Avg	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5459.05</td> <td>41.91</td> <td>54.00</td> <td>-12.09</td> <td>29.17</td> <td>34.70</td> <td>10.03</td> <td>31.99</td> <td>0.00</td> <td>350</td> <td>96 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5459.05	41.91	54.00	-12.09	29.17	34.70	10.03	31.99	0.00	350	96 AVERAGE	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5500.00</td> <td>100.45</td> <td>-----</td> <td>-----</td> <td>87.68</td> <td>34.70</td> <td>10.08</td> <td>32.01</td> <td>0.00</td> <td>350</td> <td>96 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5500.00	100.45	-----	-----	87.68	34.70	10.08	32.01	0.00	350	96 AVERAGE												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																			
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																				
1	5459.05	41.91	54.00	-12.09	29.17	34.70	10.03	31.99	0.00	350	96 AVERAGE																																																																																	
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																				
1	5500.00	100.45	-----	-----	87.68	34.70	10.08	32.01	0.00	350	96 AVERAGE																																																																																	









Mode	41																																																																																	
	Band Edge																																																																																	
	U-NII-2C_5.47-5.725_802.11ax HE20_CH140_Partial_52/40RU_5700MHz																																																																																	
ANT	CDD 5+4																																																																																	
Pol.	Horizontal	Fundamental																																																																																
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5757.85</td> <td>54.65</td> <td>68.20</td> <td>-13.55</td> <td>41.66</td> <td>34.62</td> <td>10.37</td> <td>32.00</td> <td>0.00</td> <td>100</td> <td>330</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5757.85	54.65	68.20	-13.55	41.66	34.62	10.37	32.00	0.00	100	330	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5700.00</td> <td>112.30</td> <td>-----</td> <td>-----</td> <td>99.33</td> <td>34.69</td> <td>10.33</td> <td>32.05</td> <td>0.00</td> <td>100</td> <td>330</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5700.00	112.30	-----	-----	99.33	34.69	10.33	32.05	0.00	100	330	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1 5757.85	54.65	68.20	-13.55	41.66	34.62	10.37	32.00	0.00	100	330	PEAK																																																																							
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1 5700.00	112.30	-----	-----	99.33	34.69	10.33	32.05	0.00	100	330	PEAK																																																																							
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5700.00</td> <td>103.36</td> <td>-----</td> <td>-----</td> <td>90.39</td> <td>34.69</td> <td>10.33</td> <td>32.05</td> <td>0.00</td> <td>100</td> <td>330</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5700.00	103.36	-----	-----	90.39	34.69	10.33	32.05	0.00	100	330	AVERAGE																																								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1 5700.00	103.36	-----	-----	90.39	34.69	10.33	32.05	0.00	100	330	AVERAGE																																																																							







Mode	41																																																																																															
	Band Edge																																																																																															
	U-NII-2C_5.47-5.725_802.11ax HE20_CH140_Partial_52/40RU_5700MHz																																																																																															
ANT	CDD 5+4																																																																																															
Pol.	Vertical	Fundamental																																																																																														
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1 5745.05</td> <td>57.10</td> <td>68.20</td> <td>-11.10</td> <td>44.14</td> <td>34.61</td> <td>10.36</td> <td>32.01</td> <td>0.00</td> <td>300</td> <td>116</td> <td></td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Factor	cm	deg	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	Remark	1 5745.05	57.10	68.20	-11.10	44.14	34.61	10.36	32.01	0.00	300	116		PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1 5700.00</td> <td>114.13</td> <td>-----</td> <td>-----</td> <td>101.16</td> <td>34.68</td> <td>10.33</td> <td>32.04</td> <td>0.00</td> <td>300</td> <td>116</td> <td></td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Factor	cm	deg	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	Remark	1 5700.00	114.13	-----	-----	101.16	34.68	10.33	32.04	0.00	300	116		PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Factor	cm	deg	Remark																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	Remark																																																																																				
1 5745.05	57.10	68.20	-11.10	44.14	34.61	10.36	32.01	0.00	300	116		PEAK																																																																																				
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Factor	cm	deg	Remark																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	Remark																																																																																				
1 5700.00	114.13	-----	-----	101.16	34.68	10.33	32.04	0.00	300	116		PEAK																																																																																				
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1 5700.00</td> <td>104.07</td> <td>-----</td> <td>-----</td> <td>91.10</td> <td>34.68</td> <td>10.33</td> <td>32.04</td> <td>0.00</td> <td>300</td> <td>116</td> <td></td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Factor	cm	deg	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	Remark	1 5700.00	104.07	-----	-----	91.10	34.68	10.33	32.04	0.00	300	116		AVERAGE																																															
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Factor	cm	deg	Remark																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	Remark																																																																																				
1 5700.00	104.07	-----	-----	91.10	34.68	10.33	32.04	0.00	300	116		AVERAGE																																																																																				






	42																																																																																														
Mode	Band Edge																																																																																														
	U-NII-2C_5.47-5.725_802.11ax HE20_CH100_Partial_106/53RU_5500MHz																																																																																														
ANT	CDD 5+4																																																																																														
Pol.	Horizontal	Fundamental																																																																																													
Peak	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5426.35</td> <td>53.12</td> <td>74.00</td> <td>-20.88</td> <td>40.41</td> <td>34.70</td> <td>9.98</td> <td>31.97</td> <td>0.00</td> <td>100</td> <td>68</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5465.80</td> <td>54.18</td> <td>68.20</td> <td>-14.02</td> <td>41.43</td> <td>34.70</td> <td>10.04</td> <td>31.99</td> <td>0.00</td> <td>100</td> <td>68</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5426.35	53.12	74.00	-20.88	40.41	34.70	9.98	31.97	0.00	100	68	PEAK	2	5465.80	54.18	68.20	-14.02	41.43	34.70	10.04	31.99	0.00	100	68	PEAK	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5500.00</td> <td>108.50</td> <td>-----</td> <td>-----</td> <td>95.73</td> <td>34.70</td> <td>10.08</td> <td>32.01</td> <td>0.00</td> <td>100</td> <td>68</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5500.00	108.50	-----	-----	95.73	34.70	10.08	32.01	0.00	100	68	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																							
1	5426.35	53.12	74.00	-20.88	40.41	34.70	9.98	31.97	0.00	100	68	PEAK																																																																																			
2	5465.80	54.18	68.20	-14.02	41.43	34.70	10.04	31.99	0.00	100	68	PEAK																																																																																			
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																							
1	5500.00	108.50	-----	-----	95.73	34.70	10.08	32.01	0.00	100	68	PEAK																																																																																			
Avg	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5459.95</td> <td>41.82</td> <td>54.00</td> <td>-12.18</td> <td>29.08</td> <td>34.70</td> <td>10.03</td> <td>31.99</td> <td>0.00</td> <td>100</td> <td>68</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5459.95	41.82	54.00	-12.18	29.08	34.70	10.03	31.99	0.00	100	68	AVERAGE	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5500.00</td> <td>100.44</td> <td>-----</td> <td>-----</td> <td>87.67</td> <td>34.70</td> <td>10.08</td> <td>32.01</td> <td>0.00</td> <td>100</td> <td>68</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5500.00	100.44	-----	-----	87.67	34.70	10.08	32.01	0.00	100	68	AVERAGE													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																							
1	5459.95	41.82	54.00	-12.18	29.08	34.70	10.03	31.99	0.00	100	68	AVERAGE																																																																																			
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																							
1	5500.00	100.44	-----	-----	87.67	34.70	10.08	32.01	0.00	100	68	AVERAGE																																																																																			



Mode	42																																																																																																
	Band Edge																																																																																																
	U-NII-2C_5.47-5.725_802.11ax HE20_CH100_Partial_106/53RU_5500MHz																																																																																																
ANT	CDD 5+4																																																																																																
Pol.	Vertical	Fundamental																																																																																															
Peak	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5360.35</td> <td>53.13</td> <td>74.00</td> <td>-20.87</td> <td>40.60</td> <td>34.54</td> <td>9.92</td> <td>31.93</td> <td>0.00</td> <td>298</td> <td>94</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5469.55</td> <td>55.19</td> <td>68.20</td> <td>-13.01</td> <td>42.45</td> <td>34.70</td> <td>10.04</td> <td>32.00</td> <td>0.00</td> <td>298</td> <td>94</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5360.35	53.13	74.00	-20.87	40.60	34.54	9.92	31.93	0.00	298	94	PEAK	2	5469.55	55.19	68.20	-13.01	42.45	34.70	10.04	32.00	0.00	298	94	PEAK	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5500.00</td> <td>110.63</td> <td>-----</td> <td>-----</td> <td>97.86</td> <td>34.70</td> <td>10.08</td> <td>32.01</td> <td>0.00</td> <td>298</td> <td>94</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	110.63	-----	-----	97.86	34.70	10.08	32.01	0.00	298	94	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5360.35	53.13	74.00	-20.87	40.60	34.54	9.92	31.93	0.00	298	94	PEAK																																																																																					
2	5469.55	55.19	68.20	-13.01	42.45	34.70	10.04	32.00	0.00	298	94	PEAK																																																																																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5500.00	110.63	-----	-----	97.86	34.70	10.08	32.01	0.00	298	94	PEAK																																																																																					
Avg	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5459.65</td> <td>41.79</td> <td>54.00</td> <td>-12.21</td> <td>29.05</td> <td>34.70</td> <td>10.03</td> <td>31.99</td> <td>0.00</td> <td>298</td> <td>94</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.65	41.79	54.00	-12.21	29.05	34.70	10.03	31.99	0.00	298	94	AVERAGE	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5500.00</td> <td>100.52</td> <td>-----</td> <td>-----</td> <td>87.75</td> <td>34.70</td> <td>10.08</td> <td>32.01</td> <td>0.00</td> <td>298</td> <td>94</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	100.52	-----	-----	87.75	34.70	10.08	32.01	0.00	298	94	AVERAGE													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5459.65	41.79	54.00	-12.21	29.05	34.70	10.03	31.99	0.00	298	94	AVERAGE																																																																																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5500.00	100.52	-----	-----	87.75	34.70	10.08	32.01	0.00	298	94	AVERAGE																																																																																					



Mode	43																																																																																																									
	Band Edge																																																																																																									
	U-NII-2C_5.47-5.725_802.11ax HE20_CH140_Partial_106/54RU_5700MHz																																																																																																									
ANT	CDD 5+4																																																																																																									
Pol.	Horizontal	Fundamental																																																																																																								
Peak	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5726.20</td> <td>61.81</td> <td>68.20</td> <td>-6.39</td> <td>48.84</td> <td>34.65</td> <td>10.35</td> <td>32.03</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>0.00</td> <td>104</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>337 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 5726.20	61.81	68.20	-6.39	48.84	34.65	10.35	32.03							0.00	104								337 PEAK	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5700.00</td> <td>113.75</td> <td>-----</td> <td>-----</td> <td>100.78</td> <td>34.69</td> <td>10.33</td> <td>32.05</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>0.00</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>104</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>337 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 5700.00	113.75	-----	-----	100.78	34.69	10.33	32.05								0.00								104								337 PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																			
1 5726.20	61.81	68.20	-6.39	48.84	34.65	10.35	32.03																																																																																																			
						0.00	104																																																																																																			
							337 PEAK																																																																																																			
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																			
1 5700.00	113.75	-----	-----	100.78	34.69	10.33	32.05																																																																																																			
							0.00																																																																																																			
							104																																																																																																			
							337 PEAK																																																																																																			
Avg	Blank	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5700.00</td> <td>104.18</td> <td>-----</td> <td>-----</td> <td>91.21</td> <td>34.69</td> <td>10.33</td> <td>32.05</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>0.00</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>104</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>337 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 5700.00	104.18	-----	-----	91.21	34.69	10.33	32.05								0.00								104								337 AVERAGE																																																
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																			
1 5700.00	104.18	-----	-----	91.21	34.69	10.33	32.05																																																																																																			
							0.00																																																																																																			
							104																																																																																																			
							337 AVERAGE																																																																																																			



Mode	43																																																																																																	
	Band Edge																																																																																																	
	U-NII-2C_5.47-5.725_802.11ax HE20_CH140_Partial_106/54RU_5700MHz																																																																																																	
ANT	CDD 5+4																																																																																																	
Pol.	Vertical	Fundamental																																																																																																
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5727.17</td> <td>111.94</td> <td>-3.60</td> <td>51.63</td> <td>34.65</td> <td>10.35</td> <td>32.03</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>0.00</td> <td>300</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>115 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5727.17	111.94	-3.60	51.63	34.65	10.35	32.03							0.00	300								115 PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5700.00</td> <td>111.94</td> <td>-3.60</td> <td>51.63</td> <td>34.65</td> <td>10.35</td> <td>32.03</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>0.00</td> <td>300</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>115 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5700.00	111.94	-3.60	51.63	34.65	10.35	32.03							0.00	300								115 PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																											
1	5727.17	111.94	-3.60	51.63	34.65	10.35	32.03																																																																																											
						0.00	300																																																																																											
							115 PEAK																																																																																											
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																											
1	5700.00	111.94	-3.60	51.63	34.65	10.35	32.03																																																																																											
						0.00	300																																																																																											
							115 PEAK																																																																																											
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5700.00</td> <td>103.53</td> <td>-3.60</td> <td>90.56</td> <td>34.68</td> <td>10.33</td> <td>32.04</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>0.00</td> <td>300</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>115 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5700.00	103.53	-3.60	90.56	34.68	10.33	32.04							0.00	300								115 AVERAGE																																																
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																											
1	5700.00	103.53	-3.60	90.56	34.68	10.33	32.04																																																																																											
						0.00	300																																																																																											
							115 AVERAGE																																																																																											



Mode	44																																									
	Band Edge																																									
	U-NII-2C_5.47-5.725_802.11a_CH144_5720MHz																																									
ANT	CDD 5+4																																									
Pol.	Horizontal	Fundamental																																								
Peak	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5720.00</td> <td>113.88</td> <td>-----</td> <td>100.91</td> <td>34.67</td> <td>10.34</td> <td>32.04</td> <td>0.00</td> <td>104</td> <td>306</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5720.00	113.88	-----	100.91	34.67	10.34	32.04	0.00	104	306	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																	
1	5720.00	113.88	-----	100.91	34.67	10.34	32.04	0.00	104	306	PEAK																															
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5720.00</td> <td>106.00</td> <td>-----</td> <td>93.11</td> <td>34.67</td> <td>10.34</td> <td>32.04</td> <td>0.00</td> <td>104</td> <td>306</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5720.00	106.00	-----	93.11	34.67	10.34	32.04	0.00	104	306	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																	
1	5720.00	106.00	-----	93.11	34.67	10.34	32.04	0.00	104	306	AVERAGE																															



Mode	44																																							
	Band Edge																																							
	U-NII-2C_5.47-5.725_802.11a_CH144_5720MHz																																							
ANT	CDD 5+4																																							
Pol.	Vertical	Fundamental																																						
Peak	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5720.00</td> <td>113.63</td> <td>-----</td> <td>-----</td> <td>100.66</td> <td>34.66</td> <td>10.34</td> <td>32.03</td> <td>0.00</td> <td>300</td> <td>107 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 5720.00	113.63	-----	-----	100.66	34.66	10.34	32.03	0.00	300	107 PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																
1 5720.00	113.63	-----	-----	100.66	34.66	10.34	32.03	0.00	300	107 PEAK																														
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5720.00</td> <td>105.45</td> <td>-----</td> <td>-----</td> <td>92.48</td> <td>34.66</td> <td>10.34</td> <td>32.03</td> <td>0.00</td> <td>300</td> <td>107 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 5720.00	105.45	-----	-----	92.48	34.66	10.34	32.03	0.00	300	107 AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																
1 5720.00	105.45	-----	-----	92.48	34.66	10.34	32.03	0.00	300	107 AVERAGE																														





Mode	44																																																																																																				
	Harmonic																																																																																																				
	U-NII-2C_5.47-5.725_802.11a_CH144_5720MHz																																																																																																				
ANT	CDD 5+4																																																																																																				
Pol.	Horizontal	Vertical																																																																																																			
Peak Avg																																																																																																					
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 11440.00</td> <td>50.18</td> <td>74.00</td> <td>-23.82</td> <td>57.97</td> <td>38.20</td> <td>14.87</td> <td>60.86</td> <td>0.00</td> <td>116</td> <td>8 PEAK</td> </tr> <tr> <td>2 11440.00</td> <td>40.05</td> <td>54.00</td> <td>-13.95</td> <td>47.84</td> <td>38.20</td> <td>14.87</td> <td>60.86</td> <td>0.00</td> <td>116</td> <td>8 AVERAGE</td> </tr> <tr> <td>3 17164.00</td> <td>58.71</td> <td>68.20</td> <td>-9.49</td> <td>58.23</td> <td>41.07</td> <td>18.32</td> <td>58.91</td> <td>0.00</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 11440.00	50.18	74.00	-23.82	57.97	38.20	14.87	60.86	0.00	116	8 PEAK	2 11440.00	40.05	54.00	-13.95	47.84	38.20	14.87	60.86	0.00	116	8 AVERAGE	3 17164.00	58.71	68.20	-9.49	58.23	41.07	18.32	58.91	0.00	---	---	Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 11440.00</td> <td>46.01</td> <td>74.00</td> <td>-27.99</td> <td>53.80</td> <td>38.20</td> <td>14.87</td> <td>60.86</td> <td>0.00</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 11440.00	46.01	74.00	-27.99	53.80	38.20	14.87	60.86	0.00	---	---
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																													
1 11440.00	50.18	74.00	-23.82	57.97	38.20	14.87	60.86	0.00	116	8 PEAK																																																																																											
2 11440.00	40.05	54.00	-13.95	47.84	38.20	14.87	60.86	0.00	116	8 AVERAGE																																																																																											
3 17164.00	58.71	68.20	-9.49	58.23	41.07	18.32	58.91	0.00	---	---	Peak																																																																																										
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																													
1 11440.00	46.01	74.00	-27.99	53.80	38.20	14.87	60.86	0.00	---	---	Peak																																																																																										



Mode	45																																								
	Band Edge																																								
	U-NII-2C_5.47-5.725_802.11ax HE20_CH144_Full RU_5720MHz																																								
ANT	CDD 5+4																																								
Pol.	Horizontal	Fundamental																																							
Peak	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5720.00</td> <td>113.96</td> <td>-----</td> <td>101.00</td> <td>34.64</td> <td>10.35</td> <td>32.03</td> <td>0.00</td> <td>100</td> <td>303</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5720.00	113.96	-----	101.00	34.64	10.35	32.03	0.00	100	303	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																	
1	5720.00	113.96	-----	101.00	34.64	10.35	32.03	0.00	100	303	PEAK																														
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5720.00</td> <td>104.74</td> <td>-----</td> <td>91.78</td> <td>34.64</td> <td>10.35</td> <td>32.03</td> <td>0.00</td> <td>100</td> <td>303</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5720.00	104.74	-----	91.78	34.64	10.35	32.03	0.00	100	303	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																	
1	5720.00	104.74	-----	91.78	34.64	10.35	32.03	0.00	100	303	AVERAGE																														



Mode	45																																									
	Band Edge																																									
	U-NII-2C_5.47-5.725_802.11ax HE20_CH144_Full RU_5720MHz																																									
ANT	CDD 5+4																																									
Pol.	Vertical	Fundamental																																								
Peak	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5720.00</td> <td>113.09</td> <td>-----</td> <td>-----</td> <td>100.13</td> <td>34.64</td> <td>10.35</td> <td>32.03</td> <td>0.00</td> <td>300</td> <td>108</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5720.00	113.09	-----	-----	100.13	34.64	10.35	32.03	0.00	300	108	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																		
1	5720.00	113.09	-----	-----	100.13	34.64	10.35	32.03	0.00	300	108	PEAK																														
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5720.00</td> <td>104.85</td> <td>-----</td> <td>-----</td> <td>91.88</td> <td>34.67</td> <td>10.34</td> <td>32.04</td> <td>0.00</td> <td>300</td> <td>108</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5720.00	104.85	-----	-----	91.88	34.67	10.34	32.04	0.00	300	108	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																		
1	5720.00	104.85	-----	-----	91.88	34.67	10.34	32.04	0.00	300	108	AVERAGE																														



Mode	45																																																																																				
	Harmonic																																																																																				
	U-NII-2C_5.47-5.725_802.11ax HE20_CH144_Full RU_5720MHz																																																																																				
ANT	CDD 5+4																																																																																				
Pol.	Horizontal	Vertical																																																																																			
Peak Avg																																																																																					
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 11440.00</td> <td>46.87</td> <td>74.00</td> <td>-27.13</td> <td>54.66</td> <td>38.20</td> <td>14.87</td> <td>60.86</td> <td>0.00</td> <td>--- Peak</td> </tr> <tr> <td>2 17175.00</td> <td>53.70</td> <td>68.20</td> <td>-14.50</td> <td>53.25</td> <td>41.05</td> <td>18.32</td> <td>58.92</td> <td>0.00</td> <td>--- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 11440.00	46.87	74.00	-27.13	54.66	38.20	14.87	60.86	0.00	--- Peak	2 17175.00	53.70	68.20	-14.50	53.25	41.05	18.32	58.92	0.00	--- Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 11440.00</td> <td>46.53</td> <td>74.00</td> <td>-27.47</td> <td>54.32</td> <td>38.20</td> <td>14.87</td> <td>60.86</td> <td>0.00</td> <td>--- PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 11440.00	46.53	74.00	-27.47	54.32	38.20	14.87	60.86	0.00
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																													
1 11440.00	46.87	74.00	-27.13	54.66	38.20	14.87	60.86	0.00	--- Peak																																																																												
2 17175.00	53.70	68.20	-14.50	53.25	41.05	18.32	58.92	0.00	--- Peak																																																																												
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																													
1 11440.00	46.53	74.00	-27.47	54.32	38.20	14.87	60.86	0.00	--- PEAK																																																																												



Mode	46																																						
	Band Edge																																						
	U-NII-2C_5.47-5.725_802.11ax HE40_CH142_Full RU_5710MHz																																						
ANT	CDD 5+4																																						
Pol.	Horizontal	Fundamental																																					
Peak	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5710.00</td> <td>110.83</td> <td>-----</td> <td>-----</td> <td>97.86</td> <td>34.67</td> <td>10.34</td> <td>32.04</td> <td>0.00</td> <td>105 307 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 5710.00	110.83	-----	-----	97.86	34.67	10.34	32.04	0.00	105 307 PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																															
1 5710.00	110.83	-----	-----	97.86	34.67	10.34	32.04	0.00	105 307 PEAK																														
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5710.00</td> <td>101.78</td> <td>-----</td> <td>-----</td> <td>88.81</td> <td>34.67</td> <td>10.34</td> <td>32.04</td> <td>0.00</td> <td>105 307 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 5710.00	101.78	-----	-----	88.81	34.67	10.34	32.04	0.00	105 307 AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																															
1 5710.00	101.78	-----	-----	88.81	34.67	10.34	32.04	0.00	105 307 AVERAGE																														



Mode	46																																						
	Band Edge																																						
	U-NII-2C_5.47-5.725_802.11ax HE40_CH142_Full RU_5710MHz																																						
ANT	CDD 5+4																																						
Pol.	Vertical	Fundamental																																					
Peak	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5710.00</td> <td>111.05</td> <td>-----</td> <td>-----</td> <td>98.08</td> <td>34.68</td> <td>10.33</td> <td>32.04</td> <td>0.00</td> <td>300 107 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 5710.00	111.05	-----	-----	98.08	34.68	10.33	32.04	0.00	300 107 PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																															
1 5710.00	111.05	-----	-----	98.08	34.68	10.33	32.04	0.00	300 107 PEAK																														
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5710.00</td> <td>101.02</td> <td>-----</td> <td>-----</td> <td>88.05</td> <td>34.68</td> <td>10.33</td> <td>32.04</td> <td>0.00</td> <td>300 107 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 5710.00	101.02	-----	-----	88.05	34.68	10.33	32.04	0.00	300 107 AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																															
1 5710.00	101.02	-----	-----	88.05	34.68	10.33	32.04	0.00	300 107 AVERAGE																														



Mode	46																																																																																					
	Harmonic																																																																																					
	U-NII-2C_5.47-5.725_802.11ax HE40_CH142_Full RU_5710MHz																																																																																					
ANT	CDD 5+4																																																																																					
Pol.	Horizontal	Vertical																																																																																				
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 11420.00</td> <td>46.70</td> <td>74.00</td> <td>-27.30</td> <td>54.50</td> <td>38.20</td> <td>14.86</td> <td>60.86</td> <td>0.00</td> <td>--- --- PEAK</td> </tr> <tr> <td>2 17153.00</td> <td>52.95</td> <td>68.20</td> <td>-15.25</td> <td>52.46</td> <td>41.09</td> <td>18.31</td> <td>58.91</td> <td>0.00</td> <td>--- --- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 11420.00	46.70	74.00	-27.30	54.50	38.20	14.86	60.86	0.00	--- --- PEAK	2 17153.00	52.95	68.20	-15.25	52.46	41.09	18.31	58.91	0.00	--- --- Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 11420.00</td> <td>45.18</td> <td>74.00</td> <td>-28.82</td> <td>52.98</td> <td>38.20</td> <td>14.86</td> <td>60.86</td> <td>0.00</td> <td>--- --- PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 11420.00	45.18	74.00	-28.82	52.98	38.20	14.86	60.86	0.00	--- --- PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																														
1 11420.00	46.70	74.00	-27.30	54.50	38.20	14.86	60.86	0.00	--- --- PEAK																																																																													
2 17153.00	52.95	68.20	-15.25	52.46	41.09	18.31	58.91	0.00	--- --- Peak																																																																													
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																														
1 11420.00	45.18	74.00	-28.82	52.98	38.20	14.86	60.86	0.00	--- --- PEAK																																																																													



Mode	47																																						
	Band Edge																																						
	U-NII-2C_5.47-5.725_802.11ax HE80_CH138_Full RU_5690MHz																																						
ANT	CDD 5+4																																						
Pol.	Horizontal	Fundamental																																					
Peak	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5690.00</td> <td>109.28</td> <td>-----</td> <td>-----</td> <td>96.31</td> <td>34.70</td> <td>10.32</td> <td>32.05</td> <td>0.00</td> <td>100 307 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 5690.00	109.28	-----	-----	96.31	34.70	10.32	32.05	0.00	100 307 PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																															
1 5690.00	109.28	-----	-----	96.31	34.70	10.32	32.05	0.00	100 307 PEAK																														
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5690.00</td> <td>99.87</td> <td>-----</td> <td>-----</td> <td>86.90</td> <td>34.70</td> <td>10.32</td> <td>32.05</td> <td>0.00</td> <td>100 307 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 5690.00	99.87	-----	-----	86.90	34.70	10.32	32.05	0.00	100 307 AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																															
1 5690.00	99.87	-----	-----	86.90	34.70	10.32	32.05	0.00	100 307 AVERAGE																														





Mode	47																																						
	Band Edge																																						
	U-NII-2C_5.47-5.725_802.11ax HE80_CH138_Full RU_5690MHz																																						
ANT	CDD 5+4																																						
Pol.	Vertical	Fundamental																																					
Peak	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5690.00</td> <td>107.80</td> <td>-----</td> <td>-----</td> <td>94.63</td> <td>34.70</td> <td>10.32</td> <td>32.05</td> <td>0.00</td> <td>308 100 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 5690.00	107.80	-----	-----	94.63	34.70	10.32	32.05	0.00	308 100 PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																															
1 5690.00	107.80	-----	-----	94.63	34.70	10.32	32.05	0.00	308 100 PEAK																														
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5690.00</td> <td>98.47</td> <td>-----</td> <td>-----</td> <td>85.57</td> <td>34.66</td> <td>10.31</td> <td>32.07</td> <td>0.00</td> <td>308 100 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 5690.00	98.47	-----	-----	85.57	34.66	10.31	32.07	0.00	308 100 AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																															
1 5690.00	98.47	-----	-----	85.57	34.66	10.31	32.07	0.00	308 100 AVERAGE																														






Mode	47																																																																																																																																	
	Harmonic																																																																																																																																	
	U-NII-2C_5.47-5.725_802.11ax HE80_CH138_Full RU_5690MHz																																																																																																																																	
ANT	CDD 5+4																																																																																																																																	
Pol.	Horizontal	Vertical																																																																																																																																
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 11380.00</td> <td>46.85</td> <td>74.00</td> <td>-27.15</td> <td>54.70</td> <td>38.18</td> <td>14.83</td> <td>60.86</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>0.00</td> <td></td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>cm</td> <td>deg</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>---</td> <td>---</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 11380.00	46.85	74.00	-27.15	54.70	38.18	14.83	60.86							0.00								cm	deg							---	---								PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 11380.00</td> <td>45.51</td> <td>74.00</td> <td>-28.49</td> <td>53.36</td> <td>38.18</td> <td>14.83</td> <td>60.86</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>0.00</td> <td></td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>cm</td> <td>deg</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>---</td> <td>---</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 11380.00	45.51	74.00	-28.49	53.36	38.18	14.83	60.86							0.00								cm	deg							---	---								PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																																											
1 11380.00	46.85	74.00	-27.15	54.70	38.18	14.83	60.86																																																																																																																											
						0.00																																																																																																																												
						cm	deg																																																																																																																											
						---	---																																																																																																																											
							PEAK																																																																																																																											
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																																											
1 11380.00	45.51	74.00	-28.49	53.36	38.18	14.83	60.86																																																																																																																											
						0.00																																																																																																																												
						cm	deg																																																																																																																											
						---	---																																																																																																																											
							PEAK																																																																																																																											






Mode	48																																																																																																																																													
	LF																																																																																																																																													
	U-NII-2A_5.25-5.35_802.11a_CH64_5320MHz																																																																																																																																													
ANT	CDD 5+4																																																																																																																																													
Pol.	Horizontal	Vertical																																																																																																																																												
Peak QP	<table border="1"> <thead> <tr> <th>Peak</th> <th>Freq (MHz)</th> <th>Level (dBuV/m)</th> <th>Limit (dBuV/m)</th> <th>Over (dB)</th> <th>ReadAntenna Level (dBuV)</th> <th>Cable Preamp Loss Factor (dB/m)</th> <th>A/Pos (dB)</th> <th>T/Pos (deg)</th> <th>Remark</th> </tr> </thead> <tbody> <tr><td>1</td><td>93.05</td><td>29.76</td><td>43.50</td><td>-13.74</td><td>45.53</td><td>15.19</td><td>1.26</td><td>32.22</td><td>Peak</td></tr> <tr><td>2</td><td>288.02</td><td>30.95</td><td>46.00</td><td>-15.05</td><td>41.67</td><td>19.16</td><td>2.29</td><td>32.17</td><td>Peak</td></tr> <tr><td>3</td><td>480.08</td><td>30.45</td><td>46.00</td><td>-15.55</td><td>36.50</td><td>23.64</td><td>2.96</td><td>32.65</td><td>Peak</td></tr> <tr><td>4</td><td>604.24</td><td>26.23</td><td>46.00</td><td>-19.77</td><td>29.44</td><td>25.65</td><td>3.32</td><td>32.38</td><td>Peak</td></tr> <tr><td>5</td><td>726.46</td><td>29.12</td><td>46.00</td><td>-16.88</td><td>30.20</td><td>27.49</td><td>3.64</td><td>32.21</td><td>Peak</td></tr> <tr><td>6</td><td>971.87</td><td>32.51</td><td>54.00</td><td>-21.49</td><td>28.25</td><td>30.82</td><td>4.20</td><td>30.76</td><td>Peak</td></tr> </tbody> </table>	Peak	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Over (dB)	ReadAntenna Level (dBuV)	Cable Preamp Loss Factor (dB/m)	A/Pos (dB)	T/Pos (deg)	Remark	1	93.05	29.76	43.50	-13.74	45.53	15.19	1.26	32.22	Peak	2	288.02	30.95	46.00	-15.05	41.67	19.16	2.29	32.17	Peak	3	480.08	30.45	46.00	-15.55	36.50	23.64	2.96	32.65	Peak	4	604.24	26.23	46.00	-19.77	29.44	25.65	3.32	32.38	Peak	5	726.46	29.12	46.00	-16.88	30.20	27.49	3.64	32.21	Peak	6	971.87	32.51	54.00	-21.49	28.25	30.82	4.20	30.76	Peak	<table border="1"> <thead> <tr> <th>Peak</th> <th>Freq (MHz)</th> <th>Level (dBuV/m)</th> <th>Limit (dBuV/m)</th> <th>Over (dB)</th> <th>ReadAntenna Level (dBuV)</th> <th>Cable Preamp Loss Factor (dB/m)</th> <th>A/Pos (dB)</th> <th>T/Pos (deg)</th> <th>Remark</th> </tr> </thead> <tbody> <tr><td>1</td><td>152.22</td><td>32.76</td><td>43.50</td><td>-10.74</td><td>46.30</td><td>16.98</td><td>1.65</td><td>32.17</td><td>Peak</td></tr> <tr><td>2</td><td>306.45</td><td>30.00</td><td>46.00</td><td>-16.00</td><td>40.35</td><td>19.47</td><td>2.36</td><td>32.18</td><td>Peak</td></tr> <tr><td>3</td><td>496.57</td><td>32.88</td><td>46.00</td><td>-13.12</td><td>38.55</td><td>23.93</td><td>3.01</td><td>32.61</td><td>Peak</td></tr> <tr><td>4</td><td>632.37</td><td>30.62</td><td>46.00</td><td>-15.38</td><td>33.31</td><td>26.25</td><td>3.40</td><td>32.34</td><td>Peak</td></tr> <tr><td>5</td><td>857.11</td><td>30.34</td><td>46.00</td><td>-15.66</td><td>28.83</td><td>29.23</td><td>3.97</td><td>31.69</td><td>Peak</td></tr> <tr><td>6</td><td>997.09</td><td>31.04</td><td>54.00</td><td>-22.96</td><td>26.65</td><td>30.62</td><td>4.26</td><td>30.49</td><td>Peak</td></tr> </tbody> </table>	Peak	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Over (dB)	ReadAntenna Level (dBuV)	Cable Preamp Loss Factor (dB/m)	A/Pos (dB)	T/Pos (deg)	Remark	1	152.22	32.76	43.50	-10.74	46.30	16.98	1.65	32.17	Peak	2	306.45	30.00	46.00	-16.00	40.35	19.47	2.36	32.18	Peak	3	496.57	32.88	46.00	-13.12	38.55	23.93	3.01	32.61	Peak	4	632.37	30.62	46.00	-15.38	33.31	26.25	3.40	32.34	Peak	5	857.11	30.34	46.00	-15.66	28.83	29.23	3.97	31.69	Peak	6	997.09	31.04	54.00	-22.96	26.65	30.62	4.26	30.49	Peak
Peak	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Over (dB)	ReadAntenna Level (dBuV)	Cable Preamp Loss Factor (dB/m)	A/Pos (dB)	T/Pos (deg)	Remark																																																																																																																																					
1	93.05	29.76	43.50	-13.74	45.53	15.19	1.26	32.22	Peak																																																																																																																																					
2	288.02	30.95	46.00	-15.05	41.67	19.16	2.29	32.17	Peak																																																																																																																																					
3	480.08	30.45	46.00	-15.55	36.50	23.64	2.96	32.65	Peak																																																																																																																																					
4	604.24	26.23	46.00	-19.77	29.44	25.65	3.32	32.38	Peak																																																																																																																																					
5	726.46	29.12	46.00	-16.88	30.20	27.49	3.64	32.21	Peak																																																																																																																																					
6	971.87	32.51	54.00	-21.49	28.25	30.82	4.20	30.76	Peak																																																																																																																																					
Peak	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Over (dB)	ReadAntenna Level (dBuV)	Cable Preamp Loss Factor (dB/m)	A/Pos (dB)	T/Pos (deg)	Remark																																																																																																																																					
1	152.22	32.76	43.50	-10.74	46.30	16.98	1.65	32.17	Peak																																																																																																																																					
2	306.45	30.00	46.00	-16.00	40.35	19.47	2.36	32.18	Peak																																																																																																																																					
3	496.57	32.88	46.00	-13.12	38.55	23.93	3.01	32.61	Peak																																																																																																																																					
4	632.37	30.62	46.00	-15.38	33.31	26.25	3.40	32.34	Peak																																																																																																																																					
5	857.11	30.34	46.00	-15.66	28.83	29.23	3.97	31.69	Peak																																																																																																																																					
6	997.09	31.04	54.00	-22.96	26.65	30.62	4.26	30.49	Peak																																																																																																																																					



Mode	49																																																																																																																						
	Band Edge																																																																																																																						
	U-NII-3_5.725-5.85_802.11a_CH149_5745MHz																																																																																																																						
ANT	CDD 5+4																																																																																																																						
Pol.	Horizontal	Fundamental																																																																																																																					
Peak	 <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5648.14</td> <td>55.53</td> <td>68.20</td> <td>-12.67</td> <td>42.74</td> <td>34.60</td> <td>10.28</td> <td>32.09</td> <td>0.00</td> <td>100</td> <td>305</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5651.48</td> <td>54.61</td> <td>69.30</td> <td>-14.69</td> <td>41.81</td> <td>34.60</td> <td>10.29</td> <td>32.09</td> <td>0.00</td> <td>100</td> <td>305</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5718.76</td> <td>81.69</td> <td>110.55</td> <td>-28.86</td> <td>68.73</td> <td>34.66</td> <td>10.34</td> <td>32.04</td> <td>0.00</td> <td>100</td> <td>305</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5723.11</td> <td>84.45</td> <td>117.98</td> <td>-33.53</td> <td>71.49</td> <td>34.65</td> <td>10.34</td> <td>32.03</td> <td>0.00</td> <td>100</td> <td>305</td> <td>PEAK</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5648.14	55.53	68.20	-12.67	42.74	34.60	10.28	32.09	0.00	100	305	PEAK	2	5651.48	54.61	69.30	-14.69	41.81	34.60	10.29	32.09	0.00	100	305	PEAK	3	5718.76	81.69	110.55	-28.86	68.73	34.66	10.34	32.04	0.00	100	305	PEAK	4	5723.11	84.45	117.98	-33.53	71.49	34.65	10.34	32.03	0.00	100	305	PEAK	 <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>112.99</td> <td>100.03</td> <td>12.96</td> <td>100.03</td> <td>34.62</td> <td>10.36</td> <td>32.02</td> <td>0.00</td> <td>100</td> <td>305</td> <td>PEAK</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5745.00	112.99	100.03	12.96	100.03	34.62	10.36	32.02	0.00	100	305	PEAK
Peak	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																												
1	5648.14	55.53	68.20	-12.67	42.74	34.60	10.28	32.09	0.00	100	305	PEAK																																																																																																											
2	5651.48	54.61	69.30	-14.69	41.81	34.60	10.29	32.09	0.00	100	305	PEAK																																																																																																											
3	5718.76	81.69	110.55	-28.86	68.73	34.66	10.34	32.04	0.00	100	305	PEAK																																																																																																											
4	5723.11	84.45	117.98	-33.53	71.49	34.65	10.34	32.03	0.00	100	305	PEAK																																																																																																											
Peak	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																												
1	5745.00	112.99	100.03	12.96	100.03	34.62	10.36	32.02	0.00	100	305	PEAK																																																																																																											
Avg	Blank																																																																																																																						
		 <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>105.57</td> <td>100.03</td> <td>5.54</td> <td>92.61</td> <td>34.61</td> <td>10.36</td> <td>32.01</td> <td>0.00</td> <td>100</td> <td>305</td> <td>AVERAGE</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5745.00	105.57	100.03	5.54	92.61	34.61	10.36	32.01	0.00	100	305	AVERAGE																																																																														
Peak	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																												
1	5745.00	105.57	100.03	5.54	92.61	34.61	10.36	32.01	0.00	100	305	AVERAGE																																																																																																											






Mode	49																																																																																																																														
	Band Edge																																																																																																																														
	U-NII-3_5.725-5.85_802.11a_CH149_5745MHz																																																																																																																														
ANT	CDD 5+4																																																																																																																														
Pol.	Vertical	Fundamental																																																																																																																													
Peak	 <table border="1" data-bbox="272 1077 778 1256"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Loss</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5649.45</td> <td>56.27</td> <td>68.20</td> <td>-11.93</td> <td>43.48</td> <td>34.60</td> <td>10.28</td> <td>32.09</td> <td>0.00</td> <td>272</td> <td>100</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5650.75</td> <td>54.31</td> <td>68.76</td> <td>-14.45</td> <td>41.51</td> <td>34.60</td> <td>10.29</td> <td>32.09</td> <td>0.00</td> <td>272</td> <td>100</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5719.63</td> <td>79.96</td> <td>110.80</td> <td>-30.84</td> <td>66.99</td> <td>34.66</td> <td>10.34</td> <td>32.03</td> <td>0.00</td> <td>272</td> <td>100</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5720.21</td> <td>77.38</td> <td>111.37</td> <td>-33.99</td> <td>64.41</td> <td>34.66</td> <td>10.34</td> <td>32.03</td> <td>0.00</td> <td>272</td> <td>100</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Level	Loss	Loss	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5649.45	56.27	68.20	-11.93	43.48	34.60	10.28	32.09	0.00	272	100	PEAK	2	5650.75	54.31	68.76	-14.45	41.51	34.60	10.29	32.09	0.00	272	100	PEAK	3	5719.63	79.96	110.80	-30.84	66.99	34.66	10.34	32.03	0.00	272	100	PEAK	4	5720.21	77.38	111.37	-33.99	64.41	34.66	10.34	32.03	0.00	272	100	PEAK	 <table border="1" data-bbox="916 1133 1422 1256"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Loss</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>113.09</td> <td>-----</td> <td>-----</td> <td>100.13</td> <td>34.60</td> <td>10.37</td> <td>32.01</td> <td>0.00</td> <td>272</td> <td>100</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Level	Loss	Loss	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5745.00	113.09	-----	-----	100.13	34.60	10.37	32.01	0.00	272	100	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																						
Freq	Level	Line	Level	Loss	Loss	Factor	Factor	Factor																																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																						
1	5649.45	56.27	68.20	-11.93	43.48	34.60	10.28	32.09	0.00	272	100	PEAK																																																																																																																			
2	5650.75	54.31	68.76	-14.45	41.51	34.60	10.29	32.09	0.00	272	100	PEAK																																																																																																																			
3	5719.63	79.96	110.80	-30.84	66.99	34.66	10.34	32.03	0.00	272	100	PEAK																																																																																																																			
4	5720.21	77.38	111.37	-33.99	64.41	34.66	10.34	32.03	0.00	272	100	PEAK																																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																						
Freq	Level	Line	Level	Loss	Loss	Factor	Factor	Factor																																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																						
1	5745.00	113.09	-----	-----	100.13	34.60	10.37	32.01	0.00	272	100	PEAK																																																																																																																			
Avg	Blank	 <table border="1" data-bbox="916 1812 1422 1935"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Loss</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>105.03</td> <td>-----</td> <td>-----</td> <td>92.07</td> <td>34.60</td> <td>10.37</td> <td>32.01</td> <td>0.00</td> <td>272</td> <td>100</td> <td>AVERAGE</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Level	Loss	Loss	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5745.00	105.03	-----	-----	92.07	34.60	10.37	32.01	0.00	272	100	AVERAGE																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																						
Freq	Level	Line	Level	Loss	Loss	Factor	Factor	Factor																																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																						
1	5745.00	105.03	-----	-----	92.07	34.60	10.37	32.01	0.00	272	100	AVERAGE																																																																																																																			



Mode	49																																																																																															
	Harmonic																																																																																															
	U-NII-3_5.725-5.85_802.11a_CH149_5745MHz																																																																																															
ANT	CDD 5+4																																																																																															
Pol.	Horizontal	Vertical																																																																																														
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 11490.00</td> <td>49.12</td> <td>74.00</td> <td>-24.88</td> <td>56.87</td> <td>38.20</td> <td>14.91</td> <td>60.86</td> <td>0.00</td> <td>103 360 PEAK</td> </tr> <tr> <td>2 11490.00</td> <td>40.12</td> <td>54.00</td> <td>-13.88</td> <td>47.87</td> <td>38.20</td> <td>14.91</td> <td>60.86</td> <td>0.00</td> <td>103 360 AVERAGE</td> </tr> <tr> <td>3 17241.00</td> <td>55.43</td> <td>68.20</td> <td>-12.77</td> <td>55.04</td> <td>40.96</td> <td>18.37</td> <td>58.94</td> <td>0.00</td> <td>--- --- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 11490.00	49.12	74.00	-24.88	56.87	38.20	14.91	60.86	0.00	103 360 PEAK	2 11490.00	40.12	54.00	-13.88	47.87	38.20	14.91	60.86	0.00	103 360 AVERAGE	3 17241.00	55.43	68.20	-12.77	55.04	40.96	18.37	58.94	0.00	--- --- Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 11490.00</td> <td>46.53</td> <td>74.00</td> <td>-27.47</td> <td>54.28</td> <td>38.20</td> <td>14.91</td> <td>60.86</td> <td>0.00</td> <td>--- --- PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 11490.00	46.53	74.00	-27.47	54.28	38.20	14.91	60.86	0.00	--- --- PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																								
1 11490.00	49.12	74.00	-24.88	56.87	38.20	14.91	60.86	0.00	103 360 PEAK																																																																																							
2 11490.00	40.12	54.00	-13.88	47.87	38.20	14.91	60.86	0.00	103 360 AVERAGE																																																																																							
3 17241.00	55.43	68.20	-12.77	55.04	40.96	18.37	58.94	0.00	--- --- Peak																																																																																							
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																								
1 11490.00	46.53	74.00	-27.47	54.28	38.20	14.91	60.86	0.00	--- --- PEAK																																																																																							






Mode	50																																																																																												
	Band Edge - L																																																																																												
	U-NII-3_5.725-5.85_802.11a_CH157_5785MHz																																																																																												
ANT	CDD 5+4																																																																																												
Pol.	Horizontal	Fundamental																																																																																											
Peak	 <table border="1" data-bbox="272 1077 778 1256"> <thead> <tr> <th>Peak</th> <th>Freq (MHz)</th> <th>Level (dBuV/m)</th> <th>Limit (dBuV/m)</th> <th>Line Margin (dB)</th> <th>Read (dBuV)</th> <th>Ant (dB/m)</th> <th>Cable Loss (dB)</th> <th>Preamp (dB)</th> <th>Aux (dB)</th> <th>APos (dB)</th> <th>TPos (cm)</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5623.50</td> <td>54.00</td> <td>68.20</td> <td>-14.20</td> <td>41.18</td> <td>34.65</td> <td>10.26</td> <td>32.09</td> <td>0.00</td> <td>100</td> <td>304</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5652.73</td> <td>53.76</td> <td>70.23</td> <td>-16.47</td> <td>40.95</td> <td>34.61</td> <td>10.29</td> <td>32.09</td> <td>0.00</td> <td>100</td> <td>304</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5718.22</td> <td>64.63</td> <td>110.40</td> <td>-45.77</td> <td>51.67</td> <td>34.66</td> <td>10.34</td> <td>32.04</td> <td>0.00</td> <td>100</td> <td>304</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5720.62</td> <td>62.88</td> <td>112.31</td> <td>-49.43</td> <td>49.91</td> <td>34.66</td> <td>10.34</td> <td>32.03</td> <td>0.00</td> <td>100</td> <td>304</td> <td>PEAK</td> </tr> </tbody> </table>	Peak	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Line Margin (dB)	Read (dBuV)	Ant (dB/m)	Cable Loss (dB)	Preamp (dB)	Aux (dB)	APos (dB)	TPos (cm)	Remark	1	5623.50	54.00	68.20	-14.20	41.18	34.65	10.26	32.09	0.00	100	304	PEAK	2	5652.73	53.76	70.23	-16.47	40.95	34.61	10.29	32.09	0.00	100	304	PEAK	3	5718.22	64.63	110.40	-45.77	51.67	34.66	10.34	32.04	0.00	100	304	PEAK	4	5720.62	62.88	112.31	-49.43	49.91	34.66	10.34	32.03	0.00	100	304	PEAK	 <table border="1" data-bbox="916 1122 1422 1256"> <thead> <tr> <th>Peak</th> <th>Freq (MHz)</th> <th>Level (dBuV/m)</th> <th>Limit (dBuV/m)</th> <th>Line Margin (dB)</th> <th>Read (dBuV)</th> <th>Ant (dB/m)</th> <th>Cable Loss (dB)</th> <th>Preamp (dB)</th> <th>Aux (dB)</th> <th>APos (dB)</th> <th>TPos (cm)</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5785.00</td> <td>111.83</td> <td>111.83</td> <td>0.00</td> <td>98.76</td> <td>34.66</td> <td>10.39</td> <td>31.98</td> <td>0.00</td> <td>100</td> <td>304</td> <td>PEAK</td> </tr> </tbody> </table>	Peak	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Line Margin (dB)	Read (dBuV)	Ant (dB/m)	Cable Loss (dB)	Preamp (dB)	Aux (dB)	APos (dB)	TPos (cm)	Remark	1	5785.00	111.83	111.83	0.00	98.76	34.66	10.39	31.98	0.00	100	304	PEAK
Peak	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Line Margin (dB)	Read (dBuV)	Ant (dB/m)	Cable Loss (dB)	Preamp (dB)	Aux (dB)	APos (dB)	TPos (cm)	Remark																																																																																	
1	5623.50	54.00	68.20	-14.20	41.18	34.65	10.26	32.09	0.00	100	304	PEAK																																																																																	
2	5652.73	53.76	70.23	-16.47	40.95	34.61	10.29	32.09	0.00	100	304	PEAK																																																																																	
3	5718.22	64.63	110.40	-45.77	51.67	34.66	10.34	32.04	0.00	100	304	PEAK																																																																																	
4	5720.62	62.88	112.31	-49.43	49.91	34.66	10.34	32.03	0.00	100	304	PEAK																																																																																	
Peak	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Line Margin (dB)	Read (dBuV)	Ant (dB/m)	Cable Loss (dB)	Preamp (dB)	Aux (dB)	APos (dB)	TPos (cm)	Remark																																																																																	
1	5785.00	111.83	111.83	0.00	98.76	34.66	10.39	31.98	0.00	100	304	PEAK																																																																																	
Avg	Blank																																																																																												
		 <table border="1" data-bbox="916 1794 1422 1928"> <thead> <tr> <th>Peak</th> <th>Freq (MHz)</th> <th>Level (dBuV/m)</th> <th>Limit (dBuV/m)</th> <th>Line Margin (dB)</th> <th>Read (dBuV)</th> <th>Ant (dB/m)</th> <th>Cable Loss (dB)</th> <th>Preamp (dB)</th> <th>Aux (dB)</th> <th>APos (dB)</th> <th>TPos (cm)</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5785.00</td> <td>104.90</td> <td>104.90</td> <td>0.00</td> <td>91.80</td> <td>34.68</td> <td>10.40</td> <td>31.98</td> <td>0.00</td> <td>100</td> <td>304</td> <td>AVERAGE</td> </tr> </tbody> </table>	Peak	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Line Margin (dB)	Read (dBuV)	Ant (dB/m)	Cable Loss (dB)	Preamp (dB)	Aux (dB)	APos (dB)	TPos (cm)	Remark	1	5785.00	104.90	104.90	0.00	91.80	34.68	10.40	31.98	0.00	100	304	AVERAGE																																																																	
Peak	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Line Margin (dB)	Read (dBuV)	Ant (dB/m)	Cable Loss (dB)	Preamp (dB)	Aux (dB)	APos (dB)	TPos (cm)	Remark																																																																																	
1	5785.00	104.90	104.90	0.00	91.80	34.68	10.40	31.98	0.00	100	304	AVERAGE																																																																																	



Mode	50																																																																																				
	Band Edge - R																																																																																				
	U-NII-3_5.725-5.85_802.11a_CH157_5785MHz																																																																																				
ANT	CDD 5+4																																																																																				
Pol.	Horizontal	Fundamental																																																																																			
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5854.63</td> <td>61.34</td> <td>111.74</td> <td>-50.40</td> <td>47.92</td> <td>34.91</td> <td>10.45</td> <td>31.94</td> <td>0.00</td> <td>100</td> <td>304</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5873.61</td> <td>58.11</td> <td>105.69</td> <td>-47.58</td> <td>44.64</td> <td>34.95</td> <td>10.47</td> <td>31.95</td> <td>0.00</td> <td>100</td> <td>304</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5923.44</td> <td>53.84</td> <td>69.36</td> <td>-15.52</td> <td>40.23</td> <td>35.09</td> <td>10.51</td> <td>31.99</td> <td>0.00</td> <td>100</td> <td>304</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5938.45</td> <td>55.28</td> <td>68.20</td> <td>-12.92</td> <td>41.60</td> <td>35.15</td> <td>10.53</td> <td>32.00</td> <td>0.00</td> <td>100</td> <td>304</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.63	61.34	111.74	-50.40	47.92	34.91	10.45	31.94	0.00	100	304	PEAK	2	5873.61	58.11	105.69	-47.58	44.64	34.95	10.47	31.95	0.00	100	304	PEAK	3	5923.44	53.84	69.36	-15.52	40.23	35.09	10.51	31.99	0.00	100	304	PEAK	4	5938.45	55.28	68.20	-12.92	41.60	35.15	10.53	32.00	0.00	100	304	PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																											
1	5854.63	61.34	111.74	-50.40	47.92	34.91	10.45	31.94	0.00	100	304	PEAK																																																																									
2	5873.61	58.11	105.69	-47.58	44.64	34.95	10.47	31.95	0.00	100	304	PEAK																																																																									
3	5923.44	53.84	69.36	-15.52	40.23	35.09	10.51	31.99	0.00	100	304	PEAK																																																																									
4	5938.45	55.28	68.20	-12.92	41.60	35.15	10.53	32.00	0.00	100	304	PEAK																																																																									





Mode	50																																																																																												
	Band Edge - L																																																																																												
	U-NII-3_5.725-5.85_802.11a_CH157_5785MHz																																																																																												
ANT	CDD 5+4																																																																																												
Pol.	Vertical	Fundamental																																																																																											
Peak	 <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq (MHz)</th> <th>Level (dBuV/m)</th> <th>Limit (dBuV/m)</th> <th>Line Margin (dB)</th> <th>Read Level (dBuV)</th> <th>Ant Loss (dB/m)</th> <th>Cable Loss (dB)</th> <th>Preamp Gain (dB)</th> <th>Aux Gain (dB)</th> <th>APos (dB)</th> <th>TPos (cm)</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5636.45</td> <td>54.74</td> <td>68.20</td> <td>-13.46</td> <td>41.94</td> <td>34.63</td> <td>10.27</td> <td>32.10</td> <td>0.00</td> <td>311</td> <td>106</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5650.51</td> <td>51.44</td> <td>68.50</td> <td>-17.14</td> <td>38.65</td> <td>34.60</td> <td>10.28</td> <td>32.09</td> <td>0.00</td> <td>311</td> <td>106</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5702.31</td> <td>60.88</td> <td>105.95</td> <td>-45.07</td> <td>47.90</td> <td>34.70</td> <td>10.33</td> <td>32.05</td> <td>0.00</td> <td>311</td> <td>106</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5720.81</td> <td>61.96</td> <td>112.74</td> <td>-50.78</td> <td>48.99</td> <td>34.66</td> <td>10.34</td> <td>32.03</td> <td>0.00</td> <td>311</td> <td>106</td> <td>PEAK</td> </tr> </tbody> </table>	Peak	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Line Margin (dB)	Read Level (dBuV)	Ant Loss (dB/m)	Cable Loss (dB)	Preamp Gain (dB)	Aux Gain (dB)	APos (dB)	TPos (cm)	Remark	1	5636.45	54.74	68.20	-13.46	41.94	34.63	10.27	32.10	0.00	311	106	PEAK	2	5650.51	51.44	68.50	-17.14	38.65	34.60	10.28	32.09	0.00	311	106	PEAK	3	5702.31	60.88	105.95	-45.07	47.90	34.70	10.33	32.05	0.00	311	106	PEAK	4	5720.81	61.96	112.74	-50.78	48.99	34.66	10.34	32.03	0.00	311	106	PEAK	 <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq (MHz)</th> <th>Level (dBuV/m)</th> <th>Limit (dBuV/m)</th> <th>Line Margin (dB)</th> <th>Read Level (dBuV)</th> <th>Ant Loss (dB/m)</th> <th>Cable Loss (dB)</th> <th>Preamp Gain (dB)</th> <th>Aux Gain (dB)</th> <th>APos (dB)</th> <th>TPos (cm)</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5785.00</td> <td>113.94</td> <td>100.87</td> <td>13.07</td> <td>100.87</td> <td>34.66</td> <td>10.39</td> <td>31.98</td> <td>0.00</td> <td>311</td> <td>106</td> <td>PEAK</td> </tr> </tbody> </table>	Peak	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Line Margin (dB)	Read Level (dBuV)	Ant Loss (dB/m)	Cable Loss (dB)	Preamp Gain (dB)	Aux Gain (dB)	APos (dB)	TPos (cm)	Remark	1	5785.00	113.94	100.87	13.07	100.87	34.66	10.39	31.98	0.00	311	106	PEAK
Peak	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Line Margin (dB)	Read Level (dBuV)	Ant Loss (dB/m)	Cable Loss (dB)	Preamp Gain (dB)	Aux Gain (dB)	APos (dB)	TPos (cm)	Remark																																																																																	
1	5636.45	54.74	68.20	-13.46	41.94	34.63	10.27	32.10	0.00	311	106	PEAK																																																																																	
2	5650.51	51.44	68.50	-17.14	38.65	34.60	10.28	32.09	0.00	311	106	PEAK																																																																																	
3	5702.31	60.88	105.95	-45.07	47.90	34.70	10.33	32.05	0.00	311	106	PEAK																																																																																	
4	5720.81	61.96	112.74	-50.78	48.99	34.66	10.34	32.03	0.00	311	106	PEAK																																																																																	
Peak	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Line Margin (dB)	Read Level (dBuV)	Ant Loss (dB/m)	Cable Loss (dB)	Preamp Gain (dB)	Aux Gain (dB)	APos (dB)	TPos (cm)	Remark																																																																																	
1	5785.00	113.94	100.87	13.07	100.87	34.66	10.39	31.98	0.00	311	106	PEAK																																																																																	
Avg	Blank	 <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq (MHz)</th> <th>Level (dBuV/m)</th> <th>Limit (dBuV/m)</th> <th>Line Margin (dB)</th> <th>Read Level (dBuV)</th> <th>Ant Loss (dB/m)</th> <th>Cable Loss (dB)</th> <th>Preamp Gain (dB)</th> <th>Aux Gain (dB)</th> <th>APos (dB)</th> <th>TPos (cm)</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5785.00</td> <td>104.46</td> <td>91.39</td> <td>13.07</td> <td>91.39</td> <td>34.66</td> <td>10.39</td> <td>31.98</td> <td>0.00</td> <td>311</td> <td>106</td> <td>AVERAGE</td> </tr> </tbody> </table>	Peak	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Line Margin (dB)	Read Level (dBuV)	Ant Loss (dB/m)	Cable Loss (dB)	Preamp Gain (dB)	Aux Gain (dB)	APos (dB)	TPos (cm)	Remark	1	5785.00	104.46	91.39	13.07	91.39	34.66	10.39	31.98	0.00	311	106	AVERAGE																																																																	
Peak	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Line Margin (dB)	Read Level (dBuV)	Ant Loss (dB/m)	Cable Loss (dB)	Preamp Gain (dB)	Aux Gain (dB)	APos (dB)	TPos (cm)	Remark																																																																																	
1	5785.00	104.46	91.39	13.07	91.39	34.66	10.39	31.98	0.00	311	106	AVERAGE																																																																																	



Mode	50																																																																																				
	Band Edge - R																																																																																				
	U-NII-3_5.725-5.85_802.11a_CH157_5785MHz																																																																																				
ANT	CDD 5+4																																																																																				
Pol.	Vertical	Fundamental																																																																																			
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5854.63</td> <td>60.03</td> <td>111.74</td> <td>-51.71</td> <td>46.61</td> <td>34.91</td> <td>10.45</td> <td>31.94</td> <td>0.00</td> <td>311</td> <td>106</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5871.96</td> <td>58.33</td> <td>106.15</td> <td>-47.82</td> <td>44.87</td> <td>34.94</td> <td>10.47</td> <td>31.95</td> <td>0.00</td> <td>311</td> <td>106</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5924.43</td> <td>54.29</td> <td>68.63</td> <td>-14.34</td> <td>40.66</td> <td>35.10</td> <td>10.52</td> <td>31.99</td> <td>0.00</td> <td>311</td> <td>106</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5925.25</td> <td>55.72</td> <td>68.20</td> <td>-12.48</td> <td>42.09</td> <td>35.10</td> <td>10.52</td> <td>31.99</td> <td>0.00</td> <td>311</td> <td>106</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.63	60.03	111.74	-51.71	46.61	34.91	10.45	31.94	0.00	311	106	PEAK	2	5871.96	58.33	106.15	-47.82	44.87	34.94	10.47	31.95	0.00	311	106	PEAK	3	5924.43	54.29	68.63	-14.34	40.66	35.10	10.52	31.99	0.00	311	106	PEAK	4	5925.25	55.72	68.20	-12.48	42.09	35.10	10.52	31.99	0.00	311	106	PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																											
1	5854.63	60.03	111.74	-51.71	46.61	34.91	10.45	31.94	0.00	311	106	PEAK																																																																									
2	5871.96	58.33	106.15	-47.82	44.87	34.94	10.47	31.95	0.00	311	106	PEAK																																																																									
3	5924.43	54.29	68.63	-14.34	40.66	35.10	10.52	31.99	0.00	311	106	PEAK																																																																									
4	5925.25	55.72	68.20	-12.48	42.09	35.10	10.52	31.99	0.00	311	106	PEAK																																																																									






Mode	50																																																																																																							
	Harmonic																																																																																																							
	U-NII-3_5.725-5.85_802.11a_CH157_5785MHz																																																																																																							
ANT	CDD 5+4																																																																																																							
Pol.	Horizontal	Vertical																																																																																																						
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 11570.00</td> <td>48.98</td> <td>74.00</td> <td>-25.02</td> <td>56.49</td> <td>38.34</td> <td>14.97</td> <td>60.82</td> <td>0.00</td> <td>100</td> <td>360</td> <td>PEAK</td> </tr> <tr> <td>2 11570.00</td> <td>39.82</td> <td>54.00</td> <td>-14.18</td> <td>47.33</td> <td>38.34</td> <td>14.97</td> <td>60.82</td> <td>0.00</td> <td>100</td> <td>360</td> <td>AVERAGE</td> </tr> <tr> <td>3 17362.00</td> <td>53.67</td> <td>68.20</td> <td>-14.53</td> <td>53.39</td> <td>40.84</td> <td>18.44</td> <td>59.00</td> <td>0.00</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 11570.00	48.98	74.00	-25.02	56.49	38.34	14.97	60.82	0.00	100	360	PEAK	2 11570.00	39.82	54.00	-14.18	47.33	38.34	14.97	60.82	0.00	100	360	AVERAGE	3 17362.00	53.67	68.20	-14.53	53.39	40.84	18.44	59.00	0.00	---	---	Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 11570.00</td> <td>46.17</td> <td>74.00</td> <td>-27.83</td> <td>53.68</td> <td>38.34</td> <td>14.97</td> <td>60.82</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 11570.00	46.17	74.00	-27.83	53.68	38.34	14.97	60.82	0.00	---	---	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																
1 11570.00	48.98	74.00	-25.02	56.49	38.34	14.97	60.82	0.00	100	360	PEAK																																																																																													
2 11570.00	39.82	54.00	-14.18	47.33	38.34	14.97	60.82	0.00	100	360	AVERAGE																																																																																													
3 17362.00	53.67	68.20	-14.53	53.39	40.84	18.44	59.00	0.00	---	---	Peak																																																																																													
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																
1 11570.00	46.17	74.00	-27.83	53.68	38.34	14.97	60.82	0.00	---	---	PEAK																																																																																													



<b>51</b>																																																																													
<b>Band Edge</b>																																																																													
<b>U-NII-3_5.725-5.85_802.11a_CH165_5825MHz</b>																																																																													
<b>CDD 5+4</b>																																																																													
<b>Mode</b>																																																																													
<b>ANT</b>																																																																													
<b>Pol.</b>	<b>Horizontal</b>																																																																												
<b>Peak</b>	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5855.00</td> <td>75.97</td> <td>110.90</td> <td>-34.93</td> <td>62.55</td> <td>34.91</td> <td>10.45</td> <td>31.94</td> <td>0.00</td> <td>100</td> <td>138</td> <td>PEAK</td> </tr> <tr> <td>2 5862.00</td> <td>76.61</td> <td>108.94</td> <td>-32.33</td> <td>63.17</td> <td>34.92</td> <td>10.46</td> <td>31.94</td> <td>0.00</td> <td>100</td> <td>138</td> <td>PEAK</td> </tr> <tr> <td>3 5925.00</td> <td>57.19</td> <td>68.20</td> <td>-11.01</td> <td>43.56</td> <td>35.10</td> <td>10.52</td> <td>31.99</td> <td>0.00</td> <td>100</td> <td>138</td> <td>PEAK</td> </tr> <tr> <td>4 5925.00</td> <td>57.19</td> <td>68.20</td> <td>-11.01</td> <td>43.56</td> <td>35.10</td> <td>10.52</td> <td>31.99</td> <td>0.00</td> <td>100</td> <td>138</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5855.00	75.97	110.90	-34.93	62.55	34.91	10.45	31.94	0.00	100	138	PEAK	2 5862.00	76.61	108.94	-32.33	63.17	34.92	10.46	31.94	0.00	100	138	PEAK	3 5925.00	57.19	68.20	-11.01	43.56	35.10	10.52	31.99	0.00	100	138	PEAK	4 5925.00	57.19	68.20	-11.01	43.56	35.10	10.52	31.99	0.00	100	138	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																				
1 5855.00	75.97	110.90	-34.93	62.55	34.91	10.45	31.94	0.00	100	138	PEAK																																																																		
2 5862.00	76.61	108.94	-32.33	63.17	34.92	10.46	31.94	0.00	100	138	PEAK																																																																		
3 5925.00	57.19	68.20	-11.01	43.56	35.10	10.52	31.99	0.00	100	138	PEAK																																																																		
4 5925.00	57.19	68.20	-11.01	43.56	35.10	10.52	31.99	0.00	100	138	PEAK																																																																		
<b>Fundamental</b>	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5825.00</td> <td>112.66</td> <td>-----</td> <td>-----</td> <td>99.35</td> <td>34.82</td> <td>10.43</td> <td>31.94</td> <td>0.00</td> <td>100</td> <td>138</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5825.00	112.66	-----	-----	99.35	34.82	10.43	31.94	0.00	100	138	PEAK																																				
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																				
1 5825.00	112.66	-----	-----	99.35	34.82	10.43	31.94	0.00	100	138	PEAK																																																																		
<b>Avg</b>	<b>Blank</b>																																																																												
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5825.00</td> <td>103.75</td> <td>-----</td> <td>-----</td> <td>90.47</td> <td>34.80</td> <td>10.43</td> <td>31.95</td> <td>0.00</td> <td>100</td> <td>138</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5825.00	103.75	-----	-----	90.47	34.80	10.43	31.95	0.00	100	138	AVERAGE																																				
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																				
1 5825.00	103.75	-----	-----	90.47	34.80	10.43	31.95	0.00	100	138	AVERAGE																																																																		






Mode	51																																																																																																																
	Band Edge																																																																																																																
	U-NII-3_5.725-5.85_802.11a_CH165_5825MHz																																																																																																																
ANT	CDD 5+4																																																																																																																
Pol.	Vertical	Fundamental																																																																																																															
Peak	 <table border="1" data-bbox="272 1077 778 1256"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5854.88</td> <td>77.27</td> <td>111.18</td> <td>-33.91</td> <td>63.85</td> <td>34.91</td> <td>10.45</td> <td>31.94</td> <td>0.00</td> <td>305</td> <td>287 PEAK</td> </tr> <tr> <td>2 5864.00</td> <td>76.05</td> <td>108.38</td> <td>-32.33</td> <td>62.60</td> <td>34.93</td> <td>10.46</td> <td>31.94</td> <td>0.00</td> <td>305</td> <td>287 PEAK</td> </tr> <tr> <td>3 5924.25</td> <td>56.23</td> <td>68.75</td> <td>-12.52</td> <td>42.61</td> <td>35.10</td> <td>10.51</td> <td>31.99</td> <td>0.00</td> <td>305</td> <td>287 PEAK</td> </tr> <tr> <td>4 5925.88</td> <td>56.37</td> <td>68.20</td> <td>-11.83</td> <td>42.74</td> <td>35.10</td> <td>10.52</td> <td>31.99</td> <td>0.00</td> <td>305</td> <td>287 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5854.88	77.27	111.18	-33.91	63.85	34.91	10.45	31.94	0.00	305	287 PEAK	2 5864.00	76.05	108.38	-32.33	62.60	34.93	10.46	31.94	0.00	305	287 PEAK	3 5924.25	56.23	68.75	-12.52	42.61	35.10	10.51	31.99	0.00	305	287 PEAK	4 5925.88	56.37	68.20	-11.83	42.74	35.10	10.52	31.99	0.00	305	287 PEAK	 <table border="1" data-bbox="916 1133 1422 1256"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5825.00</td> <td>111.77</td> <td>-----</td> <td>-----</td> <td>98.46</td> <td>34.82</td> <td>10.43</td> <td>31.94</td> <td>0.00</td> <td>305</td> <td>287 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5825.00	111.77	-----	-----	98.46	34.82	10.43	31.94	0.00	305	287 PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																								
1 5854.88	77.27	111.18	-33.91	63.85	34.91	10.45	31.94	0.00	305	287 PEAK																																																																																																							
2 5864.00	76.05	108.38	-32.33	62.60	34.93	10.46	31.94	0.00	305	287 PEAK																																																																																																							
3 5924.25	56.23	68.75	-12.52	42.61	35.10	10.51	31.99	0.00	305	287 PEAK																																																																																																							
4 5925.88	56.37	68.20	-11.83	42.74	35.10	10.52	31.99	0.00	305	287 PEAK																																																																																																							
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																								
1 5825.00	111.77	-----	-----	98.46	34.82	10.43	31.94	0.00	305	287 PEAK																																																																																																							
Avg	Blank	 <table border="1" data-bbox="916 1809 1422 1933"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5825.00</td> <td>103.95</td> <td>-----</td> <td>-----</td> <td>90.67</td> <td>34.80</td> <td>10.43</td> <td>31.95</td> <td>0.00</td> <td>305</td> <td>287 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5825.00	103.95	-----	-----	90.67	34.80	10.43	31.95	0.00	305	287 AVERAGE																																																																								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																								
1 5825.00	103.95	-----	-----	90.67	34.80	10.43	31.95	0.00	305	287 AVERAGE																																																																																																							






Mode	51																																																																																													
	Harmonic																																																																																													
	U-NII-3_5.725-5.85_802.11a_CH165_5825MHz																																																																																													
ANT	CDD 5+4																																																																																													
Pol.	Horizontal	Vertical																																																																																												
Peak Avg																																																																																														
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11650.00</td> <td>50.20</td> <td>74.00</td> <td>-23.80</td> <td>57.45</td> <td>38.50</td> <td>15.02</td> <td>60.77</td> <td>0.00</td> <td>106</td> <td>9</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>11650.00</td> <td>41.43</td> <td>54.00</td> <td>-12.57</td> <td>48.68</td> <td>38.50</td> <td>15.02</td> <td>60.77</td> <td>0.00</td> <td>106</td> <td>9</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	11650.00	50.20	74.00	-23.80	57.45	38.50	15.02	60.77	0.00	106	9	PEAK	2	11650.00	41.43	54.00	-12.57	48.68	38.50	15.02	60.77	0.00	106	9	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11650.00</td> <td>46.57</td> <td>74.00</td> <td>-27.43</td> <td>53.82</td> <td>38.50</td> <td>15.02</td> <td>60.77</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	11650.00	46.57	74.00	-27.43	53.82	38.50	15.02	60.77	0.00	---	---
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																						
1	11650.00	50.20	74.00	-23.80	57.45	38.50	15.02	60.77	0.00	106	9	PEAK																																																																																		
2	11650.00	41.43	54.00	-12.57	48.68	38.50	15.02	60.77	0.00	106	9	AVERAGE																																																																																		
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																						
1	11650.00	46.57	74.00	-27.43	53.82	38.50	15.02	60.77	0.00	---	---	PEAK																																																																																		



Mode	52																																																																																																										
	Band Edge																																																																																																										
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_Full RU_5745MHz																																																																																																										
ANT	CDD 5+4																																																																																																										
Pol.	Horizontal	Fundamental																																																																																																									
Peak	 <table border="1" data-bbox="272 1077 778 1256"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5649.88</td> <td>63.43</td> <td>68.20</td> <td>-4.77</td> <td>50.64</td> <td>34.60</td> <td>10.28</td> <td>32.09</td> <td>0.00</td> <td>110</td> <td>252</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5650.61</td> <td>62.30</td> <td>68.65</td> <td>-6.35</td> <td>49.51</td> <td>34.60</td> <td>10.28</td> <td>32.09</td> <td>0.00</td> <td>110</td> <td>252</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5711.51</td> <td>83.41</td> <td>108.52</td> <td>-25.11</td> <td>70.44</td> <td>34.68</td> <td>10.33</td> <td>32.04</td> <td>0.00</td> <td>110</td> <td>252</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5720.64</td> <td>86.59</td> <td>112.36</td> <td>-25.77</td> <td>73.62</td> <td>34.66</td> <td>10.34</td> <td>32.03</td> <td>0.00</td> <td>110</td> <td>252</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor	cm	deg	1	5649.88	63.43	68.20	-4.77	50.64	34.60	10.28	32.09	0.00	110	252	PEAK	2	5650.61	62.30	68.65	-6.35	49.51	34.60	10.28	32.09	0.00	110	252	PEAK	3	5711.51	83.41	108.52	-25.11	70.44	34.68	10.33	32.04	0.00	110	252	PEAK	4	5720.64	86.59	112.36	-25.77	73.62	34.66	10.34	32.03	0.00	110	252	PEAK	 <table border="1" data-bbox="914 1133 1420 1256"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>115.68</td> <td>-----</td> <td>-----</td> <td>102.72</td> <td>34.60</td> <td>10.37</td> <td>32.01</td> <td>0.00</td> <td>110</td> <td>252</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor	cm	deg	1	5745.00	115.68	-----	-----	102.72	34.60	10.37	32.01	0.00	110	252	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																		
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																																		
1	5649.88	63.43	68.20	-4.77	50.64	34.60	10.28	32.09	0.00	110	252	PEAK																																																																																															
2	5650.61	62.30	68.65	-6.35	49.51	34.60	10.28	32.09	0.00	110	252	PEAK																																																																																															
3	5711.51	83.41	108.52	-25.11	70.44	34.68	10.33	32.04	0.00	110	252	PEAK																																																																																															
4	5720.64	86.59	112.36	-25.77	73.62	34.66	10.34	32.03	0.00	110	252	PEAK																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																		
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																																		
1	5745.00	115.68	-----	-----	102.72	34.60	10.37	32.01	0.00	110	252	PEAK																																																																																															
Avg	Blank																																																																																																										
		 <table border="1" data-bbox="914 1805 1420 1928"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>106.04</td> <td>-----</td> <td>-----</td> <td>93.08</td> <td>34.62</td> <td>10.36</td> <td>32.02</td> <td>0.00</td> <td>110</td> <td>252</td> <td>AVERAGE</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor	cm	deg	1	5745.00	106.04	-----	-----	93.08	34.62	10.36	32.02	0.00	110	252	AVERAGE																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																		
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																																		
1	5745.00	106.04	-----	-----	93.08	34.62	10.36	32.02	0.00	110	252	AVERAGE																																																																																															






Mode	52																																																																																																																												
	Band Edge																																																																																																																												
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_Full RU_5745MHz																																																																																																																												
ANT	CDD 5+4																																																																																																																												
Pol.	Vertical	Fundamental																																																																																																																											
Peak	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5642.63</td> <td>60.45</td> <td>68.20</td> <td>-7.75</td> <td>47.66</td> <td>34.61</td> <td>10.28</td> <td>32.10</td> <td>0.00</td> <td>316</td> <td>288</td> <td>PEAK</td> <td></td> <td></td> </tr> <tr> <td>2</td> <td>5651.77</td> <td>62.74</td> <td>69.52</td> <td>-6.78</td> <td>49.94</td> <td>34.60</td> <td>10.29</td> <td>32.09</td> <td>0.00</td> <td>316</td> <td>288</td> <td>PEAK</td> <td></td> <td></td> </tr> <tr> <td>3</td> <td>5712.81</td> <td>82.47</td> <td>108.89</td> <td>-26.42</td> <td>69.51</td> <td>34.67</td> <td>10.33</td> <td>32.04</td> <td>0.00</td> <td>316</td> <td>288</td> <td>PEAK</td> <td></td> <td></td> </tr> <tr> <td>4</td> <td>5721.95</td> <td>86.25</td> <td>115.34</td> <td>-29.09</td> <td>73.28</td> <td>34.66</td> <td>10.34</td> <td>32.03</td> <td>0.00</td> <td>316</td> <td>288</td> <td>PEAK</td> <td></td> <td></td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Factor	Factor	Factor	cm	deg	Remark	1	5642.63	60.45	68.20	-7.75	47.66	34.61	10.28	32.10	0.00	316	288	PEAK			2	5651.77	62.74	69.52	-6.78	49.94	34.60	10.29	32.09	0.00	316	288	PEAK			3	5712.81	82.47	108.89	-26.42	69.51	34.67	10.33	32.04	0.00	316	288	PEAK			4	5721.95	86.25	115.34	-29.09	73.28	34.66	10.34	32.03	0.00	316	288	PEAK			 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>114.36</td> <td>-----</td> <td>-----</td> <td>101.40</td> <td>34.61</td> <td>10.36</td> <td>32.01</td> <td>0.00</td> <td>316</td> <td>288</td> <td>PEAK</td> <td></td> <td></td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Factor	Factor	Factor	cm	deg	Remark	1	5745.00	114.36	-----	-----	101.40	34.61	10.36	32.01	0.00	316	288	PEAK		
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Factor	Factor	Factor	cm	deg	Remark																																																																																																															
1	5642.63	60.45	68.20	-7.75	47.66	34.61	10.28	32.10	0.00	316	288	PEAK																																																																																																																	
2	5651.77	62.74	69.52	-6.78	49.94	34.60	10.29	32.09	0.00	316	288	PEAK																																																																																																																	
3	5712.81	82.47	108.89	-26.42	69.51	34.67	10.33	32.04	0.00	316	288	PEAK																																																																																																																	
4	5721.95	86.25	115.34	-29.09	73.28	34.66	10.34	32.03	0.00	316	288	PEAK																																																																																																																	
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Factor	Factor	Factor	cm	deg	Remark																																																																																																															
1	5745.00	114.36	-----	-----	101.40	34.61	10.36	32.01	0.00	316	288	PEAK																																																																																																																	
Avg	Blank	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>106.49</td> <td>-----</td> <td>-----</td> <td>93.53</td> <td>34.61</td> <td>10.36</td> <td>32.01</td> <td>0.00</td> <td>316</td> <td>288</td> <td>AVERAGE</td> <td></td> <td></td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Factor	Factor	Factor	cm	deg	Remark	1	5745.00	106.49	-----	-----	93.53	34.61	10.36	32.01	0.00	316	288	AVERAGE																																																																																						
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Factor	Factor	Factor	cm	deg	Remark																																																																																																															
1	5745.00	106.49	-----	-----	93.53	34.61	10.36	32.01	0.00	316	288	AVERAGE																																																																																																																	





Mode	52																																																																																																										
	Harmonic																																																																																																										
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_Full RU_5745MHz																																																																																																										
ANT	CDD 5+4																																																																																																										
Pol.	Horizontal	Vertical																																																																																																									
Peak Avg																																																																																																											
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11490.00</td> <td>46.20</td> <td>74.00</td> <td>-27.80</td> <td>53.95</td> <td>38.20</td> <td>14.91</td> <td>60.86</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>17241.00</td> <td>53.21</td> <td>68.20</td> <td>-14.99</td> <td>52.82</td> <td>40.96</td> <td>18.37</td> <td>58.94</td> <td>0.00</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	11490.00	46.20	74.00	-27.80	53.95	38.20	14.91	60.86	0.00	---	---	PEAK	2	17241.00	53.21	68.20	-14.99	52.82	40.96	18.37	58.94	0.00	---	---	Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11490.00</td> <td>47.31</td> <td>74.00</td> <td>-26.69</td> <td>55.06</td> <td>38.20</td> <td>14.91</td> <td>60.86</td> <td>0.00</td> <td>100</td> <td>0</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>11490.00</td> <td>37.55</td> <td>54.00</td> <td>-16.45</td> <td>45.30</td> <td>38.20</td> <td>14.91</td> <td>60.86</td> <td>0.00</td> <td>100</td> <td>0</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	11490.00	47.31	74.00	-26.69	55.06	38.20	14.91	60.86	0.00	100	0	PEAK	2	11490.00	37.55	54.00	-16.45	45.30	38.20	14.91	60.86	0.00	100	0
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																			
1	11490.00	46.20	74.00	-27.80	53.95	38.20	14.91	60.86	0.00	---	---	PEAK																																																																																															
2	17241.00	53.21	68.20	-14.99	52.82	40.96	18.37	58.94	0.00	---	---	Peak																																																																																															
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																			
1	11490.00	47.31	74.00	-26.69	55.06	38.20	14.91	60.86	0.00	100	0	PEAK																																																																																															
2	11490.00	37.55	54.00	-16.45	45.30	38.20	14.91	60.86	0.00	100	0	AVERAGE																																																																																															






Mode	53																																																																																																																																
	Band Edge - L																																																																																																																																
	U-NII-3_5.725-5.85_802.11ax HE20_CH157_Full RU_5785MHz																																																																																																																																
ANT	CDD 5+4																																																																																																																																
Pol.	Horizontal	Fundamental																																																																																																																															
Peak	 <table border="1" data-bbox="263 1075 774 1254"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5630.34</td> <td>56.59</td> <td>68.20</td> <td>-11.61</td> <td>43.77</td> <td>34.64</td> <td>10.27</td> <td>32.09</td> <td>0.00</td> <td>100</td> <td>249</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5650.51</td> <td>51.38</td> <td>68.58</td> <td>-17.20</td> <td>38.59</td> <td>34.60</td> <td>10.28</td> <td>32.09</td> <td>0.00</td> <td>100</td> <td>249</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5714.89</td> <td>63.34</td> <td>109.47</td> <td>-46.13</td> <td>50.37</td> <td>34.67</td> <td>10.34</td> <td>32.04</td> <td>0.00</td> <td>100</td> <td>249</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5720.99</td> <td>61.69</td> <td>113.16</td> <td>-51.47</td> <td>48.72</td> <td>34.66</td> <td>10.34</td> <td>32.03</td> <td>0.00</td> <td>100</td> <td>249</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Level	Loss	Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5630.34	56.59	68.20	-11.61	43.77	34.64	10.27	32.09	0.00	100	249	PEAK	2	5650.51	51.38	68.58	-17.20	38.59	34.60	10.28	32.09	0.00	100	249	PEAK	3	5714.89	63.34	109.47	-46.13	50.37	34.67	10.34	32.04	0.00	100	249	PEAK	4	5720.99	61.69	113.16	-51.47	48.72	34.66	10.34	32.03	0.00	100	249	PEAK	 <table border="1" data-bbox="909 1131 1420 1254"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5785.00</td> <td>114.50</td> <td>-----</td> <td>-----</td> <td>101.43</td> <td>34.66</td> <td>10.39</td> <td>31.98</td> <td>0.00</td> <td>100</td> <td>249</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Level	Loss	Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5785.00	114.50	-----	-----	101.43	34.66	10.39	31.98	0.00	100	249	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																								
Freq	Level	Line	Level	Loss	Factor	Factor	Factor	Factor																																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																							
1	5630.34	56.59	68.20	-11.61	43.77	34.64	10.27	32.09	0.00	100	249	PEAK																																																																																																																					
2	5650.51	51.38	68.58	-17.20	38.59	34.60	10.28	32.09	0.00	100	249	PEAK																																																																																																																					
3	5714.89	63.34	109.47	-46.13	50.37	34.67	10.34	32.04	0.00	100	249	PEAK																																																																																																																					
4	5720.99	61.69	113.16	-51.47	48.72	34.66	10.34	32.03	0.00	100	249	PEAK																																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																								
Freq	Level	Line	Level	Loss	Factor	Factor	Factor	Factor																																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																							
1	5785.00	114.50	-----	-----	101.43	34.66	10.39	31.98	0.00	100	249	PEAK																																																																																																																					
Avg	Blank																																																																																																																																
		 <table border="1" data-bbox="909 1814 1420 1937"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5785.00</td> <td>104.96</td> <td>-----</td> <td>-----</td> <td>91.89</td> <td>34.66</td> <td>10.39</td> <td>31.98</td> <td>0.00</td> <td>100</td> <td>249</td> <td>AVERAGE</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Level	Loss	Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5785.00	104.96	-----	-----	91.89	34.66	10.39	31.98	0.00	100	249	AVERAGE																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																								
Freq	Level	Line	Level	Loss	Factor	Factor	Factor	Factor																																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																							
1	5785.00	104.96	-----	-----	91.89	34.66	10.39	31.98	0.00	100	249	AVERAGE																																																																																																																					



Mode	53																																																																																				
	Band Edge - R																																																																																				
	U-NII-3_5.725-5.85_802.11ax HE20_CH157_Full RU_5785MHz																																																																																				
ANT	CDD 5+4																																																																																				
Pol.	Horizontal	Fundamental																																																																																			
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5853.97</td> <td>62.51</td> <td>113.25</td> <td>-50.74</td> <td>49.09</td> <td>34.91</td> <td>10.45</td> <td>31.94</td> <td>0.00</td> <td>100</td> <td>249</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5864.86</td> <td>58.95</td> <td>108.14</td> <td>-49.19</td> <td>45.51</td> <td>34.93</td> <td>10.46</td> <td>31.95</td> <td>0.00</td> <td>100</td> <td>249</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5924.43</td> <td>53.12</td> <td>68.63</td> <td>-15.51</td> <td>39.49</td> <td>35.10</td> <td>10.52</td> <td>31.99</td> <td>0.00</td> <td>100</td> <td>249</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5934.33</td> <td>54.56</td> <td>68.20</td> <td>-13.64</td> <td>40.90</td> <td>35.14</td> <td>10.52</td> <td>32.00</td> <td>0.00</td> <td>100</td> <td>249</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5853.97	62.51	113.25	-50.74	49.09	34.91	10.45	31.94	0.00	100	249	PEAK	2	5864.86	58.95	108.14	-49.19	45.51	34.93	10.46	31.95	0.00	100	249	PEAK	3	5924.43	53.12	68.63	-15.51	39.49	35.10	10.52	31.99	0.00	100	249	PEAK	4	5934.33	54.56	68.20	-13.64	40.90	35.14	10.52	32.00	0.00	100	249	PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																											
1	5853.97	62.51	113.25	-50.74	49.09	34.91	10.45	31.94	0.00	100	249	PEAK																																																																									
2	5864.86	58.95	108.14	-49.19	45.51	34.93	10.46	31.95	0.00	100	249	PEAK																																																																									
3	5924.43	53.12	68.63	-15.51	39.49	35.10	10.52	31.99	0.00	100	249	PEAK																																																																									
4	5934.33	54.56	68.20	-13.64	40.90	35.14	10.52	32.00	0.00	100	249	PEAK																																																																									



Mode	53																																																																																																										
	Band Edge - L																																																																																																										
	U-NII-3_5.725-5.85_802.11ax HE20_CH157_Full RU_5785MHz																																																																																																										
ANT	CDD 5+4																																																																																																										
Pol.	Vertical	Fundamental																																																																																																									
Peak	 <table border="1" data-bbox="263 1075 774 1254"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5629.05</td> <td>54.21</td> <td>68.20</td> <td>-13.99</td> <td>41.39</td> <td>34.64</td> <td>10.27</td> <td>32.09</td> <td>0.00</td> <td>300</td> <td>296</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5650.32</td> <td>51.51</td> <td>68.44</td> <td>-16.93</td> <td>38.72</td> <td>34.60</td> <td>10.28</td> <td>32.09</td> <td>0.00</td> <td>300</td> <td>296</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5709.34</td> <td>63.71</td> <td>107.92</td> <td>-44.21</td> <td>50.74</td> <td>34.68</td> <td>10.33</td> <td>32.04</td> <td>0.00</td> <td>300</td> <td>296</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5720.07</td> <td>61.02</td> <td>111.05</td> <td>-50.03</td> <td>48.05</td> <td>34.66</td> <td>10.34</td> <td>32.03</td> <td>0.00</td> <td>300</td> <td>296</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	cm	deg	1	5629.05	54.21	68.20	-13.99	41.39	34.64	10.27	32.09	0.00	300	296	PEAK	2	5650.32	51.51	68.44	-16.93	38.72	34.60	10.28	32.09	0.00	300	296	PEAK	3	5709.34	63.71	107.92	-44.21	50.74	34.68	10.33	32.04	0.00	300	296	PEAK	4	5720.07	61.02	111.05	-50.03	48.05	34.66	10.34	32.03	0.00	300	296	PEAK	 <table border="1" data-bbox="909 1131 1420 1254"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5785.00</td> <td>114.16</td> <td>-----</td> <td>-----</td> <td>101.04</td> <td>34.69</td> <td>10.40</td> <td>31.97</td> <td>0.00</td> <td>300</td> <td>296</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	cm	deg	1	5785.00	114.16	-----	-----	101.04	34.69	10.40	31.97	0.00	300	296	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																		
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	cm	deg																																																																																																		
1	5629.05	54.21	68.20	-13.99	41.39	34.64	10.27	32.09	0.00	300	296	PEAK																																																																																															
2	5650.32	51.51	68.44	-16.93	38.72	34.60	10.28	32.09	0.00	300	296	PEAK																																																																																															
3	5709.34	63.71	107.92	-44.21	50.74	34.68	10.33	32.04	0.00	300	296	PEAK																																																																																															
4	5720.07	61.02	111.05	-50.03	48.05	34.66	10.34	32.03	0.00	300	296	PEAK																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																		
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	cm	deg																																																																																																		
1	5785.00	114.16	-----	-----	101.04	34.69	10.40	31.97	0.00	300	296	PEAK																																																																																															
Avg	Blank																																																																																																										
		 <table border="1" data-bbox="909 1814 1420 1937"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5785.00</td> <td>103.99</td> <td>-----</td> <td>-----</td> <td>90.92</td> <td>34.66</td> <td>10.39</td> <td>31.98</td> <td>0.00</td> <td>300</td> <td>296</td> <td>AVERAGE</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	cm	deg	1	5785.00	103.99	-----	-----	90.92	34.66	10.39	31.98	0.00	300	296	AVERAGE																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																		
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	cm	deg																																																																																																		
1	5785.00	103.99	-----	-----	90.92	34.66	10.39	31.98	0.00	300	296	AVERAGE																																																																																															






Mode	53																																																																																	
	Band Edge - R																																																																																	
	U-NII-3_5.725-5.85_802.11ax HE20_CH157_Full RU_5785MHz																																																																																	
ANT	CDD 5+4																																																																																	
Pol.	Vertical	Fundamental																																																																																
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5854.80</td> <td>61.87</td> <td>111.37</td> <td>-49.50</td> <td>48.45</td> <td>34.91</td> <td>10.45</td> <td>31.94</td> <td>0.00</td> <td>300</td> <td>296</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5858.92</td> <td>62.94</td> <td>109.80</td> <td>-46.86</td> <td>49.50</td> <td>34.92</td> <td>10.46</td> <td>31.94</td> <td>0.00</td> <td>300</td> <td>296</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5924.59</td> <td>54.05</td> <td>68.50</td> <td>-14.45</td> <td>40.42</td> <td>35.10</td> <td>10.52</td> <td>31.99</td> <td>0.00</td> <td>300</td> <td>296</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5929.87</td> <td>54.65</td> <td>68.20</td> <td>-13.55</td> <td>41.01</td> <td>35.12</td> <td>10.52</td> <td>32.00</td> <td>0.00</td> <td>300</td> <td>296</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.80	61.87	111.37	-49.50	48.45	34.91	10.45	31.94	0.00	300	296	PEAK	2	5858.92	62.94	109.80	-46.86	49.50	34.92	10.46	31.94	0.00	300	296	PEAK	3	5924.59	54.05	68.50	-14.45	40.42	35.10	10.52	31.99	0.00	300	296	PEAK	4	5929.87	54.65	68.20	-13.55	41.01	35.12	10.52	32.00	0.00	300	296	PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	5854.80	61.87	111.37	-49.50	48.45	34.91	10.45	31.94	0.00	300	296	PEAK																																																																						
2	5858.92	62.94	109.80	-46.86	49.50	34.92	10.46	31.94	0.00	300	296	PEAK																																																																						
3	5924.59	54.05	68.50	-14.45	40.42	35.10	10.52	31.99	0.00	300	296	PEAK																																																																						
4	5929.87	54.65	68.20	-13.55	41.01	35.12	10.52	32.00	0.00	300	296	PEAK																																																																						






Mode	53																																																																																													
	Harmonic																																																																																													
	U-NII-3_5.725-5.85_802.11ax HE20_CH157_Full RU_5785MHz																																																																																													
ANT	CDD 5+4																																																																																													
Pol.	Horizontal	Vertical																																																																																												
Peak Avg																																																																																														
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11570.00</td> <td>46.18</td> <td>74.00</td> <td>-27.82</td> <td>53.69</td> <td>38.34</td> <td>14.97</td> <td>60.82</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>17351.00</td> <td>54.08</td> <td>68.20</td> <td>-14.12</td> <td>53.78</td> <td>40.85</td> <td>18.44</td> <td>58.99</td> <td>0.00</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	11570.00	46.18	74.00	-27.82	53.69	38.34	14.97	60.82	0.00	---	---	PEAK	2	17351.00	54.08	68.20	-14.12	53.78	40.85	18.44	58.99	0.00	---	---	Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11570.00</td> <td>45.59</td> <td>74.00</td> <td>-28.41</td> <td>53.10</td> <td>38.34</td> <td>14.97</td> <td>60.82</td> <td>0.00</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	11570.00	45.59	74.00	-28.41	53.10	38.34	14.97	60.82	0.00	---	---
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																						
1	11570.00	46.18	74.00	-27.82	53.69	38.34	14.97	60.82	0.00	---	---	PEAK																																																																																		
2	17351.00	54.08	68.20	-14.12	53.78	40.85	18.44	58.99	0.00	---	---	Peak																																																																																		
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																						
1	11570.00	45.59	74.00	-28.41	53.10	38.34	14.97	60.82	0.00	---	---	Peak																																																																																		



Mode	54																																																																																																																										
	Band Edge																																																																																																																										
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_Full RU_5825MHz																																																																																																																										
ANT	CDD 5+4																																																																																																																										
Pol.	Horizontal	Fundamental																																																																																																																									
Peak	 <table border="1" data-bbox="268 1077 783 1254"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5853.50</td> <td>76.69</td> <td>114.32</td> <td>-37.63</td> <td>63.27</td> <td>34.91</td> <td>10.45</td> <td>31.94</td> <td>0.00</td> <td>100</td> <td>254</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5859.63</td> <td>74.95</td> <td>109.60</td> <td>-34.65</td> <td>61.51</td> <td>34.92</td> <td>10.46</td> <td>31.94</td> <td>0.00</td> <td>100</td> <td>254</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5924.88</td> <td>54.16</td> <td>68.29</td> <td>-14.13</td> <td>40.53</td> <td>35.10</td> <td>10.52</td> <td>31.99</td> <td>0.00</td> <td>100</td> <td>254</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5946.63</td> <td>55.00</td> <td>68.20</td> <td>-13.20</td> <td>41.29</td> <td>35.19</td> <td>10.53</td> <td>32.01</td> <td>0.00</td> <td>100</td> <td>254</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5853.50	76.69	114.32	-37.63	63.27	34.91	10.45	31.94	0.00	100	254	PEAK	2	5859.63	74.95	109.60	-34.65	61.51	34.92	10.46	31.94	0.00	100	254	PEAK	3	5924.88	54.16	68.29	-14.13	40.53	35.10	10.52	31.99	0.00	100	254	PEAK	4	5946.63	55.00	68.20	-13.20	41.29	35.19	10.53	32.01	0.00	100	254	PEAK	 <table border="1" data-bbox="911 1122 1426 1254"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>111.88</td> <td>-----</td> <td>-----</td> <td>98.64</td> <td>34.77</td> <td>10.42</td> <td>31.95</td> <td>0.00</td> <td>100</td> <td>254</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	111.88	-----	-----	98.64	34.77	10.42	31.95	0.00	100	254	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	5853.50	76.69	114.32	-37.63	63.27	34.91	10.45	31.94	0.00	100	254	PEAK																																																																																																															
2	5859.63	74.95	109.60	-34.65	61.51	34.92	10.46	31.94	0.00	100	254	PEAK																																																																																																															
3	5924.88	54.16	68.29	-14.13	40.53	35.10	10.52	31.99	0.00	100	254	PEAK																																																																																																															
4	5946.63	55.00	68.20	-13.20	41.29	35.19	10.53	32.01	0.00	100	254	PEAK																																																																																																															
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	5825.00	111.88	-----	-----	98.64	34.77	10.42	31.95	0.00	100	254	PEAK																																																																																																															
Avg	Blank																																																																																																																										
		 <table border="1" data-bbox="911 1794 1426 1926"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>102.78</td> <td>-----</td> <td>-----</td> <td>89.50</td> <td>34.80</td> <td>10.43</td> <td>31.95</td> <td>0.00</td> <td>100</td> <td>254</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	102.78	-----	-----	89.50	34.80	10.43	31.95	0.00	100	254	AVERAGE																																																																																
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	5825.00	102.78	-----	-----	89.50	34.80	10.43	31.95	0.00	100	254	AVERAGE																																																																																																															






Mode	54																																																																																																														
	Band Edge																																																																																																														
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_Full RU_5825MHz																																																																																																														
ANT	CDD 5+4																																																																																																														
Pol.	Vertical	Fundamental																																																																																																													
Peak	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 5854.88</td> <td>76.88</td> <td>111.18</td> <td>-34.30</td> <td>63.46</td> <td>34.91</td> <td>10.45</td> <td>31.94</td> <td>0.00</td> <td>310</td> <td>294 PEAK</td> </tr> <tr> <td>2 5855.25</td> <td>77.43</td> <td>110.83</td> <td>-33.40</td> <td>64.01</td> <td>34.91</td> <td>10.45</td> <td>31.94</td> <td>0.00</td> <td>310</td> <td>294 PEAK</td> </tr> <tr> <td>3 5925.00</td> <td>54.63</td> <td>68.20</td> <td>-13.57</td> <td>41.00</td> <td>35.10</td> <td>10.52</td> <td>31.99</td> <td>0.00</td> <td>310</td> <td>294 PEAK</td> </tr> <tr> <td>4 5934.13</td> <td>55.76</td> <td>68.20</td> <td>-12.44</td> <td>42.10</td> <td>35.14</td> <td>10.52</td> <td>32.00</td> <td>0.00</td> <td>310</td> <td>294 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1 5854.88	76.88	111.18	-34.30	63.46	34.91	10.45	31.94	0.00	310	294 PEAK	2 5855.25	77.43	110.83	-33.40	64.01	34.91	10.45	31.94	0.00	310	294 PEAK	3 5925.00	54.63	68.20	-13.57	41.00	35.10	10.52	31.99	0.00	310	294 PEAK	4 5934.13	55.76	68.20	-12.44	42.10	35.14	10.52	32.00	0.00	310	294 PEAK	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 5825.00</td> <td>112.98</td> <td>-----</td> <td>-----</td> <td>99.70</td> <td>34.80</td> <td>10.43</td> <td>31.95</td> <td>0.00</td> <td>310</td> <td>294 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1 5825.00	112.98	-----	-----	99.70	34.80	10.43	31.95	0.00	310	294 PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																																							
1 5854.88	76.88	111.18	-34.30	63.46	34.91	10.45	31.94	0.00	310	294 PEAK																																																																																																					
2 5855.25	77.43	110.83	-33.40	64.01	34.91	10.45	31.94	0.00	310	294 PEAK																																																																																																					
3 5925.00	54.63	68.20	-13.57	41.00	35.10	10.52	31.99	0.00	310	294 PEAK																																																																																																					
4 5934.13	55.76	68.20	-12.44	42.10	35.14	10.52	32.00	0.00	310	294 PEAK																																																																																																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																																							
1 5825.00	112.98	-----	-----	99.70	34.80	10.43	31.95	0.00	310	294 PEAK																																																																																																					
Avg	Blank	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 5825.00</td> <td>103.01</td> <td>-----</td> <td>-----</td> <td>89.73</td> <td>34.80</td> <td>10.43</td> <td>31.95</td> <td>0.00</td> <td>310</td> <td>294 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1 5825.00	103.01	-----	-----	89.73	34.80	10.43	31.95	0.00	310	294 AVERAGE																																																																							
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																																							
1 5825.00	103.01	-----	-----	89.73	34.80	10.43	31.95	0.00	310	294 AVERAGE																																																																																																					





Mode	54																																																																																																							
	Harmonic																																																																																																							
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_Full RU_5825MHz																																																																																																							
ANT	CDD 5+4																																																																																																							
Pol.	Horizontal	Vertical																																																																																																						
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 11650.00</td> <td>50.48</td> <td>74.00</td> <td>-23.52</td> <td>57.73</td> <td>38.50</td> <td>15.02</td> <td>60.77</td> <td>0.00</td> <td>100</td> <td>30</td> <td>PEAK</td> </tr> <tr> <td>2 11650.00</td> <td>43.35</td> <td>54.00</td> <td>-10.65</td> <td>50.60</td> <td>38.50</td> <td>15.02</td> <td>60.77</td> <td>0.00</td> <td>100</td> <td>30</td> <td>AVERAGE</td> </tr> <tr> <td>3 17483.00</td> <td>55.32</td> <td>68.20</td> <td>-12.88</td> <td>54.97</td> <td>40.88</td> <td>18.52</td> <td>59.05</td> <td>0.00</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 11650.00	50.48	74.00	-23.52	57.73	38.50	15.02	60.77	0.00	100	30	PEAK	2 11650.00	43.35	54.00	-10.65	50.60	38.50	15.02	60.77	0.00	100	30	AVERAGE	3 17483.00	55.32	68.20	-12.88	54.97	40.88	18.52	59.05	0.00	---	---	Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 11650.00</td> <td>46.51</td> <td>74.00</td> <td>-27.49</td> <td>53.76</td> <td>38.50</td> <td>15.02</td> <td>60.77</td> <td>0.00</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 11650.00	46.51	74.00	-27.49	53.76	38.50	15.02	60.77	0.00	---	---	Peak
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																
1 11650.00	50.48	74.00	-23.52	57.73	38.50	15.02	60.77	0.00	100	30	PEAK																																																																																													
2 11650.00	43.35	54.00	-10.65	50.60	38.50	15.02	60.77	0.00	100	30	AVERAGE																																																																																													
3 17483.00	55.32	68.20	-12.88	54.97	40.88	18.52	59.05	0.00	---	---	Peak																																																																																													
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																
1 11650.00	46.51	74.00	-27.49	53.76	38.50	15.02	60.77	0.00	---	---	Peak																																																																																													






Mode	55																																																																																																																							
	Band Edge - L																																																																																																																							
	U-NII-3_5.725-5.85_802.11ax HE40_CH151_Full RU_5755MHz																																																																																																																							
ANT	CDD 5+4																																																																																																																							
Pol.	Horizontal	Fundamental																																																																																																																						
Peak	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5649.76</td> <td>64.27</td> <td>114.37</td> <td>-50.10</td> <td>51.48</td> <td>34.60</td> <td>10.28</td> <td>32.09</td> <td>0.00</td> <td>100</td> <td>250</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5651.15</td> <td>63.15</td> <td>69.06</td> <td>-5.91</td> <td>50.35</td> <td>34.60</td> <td>10.29</td> <td>32.09</td> <td>0.00</td> <td>100</td> <td>250</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5710.36</td> <td>79.30</td> <td>108.20</td> <td>-28.90</td> <td>66.33</td> <td>34.68</td> <td>10.33</td> <td>32.04</td> <td>0.00</td> <td>100</td> <td>250</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5722.92</td> <td>82.80</td> <td>117.55</td> <td>-34.75</td> <td>69.84</td> <td>34.65</td> <td>10.34</td> <td>32.03</td> <td>0.00</td> <td>100</td> <td>250</td> <td></td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	5649.76	64.27	114.37	-50.10	51.48	34.60	10.28	32.09	0.00	100	250	PEAK	2	5651.15	63.15	69.06	-5.91	50.35	34.60	10.29	32.09	0.00	100	250	PEAK	3	5710.36	79.30	108.20	-28.90	66.33	34.68	10.33	32.04	0.00	100	250	PEAK	4	5722.92	82.80	117.55	-34.75	69.84	34.65	10.34	32.03	0.00	100	250		 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5755.00</td> <td>110.61</td> <td>-----</td> <td>97.65</td> <td>34.60</td> <td>10.37</td> <td>32.01</td> <td>0.00</td> <td>100</td> <td>250</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	5755.00	110.61	-----	97.65	34.60	10.37	32.01	0.00	100	250	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																																																
1	5649.76	64.27	114.37	-50.10	51.48	34.60	10.28	32.09	0.00	100	250	PEAK																																																																																																												
2	5651.15	63.15	69.06	-5.91	50.35	34.60	10.29	32.09	0.00	100	250	PEAK																																																																																																												
3	5710.36	79.30	108.20	-28.90	66.33	34.68	10.33	32.04	0.00	100	250	PEAK																																																																																																												
4	5722.92	82.80	117.55	-34.75	69.84	34.65	10.34	32.03	0.00	100	250																																																																																																													
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																																																
1	5755.00	110.61	-----	97.65	34.60	10.37	32.01	0.00	100	250	PEAK																																																																																																													
Avg	Blank	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5755.00</td> <td>101.51</td> <td>-----</td> <td>88.55</td> <td>34.60</td> <td>10.37</td> <td>32.01</td> <td>0.00</td> <td>100</td> <td>250</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	5755.00	101.51	-----	88.55	34.60	10.37	32.01	0.00	100	250	AVERAGE																																																																															
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																																																
1	5755.00	101.51	-----	88.55	34.60	10.37	32.01	0.00	100	250	AVERAGE																																																																																																													



Mode	55																																																																																	
	Band Edge - R																																																																																	
	U-NII-3_5.725-5.85_802.11ax HE40_CH151_Full RU_5755MHz																																																																																	
ANT	CDD 5+4																																																																																	
Pol.	Horizontal	Fundamental																																																																																
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5854.45</td> <td>58.72</td> <td>112.15</td> <td>-53.43</td> <td>45.30</td> <td>34.91</td> <td>10.45</td> <td>31.94</td> <td>0.00</td> <td>100</td> <td>250</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5871.42</td> <td>60.35</td> <td>106.30</td> <td>-45.95</td> <td>46.89</td> <td>34.94</td> <td>10.47</td> <td>31.95</td> <td>0.00</td> <td>100</td> <td>250</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5921.92</td> <td>56.39</td> <td>70.48</td> <td>-14.09</td> <td>42.78</td> <td>35.09</td> <td>10.51</td> <td>31.99</td> <td>0.00</td> <td>100</td> <td>250</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5930.89</td> <td>55.81</td> <td>68.20</td> <td>-12.39</td> <td>42.17</td> <td>35.12</td> <td>10.52</td> <td>32.00</td> <td>0.00</td> <td>100</td> <td>250</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.45	58.72	112.15	-53.43	45.30	34.91	10.45	31.94	0.00	100	250	PEAK	2	5871.42	60.35	106.30	-45.95	46.89	34.94	10.47	31.95	0.00	100	250	PEAK	3	5921.92	56.39	70.48	-14.09	42.78	35.09	10.51	31.99	0.00	100	250	PEAK	4	5930.89	55.81	68.20	-12.39	42.17	35.12	10.52	32.00	0.00	100	250	PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	5854.45	58.72	112.15	-53.43	45.30	34.91	10.45	31.94	0.00	100	250	PEAK																																																																						
2	5871.42	60.35	106.30	-45.95	46.89	34.94	10.47	31.95	0.00	100	250	PEAK																																																																						
3	5921.92	56.39	70.48	-14.09	42.78	35.09	10.51	31.99	0.00	100	250	PEAK																																																																						
4	5930.89	55.81	68.20	-12.39	42.17	35.12	10.52	32.00	0.00	100	250	PEAK																																																																						



Mode	55																																																																																																																											
	Band Edge - L																																																																																																																											
	U-NII-3_5.725-5.85_802.11ax HE40_CH151_Full RU_5755MHz																																																																																																																											
ANT	CDD 5+4																																																																																																																											
Pol.	Vertical	Fundamental																																																																																																																										
Peak	 <table border="1" data-bbox="272 1077 778 1256"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5629.76</td> <td>63.71</td> <td>68.20</td> <td>-4.49</td> <td>50.89</td> <td>34.64</td> <td>10.27</td> <td>32.09</td> <td>0.00</td> <td>300</td> <td>291 PEAK</td> </tr> <tr> <td>2</td> <td>5652.39</td> <td>63.28</td> <td>69.98</td> <td>-6.70</td> <td>50.48</td> <td>34.60</td> <td>10.29</td> <td>32.09</td> <td>0.00</td> <td>300</td> <td>291 PEAK</td> </tr> <tr> <td>3</td> <td>5712.07</td> <td>77.77</td> <td>108.68</td> <td>-30.91</td> <td>64.80</td> <td>34.68</td> <td>10.33</td> <td>32.04</td> <td>0.00</td> <td>300</td> <td>291 PEAK</td> </tr> <tr> <td>4</td> <td>5721.68</td> <td>76.57</td> <td>114.72</td> <td>-38.15</td> <td>63.60</td> <td>34.66</td> <td>10.34</td> <td>32.03</td> <td>0.00</td> <td>300</td> <td>291 PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5629.76	63.71	68.20	-4.49	50.89	34.64	10.27	32.09	0.00	300	291 PEAK	2	5652.39	63.28	69.98	-6.70	50.48	34.60	10.29	32.09	0.00	300	291 PEAK	3	5712.07	77.77	108.68	-30.91	64.80	34.68	10.33	32.04	0.00	300	291 PEAK	4	5721.68	76.57	114.72	-38.15	63.60	34.66	10.34	32.03	0.00	300	291 PEAK	 <table border="1" data-bbox="916 1133 1422 1256"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5755.00</td> <td>110.65</td> <td>-----</td> <td>-----</td> <td>97.69</td> <td>34.61</td> <td>10.36</td> <td>32.01</td> <td>0.00</td> <td>300</td> <td>291 PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5755.00	110.65	-----	-----	97.69	34.61	10.36	32.01	0.00	300	291 PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																		
1	5629.76	63.71	68.20	-4.49	50.89	34.64	10.27	32.09	0.00	300	291 PEAK																																																																																																																	
2	5652.39	63.28	69.98	-6.70	50.48	34.60	10.29	32.09	0.00	300	291 PEAK																																																																																																																	
3	5712.07	77.77	108.68	-30.91	64.80	34.68	10.33	32.04	0.00	300	291 PEAK																																																																																																																	
4	5721.68	76.57	114.72	-38.15	63.60	34.66	10.34	32.03	0.00	300	291 PEAK																																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																		
1	5755.00	110.65	-----	-----	97.69	34.61	10.36	32.01	0.00	300	291 PEAK																																																																																																																	
Avg	Blank																																																																																																																											
		 <table border="1" data-bbox="916 1814 1422 1937"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5755.00</td> <td>101.10</td> <td>-----</td> <td>-----</td> <td>88.14</td> <td>34.60</td> <td>10.37</td> <td>32.01</td> <td>0.00</td> <td>300</td> <td>291 AVERAGE</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5755.00	101.10	-----	-----	88.14	34.60	10.37	32.01	0.00	300	291 AVERAGE																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																		
1	5755.00	101.10	-----	-----	88.14	34.60	10.37	32.01	0.00	300	291 AVERAGE																																																																																																																	






Mode	55																																																																																	
	Band Edge - R																																																																																	
	U-NII-3_5.725-5.85_802.11ax HE40_CH151_Full RU_5755MHz																																																																																	
ANT	CDD 5+4																																																																																	
Pol.	Vertical	Fundamental																																																																																
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5854.84</td> <td>63.37</td> <td>111.26</td> <td>-47.89</td> <td>49.95</td> <td>34.91</td> <td>10.45</td> <td>31.94</td> <td>0.00</td> <td>300</td> <td>291</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5874.73</td> <td>61.09</td> <td>105.38</td> <td>-44.29</td> <td>47.62</td> <td>34.95</td> <td>10.47</td> <td>31.95</td> <td>0.00</td> <td>300</td> <td>291</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5923.68</td> <td>59.59</td> <td>69.18</td> <td>-9.59</td> <td>45.98</td> <td>35.09</td> <td>10.51</td> <td>31.99</td> <td>0.00</td> <td>300</td> <td>291</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5928.36</td> <td>59.00</td> <td>68.20</td> <td>-9.20</td> <td>45.36</td> <td>35.11</td> <td>10.52</td> <td>31.99</td> <td>0.00</td> <td>300</td> <td>291</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.84	63.37	111.26	-47.89	49.95	34.91	10.45	31.94	0.00	300	291	PEAK	2	5874.73	61.09	105.38	-44.29	47.62	34.95	10.47	31.95	0.00	300	291	PEAK	3	5923.68	59.59	69.18	-9.59	45.98	35.09	10.51	31.99	0.00	300	291	PEAK	4	5928.36	59.00	68.20	-9.20	45.36	35.11	10.52	31.99	0.00	300	291	PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	5854.84	63.37	111.26	-47.89	49.95	34.91	10.45	31.94	0.00	300	291	PEAK																																																																						
2	5874.73	61.09	105.38	-44.29	47.62	34.95	10.47	31.95	0.00	300	291	PEAK																																																																						
3	5923.68	59.59	69.18	-9.59	45.98	35.09	10.51	31.99	0.00	300	291	PEAK																																																																						
4	5928.36	59.00	68.20	-9.20	45.36	35.11	10.52	31.99	0.00	300	291	PEAK																																																																						



Mode	55																																																																																											
	Harmonic																																																																																											
	U-NII-3_5.725-5.85_802.11ax HE40_CH151_Full RU_5755MHz																																																																																											
ANT	CDD 5+4																																																																																											
Pol.	Horizontal	Vertical																																																																																										
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1 11510.00</td> <td>45.46</td> <td>74.00</td> <td>-28.54</td> <td>53.17</td> <td>38.22</td> <td>14.92</td> <td>60.85</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	Remark	1 11510.00	45.46	74.00	-28.54	53.17	38.22	14.92	60.85	0.00	---	---	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1 11510.00</td> <td>45.14</td> <td>74.00</td> <td>-28.86</td> <td>52.85</td> <td>38.22</td> <td>14.92</td> <td>60.85</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	Remark	1 11510.00	45.14	74.00	-28.86	52.85	38.22	14.92	60.85	0.00	---	---	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	Remark																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	Remark																																																																																	
1 11510.00	45.46	74.00	-28.54	53.17	38.22	14.92	60.85	0.00	---	---	PEAK																																																																																	
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	Remark																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	Remark																																																																																	
1 11510.00	45.14	74.00	-28.86	52.85	38.22	14.92	60.85	0.00	---	---	PEAK																																																																																	






Mode	56																																																																																																																								
	Band Edge - L																																																																																																																								
	U-NII-3_5.725-5.85_802.11ax HE40_CH159_Full RU_5795MHz																																																																																																																								
ANT	CDD 5+4																																																																																																																								
Pol.	Horizontal	Fundamental																																																																																																																							
Peak	 <table border="1" data-bbox="263 1075 774 1254"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5649.92</td> <td>64.07</td> <td>68.20</td> <td>-4.13</td> <td>51.28</td> <td>34.60</td> <td>10.28</td> <td>32.09</td> <td>0.00</td> <td>100</td> <td>252 PEAK</td> </tr> <tr> <td>2</td> <td>5650.12</td> <td>64.47</td> <td>68.29</td> <td>-3.82</td> <td>51.68</td> <td>34.60</td> <td>10.28</td> <td>32.09</td> <td>0.00</td> <td>100</td> <td>252 PEAK</td> </tr> <tr> <td>3</td> <td>5701.21</td> <td>68.02</td> <td>105.64</td> <td>-37.62</td> <td>55.04</td> <td>34.70</td> <td>10.33</td> <td>32.05</td> <td>0.00</td> <td>100</td> <td>252 PEAK</td> </tr> <tr> <td>4</td> <td>5720.12</td> <td>69.77</td> <td>111.17</td> <td>-41.40</td> <td>56.80</td> <td>34.66</td> <td>10.34</td> <td>32.03</td> <td>0.00</td> <td>100</td> <td>252 PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	1	5649.92	64.07	68.20	-4.13	51.28	34.60	10.28	32.09	0.00	100	252 PEAK	2	5650.12	64.47	68.29	-3.82	51.68	34.60	10.28	32.09	0.00	100	252 PEAK	3	5701.21	68.02	105.64	-37.62	55.04	34.70	10.33	32.05	0.00	100	252 PEAK	4	5720.12	69.77	111.17	-41.40	56.80	34.66	10.34	32.03	0.00	100	252 PEAK	 <table border="1" data-bbox="906 1120 1417 1254"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5795.00</td> <td>111.90</td> <td>-----</td> <td>98.86</td> <td>34.69</td> <td>10.40</td> <td>31.97</td> <td>0.00</td> <td>100</td> <td>252 PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	1	5795.00	111.90	-----	98.86	34.69	10.40	31.97	0.00	100	252 PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm																																																																																																																
1	5649.92	64.07	68.20	-4.13	51.28	34.60	10.28	32.09	0.00	100	252 PEAK																																																																																																														
2	5650.12	64.47	68.29	-3.82	51.68	34.60	10.28	32.09	0.00	100	252 PEAK																																																																																																														
3	5701.21	68.02	105.64	-37.62	55.04	34.70	10.33	32.05	0.00	100	252 PEAK																																																																																																														
4	5720.12	69.77	111.17	-41.40	56.80	34.66	10.34	32.03	0.00	100	252 PEAK																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm																																																																																																																
1	5795.00	111.90	-----	98.86	34.69	10.40	31.97	0.00	100	252 PEAK																																																																																																															
Avg	Blank																																																																																																																								
		 <table border="1" data-bbox="906 1803 1417 1937"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5795.00</td> <td>101.45</td> <td>-----</td> <td>88.33</td> <td>34.69</td> <td>10.40</td> <td>31.97</td> <td>0.00</td> <td>100</td> <td>252 AVERAGE</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	1	5795.00	101.45	-----	88.33	34.69	10.40	31.97	0.00	100	252 AVERAGE																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm																																																																																																																
1	5795.00	101.45	-----	88.33	34.69	10.40	31.97	0.00	100	252 AVERAGE																																																																																																															



Mode	56																																																																									
	Band Edge - R																																																																									
	U-NII-3_5.725-5.85_802.11ax HE40_CH159_Full RU_5795MHz																																																																									
ANT	CDD 5+4																																																																									
Pol.	Horizontal	Fundamental																																																																								
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5852.35</td> <td>75.29</td> <td>116.94</td> <td>-41.65</td> <td>61.88</td> <td>34.90</td> <td>10.45</td> <td>31.94</td> <td>0.00</td> <td>100</td> <td>252</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5870.95</td> <td>71.01</td> <td>106.43</td> <td>-35.42</td> <td>57.55</td> <td>34.94</td> <td>10.47</td> <td>31.95</td> <td>0.00</td> <td>100</td> <td>252</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5924.89</td> <td>59.33</td> <td>68.28</td> <td>-8.95</td> <td>45.70</td> <td>35.10</td> <td>10.52</td> <td>31.99</td> <td>0.00</td> <td>100</td> <td>252</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5930.78</td> <td>61.54</td> <td>68.20</td> <td>-6.66</td> <td>47.90</td> <td>35.12</td> <td>10.52</td> <td>32.00</td> <td>0.00</td> <td>100</td> <td>252</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	1	5852.35	75.29	116.94	-41.65	61.88	34.90	10.45	31.94	0.00	100	252	PEAK	2	5870.95	71.01	106.43	-35.42	57.55	34.94	10.47	31.95	0.00	100	252	PEAK	3	5924.89	59.33	68.28	-8.95	45.70	35.10	10.52	31.99	0.00	100	252	PEAK	4	5930.78	61.54	68.20	-6.66	47.90	35.12	10.52	32.00	0.00	100	252	PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																
1	5852.35	75.29	116.94	-41.65	61.88	34.90	10.45	31.94	0.00	100	252	PEAK																																																														
2	5870.95	71.01	106.43	-35.42	57.55	34.94	10.47	31.95	0.00	100	252	PEAK																																																														
3	5924.89	59.33	68.28	-8.95	45.70	35.10	10.52	31.99	0.00	100	252	PEAK																																																														
4	5930.78	61.54	68.20	-6.66	47.90	35.12	10.52	32.00	0.00	100	252	PEAK																																																														





Mode	56																																																																																																																															
	Band Edge - L																																																																																																																															
	U-NII-3_5.725-5.85_802.11ax HE40_CH159_Full RU_5795MHz																																																																																																																															
ANT	CDD 5+4																																																																																																																															
Pol.	Vertical	Fundamental																																																																																																																														
Peak	 <table border="1" data-bbox="263 1075 774 1254"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5644.07</td> <td>62.92</td> <td>68.20</td> <td>-5.28</td> <td>50.13</td> <td>34.61</td> <td>10.28</td> <td>32.10</td> <td>0.00</td> <td>325</td> <td>293</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5650.51</td> <td>62.77</td> <td>68.58</td> <td>-5.81</td> <td>49.98</td> <td>34.60</td> <td>10.28</td> <td>32.09</td> <td>0.00</td> <td>325</td> <td>293</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5702.18</td> <td>66.77</td> <td>105.91</td> <td>-39.14</td> <td>53.79</td> <td>34.70</td> <td>10.33</td> <td>32.05</td> <td>0.00</td> <td>325</td> <td>293</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5721.68</td> <td>72.76</td> <td>114.73</td> <td>-41.97</td> <td>59.79</td> <td>34.66</td> <td>10.34</td> <td>32.03</td> <td>0.00</td> <td>325</td> <td>293</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5644.07	62.92	68.20	-5.28	50.13	34.61	10.28	32.10	0.00	325	293	PEAK	2	5650.51	62.77	68.58	-5.81	49.98	34.60	10.28	32.09	0.00	325	293	PEAK	3	5702.18	66.77	105.91	-39.14	53.79	34.70	10.33	32.05	0.00	325	293	PEAK	4	5721.68	72.76	114.73	-41.97	59.79	34.66	10.34	32.03	0.00	325	293	PEAK	 <table border="1" data-bbox="909 1131 1420 1254"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5795.00</td> <td>110.87</td> <td>-----</td> <td>97.73</td> <td>34.70</td> <td>10.41</td> <td>31.97</td> <td>0.00</td> <td>325</td> <td>293</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5795.00	110.87	-----	97.73	34.70	10.41	31.97	0.00	325	293	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																						
1	5644.07	62.92	68.20	-5.28	50.13	34.61	10.28	32.10	0.00	325	293	PEAK																																																																																																																				
2	5650.51	62.77	68.58	-5.81	49.98	34.60	10.28	32.09	0.00	325	293	PEAK																																																																																																																				
3	5702.18	66.77	105.91	-39.14	53.79	34.70	10.33	32.05	0.00	325	293	PEAK																																																																																																																				
4	5721.68	72.76	114.73	-41.97	59.79	34.66	10.34	32.03	0.00	325	293	PEAK																																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																						
1	5795.00	110.87	-----	97.73	34.70	10.41	31.97	0.00	325	293	PEAK																																																																																																																					
Avg	Blank																																																																																																																															
		 <table border="1" data-bbox="909 1814 1420 1937"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5795.00</td> <td>100.66</td> <td>-----</td> <td>87.54</td> <td>34.69</td> <td>10.40</td> <td>31.97</td> <td>0.00</td> <td>325</td> <td>293</td> <td>AVERAGE</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5795.00	100.66	-----	87.54	34.69	10.40	31.97	0.00	325	293	AVERAGE																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																						
1	5795.00	100.66	-----	87.54	34.69	10.40	31.97	0.00	325	293	AVERAGE																																																																																																																					






Mode	56																																																																									
	Band Edge - R																																																																									
	U-NII-3_5.725-5.85_802.11ax HE40_CH159_Full RU_5795MHz																																																																									
ANT	CDD 5+4																																																																									
Pol.	Vertical	Fundamental																																																																								
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5854.21</td> <td>73.67</td> <td>112.70</td> <td>-39.03</td> <td>60.25</td> <td>34.91</td> <td>10.45</td> <td>31.94</td> <td>0.00</td> <td>325</td> <td>293</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5874.05</td> <td>70.64</td> <td>105.57</td> <td>-34.93</td> <td>57.17</td> <td>34.95</td> <td>10.47</td> <td>31.95</td> <td>0.00</td> <td>325</td> <td>293</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5923.03</td> <td>63.97</td> <td>69.66</td> <td>-5.69</td> <td>50.36</td> <td>35.09</td> <td>10.51</td> <td>31.99</td> <td>0.00</td> <td>325</td> <td>293</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5927.37</td> <td>64.13</td> <td>68.20</td> <td>-4.07</td> <td>50.49</td> <td>35.11</td> <td>10.52</td> <td>31.99</td> <td>0.00</td> <td>325</td> <td>293</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	1	5854.21	73.67	112.70	-39.03	60.25	34.91	10.45	31.94	0.00	325	293	PEAK	2	5874.05	70.64	105.57	-34.93	57.17	34.95	10.47	31.95	0.00	325	293	PEAK	3	5923.03	63.97	69.66	-5.69	50.36	35.09	10.51	31.99	0.00	325	293	PEAK	4	5927.37	64.13	68.20	-4.07	50.49	35.11	10.52	31.99	0.00	325	293	PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																
1	5854.21	73.67	112.70	-39.03	60.25	34.91	10.45	31.94	0.00	325	293	PEAK																																																														
2	5874.05	70.64	105.57	-34.93	57.17	34.95	10.47	31.95	0.00	325	293	PEAK																																																														
3	5923.03	63.97	69.66	-5.69	50.36	35.09	10.51	31.99	0.00	325	293	PEAK																																																														
4	5927.37	64.13	68.20	-4.07	50.49	35.11	10.52	31.99	0.00	325	293	PEAK																																																														



Mode	56																																																																																											
	Harmonic																																																																																											
	U-NII-3_5.725-5.85_802.11ax HE40_CH159_Full RU_5795MHz																																																																																											
ANT	CDD 5+4																																																																																											
Pol.	Horizontal	Vertical																																																																																										
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1 11590.00</td> <td>46.28</td> <td>74.00</td> <td>-27.72</td> <td>53.73</td> <td>38.38</td> <td>14.98</td> <td>60.81</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	Remark	1 11590.00	46.28	74.00	-27.72	53.73	38.38	14.98	60.81	0.00	---	---	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1 11590.00</td> <td>45.29</td> <td>74.00</td> <td>-28.71</td> <td>52.74</td> <td>38.38</td> <td>14.98</td> <td>60.81</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	Remark	1 11590.00	45.29	74.00	-28.71	52.74	38.38	14.98	60.81	0.00	---	---	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	Remark																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	Remark																																																																																	
1 11590.00	46.28	74.00	-27.72	53.73	38.38	14.98	60.81	0.00	---	---	PEAK																																																																																	
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	Remark																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	Remark																																																																																	
1 11590.00	45.29	74.00	-28.71	52.74	38.38	14.98	60.81	0.00	---	---	PEAK																																																																																	






Mode	57																																																																																																																										
	Band Edge - L																																																																																																																										
	U-NII-3_5.725-5.85_802.11ax HE80_CH155_5775MHz																																																																																																																										
ANT	CDD 5+4																																																																																																																										
Pol.	Horizontal	Fundamental																																																																																																																									
Peak	 <table border="1" data-bbox="263 1075 790 1254"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5642.00</td> <td>61.98</td> <td>68.20</td> <td>-6.22</td> <td>49.18</td> <td>34.62</td> <td>10.28</td> <td>32.10</td> <td>0.00</td> <td>109</td> <td>251</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5650.40</td> <td>62.13</td> <td>68.50</td> <td>-6.37</td> <td>49.34</td> <td>34.60</td> <td>10.28</td> <td>32.09</td> <td>0.00</td> <td>109</td> <td>251</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5701.50</td> <td>70.07</td> <td>105.72</td> <td>-35.65</td> <td>57.09</td> <td>34.70</td> <td>10.33</td> <td>32.05</td> <td>0.00</td> <td>109</td> <td>251</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5720.75</td> <td>71.35</td> <td>112.61</td> <td>-41.26</td> <td>58.38</td> <td>34.66</td> <td>10.34</td> <td>32.03</td> <td>0.00</td> <td>109</td> <td>251</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5642.00	61.98	68.20	-6.22	49.18	34.62	10.28	32.10	0.00	109	251	PEAK	2	5650.40	62.13	68.50	-6.37	49.34	34.60	10.28	32.09	0.00	109	251	PEAK	3	5701.50	70.07	105.72	-35.65	57.09	34.70	10.33	32.05	0.00	109	251	PEAK	4	5720.75	71.35	112.61	-41.26	58.38	34.66	10.34	32.03	0.00	109	251	PEAK	 <table border="1" data-bbox="909 1075 1436 1254"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5775.00</td> <td>106.88</td> <td>-----</td> <td>-----</td> <td>93.85</td> <td>34.64</td> <td>10.38</td> <td>31.99</td> <td>0.00</td> <td>109</td> <td>251</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5775.00	106.88	-----	-----	93.85	34.64	10.38	31.99	0.00	109	251	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	5642.00	61.98	68.20	-6.22	49.18	34.62	10.28	32.10	0.00	109	251	PEAK																																																																																																															
2	5650.40	62.13	68.50	-6.37	49.34	34.60	10.28	32.09	0.00	109	251	PEAK																																																																																																															
3	5701.50	70.07	105.72	-35.65	57.09	34.70	10.33	32.05	0.00	109	251	PEAK																																																																																																															
4	5720.75	71.35	112.61	-41.26	58.38	34.66	10.34	32.03	0.00	109	251	PEAK																																																																																																															
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	5775.00	106.88	-----	-----	93.85	34.64	10.38	31.99	0.00	109	251	PEAK																																																																																																															
Avg	Blank																																																																																																																										
		 <table border="1" data-bbox="909 1747 1436 1926"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5775.00</td> <td>97.54</td> <td>-----</td> <td>-----</td> <td>84.51</td> <td>34.64</td> <td>10.38</td> <td>31.99</td> <td>0.00</td> <td>109</td> <td>251</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5775.00	97.54	-----	-----	84.51	34.64	10.38	31.99	0.00	109	251	AVERAGE																																																																																
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	5775.00	97.54	-----	-----	84.51	34.64	10.38	31.99	0.00	109	251	AVERAGE																																																																																																															



Mode	57																																																																									
	Band Edge - R																																																																									
	U-NII-3_5.725-5.85_802.11ax HE80_CH155_5775MHz																																																																									
ANT	CDD 5+4																																																																									
Pol.	Horizontal	Fundamental																																																																								
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5852.35</td> <td>71.13</td> <td>116.94</td> <td>-45.81</td> <td>57.72</td> <td>34.90</td> <td>10.45</td> <td>31.94</td> <td>0.00</td> <td>109</td> <td>251 PEAK</td> </tr> <tr> <td>2 5870.55</td> <td>66.72</td> <td>106.54</td> <td>-39.82</td> <td>53.26</td> <td>34.94</td> <td>10.47</td> <td>31.95</td> <td>0.00</td> <td>109</td> <td>251 PEAK</td> </tr> <tr> <td>3 5922.00</td> <td>58.75</td> <td>70.42</td> <td>-11.67</td> <td>45.14</td> <td>35.09</td> <td>10.51</td> <td>31.99</td> <td>0.00</td> <td>109</td> <td>251 PEAK</td> </tr> <tr> <td>4 5941.60</td> <td>57.37</td> <td>68.20</td> <td>-10.83</td> <td>43.67</td> <td>35.17</td> <td>10.53</td> <td>32.00</td> <td>0.00</td> <td>109</td> <td>251 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level	Line Margin	Level Factor	Loss Factor	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5852.35	71.13	116.94	-45.81	57.72	34.90	10.45	31.94	0.00	109	251 PEAK	2 5870.55	66.72	106.54	-39.82	53.26	34.94	10.47	31.95	0.00	109	251 PEAK	3 5922.00	58.75	70.42	-11.67	45.14	35.09	10.51	31.99	0.00	109	251 PEAK	4 5941.60	57.37	68.20	-10.83	43.67	35.17	10.53	32.00	0.00	109	251 PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																		
Freq Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																	
1 5852.35	71.13	116.94	-45.81	57.72	34.90	10.45	31.94	0.00	109	251 PEAK																																																																
2 5870.55	66.72	106.54	-39.82	53.26	34.94	10.47	31.95	0.00	109	251 PEAK																																																																
3 5922.00	58.75	70.42	-11.67	45.14	35.09	10.51	31.99	0.00	109	251 PEAK																																																																
4 5941.60	57.37	68.20	-10.83	43.67	35.17	10.53	32.00	0.00	109	251 PEAK																																																																



Mode	57																																																																																																																							
	Band Edge - L																																																																																																																							
	U-NII-3_5.725-5.85_802.11ax HE80_CH155_5775MHz																																																																																																																							
ANT	CDD 5+4																																																																																																																							
Pol.	Vertical	Fundamental																																																																																																																						
Peak	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5632.38</td> <td>60.64</td> <td>68.20</td> <td>-7.56</td> <td>47.82</td> <td>34.64</td> <td>10.27</td> <td>32.09</td> <td>0.00</td> <td>300</td> <td>293</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5650.05</td> <td>58.78</td> <td>68.24</td> <td>-9.46</td> <td>45.99</td> <td>34.60</td> <td>10.28</td> <td>32.09</td> <td>0.00</td> <td>300</td> <td>293</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5703.25</td> <td>68.65</td> <td>106.21</td> <td>-37.56</td> <td>55.68</td> <td>34.69</td> <td>10.33</td> <td>32.05</td> <td>0.00</td> <td>300</td> <td>293</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5720.40</td> <td>68.55</td> <td>111.81</td> <td>-43.26</td> <td>55.58</td> <td>34.66</td> <td>10.34</td> <td>32.03</td> <td>0.00</td> <td>300</td> <td>293</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	5632.38	60.64	68.20	-7.56	47.82	34.64	10.27	32.09	0.00	300	293	PEAK	2	5650.05	58.78	68.24	-9.46	45.99	34.60	10.28	32.09	0.00	300	293	PEAK	3	5703.25	68.65	106.21	-37.56	55.68	34.69	10.33	32.05	0.00	300	293	PEAK	4	5720.40	68.55	111.81	-43.26	55.58	34.66	10.34	32.03	0.00	300	293	PEAK	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5775.00</td> <td>104.96</td> <td>-----</td> <td>91.89</td> <td>34.66</td> <td>10.39</td> <td>31.98</td> <td>0.00</td> <td>300</td> <td>293</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	5775.00	104.96	-----	91.89	34.66	10.39	31.98	0.00	300	293	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																																																
1	5632.38	60.64	68.20	-7.56	47.82	34.64	10.27	32.09	0.00	300	293	PEAK																																																																																																												
2	5650.05	58.78	68.24	-9.46	45.99	34.60	10.28	32.09	0.00	300	293	PEAK																																																																																																												
3	5703.25	68.65	106.21	-37.56	55.68	34.69	10.33	32.05	0.00	300	293	PEAK																																																																																																												
4	5720.40	68.55	111.81	-43.26	55.58	34.66	10.34	32.03	0.00	300	293	PEAK																																																																																																												
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																																																
1	5775.00	104.96	-----	91.89	34.66	10.39	31.98	0.00	300	293	PEAK																																																																																																													
Avg	Blank	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5775.00</td> <td>96.42</td> <td>-----</td> <td>83.37</td> <td>34.65</td> <td>10.39</td> <td>31.99</td> <td>0.00</td> <td>300</td> <td>293</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	5775.00	96.42	-----	83.37	34.65	10.39	31.99	0.00	300	293	AVERAGE																																																																															
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																																																
1	5775.00	96.42	-----	83.37	34.65	10.39	31.99	0.00	300	293	AVERAGE																																																																																																													



Mode	57																																																																													
	Band Edge - R																																																																													
	U-NII-3_5.725-5.85_802.11ax HE80_CH155_5775MHz																																																																													
ANT	CDD 5+4																																																																													
Pol.	Vertical	Fundamental																																																																												
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5854.10</td> <td>68.24</td> <td>112.95</td> <td>-44.71</td> <td>54.82</td> <td>34.91</td> <td>10.45</td> <td>31.94</td> <td>0.00</td> <td>300</td> <td>293</td> <td>PEAK</td> </tr> <tr> <td>2 5869.15</td> <td>67.40</td> <td>106.94</td> <td>-39.54</td> <td>53.94</td> <td>34.94</td> <td>10.47</td> <td>31.95</td> <td>0.00</td> <td>300</td> <td>293</td> <td>PEAK</td> </tr> <tr> <td>3 5923.05</td> <td>58.87</td> <td>69.64</td> <td>-10.77</td> <td>45.26</td> <td>35.09</td> <td>10.51</td> <td>31.99</td> <td>0.00</td> <td>300</td> <td>293</td> <td>PEAK</td> </tr> <tr> <td>4 5926.38</td> <td>60.38</td> <td>68.20</td> <td>-7.82</td> <td>46.74</td> <td>35.11</td> <td>10.52</td> <td>31.99</td> <td>0.00</td> <td>300</td> <td>293</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level	Line Margin	Level Factor	Loss Factor	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5854.10	68.24	112.95	-44.71	54.82	34.91	10.45	31.94	0.00	300	293	PEAK	2 5869.15	67.40	106.94	-39.54	53.94	34.94	10.47	31.95	0.00	300	293	PEAK	3 5923.05	58.87	69.64	-10.77	45.26	35.09	10.51	31.99	0.00	300	293	PEAK	4 5926.38	60.38	68.20	-7.82	46.74	35.11	10.52	31.99	0.00	300	293	PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																						
Freq Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																					
1 5854.10	68.24	112.95	-44.71	54.82	34.91	10.45	31.94	0.00	300	293	PEAK																																																																			
2 5869.15	67.40	106.94	-39.54	53.94	34.94	10.47	31.95	0.00	300	293	PEAK																																																																			
3 5923.05	58.87	69.64	-10.77	45.26	35.09	10.51	31.99	0.00	300	293	PEAK																																																																			
4 5926.38	60.38	68.20	-7.82	46.74	35.11	10.52	31.99	0.00	300	293	PEAK																																																																			



Mode	57																																																																																																																																	
	Harmonic																																																																																																																																	
	U-NII-3_5.725-5.85_802.11ax HE80_CH155_5775MHz																																																																																																																																	
ANT	CDD 5+4																																																																																																																																	
Pol.	Horizontal	Vertical																																																																																																																																
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 11550.00</td> <td>45.78</td> <td>74.00</td> <td>-28.22</td> <td>53.36</td> <td>38.30</td> <td>14.95</td> <td>60.83</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>0.00</td> <td>---</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>deg</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>---</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 11550.00	45.78	74.00	-28.22	53.36	38.30	14.95	60.83							0.00	---								deg								---								PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 11550.00</td> <td>46.25</td> <td>74.00</td> <td>-27.75</td> <td>53.83</td> <td>38.30</td> <td>14.95</td> <td>60.83</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>0.00</td> <td>---</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>deg</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>---</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 11550.00	46.25	74.00	-27.75	53.83	38.30	14.95	60.83							0.00	---								deg								---								PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																																											
1 11550.00	45.78	74.00	-28.22	53.36	38.30	14.95	60.83																																																																																																																											
						0.00	---																																																																																																																											
							deg																																																																																																																											
							---																																																																																																																											
							PEAK																																																																																																																											
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																																											
1 11550.00	46.25	74.00	-27.75	53.83	38.30	14.95	60.83																																																																																																																											
						0.00	---																																																																																																																											
							deg																																																																																																																											
							---																																																																																																																											
							PEAK																																																																																																																											





Mode	58																																																																																												
	Band Edge																																																																																												
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_Partial_26/0RU_5745MHz																																																																																												
ANT	CDD 5+4																																																																																												
Pol.	Horizontal	Fundamental																																																																																											
Peak	<table border="1"> <thead> <tr> <th>Peak</th> <th>Freq (MHz)</th> <th>Level (dBuV/m)</th> <th>Limit (dBuV/m)</th> <th>Line Margin (dB)</th> <th>Read Level (dBuV)</th> <th>Ant Factor (dB/m)</th> <th>Cable Loss (dB)</th> <th>Preamp Gain (dB)</th> <th>Aux Factor (dB)</th> <th>APos (dB)</th> <th>TPos (cm)</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5634.51</td> <td>53.16</td> <td>68.20</td> <td>-15.04</td> <td>40.36</td> <td>34.63</td> <td>10.27</td> <td>32.10</td> <td>0.00</td> <td>113</td> <td>277</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5652.06</td> <td>51.14</td> <td>69.73</td> <td>-18.59</td> <td>38.34</td> <td>34.60</td> <td>10.29</td> <td>32.09</td> <td>0.00</td> <td>113</td> <td>277</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5703.24</td> <td>52.45</td> <td>106.21</td> <td>-53.76</td> <td>39.48</td> <td>34.69</td> <td>10.33</td> <td>32.05</td> <td>0.00</td> <td>113</td> <td>277</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5720.06</td> <td>51.25</td> <td>111.04</td> <td>-59.79</td> <td>38.28</td> <td>34.66</td> <td>10.34</td> <td>32.03</td> <td>0.00</td> <td>113</td> <td>277</td> <td>PEAK</td> </tr> </tbody> </table>	Peak	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Line Margin (dB)	Read Level (dBuV)	Ant Factor (dB/m)	Cable Loss (dB)	Preamp Gain (dB)	Aux Factor (dB)	APos (dB)	TPos (cm)	Remark	1	5634.51	53.16	68.20	-15.04	40.36	34.63	10.27	32.10	0.00	113	277	PEAK	2	5652.06	51.14	69.73	-18.59	38.34	34.60	10.29	32.09	0.00	113	277	PEAK	3	5703.24	52.45	106.21	-53.76	39.48	34.69	10.33	32.05	0.00	113	277	PEAK	4	5720.06	51.25	111.04	-59.79	38.28	34.66	10.34	32.03	0.00	113	277	PEAK	<table border="1"> <thead> <tr> <th>Peak</th> <th>Freq (MHz)</th> <th>Level (dBuV/m)</th> <th>Limit (dBuV/m)</th> <th>Line Margin (dB)</th> <th>Read Level (dBuV)</th> <th>Ant Factor (dB/m)</th> <th>Cable Loss (dB)</th> <th>Preamp Gain (dB)</th> <th>Aux Factor (dB)</th> <th>APos (dB)</th> <th>TPos (cm)</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>107.38</td> <td>107.38</td> <td>0.00</td> <td>94.42</td> <td>34.63</td> <td>10.35</td> <td>32.02</td> <td>0.00</td> <td>113</td> <td>277</td> <td>PEAK</td> </tr> </tbody> </table>	Peak	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Line Margin (dB)	Read Level (dBuV)	Ant Factor (dB/m)	Cable Loss (dB)	Preamp Gain (dB)	Aux Factor (dB)	APos (dB)	TPos (cm)	Remark	1	5745.00	107.38	107.38	0.00	94.42	34.63	10.35	32.02	0.00	113	277	PEAK
Peak	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Line Margin (dB)	Read Level (dBuV)	Ant Factor (dB/m)	Cable Loss (dB)	Preamp Gain (dB)	Aux Factor (dB)	APos (dB)	TPos (cm)	Remark																																																																																	
1	5634.51	53.16	68.20	-15.04	40.36	34.63	10.27	32.10	0.00	113	277	PEAK																																																																																	
2	5652.06	51.14	69.73	-18.59	38.34	34.60	10.29	32.09	0.00	113	277	PEAK																																																																																	
3	5703.24	52.45	106.21	-53.76	39.48	34.69	10.33	32.05	0.00	113	277	PEAK																																																																																	
4	5720.06	51.25	111.04	-59.79	38.28	34.66	10.34	32.03	0.00	113	277	PEAK																																																																																	
Peak	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Line Margin (dB)	Read Level (dBuV)	Ant Factor (dB/m)	Cable Loss (dB)	Preamp Gain (dB)	Aux Factor (dB)	APos (dB)	TPos (cm)	Remark																																																																																	
1	5745.00	107.38	107.38	0.00	94.42	34.63	10.35	32.02	0.00	113	277	PEAK																																																																																	
Avg	Blank	<table border="1"> <thead> <tr> <th>Peak</th> <th>Freq (MHz)</th> <th>Level (dBuV/m)</th> <th>Limit (dBuV/m)</th> <th>Line Margin (dB)</th> <th>Read Level (dBuV)</th> <th>Ant Factor (dB/m)</th> <th>Cable Loss (dB)</th> <th>Preamp Gain (dB)</th> <th>Aux Factor (dB)</th> <th>APos (dB)</th> <th>TPos (cm)</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>100.11</td> <td>100.11</td> <td>0.00</td> <td>87.15</td> <td>34.63</td> <td>10.35</td> <td>32.02</td> <td>0.00</td> <td>113</td> <td>277</td> <td>AVERAGE</td> </tr> </tbody> </table>	Peak	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Line Margin (dB)	Read Level (dBuV)	Ant Factor (dB/m)	Cable Loss (dB)	Preamp Gain (dB)	Aux Factor (dB)	APos (dB)	TPos (cm)	Remark	1	5745.00	100.11	100.11	0.00	87.15	34.63	10.35	32.02	0.00	113	277	AVERAGE																																																																	
Peak	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Line Margin (dB)	Read Level (dBuV)	Ant Factor (dB/m)	Cable Loss (dB)	Preamp Gain (dB)	Aux Factor (dB)	APos (dB)	TPos (cm)	Remark																																																																																	
1	5745.00	100.11	100.11	0.00	87.15	34.63	10.35	32.02	0.00	113	277	AVERAGE																																																																																	



Mode	58																																																																																																					
	Band Edge																																																																																																					
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_Partial_26/0RU_5745MHz																																																																																																					
ANT	CDD 5+4																																																																																																					
Pol.	Vertical	Fundamental																																																																																																				
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5629.44</td> <td>53.48</td> <td>68.20</td> <td>-14.72</td> <td>40.66</td> <td>34.64</td> <td>10.27</td> <td>32.09</td> <td>0.00</td> <td>263</td> <td>99</td> <td>PEAK</td> </tr> <tr> <td>2 5651.19</td> <td>51.09</td> <td>69.08</td> <td>-17.99</td> <td>38.29</td> <td>34.60</td> <td>10.29</td> <td>32.09</td> <td>0.00</td> <td>263</td> <td>99</td> <td>PEAK</td> </tr> <tr> <td>3 5701.36</td> <td>52.51</td> <td>105.68</td> <td>-53.17</td> <td>39.53</td> <td>34.70</td> <td>10.33</td> <td>32.05</td> <td>0.00</td> <td>263</td> <td>99</td> <td>PEAK</td> </tr> <tr> <td>4 5720.06</td> <td>53.82</td> <td>111.04</td> <td>-57.22</td> <td>40.85</td> <td>34.66</td> <td>10.34</td> <td>32.03</td> <td>0.00</td> <td>263</td> <td>99</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	1 5629.44	53.48	68.20	-14.72	40.66	34.64	10.27	32.09	0.00	263	99	PEAK	2 5651.19	51.09	69.08	-17.99	38.29	34.60	10.29	32.09	0.00	263	99	PEAK	3 5701.36	52.51	105.68	-53.17	39.53	34.70	10.33	32.05	0.00	263	99	PEAK	4 5720.06	53.82	111.04	-57.22	40.85	34.66	10.34	32.03	0.00	263	99	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5745.00</td> <td>110.83</td> <td>-----</td> <td>-----</td> <td>97.87</td> <td>34.63</td> <td>10.35</td> <td>32.02</td> <td>0.00</td> <td>263</td> <td>99</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	1 5745.00	110.83	-----	-----	97.87	34.63	10.35	32.02	0.00	263	99	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																												
1 5629.44	53.48	68.20	-14.72	40.66	34.64	10.27	32.09	0.00	263	99	PEAK																																																																																											
2 5651.19	51.09	69.08	-17.99	38.29	34.60	10.29	32.09	0.00	263	99	PEAK																																																																																											
3 5701.36	52.51	105.68	-53.17	39.53	34.70	10.33	32.05	0.00	263	99	PEAK																																																																																											
4 5720.06	53.82	111.04	-57.22	40.85	34.66	10.34	32.03	0.00	263	99	PEAK																																																																																											
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																												
1 5745.00	110.83	-----	-----	97.87	34.63	10.35	32.02	0.00	263	99	PEAK																																																																																											
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5745.00</td> <td>103.85</td> <td>-----</td> <td>-----</td> <td>90.89</td> <td>34.63</td> <td>10.35</td> <td>32.02</td> <td>0.00</td> <td>263</td> <td>99</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	1 5745.00	103.85	-----	-----	90.89	34.63	10.35	32.02	0.00	263	99	AVERAGE																																																																				
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																												
1 5745.00	103.85	-----	-----	90.89	34.63	10.35	32.02	0.00	263	99	AVERAGE																																																																																											