









Mode	59																																																																																																																						
	Band Edge																																																																																																																						
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_Partial_26/8RU_5825MHz																																																																																																																						
ANT	CDD 5+4																																																																																																																						
Pol.	Horizontal	Fundamental																																																																																																																					
Peak	 <table border="1" data-bbox="272 1077 778 1256"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5855.00</td> <td>51.60</td> <td>110.90</td> <td>-59.30</td> <td>38.18</td> <td>34.91</td> <td>10.45</td> <td>31.94</td> <td>0.00</td> <td>107</td> <td>338</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5874.50</td> <td>53.34</td> <td>105.44</td> <td>-52.10</td> <td>39.87</td> <td>34.95</td> <td>10.47</td> <td>31.95</td> <td>0.00</td> <td>107</td> <td>338</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5924.50</td> <td>52.94</td> <td>68.57</td> <td>-15.63</td> <td>39.31</td> <td>35.10</td> <td>10.52</td> <td>31.99</td> <td>0.00</td> <td>107</td> <td>338</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5936.75</td> <td>54.34</td> <td>68.20</td> <td>-13.86</td> <td>40.66</td> <td>35.15</td> <td>10.53</td> <td>32.00</td> <td>0.00</td> <td>107</td> <td>338</td> <td>PEAK</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5855.00	51.60	110.90	-59.30	38.18	34.91	10.45	31.94	0.00	107	338	PEAK	2	5874.50	53.34	105.44	-52.10	39.87	34.95	10.47	31.95	0.00	107	338	PEAK	3	5924.50	52.94	68.57	-15.63	39.31	35.10	10.52	31.99	0.00	107	338	PEAK	4	5936.75	54.34	68.20	-13.86	40.66	35.15	10.53	32.00	0.00	107	338	PEAK	 <table border="1" data-bbox="914 1133 1420 1256"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>111.32</td> <td>-----</td> <td>-----</td> <td>97.98</td> <td>34.84</td> <td>10.44</td> <td>31.94</td> <td>0.00</td> <td>107</td> <td>338</td> <td>PEAK</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5825.00	111.32	-----	-----	97.98	34.84	10.44	31.94	0.00	107	338	PEAK
Peak	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																												
1	5855.00	51.60	110.90	-59.30	38.18	34.91	10.45	31.94	0.00	107	338	PEAK																																																																																																											
2	5874.50	53.34	105.44	-52.10	39.87	34.95	10.47	31.95	0.00	107	338	PEAK																																																																																																											
3	5924.50	52.94	68.57	-15.63	39.31	35.10	10.52	31.99	0.00	107	338	PEAK																																																																																																											
4	5936.75	54.34	68.20	-13.86	40.66	35.15	10.53	32.00	0.00	107	338	PEAK																																																																																																											
Peak	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																												
1	5825.00	111.32	-----	-----	97.98	34.84	10.44	31.94	0.00	107	338	PEAK																																																																																																											
Avg	Blank																																																																																																																						
		 <table border="1" data-bbox="914 1805 1420 1928"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>102.64</td> <td>-----</td> <td>-----</td> <td>89.30</td> <td>34.84</td> <td>10.44</td> <td>31.94</td> <td>0.00</td> <td>107</td> <td>338</td> <td>AVERAGE</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5825.00	102.64	-----	-----	89.30	34.84	10.44	31.94	0.00	107	338	AVERAGE																																																																														
Peak	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																												
1	5825.00	102.64	-----	-----	89.30	34.84	10.44	31.94	0.00	107	338	AVERAGE																																																																																																											



Mode	59																																																																																												
	Band Edge																																																																																												
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_Partial_26/8RU_5825MHz																																																																																												
ANT	CDD 5+4																																																																																												
Pol.	Vertical	Fundamental																																																																																											
Peak	<table border="1"> <thead> <tr> <th>Peak</th> <th>Freq (MHz)</th> <th>Level (dBuV/m)</th> <th>Limit (dBuV/m)</th> <th>Line Margin (dB)</th> <th>Read Level (dBuV)</th> <th>Ant Loss (dB/m)</th> <th>Cable Loss (dB)</th> <th>Preamp Gain (dB)</th> <th>Aux Gain (dB)</th> <th>APos (dB)</th> <th>TPos (cm)</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5854.38</td> <td>53.45</td> <td>112.32</td> <td>-58.87</td> <td>40.03</td> <td>34.91</td> <td>10.45</td> <td>31.94</td> <td>0.00</td> <td>308</td> <td>116</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5874.75</td> <td>52.42</td> <td>105.37</td> <td>-52.95</td> <td>38.95</td> <td>34.95</td> <td>10.47</td> <td>31.95</td> <td>0.00</td> <td>308</td> <td>116</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5924.00</td> <td>53.61</td> <td>68.94</td> <td>-15.33</td> <td>39.99</td> <td>35.10</td> <td>10.51</td> <td>31.99</td> <td>0.00</td> <td>308</td> <td>116</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5943.13</td> <td>54.74</td> <td>68.20</td> <td>-13.46</td> <td>41.05</td> <td>35.17</td> <td>10.53</td> <td>32.01</td> <td>0.00</td> <td>308</td> <td>116</td> <td>PEAK</td> </tr> </tbody> </table>	Peak	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Line Margin (dB)	Read Level (dBuV)	Ant Loss (dB/m)	Cable Loss (dB)	Preamp Gain (dB)	Aux Gain (dB)	APos (dB)	TPos (cm)	Remark	1	5854.38	53.45	112.32	-58.87	40.03	34.91	10.45	31.94	0.00	308	116	PEAK	2	5874.75	52.42	105.37	-52.95	38.95	34.95	10.47	31.95	0.00	308	116	PEAK	3	5924.00	53.61	68.94	-15.33	39.99	35.10	10.51	31.99	0.00	308	116	PEAK	4	5943.13	54.74	68.20	-13.46	41.05	35.17	10.53	32.01	0.00	308	116	PEAK	<table border="1"> <thead> <tr> <th>Peak</th> <th>Freq (MHz)</th> <th>Level (dBuV/m)</th> <th>Limit (dBuV/m)</th> <th>Line Margin (dB)</th> <th>Read Level (dBuV)</th> <th>Ant Loss (dB/m)</th> <th>Cable Loss (dB)</th> <th>Preamp Gain (dB)</th> <th>Aux Gain (dB)</th> <th>APos (dB)</th> <th>TPos (cm)</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>112.26</td> <td>112.26</td> <td>0.00</td> <td>98.92</td> <td>34.84</td> <td>10.44</td> <td>31.94</td> <td>0.00</td> <td>308</td> <td>116</td> <td>PEAK</td> </tr> </tbody> </table>	Peak	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Line Margin (dB)	Read Level (dBuV)	Ant Loss (dB/m)	Cable Loss (dB)	Preamp Gain (dB)	Aux Gain (dB)	APos (dB)	TPos (cm)	Remark	1	5825.00	112.26	112.26	0.00	98.92	34.84	10.44	31.94	0.00	308	116	PEAK
Peak	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Line Margin (dB)	Read Level (dBuV)	Ant Loss (dB/m)	Cable Loss (dB)	Preamp Gain (dB)	Aux Gain (dB)	APos (dB)	TPos (cm)	Remark																																																																																	
1	5854.38	53.45	112.32	-58.87	40.03	34.91	10.45	31.94	0.00	308	116	PEAK																																																																																	
2	5874.75	52.42	105.37	-52.95	38.95	34.95	10.47	31.95	0.00	308	116	PEAK																																																																																	
3	5924.00	53.61	68.94	-15.33	39.99	35.10	10.51	31.99	0.00	308	116	PEAK																																																																																	
4	5943.13	54.74	68.20	-13.46	41.05	35.17	10.53	32.01	0.00	308	116	PEAK																																																																																	
Peak	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Line Margin (dB)	Read Level (dBuV)	Ant Loss (dB/m)	Cable Loss (dB)	Preamp Gain (dB)	Aux Gain (dB)	APos (dB)	TPos (cm)	Remark																																																																																	
1	5825.00	112.26	112.26	0.00	98.92	34.84	10.44	31.94	0.00	308	116	PEAK																																																																																	
Avg	Blank																																																																																												
		<table border="1"> <thead> <tr> <th>Peak</th> <th>Freq (MHz)</th> <th>Level (dBuV/m)</th> <th>Limit (dBuV/m)</th> <th>Line Margin (dB)</th> <th>Read Level (dBuV)</th> <th>Ant Loss (dB/m)</th> <th>Cable Loss (dB)</th> <th>Preamp Gain (dB)</th> <th>Aux Gain (dB)</th> <th>APos (dB)</th> <th>TPos (cm)</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>103.17</td> <td>103.17</td> <td>0.00</td> <td>89.83</td> <td>34.84</td> <td>10.44</td> <td>31.94</td> <td>0.00</td> <td>308</td> <td>116</td> <td>AVERAGE</td> </tr> </tbody> </table>	Peak	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Line Margin (dB)	Read Level (dBuV)	Ant Loss (dB/m)	Cable Loss (dB)	Preamp Gain (dB)	Aux Gain (dB)	APos (dB)	TPos (cm)	Remark	1	5825.00	103.17	103.17	0.00	89.83	34.84	10.44	31.94	0.00	308	116	AVERAGE																																																																	
Peak	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Line Margin (dB)	Read Level (dBuV)	Ant Loss (dB/m)	Cable Loss (dB)	Preamp Gain (dB)	Aux Gain (dB)	APos (dB)	TPos (cm)	Remark																																																																																	
1	5825.00	103.17	103.17	0.00	89.83	34.84	10.44	31.94	0.00	308	116	AVERAGE																																																																																	






Mode	60																																																																																																																						
	Band Edge																																																																																																																						
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_Partial_52/37RU_5745MHz																																																																																																																						
ANT	CDD 5+4																																																																																																																						
Pol.	Horizontal	Fundamental																																																																																																																					
Peak	 <table border="1" data-bbox="272 1081 775 1256"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5630.89</td> <td>53.13</td> <td>68.20</td> <td>-15.07</td> <td>40.31</td> <td>34.64</td> <td>10.27</td> <td>32.09</td> <td>0.00</td> <td>100</td> <td>310</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5651.62</td> <td>50.95</td> <td>69.41</td> <td>-18.46</td> <td>38.15</td> <td>34.60</td> <td>10.29</td> <td>32.09</td> <td>0.00</td> <td>100</td> <td>310</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5708.90</td> <td>55.12</td> <td>107.79</td> <td>-52.67</td> <td>42.15</td> <td>34.68</td> <td>10.33</td> <td>32.04</td> <td>0.00</td> <td>100</td> <td>310</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5722.96</td> <td>63.68</td> <td>117.65</td> <td>-53.97</td> <td>50.72</td> <td>34.65</td> <td>10.34</td> <td>32.03</td> <td>0.00</td> <td>100</td> <td>310</td> <td>PEAK</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5630.89	53.13	68.20	-15.07	40.31	34.64	10.27	32.09	0.00	100	310	PEAK	2	5651.62	50.95	69.41	-18.46	38.15	34.60	10.29	32.09	0.00	100	310	PEAK	3	5708.90	55.12	107.79	-52.67	42.15	34.68	10.33	32.04	0.00	100	310	PEAK	4	5722.96	63.68	117.65	-53.97	50.72	34.65	10.34	32.03	0.00	100	310	PEAK	 <table border="1" data-bbox="914 1131 1417 1256"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>109.93</td> <td>-----</td> <td>-----</td> <td>96.97</td> <td>34.62</td> <td>10.36</td> <td>32.02</td> <td>0.00</td> <td>100</td> <td>310</td> <td>PEAK</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5745.00	109.93	-----	-----	96.97	34.62	10.36	32.02	0.00	100	310	PEAK
Peak	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																												
1	5630.89	53.13	68.20	-15.07	40.31	34.64	10.27	32.09	0.00	100	310	PEAK																																																																																																											
2	5651.62	50.95	69.41	-18.46	38.15	34.60	10.29	32.09	0.00	100	310	PEAK																																																																																																											
3	5708.90	55.12	107.79	-52.67	42.15	34.68	10.33	32.04	0.00	100	310	PEAK																																																																																																											
4	5722.96	63.68	117.65	-53.97	50.72	34.65	10.34	32.03	0.00	100	310	PEAK																																																																																																											
Peak	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																												
1	5745.00	109.93	-----	-----	96.97	34.62	10.36	32.02	0.00	100	310	PEAK																																																																																																											
Avg	Blank																																																																																																																						
		 <table border="1" data-bbox="914 1803 1417 1928"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>101.51</td> <td>-----</td> <td>-----</td> <td>88.55</td> <td>34.62</td> <td>10.36</td> <td>32.02</td> <td>0.00</td> <td>100</td> <td>310</td> <td>AVERAGE</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5745.00	101.51	-----	-----	88.55	34.62	10.36	32.02	0.00	100	310	AVERAGE																																																																														
Peak	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																												
1	5745.00	101.51	-----	-----	88.55	34.62	10.36	32.02	0.00	100	310	AVERAGE																																																																																																											






Mode	60																																																																																																																						
	Band Edge																																																																																																																						
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_Partial_52/37RU_5745MHz																																																																																																																						
ANT	CDD 5+4																																																																																																																						
Pol.	Vertical	Fundamental																																																																																																																					
Peak	<table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5605.22</td> <td>53.48</td> <td>68.20</td> <td>-14.72</td> <td>40.62</td> <td>34.69</td> <td>10.25</td> <td>32.00</td> <td>0.00</td> <td>304</td> <td>97</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5650.46</td> <td>51.77</td> <td>68.54</td> <td>-16.77</td> <td>38.98</td> <td>34.60</td> <td>10.28</td> <td>32.09</td> <td>0.00</td> <td>304</td> <td>97</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5702.37</td> <td>52.66</td> <td>105.96</td> <td>-53.30</td> <td>39.68</td> <td>34.70</td> <td>10.33</td> <td>32.05</td> <td>0.00</td> <td>304</td> <td>97</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5720.50</td> <td>53.34</td> <td>112.03</td> <td>-58.69</td> <td>40.37</td> <td>34.66</td> <td>10.34</td> <td>32.03</td> <td>0.00</td> <td>304</td> <td>97</td> <td>PEAK</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5605.22	53.48	68.20	-14.72	40.62	34.69	10.25	32.00	0.00	304	97	PEAK	2	5650.46	51.77	68.54	-16.77	38.98	34.60	10.28	32.09	0.00	304	97	PEAK	3	5702.37	52.66	105.96	-53.30	39.68	34.70	10.33	32.05	0.00	304	97	PEAK	4	5720.50	53.34	112.03	-58.69	40.37	34.66	10.34	32.03	0.00	304	97	PEAK	<table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>110.11</td> <td>-----</td> <td>-----</td> <td>97.15</td> <td>34.63</td> <td>10.35</td> <td>32.02</td> <td>0.00</td> <td>304</td> <td>97</td> <td>PEAK</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5745.00	110.11	-----	-----	97.15	34.63	10.35	32.02	0.00	304	97	PEAK
Peak	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																												
1	5605.22	53.48	68.20	-14.72	40.62	34.69	10.25	32.00	0.00	304	97	PEAK																																																																																																											
2	5650.46	51.77	68.54	-16.77	38.98	34.60	10.28	32.09	0.00	304	97	PEAK																																																																																																											
3	5702.37	52.66	105.96	-53.30	39.68	34.70	10.33	32.05	0.00	304	97	PEAK																																																																																																											
4	5720.50	53.34	112.03	-58.69	40.37	34.66	10.34	32.03	0.00	304	97	PEAK																																																																																																											
Peak	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																												
1	5745.00	110.11	-----	-----	97.15	34.63	10.35	32.02	0.00	304	97	PEAK																																																																																																											
Avg	Blank																																																																																																																						
		<table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>103.21</td> <td>-----</td> <td>-----</td> <td>90.25</td> <td>34.63</td> <td>10.35</td> <td>32.02</td> <td>0.00</td> <td>304</td> <td>97</td> <td>AVERAGE</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5745.00	103.21	-----	-----	90.25	34.63	10.35	32.02	0.00	304	97	AVERAGE																																																																														
Peak	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																												
1	5745.00	103.21	-----	-----	90.25	34.63	10.35	32.02	0.00	304	97	AVERAGE																																																																																																											






Mode	61																																																																																																																						
	Band Edge																																																																																																																						
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_Partial_52/40RU_5825MHz																																																																																																																						
ANT	CDD 5+4																																																																																																																						
Pol.	Horizontal	Fundamental																																																																																																																					
Peak	 <table border="1" data-bbox="272 1077 778 1256"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5855.00</td> <td>53.09</td> <td>110.90</td> <td>-57.81</td> <td>39.67</td> <td>34.91</td> <td>10.45</td> <td>31.94</td> <td>0.00</td> <td>100</td> <td>330</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5871.50</td> <td>53.98</td> <td>106.28</td> <td>-52.30</td> <td>40.52</td> <td>34.94</td> <td>10.47</td> <td>31.95</td> <td>0.00</td> <td>100</td> <td>330</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5924.38</td> <td>52.91</td> <td>68.66</td> <td>-15.75</td> <td>39.28</td> <td>35.10</td> <td>10.52</td> <td>31.99</td> <td>0.00</td> <td>100</td> <td>330</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5930.25</td> <td>54.13</td> <td>68.20</td> <td>-14.07</td> <td>40.49</td> <td>35.12</td> <td>10.52</td> <td>32.00</td> <td>0.00</td> <td>100</td> <td>330</td> <td>PEAK</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5855.00	53.09	110.90	-57.81	39.67	34.91	10.45	31.94	0.00	100	330	PEAK	2	5871.50	53.98	106.28	-52.30	40.52	34.94	10.47	31.95	0.00	100	330	PEAK	3	5924.38	52.91	68.66	-15.75	39.28	35.10	10.52	31.99	0.00	100	330	PEAK	4	5930.25	54.13	68.20	-14.07	40.49	35.12	10.52	32.00	0.00	100	330	PEAK	 <table border="1" data-bbox="914 1133 1420 1256"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>111.88</td> <td>-----</td> <td>-----</td> <td>98.54</td> <td>34.84</td> <td>10.44</td> <td>31.94</td> <td>0.00</td> <td>100</td> <td>330</td> <td>PEAK</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5825.00	111.88	-----	-----	98.54	34.84	10.44	31.94	0.00	100	330	PEAK
Peak	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																												
1	5855.00	53.09	110.90	-57.81	39.67	34.91	10.45	31.94	0.00	100	330	PEAK																																																																																																											
2	5871.50	53.98	106.28	-52.30	40.52	34.94	10.47	31.95	0.00	100	330	PEAK																																																																																																											
3	5924.38	52.91	68.66	-15.75	39.28	35.10	10.52	31.99	0.00	100	330	PEAK																																																																																																											
4	5930.25	54.13	68.20	-14.07	40.49	35.12	10.52	32.00	0.00	100	330	PEAK																																																																																																											
Peak	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																												
1	5825.00	111.88	-----	-----	98.54	34.84	10.44	31.94	0.00	100	330	PEAK																																																																																																											
Avg	Blank																																																																																																																						
		 <table border="1" data-bbox="914 1805 1420 1928"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>102.55</td> <td>-----</td> <td>-----</td> <td>89.24</td> <td>34.82</td> <td>10.43</td> <td>31.94</td> <td>0.00</td> <td>100</td> <td>330</td> <td>AVERAGE</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5825.00	102.55	-----	-----	89.24	34.82	10.43	31.94	0.00	100	330	AVERAGE																																																																														
Peak	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																												
1	5825.00	102.55	-----	-----	89.24	34.82	10.43	31.94	0.00	100	330	AVERAGE																																																																																																											



Mode	61																																																																																																																						
	Band Edge																																																																																																																						
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_Partial_52/40RU_5825MHz																																																																																																																						
ANT	CDD 5+4																																																																																																																						
Pol.	Vertical	Fundamental																																																																																																																					
Peak	 <table border="1" data-bbox="263 1075 790 1254"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5855.00</td> <td>52.59</td> <td>110.90</td> <td>-58.31</td> <td>39.17</td> <td>34.91</td> <td>10.45</td> <td>31.94</td> <td>0.00</td> <td>325</td> <td>110</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5870.25</td> <td>54.98</td> <td>106.63</td> <td>-51.65</td> <td>41.52</td> <td>34.94</td> <td>10.47</td> <td>31.95</td> <td>0.00</td> <td>325</td> <td>110</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5925.00</td> <td>52.10</td> <td>68.20</td> <td>-16.10</td> <td>38.47</td> <td>35.10</td> <td>10.52</td> <td>31.99</td> <td>0.00</td> <td>325</td> <td>110</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5927.50</td> <td>54.60</td> <td>68.20</td> <td>-13.60</td> <td>40.96</td> <td>35.11</td> <td>10.52</td> <td>31.99</td> <td>0.00</td> <td>325</td> <td>110</td> <td>PEAK</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5855.00	52.59	110.90	-58.31	39.17	34.91	10.45	31.94	0.00	325	110	PEAK	2	5870.25	54.98	106.63	-51.65	41.52	34.94	10.47	31.95	0.00	325	110	PEAK	3	5925.00	52.10	68.20	-16.10	38.47	35.10	10.52	31.99	0.00	325	110	PEAK	4	5927.50	54.60	68.20	-13.60	40.96	35.11	10.52	31.99	0.00	325	110	PEAK	 <table border="1" data-bbox="909 1075 1436 1254"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>111.93</td> <td>-----</td> <td>-----</td> <td>98.62</td> <td>34.82</td> <td>10.43</td> <td>31.94</td> <td>0.00</td> <td>325</td> <td>110</td> <td>PEAK</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5825.00	111.93	-----	-----	98.62	34.82	10.43	31.94	0.00	325	110	PEAK
Peak	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																												
1	5855.00	52.59	110.90	-58.31	39.17	34.91	10.45	31.94	0.00	325	110	PEAK																																																																																																											
2	5870.25	54.98	106.63	-51.65	41.52	34.94	10.47	31.95	0.00	325	110	PEAK																																																																																																											
3	5925.00	52.10	68.20	-16.10	38.47	35.10	10.52	31.99	0.00	325	110	PEAK																																																																																																											
4	5927.50	54.60	68.20	-13.60	40.96	35.11	10.52	31.99	0.00	325	110	PEAK																																																																																																											
Peak	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																												
1	5825.00	111.93	-----	-----	98.62	34.82	10.43	31.94	0.00	325	110	PEAK																																																																																																											
Avg	Blank																																																																																																																						
		 <table border="1" data-bbox="909 1747 1436 1926"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>103.72</td> <td>-----</td> <td>-----</td> <td>90.41</td> <td>34.82</td> <td>10.43</td> <td>31.94</td> <td>0.00</td> <td>325</td> <td>110</td> <td>AVERAGE</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5825.00	103.72	-----	-----	90.41	34.82	10.43	31.94	0.00	325	110	AVERAGE																																																																														
Peak	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																												
1	5825.00	103.72	-----	-----	90.41	34.82	10.43	31.94	0.00	325	110	AVERAGE																																																																																																											






Mode	62																																																																																																																						
	Band Edge																																																																																																																						
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_Partial_106/53RU_5745MHz																																																																																																																						
ANT	CDD 5+4																																																																																																																						
Pol.	Horizontal	Fundamental																																																																																																																					
Peak	 <table border="1" data-bbox="263 1075 774 1254"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5640.31</td> <td>53.97</td> <td>68.20</td> <td>-14.23</td> <td>41.17</td> <td>34.62</td> <td>10.28</td> <td>32.10</td> <td>0.00</td> <td>103</td> <td>332</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5650.32</td> <td>52.55</td> <td>68.43</td> <td>-15.88</td> <td>39.76</td> <td>34.60</td> <td>10.28</td> <td>32.09</td> <td>0.00</td> <td>103</td> <td>332</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5719.63</td> <td>70.46</td> <td>110.80</td> <td>-40.34</td> <td>57.49</td> <td>34.66</td> <td>10.34</td> <td>32.03</td> <td>0.00</td> <td>103</td> <td>332</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5721.66</td> <td>71.44</td> <td>114.67</td> <td>-43.23</td> <td>58.47</td> <td>34.66</td> <td>10.34</td> <td>32.03</td> <td>0.00</td> <td>103</td> <td>332</td> <td>PEAK</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5640.31	53.97	68.20	-14.23	41.17	34.62	10.28	32.10	0.00	103	332	PEAK	2	5650.32	52.55	68.43	-15.88	39.76	34.60	10.28	32.09	0.00	103	332	PEAK	3	5719.63	70.46	110.80	-40.34	57.49	34.66	10.34	32.03	0.00	103	332	PEAK	4	5721.66	71.44	114.67	-43.23	58.47	34.66	10.34	32.03	0.00	103	332	PEAK	 <table border="1" data-bbox="909 1131 1420 1254"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>113.32</td> <td>-----</td> <td>-----</td> <td>100.36</td> <td>34.62</td> <td>10.36</td> <td>32.02</td> <td>0.00</td> <td>103</td> <td>332</td> <td>PEAK</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5745.00	113.32	-----	-----	100.36	34.62	10.36	32.02	0.00	103	332	PEAK
Peak	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																												
1	5640.31	53.97	68.20	-14.23	41.17	34.62	10.28	32.10	0.00	103	332	PEAK																																																																																																											
2	5650.32	52.55	68.43	-15.88	39.76	34.60	10.28	32.09	0.00	103	332	PEAK																																																																																																											
3	5719.63	70.46	110.80	-40.34	57.49	34.66	10.34	32.03	0.00	103	332	PEAK																																																																																																											
4	5721.66	71.44	114.67	-43.23	58.47	34.66	10.34	32.03	0.00	103	332	PEAK																																																																																																											
Peak	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																												
1	5745.00	113.32	-----	-----	100.36	34.62	10.36	32.02	0.00	103	332	PEAK																																																																																																											
Avg	Blank																																																																																																																						
		 <table border="1" data-bbox="909 1814 1420 1937"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>105.06</td> <td>-----</td> <td>-----</td> <td>92.10</td> <td>34.62</td> <td>10.36</td> <td>32.02</td> <td>0.00</td> <td>103</td> <td>332</td> <td>AVERAGE</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5745.00	105.06	-----	-----	92.10	34.62	10.36	32.02	0.00	103	332	AVERAGE																																																																														
Peak	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																												
1	5745.00	105.06	-----	-----	92.10	34.62	10.36	32.02	0.00	103	332	AVERAGE																																																																																																											



Mode	62																																																																																																																						
	Band Edge																																																																																																																						
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_Partial_106/53RU_5745MHz																																																																																																																						
ANT	CDD 5+4																																																																																																																						
Pol.	Vertical	Fundamental																																																																																																																					
Peak	<table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5645.53</td> <td>53.71</td> <td>68.20</td> <td>-14.49</td> <td>40.92</td> <td>34.61</td> <td>10.28</td> <td>32.10</td> <td>0.00</td> <td>319</td> <td>110</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5650.46</td> <td>51.65</td> <td>68.54</td> <td>-16.89</td> <td>38.86</td> <td>34.60</td> <td>10.28</td> <td>32.09</td> <td>0.00</td> <td>319</td> <td>110</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5712.96</td> <td>66.31</td> <td>108.93</td> <td>-42.62</td> <td>53.35</td> <td>34.67</td> <td>10.33</td> <td>32.04</td> <td>0.00</td> <td>319</td> <td>110</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5721.22</td> <td>73.33</td> <td>113.68</td> <td>-40.35</td> <td>60.36</td> <td>34.66</td> <td>10.34</td> <td>32.03</td> <td>0.00</td> <td>319</td> <td>110</td> <td>PEAK</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5645.53	53.71	68.20	-14.49	40.92	34.61	10.28	32.10	0.00	319	110	PEAK	2	5650.46	51.65	68.54	-16.89	38.86	34.60	10.28	32.09	0.00	319	110	PEAK	3	5712.96	66.31	108.93	-42.62	53.35	34.67	10.33	32.04	0.00	319	110	PEAK	4	5721.22	73.33	113.68	-40.35	60.36	34.66	10.34	32.03	0.00	319	110	PEAK	<table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>112.96</td> <td>-----</td> <td>-----</td> <td>100.00</td> <td>34.61</td> <td>10.36</td> <td>32.01</td> <td>0.00</td> <td>319</td> <td>110</td> <td>PEAK</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5745.00	112.96	-----	-----	100.00	34.61	10.36	32.01	0.00	319	110	PEAK
Peak	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																												
1	5645.53	53.71	68.20	-14.49	40.92	34.61	10.28	32.10	0.00	319	110	PEAK																																																																																																											
2	5650.46	51.65	68.54	-16.89	38.86	34.60	10.28	32.09	0.00	319	110	PEAK																																																																																																											
3	5712.96	66.31	108.93	-42.62	53.35	34.67	10.33	32.04	0.00	319	110	PEAK																																																																																																											
4	5721.22	73.33	113.68	-40.35	60.36	34.66	10.34	32.03	0.00	319	110	PEAK																																																																																																											
Peak	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																												
1	5745.00	112.96	-----	-----	100.00	34.61	10.36	32.01	0.00	319	110	PEAK																																																																																																											
Avg	Blank	<table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>105.15</td> <td>-----</td> <td>-----</td> <td>92.19</td> <td>34.62</td> <td>10.36</td> <td>32.02</td> <td>0.00</td> <td>319</td> <td>110</td> <td>AVERAGE</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5745.00	105.15	-----	-----	92.19	34.62	10.36	32.02	0.00	319	110	AVERAGE																																																																														
Peak	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																												
1	5745.00	105.15	-----	-----	92.19	34.62	10.36	32.02	0.00	319	110	AVERAGE																																																																																																											



Mode	63																																																																																																																						
	Band Edge																																																																																																																						
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_Partial_106/54RU_5825MHz																																																																																																																						
ANT	CDD 5+4																																																																																																																						
Pol.	Horizontal	Fundamental																																																																																																																					
Peak	 <table border="1" data-bbox="263 1075 790 1254"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5853.50</td> <td>60.51</td> <td>114.32</td> <td>-53.81</td> <td>47.09</td> <td>34.91</td> <td>10.45</td> <td>31.94</td> <td>0.00</td> <td>100</td> <td>330</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5864.75</td> <td>60.70</td> <td>108.17</td> <td>-47.47</td> <td>47.26</td> <td>34.93</td> <td>10.46</td> <td>31.95</td> <td>0.00</td> <td>100</td> <td>330</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5924.88</td> <td>52.59</td> <td>68.29</td> <td>-15.70</td> <td>38.96</td> <td>35.10</td> <td>10.52</td> <td>31.99</td> <td>0.00</td> <td>100</td> <td>330</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5939.38</td> <td>53.63</td> <td>68.20</td> <td>-14.57</td> <td>39.94</td> <td>35.16</td> <td>10.53</td> <td>32.00</td> <td>0.00</td> <td>100</td> <td>330</td> <td>PEAK</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5853.50	60.51	114.32	-53.81	47.09	34.91	10.45	31.94	0.00	100	330	PEAK	2	5864.75	60.70	108.17	-47.47	47.26	34.93	10.46	31.95	0.00	100	330	PEAK	3	5924.88	52.59	68.29	-15.70	38.96	35.10	10.52	31.99	0.00	100	330	PEAK	4	5939.38	53.63	68.20	-14.57	39.94	35.16	10.53	32.00	0.00	100	330	PEAK	 <table border="1" data-bbox="909 1120 1436 1254"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>111.74</td> <td>-----</td> <td>-----</td> <td>98.43</td> <td>34.82</td> <td>10.43</td> <td>31.94</td> <td>0.00</td> <td>100</td> <td>330</td> <td>PEAK</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5825.00	111.74	-----	-----	98.43	34.82	10.43	31.94	0.00	100	330	PEAK
Peak	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																												
1	5853.50	60.51	114.32	-53.81	47.09	34.91	10.45	31.94	0.00	100	330	PEAK																																																																																																											
2	5864.75	60.70	108.17	-47.47	47.26	34.93	10.46	31.95	0.00	100	330	PEAK																																																																																																											
3	5924.88	52.59	68.29	-15.70	38.96	35.10	10.52	31.99	0.00	100	330	PEAK																																																																																																											
4	5939.38	53.63	68.20	-14.57	39.94	35.16	10.53	32.00	0.00	100	330	PEAK																																																																																																											
Peak	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																												
1	5825.00	111.74	-----	-----	98.43	34.82	10.43	31.94	0.00	100	330	PEAK																																																																																																											
Avg	Blank																																																																																																																						
		 <table border="1" data-bbox="909 1792 1436 1926"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>102.55</td> <td>-----</td> <td>-----</td> <td>89.24</td> <td>34.82</td> <td>10.43</td> <td>31.94</td> <td>0.00</td> <td>100</td> <td>330</td> <td>AVERAGE</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5825.00	102.55	-----	-----	89.24	34.82	10.43	31.94	0.00	100	330	AVERAGE																																																																														
Peak	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																												
1	5825.00	102.55	-----	-----	89.24	34.82	10.43	31.94	0.00	100	330	AVERAGE																																																																																																											



Mode	63																																																																																																																						
	Band Edge																																																																																																																						
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_Partial_106/54RU_5825MHz																																																																																																																						
ANT	CDD 5+4																																																																																																																						
Pol.	Vertical	Fundamental																																																																																																																					
Peak	<table border="1" data-bbox="272 1077 775 1254"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5854.25</td> <td>62.30</td> <td>112.61</td> <td>-50.31</td> <td>48.88</td> <td>34.91</td> <td>10.45</td> <td>31.94</td> <td>0.00</td> <td>324</td> <td>114</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5860.25</td> <td>58.09</td> <td>109.43</td> <td>-51.34</td> <td>44.65</td> <td>34.92</td> <td>10.46</td> <td>31.94</td> <td>0.00</td> <td>324</td> <td>114</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5924.50</td> <td>53.39</td> <td>68.57</td> <td>-15.18</td> <td>39.76</td> <td>35.10</td> <td>10.52</td> <td>31.99</td> <td>0.00</td> <td>324</td> <td>114</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5932.50</td> <td>55.05</td> <td>68.20</td> <td>-13.15</td> <td>41.40</td> <td>35.13</td> <td>10.52</td> <td>32.00</td> <td>0.00</td> <td>324</td> <td>114</td> <td>PEAK</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5854.25	62.30	112.61	-50.31	48.88	34.91	10.45	31.94	0.00	324	114	PEAK	2	5860.25	58.09	109.43	-51.34	44.65	34.92	10.46	31.94	0.00	324	114	PEAK	3	5924.50	53.39	68.57	-15.18	39.76	35.10	10.52	31.99	0.00	324	114	PEAK	4	5932.50	55.05	68.20	-13.15	41.40	35.13	10.52	32.00	0.00	324	114	PEAK	<table border="1" data-bbox="914 1133 1417 1254"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>112.49</td> <td>-----</td> <td>-----</td> <td>99.18</td> <td>34.82</td> <td>10.43</td> <td>31.94</td> <td>0.00</td> <td>324</td> <td>114</td> <td>PEAK</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5825.00	112.49	-----	-----	99.18	34.82	10.43	31.94	0.00	324	114	PEAK
Peak	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																												
1	5854.25	62.30	112.61	-50.31	48.88	34.91	10.45	31.94	0.00	324	114	PEAK																																																																																																											
2	5860.25	58.09	109.43	-51.34	44.65	34.92	10.46	31.94	0.00	324	114	PEAK																																																																																																											
3	5924.50	53.39	68.57	-15.18	39.76	35.10	10.52	31.99	0.00	324	114	PEAK																																																																																																											
4	5932.50	55.05	68.20	-13.15	41.40	35.13	10.52	32.00	0.00	324	114	PEAK																																																																																																											
Peak	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																												
1	5825.00	112.49	-----	-----	99.18	34.82	10.43	31.94	0.00	324	114	PEAK																																																																																																											
Avg	Blank																																																																																																																						
		<table border="1" data-bbox="914 1809 1417 1930"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>103.46</td> <td>-----</td> <td>-----</td> <td>90.15</td> <td>34.82</td> <td>10.43</td> <td>31.94</td> <td>0.00</td> <td>324</td> <td>114</td> <td>AVERAGE</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5825.00	103.46	-----	-----	90.15	34.82	10.43	31.94	0.00	324	114	AVERAGE																																																																														
Peak	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																												
1	5825.00	103.46	-----	-----	90.15	34.82	10.43	31.94	0.00	324	114	AVERAGE																																																																																																											







Mode	64																																																																																																																																																											
	LF																																																																																																																																																											
	U-NII-3_5.725-5.85_802.11ax HE40_CH159_Full RU_5795MHz																																																																																																																																																											
ANT	CDD 5+4																																																																																																																																																											
Pol.	Horizontal	Vertical																																																																																																																																																										
Peak QP	<table border="1"> <thead> <tr> <th>Peak</th> <th>Freq (MHz)</th> <th>Level (dBuV/m)</th> <th>Limit (dBuV/m)</th> <th>Over (dB)</th> <th>ReadAntenna Level Factor</th> <th>Cable Loss Factor</th> <th>Preamp Loss Factor</th> <th>A/Pos (cm)</th> <th>T/Pos (deg)</th> <th>Remark</th> </tr> </thead> <tbody> <tr><td>1</td><td>190.05</td><td>29.48</td><td>43.50</td><td>-14.02</td><td>44.99</td><td>14.80</td><td>1.86</td><td>32.17</td><td>---</td><td>Peak</td></tr> <tr><td>2</td><td>287.05</td><td>33.79</td><td>46.00</td><td>-12.21</td><td>44.53</td><td>19.14</td><td>2.29</td><td>32.17</td><td>---</td><td>Peak</td></tr> <tr><td>3</td><td>448.07</td><td>36.21</td><td>46.00</td><td>-9.79</td><td>42.80</td><td>23.05</td><td>2.85</td><td>32.49</td><td>---</td><td>Peak</td></tr> <tr><td>4</td><td>559.62</td><td>35.97</td><td>46.00</td><td>-10.03</td><td>39.77</td><td>25.48</td><td>3.19</td><td>32.47</td><td>---</td><td>Peak</td></tr> <tr><td>5</td><td>749.74</td><td>30.30</td><td>46.00</td><td>-15.70</td><td>30.57</td><td>28.20</td><td>3.70</td><td>32.17</td><td>---</td><td>Peak</td></tr> <tr><td>6</td><td>996.12</td><td>30.83</td><td>54.00</td><td>-23.17</td><td>26.44</td><td>30.63</td><td>4.26</td><td>30.50</td><td>---</td><td>Peak</td></tr> </tbody> </table>	Peak	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Over (dB)	ReadAntenna Level Factor	Cable Loss Factor	Preamp Loss Factor	A/Pos (cm)	T/Pos (deg)	Remark	1	190.05	29.48	43.50	-14.02	44.99	14.80	1.86	32.17	---	Peak	2	287.05	33.79	46.00	-12.21	44.53	19.14	2.29	32.17	---	Peak	3	448.07	36.21	46.00	-9.79	42.80	23.05	2.85	32.49	---	Peak	4	559.62	35.97	46.00	-10.03	39.77	25.48	3.19	32.47	---	Peak	5	749.74	30.30	46.00	-15.70	30.57	28.20	3.70	32.17	---	Peak	6	996.12	30.83	54.00	-23.17	26.44	30.63	4.26	30.50	---	Peak	<table border="1"> <thead> <tr> <th>Peak</th> <th>Freq (MHz)</th> <th>Level (dBuV/m)</th> <th>Limit (dBuV/m)</th> <th>Over (dB)</th> <th>ReadAntenna Level Factor</th> <th>Cable Loss Factor</th> <th>Preamp Loss Factor</th> <th>A/Pos (cm)</th> <th>T/Pos (deg)</th> <th>Remark</th> </tr> </thead> <tbody> <tr><td>1</td><td>45.52</td><td>30.68</td><td>40.00</td><td>-9.32</td><td>45.65</td><td>16.85</td><td>0.66</td><td>32.48</td><td>---</td><td>Peak</td></tr> <tr><td>2</td><td>186.17</td><td>32.33</td><td>43.50</td><td>-11.17</td><td>47.74</td><td>14.92</td><td>1.84</td><td>32.17</td><td>---</td><td>Peak</td></tr> <tr><td>3</td><td>285.11</td><td>33.34</td><td>46.00</td><td>-12.66</td><td>44.13</td><td>19.10</td><td>2.28</td><td>32.17</td><td>---</td><td>Peak</td></tr> <tr><td>4</td><td>553.80</td><td>38.08</td><td>46.00</td><td>-7.92</td><td>41.96</td><td>25.43</td><td>3.17</td><td>32.48</td><td>---</td><td>Peak</td></tr> <tr><td>5</td><td>732.28</td><td>29.13</td><td>46.00</td><td>-16.87</td><td>30.00</td><td>27.67</td><td>3.66</td><td>32.20</td><td>---</td><td>Peak</td></tr> <tr><td>6</td><td>956.35</td><td>30.61</td><td>46.00</td><td>-15.39</td><td>26.41</td><td>30.95</td><td>4.17</td><td>30.92</td><td>---</td><td>Peak</td></tr> </tbody> </table>	Peak	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Over (dB)	ReadAntenna Level Factor	Cable Loss Factor	Preamp Loss Factor	A/Pos (cm)	T/Pos (deg)	Remark	1	45.52	30.68	40.00	-9.32	45.65	16.85	0.66	32.48	---	Peak	2	186.17	32.33	43.50	-11.17	47.74	14.92	1.84	32.17	---	Peak	3	285.11	33.34	46.00	-12.66	44.13	19.10	2.28	32.17	---	Peak	4	553.80	38.08	46.00	-7.92	41.96	25.43	3.17	32.48	---	Peak	5	732.28	29.13	46.00	-16.87	30.00	27.67	3.66	32.20	---	Peak	6	956.35	30.61	46.00	-15.39	26.41	30.95	4.17	30.92	---	Peak
Peak	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Over (dB)	ReadAntenna Level Factor	Cable Loss Factor	Preamp Loss Factor	A/Pos (cm)	T/Pos (deg)	Remark																																																																																																																																																		
1	190.05	29.48	43.50	-14.02	44.99	14.80	1.86	32.17	---	Peak																																																																																																																																																		
2	287.05	33.79	46.00	-12.21	44.53	19.14	2.29	32.17	---	Peak																																																																																																																																																		
3	448.07	36.21	46.00	-9.79	42.80	23.05	2.85	32.49	---	Peak																																																																																																																																																		
4	559.62	35.97	46.00	-10.03	39.77	25.48	3.19	32.47	---	Peak																																																																																																																																																		
5	749.74	30.30	46.00	-15.70	30.57	28.20	3.70	32.17	---	Peak																																																																																																																																																		
6	996.12	30.83	54.00	-23.17	26.44	30.63	4.26	30.50	---	Peak																																																																																																																																																		
Peak	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Over (dB)	ReadAntenna Level Factor	Cable Loss Factor	Preamp Loss Factor	A/Pos (cm)	T/Pos (deg)	Remark																																																																																																																																																		
1	45.52	30.68	40.00	-9.32	45.65	16.85	0.66	32.48	---	Peak																																																																																																																																																		
2	186.17	32.33	43.50	-11.17	47.74	14.92	1.84	32.17	---	Peak																																																																																																																																																		
3	285.11	33.34	46.00	-12.66	44.13	19.10	2.28	32.17	---	Peak																																																																																																																																																		
4	553.80	38.08	46.00	-7.92	41.96	25.43	3.17	32.48	---	Peak																																																																																																																																																		
5	732.28	29.13	46.00	-16.87	30.00	27.67	3.66	32.20	---	Peak																																																																																																																																																		
6	956.35	30.61	46.00	-15.39	26.41	30.95	4.17	30.92	---	Peak																																																																																																																																																		



Mode	65																																																																																																					
	Band Edge - L																																																																																																					
	U-NII-2A_5.25-5.35_802.11a_CH64_5320MHz																																																																																																					
ANT	CDD 5+4																																																																																																					
Pol.	Horizontal	Fundamental																																																																																																				
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5353.32</td> <td>57.13</td> <td>74.00</td> <td>-16.87</td> <td>44.64</td> <td>34.51</td> <td>9.91</td> <td>31.93</td> <td>0.00</td> <td>134</td> <td>65</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5353.32	57.13	74.00	-16.87	44.64	34.51	9.91	31.93	0.00	134	65	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2480.00</td> <td>110.24</td> <td>-----</td> <td>-----</td> <td>103.40</td> <td>32.74</td> <td>6.73</td> <td>32.63</td> <td>0.00</td> <td>134</td> <td>65</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>2842.00</td> <td>56.54</td> <td>68.20</td> <td>-11.66</td> <td>49.58</td> <td>32.15</td> <td>7.22</td> <td>32.41</td> <td>0.00</td> <td>134</td> <td>65</td> <td>Peak</td> </tr> <tr> <td>3</td> <td>5320.00</td> <td>109.05</td> <td>-----</td> <td>-----</td> <td>96.50</td> <td>34.56</td> <td>9.90</td> <td>31.91</td> <td>0.00</td> <td>134</td> <td>65</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	2480.00	110.24	-----	-----	103.40	32.74	6.73	32.63	0.00	134	65	Peak	2	2842.00	56.54	68.20	-11.66	49.58	32.15	7.22	32.41	0.00	134	65	Peak	3	5320.00	109.05	-----	-----	96.50	34.56	9.90	31.91	0.00	134	65	Peak
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																															
1	5353.32	57.13	74.00	-16.87	44.64	34.51	9.91	31.93	0.00	134	65	PEAK																																																																																										
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																															
1	2480.00	110.24	-----	-----	103.40	32.74	6.73	32.63	0.00	134	65	Peak																																																																																										
2	2842.00	56.54	68.20	-11.66	49.58	32.15	7.22	32.41	0.00	134	65	Peak																																																																																										
3	5320.00	109.05	-----	-----	96.50	34.56	9.90	31.91	0.00	134	65	Peak																																																																																										
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5352.90</td> <td>45.80</td> <td>54.00</td> <td>-8.20</td> <td>33.31</td> <td>34.51</td> <td>9.91</td> <td>31.93</td> <td>0.00</td> <td>134</td> <td>65</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5352.90	45.80	54.00	-8.20	33.31	34.51	9.91	31.93	0.00	134	65	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2480.00</td> <td>106.35</td> <td>-----</td> <td>-----</td> <td>99.51</td> <td>32.74</td> <td>6.73</td> <td>32.63</td> <td>0.00</td> <td>134</td> <td>65</td> <td>Average</td> </tr> <tr> <td>2</td> <td>2836.00</td> <td>47.24</td> <td>54.00</td> <td>-6.76</td> <td>40.29</td> <td>32.12</td> <td>7.22</td> <td>32.39</td> <td>0.00</td> <td>134</td> <td>65</td> <td>Average</td> </tr> <tr> <td>3</td> <td>5320.00</td> <td>101.87</td> <td>-----</td> <td>-----</td> <td>89.32</td> <td>34.56</td> <td>9.90</td> <td>31.91</td> <td>0.00</td> <td>134</td> <td>65</td> <td>Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	2480.00	106.35	-----	-----	99.51	32.74	6.73	32.63	0.00	134	65	Average	2	2836.00	47.24	54.00	-6.76	40.29	32.12	7.22	32.39	0.00	134	65	Average	3	5320.00	101.87	-----	-----	89.32	34.56	9.90	31.91	0.00	134	65	Average
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																															
1	5352.90	45.80	54.00	-8.20	33.31	34.51	9.91	31.93	0.00	134	65	AVERAGE																																																																																										
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																															
1	2480.00	106.35	-----	-----	99.51	32.74	6.73	32.63	0.00	134	65	Average																																																																																										
2	2836.00	47.24	54.00	-6.76	40.29	32.12	7.22	32.39	0.00	134	65	Average																																																																																										
3	5320.00	101.87	-----	-----	89.32	34.56	9.90	31.91	0.00	134	65	Average																																																																																										



Mode	65																																																																																																													
	Band Edge - L																																																																																																													
	U-NII-2A_5.25-5.35_802.11a_CH64_5320MHz																																																																																																													
ANT	CDD 5+4																																																																																																													
Pol.	Vertical	Fundamental																																																																																																												
Peak	 <p>Level (dBuV/m) vs Frequency (MHz) for Vertical polarization. The plot shows a signal level starting at approximately 113.8 dBuV/m at 5320 MHz and decreasing to about 48.8 dBuV/m at 5460 MHz. A red limit line is shown at 65.0 dBuV/m. A table below the plot provides detailed data for the peak.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5351.36</td> <td>58.70</td> <td>74.00</td> <td>-15.30</td> <td>46.20</td> <td>34.51</td> <td>9.91</td> <td>31.92</td> <td>0.00</td> <td>294</td> <td>101</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5351.36	58.70	74.00	-15.30	46.20	34.51	9.91	31.92	0.00	294	101	PEAK	 <p>Level (dBuV/m) vs Frequency (MHz) for Fundamental polarization. The plot shows a signal level starting at approximately 113.8 dBuV/m at 2482 MHz and decreasing to about 48.8 dBuV/m at 5320 MHz. A red limit line is shown at 65.0 dBuV/m. A table below the plot provides detailed data for the peak.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2482.00</td> <td>109.50</td> <td>-----</td> <td>-----</td> <td>102.64</td> <td>32.76</td> <td>6.73</td> <td>32.63</td> <td>0.00</td> <td>294</td> <td>101</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>2842.00</td> <td>54.85</td> <td>74.00</td> <td>-19.15</td> <td>47.89</td> <td>32.15</td> <td>7.22</td> <td>32.41</td> <td>0.00</td> <td>294</td> <td>101</td> <td>Peak</td> </tr> <tr> <td>3</td> <td>5320.00</td> <td>110.42</td> <td>-----</td> <td>-----</td> <td>97.86</td> <td>34.57</td> <td>9.89</td> <td>31.90</td> <td>0.00</td> <td>294</td> <td>101</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2482.00	109.50	-----	-----	102.64	32.76	6.73	32.63	0.00	294	101	Peak	2	2842.00	54.85	74.00	-19.15	47.89	32.15	7.22	32.41	0.00	294	101	Peak	3	5320.00	110.42	-----	-----	97.86	34.57	9.89	31.90	0.00	294	101	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5351.36	58.70	74.00	-15.30	46.20	34.51	9.91	31.92	0.00	294	101	PEAK																																																																																																		
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	2482.00	109.50	-----	-----	102.64	32.76	6.73	32.63	0.00	294	101	Peak																																																																																																		
2	2842.00	54.85	74.00	-19.15	47.89	32.15	7.22	32.41	0.00	294	101	Peak																																																																																																		
3	5320.00	110.42	-----	-----	97.86	34.57	9.89	31.90	0.00	294	101	PEAK																																																																																																		
Avg	 <p>Level (dBuV/m) vs Frequency (MHz) for Vertical polarization. The plot shows a signal level starting at approximately 97.5 dBuV/m at 5320 MHz and decreasing to about 48.8 dBuV/m at 5460 MHz. A red limit line is shown at 65.0 dBuV/m. A table below the plot provides detailed data for the average.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5350.24</td> <td>46.97</td> <td>54.00</td> <td>-7.03</td> <td>34.48</td> <td>34.50</td> <td>9.91</td> <td>31.92</td> <td>0.00</td> <td>294</td> <td>101</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5350.24	46.97	54.00	-7.03	34.48	34.50	9.91	31.92	0.00	294	101	AVERAGE	 <p>Level (dBuV/m) vs Frequency (MHz) for Fundamental polarization. The plot shows a signal level starting at approximately 113.8 dBuV/m at 2482 MHz and decreasing to about 48.8 dBuV/m at 5320 MHz. A red limit line is shown at 65.0 dBuV/m. A table below the plot provides detailed data for the average.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2480.00</td> <td>105.51</td> <td>-----</td> <td>-----</td> <td>98.67</td> <td>32.74</td> <td>6.73</td> <td>32.63</td> <td>0.00</td> <td>294</td> <td>101</td> <td>Average</td> </tr> <tr> <td>2</td> <td>2836.00</td> <td>46.43</td> <td>54.00</td> <td>-7.57</td> <td>39.48</td> <td>32.12</td> <td>7.22</td> <td>32.39</td> <td>0.00</td> <td>294</td> <td>101</td> <td>Average</td> </tr> <tr> <td>3</td> <td>5320.00</td> <td>101.50</td> <td>-----</td> <td>-----</td> <td>89.04</td> <td>34.56</td> <td>9.90</td> <td>31.91</td> <td>0.00</td> <td>294</td> <td>101</td> <td>Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	105.51	-----	-----	98.67	32.74	6.73	32.63	0.00	294	101	Average	2	2836.00	46.43	54.00	-7.57	39.48	32.12	7.22	32.39	0.00	294	101	Average	3	5320.00	101.50	-----	-----	89.04	34.56	9.90	31.91	0.00	294	101	Average
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5350.24	46.97	54.00	-7.03	34.48	34.50	9.91	31.92	0.00	294	101	AVERAGE																																																																																																		
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	2480.00	105.51	-----	-----	98.67	32.74	6.73	32.63	0.00	294	101	Average																																																																																																		
2	2836.00	46.43	54.00	-7.57	39.48	32.12	7.22	32.39	0.00	294	101	Average																																																																																																		
3	5320.00	101.50	-----	-----	89.04	34.56	9.90	31.91	0.00	294	101	Average																																																																																																		



Mode	65																																																																																																																																																	
	Harmonic																																																																																																																																																	
	U-NII-2A_5.25-5.35_802.11a_CH64_5320MHz																																																																																																																																																	
ANT	CDD 5+4																																																																																																																																																	
Pol.	Horizontal	Vertical																																																																																																																																																
Peak Avg																																																																																																																																																		
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7803.00</td> <td>47.91</td> <td>68.20</td> <td>-20.29</td> <td>60.46</td> <td>35.90</td> <td>12.15</td> <td>60.60</td> <td>0.00</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>10640.00</td> <td>44.87</td> <td>74.00</td> <td>-29.13</td> <td>53.54</td> <td>37.90</td> <td>14.32</td> <td>60.89</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>10850.00</td> <td>48.88</td> <td>74.00</td> <td>-25.12</td> <td>57.40</td> <td>37.90</td> <td>14.46</td> <td>60.88</td> <td>0.00</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	7803.00	47.91	68.20	-20.29	60.46	35.90	12.15	60.60	0.00	---	---	Peak	2	10640.00	44.87	74.00	-29.13	53.54	37.90	14.32	60.89	0.00	---	---	PEAK	3	10850.00	48.88	74.00	-25.12	57.40	37.90	14.46	60.88	0.00	---	---	Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7440.00</td> <td>48.25</td> <td>74.00</td> <td>-25.75</td> <td>61.44</td> <td>35.70</td> <td>11.77</td> <td>60.66</td> <td>0.00</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>7803.00</td> <td>46.62</td> <td>68.20</td> <td>-21.58</td> <td>59.17</td> <td>35.90</td> <td>12.15</td> <td>60.60</td> <td>0.00</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>3</td> <td>10640.00</td> <td>45.13</td> <td>74.00</td> <td>-28.87</td> <td>53.00</td> <td>37.90</td> <td>14.32</td> <td>60.89</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>10850.00</td> <td>49.40</td> <td>74.00</td> <td>-24.60</td> <td>57.92</td> <td>37.90</td> <td>14.46</td> <td>60.88</td> <td>0.00</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	7440.00	48.25	74.00	-25.75	61.44	35.70	11.77	60.66	0.00	---	---	Peak	2	7803.00	46.62	68.20	-21.58	59.17	35.90	12.15	60.60	0.00	---	---	Peak	3	10640.00	45.13	74.00	-28.87	53.00	37.90	14.32	60.89	0.00	---	---	PEAK	4	10850.00	49.40	74.00	-24.60	57.92	37.90	14.46	60.88	0.00	---	---
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																																																										
1	7803.00	47.91	68.20	-20.29	60.46	35.90	12.15	60.60	0.00	---	---	Peak																																																																																																																																						
2	10640.00	44.87	74.00	-29.13	53.54	37.90	14.32	60.89	0.00	---	---	PEAK																																																																																																																																						
3	10850.00	48.88	74.00	-25.12	57.40	37.90	14.46	60.88	0.00	---	---	Peak																																																																																																																																						
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																																																										
1	7440.00	48.25	74.00	-25.75	61.44	35.70	11.77	60.66	0.00	---	---	Peak																																																																																																																																						
2	7803.00	46.62	68.20	-21.58	59.17	35.90	12.15	60.60	0.00	---	---	Peak																																																																																																																																						
3	10640.00	45.13	74.00	-28.87	53.00	37.90	14.32	60.89	0.00	---	---	PEAK																																																																																																																																						
4	10850.00	49.40	74.00	-24.60	57.92	37.90	14.46	60.88	0.00	---	---	Peak																																																																																																																																						



Mode	65																																																																													
	Band Edge																																																																													
	2400-2483.5 Bluetooth-LE_GSKF_CH39_2480MHz																																																																													
ANT	3																																																																													
Pol.	Horizontal	Fundamental																																																																												
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 2483.50</td> <td>56.06</td> <td>74.00</td> <td>-17.94</td> <td>49.19</td> <td>32.77</td> <td>6.73</td> <td>32.63</td> <td>0.00</td> <td>300 38 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 2483.50	56.06	74.00	-17.94	49.19	32.77	6.73	32.63	0.00	300 38 PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 2480.00</td> <td>105.48</td> <td>-----</td> <td>-----</td> <td>98.64</td> <td>32.74</td> <td>6.73</td> <td>32.63</td> <td>0.00</td> <td>300 38 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 2480.00	105.48	-----	-----	98.64	32.74	6.73	32.63	0.00	300 38 PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																					
1 2483.50	56.06	74.00	-17.94	49.19	32.77	6.73	32.63	0.00	300 38 PEAK																																																																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																					
1 2480.00	105.48	-----	-----	98.64	32.74	6.73	32.63	0.00	300 38 PEAK																																																																					
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 2483.50</td> <td>42.34</td> <td>54.00</td> <td>-11.66</td> <td>35.47</td> <td>32.77</td> <td>6.73</td> <td>32.63</td> <td>0.00</td> <td>300 38 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 2483.50	42.34	54.00	-11.66	35.47	32.77	6.73	32.63	0.00	300 38 AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 2480.00</td> <td>103.23</td> <td>-----</td> <td>-----</td> <td>96.39</td> <td>32.74</td> <td>6.73</td> <td>32.63</td> <td>0.00</td> <td>300 38 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 2480.00	103.23	-----	-----	96.39	32.74	6.73	32.63	0.00	300 38 AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																					
1 2483.50	42.34	54.00	-11.66	35.47	32.77	6.73	32.63	0.00	300 38 AVERAGE																																																																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																					
1 2480.00	103.23	-----	-----	96.39	32.74	6.73	32.63	0.00	300 38 AVERAGE																																																																					



Mode	65																																																																													
	Band Edge																																																																													
	2400-2483.5_Bluetooth-LE_GSKF_CH39_2480MHz																																																																													
ANT	3																																																																													
Pol.	Vertical	Fundamental																																																																												
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 2483.62</td> <td>55.55</td> <td>74.00</td> <td>-18.45</td> <td>48.68</td> <td>32.77</td> <td>6.73</td> <td>32.63</td> <td>0.00</td> <td>364 100 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 2483.62	55.55	74.00	-18.45	48.68	32.77	6.73	32.63	0.00	364 100 PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 2480.00</td> <td>105.14</td> <td>-----</td> <td>-----</td> <td>98.30</td> <td>32.74</td> <td>6.73</td> <td>32.63</td> <td>0.00</td> <td>364 100 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 2480.00	105.14	-----	-----	98.30	32.74	6.73	32.63	0.00	364 100 PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																					
1 2483.62	55.55	74.00	-18.45	48.68	32.77	6.73	32.63	0.00	364 100 PEAK																																																																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																					
1 2480.00	105.14	-----	-----	98.30	32.74	6.73	32.63	0.00	364 100 PEAK																																																																					
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 2483.50</td> <td>42.09</td> <td>54.00</td> <td>-11.91</td> <td>35.22</td> <td>32.77</td> <td>6.73</td> <td>32.63</td> <td>0.00</td> <td>364 100 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 2483.50	42.09	54.00	-11.91	35.22	32.77	6.73	32.63	0.00	364 100 AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 2480.00</td> <td>102.86</td> <td>-----</td> <td>-----</td> <td>96.02</td> <td>32.74</td> <td>6.73</td> <td>32.63</td> <td>0.00</td> <td>364 100 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 2480.00	102.86	-----	-----	96.02	32.74	6.73	32.63	0.00	364 100 AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																					
1 2483.50	42.09	54.00	-11.91	35.22	32.77	6.73	32.63	0.00	364 100 AVERAGE																																																																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																					
1 2480.00	102.86	-----	-----	96.02	32.74	6.73	32.63	0.00	364 100 AVERAGE																																																																					



Mode	65																																																																																																										
	Harmonic																																																																																																										
	2400-2483.5_Bluetooth-LE_GSKF_CH39_2480MHz																																																																																																										
ANT	3																																																																																																										
Pol.	Horizontal	Vertical																																																																																																									
Peak Avg																																																																																																											
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4960.00</td> <td>41.69</td> <td>74.00</td> <td>-32.31</td> <td>59.46</td> <td>34.18</td> <td>9.61</td> <td>61.56</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>7440.00</td> <td>44.63</td> <td>74.00</td> <td>-29.37</td> <td>57.82</td> <td>35.70</td> <td>11.77</td> <td>60.66</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	4960.00	41.69	74.00	-32.31	59.46	34.18	9.61	61.56	0.00	---	---	PEAK	2	7440.00	44.63	74.00	-29.37	57.82	35.70	11.77	60.66	0.00	---	---	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4960.00</td> <td>41.57</td> <td>74.00</td> <td>-32.43</td> <td>59.34</td> <td>34.18</td> <td>9.61</td> <td>61.56</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>7440.00</td> <td>46.83</td> <td>74.00</td> <td>-27.17</td> <td>60.02</td> <td>35.70</td> <td>11.77</td> <td>60.66</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	4960.00	41.57	74.00	-32.43	59.34	34.18	9.61	61.56	0.00	---	---	PEAK	2	7440.00	46.83	74.00	-27.17	60.02	35.70	11.77	60.66	0.00	---	---
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																			
1	4960.00	41.69	74.00	-32.31	59.46	34.18	9.61	61.56	0.00	---	---	PEAK																																																																																															
2	7440.00	44.63	74.00	-29.37	57.82	35.70	11.77	60.66	0.00	---	---	PEAK																																																																																															
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																			
1	4960.00	41.57	74.00	-32.43	59.34	34.18	9.61	61.56	0.00	---	---	PEAK																																																																																															
2	7440.00	46.83	74.00	-27.17	60.02	35.70	11.77	60.66	0.00	---	---	PEAK																																																																																															



Mode	66																																																																																																																																																																																																	
	Band Edge - L																																																																																																																																																																																																	
	U-NII-2A_5.25-5.35_802.11a_CH64_5320MHz																																																																																																																																																																																																	
ANT	CDD 5+4																																																																																																																																																																																																	
Pol.	Horizontal	Fundamental																																																																																																																																																																																																
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5362.28</td> <td>54.68</td> <td>74.00</td> <td>-19.32</td> <td>42.14</td> <td>34.55</td> <td>9.92</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>31.93</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>0.00</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>100</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>319</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5362.28	54.68	74.00	-19.32	42.14	34.55	9.92								31.93								0.00								100								319								PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2480.00</td> <td>103.78</td> <td>-----</td> <td>-----</td> <td>96.94</td> <td>32.74</td> <td>6.73</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>32.63</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>0.00</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>100</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>319</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>Peak</td> </tr> <tr> <td>2</td> <td>5320.00</td> <td>107.23</td> <td>-----</td> <td>-----</td> <td>94.69</td> <td>34.55</td> <td>9.90</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>31.91</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>0.00</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>100</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>319</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	2480.00	103.78	-----	-----	96.94	32.74	6.73								32.63								0.00								100								319								Peak	2	5320.00	107.23	-----	-----	94.69	34.55	9.90								31.91								0.00								100								319								PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																																																																																																											
1	5362.28	54.68	74.00	-19.32	42.14	34.55	9.92																																																																																																																																																																																											
							31.93																																																																																																																																																																																											
							0.00																																																																																																																																																																																											
							100																																																																																																																																																																																											
							319																																																																																																																																																																																											
							PEAK																																																																																																																																																																																											
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																																																																																																											
1	2480.00	103.78	-----	-----	96.94	32.74	6.73																																																																																																																																																																																											
							32.63																																																																																																																																																																																											
							0.00																																																																																																																																																																																											
							100																																																																																																																																																																																											
							319																																																																																																																																																																																											
							Peak																																																																																																																																																																																											
2	5320.00	107.23	-----	-----	94.69	34.55	9.90																																																																																																																																																																																											
							31.91																																																																																																																																																																																											
							0.00																																																																																																																																																																																											
							100																																																																																																																																																																																											
							319																																																																																																																																																																																											
							PEAK																																																																																																																																																																																											
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5353.04</td> <td>43.46</td> <td>54.00</td> <td>-10.54</td> <td>30.97</td> <td>34.51</td> <td>9.91</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>31.93</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>0.00</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>100</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>319</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5353.04	43.46	54.00	-10.54	30.97	34.51	9.91								31.93								0.00								100								319								AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2480.00</td> <td>99.85</td> <td>-----</td> <td>-----</td> <td>93.01</td> <td>32.74</td> <td>6.73</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>32.63</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>0.00</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>100</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>319</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>Average</td> </tr> <tr> <td>2</td> <td>5320.00</td> <td>100.42</td> <td>-----</td> <td>-----</td> <td>87.88</td> <td>34.55</td> <td>9.90</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>31.91</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>0.00</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>100</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>319</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	2480.00	99.85	-----	-----	93.01	32.74	6.73								32.63								0.00								100								319								Average	2	5320.00	100.42	-----	-----	87.88	34.55	9.90								31.91								0.00								100								319								AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																																																																																																											
1	5353.04	43.46	54.00	-10.54	30.97	34.51	9.91																																																																																																																																																																																											
							31.93																																																																																																																																																																																											
							0.00																																																																																																																																																																																											
							100																																																																																																																																																																																											
							319																																																																																																																																																																																											
							AVERAGE																																																																																																																																																																																											
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																																																																																																											
1	2480.00	99.85	-----	-----	93.01	32.74	6.73																																																																																																																																																																																											
							32.63																																																																																																																																																																																											
							0.00																																																																																																																																																																																											
							100																																																																																																																																																																																											
							319																																																																																																																																																																																											
							Average																																																																																																																																																																																											
2	5320.00	100.42	-----	-----	87.88	34.55	9.90																																																																																																																																																																																											
							31.91																																																																																																																																																																																											
							0.00																																																																																																																																																																																											
							100																																																																																																																																																																																											
							319																																																																																																																																																																																											
							AVERAGE																																																																																																																																																																																											



Mode	66																																																																																																					
	Band Edge - L																																																																																																					
	U-NII-2A_5.25-5.35_802.11a_CH64_5320MHz																																																																																																					
ANT	CDD 5+4																																																																																																					
Pol.	Vertical	Fundamental																																																																																																				
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5354.86</td> <td>59.99</td> <td>74.00</td> <td>-14.01</td> <td>47.49</td> <td>34.52</td> <td>9.91</td> <td>31.93</td> <td>0.00</td> <td>330</td> <td>109</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5354.86	59.99	74.00	-14.01	47.49	34.52	9.91	31.93	0.00	330	109	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2480.00</td> <td>107.81</td> <td>-----</td> <td>-----</td> <td>100.97</td> <td>32.74</td> <td>6.73</td> <td>32.63</td> <td>0.00</td> <td>330</td> <td>109</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>2836.00</td> <td>54.73</td> <td>68.20</td> <td>-13.47</td> <td>47.78</td> <td>32.12</td> <td>7.22</td> <td>32.39</td> <td>0.00</td> <td>330</td> <td>109</td> <td>Peak</td> </tr> <tr> <td>3</td> <td>5320.00</td> <td>108.09</td> <td>-----</td> <td>-----</td> <td>95.55</td> <td>34.55</td> <td>9.90</td> <td>31.91</td> <td>0.00</td> <td>330</td> <td>109</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	2480.00	107.81	-----	-----	100.97	32.74	6.73	32.63	0.00	330	109	Peak	2	2836.00	54.73	68.20	-13.47	47.78	32.12	7.22	32.39	0.00	330	109	Peak	3	5320.00	108.09	-----	-----	95.55	34.55	9.90	31.91	0.00	330	109	Peak
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																															
1	5354.86	59.99	74.00	-14.01	47.49	34.52	9.91	31.93	0.00	330	109	PEAK																																																																																										
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																															
1	2480.00	107.81	-----	-----	100.97	32.74	6.73	32.63	0.00	330	109	Peak																																																																																										
2	2836.00	54.73	68.20	-13.47	47.78	32.12	7.22	32.39	0.00	330	109	Peak																																																																																										
3	5320.00	108.09	-----	-----	95.55	34.55	9.90	31.91	0.00	330	109	Peak																																																																																										
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5350.24</td> <td>44.91</td> <td>54.00</td> <td>-9.09</td> <td>32.42</td> <td>34.50</td> <td>9.91</td> <td>31.92</td> <td>0.00</td> <td>330</td> <td>109</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5350.24	44.91	54.00	-9.09	32.42	34.50	9.91	31.92	0.00	330	109	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2480.00</td> <td>103.90</td> <td>-----</td> <td>-----</td> <td>97.06</td> <td>32.74</td> <td>6.73</td> <td>32.63</td> <td>0.00</td> <td>330</td> <td>109</td> <td>Average</td> </tr> <tr> <td>2</td> <td>2842.00</td> <td>45.00</td> <td>54.00</td> <td>-9.00</td> <td>38.04</td> <td>32.15</td> <td>7.22</td> <td>32.41</td> <td>0.00</td> <td>330</td> <td>109</td> <td>Average</td> </tr> <tr> <td>3</td> <td>5320.00</td> <td>101.00</td> <td>-----</td> <td>-----</td> <td>89.25</td> <td>34.56</td> <td>9.90</td> <td>31.91</td> <td>0.00</td> <td>330</td> <td>109</td> <td>Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	2480.00	103.90	-----	-----	97.06	32.74	6.73	32.63	0.00	330	109	Average	2	2842.00	45.00	54.00	-9.00	38.04	32.15	7.22	32.41	0.00	330	109	Average	3	5320.00	101.00	-----	-----	89.25	34.56	9.90	31.91	0.00	330	109	Average
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																															
1	5350.24	44.91	54.00	-9.09	32.42	34.50	9.91	31.92	0.00	330	109	AVERAGE																																																																																										
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																															
1	2480.00	103.90	-----	-----	97.06	32.74	6.73	32.63	0.00	330	109	Average																																																																																										
2	2842.00	45.00	54.00	-9.00	38.04	32.15	7.22	32.41	0.00	330	109	Average																																																																																										
3	5320.00	101.00	-----	-----	89.25	34.56	9.90	31.91	0.00	330	109	Average																																																																																										



Mode	66																																																																																																																																																	
	Harmonic																																																																																																																																																	
	U-NII-2A_5.25-5.35_802.11a_CH64_5320MHz																																																																																																																																																	
ANT	CDD 5+4																																																																																																																																																	
Pol.	Horizontal	Vertical																																																																																																																																																
Peak Avg																																																																																																																																																		
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7803.00</td> <td>47.91</td> <td>68.20</td> <td>-20.29</td> <td>60.46</td> <td>35.90</td> <td>12.15</td> <td>60.60</td> <td>0.00</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>10640.00</td> <td>45.75</td> <td>74.00</td> <td>-28.25</td> <td>54.42</td> <td>37.90</td> <td>14.32</td> <td>60.89</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>10850.00</td> <td>48.86</td> <td>74.00</td> <td>-25.14</td> <td>57.38</td> <td>37.90</td> <td>14.46</td> <td>60.88</td> <td>0.00</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	7803.00	47.91	68.20	-20.29	60.46	35.90	12.15	60.60	0.00	---	---	Peak	2	10640.00	45.75	74.00	-28.25	54.42	37.90	14.32	60.89	0.00	---	---	PEAK	3	10850.00	48.86	74.00	-25.14	57.38	37.90	14.46	60.88	0.00	---	---	Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7440.00</td> <td>48.15</td> <td>74.00</td> <td>-25.85</td> <td>61.34</td> <td>35.70</td> <td>11.77</td> <td>60.66</td> <td>0.00</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>7803.00</td> <td>46.52</td> <td>68.20</td> <td>-21.68</td> <td>59.07</td> <td>35.90</td> <td>12.15</td> <td>60.60</td> <td>0.00</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>3</td> <td>10640.00</td> <td>45.78</td> <td>74.00</td> <td>-28.22</td> <td>54.45</td> <td>37.90</td> <td>14.32</td> <td>60.89</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>10850.00</td> <td>49.32</td> <td>74.00</td> <td>-24.68</td> <td>57.84</td> <td>37.90</td> <td>14.46</td> <td>60.88</td> <td>0.00</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	7440.00	48.15	74.00	-25.85	61.34	35.70	11.77	60.66	0.00	---	---	Peak	2	7803.00	46.52	68.20	-21.68	59.07	35.90	12.15	60.60	0.00	---	---	Peak	3	10640.00	45.78	74.00	-28.22	54.45	37.90	14.32	60.89	0.00	---	---	PEAK	4	10850.00	49.32	74.00	-24.68	57.84	37.90	14.46	60.88	0.00	---	---
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																																																										
1	7803.00	47.91	68.20	-20.29	60.46	35.90	12.15	60.60	0.00	---	---	Peak																																																																																																																																						
2	10640.00	45.75	74.00	-28.25	54.42	37.90	14.32	60.89	0.00	---	---	PEAK																																																																																																																																						
3	10850.00	48.86	74.00	-25.14	57.38	37.90	14.46	60.88	0.00	---	---	Peak																																																																																																																																						
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																																																										
1	7440.00	48.15	74.00	-25.85	61.34	35.70	11.77	60.66	0.00	---	---	Peak																																																																																																																																						
2	7803.00	46.52	68.20	-21.68	59.07	35.90	12.15	60.60	0.00	---	---	Peak																																																																																																																																						
3	10640.00	45.78	74.00	-28.22	54.45	37.90	14.32	60.89	0.00	---	---	PEAK																																																																																																																																						
4	10850.00	49.32	74.00	-24.68	57.84	37.90	14.46	60.88	0.00	---	---	Peak																																																																																																																																						



Mode	66																																																																																	
	Band Edge																																																																																	
	2400-2483.5_Bluetooth-LE_GSKF_CH39_2480MHz																																																																																	
ANT	6																																																																																	
Pol.	Horizontal	Fundamental																																																																																
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.50</td> <td>61.25</td> <td>74.00</td> <td>-12.75</td> <td>48.38</td> <td>32.77</td> <td>6.73</td> <td>32.63</td> <td>6.00</td> <td>143</td> <td>32 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.50	61.25	74.00	-12.75	48.38	32.77	6.73	32.63	6.00	143	32 PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2480.00</td> <td>111.71</td> <td>-----</td> <td>-----</td> <td>98.87</td> <td>32.74</td> <td>6.73</td> <td>32.63</td> <td>6.00</td> <td>143</td> <td>32 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	111.71	-----	-----	98.87	32.74	6.73	32.63	6.00	143	32 PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	2483.50	61.25	74.00	-12.75	48.38	32.77	6.73	32.63	6.00	143	32 PEAK																																																																							
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	2480.00	111.71	-----	-----	98.87	32.74	6.73	32.63	6.00	143	32 PEAK																																																																							
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.50</td> <td>48.29</td> <td>54.00</td> <td>-5.71</td> <td>35.42</td> <td>32.77</td> <td>6.73</td> <td>32.63</td> <td>6.00</td> <td>143</td> <td>32 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.50	48.29	54.00	-5.71	35.42	32.77	6.73	32.63	6.00	143	32 AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2480.00</td> <td>109.39</td> <td>-----</td> <td>-----</td> <td>96.55</td> <td>32.74</td> <td>6.73</td> <td>32.63</td> <td>6.00</td> <td>143</td> <td>32 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	109.39	-----	-----	96.55	32.74	6.73	32.63	6.00	143	32 AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	2483.50	48.29	54.00	-5.71	35.42	32.77	6.73	32.63	6.00	143	32 AVERAGE																																																																							
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	2480.00	109.39	-----	-----	96.55	32.74	6.73	32.63	6.00	143	32 AVERAGE																																																																							



Mode	66																																																																													
	Band Edge																																																																													
	2400-2483.5_Bluetooth-LE_GSKF_CH39_2480MHz																																																																													
ANT	6																																																																													
Pol.	Vertical	Fundamental																																																																												
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 2483.50</td> <td>60.99</td> <td>74.00</td> <td>-13.01</td> <td>48.12</td> <td>32.77</td> <td>6.73</td> <td>32.63</td> <td>6.00</td> <td>366 106 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 2483.50	60.99	74.00	-13.01	48.12	32.77	6.73	32.63	6.00	366 106 PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 2480.00</td> <td>111.03</td> <td>-----</td> <td>-----</td> <td>98.19</td> <td>32.74</td> <td>6.73</td> <td>32.63</td> <td>6.00</td> <td>366 106 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 2480.00	111.03	-----	-----	98.19	32.74	6.73	32.63	6.00	366 106 PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																					
1 2483.50	60.99	74.00	-13.01	48.12	32.77	6.73	32.63	6.00	366 106 PEAK																																																																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																					
1 2480.00	111.03	-----	-----	98.19	32.74	6.73	32.63	6.00	366 106 PEAK																																																																					
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 2483.50</td> <td>47.73</td> <td>54.00</td> <td>-6.27</td> <td>34.86</td> <td>32.77</td> <td>6.73</td> <td>32.63</td> <td>6.00</td> <td>366 106 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 2483.50	47.73	54.00	-6.27	34.86	32.77	6.73	32.63	6.00	366 106 AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 2480.00</td> <td>108.69</td> <td>-----</td> <td>-----</td> <td>95.85</td> <td>32.74</td> <td>6.73</td> <td>32.63</td> <td>6.00</td> <td>366 106 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 2480.00	108.69	-----	-----	95.85	32.74	6.73	32.63	6.00	366 106 AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																					
1 2483.50	47.73	54.00	-6.27	34.86	32.77	6.73	32.63	6.00	366 106 AVERAGE																																																																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																					
1 2480.00	108.69	-----	-----	95.85	32.74	6.73	32.63	6.00	366 106 AVERAGE																																																																					




Mode	66																																																																																																																							
	Harmonic																																																																																																																							
	2400-2483.5_Bluetooth-LE_GSKF_CH39_2480MHz																																																																																																																							
ANT	6																																																																																																																							
Pol.	Horizontal	Vertical																																																																																																																						
Peak Avg																																																																																																																								
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4960.00</td> <td>41.96</td> <td>74.00</td> <td>-32.04</td> <td>59.73</td> <td>34.18</td> <td>9.61</td> <td>61.56</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>7440.00</td> <td>45.39</td> <td>74.00</td> <td>-28.61</td> <td>58.58</td> <td>35.70</td> <td>11.77</td> <td>60.66</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	4960.00	41.96	74.00	-32.04	59.73	34.18	9.61	61.56	0.00	---	---	PEAK	2	7440.00	45.39	74.00	-28.61	58.58	35.70	11.77	60.66	0.00	---	---	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4960.00</td> <td>41.96</td> <td>74.00</td> <td>-32.04</td> <td>59.73</td> <td>34.18</td> <td>9.61</td> <td>61.56</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>7440.00</td> <td>47.21</td> <td>74.00</td> <td>-26.79</td> <td>60.40</td> <td>35.70</td> <td>11.77</td> <td>60.66</td> <td>0.00</td> <td>300</td> <td>360</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>7440.00</td> <td>39.48</td> <td>54.00</td> <td>-14.52</td> <td>52.67</td> <td>35.70</td> <td>11.77</td> <td>60.66</td> <td>0.00</td> <td>300</td> <td>360</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	4960.00	41.96	74.00	-32.04	59.73	34.18	9.61	61.56	0.00	---	---	PEAK	2	7440.00	47.21	74.00	-26.79	60.40	35.70	11.77	60.66	0.00	300	360	PEAK	3	7440.00	39.48	54.00	-14.52	52.67	35.70	11.77	60.66	0.00	300	360
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																																
1	4960.00	41.96	74.00	-32.04	59.73	34.18	9.61	61.56	0.00	---	---	PEAK																																																																																																												
2	7440.00	45.39	74.00	-28.61	58.58	35.70	11.77	60.66	0.00	---	---	PEAK																																																																																																												
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																																
1	4960.00	41.96	74.00	-32.04	59.73	34.18	9.61	61.56	0.00	---	---	PEAK																																																																																																												
2	7440.00	47.21	74.00	-26.79	60.40	35.70	11.77	60.66	0.00	300	360	PEAK																																																																																																												
3	7440.00	39.48	54.00	-14.52	52.67	35.70	11.77	60.66	0.00	300	360	AVERAGE																																																																																																												



Appendix D. Duty Cycle Plots

Band	Duty Cycle(%)	T(ms)	1/T(kHz)	VBW Setting
802.11a	98.97	-	-	10Hz
802.11ax HE20	100%	-	-	10Hz
802.11ax HE40	100%	-	-	10Hz
802.11ax HE80	100%	-	-	10Hz
802.11ax HE20 RU26	100%	-	-	10Hz
802.11ax HE20 RU52	100%	-	-	10Hz
802.11ax HE20 RU106	100%	-	-	10Hz


802.11a



Date: 21.DEC.2023 12:42:30




802.11ax HE20



Date: 22.NOV.2023 12:28:53


802.11ax HE40



Date: 22.NOV.2023 12:31:09




802.11ax HE80



Date: 22.NOV.2023 12:33:53


802.11ax HE160



Date: 21.DEC.2023 12:54:06




802.11ax HE20 RU 26



Date: 14.DEC.2023 13:58:31


802.11ax HE20 RU 52



Date: 14.DEC.2023 13:59:25



802.11ax HE20 RU 106



Date: 14.DEC.2023 13:59:53