





6. Conducted Spurious Emission


6.1. Test Plots




















7. Frequency Stability

7.1. Test Results

7.1.1. Frequency Error Vs Voltage

SCS	Bandwidth	Channel	RB Config	Modulation	Temperature	Voltage	Deviation Result		Verdict
							(Hz)	(ppm)	
15KHz	40MHz	MCH	Outer_Full	DFT-QPSK	NT	LV	-0.40	-0.000229	Pass
15KHz	40MHz	MCH	Outer_Full	DFT-QPSK	NT	NV	-3.30	-0.001891	Pass
15KHz	40MHz	MCH	Outer_Full	DFT-QPSK	NT	HV	-3.30	-0.001891	Pass

7.1.2. Frequency Error Vs Temperature

SCS	Bandwidth	Channel	RB Config	Modulation	Temperature	Voltage	Deviation Result		Verdict
							(Hz)	(ppm)	
15KHz	40MHz	MCH	Outer_Full	DFT-QPSK	-30°C	NV	-3.60	-0.002063	Pass
15KHz	40MHz	MCH	Outer_Full	DFT-QPSK	-20°C	NV	-3.90	-0.002235	Pass
15KHz	40MHz	MCH	Outer_Full	DFT-QPSK	-10°C	NV	-5.60	-0.003209	Pass
15KHz	40MHz	MCH	Outer_Full	DFT-QPSK	0°C	NV	0.00	0.000000	Pass
15KHz	40MHz	MCH	Outer_Full	DFT-QPSK	10°C	NV	-1.00	-0.000573	Pass
15KHz	40MHz	MCH	Outer_Full	DFT-QPSK	20°C	NV	-3.00	-0.001719	Pass
15KHz	40MHz	MCH	Outer_Full	DFT-QPSK	30°C	NV	0.70	0.000401	Pass
15KHz	40MHz	MCH	Outer_Full	DFT-QPSK	40°C	NV	-1.30	-0.000745	Pass
15KHz	40MHz	MCH	Outer_Full	DFT-QPSK	50°C	NV	-3.40	-0.001948	Pass

The End