











## 6. Conducted Spurious Emission

### 6.1. Test Plots





























## 7. Frequency Stability

### 7.1. Test Results

#### 7.1.1. Frequency Error Vs Voltage

SCS	Bandwidth	Channel	RB Config	Modulation	Temperature	Voltage	Deviation Result		Verdict
							(Hz)	(ppm)	
15KHz	40MHz	MCH	Outer_Full	DFT-QPSK	NT	LV	-2.30	-0.001318	Pass
15KHz	40MHz	MCH	Outer_Full	DFT-QPSK	NT	NV	-4.90	-0.002808	Pass
15KHz	40MHz	MCH	Outer_Full	DFT-QPSK	NT	HV	-2.60	-0.001490	Pass

#### 7.1.2. Frequency Error Vs Temperature

SCS	Bandwidth	Channel	RB Config	Modulation	Temperature	Voltage	Deviation Result		Verdict
							(Hz)	(ppm)	
15KHz	40MHz	MCH	Outer_Full	DFT-QPSK	-30°C	NV	-4.30	-0.002464	Pass
15KHz	40MHz	MCH	Outer_Full	DFT-QPSK	-20°C	NV	-0.20	-0.000115	Pass
15KHz	40MHz	MCH	Outer_Full	DFT-QPSK	-10°C	NV	-6.60	-0.003782	Pass
15KHz	40MHz	MCH	Outer_Full	DFT-QPSK	0°C	NV	-2.30	-0.001318	Pass
15KHz	40MHz	MCH	Outer_Full	DFT-QPSK	10°C	NV	-3.80	-0.002178	Pass
15KHz	40MHz	MCH	Outer_Full	DFT-QPSK	20°C	NV	-3.00	-0.001719	Pass
15KHz	40MHz	MCH	Outer_Full	DFT-QPSK	30°C	NV	-4.90	-0.002808	Pass
15KHz	40MHz	MCH	Outer_Full	DFT-QPSK	40°C	NV	-0.10	-0.000057	Pass
15KHz	40MHz	MCH	Outer_Full	DFT-QPSK	50°C	NV	-2.00	-0.001146	Pass

The End