






Mode	71																																																																																																																								
	Band Edge																																																																																																																								
	U-NII-3_5.725-5.85_802.11be EHT20_CH149_Small RU Index 37+2_5745MHz																																																																																																																								
ANT	5+4																																																																																																																								
Pol.	Horizontal	Fundamental																																																																																																																							
Peak	 <table border="1" data-bbox="263 1075 790 1254"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5628.42</td> <td>55.16</td> <td>68.20</td> <td>-13.04</td> <td>41.89</td> <td>34.64</td> <td>10.27</td> <td>31.64</td> <td>0.00</td> <td>100</td> <td>121</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5650.32</td> <td>54.89</td> <td>68.43</td> <td>-13.54</td> <td>41.67</td> <td>34.60</td> <td>10.28</td> <td>31.66</td> <td>0.00</td> <td>100</td> <td>121</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5719.92</td> <td>66.08</td> <td>110.88</td> <td>-44.80</td> <td>52.91</td> <td>34.66</td> <td>10.34</td> <td>31.83</td> <td>0.00</td> <td>100</td> <td>121</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5723.40</td> <td>79.24</td> <td>118.64</td> <td>-39.40</td> <td>66.09</td> <td>34.65</td> <td>10.34</td> <td>31.84</td> <td>0.00</td> <td>100</td> <td>121</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	5628.42	55.16	68.20	-13.04	41.89	34.64	10.27	31.64	0.00	100	121	PEAK	2	5650.32	54.89	68.43	-13.54	41.67	34.60	10.28	31.66	0.00	100	121	PEAK	3	5719.92	66.08	110.88	-44.80	52.91	34.66	10.34	31.83	0.00	100	121	PEAK	4	5723.40	79.24	118.64	-39.40	66.09	34.65	10.34	31.84	0.00	100	121	PEAK	 <table border="1" data-bbox="909 1120 1436 1254"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>118.23</td> <td>-----</td> <td>-----</td> <td>105.13</td> <td>34.62</td> <td>10.36</td> <td>31.88</td> <td>0.00</td> <td>100</td> <td>121</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	5745.00	118.23	-----	-----	105.13	34.62	10.36	31.88	0.00	100	121	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																																																	
1	5628.42	55.16	68.20	-13.04	41.89	34.64	10.27	31.64	0.00	100	121	PEAK																																																																																																													
2	5650.32	54.89	68.43	-13.54	41.67	34.60	10.28	31.66	0.00	100	121	PEAK																																																																																																													
3	5719.92	66.08	110.88	-44.80	52.91	34.66	10.34	31.83	0.00	100	121	PEAK																																																																																																													
4	5723.40	79.24	118.64	-39.40	66.09	34.65	10.34	31.84	0.00	100	121	PEAK																																																																																																													
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																																																	
1	5745.00	118.23	-----	-----	105.13	34.62	10.36	31.88	0.00	100	121	PEAK																																																																																																													
Avg	Blank	 <table border="1" data-bbox="909 1792 1436 1926"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>109.28</td> <td>-----</td> <td>-----</td> <td>96.18</td> <td>34.62</td> <td>10.36</td> <td>31.88</td> <td>0.00</td> <td>100</td> <td>121</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	5745.00	109.28	-----	-----	96.18	34.62	10.36	31.88	0.00	100	121	AVERAGE																																																																															
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																																																	
1	5745.00	109.28	-----	-----	96.18	34.62	10.36	31.88	0.00	100	121	AVERAGE																																																																																																													



Mode	71																																																																																																																								
	Band Edge																																																																																																																								
	U-NII-3_5.725-5.85_802.11be EHT20_CH149_Small RU Index 37+2_5745MHz																																																																																																																								
ANT	5+4																																																																																																																								
Pol.	Vertical	Fundamental																																																																																																																							
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5646.55</td> <td>54.67</td> <td>68.20</td> <td>-13.53</td> <td>41.43</td> <td>34.61</td> <td>10.28</td> <td>31.65</td> <td>0.00</td> <td>329</td> <td>103</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5650.32</td> <td>52.63</td> <td>68.43</td> <td>-15.80</td> <td>39.41</td> <td>34.60</td> <td>10.28</td> <td>31.66</td> <td>0.00</td> <td>329</td> <td>103</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5718.18</td> <td>60.02</td> <td>110.39</td> <td>-50.37</td> <td>46.84</td> <td>34.66</td> <td>10.34</td> <td>31.82</td> <td>0.00</td> <td>329</td> <td>103</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5722.38</td> <td>68.90</td> <td>116.33</td> <td>-47.43</td> <td>55.73</td> <td>34.66</td> <td>10.34</td> <td>31.83</td> <td>0.00</td> <td>329</td> <td>103</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5646.55	54.67	68.20	-13.53	41.43	34.61	10.28	31.65	0.00	329	103	PEAK	2	5650.32	52.63	68.43	-15.80	39.41	34.60	10.28	31.66	0.00	329	103	PEAK	3	5718.18	60.02	110.39	-50.37	46.84	34.66	10.34	31.82	0.00	329	103	PEAK	4	5722.38	68.90	116.33	-47.43	55.73	34.66	10.34	31.83	0.00	329	103	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>115.36</td> <td>-----</td> <td>-----</td> <td>102.24</td> <td>34.63</td> <td>10.35</td> <td>31.86</td> <td>0.00</td> <td>329</td> <td>103</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5745.00	115.36	-----	-----	102.24	34.63	10.35	31.86	0.00	329	103	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																	
MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																	
1	5646.55	54.67	68.20	-13.53	41.43	34.61	10.28	31.65	0.00	329	103	PEAK																																																																																																													
2	5650.32	52.63	68.43	-15.80	39.41	34.60	10.28	31.66	0.00	329	103	PEAK																																																																																																													
3	5718.18	60.02	110.39	-50.37	46.84	34.66	10.34	31.82	0.00	329	103	PEAK																																																																																																													
4	5722.38	68.90	116.33	-47.43	55.73	34.66	10.34	31.83	0.00	329	103	PEAK																																																																																																													
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																	
MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																	
1	5745.00	115.36	-----	-----	102.24	34.63	10.35	31.86	0.00	329	103	PEAK																																																																																																													
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>106.56</td> <td>-----</td> <td>-----</td> <td>93.44</td> <td>34.63</td> <td>10.35</td> <td>31.86</td> <td>0.00</td> <td>329</td> <td>103</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5745.00	106.56	-----	-----	93.44	34.63	10.35	31.86	0.00	329	103	AVERAGE																																																																															
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																	
MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																	
1	5745.00	106.56	-----	-----	93.44	34.63	10.35	31.86	0.00	329	103	AVERAGE																																																																																																													






Mode	72																																																																																																																								
	Band Edge																																																																																																																								
	U-NII-3_5.725-5.85_802.11be EHT20_CH149_Small RU Index 53+4_5745MHz																																																																																																																								
ANT	5+4																																																																																																																								
Pol.	Horizontal	Fundamental																																																																																																																							
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5633.50</td> <td>54.27</td> <td>68.20</td> <td>-13.93</td> <td>41.00</td> <td>34.63</td> <td>10.27</td> <td>31.63</td> <td>0.00</td> <td>100</td> <td>110</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5650.32</td> <td>54.07</td> <td>68.43</td> <td>-14.36</td> <td>40.85</td> <td>34.60</td> <td>10.28</td> <td>31.66</td> <td>0.00</td> <td>100</td> <td>110</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5719.05</td> <td>69.92</td> <td>110.63</td> <td>-40.71</td> <td>56.75</td> <td>34.66</td> <td>10.34</td> <td>31.83</td> <td>0.00</td> <td>100</td> <td>110</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5720.35</td> <td>73.24</td> <td>111.70</td> <td>-38.46</td> <td>60.07</td> <td>34.66</td> <td>10.34</td> <td>31.83</td> <td>0.00</td> <td>100</td> <td>110</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5633.50	54.27	68.20	-13.93	41.00	34.63	10.27	31.63	0.00	100	110	PEAK	2	5650.32	54.07	68.43	-14.36	40.85	34.60	10.28	31.66	0.00	100	110	PEAK	3	5719.05	69.92	110.63	-40.71	56.75	34.66	10.34	31.83	0.00	100	110	PEAK	4	5720.35	73.24	111.70	-38.46	60.07	34.66	10.34	31.83	0.00	100	110	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>114.66</td> <td>-----</td> <td>-----</td> <td>101.56</td> <td>34.62</td> <td>10.36</td> <td>31.88</td> <td>0.00</td> <td>100</td> <td>110</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5745.00	114.66	-----	-----	101.56	34.62	10.36	31.88	0.00	100	110	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																																	
1	5633.50	54.27	68.20	-13.93	41.00	34.63	10.27	31.63	0.00	100	110	PEAK																																																																																																													
2	5650.32	54.07	68.43	-14.36	40.85	34.60	10.28	31.66	0.00	100	110	PEAK																																																																																																													
3	5719.05	69.92	110.63	-40.71	56.75	34.66	10.34	31.83	0.00	100	110	PEAK																																																																																																													
4	5720.35	73.24	111.70	-38.46	60.07	34.66	10.34	31.83	0.00	100	110	PEAK																																																																																																													
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																																	
1	5745.00	114.66	-----	-----	101.56	34.62	10.36	31.88	0.00	100	110	PEAK																																																																																																													
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>104.72</td> <td>-----</td> <td>-----</td> <td>91.62</td> <td>34.62</td> <td>10.36</td> <td>31.88</td> <td>0.00</td> <td>100</td> <td>110</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5745.00	104.72	-----	-----	91.62	34.62	10.36	31.88	0.00	100	110	AVERAGE																																																																															
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																																	
1	5745.00	104.72	-----	-----	91.62	34.62	10.36	31.88	0.00	100	110	AVERAGE																																																																																																													



Mode	72																																																																																																																								
	Band Edge																																																																																																																								
	U-NII-3_5.725-5.85_802.11be EHT20_CH149_Small RU Index 53+4_5745MHz																																																																																																																								
ANT	5+4																																																																																																																								
Pol.	Vertical	Fundamental																																																																																																																							
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5629.87</td> <td>55.28</td> <td>68.20</td> <td>-12.92</td> <td>42.01</td> <td>34.64</td> <td>10.27</td> <td>31.64</td> <td>0.00</td> <td>318</td> <td>90</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5651.48</td> <td>53.19</td> <td>69.30</td> <td>-16.11</td> <td>39.96</td> <td>34.60</td> <td>10.29</td> <td>31.66</td> <td>0.00</td> <td>318</td> <td>90</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5718.18</td> <td>62.70</td> <td>110.39</td> <td>-47.69</td> <td>49.52</td> <td>34.66</td> <td>10.34</td> <td>31.82</td> <td>0.00</td> <td>318</td> <td>90</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5721.66</td> <td>67.92</td> <td>114.67</td> <td>-46.75</td> <td>54.75</td> <td>34.66</td> <td>10.34</td> <td>31.83</td> <td>0.00</td> <td>318</td> <td>90</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5629.87	55.28	68.20	-12.92	42.01	34.64	10.27	31.64	0.00	318	90	PEAK	2	5651.48	53.19	69.30	-16.11	39.96	34.60	10.29	31.66	0.00	318	90	PEAK	3	5718.18	62.70	110.39	-47.69	49.52	34.66	10.34	31.82	0.00	318	90	PEAK	4	5721.66	67.92	114.67	-46.75	54.75	34.66	10.34	31.83	0.00	318	90	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>110.77</td> <td>-----</td> <td>-----</td> <td>97.67</td> <td>34.62</td> <td>10.36</td> <td>31.88</td> <td>0.00</td> <td>318</td> <td>90</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5745.00	110.77	-----	-----	97.67	34.62	10.36	31.88	0.00	318	90	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																																	
1	5629.87	55.28	68.20	-12.92	42.01	34.64	10.27	31.64	0.00	318	90	PEAK																																																																																																													
2	5651.48	53.19	69.30	-16.11	39.96	34.60	10.29	31.66	0.00	318	90	PEAK																																																																																																													
3	5718.18	62.70	110.39	-47.69	49.52	34.66	10.34	31.82	0.00	318	90	PEAK																																																																																																													
4	5721.66	67.92	114.67	-46.75	54.75	34.66	10.34	31.83	0.00	318	90	PEAK																																																																																																													
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																																	
1	5745.00	110.77	-----	-----	97.67	34.62	10.36	31.88	0.00	318	90	PEAK																																																																																																													
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>102.38</td> <td>-----</td> <td>-----</td> <td>89.26</td> <td>34.63</td> <td>10.35</td> <td>31.86</td> <td>0.00</td> <td>318</td> <td>90</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5745.00	102.38	-----	-----	89.26	34.63	10.35	31.86	0.00	318	90	AVERAGE																																																																															
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																																	
1	5745.00	102.38	-----	-----	89.26	34.63	10.35	31.86	0.00	318	90	AVERAGE																																																																																																													



Mode	73																																																																																																														
	Band Edge																																																																																																														
	U-NII-3_5.725-5.85_802.11be EHT20_CH165_Small RU Index 40+6_5825MHz																																																																																																														
ANT	5+4																																																																																																														
Pol.	Horizontal	Fundamental																																																																																																													
Peak	 <table border="1" data-bbox="263 1075 774 1254"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5854.88</td> <td>52.62</td> <td>111.18</td> <td>-58.56</td> <td>39.42</td> <td>34.91</td> <td>10.45</td> <td>32.16</td> <td>0.00</td> <td>100</td> <td>194</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5861.13</td> <td>58.21</td> <td>109.18</td> <td>-50.97</td> <td>44.99</td> <td>34.92</td> <td>10.46</td> <td>32.16</td> <td>0.00</td> <td>100</td> <td>194</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5924.88</td> <td>52.98</td> <td>68.29</td> <td>-15.31</td> <td>39.52</td> <td>35.10</td> <td>10.52</td> <td>32.16</td> <td>0.00</td> <td>100</td> <td>194</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5936.50</td> <td>55.52</td> <td>68.20</td> <td>-12.68</td> <td>42.00</td> <td>35.15</td> <td>10.53</td> <td>32.16</td> <td>0.00</td> <td>100</td> <td>194</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Factor	cm	deg	Remark	1	5854.88	52.62	111.18	-58.56	39.42	34.91	10.45	32.16	0.00	100	194	PEAK	2	5861.13	58.21	109.18	-50.97	44.99	34.92	10.46	32.16	0.00	100	194	PEAK	3	5924.88	52.98	68.29	-15.31	39.52	35.10	10.52	32.16	0.00	100	194	PEAK	4	5936.50	55.52	68.20	-12.68	42.00	35.15	10.53	32.16	0.00	100	194	PEAK	 <table border="1" data-bbox="901 1120 1412 1254"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>114.58</td> <td>-----</td> <td>-----</td> <td>101.43</td> <td>34.82</td> <td>10.43</td> <td>32.10</td> <td>0.00</td> <td>100</td> <td>194</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Factor	cm	deg	Remark	1	5825.00	114.58	-----	-----	101.43	34.82	10.43	32.10	0.00	100	194	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Factor	cm	deg	Remark																																																																																																			
1	5854.88	52.62	111.18	-58.56	39.42	34.91	10.45	32.16	0.00	100	194	PEAK																																																																																																			
2	5861.13	58.21	109.18	-50.97	44.99	34.92	10.46	32.16	0.00	100	194	PEAK																																																																																																			
3	5924.88	52.98	68.29	-15.31	39.52	35.10	10.52	32.16	0.00	100	194	PEAK																																																																																																			
4	5936.50	55.52	68.20	-12.68	42.00	35.15	10.53	32.16	0.00	100	194	PEAK																																																																																																			
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Factor	cm	deg	Remark																																																																																																			
1	5825.00	114.58	-----	-----	101.43	34.82	10.43	32.10	0.00	100	194	PEAK																																																																																																			
Avg	Blank	 <table border="1" data-bbox="901 1803 1412 1937"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>104.97</td> <td>-----</td> <td>-----</td> <td>91.82</td> <td>34.82</td> <td>10.43</td> <td>32.10</td> <td>0.00</td> <td>100</td> <td>194</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Factor	cm	deg	Remark	1	5825.00	104.97	-----	-----	91.82	34.82	10.43	32.10	0.00	100	194	AVERAGE																																																																										
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Factor	cm	deg	Remark																																																																																																			
1	5825.00	104.97	-----	-----	91.82	34.82	10.43	32.10	0.00	100	194	AVERAGE																																																																																																			






Mode	73																																																																																												
	Band Edge																																																																																												
	U-NII-3_5.725-5.85_802.11be EHT20_CH165_Small RU Index 40+6_5825MHz																																																																																												
ANT	5+4																																																																																												
Pol.	Vertical	Fundamental																																																																																											
Peak	<table border="1"> <thead> <tr> <th>Peak</th> <th>Freq (MHz)</th> <th>Level (dBuV/m)</th> <th>Limit (dBuV/m)</th> <th>Line Margin (dB)</th> <th>Read Level (dBuV)</th> <th>Ant Loss (dB/m)</th> <th>Cable Loss (dB)</th> <th>Preamp Loss (dB)</th> <th>Aux Loss (dB)</th> <th>APos (dB)</th> <th>TPos (cm)</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5855.00</td> <td>53.71</td> <td>110.90</td> <td>-57.19</td> <td>40.51</td> <td>34.91</td> <td>10.45</td> <td>32.16</td> <td>0.00</td> <td>100</td> <td>85</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5874.38</td> <td>54.09</td> <td>105.47</td> <td>-51.38</td> <td>40.83</td> <td>34.95</td> <td>10.47</td> <td>32.16</td> <td>0.00</td> <td>100</td> <td>85</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5924.63</td> <td>54.48</td> <td>68.48</td> <td>-14.00</td> <td>41.02</td> <td>35.10</td> <td>10.52</td> <td>32.16</td> <td>0.00</td> <td>100</td> <td>85</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5941.25</td> <td>56.21</td> <td>68.20</td> <td>-11.99</td> <td>42.68</td> <td>35.17</td> <td>10.53</td> <td>32.17</td> <td>0.00</td> <td>100</td> <td>85</td> <td>PEAK</td> </tr> </tbody> </table>	Peak	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Line Margin (dB)	Read Level (dBuV)	Ant Loss (dB/m)	Cable Loss (dB)	Preamp Loss (dB)	Aux Loss (dB)	APos (dB)	TPos (cm)	Remark	1	5855.00	53.71	110.90	-57.19	40.51	34.91	10.45	32.16	0.00	100	85	PEAK	2	5874.38	54.09	105.47	-51.38	40.83	34.95	10.47	32.16	0.00	100	85	PEAK	3	5924.63	54.48	68.48	-14.00	41.02	35.10	10.52	32.16	0.00	100	85	PEAK	4	5941.25	56.21	68.20	-11.99	42.68	35.17	10.53	32.17	0.00	100	85	PEAK	<table border="1"> <thead> <tr> <th>Peak</th> <th>Freq (MHz)</th> <th>Level (dBuV/m)</th> <th>Limit (dBuV/m)</th> <th>Line Margin (dB)</th> <th>Read Level (dBuV)</th> <th>Ant Loss (dB/m)</th> <th>Cable Loss (dB)</th> <th>Preamp Loss (dB)</th> <th>Aux Loss (dB)</th> <th>APos (dB)</th> <th>TPos (cm)</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>113.04</td> <td>-----</td> <td>-----</td> <td>99.89</td> <td>34.82</td> <td>10.43</td> <td>32.10</td> <td>0.00</td> <td>100</td> <td>85</td> <td>PEAK</td> </tr> </tbody> </table>	Peak	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Line Margin (dB)	Read Level (dBuV)	Ant Loss (dB/m)	Cable Loss (dB)	Preamp Loss (dB)	Aux Loss (dB)	APos (dB)	TPos (cm)	Remark	1	5825.00	113.04	-----	-----	99.89	34.82	10.43	32.10	0.00	100	85	PEAK
Peak	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Line Margin (dB)	Read Level (dBuV)	Ant Loss (dB/m)	Cable Loss (dB)	Preamp Loss (dB)	Aux Loss (dB)	APos (dB)	TPos (cm)	Remark																																																																																	
1	5855.00	53.71	110.90	-57.19	40.51	34.91	10.45	32.16	0.00	100	85	PEAK																																																																																	
2	5874.38	54.09	105.47	-51.38	40.83	34.95	10.47	32.16	0.00	100	85	PEAK																																																																																	
3	5924.63	54.48	68.48	-14.00	41.02	35.10	10.52	32.16	0.00	100	85	PEAK																																																																																	
4	5941.25	56.21	68.20	-11.99	42.68	35.17	10.53	32.17	0.00	100	85	PEAK																																																																																	
Peak	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Line Margin (dB)	Read Level (dBuV)	Ant Loss (dB/m)	Cable Loss (dB)	Preamp Loss (dB)	Aux Loss (dB)	APos (dB)	TPos (cm)	Remark																																																																																	
1	5825.00	113.04	-----	-----	99.89	34.82	10.43	32.10	0.00	100	85	PEAK																																																																																	
Avg	Blank	<table border="1"> <thead> <tr> <th>Peak</th> <th>Freq (MHz)</th> <th>Level (dBuV/m)</th> <th>Limit (dBuV/m)</th> <th>Line Margin (dB)</th> <th>Read Level (dBuV)</th> <th>Ant Loss (dB/m)</th> <th>Cable Loss (dB)</th> <th>Preamp Loss (dB)</th> <th>Aux Loss (dB)</th> <th>APos (dB)</th> <th>TPos (cm)</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>103.78</td> <td>-----</td> <td>-----</td> <td>90.63</td> <td>34.82</td> <td>10.43</td> <td>32.10</td> <td>0.00</td> <td>100</td> <td>85</td> <td>AVERAGE</td> </tr> </tbody> </table>	Peak	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Line Margin (dB)	Read Level (dBuV)	Ant Loss (dB/m)	Cable Loss (dB)	Preamp Loss (dB)	Aux Loss (dB)	APos (dB)	TPos (cm)	Remark	1	5825.00	103.78	-----	-----	90.63	34.82	10.43	32.10	0.00	100	85	AVERAGE																																																																	
Peak	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Line Margin (dB)	Read Level (dBuV)	Ant Loss (dB/m)	Cable Loss (dB)	Preamp Loss (dB)	Aux Loss (dB)	APos (dB)	TPos (cm)	Remark																																																																																	
1	5825.00	103.78	-----	-----	90.63	34.82	10.43	32.10	0.00	100	85	AVERAGE																																																																																	



Mode	74																																																																																												
	Band Edge																																																																																												
	U-NII-3_5.725-5.85_802.11be EHT20_CH165_Small RU Index 54+4_5825MHz																																																																																												
ANT	5+4																																																																																												
Pol.	Horizontal	Fundamental																																																																																											
Peak	<table border="1" data-bbox="271 1075 766 1254"> <thead> <tr> <th>Peak</th> <th>Freq (MHz)</th> <th>Level (dBuV/m)</th> <th>Limit (dBuV/m)</th> <th>Line Margin (dB)</th> <th>Read (dBuV)</th> <th>Ant (dB/m)</th> <th>Cable Loss (dB)</th> <th>Preamp (dB)</th> <th>Aux (dB)</th> <th>APos (dB)</th> <th>TPos (cm)</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5851.75</td> <td>66.51</td> <td>118.31</td> <td>-51.80</td> <td>53.31</td> <td>34.90</td> <td>10.45</td> <td>32.15</td> <td>0.00</td> <td>105</td> <td>190</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5872.25</td> <td>55.46</td> <td>106.07</td> <td>-50.61</td> <td>42.21</td> <td>34.90</td> <td>10.47</td> <td>32.16</td> <td>0.00</td> <td>105</td> <td>190</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5924.88</td> <td>53.97</td> <td>68.29</td> <td>-14.32</td> <td>40.51</td> <td>35.10</td> <td>10.52</td> <td>32.16</td> <td>0.00</td> <td>105</td> <td>190</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5931.00</td> <td>54.58</td> <td>68.20</td> <td>-13.62</td> <td>41.10</td> <td>35.12</td> <td>10.52</td> <td>32.16</td> <td>0.00</td> <td>105</td> <td>190</td> <td>PEAK</td> </tr> </tbody> </table>	Peak	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Line Margin (dB)	Read (dBuV)	Ant (dB/m)	Cable Loss (dB)	Preamp (dB)	Aux (dB)	APos (dB)	TPos (cm)	Remark	1	5851.75	66.51	118.31	-51.80	53.31	34.90	10.45	32.15	0.00	105	190	PEAK	2	5872.25	55.46	106.07	-50.61	42.21	34.90	10.47	32.16	0.00	105	190	PEAK	3	5924.88	53.97	68.29	-14.32	40.51	35.10	10.52	32.16	0.00	105	190	PEAK	4	5931.00	54.58	68.20	-13.62	41.10	35.12	10.52	32.16	0.00	105	190	PEAK	<table border="1" data-bbox="909 1075 1404 1254"> <thead> <tr> <th>Peak</th> <th>Freq (MHz)</th> <th>Level (dBuV/m)</th> <th>Limit (dBuV/m)</th> <th>Line Margin (dB)</th> <th>Read (dBuV)</th> <th>Ant (dB/m)</th> <th>Cable Loss (dB)</th> <th>Preamp (dB)</th> <th>Aux (dB)</th> <th>APos (dB)</th> <th>TPos (cm)</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>115.88</td> <td>-----</td> <td>-----</td> <td>102.73</td> <td>34.82</td> <td>10.43</td> <td>32.10</td> <td>0.00</td> <td>105</td> <td>190</td> <td>PEAK</td> </tr> </tbody> </table>	Peak	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Line Margin (dB)	Read (dBuV)	Ant (dB/m)	Cable Loss (dB)	Preamp (dB)	Aux (dB)	APos (dB)	TPos (cm)	Remark	1	5825.00	115.88	-----	-----	102.73	34.82	10.43	32.10	0.00	105	190	PEAK
Peak	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Line Margin (dB)	Read (dBuV)	Ant (dB/m)	Cable Loss (dB)	Preamp (dB)	Aux (dB)	APos (dB)	TPos (cm)	Remark																																																																																	
1	5851.75	66.51	118.31	-51.80	53.31	34.90	10.45	32.15	0.00	105	190	PEAK																																																																																	
2	5872.25	55.46	106.07	-50.61	42.21	34.90	10.47	32.16	0.00	105	190	PEAK																																																																																	
3	5924.88	53.97	68.29	-14.32	40.51	35.10	10.52	32.16	0.00	105	190	PEAK																																																																																	
4	5931.00	54.58	68.20	-13.62	41.10	35.12	10.52	32.16	0.00	105	190	PEAK																																																																																	
Peak	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Line Margin (dB)	Read (dBuV)	Ant (dB/m)	Cable Loss (dB)	Preamp (dB)	Aux (dB)	APos (dB)	TPos (cm)	Remark																																																																																	
1	5825.00	115.88	-----	-----	102.73	34.82	10.43	32.10	0.00	105	190	PEAK																																																																																	
Avg	Blank																																																																																												
		<table border="1" data-bbox="909 1792 1404 1926"> <thead> <tr> <th>Peak</th> <th>Freq (MHz)</th> <th>Level (dBuV/m)</th> <th>Limit (dBuV/m)</th> <th>Line Margin (dB)</th> <th>Read (dBuV)</th> <th>Ant (dB/m)</th> <th>Cable Loss (dB)</th> <th>Preamp (dB)</th> <th>Aux (dB)</th> <th>APos (dB)</th> <th>TPos (cm)</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>103.74</td> <td>-----</td> <td>-----</td> <td>90.59</td> <td>34.82</td> <td>10.43</td> <td>32.10</td> <td>0.00</td> <td>105</td> <td>190</td> <td>AVERAGE</td> </tr> </tbody> </table>	Peak	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Line Margin (dB)	Read (dBuV)	Ant (dB/m)	Cable Loss (dB)	Preamp (dB)	Aux (dB)	APos (dB)	TPos (cm)	Remark	1	5825.00	103.74	-----	-----	90.59	34.82	10.43	32.10	0.00	105	190	AVERAGE																																																																	
Peak	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Line Margin (dB)	Read (dBuV)	Ant (dB/m)	Cable Loss (dB)	Preamp (dB)	Aux (dB)	APos (dB)	TPos (cm)	Remark																																																																																	
1	5825.00	103.74	-----	-----	90.59	34.82	10.43	32.10	0.00	105	190	AVERAGE																																																																																	



Mode	74																																																																																												
	Band Edge																																																																																												
	U-NII-3_5.725-5.85_802.11be EHT20_CH165_Small RU Index 54+4_5825MHz																																																																																												
ANT	5+4																																																																																												
Pol.	Vertical	Fundamental																																																																																											
Peak	 <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq (MHz)</th> <th>Level (dBuV/m)</th> <th>Limit (dBuV/m)</th> <th>Line Margin (dB)</th> <th>Read (dBuV)</th> <th>Ant (dB/m)</th> <th>Cable Loss (dB)</th> <th>Preamp (dB)</th> <th>Aux (dB)</th> <th>APos (cm)</th> <th>TPos (deg)</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5854.13</td> <td>60.23</td> <td>112.89</td> <td>-52.66</td> <td>47.03</td> <td>34.91</td> <td>10.45</td> <td>32.16</td> <td>0.00</td> <td>100</td> <td>78</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5873.88</td> <td>54.93</td> <td>105.61</td> <td>-50.68</td> <td>41.67</td> <td>34.95</td> <td>10.47</td> <td>32.16</td> <td>0.00</td> <td>100</td> <td>78</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5924.88</td> <td>55.29</td> <td>68.29</td> <td>-13.00</td> <td>41.83</td> <td>35.10</td> <td>10.52</td> <td>32.16</td> <td>0.00</td> <td>100</td> <td>78</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5925.38</td> <td>56.08</td> <td>68.20</td> <td>-12.12</td> <td>42.62</td> <td>35.10</td> <td>10.52</td> <td>32.16</td> <td>0.00</td> <td>100</td> <td>78</td> <td>PEAK</td> </tr> </tbody> </table>	Peak	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Line Margin (dB)	Read (dBuV)	Ant (dB/m)	Cable Loss (dB)	Preamp (dB)	Aux (dB)	APos (cm)	TPos (deg)	Remark	1	5854.13	60.23	112.89	-52.66	47.03	34.91	10.45	32.16	0.00	100	78	PEAK	2	5873.88	54.93	105.61	-50.68	41.67	34.95	10.47	32.16	0.00	100	78	PEAK	3	5924.88	55.29	68.29	-13.00	41.83	35.10	10.52	32.16	0.00	100	78	PEAK	4	5925.38	56.08	68.20	-12.12	42.62	35.10	10.52	32.16	0.00	100	78	PEAK	 <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq (MHz)</th> <th>Level (dBuV/m)</th> <th>Limit (dBuV/m)</th> <th>Line Margin (dB)</th> <th>Read (dBuV)</th> <th>Ant (dB/m)</th> <th>Cable Loss (dB)</th> <th>Preamp (dB)</th> <th>Aux (dB)</th> <th>APos (cm)</th> <th>TPos (deg)</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>111.55</td> <td>-----</td> <td>-----</td> <td>98.40</td> <td>34.82</td> <td>10.43</td> <td>32.10</td> <td>0.00</td> <td>100</td> <td>78</td> <td>PEAK</td> </tr> </tbody> </table>	Peak	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Line Margin (dB)	Read (dBuV)	Ant (dB/m)	Cable Loss (dB)	Preamp (dB)	Aux (dB)	APos (cm)	TPos (deg)	Remark	1	5825.00	111.55	-----	-----	98.40	34.82	10.43	32.10	0.00	100	78	PEAK
Peak	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Line Margin (dB)	Read (dBuV)	Ant (dB/m)	Cable Loss (dB)	Preamp (dB)	Aux (dB)	APos (cm)	TPos (deg)	Remark																																																																																	
1	5854.13	60.23	112.89	-52.66	47.03	34.91	10.45	32.16	0.00	100	78	PEAK																																																																																	
2	5873.88	54.93	105.61	-50.68	41.67	34.95	10.47	32.16	0.00	100	78	PEAK																																																																																	
3	5924.88	55.29	68.29	-13.00	41.83	35.10	10.52	32.16	0.00	100	78	PEAK																																																																																	
4	5925.38	56.08	68.20	-12.12	42.62	35.10	10.52	32.16	0.00	100	78	PEAK																																																																																	
Peak	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Line Margin (dB)	Read (dBuV)	Ant (dB/m)	Cable Loss (dB)	Preamp (dB)	Aux (dB)	APos (cm)	TPos (deg)	Remark																																																																																	
1	5825.00	111.55	-----	-----	98.40	34.82	10.43	32.10	0.00	100	78	PEAK																																																																																	
Avg	Blank	 <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq (MHz)</th> <th>Level (dBuV/m)</th> <th>Limit (dBuV/m)</th> <th>Line Margin (dB)</th> <th>Read (dBuV)</th> <th>Ant (dB/m)</th> <th>Cable Loss (dB)</th> <th>Preamp (dB)</th> <th>Aux (dB)</th> <th>APos (cm)</th> <th>TPos (deg)</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>102.40</td> <td>-----</td> <td>-----</td> <td>89.25</td> <td>34.82</td> <td>10.43</td> <td>32.10</td> <td>0.00</td> <td>100</td> <td>78</td> <td>AVERAGE</td> </tr> </tbody> </table>	Peak	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Line Margin (dB)	Read (dBuV)	Ant (dB/m)	Cable Loss (dB)	Preamp (dB)	Aux (dB)	APos (cm)	TPos (deg)	Remark	1	5825.00	102.40	-----	-----	89.25	34.82	10.43	32.10	0.00	100	78	AVERAGE																																																																	
Peak	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Line Margin (dB)	Read (dBuV)	Ant (dB/m)	Cable Loss (dB)	Preamp (dB)	Aux (dB)	APos (cm)	TPos (deg)	Remark																																																																																	
1	5825.00	102.40	-----	-----	89.25	34.82	10.43	32.10	0.00	100	78	AVERAGE																																																																																	






Mode	87																																																																																																																
	Band Edge - L																																																																																																																
	U-NII-3_5.725-5.85_802.11be EHT80_CH155_Puncturing 20M 1_5775MHz																																																																																																																
ANT	5+4																																																																																																																
Pol.	Horizontal	Fundamental																																																																																																															
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5635.70</td> <td>56.80</td> <td>68.20</td> <td>-11.40</td> <td>43.53</td> <td>34.63</td> <td>10.27</td> <td>31.63</td> <td>0.00</td> <td>107</td> <td>114 PEAK</td> </tr> <tr> <td>2 5650.05</td> <td>57.37</td> <td>68.24</td> <td>-10.87</td> <td>44.14</td> <td>34.60</td> <td>10.28</td> <td>31.65</td> <td>0.00</td> <td>107</td> <td>114 PEAK</td> </tr> <tr> <td>3 5711.13</td> <td>75.45</td> <td>108.42</td> <td>-32.97</td> <td>62.25</td> <td>34.68</td> <td>10.33</td> <td>31.81</td> <td>0.00</td> <td>107</td> <td>114 PEAK</td> </tr> <tr> <td>4 5728.40</td> <td>74.44</td> <td>111.81</td> <td>-37.37</td> <td>61.27</td> <td>34.66</td> <td>10.34</td> <td>31.83</td> <td>0.00</td> <td>107</td> <td>114 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5635.70	56.80	68.20	-11.40	43.53	34.63	10.27	31.63	0.00	107	114 PEAK	2 5650.05	57.37	68.24	-10.87	44.14	34.60	10.28	31.65	0.00	107	114 PEAK	3 5711.13	75.45	108.42	-32.97	62.25	34.68	10.33	31.81	0.00	107	114 PEAK	4 5728.40	74.44	111.81	-37.37	61.27	34.66	10.34	31.83	0.00	107	114 PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5775.00</td> <td>107.14</td> <td>-----</td> <td>-----</td> <td>94.06</td> <td>34.69</td> <td>10.40</td> <td>32.01</td> <td>0.00</td> <td>107</td> <td>114 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5775.00	107.14	-----	-----	94.06	34.69	10.40	32.01	0.00	107	114 PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																								
1 5635.70	56.80	68.20	-11.40	43.53	34.63	10.27	31.63	0.00	107	114 PEAK																																																																																																							
2 5650.05	57.37	68.24	-10.87	44.14	34.60	10.28	31.65	0.00	107	114 PEAK																																																																																																							
3 5711.13	75.45	108.42	-32.97	62.25	34.68	10.33	31.81	0.00	107	114 PEAK																																																																																																							
4 5728.40	74.44	111.81	-37.37	61.27	34.66	10.34	31.83	0.00	107	114 PEAK																																																																																																							
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																								
1 5775.00	107.14	-----	-----	94.06	34.69	10.40	32.01	0.00	107	114 PEAK																																																																																																							
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5775.00</td> <td>96.91</td> <td>-----</td> <td>-----</td> <td>83.83</td> <td>34.68</td> <td>10.40</td> <td>32.00</td> <td>0.00</td> <td>107</td> <td>114 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5775.00	96.91	-----	-----	83.83	34.68	10.40	32.00	0.00	107	114 AVERAGE																																																																								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																								
1 5775.00	96.91	-----	-----	83.83	34.68	10.40	32.00	0.00	107	114 AVERAGE																																																																																																							



Mode	87																																																																																	
	Band Edge - R																																																																																	
	U-NII-3_5.725-5.85_802.11be EHT80_CH155_Puncturing 20M 1_5775MHz																																																																																	
ANT	5+4																																																																																	
Pol.	Horizontal	Fundamental																																																																																
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5854.98</td> <td>72.61</td> <td>110.96</td> <td>-38.35</td> <td>59.41</td> <td>34.91</td> <td>10.45</td> <td>32.16</td> <td>0.00</td> <td>107</td> <td>114</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5857.08</td> <td>74.28</td> <td>110.32</td> <td>-36.04</td> <td>61.07</td> <td>34.91</td> <td>10.46</td> <td>32.16</td> <td>0.00</td> <td>107</td> <td>114</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5923.05</td> <td>54.84</td> <td>69.64</td> <td>-14.80</td> <td>41.40</td> <td>35.09</td> <td>10.51</td> <td>32.16</td> <td>0.00</td> <td>107</td> <td>114</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5936.00</td> <td>54.97</td> <td>68.20</td> <td>-13.23</td> <td>41.46</td> <td>35.14</td> <td>10.53</td> <td>32.16</td> <td>0.00</td> <td>107</td> <td>114</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.98	72.61	110.96	-38.35	59.41	34.91	10.45	32.16	0.00	107	114	PEAK	2	5857.08	74.28	110.32	-36.04	61.07	34.91	10.46	32.16	0.00	107	114	PEAK	3	5923.05	54.84	69.64	-14.80	41.40	35.09	10.51	32.16	0.00	107	114	PEAK	4	5936.00	54.97	68.20	-13.23	41.46	35.14	10.53	32.16	0.00	107	114	PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	5854.98	72.61	110.96	-38.35	59.41	34.91	10.45	32.16	0.00	107	114	PEAK																																																																						
2	5857.08	74.28	110.32	-36.04	61.07	34.91	10.46	32.16	0.00	107	114	PEAK																																																																						
3	5923.05	54.84	69.64	-14.80	41.40	35.09	10.51	32.16	0.00	107	114	PEAK																																																																						
4	5936.00	54.97	68.20	-13.23	41.46	35.14	10.53	32.16	0.00	107	114	PEAK																																																																						






Mode	87																																																																																																																
	Band Edge - L																																																																																																																
	U-NII-3_5.725-5.85_802.11be EHT80_CH155_Puncturing 20M 1_5775MHz																																																																																																																
ANT	5+4																																																																																																																
Pol.	Vertical	Fundamental																																																																																																															
Peak	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5640.25</td> <td>55.70</td> <td>68.20</td> <td>-12.50</td> <td>42.43</td> <td>34.62</td> <td>10.28</td> <td>31.63</td> <td>0.00</td> <td>100</td> <td>205 PEAK</td> </tr> <tr> <td>2 5650.23</td> <td>53.14</td> <td>68.37</td> <td>-15.23</td> <td>39.92</td> <td>34.60</td> <td>10.28</td> <td>31.66</td> <td>0.00</td> <td>100</td> <td>205 PEAK</td> </tr> <tr> <td>3 5705.18</td> <td>70.68</td> <td>106.75</td> <td>-36.07</td> <td>57.45</td> <td>34.69</td> <td>10.33</td> <td>31.79</td> <td>0.00</td> <td>100</td> <td>205 PEAK</td> </tr> <tr> <td>4 5721.63</td> <td>71.84</td> <td>114.61</td> <td>-42.77</td> <td>58.67</td> <td>34.66</td> <td>10.34</td> <td>31.83</td> <td>0.00</td> <td>100</td> <td>205 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5640.25	55.70	68.20	-12.50	42.43	34.62	10.28	31.63	0.00	100	205 PEAK	2 5650.23	53.14	68.37	-15.23	39.92	34.60	10.28	31.66	0.00	100	205 PEAK	3 5705.18	70.68	106.75	-36.07	57.45	34.69	10.33	31.79	0.00	100	205 PEAK	4 5721.63	71.84	114.61	-42.77	58.67	34.66	10.34	31.83	0.00	100	205 PEAK	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5775.00</td> <td>105.80</td> <td>-----</td> <td>-----</td> <td>92.71</td> <td>34.72</td> <td>10.41</td> <td>32.04</td> <td>0.00</td> <td>100</td> <td>205 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5775.00	105.80	-----	-----	92.71	34.72	10.41	32.04	0.00	100	205 PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																								
1 5640.25	55.70	68.20	-12.50	42.43	34.62	10.28	31.63	0.00	100	205 PEAK																																																																																																							
2 5650.23	53.14	68.37	-15.23	39.92	34.60	10.28	31.66	0.00	100	205 PEAK																																																																																																							
3 5705.18	70.68	106.75	-36.07	57.45	34.69	10.33	31.79	0.00	100	205 PEAK																																																																																																							
4 5721.63	71.84	114.61	-42.77	58.67	34.66	10.34	31.83	0.00	100	205 PEAK																																																																																																							
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																								
1 5775.00	105.80	-----	-----	92.71	34.72	10.41	32.04	0.00	100	205 PEAK																																																																																																							
Avg	Blank	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5775.00</td> <td>94.30</td> <td>-----</td> <td>-----</td> <td>81.22</td> <td>34.60</td> <td>10.40</td> <td>32.00</td> <td>0.00</td> <td>100</td> <td>205 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5775.00	94.30	-----	-----	81.22	34.60	10.40	32.00	0.00	100	205 AVERAGE																																																																							
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																							
1 5775.00	94.30	-----	-----	81.22	34.60	10.40	32.00	0.00	100	205 AVERAGE																																																																																																							



Mode	87																																																																																	
	Band Edge - R																																																																																	
	U-NII-3_5.725-5.85_802.11be EHT80_CH155_Puncturing 20M 1_5775MHz																																																																																	
ANT	5+4																																																																																	
Pol.	Vertical	Fundamental																																																																																
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5852.00</td> <td>69.95</td> <td>117.74</td> <td>-47.79</td> <td>56.75</td> <td>34.90</td> <td>10.45</td> <td>32.15</td> <td>0.00</td> <td>100</td> <td>205</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5863.38</td> <td>67.15</td> <td>108.55</td> <td>-41.40</td> <td>53.92</td> <td>34.93</td> <td>10.46</td> <td>32.16</td> <td>0.00</td> <td>100</td> <td>205</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5924.10</td> <td>54.45</td> <td>68.86</td> <td>-14.41</td> <td>41.00</td> <td>35.10</td> <td>10.51</td> <td>32.16</td> <td>0.00</td> <td>100</td> <td>205</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5931.10</td> <td>54.70</td> <td>68.20</td> <td>-13.50</td> <td>41.22</td> <td>35.12</td> <td>10.52</td> <td>32.16</td> <td>0.00</td> <td>100</td> <td>205</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5852.00	69.95	117.74	-47.79	56.75	34.90	10.45	32.15	0.00	100	205	PEAK	2	5863.38	67.15	108.55	-41.40	53.92	34.93	10.46	32.16	0.00	100	205	PEAK	3	5924.10	54.45	68.86	-14.41	41.00	35.10	10.51	32.16	0.00	100	205	PEAK	4	5931.10	54.70	68.20	-13.50	41.22	35.12	10.52	32.16	0.00	100	205	PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	5852.00	69.95	117.74	-47.79	56.75	34.90	10.45	32.15	0.00	100	205	PEAK																																																																						
2	5863.38	67.15	108.55	-41.40	53.92	34.93	10.46	32.16	0.00	100	205	PEAK																																																																						
3	5924.10	54.45	68.86	-14.41	41.00	35.10	10.51	32.16	0.00	100	205	PEAK																																																																						
4	5931.10	54.70	68.20	-13.50	41.22	35.12	10.52	32.16	0.00	100	205	PEAK																																																																						






Mode	88																																																																																																										
	Band Edge - L																																																																																																										
	U-NII-3_5.725-5.85_802.11be EHT80_CH155_Puncturing 20M 8_5775MHz																																																																																																										
ANT	5+4																																																																																																										
Pol.	Horizontal	Fundamental																																																																																																									
Peak	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5649.18</td> <td>59.56</td> <td>68.20</td> <td>-8.64</td> <td>46.33</td> <td>34.60</td> <td>10.28</td> <td>31.65</td> <td>0.00</td> <td>100</td> <td>119</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5651.80</td> <td>57.72</td> <td>69.54</td> <td>-11.82</td> <td>44.49</td> <td>34.60</td> <td>10.29</td> <td>31.66</td> <td>0.00</td> <td>100</td> <td>119</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5788.15</td> <td>78.33</td> <td>107.58</td> <td>-29.25</td> <td>65.12</td> <td>34.68</td> <td>10.33</td> <td>31.80</td> <td>0.00</td> <td>100</td> <td>119</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5728.75</td> <td>74.01</td> <td>112.61</td> <td>-38.60</td> <td>60.84</td> <td>34.66</td> <td>10.34</td> <td>31.83</td> <td>0.00</td> <td>100</td> <td>119</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	1	5649.18	59.56	68.20	-8.64	46.33	34.60	10.28	31.65	0.00	100	119	PEAK	2	5651.80	57.72	69.54	-11.82	44.49	34.60	10.29	31.66	0.00	100	119	PEAK	3	5788.15	78.33	107.58	-29.25	65.12	34.68	10.33	31.80	0.00	100	119	PEAK	4	5728.75	74.01	112.61	-38.60	60.84	34.66	10.34	31.83	0.00	100	119	PEAK	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5775.00</td> <td>106.69</td> <td>-----</td> <td>-----</td> <td>93.63</td> <td>34.60</td> <td>10.37</td> <td>31.91</td> <td>0.00</td> <td>100</td> <td>119</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	1	5775.00	106.69	-----	-----	93.63	34.60	10.37	31.91	0.00	100	119	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																																	
1	5649.18	59.56	68.20	-8.64	46.33	34.60	10.28	31.65	0.00	100	119	PEAK																																																																																															
2	5651.80	57.72	69.54	-11.82	44.49	34.60	10.29	31.66	0.00	100	119	PEAK																																																																																															
3	5788.15	78.33	107.58	-29.25	65.12	34.68	10.33	31.80	0.00	100	119	PEAK																																																																																															
4	5728.75	74.01	112.61	-38.60	60.84	34.66	10.34	31.83	0.00	100	119	PEAK																																																																																															
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																																	
1	5775.00	106.69	-----	-----	93.63	34.60	10.37	31.91	0.00	100	119	PEAK																																																																																															
Avg	Blank	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5775.00</td> <td>97.22</td> <td>-----</td> <td>-----</td> <td>84.16</td> <td>34.60</td> <td>10.37</td> <td>31.91</td> <td>0.00</td> <td>100</td> <td>119</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	1	5775.00	97.22	-----	-----	84.16	34.60	10.37	31.91	0.00	100	119	AVERAGE																																																																								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																																	
1	5775.00	97.22	-----	-----	84.16	34.60	10.37	31.91	0.00	100	119	AVERAGE																																																																																															



Mode	88																																																																									
	Band Edge - R																																																																									
	U-NII-3_5.725-5.85_802.11be EHT80_CH155_Puncturing 20M 8_5775MHz																																																																									
ANT	5+4																																																																									
Pol.	Horizontal	Fundamental																																																																								
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5854.98</td> <td>57.97</td> <td>110.96</td> <td>-52.99</td> <td>44.77</td> <td>34.91</td> <td>10.45</td> <td>32.16</td> <td>0.00</td> <td>100</td> <td>119</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5871.78</td> <td>57.99</td> <td>106.20</td> <td>-48.21</td> <td>44.74</td> <td>34.94</td> <td>10.47</td> <td>32.16</td> <td>0.00</td> <td>100</td> <td>119</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5924.98</td> <td>53.92</td> <td>68.22</td> <td>-14.30</td> <td>40.46</td> <td>35.10</td> <td>10.52</td> <td>32.16</td> <td>0.00</td> <td>100</td> <td>119</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5931.80</td> <td>56.23</td> <td>68.20</td> <td>-11.97</td> <td>42.74</td> <td>35.13</td> <td>10.52</td> <td>32.16</td> <td>0.00</td> <td>100</td> <td>119</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	1	5854.98	57.97	110.96	-52.99	44.77	34.91	10.45	32.16	0.00	100	119	PEAK	2	5871.78	57.99	106.20	-48.21	44.74	34.94	10.47	32.16	0.00	100	119	PEAK	3	5924.98	53.92	68.22	-14.30	40.46	35.10	10.52	32.16	0.00	100	119	PEAK	4	5931.80	56.23	68.20	-11.97	42.74	35.13	10.52	32.16	0.00	100	119	PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																
1	5854.98	57.97	110.96	-52.99	44.77	34.91	10.45	32.16	0.00	100	119	PEAK																																																														
2	5871.78	57.99	106.20	-48.21	44.74	34.94	10.47	32.16	0.00	100	119	PEAK																																																														
3	5924.98	53.92	68.22	-14.30	40.46	35.10	10.52	32.16	0.00	100	119	PEAK																																																														
4	5931.80	56.23	68.20	-11.97	42.74	35.13	10.52	32.16	0.00	100	119	PEAK																																																														



Mode	88																																																																																																																					
	Band Edge - L																																																																																																																					
	U-NII-3_5.725-5.85_802.11be EHT80_CH155_Puncturing 20M 8_5775MHz																																																																																																																					
ANT	5+4																																																																																																																					
Pol.	Vertical	Fundamental																																																																																																																				
Peak	 <table border="1" data-bbox="263 1075 790 1254"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5646.90</td> <td>55.24</td> <td>68.20</td> <td>-12.96</td> <td>42.00</td> <td>34.61</td> <td>10.28</td> <td>31.65</td> <td>0.00</td> <td>113</td> <td>208</td> <td>PEAK</td> </tr> <tr> <td>2 5650.40</td> <td>53.67</td> <td>68.50</td> <td>-14.83</td> <td>40.45</td> <td>34.60</td> <td>10.28</td> <td>31.66</td> <td>0.00</td> <td>113</td> <td>208</td> <td>PEAK</td> </tr> <tr> <td>3 5710.95</td> <td>74.56</td> <td>108.37</td> <td>-33.81</td> <td>61.36</td> <td>34.68</td> <td>10.33</td> <td>31.81</td> <td>0.00</td> <td>113</td> <td>208</td> <td>PEAK</td> </tr> <tr> <td>4 5721.63</td> <td>74.36</td> <td>114.61</td> <td>-40.25</td> <td>61.19</td> <td>34.66</td> <td>10.34</td> <td>31.83</td> <td>0.00</td> <td>113</td> <td>208</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5646.90	55.24	68.20	-12.96	42.00	34.61	10.28	31.65	0.00	113	208	PEAK	2 5650.40	53.67	68.50	-14.83	40.45	34.60	10.28	31.66	0.00	113	208	PEAK	3 5710.95	74.56	108.37	-33.81	61.36	34.68	10.33	31.81	0.00	113	208	PEAK	4 5721.63	74.36	114.61	-40.25	61.19	34.66	10.34	31.83	0.00	113	208	PEAK	 <table border="1" data-bbox="904 1120 1431 1254"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5775.00</td> <td>104.20</td> <td>-----</td> <td>-----</td> <td>91.12</td> <td>34.61</td> <td>10.36</td> <td>31.89</td> <td>0.00</td> <td>113</td> <td>208</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5775.00	104.20	-----	-----	91.12	34.61	10.36	31.89	0.00	113	208	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																													
1 5646.90	55.24	68.20	-12.96	42.00	34.61	10.28	31.65	0.00	113	208	PEAK																																																																																																											
2 5650.40	53.67	68.50	-14.83	40.45	34.60	10.28	31.66	0.00	113	208	PEAK																																																																																																											
3 5710.95	74.56	108.37	-33.81	61.36	34.68	10.33	31.81	0.00	113	208	PEAK																																																																																																											
4 5721.63	74.36	114.61	-40.25	61.19	34.66	10.34	31.83	0.00	113	208	PEAK																																																																																																											
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																													
1 5775.00	104.20	-----	-----	91.12	34.61	10.36	31.89	0.00	113	208	PEAK																																																																																																											
Avg	Blank																																																																																																																					
		 <table border="1" data-bbox="904 1792 1431 1926"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5775.00</td> <td>94.59</td> <td>-----</td> <td>-----</td> <td>81.51</td> <td>34.61</td> <td>10.36</td> <td>31.89</td> <td>0.00</td> <td>113</td> <td>208</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5775.00	94.59	-----	-----	81.51	34.61	10.36	31.89	0.00	113	208	AVERAGE																																																																												
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																													
1 5775.00	94.59	-----	-----	81.51	34.61	10.36	31.89	0.00	113	208	AVERAGE																																																																																																											



Mode	88																																																																																	
	Band Edge - R																																																																																	
	U-NII-3_5.725-5.85_802.11be EHT80_CH155_Puncturing 20M 8_5775MHz																																																																																	
ANT	5+4																																																																																	
Pol.	Vertical	Fundamental																																																																																
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5854.98</td> <td>54.00</td> <td>110.96</td> <td>-56.96</td> <td>40.80</td> <td>34.91</td> <td>10.45</td> <td>32.16</td> <td>0.00</td> <td>113</td> <td>208</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5869.33</td> <td>57.03</td> <td>106.89</td> <td>-49.86</td> <td>43.78</td> <td>34.94</td> <td>10.47</td> <td>32.16</td> <td>0.00</td> <td>113</td> <td>208</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5923.58</td> <td>54.58</td> <td>69.25</td> <td>-14.67</td> <td>41.14</td> <td>35.09</td> <td>10.51</td> <td>32.16</td> <td>0.00</td> <td>113</td> <td>208</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5946.68</td> <td>55.50</td> <td>68.20</td> <td>-12.70</td> <td>41.95</td> <td>35.19</td> <td>10.53</td> <td>32.17</td> <td>0.00</td> <td>113</td> <td>208</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.98	54.00	110.96	-56.96	40.80	34.91	10.45	32.16	0.00	113	208	PEAK	2	5869.33	57.03	106.89	-49.86	43.78	34.94	10.47	32.16	0.00	113	208	PEAK	3	5923.58	54.58	69.25	-14.67	41.14	35.09	10.51	32.16	0.00	113	208	PEAK	4	5946.68	55.50	68.20	-12.70	41.95	35.19	10.53	32.17	0.00	113	208	PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	5854.98	54.00	110.96	-56.96	40.80	34.91	10.45	32.16	0.00	113	208	PEAK																																																																						
2	5869.33	57.03	106.89	-49.86	43.78	34.94	10.47	32.16	0.00	113	208	PEAK																																																																						
3	5923.58	54.58	69.25	-14.67	41.14	35.09	10.51	32.16	0.00	113	208	PEAK																																																																						
4	5946.68	55.50	68.20	-12.70	41.95	35.19	10.53	32.17	0.00	113	208	PEAK																																																																						






Mode	97																																																																																																										
	Band Edge - L																																																																																																										
	U-NII-3_5.725-5.85_802.11be EHT80_CH155_Large RU 484+242 4_5775MHz																																																																																																										
ANT	5+4																																																																																																										
Pol.	Horizontal	Fundamental																																																																																																									
Peak	<table border="1" data-bbox="272 1077 775 1256"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5644.10</td> <td>57.52</td> <td>68.20</td> <td>-10.68</td> <td>44.27</td> <td>34.61</td> <td>10.28</td> <td>31.64</td> <td>0.00</td> <td>101</td> <td>116</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5653.55</td> <td>59.65</td> <td>70.84</td> <td>-11.19</td> <td>46.41</td> <td>34.61</td> <td>10.29</td> <td>31.66</td> <td>0.00</td> <td>101</td> <td>116</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5708.68</td> <td>72.32</td> <td>107.73</td> <td>-35.41</td> <td>59.11</td> <td>34.68</td> <td>10.33</td> <td>31.80</td> <td>0.00</td> <td>101</td> <td>116</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5728.40</td> <td>65.29</td> <td>111.81</td> <td>-46.52</td> <td>52.12</td> <td>34.66</td> <td>10.34</td> <td>31.83</td> <td>0.00</td> <td>101</td> <td>116</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	1	5644.10	57.52	68.20	-10.68	44.27	34.61	10.28	31.64	0.00	101	116	PEAK	2	5653.55	59.65	70.84	-11.19	46.41	34.61	10.29	31.66	0.00	101	116	PEAK	3	5708.68	72.32	107.73	-35.41	59.11	34.68	10.33	31.80	0.00	101	116	PEAK	4	5728.40	65.29	111.81	-46.52	52.12	34.66	10.34	31.83	0.00	101	116	PEAK	<table border="1" data-bbox="911 1133 1414 1256"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5775.00</td> <td>106.44</td> <td>-----</td> <td>-----</td> <td>93.37</td> <td>34.64</td> <td>10.38</td> <td>31.95</td> <td>0.00</td> <td>101</td> <td>116</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	1	5775.00	106.44	-----	-----	93.37	34.64	10.38	31.95	0.00	101	116	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																																	
1	5644.10	57.52	68.20	-10.68	44.27	34.61	10.28	31.64	0.00	101	116	PEAK																																																																																															
2	5653.55	59.65	70.84	-11.19	46.41	34.61	10.29	31.66	0.00	101	116	PEAK																																																																																															
3	5708.68	72.32	107.73	-35.41	59.11	34.68	10.33	31.80	0.00	101	116	PEAK																																																																																															
4	5728.40	65.29	111.81	-46.52	52.12	34.66	10.34	31.83	0.00	101	116	PEAK																																																																																															
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																																	
1	5775.00	106.44	-----	-----	93.37	34.64	10.38	31.95	0.00	101	116	PEAK																																																																																															
Avg	Blank																																																																																																										
		<table border="1" data-bbox="911 1805 1414 1928"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5775.00</td> <td>95.49</td> <td>-----</td> <td>-----</td> <td>82.42</td> <td>34.64</td> <td>10.38</td> <td>31.95</td> <td>0.00</td> <td>101</td> <td>116</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	1	5775.00	95.49	-----	-----	82.42	34.64	10.38	31.95	0.00	101	116	AVERAGE																																																																								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																																	
1	5775.00	95.49	-----	-----	82.42	34.64	10.38	31.95	0.00	101	116	AVERAGE																																																																																															



Mode	97																																																																																	
	Band Edge - R																																																																																	
	U-NII-3_5.725-5.85_802.11be EHT80_CH155_Large RU 484+242 4_5775MHz																																																																																	
ANT	5+4																																																																																	
Pol.	Horizontal	Fundamental																																																																																
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5854.98</td> <td>56.09</td> <td>110.96</td> <td>-54.87</td> <td>42.89</td> <td>34.91</td> <td>10.45</td> <td>32.16</td> <td>0.00</td> <td>101</td> <td>116</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5874.23</td> <td>57.82</td> <td>105.52</td> <td>-47.70</td> <td>44.56</td> <td>34.95</td> <td>10.47</td> <td>32.16</td> <td>0.00</td> <td>101</td> <td>116</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5924.63</td> <td>53.83</td> <td>68.48</td> <td>-14.65</td> <td>40.37</td> <td>35.10</td> <td>10.52</td> <td>32.16</td> <td>0.00</td> <td>101</td> <td>116</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5926.03</td> <td>56.17</td> <td>68.20</td> <td>-12.03</td> <td>42.71</td> <td>35.10</td> <td>10.52</td> <td>32.16</td> <td>0.00</td> <td>101</td> <td>116</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.98	56.09	110.96	-54.87	42.89	34.91	10.45	32.16	0.00	101	116	PEAK	2	5874.23	57.82	105.52	-47.70	44.56	34.95	10.47	32.16	0.00	101	116	PEAK	3	5924.63	53.83	68.48	-14.65	40.37	35.10	10.52	32.16	0.00	101	116	PEAK	4	5926.03	56.17	68.20	-12.03	42.71	35.10	10.52	32.16	0.00	101	116	PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	5854.98	56.09	110.96	-54.87	42.89	34.91	10.45	32.16	0.00	101	116	PEAK																																																																						
2	5874.23	57.82	105.52	-47.70	44.56	34.95	10.47	32.16	0.00	101	116	PEAK																																																																						
3	5924.63	53.83	68.48	-14.65	40.37	35.10	10.52	32.16	0.00	101	116	PEAK																																																																						
4	5926.03	56.17	68.20	-12.03	42.71	35.10	10.52	32.16	0.00	101	116	PEAK																																																																						



Mode	97																																																																																																																						
	Band Edge - L																																																																																																																						
	U-NII-3_5.725-5.85_802.11be EHT80_CH155_Large RU 484+242 4_5775MHz																																																																																																																						
ANT	5+4																																																																																																																						
Pol.	Vertical	Fundamental																																																																																																																					
Peak	 <table border="1" data-bbox="263 1075 774 1254"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5635.53</td> <td>54.24</td> <td>68.20</td> <td>-13.96</td> <td>40.97</td> <td>34.63</td> <td>10.27</td> <td>31.63</td> <td>0.00</td> <td>100</td> <td>89</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5650.58</td> <td>54.02</td> <td>68.63</td> <td>-14.61</td> <td>40.80</td> <td>34.60</td> <td>10.28</td> <td>31.66</td> <td>0.00</td> <td>100</td> <td>89</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5701.33</td> <td>65.34</td> <td>105.67</td> <td>-40.33</td> <td>52.09</td> <td>34.70</td> <td>10.33</td> <td>31.78</td> <td>0.00</td> <td>100</td> <td>89</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5720.58</td> <td>66.56</td> <td>112.21</td> <td>-45.65</td> <td>53.39</td> <td>34.66</td> <td>10.34</td> <td>31.83</td> <td>0.00</td> <td>100</td> <td>89</td> <td>PEAK</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5635.53	54.24	68.20	-13.96	40.97	34.63	10.27	31.63	0.00	100	89	PEAK	2	5650.58	54.02	68.63	-14.61	40.80	34.60	10.28	31.66	0.00	100	89	PEAK	3	5701.33	65.34	105.67	-40.33	52.09	34.70	10.33	31.78	0.00	100	89	PEAK	4	5720.58	66.56	112.21	-45.65	53.39	34.66	10.34	31.83	0.00	100	89	PEAK	 <table border="1" data-bbox="901 1120 1412 1254"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5775.00</td> <td>101.84</td> <td>-----</td> <td>-----</td> <td>88.78</td> <td>34.60</td> <td>10.37</td> <td>31.91</td> <td>0.00</td> <td>100</td> <td>89</td> <td>PEAK</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5775.00	101.84	-----	-----	88.78	34.60	10.37	31.91	0.00	100	89	PEAK
Peak	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																												
1	5635.53	54.24	68.20	-13.96	40.97	34.63	10.27	31.63	0.00	100	89	PEAK																																																																																																											
2	5650.58	54.02	68.63	-14.61	40.80	34.60	10.28	31.66	0.00	100	89	PEAK																																																																																																											
3	5701.33	65.34	105.67	-40.33	52.09	34.70	10.33	31.78	0.00	100	89	PEAK																																																																																																											
4	5720.58	66.56	112.21	-45.65	53.39	34.66	10.34	31.83	0.00	100	89	PEAK																																																																																																											
Peak	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																												
1	5775.00	101.84	-----	-----	88.78	34.60	10.37	31.91	0.00	100	89	PEAK																																																																																																											
Avg	Blank	 <table border="1" data-bbox="901 1803 1412 1937"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5775.00</td> <td>92.71</td> <td>-----</td> <td>-----</td> <td>79.61</td> <td>34.62</td> <td>10.36</td> <td>31.88</td> <td>0.00</td> <td>100</td> <td>89</td> <td>AVERAGE</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5775.00	92.71	-----	-----	79.61	34.62	10.36	31.88	0.00	100	89	AVERAGE																																																																														
Peak	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																												
1	5775.00	92.71	-----	-----	79.61	34.62	10.36	31.88	0.00	100	89	AVERAGE																																																																																																											



Mode	97																																																																									
	Band Edge - R																																																																									
	U-NII-3_5.725-5.85_802.11be EHT80_CH155_Large RU 484+242 4_5775MHz																																																																									
ANT	5+4																																																																									
Pol.	Vertical	Fundamental																																																																								
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5854.63</td> <td>54.83</td> <td>111.75</td> <td>-56.92</td> <td>41.63</td> <td>34.91</td> <td>10.45</td> <td>32.16</td> <td>0.00</td> <td>100</td> <td>89</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5874.93</td> <td>53.88</td> <td>105.32</td> <td>-51.44</td> <td>40.62</td> <td>34.95</td> <td>10.47</td> <td>32.16</td> <td>0.00</td> <td>100</td> <td>89</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5924.80</td> <td>55.21</td> <td>68.35</td> <td>-13.14</td> <td>41.75</td> <td>35.10</td> <td>10.52</td> <td>32.16</td> <td>0.00</td> <td>100</td> <td>89</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5949.30</td> <td>55.45</td> <td>68.20</td> <td>-12.75</td> <td>41.88</td> <td>35.20</td> <td>10.54</td> <td>32.17</td> <td>0.00</td> <td>100</td> <td>89</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	1	5854.63	54.83	111.75	-56.92	41.63	34.91	10.45	32.16	0.00	100	89	PEAK	2	5874.93	53.88	105.32	-51.44	40.62	34.95	10.47	32.16	0.00	100	89	PEAK	3	5924.80	55.21	68.35	-13.14	41.75	35.10	10.52	32.16	0.00	100	89	PEAK	4	5949.30	55.45	68.20	-12.75	41.88	35.20	10.54	32.17	0.00	100	89	PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																
1	5854.63	54.83	111.75	-56.92	41.63	34.91	10.45	32.16	0.00	100	89	PEAK																																																														
2	5874.93	53.88	105.32	-51.44	40.62	34.95	10.47	32.16	0.00	100	89	PEAK																																																														
3	5924.80	55.21	68.35	-13.14	41.75	35.10	10.52	32.16	0.00	100	89	PEAK																																																														
4	5949.30	55.45	68.20	-12.75	41.88	35.20	10.54	32.17	0.00	100	89	PEAK																																																														






Mode	98																																																																																																																						
	Band Edge - L																																																																																																																						
	U-NII-3_5.725-5.85_802.11be EHT80_CH155_Large RU 484+242 2_5775MHz																																																																																																																						
ANT	5+4																																																																																																																						
Pol.	Horizontal	Fundamental																																																																																																																					
Peak	<table border="1" data-bbox="271 1075 766 1254"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5628.18</td> <td>62.22</td> <td>68.20</td> <td>-5.98</td> <td>48.95</td> <td>34.64</td> <td>10.27</td> <td>31.64</td> <td>0.00</td> <td>106</td> <td>116</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5653.03</td> <td>61.17</td> <td>70.45</td> <td>-9.28</td> <td>47.93</td> <td>34.61</td> <td>10.29</td> <td>31.66</td> <td>0.00</td> <td>106</td> <td>116</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5709.90</td> <td>71.22</td> <td>108.07</td> <td>-36.85</td> <td>58.01</td> <td>34.68</td> <td>10.33</td> <td>31.80</td> <td>0.00</td> <td>106</td> <td>116</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5720.40</td> <td>67.35</td> <td>111.81</td> <td>-44.46</td> <td>54.18</td> <td>34.66</td> <td>10.34</td> <td>31.83</td> <td>0.00</td> <td>106</td> <td>116</td> <td>PEAK</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5628.18	62.22	68.20	-5.98	48.95	34.64	10.27	31.64	0.00	106	116	PEAK	2	5653.03	61.17	70.45	-9.28	47.93	34.61	10.29	31.66	0.00	106	116	PEAK	3	5709.90	71.22	108.07	-36.85	58.01	34.68	10.33	31.80	0.00	106	116	PEAK	4	5720.40	67.35	111.81	-44.46	54.18	34.66	10.34	31.83	0.00	106	116	PEAK	<table border="1" data-bbox="909 1075 1404 1254"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5775.00</td> <td>104.38</td> <td>-----</td> <td>-----</td> <td>91.32</td> <td>34.60</td> <td>10.37</td> <td>31.91</td> <td>0.00</td> <td>106</td> <td>116</td> <td>PEAK</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5775.00	104.38	-----	-----	91.32	34.60	10.37	31.91	0.00	106	116	PEAK
Peak	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																												
1	5628.18	62.22	68.20	-5.98	48.95	34.64	10.27	31.64	0.00	106	116	PEAK																																																																																																											
2	5653.03	61.17	70.45	-9.28	47.93	34.61	10.29	31.66	0.00	106	116	PEAK																																																																																																											
3	5709.90	71.22	108.07	-36.85	58.01	34.68	10.33	31.80	0.00	106	116	PEAK																																																																																																											
4	5720.40	67.35	111.81	-44.46	54.18	34.66	10.34	31.83	0.00	106	116	PEAK																																																																																																											
Peak	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																												
1	5775.00	104.38	-----	-----	91.32	34.60	10.37	31.91	0.00	106	116	PEAK																																																																																																											
Avg	Blank																																																																																																																						
		<table border="1" data-bbox="909 1792 1404 1926"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5775.00</td> <td>95.50</td> <td>-----</td> <td>-----</td> <td>82.44</td> <td>34.60</td> <td>10.37</td> <td>31.91</td> <td>0.00</td> <td>106</td> <td>116</td> <td>AVERAGE</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5775.00	95.50	-----	-----	82.44	34.60	10.37	31.91	0.00	106	116	AVERAGE																																																																														
Peak	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																												
1	5775.00	95.50	-----	-----	82.44	34.60	10.37	31.91	0.00	106	116	AVERAGE																																																																																																											



Mode	98																																																																									
	Band Edge - R																																																																									
	U-NII-3_5.725-5.85_802.11be EHT80_CH155_Large RU 484+242 2_5775MHz																																																																									
ANT	5+4																																																																									
Pol.	Horizontal	Fundamental																																																																								
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5854.10</td> <td>68.26</td> <td>112.95</td> <td>-44.69</td> <td>55.06</td> <td>34.91</td> <td>10.45</td> <td>32.16</td> <td>0.00</td> <td>106</td> <td>116</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5870.20</td> <td>68.75</td> <td>106.64</td> <td>-37.89</td> <td>55.50</td> <td>34.94</td> <td>10.47</td> <td>32.16</td> <td>0.00</td> <td>106</td> <td>116</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5924.45</td> <td>56.45</td> <td>68.61</td> <td>-12.16</td> <td>42.99</td> <td>35.10</td> <td>10.52</td> <td>32.16</td> <td>0.00</td> <td>106</td> <td>116</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5926.20</td> <td>56.91</td> <td>68.20</td> <td>-11.29</td> <td>43.45</td> <td>35.10</td> <td>10.52</td> <td>32.16</td> <td>0.00</td> <td>106</td> <td>116</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	1	5854.10	68.26	112.95	-44.69	55.06	34.91	10.45	32.16	0.00	106	116	PEAK	2	5870.20	68.75	106.64	-37.89	55.50	34.94	10.47	32.16	0.00	106	116	PEAK	3	5924.45	56.45	68.61	-12.16	42.99	35.10	10.52	32.16	0.00	106	116	PEAK	4	5926.20	56.91	68.20	-11.29	43.45	35.10	10.52	32.16	0.00	106	116	PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																
1	5854.10	68.26	112.95	-44.69	55.06	34.91	10.45	32.16	0.00	106	116	PEAK																																																														
2	5870.20	68.75	106.64	-37.89	55.50	34.94	10.47	32.16	0.00	106	116	PEAK																																																														
3	5924.45	56.45	68.61	-12.16	42.99	35.10	10.52	32.16	0.00	106	116	PEAK																																																														
4	5926.20	56.91	68.20	-11.29	43.45	35.10	10.52	32.16	0.00	106	116	PEAK																																																														





Mode	98																																																																																																																								
	Band Edge - L																																																																																																																								
	U-NII-3_5.725-5.85_802.11be EHT80_CH155_Large RU 484+242 2_5775MHz																																																																																																																								
ANT	5+4																																																																																																																								
Pol.	Vertical	Fundamental																																																																																																																							
Peak	 <table border="1" data-bbox="263 1075 790 1254"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5625.03</td> <td>58.18</td> <td>68.20</td> <td>-10.02</td> <td>44.91</td> <td>34.65</td> <td>10.26</td> <td>31.64</td> <td>0.00</td> <td>300</td> <td>77</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5650.05</td> <td>54.20</td> <td>68.24</td> <td>-14.04</td> <td>40.97</td> <td>34.60</td> <td>10.28</td> <td>31.65</td> <td>0.00</td> <td>300</td> <td>77</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5701.33</td> <td>64.47</td> <td>105.67</td> <td>-41.20</td> <td>51.22</td> <td>34.70</td> <td>10.33</td> <td>31.78</td> <td>0.00</td> <td>300</td> <td>77</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5720.23</td> <td>65.05</td> <td>111.41</td> <td>-46.36</td> <td>51.88</td> <td>34.66</td> <td>10.34</td> <td>31.83</td> <td>0.00</td> <td>300</td> <td>77</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5625.03	58.18	68.20	-10.02	44.91	34.65	10.26	31.64	0.00	300	77	PEAK	2	5650.05	54.20	68.24	-14.04	40.97	34.60	10.28	31.65	0.00	300	77	PEAK	3	5701.33	64.47	105.67	-41.20	51.22	34.70	10.33	31.78	0.00	300	77	PEAK	4	5720.23	65.05	111.41	-46.36	51.88	34.66	10.34	31.83	0.00	300	77	PEAK	 <table border="1" data-bbox="909 1120 1436 1254"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5775.00</td> <td>103.37</td> <td>-----</td> <td>-----</td> <td>90.27</td> <td>34.62</td> <td>10.36</td> <td>31.88</td> <td>0.00</td> <td>300</td> <td>77</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5775.00	103.37	-----	-----	90.27	34.62	10.36	31.88	0.00	300	77	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																																	
1	5625.03	58.18	68.20	-10.02	44.91	34.65	10.26	31.64	0.00	300	77	PEAK																																																																																																													
2	5650.05	54.20	68.24	-14.04	40.97	34.60	10.28	31.65	0.00	300	77	PEAK																																																																																																													
3	5701.33	64.47	105.67	-41.20	51.22	34.70	10.33	31.78	0.00	300	77	PEAK																																																																																																													
4	5720.23	65.05	111.41	-46.36	51.88	34.66	10.34	31.83	0.00	300	77	PEAK																																																																																																													
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																																	
1	5775.00	103.37	-----	-----	90.27	34.62	10.36	31.88	0.00	300	77	PEAK																																																																																																													
Avg	Blank																																																																																																																								
		 <table border="1" data-bbox="909 1792 1436 1926"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5775.00</td> <td>93.43</td> <td>-----</td> <td>-----</td> <td>80.35</td> <td>34.61</td> <td>10.36</td> <td>31.89</td> <td>0.00</td> <td>300</td> <td>77</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5775.00	93.43	-----	-----	80.35	34.61	10.36	31.89	0.00	300	77	AVERAGE																																																																															
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																																	
1	5775.00	93.43	-----	-----	80.35	34.61	10.36	31.89	0.00	300	77	AVERAGE																																																																																																													





Mode	98																																																																																	
	Band Edge - R																																																																																	
	U-NII-3_5.725-5.85_802.11be EHT80_CH155_Large RU 484+242 2_5775MHz																																																																																	
ANT	5+4																																																																																	
Pol.	Vertical	Fundamental																																																																																
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5854.98</td> <td>58.71</td> <td>110.96</td> <td>-52.25</td> <td>45.51</td> <td>34.91</td> <td>10.45</td> <td>32.16</td> <td>0.00</td> <td>300</td> <td>77</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5866.70</td> <td>66.71</td> <td>107.62</td> <td>-40.91</td> <td>53.48</td> <td>34.93</td> <td>10.46</td> <td>32.16</td> <td>0.00</td> <td>300</td> <td>77</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5923.75</td> <td>55.52</td> <td>69.12</td> <td>-13.60</td> <td>42.07</td> <td>35.10</td> <td>10.51</td> <td>32.16</td> <td>0.00</td> <td>300</td> <td>77</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5927.43</td> <td>56.11</td> <td>68.20</td> <td>-12.09</td> <td>42.64</td> <td>35.11</td> <td>10.52</td> <td>32.16</td> <td>0.00</td> <td>300</td> <td>77</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.98	58.71	110.96	-52.25	45.51	34.91	10.45	32.16	0.00	300	77	PEAK	2	5866.70	66.71	107.62	-40.91	53.48	34.93	10.46	32.16	0.00	300	77	PEAK	3	5923.75	55.52	69.12	-13.60	42.07	35.10	10.51	32.16	0.00	300	77	PEAK	4	5927.43	56.11	68.20	-12.09	42.64	35.11	10.52	32.16	0.00	300	77	PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	5854.98	58.71	110.96	-52.25	45.51	34.91	10.45	32.16	0.00	300	77	PEAK																																																																						
2	5866.70	66.71	107.62	-40.91	53.48	34.93	10.46	32.16	0.00	300	77	PEAK																																																																						
3	5923.75	55.52	69.12	-13.60	42.07	35.10	10.51	32.16	0.00	300	77	PEAK																																																																						
4	5927.43	56.11	68.20	-12.09	42.64	35.11	10.52	32.16	0.00	300	77	PEAK																																																																						



Mode	98	
	18-40G	
	U-NII-3_5.725-5.85_802.11be EHT80_CH155_Large RU 484+242 2_5775MHz	
ANT	5+4	
Pol.	Horizontal	Vertical
Peak	 <p>Horizontal Peak Spectrum Plot: The y-axis is Level (dBuV/m) from 0 to 117. The x-axis is Frequency (MHz) from 18000 to 40000. A blue line shows the spectrum with a noise floor around 43.9 dBuV/m. A red line shows the 5G BAND 4-1M limit at 73.1 dBuV/m. A red dashed line shows the 5G BAND 4(AVG)-1M limit at 58.5 dBuV/m. A -5dB offset is indicated.</p>	 <p>Vertical Peak Spectrum Plot: The y-axis is Level (dBuV/m) from 0 to 117. The x-axis is Frequency (MHz) from 18000 to 40000. A blue line shows the spectrum with a noise floor around 43.9 dBuV/m. A red line shows the 5G BAND 4-1M limit at 73.1 dBuV/m. A red dashed line shows the 5G BAND 4(AVG)-1M limit at 58.5 dBuV/m. A -5dB offset is indicated.</p>



Mode	98																																																																																																																																																																									
	LF																																																																																																																																																																									
	U-NII-3_5.725-5.85_802.11be EHT80_CH155_Large RU 484+242 2_5775MHz																																																																																																																																																																									
ANT	5+4																																																																																																																																																																									
Pol.	Horizontal	Vertical																																																																																																																																																																								
Peak	 <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq (MHz)</th> <th>Level (dBuV/m)</th> <th>Over Limit (dB)</th> <th>Limit (dBuV/m)</th> <th>ReadAntenna Level (dBuV)</th> <th>Antenna Factor (dB/m)</th> <th>Cable Loss (dB)</th> <th>Preamp Loss (dB)</th> <th>A/Pos (cm)</th> <th>T/Pos (deg)</th> <th>Remark</th> </tr> </thead> <tbody> <tr><td>1</td><td>30.00</td><td>22.64</td><td>-17.36</td><td>40.00</td><td>28.69</td><td>25.56</td><td>0.50</td><td>32.11</td><td>---</td><td>---</td><td>Peak</td></tr> <tr><td>2</td><td>96.93</td><td>19.63</td><td>-23.87</td><td>43.50</td><td>34.64</td><td>15.64</td><td>1.42</td><td>32.07</td><td>---</td><td>---</td><td>Peak</td></tr> <tr><td>3</td><td>201.69</td><td>19.06</td><td>-24.44</td><td>43.50</td><td>34.04</td><td>15.12</td><td>2.08</td><td>32.18</td><td>---</td><td>---</td><td>Peak</td></tr> <tr><td>4</td><td>338.46</td><td>18.97</td><td>-27.03</td><td>46.00</td><td>28.33</td><td>20.02</td><td>2.69</td><td>32.07</td><td>---</td><td>---</td><td>Peak</td></tr> <tr><td>5</td><td>534.40</td><td>24.44</td><td>-21.56</td><td>46.00</td><td>29.11</td><td>24.24</td><td>3.36</td><td>32.27</td><td>---</td><td>---</td><td>Peak</td></tr> <tr><td>6</td><td>823.46</td><td>30.04</td><td>-15.96</td><td>46.00</td><td>28.82</td><td>28.78</td><td>4.17</td><td>31.73</td><td>---</td><td>---</td><td>Peak</td></tr> </tbody> </table>	Peak	Freq (MHz)	Level (dBuV/m)	Over Limit (dB)	Limit (dBuV/m)	ReadAntenna Level (dBuV)	Antenna Factor (dB/m)	Cable Loss (dB)	Preamp Loss (dB)	A/Pos (cm)	T/Pos (deg)	Remark	1	30.00	22.64	-17.36	40.00	28.69	25.56	0.50	32.11	---	---	Peak	2	96.93	19.63	-23.87	43.50	34.64	15.64	1.42	32.07	---	---	Peak	3	201.69	19.06	-24.44	43.50	34.04	15.12	2.08	32.18	---	---	Peak	4	338.46	18.97	-27.03	46.00	28.33	20.02	2.69	32.07	---	---	Peak	5	534.40	24.44	-21.56	46.00	29.11	24.24	3.36	32.27	---	---	Peak	6	823.46	30.04	-15.96	46.00	28.82	28.78	4.17	31.73	---	---	Peak	 <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq (MHz)</th> <th>Level (dBuV/m)</th> <th>Over Limit (dB)</th> <th>Limit (dBuV/m)</th> <th>ReadAntenna Level (dBuV)</th> <th>Antenna Factor (dB/m)</th> <th>Cable Loss (dB)</th> <th>Preamp Loss (dB)</th> <th>A/Pos (cm)</th> <th>T/Pos (deg)</th> <th>Remark</th> </tr> </thead> <tbody> <tr><td>1</td><td>47.46</td><td>29.20</td><td>-10.80</td><td>40.00</td><td>44.63</td><td>15.93</td><td>0.74</td><td>32.10</td><td>---</td><td>---</td><td>Peak</td></tr> <tr><td>2</td><td>116.33</td><td>22.18</td><td>-21.32</td><td>43.50</td><td>35.41</td><td>17.26</td><td>1.56</td><td>32.05</td><td>---</td><td>---</td><td>Peak</td></tr> <tr><td>3</td><td>318.09</td><td>19.16</td><td>-26.84</td><td>46.00</td><td>29.08</td><td>19.54</td><td>2.61</td><td>32.07</td><td>---</td><td>---</td><td>Peak</td></tr> <tr><td>4</td><td>626.55</td><td>27.11</td><td>-18.89</td><td>46.00</td><td>29.39</td><td>26.39</td><td>3.05</td><td>32.32</td><td>---</td><td>---</td><td>Peak</td></tr> <tr><td>5</td><td>797.27</td><td>29.45</td><td>-16.55</td><td>46.00</td><td>28.60</td><td>28.66</td><td>4.10</td><td>31.91</td><td>---</td><td>---</td><td>Peak</td></tr> <tr><td>6</td><td>944.71</td><td>31.38</td><td>-14.62</td><td>46.00</td><td>27.13</td><td>30.77</td><td>4.47</td><td>30.99</td><td>---</td><td>---</td><td>Peak</td></tr> </tbody> </table>	Peak	Freq (MHz)	Level (dBuV/m)	Over Limit (dB)	Limit (dBuV/m)	ReadAntenna Level (dBuV)	Antenna Factor (dB/m)	Cable Loss (dB)	Preamp Loss (dB)	A/Pos (cm)	T/Pos (deg)	Remark	1	47.46	29.20	-10.80	40.00	44.63	15.93	0.74	32.10	---	---	Peak	2	116.33	22.18	-21.32	43.50	35.41	17.26	1.56	32.05	---	---	Peak	3	318.09	19.16	-26.84	46.00	29.08	19.54	2.61	32.07	---	---	Peak	4	626.55	27.11	-18.89	46.00	29.39	26.39	3.05	32.32	---	---	Peak	5	797.27	29.45	-16.55	46.00	28.60	28.66	4.10	31.91	---	---	Peak	6	944.71	31.38	-14.62	46.00	27.13	30.77	4.47	30.99	---	---	Peak
Peak	Freq (MHz)	Level (dBuV/m)	Over Limit (dB)	Limit (dBuV/m)	ReadAntenna Level (dBuV)	Antenna Factor (dB/m)	Cable Loss (dB)	Preamp Loss (dB)	A/Pos (cm)	T/Pos (deg)	Remark																																																																																																																																																															
1	30.00	22.64	-17.36	40.00	28.69	25.56	0.50	32.11	---	---	Peak																																																																																																																																																															
2	96.93	19.63	-23.87	43.50	34.64	15.64	1.42	32.07	---	---	Peak																																																																																																																																																															
3	201.69	19.06	-24.44	43.50	34.04	15.12	2.08	32.18	---	---	Peak																																																																																																																																																															
4	338.46	18.97	-27.03	46.00	28.33	20.02	2.69	32.07	---	---	Peak																																																																																																																																																															
5	534.40	24.44	-21.56	46.00	29.11	24.24	3.36	32.27	---	---	Peak																																																																																																																																																															
6	823.46	30.04	-15.96	46.00	28.82	28.78	4.17	31.73	---	---	Peak																																																																																																																																																															
Peak	Freq (MHz)	Level (dBuV/m)	Over Limit (dB)	Limit (dBuV/m)	ReadAntenna Level (dBuV)	Antenna Factor (dB/m)	Cable Loss (dB)	Preamp Loss (dB)	A/Pos (cm)	T/Pos (deg)	Remark																																																																																																																																																															
1	47.46	29.20	-10.80	40.00	44.63	15.93	0.74	32.10	---	---	Peak																																																																																																																																																															
2	116.33	22.18	-21.32	43.50	35.41	17.26	1.56	32.05	---	---	Peak																																																																																																																																																															
3	318.09	19.16	-26.84	46.00	29.08	19.54	2.61	32.07	---	---	Peak																																																																																																																																																															
4	626.55	27.11	-18.89	46.00	29.39	26.39	3.05	32.32	---	---	Peak																																																																																																																																																															
5	797.27	29.45	-16.55	46.00	28.60	28.66	4.10	31.91	---	---	Peak																																																																																																																																																															
6	944.71	31.38	-14.62	46.00	27.13	30.77	4.47	30.99	---	---	Peak																																																																																																																																																															



<Co-location>

Mode	1																																																																																																																																									
	Band Edge																																																																																																																																									
	2400-2483.5_2400-2483.5_Bluetooth-LE_GSKF_CH39_2480MHz																																																																																																																																									
ANT	6																																																																																																																																									
Pol.	Horizontal	Fundamental																																																																																																																																								
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.50</td> <td>64.03</td> <td>74.00</td> <td>-9.97</td> <td>50.76</td> <td>32.77</td> <td>6.73</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>32.23</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>6.00</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>100</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>23</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	2483.50	64.03	74.00	-9.97	50.76	32.77	6.73								32.23								6.00								100								23								PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2480.00</td> <td>103.29</td> <td>-----</td> <td>90.05</td> <td>32.74</td> <td>6.73</td> <td>32.23</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>6.00</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>100</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>23</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	2480.00	103.29	-----	90.05	32.74	6.73	32.23								6.00								100								23								PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																																																			
1	2483.50	64.03	74.00	-9.97	50.76	32.77	6.73																																																																																																																																			
							32.23																																																																																																																																			
							6.00																																																																																																																																			
							100																																																																																																																																			
							23																																																																																																																																			
							PEAK																																																																																																																																			
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																																																			
1	2480.00	103.29	-----	90.05	32.74	6.73	32.23																																																																																																																																			
							6.00																																																																																																																																			
							100																																																																																																																																			
							23																																																																																																																																			
							PEAK																																																																																																																																			
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.50</td> <td>49.11</td> <td>54.00</td> <td>-4.89</td> <td>35.84</td> <td>32.77</td> <td>6.73</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>32.23</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>6.00</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>100</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>23</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	2483.50	49.11	54.00	-4.89	35.84	32.77	6.73								32.23								6.00								100								23								AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2480.00</td> <td>101.19</td> <td>-----</td> <td>87.95</td> <td>32.74</td> <td>6.73</td> <td>32.23</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>6.00</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>100</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>23</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	2480.00	101.19	-----	87.95	32.74	6.73	32.23								6.00								100								23								AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																																																			
1	2483.50	49.11	54.00	-4.89	35.84	32.77	6.73																																																																																																																																			
							32.23																																																																																																																																			
							6.00																																																																																																																																			
							100																																																																																																																																			
							23																																																																																																																																			
							AVERAGE																																																																																																																																			
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																																																			
1	2480.00	101.19	-----	87.95	32.74	6.73	32.23																																																																																																																																			
							6.00																																																																																																																																			
							100																																																																																																																																			
							23																																																																																																																																			
							AVERAGE																																																																																																																																			



	1																																																																																																																	
Mode	Band Edge																																																																																																																	
	2400-2483.5_2400-2483.5_Bluetooth-LE_GSKF_CH39_2480MHz																																																																																																																	
ANT	6																																																																																																																	
Pol.	Vertical	Fundamental																																																																																																																
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 2483.50</td> <td>62.56</td> <td>74.00</td> <td>-11.44</td> <td>49.29</td> <td>32.77</td> <td>6.73</td> <td>32.23</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>6.00</td> <td>374</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>237</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 2483.50	62.56	74.00	-11.44	49.29	32.77	6.73	32.23							6.00	374								237								PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 2480.00</td> <td>100.77</td> <td>-----</td> <td>-----</td> <td>87.53</td> <td>32.74</td> <td>6.73</td> <td>32.23</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>6.00</td> <td>374</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>237</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 2480.00	100.77	-----	-----	87.53	32.74	6.73	32.23							6.00	374								237								PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																											
1 2483.50	62.56	74.00	-11.44	49.29	32.77	6.73	32.23																																																																																																											
						6.00	374																																																																																																											
							237																																																																																																											
							PEAK																																																																																																											
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																											
1 2480.00	100.77	-----	-----	87.53	32.74	6.73	32.23																																																																																																											
						6.00	374																																																																																																											
							237																																																																																																											
							PEAK																																																																																																											
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 2483.62</td> <td>47.25</td> <td>54.00</td> <td>-6.75</td> <td>33.98</td> <td>32.77</td> <td>6.73</td> <td>32.23</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>6.00</td> <td>374</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>237</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 2483.62	47.25	54.00	-6.75	33.98	32.77	6.73	32.23							6.00	374								237								AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 2480.00</td> <td>98.95</td> <td>-----</td> <td>-----</td> <td>85.71</td> <td>32.74</td> <td>6.73</td> <td>32.23</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>6.00</td> <td>374</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>237</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 2480.00	98.95	-----	-----	85.71	32.74	6.73	32.23							6.00	374								237								AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																											
1 2483.62	47.25	54.00	-6.75	33.98	32.77	6.73	32.23																																																																																																											
						6.00	374																																																																																																											
							237																																																																																																											
							AVERAGE																																																																																																											
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																											
1 2480.00	98.95	-----	-----	85.71	32.74	6.73	32.23																																																																																																											
						6.00	374																																																																																																											
							237																																																																																																											
							AVERAGE																																																																																																											



Mode	1																																																																																																											
	Harmonic																																																																																																											
	2400-2483.5_2400-2483.5_Bluetooth-LE_GSKF_CH39_2480MHz																																																																																																											
ANT	6																																																																																																											
Pol.	Horizontal	Vertical																																																																																																										
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4960.00</td> <td>41.91</td> <td>74.00</td> <td>-32.09</td> <td>59.28</td> <td>34.18</td> <td>9.61</td> <td>61.16</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>7440.00</td> <td>45.11</td> <td>74.00</td> <td>-28.89</td> <td>58.66</td> <td>35.70</td> <td>11.77</td> <td>61.02</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	4960.00	41.91	74.00	-32.09	59.28	34.18	9.61	61.16	0.00	---	---	PEAK	2	7440.00	45.11	74.00	-28.89	58.66	35.70	11.77	61.02	0.00	---	---	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4960.00</td> <td>42.21</td> <td>74.00</td> <td>-31.79</td> <td>59.58</td> <td>34.18</td> <td>9.61</td> <td>61.16</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>7440.00</td> <td>44.53</td> <td>74.00</td> <td>-29.47</td> <td>58.08</td> <td>35.70</td> <td>11.77</td> <td>61.02</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	4960.00	42.21	74.00	-31.79	59.58	34.18	9.61	61.16	0.00	---	---	PEAK	2	7440.00	44.53	74.00	-29.47	58.08	35.70	11.77	61.02	0.00	---	---	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																				
1	4960.00	41.91	74.00	-32.09	59.28	34.18	9.61	61.16	0.00	---	---	PEAK																																																																																																
2	7440.00	45.11	74.00	-28.89	58.66	35.70	11.77	61.02	0.00	---	---	PEAK																																																																																																
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																				
1	4960.00	42.21	74.00	-31.79	59.58	34.18	9.61	61.16	0.00	---	---	PEAK																																																																																																
2	7440.00	44.53	74.00	-29.47	58.08	35.70	11.77	61.02	0.00	---	---	PEAK																																																																																																



	2																																																																																														
Mode	Band Edge - L																																																																																														
	U-NII-1_5.15-5.25_802.11be EHT80_CH42_5210MHz																																																																																														
ANT	5+4																																																																																														
Pol.	Horizontal	Fundamental																																																																																													
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5141.52</td> <td>55.61</td> <td>74.00</td> <td>-18.39</td> <td>43.52</td> <td>34.20</td> <td>9.78</td> <td>31.09</td> <td>0.00</td> <td>100</td> <td>24</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5141.52	55.61	74.00	-18.39	43.52	34.20	9.78	31.09	0.00	100	24	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2482.00</td> <td>101.33</td> <td>-----</td> <td>94.07</td> <td>32.76</td> <td>6.73</td> <td>32.23</td> <td>0.00</td> <td>100</td> <td>24</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>5296.00</td> <td>100.45</td> <td>-----</td> <td>87.80</td> <td>34.58</td> <td>9.88</td> <td>31.81</td> <td>0.00</td> <td>100</td> <td>24</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2482.00	101.33	-----	94.07	32.76	6.73	32.23	0.00	100	24	Peak	2	5296.00	100.45	-----	87.80	34.58	9.88	31.81	0.00	100	24	Peak
Limit	Read	Ant	Cable	Aux	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																					
1	5141.52	55.61	74.00	-18.39	43.52	34.20	9.78	31.09	0.00	100	24	PEAK																																																																																			
Limit	Read	Ant	Cable	Aux	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																					
1	2482.00	101.33	-----	94.07	32.76	6.73	32.23	0.00	100	24	Peak																																																																																				
2	5296.00	100.45	-----	87.80	34.58	9.88	31.81	0.00	100	24	Peak																																																																																				
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5137.46</td> <td>42.86</td> <td>54.00</td> <td>-11.14</td> <td>30.78</td> <td>34.20</td> <td>9.78</td> <td>31.90</td> <td>0.00</td> <td>100</td> <td>24</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5137.46	42.86	54.00	-11.14	30.78	34.20	9.78	31.90	0.00	100	24	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2482.00</td> <td>97.24</td> <td>-----</td> <td>89.98</td> <td>32.76</td> <td>6.73</td> <td>32.23</td> <td>0.00</td> <td>100</td> <td>24</td> <td>Average</td> </tr> <tr> <td>2</td> <td>5278.00</td> <td>91.16</td> <td>-----</td> <td>78.60</td> <td>34.51</td> <td>9.87</td> <td>31.82</td> <td>0.00</td> <td>100</td> <td>24</td> <td>Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2482.00	97.24	-----	89.98	32.76	6.73	32.23	0.00	100	24	Average	2	5278.00	91.16	-----	78.60	34.51	9.87	31.82	0.00	100	24	Average
Limit	Read	Ant	Cable	Aux	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																					
1	5137.46	42.86	54.00	-11.14	30.78	34.20	9.78	31.90	0.00	100	24	AVERAGE																																																																																			
Limit	Read	Ant	Cable	Aux	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																					
1	2482.00	97.24	-----	89.98	32.76	6.73	32.23	0.00	100	24	Average																																																																																				
2	5278.00	91.16	-----	78.60	34.51	9.87	31.82	0.00	100	24	Average																																																																																				



Mode	2																																																	
	Band Edge - R																																																	
	U-NII-1_5.15-5.25_802.11be EHT80_CH42_5210MHz																																																	
ANT	5+4																																																	
Pol.	Horizontal	Fundamental																																																
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5352.39</td> <td>59.77</td> <td>74.00</td> <td>-14.23</td> <td>47.13</td> <td>34.51</td> <td>9.91</td> <td>31.78</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>0.00</td> <td>100</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>24 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 5352.39	59.77	74.00	-14.23	47.13	34.51	9.91	31.78							0.00	100								24 PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																											
1 5352.39	59.77	74.00	-14.23	47.13	34.51	9.91	31.78																																											
						0.00	100																																											
							24 PEAK																																											
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5353.41</td> <td>50.68</td> <td>54.00</td> <td>-3.32</td> <td>38.04</td> <td>34.51</td> <td>9.91</td> <td>31.78</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>0.00</td> <td>100</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>24 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 5353.41	50.68	54.00	-3.32	38.04	34.51	9.91	31.78							0.00	100								24 AVERAGE	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																											
1 5353.41	50.68	54.00	-3.32	38.04	34.51	9.91	31.78																																											
						0.00	100																																											
							24 AVERAGE																																											



Mode	2																																																																																																																						
	Band Edge - L																																																																																																																						
	U-NII-1_5.15-5.25_802.11be EHT80_CH42_5210MHz																																																																																																																						
ANT	5+4																																																																																																																						
Pol.	Vertical	Fundamental																																																																																																																					
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5078.76</td> <td>54.22</td> <td>74.00</td> <td>-19.78</td> <td>42.23</td> <td>34.20</td> <td>9.72</td> <td>31.93</td> <td>0.00</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>256 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 5078.76	54.22	74.00	-19.78	42.23	34.20	9.72	31.93	0.00									256 PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 2482.00</td> <td>94.56</td> <td>-----</td> <td>-----</td> <td>87.30</td> <td>32.76</td> <td>6.73</td> <td>32.23</td> <td>0.00</td> </tr> <tr> <td>2 5290.00</td> <td>97.62</td> <td>-----</td> <td>-----</td> <td>85.15</td> <td>34.44</td> <td>9.86</td> <td>31.83</td> <td>0.00</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>100</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>256 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 2482.00	94.56	-----	-----	87.30	32.76	6.73	32.23	0.00	2 5290.00	97.62	-----	-----	85.15	34.44	9.86	31.83	0.00									100									256 PEAK									
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																															
1 5078.76	54.22	74.00	-19.78	42.23	34.20	9.72	31.93	0.00																																																																																																															
								256 PEAK																																																																																																															
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																															
1 2482.00	94.56	-----	-----	87.30	32.76	6.73	32.23	0.00																																																																																																															
2 5290.00	97.62	-----	-----	85.15	34.44	9.86	31.83	0.00																																																																																																															
								100																																																																																																															
								256 PEAK																																																																																																															
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5137.46</td> <td>42.47</td> <td>54.00</td> <td>-11.53</td> <td>30.39</td> <td>34.20</td> <td>9.78</td> <td>31.90</td> <td>0.00</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>100</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>256 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 5137.46	42.47	54.00	-11.53	30.39	34.20	9.78	31.90	0.00									100									256 AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 2482.00</td> <td>90.79</td> <td>-----</td> <td>-----</td> <td>83.53</td> <td>32.76</td> <td>6.73</td> <td>32.23</td> <td>0.00</td> </tr> <tr> <td>2 5278.00</td> <td>87.97</td> <td>-----</td> <td>-----</td> <td>75.41</td> <td>34.51</td> <td>9.87</td> <td>31.82</td> <td>0.00</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>100</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>256 Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 2482.00	90.79	-----	-----	83.53	32.76	6.73	32.23	0.00	2 5278.00	87.97	-----	-----	75.41	34.51	9.87	31.82	0.00									100									256 Average
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																															
1 5137.46	42.47	54.00	-11.53	30.39	34.20	9.78	31.90	0.00																																																																																																															
								100																																																																																																															
								256 AVERAGE																																																																																																															
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																															
1 2482.00	90.79	-----	-----	83.53	32.76	6.73	32.23	0.00																																																																																																															
2 5278.00	87.97	-----	-----	75.41	34.51	9.87	31.82	0.00																																																																																																															
								100																																																																																																															
								256 Average																																																																																																															



Mode	2																																								
	Band Edge - R																																								
	U-NII-1_5.15-5.25_802.11be EHT80_CH42_5210MHz																																								
ANT	5+4																																								
Pol.	Vertical	Fundamental																																							
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5356.64</td> <td>58.14</td> <td>74.00</td> <td>-15.86</td> <td>45.47</td> <td>34.53</td> <td>9.92</td> <td>31.78</td> <td>0.00</td> <td>100</td> <td>256 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5356.64	58.14	74.00	-15.86	45.47	34.53	9.92	31.78	0.00	100	256 PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																	
Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																
1 5356.64	58.14	74.00	-15.86	45.47	34.53	9.92	31.78	0.00	100	256 PEAK																															
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5355.96</td> <td>47.11</td> <td>54.00</td> <td>-6.89</td> <td>34.46</td> <td>34.52</td> <td>9.91</td> <td>31.78</td> <td>0.00</td> <td>100</td> <td>256 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5355.96	47.11	54.00	-6.89	34.46	34.52	9.91	31.78	0.00	100	256 AVERAGE	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																	
Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																
1 5355.96	47.11	54.00	-6.89	34.46	34.52	9.91	31.78	0.00	100	256 AVERAGE																															



Mode	2																																																																																											
	Harmonic																																																																																											
	U-NII-1_5.15-5.25_802.11be EHT80_CH42_5210MHz																																																																																											
ANT	5+4																																																																																											
Pol.	Horizontal	Vertical																																																																																										
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 10580.00</td> <td>45.90</td> <td>68.20</td> <td>-22.30</td> <td>55.02</td> <td>37.86</td> <td>14.28</td> <td>61.26</td> <td>0.00</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>--- --- PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 10580.00	45.90	68.20	-22.30	55.02	37.86	14.28	61.26	0.00									--- --- PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 10580.00</td> <td>44.71</td> <td>68.20</td> <td>-23.49</td> <td>53.83</td> <td>37.86</td> <td>14.28</td> <td>61.26</td> <td>0.00</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>--- --- PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 10580.00	44.71	68.20	-23.49	53.83	37.86	14.28	61.26	0.00									--- --- PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																				
1 10580.00	45.90	68.20	-22.30	55.02	37.86	14.28	61.26	0.00																																																																																				
								--- --- PEAK																																																																																				
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																				
1 10580.00	44.71	68.20	-23.49	53.83	37.86	14.28	61.26	0.00																																																																																				
								--- --- PEAK																																																																																				



Mode	3																																																																													
	Band Edge - L																																																																													
	2400-2483.5_2400-2483.5_802.11be EHT40_CH6_2462MHz																																																																													
ANT	6+3																																																																													
Pol.	Horizontal	Fundamental																																																																												
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 2389.88</td> <td>61.37</td> <td>74.00</td> <td>-12.63</td> <td>48.89</td> <td>32.06</td> <td>6.60</td> <td>32.18</td> <td>6.00</td> <td>164 142 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 2389.88	61.37	74.00	-12.63	48.89	32.06	6.60	32.18	6.00	164 142 PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 2437.00</td> <td>115.24</td> <td>-----</td> <td>-----</td> <td>102.34</td> <td>32.44</td> <td>6.67</td> <td>32.21</td> <td>6.00</td> <td>164 142 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 2437.00	115.24	-----	-----	102.34	32.44	6.67	32.21	6.00	164 142 PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																					
1 2389.88	61.37	74.00	-12.63	48.89	32.06	6.60	32.18	6.00	164 142 PEAK																																																																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																					
1 2437.00	115.24	-----	-----	102.34	32.44	6.67	32.21	6.00	164 142 PEAK																																																																					
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 2389.88</td> <td>46.35</td> <td>54.00</td> <td>-7.65</td> <td>33.87</td> <td>32.06</td> <td>6.60</td> <td>32.18</td> <td>6.00</td> <td>164 142 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 2389.88	46.35	54.00	-7.65	33.87	32.06	6.60	32.18	6.00	164 142 AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 2437.00</td> <td>104.78</td> <td>-----</td> <td>-----</td> <td>91.75</td> <td>32.55</td> <td>6.70</td> <td>32.22</td> <td>6.00</td> <td>164 142 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 2437.00	104.78	-----	-----	91.75	32.55	6.70	32.22	6.00	164 142 AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																					
1 2389.88	46.35	54.00	-7.65	33.87	32.06	6.60	32.18	6.00	164 142 AVERAGE																																																																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																					
1 2437.00	104.78	-----	-----	91.75	32.55	6.70	32.22	6.00	164 142 AVERAGE																																																																					



Mode	3																																														
	Band Edge - R																																														
	2400-2483.5_2400-2483.5_802.11be EHT40_CH6_2462MHz																																														
ANT	6+3																																														
Pol.	Horizontal	Fundamental																																													
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 2484.25</td> <td>64.93</td> <td>74.00</td> <td>-9.07</td> <td>51.66</td> <td>32.77</td> <td>6.73</td> <td>32.23</td> <td>6.00</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>164 142 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 2484.25	64.93	74.00	-9.07	51.66	32.77	6.73	32.23	6.00									164 142 PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																							
1 2484.25	64.93	74.00	-9.07	51.66	32.77	6.73	32.23	6.00																																							
								164 142 PEAK																																							
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 2483.87</td> <td>50.81</td> <td>54.00</td> <td>-3.19</td> <td>37.54</td> <td>32.77</td> <td>6.73</td> <td>32.23</td> <td>6.00</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>164 142 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 2483.87	50.81	54.00	-3.19	37.54	32.77	6.73	32.23	6.00									164 142 AVERAGE	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																							
1 2483.87	50.81	54.00	-3.19	37.54	32.77	6.73	32.23	6.00																																							
								164 142 AVERAGE																																							



	3																																																																																																	
Mode	Band Edge - L																																																																																																	
	2400-2483.5_2400-2483.5_802.11be EHT40_CH6_2462MHz																																																																																																	
ANT	6+3																																																																																																	
Pol.	Vertical	Fundamental																																																																																																
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 2321.68</td> <td>56.61</td> <td>74.00</td> <td>-17.39</td> <td>44.59</td> <td>31.73</td> <td>6.50</td> <td>32.21</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>6.00</td> <td>337</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>75 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 2321.68	56.61	74.00	-17.39	44.59	31.73	6.50	32.21							6.00	337								75 PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 2437.00</td> <td>113.27</td> <td>-----</td> <td>-----</td> <td>100.24</td> <td>32.55</td> <td>6.70</td> <td>32.22</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>6.00</td> <td>337</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>75 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 2437.00	113.27	-----	-----	100.24	32.55	6.70	32.22							6.00	337								75 PEAK
Limit	Read	Ant	Cable	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																											
1 2321.68	56.61	74.00	-17.39	44.59	31.73	6.50	32.21																																																																																											
						6.00	337																																																																																											
							75 PEAK																																																																																											
Limit	Read	Ant	Cable	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																											
1 2437.00	113.27	-----	-----	100.24	32.55	6.70	32.22																																																																																											
						6.00	337																																																																																											
							75 PEAK																																																																																											
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 2389.88</td> <td>43.97</td> <td>54.00</td> <td>-10.03</td> <td>31.49</td> <td>32.06</td> <td>6.60</td> <td>32.18</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>6.00</td> <td>337</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>75 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 2389.88	43.97	54.00	-10.03	31.49	32.06	6.60	32.18							6.00	337								75 AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 2437.00</td> <td>102.18</td> <td>-----</td> <td>-----</td> <td>89.17</td> <td>32.53</td> <td>6.69</td> <td>32.21</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>6.00</td> <td>337</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>75 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 2437.00	102.18	-----	-----	89.17	32.53	6.69	32.21							6.00	337								75 AVERAGE
Limit	Read	Ant	Cable	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																											
1 2389.88	43.97	54.00	-10.03	31.49	32.06	6.60	32.18																																																																																											
						6.00	337																																																																																											
							75 AVERAGE																																																																																											
Limit	Read	Ant	Cable	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																											
1 2437.00	102.18	-----	-----	89.17	32.53	6.69	32.21																																																																																											
						6.00	337																																																																																											
							75 AVERAGE																																																																																											



Mode	3																																								
	Band Edge - R																																								
	2400-2483.5_2400-2483.5_802.11be EHT40_CH6_2462MHz																																								
ANT	6+3																																								
Pol.	Vertical	Fundamental																																							
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 2484.38</td> <td>62.41</td> <td>74.00</td> <td>-11.59</td> <td>49.13</td> <td>32.78</td> <td>6.73</td> <td>32.23</td> <td>6.00</td> <td>337</td> <td>75 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 2484.38	62.41	74.00	-11.59	49.13	32.78	6.73	32.23	6.00	337	75 PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																
1 2484.38	62.41	74.00	-11.59	49.13	32.78	6.73	32.23	6.00	337	75 PEAK																															
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 2483.56</td> <td>49.24</td> <td>54.00</td> <td>-4.76</td> <td>35.97</td> <td>32.77</td> <td>6.73</td> <td>32.23</td> <td>6.00</td> <td>337</td> <td>75 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 2483.56	49.24	54.00	-4.76	35.97	32.77	6.73	32.23	6.00	337	75 AVERAGE	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																
1 2483.56	49.24	54.00	-4.76	35.97	32.77	6.73	32.23	6.00	337	75 AVERAGE																															



Mode	3																																																																																																																								
	Harmonic																																																																																																																								
	2400-2483.5_2400-2483.5_802.11be EHT40_CH6_2462MHz																																																																																																																								
ANT	6+3																																																																																																																								
Pol.	Horizontal	Vertical																																																																																																																							
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4874.00</td> <td>42.98</td> <td>74.00</td> <td>-31.02</td> <td>60.49</td> <td>34.20</td> <td>9.52</td> <td>61.23</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>7311.00</td> <td>45.44</td> <td>74.00</td> <td>-28.56</td> <td>58.84</td> <td>35.64</td> <td>11.69</td> <td>60.73</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	4874.00	42.98	74.00	-31.02	60.49	34.20	9.52	61.23	0.00	---	---	PEAK	2	7311.00	45.44	74.00	-28.56	58.84	35.64	11.69	60.73	0.00	---	---	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4874.00</td> <td>42.70</td> <td>74.00</td> <td>-31.30</td> <td>60.21</td> <td>34.20</td> <td>9.52</td> <td>61.23</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>7311.00</td> <td>51.38</td> <td>74.00</td> <td>-22.62</td> <td>64.78</td> <td>35.64</td> <td>11.69</td> <td>60.73</td> <td>0.00</td> <td>100</td> <td>58</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>7311.00</td> <td>40.23</td> <td>54.00</td> <td>-13.77</td> <td>53.64</td> <td>35.61</td> <td>11.69</td> <td>60.71</td> <td>0.00</td> <td>100</td> <td>58</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	4874.00	42.70	74.00	-31.30	60.21	34.20	9.52	61.23	0.00	---	---	PEAK	2	7311.00	51.38	74.00	-22.62	64.78	35.64	11.69	60.73	0.00	100	58	PEAK	3	7311.00	40.23	54.00	-13.77	53.64	35.61	11.69	60.71	0.00	100	58	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																																	
1	4874.00	42.98	74.00	-31.02	60.49	34.20	9.52	61.23	0.00	---	---	PEAK																																																																																																													
2	7311.00	45.44	74.00	-28.56	58.84	35.64	11.69	60.73	0.00	---	---	PEAK																																																																																																													
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																																	
1	4874.00	42.70	74.00	-31.30	60.21	34.20	9.52	61.23	0.00	---	---	PEAK																																																																																																													
2	7311.00	51.38	74.00	-22.62	64.78	35.64	11.69	60.73	0.00	100	58	PEAK																																																																																																													
3	7311.00	40.23	54.00	-13.77	53.64	35.61	11.69	60.71	0.00	100	58	AVERAGE																																																																																																													







Mode	4																																																																																																																															
	Band Edge - L																																																																																																																															
	U-NII-2A_5.25-5.35_802.11be EHT80_CH58_Full_5290MHz																																																																																																																															
ANT	5+4																																																																																																																															
Pol.	Horizontal	Fundamental																																																																																																																														
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5021.46</td> <td>55.88</td> <td>74.00</td> <td>-18.12</td> <td>44.03</td> <td>34.14</td> <td>9.67</td> <td>31.96</td> <td>0.00</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>108</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>126</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 5021.46	55.88	74.00	-18.12	44.03	34.14	9.67	31.96	0.00									108									126									PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5290.00</td> <td>101.18</td> <td>-----</td> <td>-----</td> <td>88.56</td> <td>34.56</td> <td>9.88</td> <td>31.82</td> <td>0.00</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>108</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>126</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 5290.00	101.18	-----	-----	88.56	34.56	9.88	31.82	0.00									108									126									PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																																								
1 5021.46	55.88	74.00	-18.12	44.03	34.14	9.67	31.96	0.00																																																																																																																								
								108																																																																																																																								
								126																																																																																																																								
								PEAK																																																																																																																								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																																								
1 5290.00	101.18	-----	-----	88.56	34.56	9.88	31.82	0.00																																																																																																																								
								108																																																																																																																								
								126																																																																																																																								
								PEAK																																																																																																																								
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5147.90</td> <td>44.12</td> <td>54.00</td> <td>-9.88</td> <td>32.03</td> <td>34.20</td> <td>9.78</td> <td>31.09</td> <td>0.00</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>108</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>126</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 5147.90	44.12	54.00	-9.88	32.03	34.20	9.78	31.09	0.00									108									126									AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5290.00</td> <td>92.39</td> <td>-----</td> <td>-----</td> <td>79.77</td> <td>34.56</td> <td>9.88</td> <td>31.82</td> <td>0.00</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>108</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>126</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 5290.00	92.39	-----	-----	79.77	34.56	9.88	31.82	0.00									108									126									AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																																								
1 5147.90	44.12	54.00	-9.88	32.03	34.20	9.78	31.09	0.00																																																																																																																								
								108																																																																																																																								
								126																																																																																																																								
								AVERAGE																																																																																																																								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																																								
1 5290.00	92.39	-----	-----	79.77	34.56	9.88	31.82	0.00																																																																																																																								
								108																																																																																																																								
								126																																																																																																																								
								AVERAGE																																																																																																																								



Mode	4																																																		
	Band Edge - R																																																		
	U-NII-2A_5.25-5.35_802.11be EHT80_CH58_Full_5290MHz																																																		
ANT	5+4																																																		
Pol.	Horizontal	Fundamental																																																	
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5354.77</td> <td>61.74</td> <td>74.00</td> <td>-12.26</td> <td>49.09</td> <td>34.52</td> <td>9.91</td> <td>31.78</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>0.00</td> <td>108</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>126 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 5354.77	61.74	74.00	-12.26	49.09	34.52	9.91	31.78							0.00	108								126 PEAK	Blank	
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																												
1 5354.77	61.74	74.00	-12.26	49.09	34.52	9.91	31.78																																												
						0.00	108																																												
							126 PEAK																																												
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5353.07</td> <td>50.82</td> <td>54.00</td> <td>-3.18</td> <td>38.18</td> <td>34.51</td> <td>9.91</td> <td>31.78</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>0.00</td> <td>108</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>126 AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 5353.07	50.82	54.00	-3.18	38.18	34.51	9.91	31.78							0.00	108								126 AVERAGE	Blank
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																												
1 5353.07	50.82	54.00	-3.18	38.18	34.51	9.91	31.78																																												
						0.00	108																																												
							126 AVERAGE																																												



Mode	4																																																																															
	Band Edge - L																																																																															
	U-NII-2A_5.25-5.35_802.11be EHT80_CH58_Full_5290MHz																																																																															
ANT	5+4																																																																															
Pol.	Vertical	Fundamental																																																																														
Peak	 <p>Level (dBuV/m) vs Frequency (MHz) plot for Vertical polarization. The y-axis ranges from 0 to 130 dBuV/m, and the x-axis ranges from 5000 to 5290 MHz. A red horizontal line indicates the limit at approximately 74 dBuV/m. A blue trace shows the signal level, with a peak at 5082.07 MHz. A red label 'U-NII-1-U-NII-2A-U-NII-2C' is present.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5082.07</td> <td>54.88</td> <td>74.00</td> <td>-19.12</td> <td>42.88</td> <td>34.20</td> <td>9.73</td> <td>31.93</td> <td>0.00</td> <td>300</td> <td>95 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	Apos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5082.07	54.88	74.00	-19.12	42.88	34.20	9.73	31.93	0.00	300	95 PEAK	 <p>Level (dBuV/m) vs Frequency (MHz) plot for Fundamental polarization. The y-axis ranges from 0 to 130 dBuV/m, and the x-axis ranges from 1000 to 7000 MHz. A red horizontal line indicates the limit at approximately 74 dBuV/m. A blue trace shows the signal level, with a peak at 5290.00 MHz. A red label 'U-NII-1-U-NII-2A-U-NII-2C' is present.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5290.00</td> <td>97.52</td> <td>-----</td> <td>-----</td> <td>84.86</td> <td>34.56</td> <td>9.90</td> <td>31.80</td> <td>0.00</td> <td>300</td> <td>95 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	Apos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5290.00	97.52	-----	-----	84.86	34.56	9.90	31.80	0.00	300	95 PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	Apos	TPos	Remark																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1 5082.07	54.88	74.00	-19.12	42.88	34.20	9.73	31.93	0.00	300	95 PEAK																																																																						
Limit	Read	Ant	Cable	Preamp	Aux	Apos	TPos	Remark																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1 5290.00	97.52	-----	-----	84.86	34.56	9.90	31.80	0.00	300	95 PEAK																																																																						
Avg	 <p>Level (dBuV/m) vs Frequency (MHz) plot for Vertical polarization. The y-axis ranges from 0 to 130 dBuV/m, and the x-axis ranges from 5000 to 5290 MHz. A red horizontal line indicates the limit at approximately 54 dBuV/m. A blue trace shows the average signal level, with a peak at 5139.49 MHz. A red label 'U-NII-1-U-NII-2A-U-NII-2C(AVG)' is present.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5139.49</td> <td>42.91</td> <td>54.00</td> <td>-11.09</td> <td>30.83</td> <td>34.20</td> <td>9.78</td> <td>31.90</td> <td>0.00</td> <td>300</td> <td>95 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	Apos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5139.49	42.91	54.00	-11.09	30.83	34.20	9.78	31.90	0.00	300	95 AVERAGE	 <p>Level (dBuV/m) vs Frequency (MHz) plot for Fundamental polarization. The y-axis ranges from 0 to 130 dBuV/m, and the x-axis ranges from 1000 to 7000 MHz. A red horizontal line indicates the limit at approximately 54 dBuV/m. A blue trace shows the average signal level, with a peak at 5290.00 MHz. A red label 'U-NII-1-U-NII-2A-U-NII-2C(AVG)' is present.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5290.00</td> <td>87.93</td> <td>-----</td> <td>-----</td> <td>75.25</td> <td>34.60</td> <td>9.89</td> <td>31.81</td> <td>0.00</td> <td>300</td> <td>95 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	Apos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5290.00	87.93	-----	-----	75.25	34.60	9.89	31.81	0.00	300	95 AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	Apos	TPos	Remark																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1 5139.49	42.91	54.00	-11.09	30.83	34.20	9.78	31.90	0.00	300	95 AVERAGE																																																																						
Limit	Read	Ant	Cable	Preamp	Aux	Apos	TPos	Remark																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1 5290.00	87.93	-----	-----	75.25	34.60	9.89	31.81	0.00	300	95 AVERAGE																																																																						



Mode	4																																		
	Band Edge - R																																		
	U-NII-2A_5.25-5.35_802.11be EHT80_CH58_Full_5290MHz																																		
ANT	5+4																																		
Pol.	Vertical	Fundamental																																	
Peak	<table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5350.86</td> <td>57.53</td> <td>74.00</td> <td>-16.47</td> <td>44.90</td> <td>34.50</td> <td>9.91</td> <td>31.78</td> <td>0.00</td> <td>300</td> <td>95 PEAK</td> </tr> </tbody> </table>	Freq	Level	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5350.86	57.53	74.00	-16.47	44.90	34.50	9.91	31.78	0.00	300	95 PEAK	Blank
Freq	Level	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																									
1 5350.86	57.53	74.00	-16.47	44.90	34.50	9.91	31.78	0.00	300	95 PEAK																									
Avg	<table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5350.81</td> <td>47.78</td> <td>54.00</td> <td>-6.22</td> <td>35.15</td> <td>34.50</td> <td>9.91</td> <td>31.78</td> <td>0.00</td> <td>300</td> <td>95 AVERAGE</td> </tr> </tbody> </table>	Freq	Level	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5350.81	47.78	54.00	-6.22	35.15	34.50	9.91	31.78	0.00	300	95 AVERAGE	Blank
Freq	Level	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																									
1 5350.81	47.78	54.00	-6.22	35.15	34.50	9.91	31.78	0.00	300	95 AVERAGE																									




Mode	4																																																																																					
	Harmonic																																																																																					
	U-NII-2A_5.25-5.35_802.11be EHT80_CH58_Full_5290MHz																																																																																					
ANT	5+4																																																																																					
Pol.	Horizontal	Vertical																																																																																				
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 10580.00</td> <td>44.06</td> <td>68.20</td> <td>-24.14</td> <td>53.18</td> <td>37.86</td> <td>14.28</td> <td>61.26</td> <td>0.00</td> <td>--- --- PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 10580.00	44.06	68.20	-24.14	53.18	37.86	14.28	61.26	0.00	--- --- PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 7300.20</td> <td>47.58</td> <td>74.00</td> <td>-26.42</td> <td>60.99</td> <td>35.60</td> <td>11.69</td> <td>60.70</td> <td>0.00</td> <td>--- --- PEAK</td> </tr> <tr> <td>2 10580.00</td> <td>45.05</td> <td>68.20</td> <td>-23.15</td> <td>54.17</td> <td>37.86</td> <td>14.28</td> <td>61.26</td> <td>0.00</td> <td>--- --- PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 7300.20	47.58	74.00	-26.42	60.99	35.60	11.69	60.70	0.00	--- --- PEAK	2 10580.00	45.05	68.20	-23.15	54.17	37.86	14.28	61.26	0.00	--- --- PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																														
1 10580.00	44.06	68.20	-24.14	53.18	37.86	14.28	61.26	0.00	--- --- PEAK																																																																													
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																														
1 7300.20	47.58	74.00	-26.42	60.99	35.60	11.69	60.70	0.00	--- --- PEAK																																																																													
2 10580.00	45.05	68.20	-23.15	54.17	37.86	14.28	61.26	0.00	--- --- PEAK																																																																													



Appendix D. Duty Cycle Plots


Antenna	Band	Duty Cycle(%)	T(ms)	1/T(kHz)	VBW Setting
5+4	802.11a	99.32	-	-	10Hz
5+4	802.11be EHT20	100	-	-	1KHz
5+4	802.11be EHT40	100	-	-	10Hz
5+4	802.11be EHT80	100	-	-	10Hz
5+4	802.11be EHT160	100	-	-	10Hz

802.11a






802.11be EHT20




802.11be EHT40





802.11be EHT80



802.11be EHT160

