



		36																																																																								
Mode	Band Edge																																																																									
	U-NII-8_6875-7125_802.11ax HE20_CH229_Partial_7095MHz																																																																									
ANT	CDD 5+7																																																																									
Pol.	Vertical	Fundamental																																																																								
Peak	<p style="text-align: right;">Date: 2024-03-13</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7209.38</td> <td>55.33</td> <td>88.20</td> <td>-32.87</td> <td>38.61</td> <td>36.28</td> <td>13.01</td> <td>32.57</td> <td>331</td> <td>251</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>7257.00</td> <td>55.35</td> <td>74.00</td> <td>-18.65</td> <td>38.62</td> <td>36.30</td> <td>13.04</td> <td>32.61</td> <td>331</td> <td>251</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor	dB	cm	deg	1	7209.38	55.33	88.20	-32.87	38.61	36.28	13.01	32.57	331	251	PEAK	2	7257.00	55.35	74.00	-18.65	38.62	36.30	13.04	32.61	331	251	PEAK	<p style="text-align: right;">Date: 2024-03-13</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7095.00</td> <td>103.06</td> <td>-----</td> <td>-----</td> <td>86.65</td> <td>36.24</td> <td>12.65</td> <td>32.48</td> <td>331</td> <td>251</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor	dB	cm	deg	1	7095.00	103.06	-----	-----	86.65	36.24	12.65	32.48	331	251	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																	
Freq	Level	Line	Level	Factor	Loss Factor	dB	cm	deg																																																																		
1	7209.38	55.33	88.20	-32.87	38.61	36.28	13.01	32.57	331	251	PEAK																																																															
2	7257.00	55.35	74.00	-18.65	38.62	36.30	13.04	32.61	331	251	PEAK																																																															
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	Level	Factor	Loss Factor	dB	cm	deg																																																																		
1	7095.00	103.06	-----	-----	86.65	36.24	12.65	32.48	331	251	PEAK																																																															
Avg	<p style="text-align: right;">Date: 2024-03-13</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7143.97</td> <td>44.94</td> <td>68.20</td> <td>-23.26</td> <td>28.40</td> <td>36.26</td> <td>12.80</td> <td>32.52</td> <td>331</td> <td>251</td> <td>AVERAGE</td> </tr> <tr> <td>2</td> <td>7253.44</td> <td>45.00</td> <td>54.00</td> <td>-9.00</td> <td>28.26</td> <td>36.30</td> <td>13.04</td> <td>32.60</td> <td>331</td> <td>251</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor	dB	cm	deg	1	7143.97	44.94	68.20	-23.26	28.40	36.26	12.80	32.52	331	251	AVERAGE	2	7253.44	45.00	54.00	-9.00	28.26	36.30	13.04	32.60	331	251	AVERAGE	<p style="text-align: right;">Date: 2024-03-13</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7095.00</td> <td>93.66</td> <td>-----</td> <td>-----</td> <td>77.25</td> <td>36.24</td> <td>12.65</td> <td>32.48</td> <td>331</td> <td>251</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor	dB	cm	deg	1	7095.00	93.66	-----	-----	77.25	36.24	12.65	32.48	331	251	AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	Level	Factor	Loss Factor	dB	cm	deg																																																																		
1	7143.97	44.94	68.20	-23.26	28.40	36.26	12.80	32.52	331	251	AVERAGE																																																															
2	7253.44	45.00	54.00	-9.00	28.26	36.30	13.04	32.60	331	251	AVERAGE																																																															
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	Level	Factor	Loss Factor	dB	cm	deg																																																																		
1	7095.00	93.66	-----	-----	77.25	36.24	12.65	32.48	331	251	AVERAGE																																																															



Mode	36																																																																						
	Harmonic																																																																						
	U-NII-8_6875-7125_802.11ax HE20_CH229_Partial_7095MHz																																																																						
ANT	CDD 5+7																																																																						
Pol.	Horizontal	Vertical																																																																					
Peak Avg																																																																							
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 14190.00</td> <td>50.83</td> <td>88.20</td> <td>-37.37</td> <td>44.24</td> <td>41.01</td> <td>16.32</td> <td>50.74</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 14190.00	50.83	88.20	-37.37	44.24	41.01	16.32	50.74	--	Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 14190.00</td> <td>51.19</td> <td>88.20</td> <td>-37.01</td> <td>44.60</td> <td>41.01</td> <td>16.32</td> <td>50.74</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 14190.00	51.19	88.20	-37.01	44.60	41.01	16.32	50.74	--
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																															
1 14190.00	50.83	88.20	-37.37	44.24	41.01	16.32	50.74	--	Peak																																																														
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																															
1 14190.00	51.19	88.20	-37.01	44.60	41.01	16.32	50.74	--	Peak																																																														



	37																																																																							
Mode	Harmonic																																																																							
	U-NII-8_6875-7125_802.11ax HE40_CH203_Full_6965MHz																																																																							
ANT	CDD 5+7																																																																							
Pol.	Horizontal	Vertical																																																																						
Peak Avg	<p style="text-align: right;">Date: 2024-03-14</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 13930.00</td> <td>49.88</td> <td>88.20</td> <td>-38.32</td> <td>43.50</td> <td>40.86</td> <td>16.23</td> <td>50.71</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 13930.00	49.88	88.20	-38.32	43.50	40.86	16.23	50.71	--	Peak	<p style="text-align: right;">Date: 2024-03-14</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 13930.00</td> <td>49.14</td> <td>88.20</td> <td>-39.06</td> <td>42.76</td> <td>40.86</td> <td>16.23</td> <td>50.71</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 13930.00	49.14	88.20	-39.06	42.76	40.86	16.23	50.71	--	Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor			Remark																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																
1 13930.00	49.88	88.20	-38.32	43.50	40.86	16.23	50.71	--	Peak																																																															
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																		
Freq	Level	Line Margin	Level Factor	Loss Factor			Remark																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																
1 13930.00	49.14	88.20	-39.06	42.76	40.86	16.23	50.71	--	Peak																																																															



		38																																																																																					
Mode	Band Edge																																																																																						
	U-NII-8_6875-7125_802.11ax HE40_CH227_Full_7085MHz																																																																																						
ANT	CDD 5+7																																																																																						
Pol.	Horizontal	Fundamental																																																																																					
Peak	<p style="text-align: right;">Date: 2024-03-06</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7125.71</td> <td>73.08</td> <td>88.20</td> <td>-15.12</td> <td>56.60</td> <td>36.25</td> <td>12.73</td> <td>32.50</td> <td>100</td> <td>298 PEAK</td> </tr> <tr> <td>2</td> <td>7256.52</td> <td>54.64</td> <td>74.00</td> <td>-19.36</td> <td>37.91</td> <td>36.30</td> <td>13.04</td> <td>32.61</td> <td>100</td> <td>298 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7125.71	73.08	88.20	-15.12	56.60	36.25	12.73	32.50	100	298 PEAK	2	7256.52	54.64	74.00	-19.36	37.91	36.30	13.04	32.61	100	298 PEAK	<p style="text-align: right;">Date: 2024-03-06</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7085.00</td> <td>103.95</td> <td>-----</td> <td>-----</td> <td>87.59</td> <td>36.24</td> <td>12.60</td> <td>32.48</td> <td>100</td> <td>298 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7085.00	103.95	-----	-----	87.59	36.24	12.60	32.48	100	298 PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																														
1	7125.71	73.08	88.20	-15.12	56.60	36.25	12.73	32.50	100	298 PEAK																																																																													
2	7256.52	54.64	74.00	-19.36	37.91	36.30	13.04	32.61	100	298 PEAK																																																																													
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																														
1	7085.00	103.95	-----	-----	87.59	36.24	12.60	32.48	100	298 PEAK																																																																													
Avg	<p style="text-align: right;">Date: 2024-03-06</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7125.14</td> <td>64.32</td> <td>68.20</td> <td>-3.88</td> <td>47.84</td> <td>36.25</td> <td>12.73</td> <td>32.50</td> <td>100</td> <td>298 AVERAGE</td> </tr> <tr> <td>2</td> <td>7292.43</td> <td>45.63</td> <td>54.00</td> <td>-8.37</td> <td>28.88</td> <td>36.32</td> <td>13.07</td> <td>32.64</td> <td>100</td> <td>298 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7125.14	64.32	68.20	-3.88	47.84	36.25	12.73	32.50	100	298 AVERAGE	2	7292.43	45.63	54.00	-8.37	28.88	36.32	13.07	32.64	100	298 AVERAGE	<p style="text-align: right;">Date: 2024-03-06</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7085.00</td> <td>95.69</td> <td>-----</td> <td>-----</td> <td>79.33</td> <td>36.24</td> <td>12.60</td> <td>32.48</td> <td>100</td> <td>298 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7085.00	95.69	-----	-----	79.33	36.24	12.60	32.48	100	298 AVERAGE
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																														
1	7125.14	64.32	68.20	-3.88	47.84	36.25	12.73	32.50	100	298 AVERAGE																																																																													
2	7292.43	45.63	54.00	-8.37	28.88	36.32	13.07	32.64	100	298 AVERAGE																																																																													
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																														
1	7085.00	95.69	-----	-----	79.33	36.24	12.60	32.48	100	298 AVERAGE																																																																													



Mode	38																																																																																					
	Band Edge																																																																																					
	U-NII-8_6875-7125_802.11ax HE40_CH227_Full_7085MHz																																																																																					
ANT	CDD 5+7																																																																																					
Pol.	Vertical	Fundamental																																																																																				
Peak	<p>Date: 2024-03-06</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7125.71</td> <td>72.94</td> <td>88.20</td> <td>-15.26</td> <td>56.46</td> <td>36.25</td> <td>12.73</td> <td>32.50</td> <td>302</td> <td>257</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>7277.90</td> <td>54.55</td> <td>74.00</td> <td>-19.45</td> <td>37.80</td> <td>36.31</td> <td>13.06</td> <td>32.62</td> <td>302</td> <td>257</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	7125.71	72.94	88.20	-15.26	56.46	36.25	12.73	32.50	302	257	PEAK	2	7277.90	54.55	74.00	-19.45	37.80	36.31	13.06	32.62	302	257	PEAK	<p>Date: 2024-03-06</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7085.00</td> <td>104.09</td> <td>-----</td> <td>-----</td> <td>87.77</td> <td>36.23</td> <td>12.56</td> <td>32.47</td> <td>302</td> <td>257</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	7085.00	104.09	-----	-----	87.77	36.23	12.56	32.47	302	257	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																															
1	7125.71	72.94	88.20	-15.26	56.46	36.25	12.73	32.50	302	257	PEAK																																																																											
2	7277.90	54.55	74.00	-19.45	37.80	36.31	13.06	32.62	302	257	PEAK																																																																											
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																															
1	7085.00	104.09	-----	-----	87.77	36.23	12.56	32.47	302	257	PEAK																																																																											
Avg	<p>Date: 2024-03-06</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7125.99</td> <td>63.92</td> <td>68.20</td> <td>-4.28</td> <td>47.44</td> <td>36.25</td> <td>12.73</td> <td>32.50</td> <td>302</td> <td>257</td> <td>AVERAGE</td> </tr> <tr> <td>2</td> <td>7339.17</td> <td>45.65</td> <td>54.00</td> <td>-8.35</td> <td>28.88</td> <td>36.34</td> <td>13.10</td> <td>32.67</td> <td>302</td> <td>257</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	7125.99	63.92	68.20	-4.28	47.44	36.25	12.73	32.50	302	257	AVERAGE	2	7339.17	45.65	54.00	-8.35	28.88	36.34	13.10	32.67	302	257	AVERAGE	<p>Date: 2024-03-06</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7085.00</td> <td>95.92</td> <td>-----</td> <td>-----</td> <td>79.58</td> <td>36.23</td> <td>12.58</td> <td>32.47</td> <td>302</td> <td>257</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	7085.00	95.92	-----	-----	79.58	36.23	12.58	32.47	302	257	AVERAGE
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																															
1	7125.99	63.92	68.20	-4.28	47.44	36.25	12.73	32.50	302	257	AVERAGE																																																																											
2	7339.17	45.65	54.00	-8.35	28.88	36.34	13.10	32.67	302	257	AVERAGE																																																																											
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																															
1	7085.00	95.92	-----	-----	79.58	36.23	12.58	32.47	302	257	AVERAGE																																																																											



Mode	38																																																																
	Harmonic																																																																
	U-NII-8_6875-7125_802.11ax HE40_CH227_Full_7085MHz																																																																
ANT	CDD 5+7																																																																
Pol.	Horizontal	Vertical																																																															
Peak Avg																																																																	
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm deg</th> </tr> </thead> <tbody> <tr> <td>1 14170.00</td> <td>49.64</td> <td>88.20</td> <td>-38.56</td> <td>43.05</td> <td>41.00</td> <td>16.32</td> <td>50.73 -- -- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm deg	1 14170.00	49.64	88.20	-38.56	43.05	41.00	16.32	50.73 -- -- Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm deg</th> </tr> </thead> <tbody> <tr> <td>1 14170.00</td> <td>50.04</td> <td>88.20</td> <td>-38.16</td> <td>43.45</td> <td>41.00</td> <td>16.32</td> <td>50.73 -- -- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm deg	1 14170.00	50.04	88.20	-38.16	43.45	41.00	16.32
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm deg																																																										
1 14170.00	49.64	88.20	-38.56	43.05	41.00	16.32	50.73 -- -- Peak																																																										
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm deg																																																										
1 14170.00	50.04	88.20	-38.16	43.45	41.00	16.32	50.73 -- -- Peak																																																										



Mode	39																																																																						
	Harmonic																																																																						
	U-NII-8_6875-7125_802.11ax HE80_CH199_Full_6945MHz																																																																						
ANT	CDD 5+7																																																																						
Pol.	Horizontal	Vertical																																																																					
Peak Avg																																																																							
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 13890.00</td> <td>50.26</td> <td>88.20</td> <td>-37.94</td> <td>43.96</td> <td>40.83</td> <td>16.19</td> <td>50.72</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 13890.00	50.26	88.20	-37.94	43.96	40.83	16.19	50.72	--	Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 13890.00</td> <td>50.52</td> <td>88.20</td> <td>-37.68</td> <td>44.22</td> <td>40.83</td> <td>16.19</td> <td>50.72</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 13890.00	50.52	88.20	-37.68	44.22	40.83	16.19	50.72	--
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor			Remark																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																															
1 13890.00	50.26	88.20	-37.94	43.96	40.83	16.19	50.72	--	Peak																																																														
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor			Remark																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																															
1 13890.00	50.52	88.20	-37.68	44.22	40.83	16.19	50.72	--	Peak																																																														



Mode	40																																																																																											
	Band Edge																																																																																											
	U-NII-8_6875-7125_802.11ax HE80_CH215_Full_7025MHz																																																																																											
ANT	CDD 5+7																																																																																											
Pol.	Horizontal	Fundamental																																																																																										
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7125.53</td> <td>72.54</td> <td>88.20</td> <td>-15.66</td> <td>56.06</td> <td>36.25</td> <td>12.73</td> <td>32.50</td> <td>102</td> <td>296</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>7331.75</td> <td>54.65</td> <td>74.00</td> <td>-19.35</td> <td>37.90</td> <td>36.33</td> <td>13.09</td> <td>32.67</td> <td>102</td> <td>296</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7125.53	72.54	88.20	-15.66	56.06	36.25	12.73	32.50	102	296	PEAK	2	7331.75	54.65	74.00	-19.35	37.90	36.33	13.09	32.67	102	296	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7025.00</td> <td>101.43</td> <td>-----</td> <td>-----</td> <td>85.32</td> <td>36.20</td> <td>12.32</td> <td>32.41</td> <td>102</td> <td>296</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7025.00	101.43	-----	-----	85.32	36.20	12.32	32.41	102	296	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																					
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	7125.53	72.54	88.20	-15.66	56.06	36.25	12.73	32.50	102	296	PEAK																																																																																	
2	7331.75	54.65	74.00	-19.35	37.90	36.33	13.09	32.67	102	296	PEAK																																																																																	
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																					
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	7025.00	101.43	-----	-----	85.32	36.20	12.32	32.41	102	296	PEAK																																																																																	
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7125.89</td> <td>64.83</td> <td>68.20</td> <td>-3.37</td> <td>48.35</td> <td>36.25</td> <td>12.73</td> <td>32.50</td> <td>102</td> <td>296</td> <td>AVERAGE</td> </tr> <tr> <td>2</td> <td>7256.93</td> <td>47.35</td> <td>54.00</td> <td>-6.65</td> <td>30.62</td> <td>36.30</td> <td>13.04</td> <td>32.61</td> <td>102</td> <td>296</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7125.89	64.83	68.20	-3.37	48.35	36.25	12.73	32.50	102	296	AVERAGE	2	7256.93	47.35	54.00	-6.65	30.62	36.30	13.04	32.61	102	296	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7025.00</td> <td>93.22</td> <td>-----</td> <td>-----</td> <td>77.07</td> <td>36.21</td> <td>12.36</td> <td>32.42</td> <td>102</td> <td>296</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7025.00	93.22	-----	-----	77.07	36.21	12.36	32.42	102	296	AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																					
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	7125.89	64.83	68.20	-3.37	48.35	36.25	12.73	32.50	102	296	AVERAGE																																																																																	
2	7256.93	47.35	54.00	-6.65	30.62	36.30	13.04	32.61	102	296	AVERAGE																																																																																	
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																					
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	7025.00	93.22	-----	-----	77.07	36.21	12.36	32.42	102	296	AVERAGE																																																																																	



		40																																																																																							
Mode	Band Edge																																																																																								
	U-NII-8_6875-7125_802.11ax HE80_CH215_Full_7025MHz																																																																																								
ANT	CDD 5+7																																																																																								
Pol.	Vertical	Fundamental																																																																																							
Peak	<p style="text-align: right;">Date: 2024-03-06</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7127.35</td> <td>71.99</td> <td>88.20</td> <td>-16.21</td> <td>55.51</td> <td>36.25</td> <td>12.74</td> <td>32.51</td> <td>281</td> <td>251 PEAK</td> </tr> <tr> <td>2</td> <td>7251.45</td> <td>55.35</td> <td>74.00</td> <td>-18.65</td> <td>38.61</td> <td>36.30</td> <td>13.04</td> <td>32.60</td> <td>281</td> <td>251 PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7127.35	71.99	88.20	-16.21	55.51	36.25	12.74	32.51	281	251 PEAK	2	7251.45	55.35	74.00	-18.65	38.61	36.30	13.04	32.60	281	251 PEAK	<p style="text-align: right;">Date: 2024-03-06</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7025.00</td> <td>101.66</td> <td>-----</td> <td>-----</td> <td>85.53</td> <td>36.21</td> <td>12.34</td> <td>32.42</td> <td>281</td> <td>251 PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7025.00	101.66	-----	-----	85.53	36.21	12.34	32.42	281	251 PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark																																																																																	
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	7127.35	71.99	88.20	-16.21	55.51	36.25	12.74	32.51	281	251 PEAK																																																																															
2	7251.45	55.35	74.00	-18.65	38.61	36.30	13.04	32.60	281	251 PEAK																																																																															
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark																																																																																	
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	7025.00	101.66	-----	-----	85.53	36.21	12.34	32.42	281	251 PEAK																																																																															
Avg	<p style="text-align: right;">Date: 2024-03-06</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7126.99</td> <td>63.71</td> <td>68.20</td> <td>-4.49</td> <td>47.23</td> <td>36.25</td> <td>12.74</td> <td>32.51</td> <td>281</td> <td>251 AVERAGE</td> </tr> <tr> <td>2</td> <td>7323.36</td> <td>47.42</td> <td>54.00</td> <td>-6.58</td> <td>30.66</td> <td>36.33</td> <td>13.09</td> <td>32.66</td> <td>281</td> <td>251 AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7126.99	63.71	68.20	-4.49	47.23	36.25	12.74	32.51	281	251 AVERAGE	2	7323.36	47.42	54.00	-6.58	30.66	36.33	13.09	32.66	281	251 AVERAGE	<p style="text-align: right;">Date: 2024-03-06</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7025.00</td> <td>93.64</td> <td>-----</td> <td>-----</td> <td>77.55</td> <td>36.20</td> <td>12.30</td> <td>32.41</td> <td>281</td> <td>251 AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7025.00	93.64	-----	-----	77.55	36.20	12.30	32.41	281	251 AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark																																																																																	
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	7126.99	63.71	68.20	-4.49	47.23	36.25	12.74	32.51	281	251 AVERAGE																																																																															
2	7323.36	47.42	54.00	-6.58	30.66	36.33	13.09	32.66	281	251 AVERAGE																																																																															
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark																																																																																	
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	7025.00	93.64	-----	-----	77.55	36.20	12.30	32.41	281	251 AVERAGE																																																																															



Mode	40																																																																							
	Harmonic																																																																							
	U-NII-8_6875-7125_802.11ax HE80_CH215_Full_7025MHz																																																																							
ANT	CDD 5+7																																																																							
Pol.	Horizontal	Vertical																																																																						
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 14050.00</td> <td>50.31</td> <td>88.20</td> <td>-37.89</td> <td>43.78</td> <td>40.93</td> <td>16.31</td> <td>50.71</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 14050.00	50.31	88.20	-37.89	43.78	40.93	16.31	50.71	--	Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 14050.00</td> <td>49.96</td> <td>88.20</td> <td>-38.24</td> <td>43.43</td> <td>40.93</td> <td>16.31</td> <td>50.71</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 14050.00	49.96	88.20	-38.24	43.43	40.93	16.31	50.71	--	Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																
1 14050.00	50.31	88.20	-37.89	43.78	40.93	16.31	50.71	--	Peak																																																															
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																
1 14050.00	49.96	88.20	-38.24	43.43	40.93	16.31	50.71	--	Peak																																																															



Mode	41																																																																							
	Harmonic																																																																							
	U-NII-8_6875-7125_802.11ax HE40_CH187_Full_6885MHz																																																																							
ANT	CDD 5+7																																																																							
Pol.	Horizontal	Vertical																																																																						
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 13770.00</td> <td>49.31</td> <td>88.20</td> <td>-38.89</td> <td>43.25</td> <td>40.76</td> <td>16.05</td> <td>50.75</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 13770.00	49.31	88.20	-38.89	43.25	40.76	16.05	50.75	--	Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 13770.00</td> <td>49.95</td> <td>88.20</td> <td>-38.25</td> <td>43.89</td> <td>40.76</td> <td>16.05</td> <td>50.75</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 13770.00	49.95	88.20	-38.25	43.89	40.76	16.05	50.75	--	Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																
1 13770.00	49.31	88.20	-38.89	43.25	40.76	16.05	50.75	--	Peak																																																															
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																
1 13770.00	49.95	88.20	-38.25	43.89	40.76	16.05	50.75	--	Peak																																																															



Mode	42																																																																																																																																																																																	
	LF																																																																																																																																																																																	
	U-NII-8_6875-7125_802.11ax HE80_CH215_Full_7025MHz																																																																																																																																																																																	
ANT	CDD 5+7																																																																																																																																																																																	
Pol.	Horizontal	Vertical																																																																																																																																																																																
QP/ Peak	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>84.32</td> <td>24.91</td> <td>40.00</td> <td>-15.09</td> <td>40.45</td> <td>14.02</td> <td>1.80</td> <td>31.36</td> <td>-- -- Peak</td> </tr> <tr> <td>2</td> <td>153.19</td> <td>26.17</td> <td>43.50</td> <td>-17.33</td> <td>38.61</td> <td>16.44</td> <td>2.21</td> <td>31.09</td> <td>-- -- Peak</td> </tr> <tr> <td>3</td> <td>288.99</td> <td>23.55</td> <td>46.00</td> <td>-22.45</td> <td>32.49</td> <td>19.29</td> <td>2.67</td> <td>30.90</td> <td>-- -- Peak</td> </tr> <tr> <td>4</td> <td>325.85</td> <td>26.16</td> <td>46.00</td> <td>-19.84</td> <td>34.23</td> <td>19.97</td> <td>2.81</td> <td>30.85</td> <td>-- -- Peak</td> </tr> <tr> <td>5</td> <td>421.88</td> <td>23.19</td> <td>46.00</td> <td>-22.81</td> <td>28.31</td> <td>22.39</td> <td>3.19</td> <td>30.70</td> <td>-- -- Peak</td> </tr> <tr> <td>6</td> <td>769.14</td> <td>27.13</td> <td>46.00</td> <td>-18.87</td> <td>27.95</td> <td>25.98</td> <td>4.21</td> <td>31.01</td> <td>-- -- Peak</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	84.32	24.91	40.00	-15.09	40.45	14.02	1.80	31.36	-- -- Peak	2	153.19	26.17	43.50	-17.33	38.61	16.44	2.21	31.09	-- -- Peak	3	288.99	23.55	46.00	-22.45	32.49	19.29	2.67	30.90	-- -- Peak	4	325.85	26.16	46.00	-19.84	34.23	19.97	2.81	30.85	-- -- Peak	5	421.88	23.19	46.00	-22.81	28.31	22.39	3.19	30.70	-- -- Peak	6	769.14	27.13	46.00	-18.87	27.95	25.98	4.21	31.01	-- -- Peak	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>56.19</td> <td>29.44</td> <td>40.00</td> <td>-10.56</td> <td>45.92</td> <td>13.22</td> <td>1.54</td> <td>31.24</td> <td>-- -- Peak</td> </tr> <tr> <td>2</td> <td>84.32</td> <td>32.95</td> <td>40.00</td> <td>-7.05</td> <td>48.49</td> <td>14.02</td> <td>1.80</td> <td>31.36</td> <td>-- -- Peak</td> </tr> <tr> <td>3</td> <td>156.10</td> <td>22.98</td> <td>43.50</td> <td>-20.52</td> <td>35.46</td> <td>16.38</td> <td>2.22</td> <td>31.08</td> <td>-- -- Peak</td> </tr> <tr> <td>4</td> <td>276.38</td> <td>22.18</td> <td>46.00</td> <td>-23.82</td> <td>31.19</td> <td>19.27</td> <td>2.62</td> <td>30.90</td> <td>-- -- Peak</td> </tr> <tr> <td>5</td> <td>320.03</td> <td>22.67</td> <td>46.00</td> <td>-23.33</td> <td>30.90</td> <td>19.84</td> <td>2.79</td> <td>30.86</td> <td>-- -- Peak</td> </tr> <tr> <td>6</td> <td>464.56</td> <td>25.68</td> <td>46.00</td> <td>-20.32</td> <td>29.82</td> <td>23.20</td> <td>3.36</td> <td>30.70</td> <td>-- -- Peak</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	56.19	29.44	40.00	-10.56	45.92	13.22	1.54	31.24	-- -- Peak	2	84.32	32.95	40.00	-7.05	48.49	14.02	1.80	31.36	-- -- Peak	3	156.10	22.98	43.50	-20.52	35.46	16.38	2.22	31.08	-- -- Peak	4	276.38	22.18	46.00	-23.82	31.19	19.27	2.62	30.90	-- -- Peak	5	320.03	22.67	46.00	-23.33	30.90	19.84	2.79	30.86	-- -- Peak	6	464.56	25.68	46.00	-20.32	29.82	23.20	3.36	30.70	-- -- Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																																																																									
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																																																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																									
1	84.32	24.91	40.00	-15.09	40.45	14.02	1.80	31.36	-- -- Peak																																																																																																																																																																									
2	153.19	26.17	43.50	-17.33	38.61	16.44	2.21	31.09	-- -- Peak																																																																																																																																																																									
3	288.99	23.55	46.00	-22.45	32.49	19.29	2.67	30.90	-- -- Peak																																																																																																																																																																									
4	325.85	26.16	46.00	-19.84	34.23	19.97	2.81	30.85	-- -- Peak																																																																																																																																																																									
5	421.88	23.19	46.00	-22.81	28.31	22.39	3.19	30.70	-- -- Peak																																																																																																																																																																									
6	769.14	27.13	46.00	-18.87	27.95	25.98	4.21	31.01	-- -- Peak																																																																																																																																																																									
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																																																																										
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																																																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																									
1	56.19	29.44	40.00	-10.56	45.92	13.22	1.54	31.24	-- -- Peak																																																																																																																																																																									
2	84.32	32.95	40.00	-7.05	48.49	14.02	1.80	31.36	-- -- Peak																																																																																																																																																																									
3	156.10	22.98	43.50	-20.52	35.46	16.38	2.22	31.08	-- -- Peak																																																																																																																																																																									
4	276.38	22.18	46.00	-23.82	31.19	19.27	2.62	30.90	-- -- Peak																																																																																																																																																																									
5	320.03	22.67	46.00	-23.33	30.90	19.84	2.79	30.86	-- -- Peak																																																																																																																																																																									
6	464.56	25.68	46.00	-20.32	29.82	23.20	3.36	30.70	-- -- Peak																																																																																																																																																																									



<Simultaneous transmission>

Radiated Spurious Emission Test Modes

Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 42	CO-TX		4+6	5G NR n48 ULMIMO Link	-	-	-	-	-
			CDD 5+7	802.11ax HE80	215	7025	MCS0	Full	-
			7	Bluetooth LE	38	2478	2Mbps	-	-
Mode 43	CO-TX		4+6	5G NR n48 ULMIMO Link	-	-	-	-	-
			SISO 2	802.11ax HE80	215	7025	MCS0	Full	-
			SISO 1	802.11ax HE40	3	2422	MCS0	-	-

Summary of each worse mode

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
42	CO-TX	215	7126.80	63.55	68.20	-4.65	H	Average	Pass	Band Edge
42		215+38	4956.00	49.94	74.00	-24.06	H	Peak	Pass	Harmonic
43	CO-TX	3	2389.52	50.78	54.00	-3.22	H	Average	Pass	Band Edge
43		215+3	7266.00	50.22	74.00	-23.78	H	Peak	Pass	Harmonic







		42																																																																																						
Mode	Band Edge																																																																																							
	U-NII-8_6875-7125_802.11ax HE80_CH215_Full_7025MHz+BLE_CH38_2478MHz+n48 ULMIMO																																																																																							
ANT	CDD 5+7																																																																																							
Pol.	Horizontal	Fundamental																																																																																						
Peak	<p style="text-align: right;">Date: 2024-03-27</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7126.17</td> <td>71.86</td> <td>88.20</td> <td>-16.34</td> <td>55.37</td> <td>36.25</td> <td>12.74</td> <td>32.50</td> <td>262</td> <td>65</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>7253.88</td> <td>55.45</td> <td>74.00</td> <td>-18.55</td> <td>38.72</td> <td>36.30</td> <td>13.04</td> <td>32.61</td> <td>262</td> <td>65</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7126.17	71.86	88.20	-16.34	55.37	36.25	12.74	32.50	262	65	Peak	2	7253.88	55.45	74.00	-18.55	38.72	36.30	13.04	32.61	262	65	Peak	<p style="text-align: right;">Date: 2024-03-27</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7025.00</td> <td>100.77</td> <td>-----</td> <td>-----</td> <td>84.61</td> <td>36.21</td> <td>12.38</td> <td>32.43</td> <td>262</td> <td>65</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7025.00	100.77	-----	-----	84.61	36.21	12.38	32.43	262	65	Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																
1	7126.17	71.86	88.20	-16.34	55.37	36.25	12.74	32.50	262	65	Peak																																																																													
2	7253.88	55.45	74.00	-18.55	38.72	36.30	13.04	32.61	262	65	Peak																																																																													
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																
1	7025.00	100.77	-----	-----	84.61	36.21	12.38	32.43	262	65	Peak																																																																													
Avg	<p style="text-align: right;">Date: 2024-03-27</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7126.80</td> <td>63.55</td> <td>68.20</td> <td>-4.65</td> <td>47.07</td> <td>36.25</td> <td>12.74</td> <td>32.51</td> <td>262</td> <td>65</td> <td>Average</td> </tr> <tr> <td>2</td> <td>7344.89</td> <td>47.50</td> <td>54.00</td> <td>-6.50</td> <td>30.74</td> <td>36.34</td> <td>13.10</td> <td>32.68</td> <td>262</td> <td>65</td> <td>Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7126.80	63.55	68.20	-4.65	47.07	36.25	12.74	32.51	262	65	Average	2	7344.89	47.50	54.00	-6.50	30.74	36.34	13.10	32.68	262	65	Average	<p style="text-align: right;">Date: 2024-03-27</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7025.00</td> <td>93.72</td> <td>-----</td> <td>-----</td> <td>77.56</td> <td>36.21</td> <td>12.38</td> <td>32.43</td> <td>262</td> <td>65</td> <td>Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7025.00	93.72	-----	-----	77.56	36.21	12.38	32.43	262	65	Average
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																
1	7126.80	63.55	68.20	-4.65	47.07	36.25	12.74	32.51	262	65	Average																																																																													
2	7344.89	47.50	54.00	-6.50	30.74	36.34	13.10	32.68	262	65	Average																																																																													
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																
1	7025.00	93.72	-----	-----	77.56	36.21	12.38	32.43	262	65	Average																																																																													







	42																																																																																				
Mode	Band Edge																																																																																				
	U-NII-8_6875-7125_802.11ax HE80_CH215_Full_7025MHz+BLE_CH38_2478MHz+n48 ULMIMO																																																																																				
ANT	CDD 5+7																																																																																				
Pol.	Vertical	Fundamental																																																																																			
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7125.28</td> <td>71.58</td> <td>88.20</td> <td>-16.62</td> <td>55.10</td> <td>36.25</td> <td>12.73</td> <td>32.50</td> <td>243</td> <td>261 Peak</td> </tr> <tr> <td>2</td> <td>7276.13</td> <td>55.07</td> <td>74.00</td> <td>-18.93</td> <td>38.33</td> <td>36.31</td> <td>13.05</td> <td>32.62</td> <td>243</td> <td>261 Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7125.28	71.58	88.20	-16.62	55.10	36.25	12.73	32.50	243	261 Peak	2	7276.13	55.07	74.00	-18.93	38.33	36.31	13.05	32.62	243	261 Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7025.00</td> <td>101.83</td> <td>-----</td> <td>-----</td> <td>85.67</td> <td>36.21</td> <td>12.38</td> <td>32.43</td> <td>243</td> <td>261 Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7025.00	101.83	-----	-----	85.67	36.21	12.38	32.43	243	261 Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																													
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																													
1	7125.28	71.58	88.20	-16.62	55.10	36.25	12.73	32.50	243	261 Peak																																																																											
2	7276.13	55.07	74.00	-18.93	38.33	36.31	13.05	32.62	243	261 Peak																																																																											
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																														
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																													
1	7025.00	101.83	-----	-----	85.67	36.21	12.38	32.43	243	261 Peak																																																																											
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7129.59</td> <td>62.27</td> <td>68.20</td> <td>-5.93</td> <td>45.78</td> <td>36.25</td> <td>12.75</td> <td>32.51</td> <td>243</td> <td>261 Average</td> </tr> <tr> <td>2</td> <td>7263.98</td> <td>47.15</td> <td>54.00</td> <td>-6.85</td> <td>30.40</td> <td>36.31</td> <td>13.05</td> <td>32.61</td> <td>243</td> <td>261 Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7129.59	62.27	68.20	-5.93	45.78	36.25	12.75	32.51	243	261 Average	2	7263.98	47.15	54.00	-6.85	30.40	36.31	13.05	32.61	243	261 Average	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7025.00</td> <td>95.29</td> <td>-----</td> <td>-----</td> <td>79.13</td> <td>36.21</td> <td>12.38</td> <td>32.43</td> <td>243</td> <td>261 Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7025.00	95.29	-----	-----	79.13	36.21	12.38	32.43	243	261 Average
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																														
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																													
1	7129.59	62.27	68.20	-5.93	45.78	36.25	12.75	32.51	243	261 Average																																																																											
2	7263.98	47.15	54.00	-6.85	30.40	36.31	13.05	32.61	243	261 Average																																																																											
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																														
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																													
1	7025.00	95.29	-----	-----	79.13	36.21	12.38	32.43	243	261 Average																																																																											



		42																																																																								
Mode	Band Edge																																																																									
	U-NII-8_6875-7125_802.11ax HE80_CH215_Full_7025MHz+BLE_CH38_2478MHz+n48 ULMIMO																																																																									
ANT	7																																																																									
Pol.	Horizontal	Fundamental																																																																								
Peak	 <p style="text-align: right;">Date: 2024-03-27</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2492.80</td> <td>48.45</td> <td>74.00</td> <td>-25.55</td> <td>40.18</td> <td>32.48</td> <td>7.89</td> <td>32.10</td> <td>370</td> <td>13</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	2492.80	48.45	74.00	-25.55	40.18	32.48	7.89	32.10	370	13	Peak	 <p style="text-align: right;">Date: 2024-03-27</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2478.00</td> <td>96.28</td> <td>-----</td> <td>-----</td> <td>88.05</td> <td>32.45</td> <td>7.87</td> <td>32.09</td> <td>370</td> <td>13</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	2478.00	96.28	-----	-----	88.05	32.45	7.87	32.09	370	13	Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																			
1	2492.80	48.45	74.00	-25.55	40.18	32.48	7.89	32.10	370	13	Peak																																																															
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																			
1	2478.00	96.28	-----	-----	88.05	32.45	7.87	32.09	370	13	Peak																																																															
Avg	 <p style="text-align: right;">Date: 2024-03-27</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2484.20</td> <td>40.17</td> <td>54.00</td> <td>-13.83</td> <td>31.92</td> <td>32.47</td> <td>7.88</td> <td>32.10</td> <td>370</td> <td>13</td> <td>Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	2484.20	40.17	54.00	-13.83	31.92	32.47	7.88	32.10	370	13	Average	 <p style="text-align: right;">Date: 2024-03-27</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2478.00</td> <td>94.41</td> <td>-----</td> <td>-----</td> <td>86.18</td> <td>32.45</td> <td>7.87</td> <td>32.09</td> <td>370</td> <td>13</td> <td>Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	2478.00	94.41	-----	-----	86.18	32.45	7.87	32.09	370	13	Average
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																			
1	2484.20	40.17	54.00	-13.83	31.92	32.47	7.88	32.10	370	13	Average																																																															
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																			
1	2478.00	94.41	-----	-----	86.18	32.45	7.87	32.09	370	13	Average																																																															



		42																																																																														
Mode	Band Edge																																																																															
	U-NII-8_6875-7125_802.11ax HE80_CH215_Full_7025MHz+BLE_CH38_2478MHz+n48 ULMIMO																																																																															
ANT	7																																																																															
Pol.	Vertical	Fundamental																																																																														
Peak	 <p style="text-align: right;">Date: 2024-03-27</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2498.52</td> <td>47.72</td> <td>74.00</td> <td>-26.28</td> <td>39.43</td> <td>32.50</td> <td>7.89</td> <td>32.10</td> <td>370</td> <td>249</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos			Freq	Level	Line Margin	Level	Factor	Loss Factor		cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2498.52	47.72	74.00	-26.28	39.43	32.50	7.89	32.10	370	249	Peak	 <p style="text-align: right;">Date: 2024-03-27</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2478.00</td> <td>92.07</td> <td>-----</td> <td>-----</td> <td>83.84</td> <td>32.45</td> <td>7.87</td> <td>32.09</td> <td>370</td> <td>249</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos			Freq	Level	Line Margin	Level	Factor	Loss Factor		cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2478.00	92.07	-----	-----	83.84	32.45	7.87	32.09	370	249	Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																									
Freq	Level	Line Margin	Level	Factor	Loss Factor		cm	deg																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																								
1	2498.52	47.72	74.00	-26.28	39.43	32.50	7.89	32.10	370	249	Peak																																																																					
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																										
Freq	Level	Line Margin	Level	Factor	Loss Factor		cm	deg																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																								
1	2478.00	92.07	-----	-----	83.84	32.45	7.87	32.09	370	249	Peak																																																																					
Avg	 <p style="text-align: right;">Date: 2024-03-27</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2499.44</td> <td>39.99</td> <td>54.00</td> <td>-14.01</td> <td>31.70</td> <td>32.50</td> <td>7.89</td> <td>32.10</td> <td>370</td> <td>249</td> <td>Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos			Freq	Level	Line Margin	Level	Factor	Loss Factor		cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2499.44	39.99	54.00	-14.01	31.70	32.50	7.89	32.10	370	249	Average	 <p style="text-align: right;">Date: 2024-03-27</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2478.00</td> <td>90.25</td> <td>-----</td> <td>-----</td> <td>82.02</td> <td>32.45</td> <td>7.87</td> <td>32.09</td> <td>370</td> <td>249</td> <td>Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos			Freq	Level	Line Margin	Level	Factor	Loss Factor		cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2478.00	90.25	-----	-----	82.02	32.45	7.87	32.09	370	249	Average
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																									
Freq	Level	Line Margin	Level	Factor	Loss Factor		cm	deg																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																								
1	2499.44	39.99	54.00	-14.01	31.70	32.50	7.89	32.10	370	249	Average																																																																					
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																										
Freq	Level	Line Margin	Level	Factor	Loss Factor		cm	deg																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																								
1	2478.00	90.25	-----	-----	82.02	32.45	7.87	32.09	370	249	Average																																																																					







Mode	42																																																																																																																									
	Harmonic																																																																																																																									
	U-NII-8_6875-7125_802.11ax HE80_CH215_Full_7025MHz+BLE_CH38_2478MHz+n48 ULMIMO																																																																																																																									
ANT	CDD 5+7/7																																																																																																																									
Pol.	Horizontal	Vertical																																																																																																																								
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4956.00</td> <td>49.94</td> <td>74.00</td> <td>-24.06</td> <td>35.59</td> <td>34.88</td> <td>11.13</td> <td>31.66</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>7434.00</td> <td>48.57</td> <td>74.00</td> <td>-25.43</td> <td>31.96</td> <td>36.37</td> <td>12.99</td> <td>32.75</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>3</td> <td>14050.00</td> <td>49.13</td> <td>88.20</td> <td>-39.07</td> <td>26.35</td> <td>40.93</td> <td>16.31</td> <td>34.46</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	4956.00	49.94	74.00	-24.06	35.59	34.88	11.13	31.66	--	--	Peak	2	7434.00	48.57	74.00	-25.43	31.96	36.37	12.99	32.75	--	--	Peak	3	14050.00	49.13	88.20	-39.07	26.35	40.93	16.31	34.46	--	--	Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4956.00</td> <td>49.66</td> <td>74.00</td> <td>-24.34</td> <td>35.31</td> <td>34.88</td> <td>11.13</td> <td>31.66</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>7434.00</td> <td>47.85</td> <td>74.00</td> <td>-26.15</td> <td>31.24</td> <td>36.37</td> <td>12.99</td> <td>32.75</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>3</td> <td>14050.00</td> <td>49.16</td> <td>88.20</td> <td>-39.04</td> <td>26.38</td> <td>40.93</td> <td>16.31</td> <td>34.46</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	4956.00	49.66	74.00	-24.34	35.31	34.88	11.13	31.66	--	--	Peak	2	7434.00	47.85	74.00	-26.15	31.24	36.37	12.99	32.75	--	--	Peak	3	14050.00	49.16	88.20	-39.04	26.38	40.93	16.31	34.46	--	--	Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																		
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																																			
1	4956.00	49.94	74.00	-24.06	35.59	34.88	11.13	31.66	--	--	Peak																																																																																																															
2	7434.00	48.57	74.00	-25.43	31.96	36.37	12.99	32.75	--	--	Peak																																																																																																															
3	14050.00	49.13	88.20	-39.07	26.35	40.93	16.31	34.46	--	--	Peak																																																																																																															
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																			
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																																			
1	4956.00	49.66	74.00	-24.34	35.31	34.88	11.13	31.66	--	--	Peak																																																																																																															
2	7434.00	47.85	74.00	-26.15	31.24	36.37	12.99	32.75	--	--	Peak																																																																																																															
3	14050.00	49.16	88.20	-39.04	26.38	40.93	16.31	34.46	--	--	Peak																																																																																																															

Note: the three highest signals over limit are BLE + WLAN 5G + n48 co-location fundamental signals.



		43																																																																																									
Mode	Band Edge																																																																																										
	U-NII-8_6875-7125_802.11ax HE80_CH215_Full_7025MHz+802.11ax HE40_CH03_2422MHz+ n48 ULMIMO																																																																																										
ANT	SISO 2																																																																																										
Pol.	Horizontal	Fundamental																																																																																									
Peak	<p style="text-align: right;">Date: 2024-03-22</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th colspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7127.06</td> <td>71.42</td> <td>88.20</td> <td>-16.78</td> <td>54.94</td> <td>36.25</td> <td>12.74</td> <td>32.51</td> <td>266</td> <td>51 Peak</td> </tr> <tr> <td>2</td> <td>7251.21</td> <td>54.98</td> <td>74.00</td> <td>-19.02</td> <td>38.24</td> <td>36.30</td> <td>13.04</td> <td>32.60</td> <td>266</td> <td>51 Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7127.06	71.42	88.20	-16.78	54.94	36.25	12.74	32.51	266	51 Peak	2	7251.21	54.98	74.00	-19.02	38.24	36.30	13.04	32.60	266	51 Peak	<p style="text-align: right;">Date: 2024-03-22</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th colspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7025.00</td> <td>100.30</td> <td>-----</td> <td>-----</td> <td>84.14</td> <td>36.21</td> <td>12.38</td> <td>32.43</td> <td>266</td> <td>51 Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7025.00	100.30	-----	-----	84.14	36.21	12.38	32.43	266	51 Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	7127.06	71.42	88.20	-16.78	54.94	36.25	12.74	32.51	266	51 Peak																																																																																	
2	7251.21	54.98	74.00	-19.02	38.24	36.30	13.04	32.60	266	51 Peak																																																																																	
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	7025.00	100.30	-----	-----	84.14	36.21	12.38	32.43	266	51 Peak																																																																																	
Avg	<p style="text-align: right;">Date: 2024-03-22</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th colspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7125.41</td> <td>63.21</td> <td>68.20</td> <td>-4.99</td> <td>46.73</td> <td>36.25</td> <td>12.73</td> <td>32.50</td> <td>266</td> <td>51 Average</td> </tr> <tr> <td>2</td> <td>7339.77</td> <td>47.58</td> <td>54.00</td> <td>-6.42</td> <td>30.81</td> <td>36.34</td> <td>13.10</td> <td>32.67</td> <td>266</td> <td>51 Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7125.41	63.21	68.20	-4.99	46.73	36.25	12.73	32.50	266	51 Average	2	7339.77	47.58	54.00	-6.42	30.81	36.34	13.10	32.67	266	51 Average	<p style="text-align: right;">Date: 2024-03-22</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th colspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7025.00</td> <td>91.79</td> <td>-----</td> <td>-----</td> <td>75.63</td> <td>36.21</td> <td>12.38</td> <td>32.43</td> <td>266</td> <td>51 Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7025.00	91.79	-----	-----	75.63	36.21	12.38	32.43	266	51 Average
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	7125.41	63.21	68.20	-4.99	46.73	36.25	12.73	32.50	266	51 Average																																																																																	
2	7339.77	47.58	54.00	-6.42	30.81	36.34	13.10	32.67	266	51 Average																																																																																	
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	7025.00	91.79	-----	-----	75.63	36.21	12.38	32.43	266	51 Average																																																																																	



		43																																																																																										
Mode	Band Edge																																																																																											
	U-NII-8_6875-7125_802.11ax HE80_CH215_Full_7025MHz+802.11ax HE40_CH03_2422MHz+ n48 ULMIMO																																																																																											
ANT	SISO 2																																																																																											
Pol.	Vertical	Fundamental																																																																																										
Peak	 <p style="text-align: right;">Date: 2024-03-22</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7125.28</td> <td>70.51</td> <td>88.20</td> <td>-17.69</td> <td>54.03</td> <td>36.25</td> <td>12.73</td> <td>32.50</td> <td>282</td> <td>273</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>7263.67</td> <td>54.78</td> <td>74.00</td> <td>-19.22</td> <td>38.04</td> <td>36.31</td> <td>13.04</td> <td>32.61</td> <td>282</td> <td>273</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos			Freq	Level	Line Margin	Level	Factor	Loss Factor		cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7125.28	70.51	88.20	-17.69	54.03	36.25	12.73	32.50	282	273	Peak	2	7263.67	54.78	74.00	-19.22	38.04	36.31	13.04	32.61	282	273	Peak	 <p style="text-align: right;">Date: 2024-03-22</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7025.00</td> <td>99.62</td> <td>-----</td> <td>-----</td> <td>83.46</td> <td>36.21</td> <td>12.38</td> <td>32.43</td> <td>282</td> <td>273</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos			Freq	Level	Line Margin	Level	Factor	Loss Factor		cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7025.00	99.62	-----	-----	83.46	36.21	12.38	32.43	282	273	Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line Margin	Level	Factor	Loss Factor		cm	deg																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																				
1	7125.28	70.51	88.20	-17.69	54.03	36.25	12.73	32.50	282	273	Peak																																																																																	
2	7263.67	54.78	74.00	-19.22	38.04	36.31	13.04	32.61	282	273	Peak																																																																																	
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line Margin	Level	Factor	Loss Factor		cm	deg																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																				
1	7025.00	99.62	-----	-----	83.46	36.21	12.38	32.43	282	273	Peak																																																																																	
Avg	 <p style="text-align: right;">Date: 2024-03-27</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7126.34</td> <td>62.14</td> <td>68.20</td> <td>-6.06</td> <td>45.65</td> <td>36.25</td> <td>12.74</td> <td>32.50</td> <td>282</td> <td>273</td> <td>Average</td> </tr> <tr> <td>2</td> <td>7323.50</td> <td>47.60</td> <td>54.00</td> <td>-6.40</td> <td>30.84</td> <td>36.33</td> <td>13.09</td> <td>32.66</td> <td>282</td> <td>273</td> <td>Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos			Freq	Level	Line Margin	Level	Factor	Loss Factor		cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7126.34	62.14	68.20	-6.06	45.65	36.25	12.74	32.50	282	273	Average	2	7323.50	47.60	54.00	-6.40	30.84	36.33	13.09	32.66	282	273	Average	 <p style="text-align: right;">Date: 2024-03-22</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7025.00</td> <td>91.82</td> <td>-----</td> <td>-----</td> <td>75.66</td> <td>36.21</td> <td>12.38</td> <td>32.43</td> <td>282</td> <td>273</td> <td>Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos			Freq	Level	Line Margin	Level	Factor	Loss Factor		cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7025.00	91.82	-----	-----	75.66	36.21	12.38	32.43	282	273	Average
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line Margin	Level	Factor	Loss Factor		cm	deg																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																				
1	7126.34	62.14	68.20	-6.06	45.65	36.25	12.74	32.50	282	273	Average																																																																																	
2	7323.50	47.60	54.00	-6.40	30.84	36.33	13.09	32.66	282	273	Average																																																																																	
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line Margin	Level	Factor	Loss Factor		cm	deg																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																				
1	7025.00	91.82	-----	-----	75.66	36.21	12.38	32.43	282	273	Average																																																																																	



		43																																																																								
Mode	Band Edge - L																																																																									
	U-NII-8_6875-7125_802.11ax HE80_CH215_Full_7025MHz+802.11ax HE40_CH03_2422MHz+ n48 ULMIMO																																																																									
ANT	SISO 1																																																																									
Pol.	Horizontal	Fundamental																																																																								
Peak	<p style="text-align: right;">Date: 2024-03-22</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2389.38</td> <td>60.67</td> <td>74.00</td> <td>-13.33</td> <td>52.73</td> <td>32.26</td> <td>7.76</td> <td>32.08</td> <td>386</td> <td>360</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	2389.38	60.67	74.00	-13.33	52.73	32.26	7.76	32.08	386	360	Peak	<p style="text-align: right;">Date: 2024-03-22</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2422.00</td> <td>103.33</td> <td>-----</td> <td>-----</td> <td>95.26</td> <td>32.33</td> <td>7.82</td> <td>32.08</td> <td>386</td> <td>360</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	2422.00	103.33	-----	-----	95.26	32.33	7.82	32.08	386	360	Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																			
1	2389.38	60.67	74.00	-13.33	52.73	32.26	7.76	32.08	386	360	Peak																																																															
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																			
1	2422.00	103.33	-----	-----	95.26	32.33	7.82	32.08	386	360	Peak																																																															
Avg	<p style="text-align: right;">Date: 2024-03-22</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2389.52</td> <td>50.78</td> <td>54.00</td> <td>-3.22</td> <td>42.84</td> <td>32.26</td> <td>7.76</td> <td>32.08</td> <td>386</td> <td>360</td> <td>Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	2389.52	50.78	54.00	-3.22	42.84	32.26	7.76	32.08	386	360	Average	<p style="text-align: right;">Date: 2024-03-22</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2422.00</td> <td>94.56</td> <td>-----</td> <td>-----</td> <td>86.49</td> <td>32.33</td> <td>7.82</td> <td>32.08</td> <td>386</td> <td>360</td> <td>Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	2422.00	94.56	-----	-----	86.49	32.33	7.82	32.08	386	360	Average
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																			
1	2389.52	50.78	54.00	-3.22	42.84	32.26	7.76	32.08	386	360	Average																																																															
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																			
1	2422.00	94.56	-----	-----	86.49	32.33	7.82	32.08	386	360	Average																																																															



Mode	43																																					
	Band Edge - R																																					
	U-NII-8_6875-7125_802.11ax HE80_CH215_Full_7025MHz+802.11ax HE40_CH03_2422MHz+ n48 ULMIMO																																					
ANT	SISO 1																																					
Pol.	Horizontal	Fundamental																																				
Peak	<p>Date: 2024-03-22</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.62</td> <td>48.10</td> <td>74.00</td> <td>-25.90</td> <td>39.86</td> <td>32.46</td> <td>7.88</td> <td>32.10</td> <td>386</td> <td>360</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	2483.62	48.10	74.00	-25.90	39.86	32.46	7.88	32.10	386	360	Peak	Blank
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																															
1	2483.62	48.10	74.00	-25.90	39.86	32.46	7.88	32.10	386	360	Peak																											
Avg	<p>Date: 2024-03-22</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2488.17</td> <td>38.74</td> <td>54.00</td> <td>-15.26</td> <td>30.49</td> <td>32.47</td> <td>7.88</td> <td>32.10</td> <td>386</td> <td>360</td> <td>Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	2488.17	38.74	54.00	-15.26	30.49	32.47	7.88	32.10	386	360	Average	Blank
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																															
1	2488.17	38.74	54.00	-15.26	30.49	32.47	7.88	32.10	386	360	Average																											



		43																																																																														
Mode	Band Edge - L																																																																															
	U-NII-8_6875-7125_802.11ax HE80_CH215_Full_7025MHz+802.11ax HE40_CH03_2422MHz+ n48 ULMIMO																																																																															
ANT	SISO 1																																																																															
Pol.	Vertical	Fundamental																																																																														
Peak	<p style="text-align: right;">Date: 2024-03-22</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2389.52</td> <td>56.01</td> <td>74.00</td> <td>-17.99</td> <td>48.07</td> <td>32.26</td> <td>7.76</td> <td>32.08</td> <td>384</td> <td>242</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos			Freq	Level	Line Margin	Level Factor	Loss Factor			cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2389.52	56.01	74.00	-17.99	48.07	32.26	7.76	32.08	384	242	Peak	<p style="text-align: right;">Date: 2024-03-22</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2422.00</td> <td>100.15</td> <td>-----</td> <td>-----</td> <td>92.08</td> <td>32.33</td> <td>7.82</td> <td>32.08</td> <td>384</td> <td>242</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos			Freq	Level	Line Margin	Level Factor	Loss Factor			cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2422.00	100.15	-----	-----	92.08	32.33	7.82	32.08	384	242	Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor			cm	deg																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																								
1	2389.52	56.01	74.00	-17.99	48.07	32.26	7.76	32.08	384	242	Peak																																																																					
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor			cm	deg																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																								
1	2422.00	100.15	-----	-----	92.08	32.33	7.82	32.08	384	242	Peak																																																																					
Avg	<p style="text-align: right;">Date: 2024-03-22</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2389.52</td> <td>47.01</td> <td>54.00</td> <td>-6.99</td> <td>39.07</td> <td>32.26</td> <td>7.76</td> <td>32.08</td> <td>384</td> <td>242</td> <td>Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos			Freq	Level	Line Margin	Level Factor	Loss Factor			cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2389.52	47.01	54.00	-6.99	39.07	32.26	7.76	32.08	384	242	Average	<p style="text-align: right;">Date: 2024-03-22</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2422.00</td> <td>90.09</td> <td>-----</td> <td>-----</td> <td>82.02</td> <td>32.33</td> <td>7.82</td> <td>32.08</td> <td>384</td> <td>242</td> <td>Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos			Freq	Level	Line Margin	Level Factor	Loss Factor			cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2422.00	90.09	-----	-----	82.02	32.33	7.82	32.08	384	242	Average
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor			cm	deg																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																								
1	2389.52	47.01	54.00	-6.99	39.07	32.26	7.76	32.08	384	242	Average																																																																					
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor			cm	deg																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																								
1	2422.00	90.09	-----	-----	82.02	32.33	7.82	32.08	384	242	Average																																																																					



Mode	43																																					
	Band Edge - R																																					
	U-NII-8_6875-7125_802.11ax HE80_CH215_Full_7025MHz+802.11ax HE40_CH03_2422MHz+ n48 ULMIMO																																					
ANT	SISO 1																																					
Pol.	Vertical	Fundamental																																				
Peak	<p>Date: 2024-03-22</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2500.00</td> <td>48.32</td> <td>74.00</td> <td>-25.68</td> <td>40.03</td> <td>32.50</td> <td>7.89</td> <td>32.10</td> <td>384</td> <td>242</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	2500.00	48.32	74.00	-25.68	40.03	32.50	7.89	32.10	384	242	Peak	Blank
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																															
1	2500.00	48.32	74.00	-25.68	40.03	32.50	7.89	32.10	384	242	Peak																											
Avg	<p>Date: 2024-03-22</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2497.90</td> <td>38.59</td> <td>54.00</td> <td>-15.41</td> <td>30.30</td> <td>32.50</td> <td>7.89</td> <td>32.10</td> <td>384</td> <td>242</td> <td>Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	2497.90	38.59	54.00	-15.41	30.30	32.50	7.89	32.10	384	242	Average	Blank
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																															
1	2497.90	38.59	54.00	-15.41	30.30	32.50	7.89	32.10	384	242	Average																											



Mode	43																																																																																																																									
	Harmonic																																																																																																																									
	U-NII-8_6875-7125_802.11ax HE80_CH215_Full_7025MHz+802.11ax HE40_CH03_2422MHz+ n48 ULMIMO																																																																																																																									
ANT	SISO 2/SISO 1																																																																																																																									
Pol.	Horizontal	Vertical																																																																																																																								
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4844.00</td> <td>49.75</td> <td>74.00</td> <td>-24.25</td> <td>35.61</td> <td>34.84</td> <td>11.09</td> <td>31.79</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>7266.00</td> <td>50.22</td> <td>74.00</td> <td>-23.78</td> <td>33.47</td> <td>36.31</td> <td>13.05</td> <td>32.61</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>3</td> <td>14050.00</td> <td>50.03</td> <td>88.20</td> <td>-38.17</td> <td>27.25</td> <td>40.93</td> <td>16.31</td> <td>34.46</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	4844.00	49.75	74.00	-24.25	35.61	34.84	11.09	31.79	--	--	Peak	2	7266.00	50.22	74.00	-23.78	33.47	36.31	13.05	32.61	--	--	Peak	3	14050.00	50.03	88.20	-38.17	27.25	40.93	16.31	34.46	--	--	Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4844.00</td> <td>49.33</td> <td>74.00</td> <td>-24.67</td> <td>35.19</td> <td>34.84</td> <td>11.09</td> <td>31.79</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>7266.00</td> <td>49.46</td> <td>74.00</td> <td>-24.54</td> <td>32.71</td> <td>36.31</td> <td>13.05</td> <td>32.61</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>3</td> <td>14050.00</td> <td>50.01</td> <td>88.20</td> <td>-38.19</td> <td>27.23</td> <td>40.93</td> <td>16.31</td> <td>34.46</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	4844.00	49.33	74.00	-24.67	35.19	34.84	11.09	31.79	--	--	Peak	2	7266.00	49.46	74.00	-24.54	32.71	36.31	13.05	32.61	--	--	Peak	3	14050.00	50.01	88.20	-38.19	27.23	40.93	16.31	34.46	--	--	Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																		
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																																			
1	4844.00	49.75	74.00	-24.25	35.61	34.84	11.09	31.79	--	--	Peak																																																																																																															
2	7266.00	50.22	74.00	-23.78	33.47	36.31	13.05	32.61	--	--	Peak																																																																																																															
3	14050.00	50.03	88.20	-38.17	27.25	40.93	16.31	34.46	--	--	Peak																																																																																																															
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																			
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																																			
1	4844.00	49.33	74.00	-24.67	35.19	34.84	11.09	31.79	--	--	Peak																																																																																																															
2	7266.00	49.46	74.00	-24.54	32.71	36.31	13.05	32.61	--	--	Peak																																																																																																															
3	14050.00	50.01	88.20	-38.19	27.23	40.93	16.31	34.46	--	--	Peak																																																																																																															


Note: the three highest signals over limit are WLAN 2.4G + WLAN 6G + n48 co-location fundamental signals.



Appendix D. Duty Cycle Plots

Band	Duty Cycle(%)	T(ms)	1/T(kHz)	VBW Setting
802.11ax HE20	95.89	1.015	0.9861	1KHz
802.11ax HE40	92.46	0.533	1.875	3KHz
802.11ax HE80	86.09	0.287	3.485	10KHZ


802.11ax HE20



Date: 24.FEB.2024 04:15:17




802.11ax HE40



Date: 24.FEB.2024 04:16:56

802.11ax HE80



Date: 24.FEB.2024 04:18:37