





6. Conducted Spurious Emission


6.1. Test Plots

























DC_2A_n66A / 15KHz / 30MHz



DC_2A_n66A / 15KHz / 35MHz







7. Frequency Stability

7.1. Test Results

7.1.1. Frequency Error Vs Voltage

SCS	Bandwidth	Channel	RB Config	Modulation	Temperature	Voltage	Deviation Result		Verdict
							(Hz)	(ppm)	
15KHz	40MHz	MCH	Outer_Full	DFT-QPSK	NT	LV	-2.40	-0.001375	Pass
15KHz	40MHz	MCH	Outer_Full	DFT-QPSK	NT	NV	0.50	0.000287	Pass
15KHz	40MHz	MCH	Outer_Full	DFT-QPSK	NT	HV	-3.30	-0.001891	Pass

7.1.2. Frequency Error Vs Temperature

SCS	Bandwidth	Channel	RB Config	Modulation	Temperature	Voltage	Deviation Result		Verdict
							(Hz)	(ppm)	
15KHz	40MHz	MCH	Outer_Full	DFT-QPSK	-30°C	NV	-1.60	-0.000917	Pass
15KHz	40MHz	MCH	Outer_Full	DFT-QPSK	-20°C	NV	-3.50	-0.002006	Pass
15KHz	40MHz	MCH	Outer_Full	DFT-QPSK	-10°C	NV	2.10	0.001203	Pass
15KHz	40MHz	MCH	Outer_Full	DFT-QPSK	0°C	NV	-6.10	-0.003496	Pass
15KHz	40MHz	MCH	Outer_Full	DFT-QPSK	10°C	NV	-8.10	-0.004642	Pass
15KHz	40MHz	MCH	Outer_Full	DFT-QPSK	20°C	NV	-5.60	-0.003209	Pass
15KHz	40MHz	MCH	Outer_Full	DFT-QPSK	30°C	NV	-9.50	-0.005444	Pass
15KHz	40MHz	MCH	Outer_Full	DFT-QPSK	40°C	NV	-2.30	-0.001318	Pass
15KHz	40MHz	MCH	Outer_Full	DFT-QPSK	50°C	NV	-1.80	-0.001032	Pass

The End