



n26A / 15KHz / 20MHz

LCH / DFT-Pi2BPSK / Edge\_1RB\_Left




Date: 26 JAN 2024 14:03:31

HCH / DFT-Pi2BPSK / Edge\_1RB\_Right




Date: 26 JAN 2024 14:06:14

LCH / DFT-Pi2BPSK / Outer\_Full




Date: 26 JAN 2024 14:03:54

HCH / DFT-Pi2BPSK / Outer\_Full




Date: 26 JAN 2024 14:06:34

LCH / DFT-QPSK / Edge\_1RB\_Left




Date: 26 JAN 2024 14:05:01

HCH / DFT-QPSK / Edge\_1RB\_Right







Date: 26 JAN 2024 14:07:28




## 6. Conducted Spurious Emission


### 6.1. Test Plots











6.1.1. Bandwidth:15MHz









## 7. Frequency Stability

### 7.1. Test Results

#### 7.1.1. Frequency Error Vs Voltage

SCS	Bandwidth	Channel	RB Config	Modulation	Temperature	Voltage	Deviation Result		Verdict
							(Hz)	(ppm)	
15KHz	20MHz	MCH	Outer_Full	DFT-QPSK	NT	LV	-9.40	-0.011237	Pass
15KHz	20MHz	MCH	Outer_Full	DFT-QPSK	NT	NV	-6.70	-0.008010	Pass
15KHz	20MHz	MCH	Outer_Full	DFT-QPSK	NT	HV	-8.50	-0.010161	Pass

#### 7.1.2. Frequency Error Vs Temperature

SCS	Bandwidth	Channel	RB Config	Modulation	Temperature	Voltage	Deviation Result		Verdict
							(Hz)	(ppm)	
15KHz	20MHz	MCH	Outer_Full	DFT-QPSK	-30°C	NV	-6.50	-0.007770	Pass
15KHz	20MHz	MCH	Outer_Full	DFT-QPSK	-20°C	NV	-8.20	-0.009803	Pass
15KHz	20MHz	MCH	Outer_Full	DFT-QPSK	-10°C	NV	-6.90	-0.008249	Pass
15KHz	20MHz	MCH	Outer_Full	DFT-QPSK	0°C	NV	-5.50	-0.006575	Pass
15KHz	20MHz	MCH	Outer_Full	DFT-QPSK	10°C	NV	-6.90	-0.008249	Pass
15KHz	20MHz	MCH	Outer_Full	DFT-QPSK	20°C	NV	-7.00	-0.008368	Pass
15KHz	20MHz	MCH	Outer_Full	DFT-QPSK	30°C	NV	-5.60	-0.006695	Pass
15KHz	20MHz	MCH	Outer_Full	DFT-QPSK	40°C	NV	-7.50	-0.008966	Pass
15KHz	20MHz	MCH	Outer_Full	DFT-QPSK	50°C	NV	-8.50	-0.010161	Pass

The End