



















7. Frequency Stability

7.1. Test Results

7.1.1. Frequency Error Vs Voltage

SCS	Bandwidth	Channel	RB Config	Modulation	Temperature	Voltage	Deviation Result		Verdict
							(Hz)	(ppm)	
30KHz	100MHz	MCH	Outer_Full	DFT-QPSK	NT	LV	-14.70	-0.004200	Pass
30KHz	100MHz	MCH	Outer_Full	DFT-QPSK	NT	NV	-7.40	-0.002114	Pass
30KHz	100MHz	MCH	Outer_Full	DFT-QPSK	NT	HV	5.90	0.001686	Pass

7.1.2. Frequency Error Vs Temperature

SCS	Bandwidth	Channel	RB Config	Modulation	Temperature	Voltage	Deviation Result		Verdict
							(Hz)	(ppm)	
30KHz	100MHz	MCH	Outer_Full	DFT-QPSK	-30°C	NV	-4.80	-0.001371	Pass
30KHz	100MHz	MCH	Outer_Full	DFT-QPSK	-20°C	NV	-4.90	-0.001400	Pass
30KHz	100MHz	MCH	Outer_Full	DFT-QPSK	-10°C	NV	-1.60	-0.000457	Pass
30KHz	100MHz	MCH	Outer_Full	DFT-QPSK	0°C	NV	-15.20	-0.004343	Pass
30KHz	100MHz	MCH	Outer_Full	DFT-QPSK	10°C	NV	-4.50	-0.001286	Pass
30KHz	100MHz	MCH	Outer_Full	DFT-QPSK	20°C	NV	-6.40	-0.001829	Pass
30KHz	100MHz	MCH	Outer_Full	DFT-QPSK	30°C	NV	-11.60	-0.003314	Pass
30KHz	100MHz	MCH	Outer_Full	DFT-QPSK	40°C	NV	-4.90	-0.001400	Pass
30KHz	100MHz	MCH	Outer_Full	DFT-QPSK	50°C	NV	-8.60	-0.002457	Pass

The End