



### Maximum power spectral density

#### Test Result

TestMode	Antenna	Freq(MHz)	Result [dBm/MHz]	Limit[dBm/MHz]	Verdict
11A-CDD	Ant5	5180	6.56	≤11.00	PASS
	Ant8	5180	7.07	≤11.00	PASS
	total	5180	9.83	≤11.00	PASS
	Ant5	5220	6.7	≤11.00	PASS
	Ant8	5220	6.96	≤11.00	PASS
	total	5220	9.84	≤11.00	PASS
	Ant5	5240	6.68	≤11.00	PASS
	Ant8	5240	6.72	≤11.00	PASS
	total	5240	9.71	≤11.00	PASS
	Ant5	5260	6.53	≤11.00	PASS
	Ant8	5260	6.97	≤11.00	PASS
	total	5260	9.77	≤11.00	PASS
	Ant5	5300	6.72	≤11.00	PASS
	Ant8	5300	6.97	≤11.00	PASS
	total	5300	9.86	≤11.00	PASS
	Ant5	5320	6.5	≤11.00	PASS
	Ant8	5320	6.29	≤11.00	PASS
	total	5320	9.41	≤11.00	PASS
	Ant5	5500	6.79	≤11.00	PASS
	Ant8	5500	7.02	≤11.00	PASS
	total	5500	9.92	≤11.00	PASS
	Ant5	5580	6.47	≤11.00	PASS
	Ant8	5580	7.34	≤11.00	PASS
	total	5580	9.94	≤11.00	PASS
	Ant5	5700	4.51	≤11.00	PASS
	Ant8	5700	5.38	≤11.00	PASS
	total	5700	7.98	≤11.00	PASS
	Ant5	5720_UNII-2C	6.18	≤11.00	PASS
	Ant8	5720_UNII-2C	6.55	≤11.00	PASS
	total	5720_UNII-2C	9.38	≤11.00	PASS
	Ant5	5720_UNII-3	1.86	≤30.00	PASS
	Ant8	5720_UNII-3	2.07	≤30.00	PASS
	total	5720_UNII-3	4.98	≤30.00	PASS
Ant5	5745	3.62	≤30.00	PASS	
Ant8	5745	4.05	≤30.00	PASS	
total	5745	6.85	≤30.00	PASS	
Ant5	5785	3.99	≤30.00	PASS	
Ant8	5785	3.67	≤30.00	PASS	
total	5785	6.84	≤30.00	PASS	
Ant5	5825	4.02	≤30.00	PASS	
Ant8	5825	3.71	≤30.00	PASS	
total	5825	6.88	≤30.00	PASS	



11AC20MIMO	Ant5	5180	4.98	≤11.00	PASS
	Ant8	5180	5.71	≤11.00	PASS
	total	5180	8.37	≤11.00	PASS
	Ant5	5220	6.62	≤11.00	PASS
	Ant8	5220	6.75	≤11.00	PASS
	total	5220	9.70	≤11.00	PASS
	Ant5	5240	6.57	≤11.00	PASS
	Ant8	5240	6.43	≤11.00	PASS
	total	5240	9.51	≤11.00	PASS
	Ant5	5260	6.47	≤11.00	PASS
	Ant8	5260	6.82	≤11.00	PASS
	total	5260	9.66	≤11.00	PASS
	Ant5	5300	6.68	≤11.00	PASS
	Ant8	5300	6.73	≤11.00	PASS
	total	5300	9.72	≤11.00	PASS
	Ant5	5320	6.35	≤11.00	PASS
	Ant8	5320	6.07	≤11.00	PASS
	total	5320	9.22	≤11.00	PASS
	Ant5	5500	6.7	≤11.00	PASS
	Ant8	5500	7.21	≤11.00	PASS
	total	5500	9.97	≤11.00	PASS
	Ant5	5580	6.4	≤11.00	PASS
	Ant8	5580	7.15	≤11.00	PASS
	total	5580	9.80	≤11.00	PASS
	Ant5	5700	3.56	≤11.00	PASS
	Ant8	5700	4.82	≤11.00	PASS
	total	5700	7.25	≤11.00	PASS
	Ant5	5720_UNII-2C	5.71	≤11.00	PASS
	Ant8	5720_UNII-2C	6.1	≤11.00	PASS
	total	5720_UNII-2C	8.92	≤11.00	PASS
	Ant5	5720_UNII-3	1.44	≤30.00	PASS
	Ant8	5720_UNII-3	1.8	≤30.00	PASS
	total	5720_UNII-3	4.63	≤30.00	PASS
Ant5	5745	3.19	≤30.00	PASS	
Ant8	5745	3.61	≤30.00	PASS	
total	5745	6.42	≤30.00	PASS	
Ant5	5785	3.43	≤30.00	PASS	
Ant8	5785	3.23	≤30.00	PASS	
total	5785	6.34	≤30.00	PASS	
Ant5	5825	3.46	≤30.00	PASS	
Ant8	5825	3.26	≤30.00	PASS	
total	5825	6.37	≤30.00	PASS	
11AC40MIMO	Ant5	5190	-2.44	≤11.00	PASS
	Ant8	5190	-2.79	≤11.00	PASS
	total	5190	0.40	≤11.00	PASS
	Ant5	5230	1.89	≤11.00	PASS
	Ant8	5230	1.23	≤11.00	PASS
	total	5230	4.58	≤11.00	PASS
	Ant5	5270	1.74	≤11.00	PASS
	Ant8	5270	1.67	≤11.00	PASS
	total	5270	4.72	≤11.00	PASS
Ant5	5310	0.52	≤11.00	PASS	
Ant8	5310	-0.22	≤11.00	PASS	





	total	5310	3.18	≤11.00	PASS
	Ant5	5510	0.48	≤11.00	PASS
	Ant8	5510	0.05	≤11.00	PASS
	total	5510	3.28	≤11.00	PASS
	Ant5	5550	1.72	≤11.00	PASS
	Ant8	5550	2.35	≤11.00	PASS
	total	5550	5.06	≤11.00	PASS
	Ant5	5670	1.89	≤11.00	PASS
	Ant8	5670	1.82	≤11.00	PASS
	total	5670	4.87	≤11.00	PASS
	Ant5	5710_UNII-2C	1.04	≤11.00	PASS
	Ant8	5710_UNII-2C	1.05	≤11.00	PASS
	total	5710_UNII-2C	4.06	≤11.00	PASS
	Ant5	5710_UNII-3	-3.83	≤30.00	PASS
	Ant8	5710_UNII-3	-4.1	≤30.00	PASS
	total	5710_UNII-3	-0.95	≤30.00	PASS
	Ant5	5755	-1.66	≤30.00	PASS
	Ant8	5755	-1.71	≤30.00	PASS
	total	5755	1.33	≤30.00	PASS
	11AC80MIMO	Ant5	5795	-1.47	≤30.00
Ant8		5795	-2	≤30.00	PASS
total		5795	1.28	≤30.00	PASS
Ant5		5210	-6.57	≤11.00	PASS
Ant8		5210	-7.01	≤11.00	PASS
total		5210	-3.77	≤11.00	PASS
Ant5		5290	-3.81	≤11.00	PASS
Ant8		5290	-4.26	≤11.00	PASS
total		5290	-1.02	≤11.00	PASS
Ant5		5530	-5.39	≤11.00	PASS
Ant8		5530	-5.91	≤11.00	PASS
total		5530	-2.63	≤11.00	PASS
Ant5		5610	-1.91	≤11.00	PASS
Ant8		5610	-0.96	≤11.00	PASS
total		5610	1.60	≤11.00	PASS
Ant5		5690_UNII-2C	-1.27	≤11.00	PASS
Ant8		5690_UNII-2C	-1.16	≤11.00	PASS
total		5690_UNII-2C	1.80	≤11.00	PASS
Ant5		5690_UNII-3	-7.07	≤30.00	PASS
Ant8		5690_UNII-3	-6.69	≤30.00	PASS
total	5690_UNII-3	-3.87	≤30.00	PASS	
Ant5	5775	-4.55	≤30.00	PASS	
Ant8	5775	-4.55	≤30.00	PASS	
total	5775	-1.54	≤30.00	PASS	

Note: 1.The Result and Limit Unit is dBm/500 kHz in the band 5.725–5.85 GHz.  
2.The Duty Cycle Factor and is compensated in the graph.




### Test Graphs






11A-CDD\_Ant5\_5220



Date: 27.FEB.2024 16:36:27


11A-CDD\_Ant8\_5220



Date: 27.FEB.2024 16:36:45




11A-CDD\_Ant5\_5240



Date: 27.FEB.2024 16:37:06

11A-CDD\_Ant8\_5240




Date: 27.FEB.2024 16:37:27






11A-CDD\_Ant5\_5260




11A-CDD\_Ant8\_5260






11A-CDD\_Ant5\_5300



Date: 27.FEB.2024 16:38:27


11A-CDD\_Ant8\_5300



Date: 27.FEB.2024 16:38:42




11A-CDD\_Ant5\_5320



Date: 27.FEB.2024 16:39:02


11A-CDD\_Ant8\_5320



Date: 27.FEB.2024 16:39:16




11A-CDD\_Ant5\_5500



Date: 27.FEB.2024 16:40:32


11A-CDD\_Ant8\_5500




Date: 27.FEB.2024 16:40:45



11A-CDD\_Ant5\_5580




11A-CDD\_Ant8\_5580








11A-CDD\_Ant5\_5700




11A-CDD\_Ant8\_5700








11A-CDD\_Ant5\_5720\_UNII-3





Date: 3.FEB.2024 09:20:55

11A-CDD\_Ant8\_5720\_UNII-3




Date: 3.FEB.2024 09:21:28










11A-CDD\_Ant5\_5785




11A-CDD\_Ant8\_5785








11AC20MIMO\_Ant5\_5180



Date: 27.FEB.2024 14:19:25


11AC20MIMO\_Ant8\_5180



Date: 27.FEB.2024 14:19:35




11AC20MIMO\_Ant5\_5220



Date: 3.FEB.2024 09:32:58


11AC20MIMO\_Ant8\_5220



Date: 3.FEB.2024 09:33:21




11AC20MIMO\_Ant5\_5240



Date: 3.FEB.2024 09:34:03


11AC20MIMO\_Ant8\_5240



Date: 3.FEB.2024 09:34:26




11AC20MIMO\_Ant5\_5260



Date: 3.FEB.2024 09:35:10


11AC20MIMO\_Ant8\_5260



Date: 3.FEB.2024 09:35:32




11AC20MIMO\_Ant5\_5300



Date: 3.FEB.2024 09:36:09

11AC20MIMO\_Ant8\_5300




Date: 3.FEB.2024 09:36:32






11AC20MIMO\_Ant5\_5320



Date: 3.FEB.2024 09:37:19


11AC20MIMO\_Ant8\_5320



Date: 3.FEB.2024 09:38:33




11AC20MIMO\_Ant5\_5500



Date: 3.FEB.2024 09:39:13


11AC20MIMO\_Ant8\_5500



Date: 3.FEB.2024 09:39:36




11AC20MIMO\_Ant5\_5580



Date: 3.FEB.2024 09:40:13


11AC20MIMO\_Ant8\_5580



Date: 3.FEB.2024 09:40:36




11AC20MIMO\_Ant5\_5700



Date: 27.FEB.2024 14:20:38


11AC20MIMO\_Ant8\_5700



Date: 27.FEB.2024 14:20:48




11AC20MIMO\_Ant5\_5720\_UNII-2C



Date: 3.FEB.2024 09:42:38


11AC20MIMO\_Ant8\_5720\_UNII-2C



Date: 3.FEB.2024 09:43:11




11AC20MIMO\_Ant5\_5720\_UNII-3



Date: 3.FEB.2024 09:42:47


11AC20MIMO\_Ant8\_5720\_UNII-3




Date: 3.FEB.2024 09:43:20



11AC20MIMO\_Ant5\_5745




11AC20MIMO\_Ant8\_5745






11AC20MIMO\_Ant5\_5785




11AC20MIMO\_Ant8\_5785








11AC20MIMO\_Ant5\_5825



Date: 3.FEB.2024 09:46:38


11AC20MIMO\_Ant8\_5825




Date: 3.FEB.2024 09:47:08



11AC40MIMO\_Ant5\_5190




11AC40MIMO\_Ant8\_5190






11AC40MIMO\_Ant5\_5230




11AC40MIMO\_Ant8\_5230






11AC40MIMO\_Ant5\_5270




11AC40MIMO\_Ant8\_5270






11AC40MIMO\_Ant5\_5310




11AC40MIMO\_Ant8\_5310






11AC40MIMO\_Ant5\_5510




11AC40MIMO\_Ant8\_5510






11AC40MIMO\_Ant5\_5550




11AC40MIMO\_Ant8\_5550






11AC40MIMO\_Ant5\_5670





Date: 3.FEB.2024 09:54:23

11AC40MIMO\_Ant8\_5670




Date: 3.FEB.2024 09:54:46








11AC40MIMO\_Ant5\_5710\_UNII-3





Date: 3.FEB.2024 09:55:26

11AC40MIMO\_Ant8\_5710\_UNII-3




Date: 3.FEB.2024 09:55:59






11AC40MIMO\_Ant5\_5795




11AC40MIMO\_Ant8\_5795






11AC80MIMO\_Ant5\_5210




11AC80MIMO\_Ant8\_5210






11AC80MIMO\_Ant5\_5290




11AC80MIMO\_Ant8\_5290






11AC80MIMO\_Ant5\_5530




11AC80MIMO\_Ant8\_5530








11AC80MIMO\_Ant5\_5610







11AC80MIMO\_Ant8\_5610














## Appendix B. AC Conducted Emission Test Results

Test Engineer :	Amos Zhang	Temperature :	25.3~26.2°C
		Relative Humidity :	38~40%
Test Voltage :	120Vac / 60Hz	Phase :	Line
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		




Site : CO01-KS  
 Condition : 15E RSS247-QP LISN-060105-L 2023 LINE

	Freq	Level	Over	Limit	Read	LISN	Cable	Remark
	MHz	dBuV	Limit	Line	Level	Factor	Loss	
			dB	dBuV	dBuV	dB	dB	
1	0.199	48.64	-16.03	63.67	38.20	0.03	10.41	QP
2	0.199	29.64	-24.03	53.67	19.20	0.03	10.41	Average
3	1.939	42.14	-13.86	56.00	32.20	-0.14	10.08	QP
4	1.939	20.44	-25.56	46.00	10.50	-0.14	10.08	Average
5 *	2.809	42.48	-13.52	56.00	32.50	-0.09	10.07	QP
6	2.809	25.18	-20.82	46.00	15.20	-0.09	10.07	Average
7	3.509	41.07	-14.93	56.00	31.10	-0.10	10.07	QP
8	3.509	25.17	-20.83	46.00	15.20	-0.10	10.07	Average
9	6.056	41.46	-18.54	60.00	31.50	-0.14	10.10	QP
10	6.056	29.56	-20.44	50.00	19.60	-0.14	10.10	Average
11	12.716	41.41	-18.59	60.00	30.50	-0.14	11.05	QP
12	12.716	29.41	-20.59	50.00	18.50	-0.14	11.05	Average
13	16.398	42.55	-17.45	60.00	31.50	-0.20	11.25	QP
14	16.398	30.65	-19.35	50.00	19.60	-0.20	11.25	Average



Test Engineer :	Amos Zhang	Temperature :	25.3~26.2°C
		Relative Humidity :	38~40%
Test Voltage :	120Vac / 60Hz	Phase :	Neutral
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		



Site : CO01-KS  
 Condition : 15E RSS247-QP LISN-060105-N 2023 NEUTRAL

	Freq	Level	Over	Limit	Read	LISN	Cable	Remark
	MHz	dBuV	Limit	Line	Level	Factor	Loss	
			dB	dBuV	dBuV	dB	dB	
1	0.835	40.82	-15.18	56.00	30.79	-0.08	10.11	QP
2	0.835	23.52	-22.48	46.00	13.49	-0.08	10.11	Average
3 *	1.411	41.47	-14.53	56.00	31.50	-0.11	10.08	QP
4	1.411	25.47	-20.53	46.00	15.50	-0.11	10.08	Average
5	4.454	39.43	-16.57	56.00	29.50	-0.13	10.06	QP
6	4.454	26.73	-19.27	46.00	16.80	-0.13	10.06	Average
7	7.290	40.69	-19.31	60.00	30.50	-0.11	10.30	QP
8	7.290	27.39	-22.61	50.00	17.20	-0.11	10.30	Average
9	11.139	38.88	-21.12	60.00	28.20	-0.17	10.85	QP
10	11.139	24.88	-25.12	50.00	14.20	-0.17	10.85	Average
11	15.635	37.70	-22.30	60.00	26.59	-0.12	11.23	QP
12	15.635	25.30	-24.70	50.00	14.19	-0.12	11.23	Average
13	17.383	39.29	-20.71	60.00	28.20	-0.19	11.28	QP
14	17.383	25.89	-24.11	50.00	14.80	-0.19	11.28	Average

Note:

- Level(dBμV) = Read Level(dBμV) + LISN Factor(dB) + Cable Loss(dB)
- Over Limit(dB) = Level(dBμV) – Limit Line(dBμV)



## Appendix C. Radiated Spurious Emission Test Data

Test Engineer :	Jerry Xu	Relative Humidity :	41 ~ 42 %
		Temperature :	22 ~ 23 °C

### Radiated Spurious Emission Test Modes

Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 1	U-NII-1	5.15-5.25	CDD 5+8	802.11a	36	5180	6Mbps	-	-
Mode 2	U-NII-1	5.15-5.25	CDD 5+8	802.11a	44	5220	6Mbps	-	-
Mode 3	U-NII-1	5.15-5.25	CDD 5+8	802.11a	48	5240	6Mbps	-	-
Mode 4	U-NII-2A	5.25-5.35	CDD 5+8	802.11a	52	5280	6Mbps	-	-
Mode 5	U-NII-2A	5.25-5.35	CDD 5+8	802.11a	60	5300	6Mbps	-	-
Mode 6	U-NII-2A	5.25-5.35	CDD 5+8	802.11a	64	5320	6Mbps	-	-
Mode 7	U-NII-2C	5.47-5.725	CDD 5+8	802.11a	100	5500	6Mbps	-	-
Mode 8	U-NII-2C	5.47-5.725	CDD 5+8	802.11a	116	5580	6Mbps	-	-
Mode 9	U-NII-2C	5.47-5.725	CDD 5+8	802.11a	140	5700	6Mbps	-	-
Mode 10	U-NII-1	5.15-5.25	CDD 5+8	802.11ac VHT20	36	5180	MCS0	-	-
Mode 11	U-NII-1	5.15-5.25	CDD 5+8	802.11ac VHT20	44	5220	MCS0	-	-
Mode 12	U-NII-1	5.15-5.25	CDD 5+8	802.11ac VHT20	48	5240	MCS0	-	-
Mode 13	U-NII-2A	5.25-5.35	CDD 5+8	802.11ac VHT20	52	5280	MCS0	-	-
Mode 14	U-NII-2A	5.25-5.35	CDD 5+8	802.11ac VHT20	60	5300	MCS0	-	-
Mode 15	U-NII-2A	5.25-5.35	CDD 5+8	802.11ac VHT20	64	5320	MCS0	-	-
Mode 16	U-NII-2C	5.47-5.725	CDD 5+8	802.11ac VHT20	100	5500	MCS0	-	-
Mode 17	U-NII-2C	5.47-5.725	CDD 5+8	802.11ac VHT20	116	5580	MCS0	-	-
Mode 18	U-NII-2C	5.47-5.725	CDD 5+8	802.11ac VHT20	140	5700	MCS0	-	-
Mode 19	U-NII-1	5.15-5.25	CDD 5+8	802.11ac VHT40	38	5190	MCS0	-	-
Mode 20	U-NII-1	5.15-5.25	CDD 5+8	802.11ac VHT40	46	5230	MCS0	-	-
Mode 21	U-NII-2A	5.25-5.35	CDD 5+8	802.11ac VHT40	54	5270	MCS0	-	-
Mode 22	U-NII-2A	5.25-5.35	CDD 5+8	802.11ac VHT40	62	5310	MCS0	-	-
Mode 23	U-NII-2C	5.47-5.725	CDD 5+8	802.11ac VHT40	102	5510	MCS0	-	-
Mode 24	U-NII-2C	5.47-5.725	CDD 5+8	802.11ac VHT40	110	5550	MCS0	-	-
Mode 25	U-NII-2C	5.47-5.725	CDD 5+8	802.11ac VHT40	134	5670	MCS0	-	-
Mode 26	U-NII-1	5.15-5.25	CDD 5+8	802.11ac VHT80	42	5210	MCS0	-	-
Mode 27	U-NII-2A	5.25-5.35	CDD 5+8	802.11ac VHT80	58	5290	MCS0	-	-
Mode 28	U-NII-2C	5.47-5.725	CDD 5+8	802.11ac VHT80	106	5530	MCS0	-	-
Mode 29	U-NII-2C	5.47-5.725	CDD 5+8	802.11ac VHT80	122	5610	MCS0	-	-
Mode 30	U-NII-3	5.725-5.85	CDD 1+2	802.11a	144	5720	6Mbps	-	-
Mode 31	U-NII-3	5.725-5.85	CDD 1+2	802.11ac VHT20	144	5720	MCS0	-	-
Mode 32	U-NII-3	5.725-5.85	CDD 1+2	802.11ac VHT40	142	5710	MCS0	-	-



Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 33	U-NII-3	5.725-5.85	CDD 1+2	802.11ac VHT80	138	5690	MCS0	-	-
Mode 34	U-NII-3	5.725-5.85	CDD 1+2	802.11a	149	5745	6Mbps	-	-
Mode 35	U-NII-3	5.725-5.85	CDD 1+2	802.11a	157	5785	6Mbps	-	-
Mode 36	U-NII-3	5.725-5.85	CDD 1+2	802.11a	165	5825	6Mbps	-	-
Mode 37	U-NII-3	5.725-5.85	CDD 1+2	802.11ac VHT20	149	5745	MCS0	-	-
Mode 38	U-NII-3	5.725-5.85	CDD 1+2	802.11ac VHT20	157	5785	MCS0	-	-
Mode 39	U-NII-3	5.725-5.85	CDD 1+2	802.11ac VHT20	165	5825	MCS0	-	-
Mode 40	U-NII-3	5.725-5.85	CDD 1+2	802.11ac VHT40	151	5755	MCS0	-	-
Mode 41	U-NII-3	5.725-5.85	CDD 1+2	802.11ac VHT40	159	5795	MCS0	-	-
Mode 42	U-NII-3	5.725-5.85	CDD 1+2	802.11ac VHT80	155	5775	MCS0	-	-
Mode 43	U-NII-2A	5.25-5.35	CDD 5+8	802.11ac VHT40	62	5310	MCS0	-	-
Co-location	Part 22H GSM 850 Link								



Summary of each worse mode

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
1	802.11a	36	5149.80	47.05	54.00	-6.95	H	AVERAGE	Pass	Band Edge
	802.11a	36	10360.00	51.14	68.20	-17.06	H	PEAK	Pass	Harmonic
2	802.11a	44	-	-	-	-	-	-	-	Band Edge
	802.11a	44	15660.30	43.86	54.00	-10.14	H	Average	Pass	Harmonic
3	802.11a	48	-	-	-	-	-	-	-	Band Edge
	802.11a	48	15720.00	40.52	54.00	-13.48	H	AVERAGE	Pass	Harmonic
4	802.11a	52	-	-	-	-	-	-	-	Band Edge
	802.11a	52	10560.00	52.45	68.20	-15.75	H	PEAK	Pass	Harmonic
5	802.11a	60	-	-	-	-	-	-	-	Band Edge
	802.11a	60	10600.01	40.76	54.00	-13.24	V	AVERAGE	Pass	Harmonic
6	802.11a	64	5352.80	43.32	54.00	-10.68	H	AVERAGE	Pass	Band Edge
	802.11a	64	10640.00	40.54	54.00	-13.46	V	AVERAGE	Pass	Harmonic
7	802.11a	100	5469.36	62.47	68.20	-5.73	H	PEAK	Pass	Band Edge
	802.11a	100	11000.00	44.87	54.00	-9.13	V	AVERAGE	Pass	Harmonic
8	802.11a	116	-	-	-	-	-	-	-	Band Edge
	802.11a	116	11160.00	46.12	54.00	-7.88	V	AVERAGE	Pass	Harmonic
9	802.11a	140	5725.32	63.69	68.20	-4.51	H	PEAK	Pass	Band Edge
	802.11a	140	11400.00	41.22	54.00	-12.78	H	AVERAGE	Pass	Harmonic
10	802.11ac VHT20	36	5150.00	49.61	54.00	-4.39	H	AVERAGE	Pass	Band Edge
	802.11ac VHT20	36	10360.00	50.40	68.20	-17.80	V	PEAK	Pass	Harmonic
11	802.11ac VHT20	44	-	-	-	-	-	-	-	Band Edge
	802.11ac VHT20	44	10440.00	51.83	68.20	-16.37	V	PEAK	Pass	Harmonic
12	802.11ac VHT20	48	-	-	-	-	-	-	-	Band Edge
	802.11ac VHT20	48	10480.00	52.04	68.20	-16.16	V	PEAK	Pass	Harmonic
13	802.11ac VHT20	52	-	-	-	-	-	-	-	Band Edge
	802.11ac VHT20	52	10560.00	52.66	68.20	-15.54	V	PEAK	Pass	Harmonic
14	802.11ac VHT20	60	-	-	-	-	-	-	-	Band Edge
	802.11ac VHT20	60	10600.00	40.93	54.00	-13.07	H	AVERAGE	Pass	Harmonic
15	802.11ac VHT20	64	5350.00	45.05	54.00	-8.95	H	AVERAGE	Pass	Band Edge
	802.11ac VHT20	64	10640.00	40.81	54.00	-13.19	H	AVERAGE	Pass	Harmonic
16	802.11ac VHT20	100	5469.68	64.71	68.20	-3.49	H	PEAK	Pass	Band Edge
	802.11ac VHT20	100	11000.00	43.78	54.00	-10.22	V	AVERAGE	Pass	Harmonic
17	802.11ac VHT20	116	-	-	-	-	-	-	-	Band Edge
	802.11ac VHT20	116	11160.00	45.44	54.00	-8.56	V	AVERAGE	Pass	Harmonic
18	802.11ac VHT20	140	5725.00	63.95	68.20	-4.25	H	PEAK	Pass	Band Edge
	802.11ac VHT20	140	11400.00	40.71	54.00	-13.29	V	AVERAGE	Pass	Harmonic





Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
19	802.11ac VHT40	38	5149.92	50.48	54.00	-3.52	H	AVERAGE	Pass	Band Edge
	802.11ac VHT40	38	10380.00	45.73	68.20	-22.47	H	PEAK	Pass	Harmonic
20	802.11ac VHT40	46	5149.92	42.99	54.00	-11.01	H	AVERAGE	Pass	Band Edge
	802.11ac VHT40	46	10460.00	46.51	68.20	-21.69	V	PEAK	Pass	Harmonic
21	802.11ac VHT40	54	5149.85	41.79	54.00	-12.21	H	AVERAGE	Pass	Band Edge
	802.11ac VHT40	54	10540.00	46.21	68.20	-21.99	V	PEAK	Pass	Harmonic
22	802.11ac VHT40	62	5350.50	50.60	54.00	-3.40	H	AVERAGE	Pass	Band Edge
	802.11ac VHT40	62	10620.00	45.26	74.00	-28.74	V	PEAK	Pass	Harmonic
23	802.11ac VHT40	102	5459.92	50.06	54.00	-3.94	H	AVERAGE	Pass	Band Edge
	802.11ac VHT40	102	11020.00	37.77	54.00	-16.23	H	AVERAGE	Pass	Harmonic
24	802.11ac VHT40	110	5460.00	43.67	54.00	-10.33	H	AVERAGE	Pass	Band Edge
	802.11ac VHT40	110	11100.00	41.37	54.00	-12.63	V	AVERAGE	Pass	Harmonic
25	802.11ac VHT40	134	5730.28	60.81	68.20	-7.39	H	PEAK	Pass	Band Edge
	802.11ac VHT40	134	11340.00	47.85	74.00	-26.15	V	PEAK	Pass	Harmonic
26	802.11ac VHT80	42	5149.76	50.22	54.00	-3.78	H	AVERAGE	Pass	Band Edge
	802.11ac VHT80	42	10420.00	45.74	68.20	-22.46	V	PEAK	Pass	Harmonic
27	802.11ac VHT80	58	5350.40	50.46	54.00	-3.54	H	AVERAGE	Pass	Band Edge
	802.11ac VHT80	58	10580.00	44.94	68.20	-23.26	H	PEAK	Pass	Harmonic
28	802.11ac VHT80	106	5459.92	49.72	54.00	-4.28	H	AVERAGE	Pass	Band Edge
	802.11ac VHT80	106	11060.00	46.32	74.00	-27.68	H	PEAK	Pass	Harmonic
29	802.11ac VHT80	122	5735.08	55.74	68.20	-12.46	H	PEAK	Pass	Band Edge
	802.11ac VHT80	122	11220.00	47.62	74.00	-26.38	V	PEAK	Pass	Harmonic
30	802.11a	144	-	-	-	-	-	-	-	Band Edge
	802.11a	144	11440.00	44.24	54.00	-9.76	V	AVERAGE	Pass	Harmonic
31	802.11ac VHT20	144	-	-	-	-	-	-	-	Band Edge
	802.11ac VHT20	144	11440.00	43.56	54.00	-10.44	V	AVERAGE	Pass	Harmonic
32	802.11ac VHT40	142	-	-	-	-	-	-	-	Band Edge
	802.11ac VHT40	142	11420.00	47.60	74.00	-26.40	V	PEAK	Pass	Harmonic
33	802.11ac VHT80	138	-	-	-	-	-	-	-	Band Edge
	802.11ac VHT80	138	11380.00	45.75	74.00	-28.25	V	PEAK	Pass	Harmonic
34	802.11a	149	5640.00	50.90	68.20	-17.30	H	PEAK	Pass	Band Edge
	802.11a	149	11490.00	44.15	54.00	-9.85	V	AVERAGE	Pass	Harmonic
35	802.11a	157	-	-	-	-	-	-	-	Band Edge
	802.11a	157	11570.00	44.08	54.00	-9.92	V	AVERAGE	Pass	Harmonic
36	802.11a	165	5926.00	51.22	68.20	-16.98	V	PEAK	Pass	Band Edge
	802.11a	165	11650.00	44.05	54.00	-9.95	V	AVERAGE	Pass	Harmonic
37	802.11ac VHT20	149	5622.80	50.54	68.20	-17.66	H	PEAK	Pass	Band Edge







Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
37	802.11ac VHT20	149	11490.00	43.06	54.00	-10.94	V	AVERAGE	Pass	Harmonic
38	802.11ac VHT20	157	-	-	-	-	-	-	-	Band Edge
	802.11ac VHT20	157	11570.00	43.21	54.00	-10.79	V	AVERAGE	Pass	Harmonic
39	802.11ac VHT20	165	5956.00	50.88	68.20	-17.32	V	PEAK	Pass	Band Edge
	802.11ac VHT20	165	-	-	-	-	-	-	-	Harmonic
40	802.11ac VHT40	151	5643.56	54.12	68.20	-14.08	H	PEAK	Pass	Band Edge
	802.11ac VHT40	151	11510.00	46.72	74.00	-27.28	V	PEAK	Pass	Harmonic
41	802.11ac VHT40	159	5930.00	51.48	68.20	-16.72	H	PEAK	Pass	Band Edge
	802.11ac VHT40	159	11590.00	37.05	54.00	-16.95	V	AVERAGE	Pass	Harmonic
42	802.11ac VHT80	155	5647.20	55.58	68.20	-12.62	H	PEAK	Pass	Band Edge
	802.11ac VHT80	155	11550.00	46.93	74.00	-27.07	V	PEAK	Pass	Harmonic
43	802.11ac VHT40	62	5350.00	50.78	54.00	-3.22	V	AVERAGE	Pass	Band Edge
	802.11ac VHT40	62	10620.00	45.92	74.00	-28.08	V	PEAK	Pass	Harmonic



		1																																																																														
Mode	Band Edge																																																																															
	U-NII-1_5.15-5.25_802.11a_CH36_5180MHz																																																																															
ANT	CDD 5+8																																																																															
Pol.	Horizontal	Fundamental																																																																														
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5149.40</td> <td>58.51</td> <td>74.00</td> <td>-15.49</td> <td>50.24</td> <td>34.15</td> <td>10.61</td> <td>36.49</td> <td>0.00</td> <td>102</td> <td>308</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5149.40	58.51	74.00	-15.49	50.24	34.15	10.61	36.49	0.00	102	308	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5180.00</td> <td>110.57</td> <td>-----</td> <td>-----</td> <td>102.27</td> <td>34.23</td> <td>10.64</td> <td>36.57</td> <td>0.00</td> <td>102</td> <td>308</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	110.57	-----	-----	102.27	34.23	10.64	36.57	0.00	102	308	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1	5149.40	58.51	74.00	-15.49	50.24	34.15	10.61	36.49	0.00	102	308	PEAK																																																																				
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1	5180.00	110.57	-----	-----	102.27	34.23	10.64	36.57	0.00	102	308	PEAK																																																																				
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5149.80</td> <td>47.05</td> <td>54.00</td> <td>-6.95</td> <td>38.78</td> <td>34.15</td> <td>10.61</td> <td>36.49</td> <td>0.00</td> <td>102</td> <td>308</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5149.80	47.05	54.00	-6.95	38.78	34.15	10.61	36.49	0.00	102	308	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5180.00</td> <td>101.81</td> <td>-----</td> <td>-----</td> <td>93.51</td> <td>34.23</td> <td>10.64</td> <td>36.57</td> <td>0.00</td> <td>102</td> <td>308</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	101.81	-----	-----	93.51	34.23	10.64	36.57	0.00	102	308	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1	5149.80	47.05	54.00	-6.95	38.78	34.15	10.61	36.49	0.00	102	308	AVERAGE																																																																				
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1	5180.00	101.81	-----	-----	93.51	34.23	10.64	36.57	0.00	102	308	AVERAGE																																																																				



		1																																																																																						
Mode		Band Edge																																																																																						
		U-NII-1_5.15-5.25_802.11a_CH36_5180MHz																																																																																						
ANT		CDD 5+8																																																																																						
Pol.		Vertical					Fundamental																																																																																	
Peak	 <p>Level (dBuV/m)</p> <p>Frequency (MHz)</p> <p>U-NII-1-U-NII-2A-U-NII-2C</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5149.30</td> <td>57.72</td> <td>74.00</td> <td>-16.28</td> <td>49.45</td> <td>34.15</td> <td>10.61</td> <td>36.49</td> <td>0.00</td> <td>100</td> <td>59 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor		cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5149.30	57.72	74.00	-16.28	49.45	34.15	10.61	36.49	0.00	100	59 PEAK	 <p>Level (dBuV/m)</p> <p>Frequency (MHz)</p> <p>U-NII-1-U-NII-2A-U-NII-2C</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5180.00</td> <td>104.64</td> <td>-----</td> <td>-----</td> <td>96.34</td> <td>34.25</td> <td>10.64</td> <td>36.59</td> <td>0.00</td> <td>100</td> <td>59 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor		cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5180.00	104.64	-----	-----	96.34	34.25	10.64	36.59	0.00	100	59 PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor		cm	deg																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1	5149.30	57.72	74.00	-16.28	49.45	34.15	10.61	36.49	0.00	100	59 PEAK																																																																													
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor		cm	deg																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1	5180.00	104.64	-----	-----	96.34	34.25	10.64	36.59	0.00	100	59 PEAK																																																																													
Avg	 <p>Level (dBuV/m)</p> <p>Frequency (MHz)</p> <p>U-NII-1-U-NII-2A-U-NII-2C(AVG)</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5150.00</td> <td>46.00</td> <td>54.00</td> <td>-8.00</td> <td>37.73</td> <td>34.15</td> <td>10.61</td> <td>36.49</td> <td>0.00</td> <td>100</td> <td>59 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor		cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5150.00	46.00	54.00	-8.00	37.73	34.15	10.61	36.49	0.00	100	59 AVERAGE	 <p>Level (dBuV/m)</p> <p>Frequency (MHz)</p> <p>U-NII-1-U-NII-2A-U-NII-2C(AVG)</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5180.00</td> <td>97.00</td> <td>-----</td> <td>-----</td> <td>88.78</td> <td>34.23</td> <td>10.64</td> <td>36.57</td> <td>0.00</td> <td>100</td> <td>59 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor		cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5180.00	97.00	-----	-----	88.78	34.23	10.64	36.57	0.00	100	59 AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor		cm	deg																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1	5150.00	46.00	54.00	-8.00	37.73	34.15	10.61	36.49	0.00	100	59 AVERAGE																																																																													
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor		cm	deg																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1	5180.00	97.00	-----	-----	88.78	34.23	10.64	36.57	0.00	100	59 AVERAGE																																																																													



Mode	1																																																																											
	Harmonic																																																																											
	U-NII-1_5.15-5.25_802.11a_CH36_5180MHz																																																																											
ANT	CDD 5+8																																																																											
Pol.	Horizontal	Vertical																																																																										
Peak																																																																												
Avg																																																																												
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 10360.00</td> <td>51.14</td> <td>68.20</td> <td>-17.06</td> <td>64.98</td> <td>37.45</td> <td>15.45</td> <td>66.74</td> <td>0.00</td> <td>267</td> <td>51 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 10360.00	51.14	68.20	-17.06	64.98	37.45	15.45	66.74	0.00	267	51 PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 10360.00</td> <td>50.62</td> <td>68.20</td> <td>-17.58</td> <td>64.46</td> <td>37.45</td> <td>15.45</td> <td>66.74</td> <td>0.00</td> <td>--</td> <td>-- PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 10360.00	50.62	68.20	-17.58	64.46	37.45	15.45	66.74	0.00	--	-- PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Remark																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																			
1 10360.00	51.14	68.20	-17.06	64.98	37.45	15.45	66.74	0.00	267	51 PEAK																																																																		
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Remark																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																			
1 10360.00	50.62	68.20	-17.58	64.46	37.45	15.45	66.74	0.00	--	-- PEAK																																																																		



Mode	2																																																																																																							
	Harmonic																																																																																																							
	U-NII-1_5.15-5.25_802.11a_CH44_5220MHz																																																																																																							
ANT	CDD 5+8																																																																																																							
Pol.	Horizontal	Vertical																																																																																																						
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 10440.00</td> <td>48.50</td> <td>68.20</td> <td>-19.70</td> <td>62.17</td> <td>37.51</td> <td>15.53</td> <td>66.71</td> <td>0.00</td> <td>--</td> <td>PEAK</td> </tr> <tr> <td>2 15660.30</td> <td>51.21</td> <td>74.00</td> <td>-22.79</td> <td>56.05</td> <td>40.19</td> <td>19.12</td> <td>64.15</td> <td>0.00</td> <td>251</td> <td>180</td> <td>Peak</td> </tr> <tr> <td>3 15660.30</td> <td>43.86</td> <td>54.00</td> <td>-10.14</td> <td>48.70</td> <td>40.19</td> <td>19.12</td> <td>64.15</td> <td>0.00</td> <td>251</td> <td>180</td> <td>Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 10440.00	48.50	68.20	-19.70	62.17	37.51	15.53	66.71	0.00	--	PEAK	2 15660.30	51.21	74.00	-22.79	56.05	40.19	19.12	64.15	0.00	251	180	Peak	3 15660.30	43.86	54.00	-10.14	48.70	40.19	19.12	64.15	0.00	251	180	Average	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 10440.00</td> <td>49.42</td> <td>68.20</td> <td>-18.78</td> <td>63.10</td> <td>37.51</td> <td>15.52</td> <td>66.71</td> <td>0.00</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 10440.00	49.42	68.20	-18.78	63.10	37.51	15.52	66.71	0.00	--	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																															
1 10440.00	48.50	68.20	-19.70	62.17	37.51	15.53	66.71	0.00	--	PEAK																																																																																														
2 15660.30	51.21	74.00	-22.79	56.05	40.19	19.12	64.15	0.00	251	180	Peak																																																																																													
3 15660.30	43.86	54.00	-10.14	48.70	40.19	19.12	64.15	0.00	251	180	Average																																																																																													
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																															
1 10440.00	49.42	68.20	-18.78	63.10	37.51	15.52	66.71	0.00	--	PEAK																																																																																														



Mode	3																																																																																																																																							
	Harmonic																																																																																																																																							
	U-NII-1_5.15-5.25_802.11a_CH48_5240MHz																																																																																																																																							
ANT	CDD 5+8																																																																																																																																							
Pol.	Horizontal	Vertical																																																																																																																																						
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10480.00</td> <td>48.87</td> <td>68.20</td> <td>-19.33</td> <td>62.46</td> <td>37.54</td> <td>15.56</td> <td>66.69</td> <td>0.00</td> <td>--</td> <td>--</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>15720.00</td> <td>50.04</td> <td>74.00</td> <td>-23.96</td> <td>54.76</td> <td>40.25</td> <td>19.16</td> <td>64.13</td> <td>0.00</td> <td>192</td> <td>350</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>15720.00</td> <td>40.52</td> <td>54.00</td> <td>-13.48</td> <td>45.24</td> <td>40.25</td> <td>19.16</td> <td>64.13</td> <td>0.00</td> <td>192</td> <td>350</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10480.00	48.87	68.20	-19.33	62.46	37.54	15.56	66.69	0.00	--	--	PEAK	2	15720.00	50.04	74.00	-23.96	54.76	40.25	19.16	64.13	0.00	192	350	PEAK	3	15720.00	40.52	54.00	-13.48	45.24	40.25	19.16	64.13	0.00	192	350	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10480.00</td> <td>49.32</td> <td>68.20</td> <td>-18.88</td> <td>62.91</td> <td>37.54</td> <td>15.56</td> <td>66.69</td> <td>0.00</td> <td>--</td> <td>--</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>15720.00</td> <td>49.01</td> <td>74.00</td> <td>-24.99</td> <td>53.73</td> <td>40.25</td> <td>19.16</td> <td>64.13</td> <td>0.00</td> <td>100</td> <td>339</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>15720.00</td> <td>39.19</td> <td>54.00</td> <td>-14.81</td> <td>43.91</td> <td>40.25</td> <td>19.16</td> <td>64.13</td> <td>0.00</td> <td>100</td> <td>339</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10480.00	49.32	68.20	-18.88	62.91	37.54	15.56	66.69	0.00	--	--	PEAK	2	15720.00	49.01	74.00	-24.99	53.73	40.25	19.16	64.13	0.00	100	339	PEAK	3	15720.00	39.19	54.00	-14.81	43.91	40.25	19.16	64.13	0.00	100	339	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																															
1	10480.00	48.87	68.20	-19.33	62.46	37.54	15.56	66.69	0.00	--	--	PEAK																																																																																																																												
2	15720.00	50.04	74.00	-23.96	54.76	40.25	19.16	64.13	0.00	192	350	PEAK																																																																																																																												
3	15720.00	40.52	54.00	-13.48	45.24	40.25	19.16	64.13	0.00	192	350	AVERAGE																																																																																																																												
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																															
1	10480.00	49.32	68.20	-18.88	62.91	37.54	15.56	66.69	0.00	--	--	PEAK																																																																																																																												
2	15720.00	49.01	74.00	-24.99	53.73	40.25	19.16	64.13	0.00	100	339	PEAK																																																																																																																												
3	15720.00	39.19	54.00	-14.81	43.91	40.25	19.16	64.13	0.00	100	339	AVERAGE																																																																																																																												



Mode	4																																																																							
	Harmonic																																																																							
	U-NII-2A_5.25-5.35_802.11a_CH52_5280MHz																																																																							
ANT	CDD 5+8																																																																							
Pol.	Horizontal	Vertical																																																																						
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 10560.00</td> <td>52.45</td> <td>68.20</td> <td>-15.75</td> <td>65.89</td> <td>37.59</td> <td>15.63</td> <td>66.66</td> <td>0.00</td> <td>266</td> <td>52 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 10560.00	52.45	68.20	-15.75	65.89	37.59	15.63	66.66	0.00	266	52 PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 10560.00</td> <td>48.95</td> <td>68.20</td> <td>-19.25</td> <td>62.39</td> <td>37.59</td> <td>15.63</td> <td>66.66</td> <td>0.00</td> <td>--</td> <td>-- PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 10560.00	48.95	68.20	-19.25	62.39	37.59	15.63	66.66	0.00	--	-- PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Remark																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																	
1 10560.00	52.45	68.20	-15.75	65.89	37.59	15.63	66.66	0.00	266	52 PEAK																																																														
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Remark																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																	
1 10560.00	48.95	68.20	-19.25	62.39	37.59	15.63	66.66	0.00	--	-- PEAK																																																														









Mode	5																																																																																																									
	Harmonic																																																																																																									
	U-NII-2A_5.25-5.35_802.11a_CH60_5300MHz																																																																																																									
ANT	CDD 5+8																																																																																																									
Pol.	Horizontal	Vertical																																																																																																								
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 10600.01</td> <td>49.75</td> <td>74.00</td> <td>-24.25</td> <td>63.10</td> <td>37.62</td> <td>15.67</td> <td>66.64</td> <td>0.00</td> <td>153</td> <td>351</td> <td>PEAK</td> </tr> <tr> <td>2 10600.01</td> <td>40.16</td> <td>54.00</td> <td>-13.84</td> <td>53.51</td> <td>37.62</td> <td>15.67</td> <td>66.64</td> <td>0.00</td> <td>153</td> <td>351</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 10600.01	49.75	74.00	-24.25	63.10	37.62	15.67	66.64	0.00	153	351	PEAK	2 10600.01	40.16	54.00	-13.84	53.51	37.62	15.67	66.64	0.00	153	351	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 10600.01</td> <td>50.45</td> <td>74.00</td> <td>-23.55</td> <td>63.00</td> <td>37.62</td> <td>15.67</td> <td>66.64</td> <td>0.00</td> <td>191</td> <td>0</td> <td>PEAK</td> </tr> <tr> <td>2 10600.01</td> <td>40.76</td> <td>54.00</td> <td>-13.24</td> <td>54.11</td> <td>37.62</td> <td>15.67</td> <td>66.64</td> <td>0.00</td> <td>191</td> <td>0</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 10600.01	50.45	74.00	-23.55	63.00	37.62	15.67	66.64	0.00	191	0	PEAK	2 10600.01	40.76	54.00	-13.24	54.11	37.62	15.67	66.64	0.00	191	0	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																		
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																	
1 10600.01	49.75	74.00	-24.25	63.10	37.62	15.67	66.64	0.00	153	351	PEAK																																																																																															
2 10600.01	40.16	54.00	-13.84	53.51	37.62	15.67	66.64	0.00	153	351	AVERAGE																																																																																															
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																		
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																	
1 10600.01	50.45	74.00	-23.55	63.00	37.62	15.67	66.64	0.00	191	0	PEAK																																																																																															
2 10600.01	40.76	54.00	-13.24	54.11	37.62	15.67	66.64	0.00	191	0	AVERAGE																																																																																															



		6																																																																														
Mode		Band Edge																																																																														
		U-NII-2A_5.25-5.35_802.11a_CH64_5320MHz																																																																														
ANT		CDD 5+8																																																																														
Pol.		Horizontal					Fundamental																																																																									
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5360.20</td> <td>53.35</td> <td>74.00</td> <td>-20.65</td> <td>44.48</td> <td>34.50</td> <td>10.75</td> <td>36.38</td> <td>0.00</td> <td>100</td> <td>309</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5360.20	53.35	74.00	-20.65	44.48	34.50	10.75	36.38	0.00	100	309	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5320.00</td> <td>108.03</td> <td>-----</td> <td>-----</td> <td>99.30</td> <td>34.50</td> <td>10.73</td> <td>36.50</td> <td>0.00</td> <td>100</td> <td>309</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	108.03	-----	-----	99.30	34.50	10.73	36.50	0.00	100	309	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1	5360.20	53.35	74.00	-20.65	44.48	34.50	10.75	36.38	0.00	100	309	PEAK																																																																				
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1	5320.00	108.03	-----	-----	99.30	34.50	10.73	36.50	0.00	100	309	PEAK																																																																				
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5352.80</td> <td>43.32</td> <td>54.00</td> <td>-10.68</td> <td>34.49</td> <td>34.50</td> <td>10.75</td> <td>36.42</td> <td>0.00</td> <td>100</td> <td>309</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5352.80	43.32	54.00	-10.68	34.49	34.50	10.75	36.42	0.00	100	309	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5320.00</td> <td>100.11</td> <td>-----</td> <td>-----</td> <td>91.37</td> <td>34.50</td> <td>10.73</td> <td>36.49</td> <td>0.00</td> <td>100</td> <td>309</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	100.11	-----	-----	91.37	34.50	10.73	36.49	0.00	100	309	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1	5352.80	43.32	54.00	-10.68	34.49	34.50	10.75	36.42	0.00	100	309	AVERAGE																																																																				
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1	5320.00	100.11	-----	-----	91.37	34.50	10.73	36.49	0.00	100	309	AVERAGE																																																																				







		6																																																																														
Mode		Band Edge																																																																														
		U-NII-2A_5.25-5.35_802.11a_CH64_5320MHz																																																																														
ANT		CDD 5+8																																																																														
Pol.		Vertical					Fundamental																																																																									
Peak	 <p>Level (dBuV/m)</p> <p>130</p> <p>113.8</p> <p>97.5</p> <p>81.3</p> <p>65.0</p> <p>48.8</p> <p>32.5</p> <p>16.3</p> <p>5300 5320 5340 5360 5380 5400</p> <p>Frequency (MHz)</p> <p>U-NII-1-U-NII-2A-U-NII-2C</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5354.10</td> <td>51.36</td> <td>74.00</td> <td>-22.64</td> <td>42.52</td> <td>34.50</td> <td>10.75</td> <td>36.41</td> <td>0.00</td> <td>100</td> <td>62</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5354.10	51.36	74.00	-22.64	42.52	34.50	10.75	36.41	0.00	100	62	PEAK	 <p>Level (dBuV/m)</p> <p>130</p> <p>113.8</p> <p>97.5</p> <p>81.3</p> <p>65.0</p> <p>48.8</p> <p>32.5</p> <p>16.3</p> <p>1000 2200 3400 4600 5800 7000</p> <p>Frequency (MHz)</p> <p>U-NII-1-U-NII-2A-U-NII-2C</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5320.00</td> <td>103.09</td> <td>-----</td> <td>-----</td> <td>94.35</td> <td>34.50</td> <td>10.73</td> <td>36.49</td> <td>0.00</td> <td>100</td> <td>62</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	103.09	-----	-----	94.35	34.50	10.73	36.49	0.00	100	62	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1	5354.10	51.36	74.00	-22.64	42.52	34.50	10.75	36.41	0.00	100	62	PEAK																																																																				
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1	5320.00	103.09	-----	-----	94.35	34.50	10.73	36.49	0.00	100	62	PEAK																																																																				
Avg	 <p>Level (dBuV/m)</p> <p>130</p> <p>113.8</p> <p>97.5</p> <p>81.3</p> <p>65.0</p> <p>48.8</p> <p>32.5</p> <p>16.3</p> <p>5300 5320 5340 5360 5380 5400</p> <p>Frequency (MHz)</p> <p>U-NII-1-U-NII-2A-U-NII-2C(AVG)</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5350.00</td> <td>41.29</td> <td>54.00</td> <td>-12.71</td> <td>32.48</td> <td>34.50</td> <td>10.75</td> <td>36.44</td> <td>0.00</td> <td>100</td> <td>62</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5350.00	41.29	54.00	-12.71	32.48	34.50	10.75	36.44	0.00	100	62	AVERAGE	 <p>Level (dBuV/m)</p> <p>130</p> <p>113.8</p> <p>97.5</p> <p>81.3</p> <p>65.0</p> <p>48.8</p> <p>32.5</p> <p>16.3</p> <p>1000 2200 3400 4600 5800 7000</p> <p>Frequency (MHz)</p> <p>U-NII-1-U-NII-2A-U-NII-2C(AVG)</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5320.00</td> <td>95.10</td> <td>-----</td> <td>-----</td> <td>86.36</td> <td>34.50</td> <td>10.73</td> <td>36.49</td> <td>0.00</td> <td>100</td> <td>62</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	95.10	-----	-----	86.36	34.50	10.73	36.49	0.00	100	62	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1	5350.00	41.29	54.00	-12.71	32.48	34.50	10.75	36.44	0.00	100	62	AVERAGE																																																																				
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1	5320.00	95.10	-----	-----	86.36	34.50	10.73	36.49	0.00	100	62	AVERAGE																																																																				







Mode	6																																																																																																									
	Harmonic																																																																																																									
	U-NII-2A_5.25-5.35_802.11a_CH64_5320MHz																																																																																																									
ANT	CDD 5+8																																																																																																									
Pol.	Horizontal	Vertical																																																																																																								
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 10640.00</td> <td>49.53</td> <td>74.00</td> <td>-24.47</td> <td>62.79</td> <td>37.65</td> <td>15.71</td> <td>66.62</td> <td>0.00</td> <td>169</td> <td>356</td> <td>PEAK</td> </tr> <tr> <td>2 10640.00</td> <td>39.87</td> <td>54.00</td> <td>-14.13</td> <td>53.13</td> <td>37.65</td> <td>15.71</td> <td>66.62</td> <td>0.00</td> <td>169</td> <td>356</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 10640.00	49.53	74.00	-24.47	62.79	37.65	15.71	66.62	0.00	169	356	PEAK	2 10640.00	39.87	54.00	-14.13	53.13	37.65	15.71	66.62	0.00	169	356	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 10640.00</td> <td>50.00</td> <td>74.00</td> <td>-23.92</td> <td>63.34</td> <td>37.65</td> <td>15.71</td> <td>66.62</td> <td>0.00</td> <td>256</td> <td>2</td> <td>PEAK</td> </tr> <tr> <td>2 10640.00</td> <td>40.54</td> <td>54.00</td> <td>-13.46</td> <td>53.80</td> <td>37.65</td> <td>15.71</td> <td>66.62</td> <td>0.00</td> <td>256</td> <td>2</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 10640.00	50.00	74.00	-23.92	63.34	37.65	15.71	66.62	0.00	256	2	PEAK	2 10640.00	40.54	54.00	-13.46	53.80	37.65	15.71	66.62	0.00	256	2	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																		
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																	
1 10640.00	49.53	74.00	-24.47	62.79	37.65	15.71	66.62	0.00	169	356	PEAK																																																																																															
2 10640.00	39.87	54.00	-14.13	53.13	37.65	15.71	66.62	0.00	169	356	AVERAGE																																																																																															
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																		
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																	
1 10640.00	50.00	74.00	-23.92	63.34	37.65	15.71	66.62	0.00	256	2	PEAK																																																																																															
2 10640.00	40.54	54.00	-13.46	53.80	37.65	15.71	66.62	0.00	256	2	AVERAGE																																																																																															



		7																																																																																																							
Mode		Band Edge																																																																																																							
		U-NII-2C_5.47-5.725_802.11a_CH100_5500MHz																																																																																																							
ANT		CDD 5+8																																																																																																							
Pol.		Horizontal					Fundamental																																																																																																		
Peak	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5458.64</td> <td>54.21</td> <td>74.00</td> <td>-19.79</td> <td>44.87</td> <td>34.56</td> <td>10.84</td> <td>36.06</td> <td>0.00</td> <td>100</td> <td>314</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5469.36</td> <td>62.47</td> <td>68.20</td> <td>-5.73</td> <td>53.10</td> <td>34.57</td> <td>10.85</td> <td>36.05</td> <td>0.00</td> <td>100</td> <td>314</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor		cm	deg	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5458.64	54.21	74.00	-19.79	44.87	34.56	10.84	36.06	0.00	100	314	PEAK	2	5469.36	62.47	68.20	-5.73	53.10	34.57	10.85	36.05	0.00	100	314	PEAK	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5500.00</td> <td>112.02</td> <td>-----</td> <td>-----</td> <td>102.56</td> <td>34.60</td> <td>10.89</td> <td>36.03</td> <td>0.00</td> <td>100</td> <td>314</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor		cm	deg	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5500.00	112.02	-----	-----	102.56	34.60	10.89	36.03	0.00	100	314	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor		cm	deg	Remark																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1	5458.64	54.21	74.00	-19.79	44.87	34.56	10.84	36.06	0.00	100	314	PEAK																																																																																													
2	5469.36	62.47	68.20	-5.73	53.10	34.57	10.85	36.05	0.00	100	314	PEAK																																																																																													
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																		
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor		cm	deg	Remark																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1	5500.00	112.02	-----	-----	102.56	34.60	10.89	36.03	0.00	100	314	PEAK																																																																																													
Avg	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5458.48</td> <td>44.61</td> <td>54.00</td> <td>-9.39</td> <td>35.27</td> <td>34.56</td> <td>10.84</td> <td>36.06</td> <td>0.00</td> <td>100</td> <td>314</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor		cm	deg	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5458.48	44.61	54.00	-9.39	35.27	34.56	10.84	36.06	0.00	100	314	AVERAGE	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5500.00</td> <td>104.41</td> <td>-----</td> <td>-----</td> <td>94.94</td> <td>34.60</td> <td>10.89</td> <td>36.02</td> <td>0.00</td> <td>100</td> <td>314</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor		cm	deg	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5500.00	104.41	-----	-----	94.94	34.60	10.89	36.02	0.00	100	314	AVERAGE													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor		cm	deg	Remark																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1	5458.48	44.61	54.00	-9.39	35.27	34.56	10.84	36.06	0.00	100	314	AVERAGE																																																																																													
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																		
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor		cm	deg	Remark																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1	5500.00	104.41	-----	-----	94.94	34.60	10.89	36.02	0.00	100	314	AVERAGE																																																																																													



		7																																																																																																					
Mode		Band Edge																																																																																																					
		U-NII-2C_5.47-5.725_802.11a_CH100_5500MHz																																																																																																					
ANT		CDD 5+8																																																																																																					
Pol.		Vertical					Fundamental																																																																																																
Peak	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>MHz</td> <td>dBuV/m</td> <td>dBuV/m</td> <td>dB</td> <td>dBuV</td> <td>dB/m</td> <td>dB</td> <td>dB</td> <td>dB</td> <td>cm</td> <td>deg</td> </tr> <tr> <td>1</td> <td>5459.60</td> <td>49.24</td> <td>74.00</td> <td>-24.76</td> <td>39.90</td> <td>34.56</td> <td>10.84</td> <td>36.06</td> <td>0.00</td> <td>102</td> <td>38</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5468.72</td> <td>56.45</td> <td>68.20</td> <td>-11.75</td> <td>47.08</td> <td>34.57</td> <td>10.85</td> <td>36.05</td> <td>0.00</td> <td>102</td> <td>38</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor		cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5459.60	49.24	74.00	-24.76	39.90	34.56	10.84	36.06	0.00	102	38	PEAK	2	5468.72	56.45	68.20	-11.75	47.08	34.57	10.85	36.05	0.00	102	38	PEAK	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>MHz</td> <td>dBuV/m</td> <td>dBuV/m</td> <td>dB</td> <td>dBuV</td> <td>dB/m</td> <td>dB</td> <td>dB</td> <td>dB</td> <td>cm</td> <td>deg</td> </tr> <tr> <td>1</td> <td>5500.00</td> <td>105.48</td> <td>-----</td> <td>-----</td> <td>96.02</td> <td>34.60</td> <td>10.89</td> <td>36.03</td> <td>0.00</td> <td>102</td> <td>38</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor		cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5500.00	105.48	-----	-----	96.02	34.60	10.89	36.03	0.00	102	38	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																														
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor		cm	deg																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																													
1	5459.60	49.24	74.00	-24.76	39.90	34.56	10.84	36.06	0.00	102	38	PEAK																																																																																											
2	5468.72	56.45	68.20	-11.75	47.08	34.57	10.85	36.05	0.00	102	38	PEAK																																																																																											
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor		cm	deg																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																													
1	5500.00	105.48	-----	-----	96.02	34.60	10.89	36.03	0.00	102	38	PEAK																																																																																											
Avg	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>MHz</td> <td>dBuV/m</td> <td>dBuV/m</td> <td>dB</td> <td>dBuV</td> <td>dB/m</td> <td>dB</td> <td>dB</td> <td>dB</td> <td>cm</td> <td>deg</td> </tr> <tr> <td>1</td> <td>5459.76</td> <td>40.21</td> <td>54.00</td> <td>-13.79</td> <td>30.87</td> <td>34.56</td> <td>10.84</td> <td>36.06</td> <td>0.00</td> <td>102</td> <td>38</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor		cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5459.76	40.21	54.00	-13.79	30.87	34.56	10.84	36.06	0.00	102	38	AVERAGE	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>MHz</td> <td>dBuV/m</td> <td>dBuV/m</td> <td>dB</td> <td>dBuV</td> <td>dB/m</td> <td>dB</td> <td>dB</td> <td>dB</td> <td>cm</td> <td>deg</td> </tr> <tr> <td>1</td> <td>5500.00</td> <td>99.35</td> <td>-----</td> <td>-----</td> <td>89.88</td> <td>34.60</td> <td>10.89</td> <td>36.02</td> <td>0.00</td> <td>102</td> <td>38</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor		cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5500.00	99.35	-----	-----	89.88	34.60	10.89	36.02	0.00	102	38	AVERAGE													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																														
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor		cm	deg																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																													
1	5459.76	40.21	54.00	-13.79	30.87	34.56	10.84	36.06	0.00	102	38	AVERAGE																																																																																											
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor		cm	deg																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																													
1	5500.00	99.35	-----	-----	89.88	34.60	10.89	36.02	0.00	102	38	AVERAGE																																																																																											



Mode	7	
	Harmonic	
	U-NII-2C_5.47-5.725_802.11a_CH100_5500MHz	
ANT	CDD 5+8	
Pol.	Horizontal	Vertical
Peak Avg		



Mode	8																																																																																																									
	Harmonic																																																																																																									
	U-NII-2C_5.47-5.725_802.11a_CH116_5580MHz																																																																																																									
ANT	CDD 5+8																																																																																																									
Pol.	Horizontal	Vertical																																																																																																								
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11160.00</td> <td>55.75</td> <td>74.00</td> <td>-18.25</td> <td>67.97</td> <td>38.03</td> <td>16.15</td> <td>66.40</td> <td>0.00</td> <td>192</td> <td>67</td> <td>PEAK</td> </tr> <tr> <td>2 11160.00</td> <td>44.99</td> <td>54.00</td> <td>-9.01</td> <td>57.21</td> <td>38.03</td> <td>16.15</td> <td>66.40</td> <td>0.00</td> <td>192</td> <td>67</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11160.00	55.75	74.00	-18.25	67.97	38.03	16.15	66.40	0.00	192	67	PEAK	2 11160.00	44.99	54.00	-9.01	57.21	38.03	16.15	66.40	0.00	192	67	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11160.00</td> <td>56.45</td> <td>74.00</td> <td>-17.55</td> <td>68.67</td> <td>38.03</td> <td>16.15</td> <td>66.40</td> <td>0.00</td> <td>161</td> <td>360</td> <td>PEAK</td> </tr> <tr> <td>2 11160.00</td> <td>46.12</td> <td>54.00</td> <td>-7.88</td> <td>58.34</td> <td>38.03</td> <td>16.15</td> <td>66.40</td> <td>0.00</td> <td>161</td> <td>360</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11160.00	56.45	74.00	-17.55	68.67	38.03	16.15	66.40	0.00	161	360	PEAK	2 11160.00	46.12	54.00	-7.88	58.34	38.03	16.15	66.40	0.00	161	360	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																		
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																	
1 11160.00	55.75	74.00	-18.25	67.97	38.03	16.15	66.40	0.00	192	67	PEAK																																																																																															
2 11160.00	44.99	54.00	-9.01	57.21	38.03	16.15	66.40	0.00	192	67	AVERAGE																																																																																															
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																		
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																	
1 11160.00	56.45	74.00	-17.55	68.67	38.03	16.15	66.40	0.00	161	360	PEAK																																																																																															
2 11160.00	46.12	54.00	-7.88	58.34	38.03	16.15	66.40	0.00	161	360	AVERAGE																																																																																															





Mode	9																																																																											
	Band Edge																																																																											
	U-NII-2C_5.47-5.725_802.11a_CH140_5700MHz																																																																											
ANT	CDD 5+8																																																																											
Pol.	Horizontal	Fundamental																																																																										
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5725.32</td> <td>63.69</td> <td>68.20</td> <td>-4.51</td> <td>53.85</td> <td>34.68</td> <td>11.18</td> <td>36.02</td> <td>0.00</td> <td>100</td> <td>311</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5725.32	63.69	68.20	-4.51	53.85	34.68	11.18	36.02	0.00	100	311	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5700.00</td> <td>111.17</td> <td>-----</td> <td>-----</td> <td>101.46</td> <td>34.61</td> <td>11.15</td> <td>36.05</td> <td>0.00</td> <td>100</td> <td>311</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5700.00	111.17	-----	-----	101.46	34.61	11.15	36.05	0.00	100	311	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																					
1	5725.32	63.69	68.20	-4.51	53.85	34.68	11.18	36.02	0.00	100	311	PEAK																																																																
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																					
1	5700.00	111.17	-----	-----	101.46	34.61	11.15	36.05	0.00	100	311	PEAK																																																																
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5700.00</td> <td>103.22</td> <td>-----</td> <td>-----</td> <td>93.55</td> <td>34.60</td> <td>11.14</td> <td>36.07</td> <td>0.00</td> <td>100</td> <td>311</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5700.00	103.22	-----	-----	93.55	34.60	11.14	36.07	0.00	100	311	AVERAGE																																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																					
1	5700.00	103.22	-----	-----	93.55	34.60	11.14	36.07	0.00	100	311	AVERAGE																																																																



Mode	9																																																																															
	Band Edge																																																																															
	U-NII-2C_5.47-5.725_802.11a_CH140_5700MHz																																																																															
ANT	CDD 5+8																																																																															
Pol.	Vertical	Fundamental																																																																														
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5725.00</td> <td>54.68</td> <td>68.20</td> <td>-13.52</td> <td>44.85</td> <td>34.67</td> <td>11.18</td> <td>36.02</td> <td>0.00</td> <td>334</td> <td>78</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5725.00	54.68	68.20	-13.52	44.85	34.67	11.18	36.02	0.00	334	78	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5700.00</td> <td>106.30</td> <td>-----</td> <td>-----</td> <td>96.63</td> <td>34.60</td> <td>11.14</td> <td>36.07</td> <td>0.00</td> <td>334</td> <td>78</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	106.30	-----	-----	96.63	34.60	11.14	36.07	0.00	334	78	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Remark																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1	5725.00	54.68	68.20	-13.52	44.85	34.67	11.18	36.02	0.00	334	78	PEAK																																																																				
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Remark																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1	5700.00	106.30	-----	-----	96.63	34.60	11.14	36.07	0.00	334	78	PEAK																																																																				
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5700.00</td> <td>98.55</td> <td>-----</td> <td>-----</td> <td>88.88</td> <td>34.60</td> <td>11.14</td> <td>36.07</td> <td>0.00</td> <td>334</td> <td>78</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	5700.00	98.55	-----	-----	88.88	34.60	11.14	36.07	0.00	334	78	AVERAGE																																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Remark																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																					
1	5700.00	98.55	-----	-----	88.88	34.60	11.14	36.07	0.00	334	78	AVERAGE																																																																				







Mode	9																																																																																																									
	Harmonic																																																																																																									
	U-NII-2C_5.47-5.725_802.11a_CH140_5700MHz																																																																																																									
ANT	CDD 5+8																																																																																																									
Pol.	Horizontal	Vertical																																																																																																								
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11400.00</td> <td>52.56</td> <td>74.00</td> <td>-21.44</td> <td>64.33</td> <td>38.22</td> <td>16.30</td> <td>66.29</td> <td>0.00</td> <td>100</td> <td>335</td> <td>PEAK</td> </tr> <tr> <td>2 11400.00</td> <td>41.22</td> <td>54.00</td> <td>-12.78</td> <td>52.99</td> <td>38.22</td> <td>16.30</td> <td>66.29</td> <td>0.00</td> <td>100</td> <td>335</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11400.00	52.56	74.00	-21.44	64.33	38.22	16.30	66.29	0.00	100	335	PEAK	2 11400.00	41.22	54.00	-12.78	52.99	38.22	16.30	66.29	0.00	100	335	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11400.00</td> <td>52.43</td> <td>74.00</td> <td>-21.57</td> <td>64.20</td> <td>38.22</td> <td>16.30</td> <td>66.29</td> <td>0.00</td> <td>154</td> <td>6</td> <td>PEAK</td> </tr> <tr> <td>2 11400.00</td> <td>41.20</td> <td>54.00</td> <td>-12.80</td> <td>52.97</td> <td>38.22</td> <td>16.30</td> <td>66.29</td> <td>0.00</td> <td>154</td> <td>6</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11400.00	52.43	74.00	-21.57	64.20	38.22	16.30	66.29	0.00	154	6	PEAK	2 11400.00	41.20	54.00	-12.80	52.97	38.22	16.30	66.29	0.00	154	6	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																		
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																	
1 11400.00	52.56	74.00	-21.44	64.33	38.22	16.30	66.29	0.00	100	335	PEAK																																																																																															
2 11400.00	41.22	54.00	-12.78	52.99	38.22	16.30	66.29	0.00	100	335	AVERAGE																																																																																															
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																		
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																	
1 11400.00	52.43	74.00	-21.57	64.20	38.22	16.30	66.29	0.00	154	6	PEAK																																																																																															
2 11400.00	41.20	54.00	-12.80	52.97	38.22	16.30	66.29	0.00	154	6	AVERAGE																																																																																															



Mode	10																																																																															
	Band Edge																																																																															
	U-NII-1_5.15-5.25_802.11ac VHT20_CH36_Full RU_5180MHz																																																																															
ANT	CDD 5+8																																																																															
Pol.	Horizontal	Fundamental																																																																														
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5149.10</td> <td>60.86</td> <td>74.00</td> <td>-13.14</td> <td>52.59</td> <td>34.15</td> <td>10.61</td> <td>36.49</td> <td>0.00</td> <td>100</td> <td>117</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5149.10	60.86	74.00	-13.14	52.59	34.15	10.61	36.49	0.00	100	117	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5180.00</td> <td>110.09</td> <td>-----</td> <td>-----</td> <td>101.79</td> <td>34.23</td> <td>10.64</td> <td>36.57</td> <td>0.00</td> <td>100</td> <td>117</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	110.09	-----	-----	101.79	34.23	10.64	36.57	0.00	100	117	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1	5149.10	60.86	74.00	-13.14	52.59	34.15	10.61	36.49	0.00	100	117	PEAK																																																																				
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1	5180.00	110.09	-----	-----	101.79	34.23	10.64	36.57	0.00	100	117	PEAK																																																																				
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5150.00</td> <td>49.61</td> <td>54.00</td> <td>-4.39</td> <td>41.34</td> <td>34.15</td> <td>10.61</td> <td>36.49</td> <td>0.00</td> <td>100</td> <td>117</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5150.00	49.61	54.00	-4.39	41.34	34.15	10.61	36.49	0.00	100	117	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5180.00</td> <td>101.97</td> <td>-----</td> <td>-----</td> <td>93.67</td> <td>34.25</td> <td>10.64</td> <td>36.59</td> <td>0.00</td> <td>100</td> <td>117</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	101.97	-----	-----	93.67	34.25	10.64	36.59	0.00	100	117	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1	5150.00	49.61	54.00	-4.39	41.34	34.15	10.61	36.49	0.00	100	117	AVERAGE																																																																				
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1	5180.00	101.97	-----	-----	93.67	34.25	10.64	36.59	0.00	100	117	AVERAGE																																																																				



Mode	10																																																																																	
	Band Edge																																																																																	
	U-NII-1_5.15-5.25_802.11ac VHT20_CH36_Full RU_5180MHz																																																																																	
ANT	CDD 5+8																																																																																	
Pol.	Vertical	Fundamental																																																																																
Peak	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5149.90</td> <td>55.32</td> <td>74.00</td> <td>-18.68</td> <td>47.05</td> <td>34.15</td> <td>10.61</td> <td>36.49</td> <td>0.00</td> <td>386</td> <td>51 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5149.90	55.32	74.00	-18.68	47.05	34.15	10.61	36.49	0.00	386	51 PEAK	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5180.00</td> <td>106.71</td> <td>-----</td> <td>-----</td> <td>98.41</td> <td>34.25</td> <td>10.64</td> <td>36.59</td> <td>0.00</td> <td>386</td> <td>51 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	106.71	-----	-----	98.41	34.25	10.64	36.59	0.00	386	51 PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	5149.90	55.32	74.00	-18.68	47.05	34.15	10.61	36.49	0.00	386	51 PEAK																																																																							
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	5180.00	106.71	-----	-----	98.41	34.25	10.64	36.59	0.00	386	51 PEAK																																																																							
Avg	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5150.00</td> <td>43.70</td> <td>54.00</td> <td>-10.30</td> <td>35.43</td> <td>34.15</td> <td>10.61</td> <td>36.49</td> <td>0.00</td> <td>386</td> <td>51 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5150.00	43.70	54.00	-10.30	35.43	34.15	10.61	36.49	0.00	386	51 AVERAGE	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5180.00</td> <td>99.12</td> <td>-----</td> <td>-----</td> <td>90.82</td> <td>34.23</td> <td>10.64</td> <td>36.57</td> <td>0.00</td> <td>386</td> <td>51 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	99.12	-----	-----	90.82	34.23	10.64	36.57	0.00	386	51 AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	5150.00	43.70	54.00	-10.30	35.43	34.15	10.61	36.49	0.00	386	51 AVERAGE																																																																							
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	5180.00	99.12	-----	-----	90.82	34.23	10.64	36.57	0.00	386	51 AVERAGE																																																																							



Mode	10																																																																											
	Harmonic																																																																											
	U-NII-1_5.15-5.25_802.11ac VHT20_CH36_Full RU_5180MHz																																																																											
ANT	CDD 5+8																																																																											
Pol.	Horizontal	Vertical																																																																										
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 10360.00</td> <td>47.87</td> <td>68.20</td> <td>-20.33</td> <td>61.71</td> <td>37.45</td> <td>15.45</td> <td>66.74</td> <td>0.00</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 10360.00	47.87	68.20	-20.33	61.71	37.45	15.45	66.74	0.00	--	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 10360.00</td> <td>50.40</td> <td>68.20</td> <td>-17.80</td> <td>64.24</td> <td>37.45</td> <td>15.45</td> <td>66.74</td> <td>0.00</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 10360.00	50.40	68.20	-17.80	64.24	37.45	15.45	66.74	0.00	--	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Remark																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																			
1 10360.00	47.87	68.20	-20.33	61.71	37.45	15.45	66.74	0.00	--	PEAK																																																																		
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Remark																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																			
1 10360.00	50.40	68.20	-17.80	64.24	37.45	15.45	66.74	0.00	--	PEAK																																																																		



Mode	11																																																																									
	Harmonic																																																																									
	U-NII-1_5.15-5.25_802.11ac VHT20_CH44_Full RU_5220MHz																																																																									
ANT	CDD 5+8																																																																									
Pol.	Horizontal	Vertical																																																																								
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 10436.40</td> <td>51.47</td> <td>68.20</td> <td>-16.73</td> <td>65.15</td> <td>37.51</td> <td>15.52</td> <td>66.71</td> <td>0.00</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 10436.40	51.47	68.20	-16.73	65.15	37.51	15.52	66.71	0.00	--	--	Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 10440.00</td> <td>51.83</td> <td>68.20</td> <td>-16.37</td> <td>65.51</td> <td>37.51</td> <td>15.52</td> <td>66.71</td> <td>0.00</td> <td>--</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 10440.00	51.83	68.20	-16.37	65.51	37.51	15.52	66.71	0.00	--	--	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																			
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Remark																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																			
1 10436.40	51.47	68.20	-16.73	65.15	37.51	15.52	66.71	0.00	--	--	Peak																																																															
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																			
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Remark																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																			
1 10440.00	51.83	68.20	-16.37	65.51	37.51	15.52	66.71	0.00	--	--	PEAK																																																															



Mode	12																																																																												
	Harmonic																																																																												
	U-NII-1_5.15-5.25_802.11ac VHT20_CH48_Full RU_5240MHz																																																																												
ANT	CDD 5+8																																																																												
Pol.	Horizontal	Vertical																																																																											
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 10480.00</td> <td>49.33</td> <td>68.20</td> <td>-18.87</td> <td>62.93</td> <td>37.53</td> <td>15.56</td> <td>66.69</td> <td>0.00</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 10480.00	49.33	68.20	-18.87	62.93	37.53	15.56	66.69	0.00	--	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 10480.00</td> <td>52.04</td> <td>68.20</td> <td>-16.16</td> <td>65.64</td> <td>37.53</td> <td>15.56</td> <td>66.69</td> <td>0.00</td> <td>119</td> <td>0</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 10480.00	52.04	68.20	-16.16	65.64	37.53	15.56	66.69	0.00	119	0	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Remark																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																				
1 10480.00	49.33	68.20	-18.87	62.93	37.53	15.56	66.69	0.00	--	PEAK																																																																			
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Remark																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																				
1 10480.00	52.04	68.20	-16.16	65.64	37.53	15.56	66.69	0.00	119	0	PEAK																																																																		





Mode	13																																																																																																	
	Harmonic																																																																																																	
	U-NII-2A_5.25-5.35_802.11ac VHT20_CH52_Full RU_5280MHz																																																																																																	
ANT	CDD 5+8																																																																																																	
Pol.	Horizontal	Vertical																																																																																																
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 10560.00</td> <td>49.83</td> <td>68.20</td> <td>-18.37</td> <td>63.26</td> <td>37.59</td> <td>15.64</td> <td>66.66</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>0.00</td> <td>--</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>-- PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 10560.00	49.83	68.20	-18.37	63.26	37.59	15.64	66.66							0.00	--								-- PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 10560.00</td> <td>52.66</td> <td>68.20</td> <td>-15.54</td> <td>66.09</td> <td>37.59</td> <td>15.64</td> <td>66.66</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>0.00</td> <td>188</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>355 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 10560.00	52.66	68.20	-15.54	66.09	37.59	15.64	66.66							0.00	188								355 PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Remark																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																											
1 10560.00	49.83	68.20	-18.37	63.26	37.59	15.64	66.66																																																																																											
						0.00	--																																																																																											
							-- PEAK																																																																																											
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Remark																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																											
1 10560.00	52.66	68.20	-15.54	66.09	37.59	15.64	66.66																																																																																											
						0.00	188																																																																																											
							355 PEAK																																																																																											



Mode	14																																																																																																													
	Harmonic																																																																																																													
	U-NII-2A_5.25-5.35_802.11ac VHT20_CH60_Full RU_5300MHz																																																																																																													
ANT	CDD 5+8																																																																																																													
Pol.	Horizontal	Vertical																																																																																																												
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10600.00</td> <td>53.34</td> <td>74.00</td> <td>-20.66</td> <td>66.69</td> <td>37.62</td> <td>15.67</td> <td>66.64</td> <td>0.00</td> <td>318</td> <td>60</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>10600.00</td> <td>40.93</td> <td>54.00</td> <td>-13.07</td> <td>54.28</td> <td>37.62</td> <td>15.67</td> <td>66.64</td> <td>0.00</td> <td>318</td> <td>60</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10600.00	53.34	74.00	-20.66	66.69	37.62	15.67	66.64	0.00	318	60	PEAK	2	10600.00	40.93	54.00	-13.07	54.28	37.62	15.67	66.64	0.00	318	60	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10600.00</td> <td>52.02</td> <td>74.00</td> <td>-21.98</td> <td>65.37</td> <td>37.62</td> <td>15.67</td> <td>66.64</td> <td>0.00</td> <td>218</td> <td>0</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>10600.00</td> <td>40.70</td> <td>54.00</td> <td>-13.30</td> <td>54.05</td> <td>37.62</td> <td>15.67</td> <td>66.64</td> <td>0.00</td> <td>218</td> <td>0</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10600.00	52.02	74.00	-21.98	65.37	37.62	15.67	66.64	0.00	218	0	PEAK	2	10600.00	40.70	54.00	-13.30	54.05	37.62	15.67	66.64	0.00	218	0	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	10600.00	53.34	74.00	-20.66	66.69	37.62	15.67	66.64	0.00	318	60	PEAK																																																																																																		
2	10600.00	40.93	54.00	-13.07	54.28	37.62	15.67	66.64	0.00	318	60	AVERAGE																																																																																																		
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	10600.00	52.02	74.00	-21.98	65.37	37.62	15.67	66.64	0.00	218	0	PEAK																																																																																																		
2	10600.00	40.70	54.00	-13.30	54.05	37.62	15.67	66.64	0.00	218	0	AVERAGE																																																																																																		